



Keg - Silver Range

Archer, Cathro
& Associates (1981) Limited

Grid East	Grid North	Easting	Northing	Elevation	Depth (m)
09+910 NE	09+720 NW	595506	6918129	1628.64	185.01

ZONE: Hammer

SECTION:

SURVEY			
Depth (m)	Azimuth	Dip	Method
0	63	-45	Compass
185.01	62	-46.3	Ranger

TARGET:

SUMMARY			
From (m)	To (m)	Interval (m)	Rock Type
0	2.65	2.65	CAS
2.65	50.9	48.25	GRN
50.9	54.9	4	GRN
54.9	62	7.1	GRN
62	65.8	3.8	GRN
65.8	107	41.2	GRN
107	132.8	25.8	GRN
132.8	156.3	23.5	GRN
156.3	185.01	28.71	GRN

HOLE: HAM-12-010

CLAIM: YD155446

Contractor: Platinum

Drill: 1

Core Size: NQ

Casing Depth: 2.65m, Out

Drilling Dates: Jul 01 - Jul 03, 2012

Geology Logged By: R. Avram

SAMPLES	
Numbers:	L845839 to L845924
Total:	93
Batch:	010, 011, 012
Certificates:	WH12157317, WH12157358, WH12157359

COMMENTS

Mineralisation, if not otherwise specified, occurs as a black powder which is probably a mix of very fine grained sulphides, sulphosalts and oxides.



Box Number	From (m)	To (m)
1	2.65	8.23
2	8.23	13.89
3	13.89	19.5
4	19.5	25.2
5	25.2	30.91
6	30.91	36.36
7	36.36	42.38
8	42.38	48.14
9	48.14	53.8
10	53.8	59.58
11	59.58	65.34
12	65.34	71.24
13	71.24	76.86
14	76.86	82.42
15	82.42	87.88
16	87.88	93.36
17	93.36	98.73
18	98.73	104.27
19	104.27	109.83
20	109.83	115.18
21	115.18	120.66
22	120.66	126.15
23	126.15	131.59
24	131.59	137.15
25	137.15	142.93
26	142.93	148.61
27	148.61	154.26
28	154.26	159.9
29	159.9	165.72
30	165.72	171.41

Box Number	From (m)	To (m)
31	171.41	177.26
32	177.26	182.57
33	182.57	185.01

Box Number	From (m)	To (m)
---------------	----------	--------

From (m)	To (m)	Interval (m)	Rock Type	Grain Size	Description	Shade	Colour	Texture	Alteration	Intensity	Mineral	Conc.
0.00	2.65	2.65	CAS	-	Casing.							
						--	--	---	---	--	--	0
2.65	12.00	9.35	GRN	MG	Medium grey granite with trace oxidation present on fracture faces.							
						MD	GY	PH	OXI	1I	--	0
12.00	13.00	1.00	GRN	MG	Weakly oxidized granite with a <2mm thick oxidized fracture with black mineral powder at 3° TCA.							
						LT	GY	PH	OXI	2I	Un	0.5
									BLE	1I		
13.00	27.00	14.00	GRN	MG	Medium grey granite with trace oxidation present on fracture faces.							
						MD	GY	PH	OXI	1I	--	0
27.00	27.50	0.50	GRN	MG	Strongly bleached, moderately oxidized granite with a 45° TCA fracture with strongly oxidized black mineral powder making up 5% of the fracture infill.							
						LT	GY	PH	OXI	3I	Un	1
									BLE	4I		
27.50	30.00	2.50	GRN	MG	Medium grey granite with trace oxidation present on fracture faces.							
						MD	GY	PH	OXI	1I	--	0
30.00	31.00	1.00	GRN	MG	Strongly bleached and oxidized granite with a less than 6cm thick fracture filled with 80% black mineralisation and earthy, strongly oxidized argillic material.							
						LT	WH	PH	OXI	4I	Un	3
						LT	RD		BLE	4I		
									ARG	1I		
31.00	36.00	5.00	GRN	MG	Medium grey granite with trace oxidation present on fracture faces.							
						MD	GY	PH	OXI	1I	--	0
36.00	37.50	1.50	GRN	MG	Moderately oxidized and bleached granite with two <3mm thick strongly oxidized vuggy quartz veinlets with euhedral quartz crystals and black mineralisation.							

From (m)	To (m)	Interval (m)	Rock Type	Grain Size	Description	Shade	Colour	Texture	Alteration	Intensity	Mineral	Conc.
						LT	GY	PH	OXI	3I	Un	1
						LT	RD		BLE	3I		
37.50	47.00	9.50	GRN	MG	Medium grey granite with trace oxidation present on fracture faces.							
						MD	GY	PH	OXI	1I	--	0
47.00	50.00	3.00	GRN	MG	Moderately oxidized granite with trace black mineralisation on fracture faces.							
						MD	GY	PH	OXI	3I	Un	0.3
						LT	RD					
50.00	50.90	0.90	GRN	MG	Medium grey granite with trace oxidation present on fracture faces.							
						MD	GY	PH	OXI	1I	--	0
50.90	52.70	1.80	GRN	MG	Weakly to moderately bleached and oxidized granite with trace manganese oxide and black powder mineralisation.							
						LT	GY	PH	OXI	2I	Un	0.3
						LT	RD		BLE	2I		
52.70	54.00	1.30	GRN	MG	Strongly oxidized, bleached and argillic granite with fair black mineralisation.							
						LT	WH	PH	OXI	4I	Un	5
						LT	RD		ARG	4I		
									BLE	4I		
54.00	54.60	0.60	GRN	MG	Weakly to moderately bleached and oxidized granite with trace manganese oxide and black powder mineralisation.							
						MD	GY		BLE	3I		
						LT	OR	PH	OXI	3I	--	0
54.60	54.90	0.30	GRN	MG	Strongly to intensely oxidized, strongly bleached granite with an earthy texture and moderately strong black replacement style mineralisation.							
						LT	WH	PH	OXI	4I	Un	15
						LT	RD		BLE	4I		
54.90	62.00	7.10	GRN	MG	Weakly oxidized granite with black laminated quartz veinlets 1-5cm thick containing black mineralisation,							
						MD	GY	PH	OXI	2I	Un	0.1

From (m)	To (m)	Interval (m)	Rock Type	Grain Size	Description	Shade	Colour	Texture	Alteration	Intensity	Mineral	Conc.
62.00	62.90	0.90	GRN	MG	Strongly bleached and moderately oxidized section featuring dark brown-black powdery mineralisation intercalated with oxidized granite.							
						LT	GY	PH	BLE	4I	Un	15
						LT	RD					
						DK	BR		OXI	3I		
62.90	64.60	1.70	GRN	MG	Strongly oxidized section with silicified fractures and manganese oxide and black powdery mineralisation.							
						LT	RD	PH	OXI	4I	Un	5
						LT	GY		SIL	2I		
64.60	65.60	1.00	GRN	MG	Strongly bleached, weakly oxidized granite.							
						LT	WH	PH	BLE	4I	Un	2
						LT	RD		OXI	2I		
65.60	65.80	0.20	GRN	MG	Medium grey granite							
						MD	GY	PH	OXI	1I	--	0
65.80	107.00	41.20	GRN	MG	Granite with <3m thick sections of fair oxidation and comprising hairline strongly oxidized fractures oriented at 45° TCA with black powdery mineralisation. Clay alteration also occurs on 45° TCA fractures <5mm thick as well as occasionally in <30cm sections.							
						MD	GY		ARG	2I		
						LT	RD	PH	OXI	2I	Un	0.1
107.00	107.20	0.20	GRN	MG	Strongly bleached and weakly argillic section. Mineralisation present as three 2-4cm thick black powdery bands.							
						LT	WH	PH	BLE	4I	Un	10
						DK	BK		ARG	2I		
									OXI	1I		
107.20	107.50	0.30	GRN	MG	Friable strongly bleached and argillic interval with intense black mineralisation.							
						LT	WH	PH	OXI	1I	Un	20
						DK	BK		BLE	4I		
									ARG	4I		

From (m)	To (m)	Interval (m)	Rock Type	Grain Size	Description	Shade	Colour	Texture	Alteration	Intensity	Mineral	Conc.
107.50	110.40	2.90	GRN	MG	Intensely argillic gouge with interstitial black powder (manganese oxides). The orthoclase once present has gone to clay. Mostly barren fragments of quartz are present in the interval. 30° TCA lower contact.							
						LT	WH	PH	OXI	2I	Un	20
						DK	BK		ARG	5I		
									BLE	5I		
110.40	124.00	13.60	GRN	MG	Strongly bleached and weakly argillic section with 1-400mm thick mostly barren quartz veining.							
						LT	GY	PH	OXI	2I	Un	2
						LT	RD		BLE	4I		
									ARG	2I		
124.00	124.50	0.50	GRN	MG	Strongly bleached granite intercalated with vuggy, laminated quartz bands and with black interstitial mineralisation.							
						LT	GY	PH	OXI	2I	Un	10
						LT	RD	LA	BLE	4I		
								VU	SIL	4I		
124.50	126.00	1.50	GRN	MG	Strongly bleached and weakly argillic section with 1-400mm thick mostly barren quartz veining.							
						LT	GY	PH	OXI	2I	Un	0.1
						LT	RD		BLE	4I		
									ARG	2I		
126.00	131.20	5.20	GRN	MG	Intensely argillic, moderately oxidized gougy granite.							
						LT	GY	PH	OXI	2I	Un	2
						LT	RD		BLE	4I		
									ARG	1I		
131.20	132.80	1.60	GRN	MG	Strongly bleached, weakly oxidized interval featuring a 15cm quartz vein with a 10cm envelope of black powder replacement.							
						LT	GY	PH	OXI	2I	Un	15
						DK	BK		BLE	4I		
									SIL	2I		
132.80	156.30	23.50	GRN	MG	Medium grey granite with alternating sections of white, bleaching and reddish oxidation. Trace mineralisation occurs as a few 45° TCA 2-3mm fractures with up to 3cm oxidized envelopes as well as replacing the granite matrix.							
						MD	GY	PH	OXI	2I	Un	1

Conc.	Mineral	Intensity	Alteration	Texture	Colour	Shade	Description	Grain Size	Rock Type	Interval (m)	To (m)	From (m)
		2I	BLE		WH	LT						
					RD	LT						
							Granite with two <40cm oxidized intervals and three 1-3cm thick quartz veinlets, one with a brown carbonate.	MG	GRN	28.71	185.01	156.30
0.2	Un	2I	OXI	PH	GY	MD						



From (m)	To (m)	Interval (m)	Rock Type	Recovery (m)	Recovery %	Sample Number	BatchName	Batch Class	Standard	Blank	1/4 Dup	Coarse Dup
0.00	0.00	0.00	-QC-	0.00	0	L845920	12-012	Core	PL1	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
0.00	0.00	0.00	-QC-	0.00	0	L845840	12-010	Core	ME8	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
0.00	0.00	0.00	-QC-	0.00	0	L845923	12-012	Core		<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
0.00	0.00	0.00	-QC-	0.00	0	L845906	12-012	Core		<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
0.00	0.00	0.00	-QC-	0.00	0	L845900	12-012	Core	ME8	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
0.00	0.00	0.00	-QC-	0.00	0	L845887	12-011	Core	ME8	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
0.00	0.00	0.00	-QC-	0.00	0	L845884	12-011	Core		<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
0.00	0.00	0.00	-QC-	0.00	0	L845871	12-011	Core	PL1	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
0.00	0.00	0.00	-QC-	0.00	0	L845864	12-011	Core		<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
0.00	0.00	0.00	-QC-	0.00	0	L845857	12-010	Core		<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
0.00	0.00	0.00	-QC-	0.00	0	L845852	12-010	Core	PL1	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
12.00	13.50	1.50	GRN	1.50	100	L845839	12-010	Core		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
27.00	28.00	1.00	GRN	1.00	100	L845841	12-010	Core		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
28.00	29.40	1.40	GRN	1.28	91	L845842	12-010	Core		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
29.40	30.00	0.60	GRN	0.60	100	L845843	12-010	Core		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
30.00	30.90	0.90	GRN	0.85	94	L845844	12-010	Core		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
30.00	30.90	0.90	GRN	0.85	94	L845845	12-010	Core		<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
30.90	32.00	1.10	GRN	1.10	100	L845846	12-010	Core		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
32.00	34.00	2.00	GRN	2.00	100	L845847	12-010	Core		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
34.00	35.80	1.80	GRN	1.80	100	L845848	12-010	Core		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
35.80	37.60	1.80	GRN	1.39	77	L845849	12-010	Core		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
47.00	47.80	0.80	GRN	0.76	95	L845850	12-010	Core		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
47.80	50.80	3.00	GRN	3.00	100	L845851	12-010	Core		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
50.80	51.70	0.90	GRN	0.83	92	L845853	12-010	Core		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
51.70	52.80	1.10	GRN	1.10	100	L845854	12-010	Core		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
52.80	53.80	1.00	GRN	1.00	100	L845855	12-010	Core		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
53.80	54.90	1.10	GRN	1.07	97	L845856	12-010	Core		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Coarse Dup	1/4 Dup	Blank	Standard	Batch Class	BatchName	Sample Number	Recovery %	Recovery (m)	Rock Type	Interval (m)	To (m)	From (m)
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		Core	12-010	L845858	99	2.98	GRN, GRN	3.00	57.90	54.90
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		Core	12-010	L845859	100	0.50	GRN	0.50	58.40	57.90
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		Core	12-010	L845860	100	0.70	GRN	0.70	59.10	58.40
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		Core	12-011	L845861	99	2.96	GRN	3.00	62.10	59.10
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		Core	12-011	L845862	100	0.50	GRN	0.50	62.60	62.10
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		Core	12-011	L845863	100	0.90	GRN	0.90	63.50	62.60
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		Core	12-011	L845865	100	2.30	GRN	2.30	65.80	63.50
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		Core	12-011	L845866	100	2.99	GRN, GRN	3.00	68.80	65.80
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		Core	12-011	L845867	99	2.96	GRN	3.00	71.80	68.80
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		Core	12-011	L845868	100	3.00	GRN	3.00	74.80	71.80
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		Core	12-011	L845869	100	2.00	GRN	2.00	84.40	82.40
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		Core	12-011	L845870	98	2.54	GRN	2.60	87.00	84.40
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		Core	12-011	L845872	100	3.00	GRN	3.00	90.00	87.00
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		Core	12-011	L845873	100	3.00	GRN	3.00	93.00	90.00
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		Core	12-011	L845874	100	3.00	GRN	3.00	96.00	93.00
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		Core	12-011	L845875	100	3.00	GRN	3.00	99.00	96.00
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		Core	12-011	L845876	100	1.99	GRN	2.00	101.00	99.00
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		Core	12-011	L845877	100	2.00	GRN	2.00	103.00	101.00
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		Core	12-011	L845878	100	2.00	GRN	2.00	105.00	103.00
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		Core	12-011	L845879	100	2.00	GRN	2.00	105.00	103.00
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		Core	12-011	L845880	100	1.00	GRN	1.00	106.00	105.00
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		Core	12-011	L845881	100	1.00	GRN	1.00	107.00	106.00
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		Core	12-011	L845882	100	1.00	GRN, GRN	1.00	108.00	107.00
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		Core	12-011	L845883	89	0.89	GRN	1.00	109.00	108.00
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		Core	12-011	L845885	100	0.70	GRN	0.70	109.70	109.00
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		Core	12-011	L845886	100	0.70	GRN	0.70	110.40	109.70
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		Core	12-011	L845888	100	1.00	GRN	1.00	111.40	110.40

From (m)	To (m)	Interval (m)	Rock Type	Recovery (m)	Recovery %	Sample Number	BatchName	Batch Class	Standard	Blank	1/4 Dup	Coarse Dup
111.40	113.40	2.00	GRN	1.68	84	L845889	12-011	Core		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
113.40	115.40	2.00	GRN	1.98	99	L845890	12-011	Core		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
113.40	115.40	2.00	GRN	1.98	99	L845891	12-011	Core		<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
115.40	118.40	3.00	GRN	2.95	98	L845892	12-011	Core		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
118.40	119.30	0.90	GRN	0.90	100	L845893	12-011	Core		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
119.30	119.90	0.60	GRN	0.58	97	L845894	12-011	Core		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
119.90	120.90	1.00	GRN	1.00	100	L845895	12-011	Core		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
120.90	121.90	1.00	GRN	1.00	100	L845896	12-011	Core		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
121.90	124.00	2.10	GRN	2.10	100	L845897	12-012	Core		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
124.00	124.50	0.50	GRN	0.48	96	L845898	12-012	Core		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
124.50	126.00	1.50	GRN	1.50	100	L845899	12-012	Core		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
126.00	128.00	2.00	GRN	2.00	100	L845901	12-012	Core		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
128.00	130.00	2.00	GRN	1.90	95	L845902	12-012	Core		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
130.00	131.20	1.20	GRN	1.19	99	L845903	12-012	Core		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
131.20	131.70	0.50	GRN	0.49	98	L845904	12-012	Core		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
131.70	132.70	1.00	GRN	1.00	100	L845905	12-012	Core		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
132.70	133.60	0.90	GRN	0.78	87	L845907	12-012	Core		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
133.60	135.60	2.00	GRN	1.99	100	L845908	12-012	Core		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
135.60	138.60	3.00	GRN	3.00	100	L845909	12-012	Core		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
138.60	141.60	3.00	GRN	2.99	100	L845910	12-012	Core		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
141.60	143.30	1.70	GRN	1.70	100	L845911	12-012	Core		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
143.30	145.30	2.00	GRN	2.00	100	L845912	12-012	Core		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
143.30	145.30	2.00	GRN	2.00	100	L845913	12-012	Core		<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
145.30	146.30	1.00	GRN	1.00	100	L845914	12-012	Core		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
146.30	148.00	1.70	GRN	1.70	100	L845915	12-012	Core		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
148.00	151.00	3.00	GRN	3.00	100	L845916	12-012	Core		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
151.00	152.30	1.30	GRN	1.28	98	L845917	12-012	Core		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
152.30	153.70	1.40	GRN	1.37	98	L845918	12-012	Core		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
153.70	156.20	2.50	GRN	2.50	100	L845919	12-012	Core		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

From (m)	To (m)	Interval (m)	Recovery (m)	Recovery %	RQD	RQD %	Reactivity	Hardness	Weathering	Comments
0.00	2.65	2.65	0	0	0.00	0	OR	--	--	
2.65	5.18	2.53	2.53	100	2.53	100	OR	4H	1W	
5.18	8.23	3.05	2.96	97	1.69	55	OR	4H	1W	
8.23	11.28	3.05	3.05	100	1.21	40	OR	4H	2W	
11.28	14.33	3.05	3.05	100	1.15	38	OR	4H	2W	
14.33	17.37	3.04	3	99	1.37	45	OR	4H	2W	
17.37	20.42	3.05	3.05	100	1.81	59	OR	4H	2W	
20.42	23.47	3.05	3.05	100	2.52	83	OR	4H	1W	
23.47	26.52	3.05	3.05	100	2.78	91	OR	4H	1W	
26.52	29.57	3.05	3	98	1.67	55	OR	4H	2W	
29.57	32.61	3.04	3.04	100	1.80	59	OR	4H	3W	
32.61	35.66	3.05	3.05	100	2.55	84	OR	4H	3W	
35.66	38.71	3.05	3.05	100	2.17	71	OR	3H	3W	
38.71	41.76	3.05	3.05	100	1.97	65	OR	4H	1W	
41.76	44.81	3.05	3.05	100	2.86	94	OR	4H	1W	
44.81	47.85	3.04	3.04	100	2.12	70	OR	4H	2W	
47.85	50.91	3.06	3.06	100	2.55	83	OR	4H	2W	
50.91	53.95	3.04	3.04	100	1.48	49	OR	2H	4W	
53.95	57.00	3.05	3.05	100	2.38	78	OR	3H	3W	
57.00	60.05	3.05	2.99	98	2.39	78	OR	3H	3W	
60.05	63.09	3.04	3.01	99	2.37	78	OR	3H	3W	
63.09	66.14	3.05	3.05	100	2.31	76	OR	4H	3W	
66.14	69.19	3.05	3.04	100	2.07	68	OR	3H	3W	
69.19	72.24	3.05	3.05	100	2.30	75	OR	3H	2W	
72.24	75.29	3.05	3.05	100	2.15	70	OR	4H	1W	
75.29	78.33	3.04	3.04	100	2.45	81	OR	3H	1W	
78.33	81.38	3.05	3.05	100	2.63	86	OR	3H	1W	
81.38	84.43	3.05	3.05	100	2.17	71	1R	3H	2W	
84.43	87.48	3.05	3.05	100	2.03	67	1R	3H	2W	

From (m)	To (m)	Interval (m)	Recovery (m)	Recovery %	RQD	RQD %	Reactivity	Hardness	Weathering	Comments
87.48	90.53	3.05	3.05	100	2.48	81	0R	4H	1W	
90.53	93.57	3.04	3.04	100	1.76	58	0R	3H	2W	
93.57	96.62	3.05	3.05	100	1.41	46	0R	3H	2W	
96.62	99.67	3.05	3.05	100	1.90	62	0R	4H	2W	
99.67	102.72	3.05	3.05	100	1.88	62	0R	3H	2W	
102.72	105.77	3.05	3.05	100	2.15	70	0R	3H	2W	
105.77	108.81	3.04	3.04	100	2.14	70	2R	2H	3W	
108.81	111.86	3.05	3.05	100	0.81	27	2R	2H	3W	
111.86	114.91	3.05	3.05	100	2.02	66	2R	2H	3W	
114.91	117.96	3.05	3.05	100	0.64	21	0R	3H	2W	
117.96	121.01	3.05	3.05	100	1.73	57	0R	4H	2W	
121.01	124.05	3.04	3.04	100	2.65	87	0R	3H	2W	
124.05	127.10	3.05	3.05	100	1.78	58	0R	1H	4W	
127.10	130.15	3.05	2.95	97	1.18	39	0R	1H	4W	
130.15	133.20	3.05	3.04	100	1.76	58	2R	2H	3W	
133.20	136.25	3.05	3.05	100	2.80	92	0R	4H	2W	
136.25	139.29	3.04	3.04	100	2.94	97	0R	4H	2W	
139.29	142.34	3.05	3.02	99	3.02	99	0R	4H	2W	
142.34	145.39	3.05	3.05	100	3.05	100	0R	4H	2W	
145.39	148.44	3.05	3.05	100	2.47	81	0R	3H	3W	
148.44	151.49	3.05	3.05	100	2.07	68	0R	3H	2W	
151.49	154.53	3.04	3.04	100	1.95	64	0R	3H	2W	
154.53	157.58	3.05	3.04	100	2.43	80	0R	4H	2W	
157.58	160.63	3.05	3.05	100	2.49	82	0R	4H	1W	
160.63	163.68	3.05	3.05	100	2.96	97	0R	4H	1W	
163.68	166.73	3.05	3.03	99	2.60	85	0R	4H	2W	
166.73	169.77	3.04	3.04	100	2.50	82	0R	4H	2W	
169.77	172.82	3.05	3.03	99	2.43	80	0R	4H	1W	
172.82	175.87	3.05	3.05	100	2.77	91	0R	4H	1W	
175.87	178.92	3.05	3.05	100	2.63	86	0R	4H	2W	
178.92	181.97	3.05	3.05	100	2.73	90	0R	4H	2W	

Comments	Weathering	Hardness	Reactivity	RQD %	RQD	Recovery %	Recovery (m)	Interval (m)	To (m)	From (m)
EOH	2W	4H	0R	91	2.77	98	2.99	3.04	185.01	181.97

Depth (m)	Magnetic Susceptibility	Rock Type	Comments
0	0	CAS	casing
1	0	CAS	casing
2	0	CAS	casing
3	0.12	GRN	
4	0.28	GRN	
5	0.17	GRN	
6	1.2	GRN	
7	0.15	GRN	
8	0.28	GRN	
9	0	GRN	broken
10	0.01	GRN	
11	0.03	GRN	
12	0.14	GRN	
13	0.12	GRN	
14	0	GRN	broken
15	0.16	GRN	
16	1.14	GRN	
17	0.16	GRN	
18	0.37	GRN	
19	0.12	GRN	
20	0.12	GRN	
21	0.15	GRN	
22	0.13	GRN	
23	0.19	GRN	
24	0.16	GRN	
25	0.12	GRN	
26	0.34	GRN	
27	0.14	GRN	
28	0.15	GRN	

Depth (m)	Magnetic Susceptibility	Unit	Comments
29	0.15	GRN	
30	0.18	GRN	
31	0.7	GRN	
32	0.17	GRN	
33	0.19	GRN	
34	0.06	GRN	
35	0.17	GRN	
36	0.19	GRN	
37	0.07	GRN	
38	0.35	GRN	
39	0.09	GRN	
40	0.13	GRN	
41	0	GRN	broken
42	0.13	GRN	
43	0.99	GRN	
44	0.12	GRN	
45	0.17	GRN	
46	0.1	GRN	
47	0.17	GRN	
48	0.23	GRN	
49	0.16	GRN	
50	0.14	GRN	
51	0	GRN	broken
52	0.16	GRN	
53	0.04	GRN	
54	0.37	GRN	
55	0.21	GRN	
56	0.11	GRN	
57	0.12	GRN	

Depth (m)	Magnetic Susceptibility	Rock Type	Comments
58	0.83	GRN	
59	0.16	GRN	
60	0.13	GRN	
61	0.17	GRN	
62	0.13	GRN	
62	0.13	GRN	
63	0.09	GRN	
64	0.32	GRN	
65	0.67	GRN	
66	0.55	GRN	
67	0.13	GRN	
68	0.15	GRN	
69	0.4	GRN	
70	0.2	GRN	
71	0.22	GRN	
72	0.1	GRN	
73	0.21	GRN	
74	0.19	GRN	
75	0.19	GRN	
76	0.21	GRN	
77	0.19	GRN	
78	0.17	GRN	
79	0.16	GRN	
80	0.2	GRN	
81	0.94	GRN	
82	0.19	GRN	
83	0.15	GRN	
84	0.62	GRN	
85	0.18	GRN	
86	0.14	GRN	
87	0.57	GRN	

Depth (m)	Magnetic Susceptibility	Unit	Comments
88	0.34	GRN	
89	0.17	GRN	
90	0.19	GRN	
91	0.16	GRN	
92	0.81	GRN	
93	0.19	GRN	
94	0.19	GRN	
95	0.16	GRN	
96	0.4	GRN	
97	0.1	GRN	
98	0.25	GRN	
99	0.15	GRN	
100	0.17	GRN	
101	0.24	GRN	
102	0.56	GRN	
103	0.46	GRN	
104	0.31	GRN	
105	0.87	GRN	
106	0.1	GRN	
107	0.12	GRN	
107	0.12	GRN	
108	0.11	GRN	
109	0.2	GRN	
110	0.22	GRN	
111	0.33	GRN	
112	0.13	GRN	
113	0.12	GRN	
114	0.49	GRN	
115	0.15	GRN	
116	0.15	GRN	
117	0.17	GRN	

Depth (m)	Magnetic Susceptibility	Rock Type	Comments
118	0.11	GRN	
119	0.11	GRN	
120	0.4	GRN	
121	0.14	GRN	
122	0.27	GRN	
123	0.06	GRN	
124	0.17	GRN	
125	0.15	GRN	
126	0.26	GRN	
127	0.12	GRN	
128	0.08	GRN	
129	0.24	GRN	
130	0.21	GRN	
131	0.12	GRN	
132	0.18	GRN	
133	0.24	GRN	
134	0.26	GRN	
135	0.24	GRN	
136	0.37	GRN	
137	0.37	GRN	
138	0.3	GRN	
139	0.16	GRN	
140	0.6	GRN	
141	0.28	GRN	
142	0.13	GRN	
143	0.15	GRN	
144	0.2	GRN	
145	0.22	GRN	
146	0.1	GRN	
147	0.13	GRN	
148	0.12	GRN	

Depth (m)	Magnetic Susceptibility	Unit	Comments
149	0.2	GRN	
150	0.18	GRN	
151	0.17	GRN	
152	0.23	GRN	
153	0.46	GRN	
154	0.41	GRN	
155	0.31	GRN	
156	0.17	GRN	
157	0.14	GRN	
158	0.24	GRN	
159	0.19	GRN	
160	0.39	GRN	
161	0	GRN	
162	0.04	GRN	
163	0.19	GRN	
164	0.09	GRN	
165	0.27	GRN	
166	0.21	GRN	
167	0.14	GRN	
168	0.13	GRN	
169	0.16	GRN	
170	0.2	GRN	
171	0.12	GRN	
172	0.71	GRN	
173	0.31	GRN	
174	0.19	GRN	
175	0.13	GRN	
176	0.45	GRN	
177	0.37	GRN	
178	0.29	GRN	
179	0.14	GRN	

Depth (m)	Magnetic Susceptibility	Rock Type	Comments
180	0.74	GRN	
181	0.12	GRN	
182	0.5	GRN	
183	0.14	GRN	
184	0.12	GRN	
185	0.11	GRN	EOH

Depth (m)	Magnetic Susceptibility	Unit	Comments
-----------	-------------------------	------	----------



Hole Name	From (m)	Length (m)	Core Size	Rock Type	Weight in Air (g)	Weight in Water (g)	Density (g/cm3)	Specific Gravity	Comments
HAM-12-010									
	25	15.1	NQ	GRN	805.7	500.4	2.6	2.6	Medium grey - green granite.
	54.5	12.4	NQ	GRN	631.6	574.5	2.5	11.1	Moderately oxidized and trace to weakly mineralized orangish granite.
	63.5	18	NQ	GRN	875.8	518.3	2.4	2.5	Strongly oxidized and trace silicified granite.
	105.5	12.6	NQ	GRN	651	395	2.5	2.5	moderately oxidized granite.
	136.75	16.7	NQ	GRN	900.4	563.1	2.6	2.7	Granite