



Keg - Silver Range

Archer, Cathro
& Associates (1981) Limited

Grid East	Grid North	Easting	Northing	Elevation	Depth (m)
09+910 NE	09+720 NW	595506	6918128	1628.64	181.97

ZONE: Hammer

SECTION:

SURVEY			
Depth (m)	Azimuth	Dip	Method
0	97	-45	Compass
181.96	99	-44.6	Ranger

TARGET:

SUMMARY			
From (m)	To (m)	Interval (m)	Rock Type
0	2.19	2.19	CAS
2.19	47.85	45.66	GRN
47.85	56	8.15	GRN
56	64.5	8.5	GRN
64.5	65.5	1	GRN
65.5	72.15	6.65	GRN
72.15	78.4	6.25	GRN
78.4	109.9	31.5	GRN
109.9	113.2	3.3	GRN
113.2	128.2	15	GRN
128.2	129.7	1.5	GRN
129.7	133	3.3	GRN
133	133.6	0.6	GRN
133.6	175	41.4	GRN
175	181.97	6.97	DIO

HOLE: HAM-12-011

CLAIM: YD155446

Contractor: Platinum

Drill: 1

Core Size: NQ

Casing Depth: 2.19m, Out

Drilling Dates: Jul 03 - Jul 05, 2012

Geology Logged By: R. Avram

SAMPLES	
Numbers:	L845925 to L845973
Total:	54
Batch:	012, 013, 014
Certificates:	WH12155784, WH12157358, WH12163460

COMMENTS
Mineralisation, if not otherwise specified, occurs as a black powder which is probably a mix of very fine grained sulphides, sulphosalts and oxides.



Box Number	From (m)	To (m)
1	2.19	7.54
2	7.54	13.15
3	13.15	18.71
4	18.71	24.4
5	24.4	30.14
6	30.14	35.91
7	35.91	41.45
8	41.45	47.02
9	47.02	52.72
10	52.72	58.24
11	58.24	63.91
12	63.91	69.71
13	69.71	75.13
14	75.13	80.61
15	80.61	86.45
16	86.45	92.21
17	92.21	98.07
18	98.07	103.83
19	103.83	109.41
20	109.41	114.91
21	114.91	120.7
22	120.7	126.28
23	126.28	132.04
24	132.04	137.69
25	137.69	143.26
26	143.26	148.93
27	148.93	154.53
28	154.53	160.29
29	160.29	165.91
30	165.91	171.39

Box Number	From (m)	To (m)
31	171.39	177.1
32	177.1	181.97

Box Number	From (m)	To (m)

From (m)	To (m)	Interval (m)	Rock Type	Grain Size	Description	Shade	Colour	Texture	Alteration	Intensity	Mineral	Conc.
0.00	2.19	2.19	CAS	-	Casing.							
						--	--	---	---	--	--	0
2.19	13.50	11.31	GRN	MG	Medium grey granite.							
						MD	GY	PH	OXI	1I	Un	0.1
13.50	16.00	2.50	GRN	MG	Weakly oxidized, fairly bleached interval with a single 1cm thick laminated quartz and black mineralised veinlet.							
						LT	GY	PH	OXI	2I	Un	0.3
						LT	RD		BLE	2I		
16.00	40.00	24.00	GRN	MG	Medium grey granite.							
						MD	GY	PH	BLE	1I	--	0
40.00	40.50	0.50	GRN	MG	Strongly bleached and oxidized interval.							
						LT	GY	PH	OXI	4I	Un	1
						LT	RD					
						LT	WH		BLE	4I		
40.50	47.85	7.35	GRN	MG	Medium grey granite with trace oxidation.							
						MD	GY	PH	OXI	1I	--	0
47.85	49.60	1.75	GRN	MG	Strongly bleached, fairly oxidized granite with scattered black mineralisation in hairline veinlets at random orientations.							
						LT	RD	PH	OXI	2I	Un	1
						LT	WH		BLE	4I		
49.60	50.25	0.65	GRN	MG	Vein with white clay from 49.6 to 49.9 and strong fractured and laminated quartz mixed with black material.							
						LT	WH	PH	OXI	3I	Un	20
						DK	BK		SIL	4I		
50.25	51.00	0.75	GRN	MG	Strongly bleached, weakly oxidized granite with black mineralisation present in randomly oriented veinlets and in larger <1.5cm veinlets at 45° TCA.							

From (m)	To (m)	Interval (m)	Rock Type	Grain Size	Description	Shade	Colour	Texture	Alteration	Intensity	Mineral	Conc.
						LT	WH	PH	OXI	2I	Un	3
						DK	BK		BLE	4I		
51.00	56.00	5.00	GRN	MG	Moderately bleached and oxidized granite with trace black mineralisation.							
						LT	RD	PH	OXI	3I	Un	1
						LT	GY		BLE	3I		
56.00	64.50	8.50	GRN	MG	Granite with weak oxidation present on fracture faces.							
						MD	GY	PH	OXI	2I	--	0
						MD	RD					
64.50	65.50	1.00	GRN	MG	Fairly bleached and oxidized granite with black mineralisation as replacement and in fractures.							
						LT	GY	PH	OXI	2I	Un	2
						LT	RD		BLE	2I		
65.50	72.15	6.65	GRN	MG	Granite with weakly oxidized sections up to 40cm long.							
						MD	GY	PH	OXI	2I	--	0
72.15	72.70	0.55	GRN	MG	Broken up earthy red granite.							
						LT	RD	PH	OXI	5I	Un	2
									ARG	4I		
72.70	74.20	1.50	GRN	MG	Strongly bleached granitw with strong hairling fractures with black mineralisation.							
						LT	GY	PH	OXI	3I	Un	2
						LT	RD		BLE	4I		
74.20	75.13	0.93	GRN	MG	Moderately oxidized and bleached, strongly argillic granite.							
						LT	RD	PH	OXI	3I	Un	0.1
									BLE	3I		
									ARG	4I		
75.13	78.35	3.22	GRN	MG	Tracely to weakly oxidized, tracely to intensely bleached, tracely to strongly argillic granite.							
						MD	GY					
						LT	WH	PH	OXI	2I	Un	0.1
						LT	RD		ARG	3I		
						LT	GY		BLE	4I		
78.35	78.40	0.05	QVN	MG	7cm of laminated quartz mixed with pink and white carbonate.							

From (m)	To (m)	Interval (m)	Rock Type	Grain Size	Description	Shade	Colour	Texture	Alteration	Intensity	Mineral	Conc.
						MD	GY		SIL	4I		
						LT	GY	LA	BLE	4I	--	0
						LT	PK					
78.40	105.25	26.85	GRN	MG	Medium grey granite with 14 veinlets up to 7mm thick with quartz and calcite infill and trace oxidation.							
						MD	GY	PH	OXI	1I	--	0
105.25	105.90	0.65	GRN	MG	Moderately oxidized and bleached granite with interstitial black mineralisation.							
						LT	GY	PH	OXI	3I	Un	2
						LT	RD		BLE	3I		
105.90	108.00	2.10	GRN	MG	Medium grey granite with weak oxidation.							
						MD	GY	PH	OXI	2I	--	0
						MD	RD					
108.00	108.80	0.80	GRN	MG	Strongly bleached, moderately oxidized granite.							
						LT	GY	PH	OXI	3I	--	0
						LT	RD		BLE	4I		
108.80	109.90	1.10	GRN	MG	Medium grey granite with trace bleaching and oxidized fractures.							
						MD	GY	PH	OXI	1I	--	0
									BLE	1I		
109.90	110.47	0.57	GRN	MG	Intensely bleached granite.							
						LT	WH	PH	BLE	5I	--	0
110.47	110.70	0.23	GRN	MG	Bleached granite with fair silicification occurring as 2cm laminated quartz veinlets. Black powdery mineralisation occurs as replacement style semi-massive patches within.							
						LT	WH	LA	BLE	4I		
						DK	BK	PH	SIL	2I	Un	50
									OXI	2I		
110.70	113.20	2.50	GRN	MG	Granite with sections of strong bleaching, oxidation and argillic alteration.							
						LT	GY	PH	OXI	3I	Un	2
						LT	WH		BLE	3I		

From (m)	To (m)	Interval (m)	Rock Type	Grain Size	Description	Shade	Colour	Texture	Alteration	Intensity	Mineral	Conc.
						LT	RD		ARG	3I		
113.20	128.20	15.00	GRN	MG	Mostly fresh granite with occasional <30cm thick bleached and oxidized sections. Mineralised black powder is occasionally fair in bleached intervals. Veinlets with quartz and calcite infill at 45° TCA are common.							
						MD	GY	PH	OXI	1I	Un	0.1
									BLE	1I		
128.20	129.00	0.80	GRN	MG	Bleached and moderately oxidized granite.							
						LT	RD	PH	OXI	3I	Un	0.5
									BLE	4I		
129.00	129.30	0.30	GRN	MG	Granite with laminated quartz and semi-massive black mineralisation as well as replacement black mineralisation in pink granite.							
						LT	GY		BLE	3I		
						LT	PK		SIL	4I		
						DK	BK	PH	OXI	4I	Un	60
129.30	129.70	0.40	GRN	MG	Moderately oxidized and strongly bleached granite with black mineralisation occurring as hairline, randomly oriented veinlets within the granite.							
						LT	GY	PH	OXI	3I	Un	3
						LT	RD		BLE	4I		
129.70	133.00	3.30	GRN	MG	Medium grey granite.							
						MD	GY	PH	OXI	1I	--	0
133.00	133.60	0.60	GRN	MG	Bleached, fairly oxidized granite with black mineralisation in replacement style and in small fractures.							
						LT	RD	PH	OXI	2I	Un	0
						LT	WH		BLE	4I		
133.60	175.00	41.40	GRN	MG	Mostly fresh granite with occasional trace oxidation on fractures.							
						MD	GY	PH	OXI	1I	--	0
175.00	181.97	6.97	GRN	MG	Dark grey melanocratic diorite with up to 4mm large hornblende crystals. Aphanitic.							
						DK	GY	---	---	--	--	0



From (m)	To (m)	Interval (m)	Rock Type	Recovery (m)	Recovery %	Sample Number	BatchName	Batch Class	Standard	Blank	1/4 Dup	Coarse Dup
0.00	0.00	0.00	-QC-	0.00	0	L845943	12-013	Core	ME8	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
0.00	0.00	0.00	-QC-	0.00	0	L845958	12-013	Core		<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
0.00	0.00	0.00	-QC-	0.00	0	L845963	12-013	Core	PL1	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
0.00	0.00	0.00	-QC-	0.00	0	L845935	12-013	Core		<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
13.50	14.00	0.50	GRN	0.50	100	L845925	12-012	Core		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
13.50	14.00	0.50	GRN	0.50	100	L845926	12-012	Core		<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
14.00	15.50	1.50	GRN	1.44	96	L845927	12-012	Core		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
38.00	40.50	2.50	GRN	2.50	100	L845928	12-012	Core		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
40.50	42.00	1.50	GRN	1.36	91	L845929	12-012	Core		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
42.00	45.00	3.00	GRN	3.00	100	L845930	12-012	Core		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
45.00	48.00	3.00	GRN	3.00	100	L845931	12-012	Core		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
48.00	49.60	1.60	GRN	1.55	97	L845932	12-012	Core		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
49.60	50.30	0.70	GRN	0.70	100	L845933	12-013	Core		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
50.30	51.00	0.70	GRN	0.70	100	L845934	12-013	Core		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
51.00	52.00	1.00	GRN	0.99	99	L845936	12-013	Core		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
52.00	55.00	3.00	GRN	2.97	99	L845937	12-013	Core		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
55.00	58.00	3.00	GRN	3.00	100	L845938	12-013	Core		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
64.50	65.40	0.90	GRN, GRN	0.89	99	L845939	12-013	Core		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
65.40	68.40	3.00	GRN	2.94	98	L845940	12-013	Core		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
68.40	71.00	2.60	GRN	2.60	100	L845941	12-013	Core		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
71.00	72.15	1.15	GRN	1.07	93	L845942	12-013	Core		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
72.15	73.50	1.35	GRN, GRN	1.28	95	L845944	12-013	Core		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
73.50	74.30	0.80	GRN	0.80	100	L845945	12-013	Core		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
73.50	74.30	0.80	GRN	0.80	100	L845946	12-013	Core		<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
74.30	75.80	1.50	GRN	1.50	100	L845947	12-013	Core		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
75.80	78.00	2.20	GRN	2.20	100	L845948	12-013	Core		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

From (m)	To (m)	Interval (m)	Rock Type	Recovery (m)	Recovery %	Sample Number	BatchName	Batch Class	Standard	Blank	1/4 Dup	Coarse Dup
78.00	79.00	1.00	GRN	1.00	100	L845949	12-013	Core		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
79.00	82.00	3.00	GRN	2.91	97	L845950	12-013	Core		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
82.00	84.00	2.00	GRN	2.00	100	L845951	12-013	Core		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
82.00	84.00	2.00	GRN	2.00	100	L845952	12-013	Core		<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
105.00	108.00	3.00	GRN	2.98	99	L845953	12-013	Core		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
108.00	109.80	1.80	GRN	1.78	99	L845954	12-013	Core		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
109.80	110.30	0.50	GRN	0.50	100	L845955	12-013	Core		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
110.30	110.80	0.50	GRN	0.50	100	L845956	12-013	Core		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
110.80	111.60	0.80	GRN	0.72	90	L845957	12-013	Core		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
111.60	113.20	1.60	GRN	1.54	96	L845959	12-013	Core		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
113.20	116.20	3.00	GRN, GRN	3.00	100	L845960	12-013	Core		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
116.20	119.20	3.00	GRN	3.00	100	L845961	12-013	Core		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
119.20	122.20	3.00	GRN	3.00	100	L845962	12-013	Core		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
122.20	123.70	1.50	GRN	1.50	100	L845964	12-013	Core		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
123.70	126.70	3.00	GRN	2.89	96	L845965	12-013	Core		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
126.70	128.20	1.50	GRN	1.50	100	L845966	12-013	Core		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
128.20	128.70	0.50	GRN, GRN	0.50	100	L845967	12-013	Core		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
128.70	129.40	0.70	GRN	0.66	94	L845968	12-013	Core		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
129.40	130.00	0.60	GRN	0.58	97	L845969	12-014	Core		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
130.00	133.00	3.00	GRN	2.98	99	L845970	12-014	Core		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
133.00	133.70	0.70	GRN, GRN	0.65	93	L845971	12-014	Core		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
133.00	133.70	0.70	GRN, GRN	0.65	93	L845972	12-014	Core		<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
133.70	135.00	1.30	GRN	1.30	100	L845973	12-014	Core		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

From (m)	To (m)	Interval (m)	Recovery (m)	Recovery %	RQD	RQD %	Reactivity	Hardness	Weathering	Comments
0.00	2.19	2.19	2.19	100	0.00	0	--	--	--	
2.19	5.18	2.99	2.99	100	1.31	44	OR	4H	2W	
5.18	8.23	3.05	3.05	100	1.17	38	OR	4H	2W	
8.23	11.28	3.05	3.05	100	1.35	44	OR	4H	2W	
11.28	14.33	3.05	3.03	99	1.97	65	OR	4H	3W	
14.33	17.37	3.04	3.04	100	2.30	76	OR	4H	2W	
17.37	20.42	3.05	3.05	100	1.58	52	OR	4H	2W	
20.42	23.47	3.05	3.05	100	2.52	83	OR	4H	1W	
23.47	26.52	3.05	3.05	100	2.38	78	OR	4H	1W	
26.52	29.57	3.05	3.02	99	2.77	91	OR	4H	1W	
29.57	32.61	3.04	3.04	100	2.33	77	OR	4H	1W	
32.61	35.66	3.05	3.05	100	2.33	76	OR	4H	2W	
35.66	38.71	3.05	3.05	100	2.33	76	OR	4H	2W	
38.71	41.76	3.05	3.05	100	1.47	48	OR	3H	4W	
41.76	44.81	3.05	3.05	100	2.49	82	OR	4H	2W	
44.81	47.85	3.04	3.04	100	2.12	70	OR	4H	2W	
47.85	50.91	3.06	3.06	100	1.00	33	OR	3H	4W	
50.91	53.95	3.04	3.04	100	1.61	53	OR	3H	3W	
53.95	57.00	3.05	3.05	100	1.03	34	OR	4H	3W	
57.00	60.05	3.05	3.05	100	2.11	69	OR	4H	2W	
60.05	63.09	3.04	3.04	100	2.23	73	OR	4H	1W	
63.09	66.14	3.05	3.05	100	1.81	59	OR	4H	2W	
66.14	69.19	3.05	3.05	100	1.33	44	OR	4H	2W	
69.19	72.24	3.05	3	98	2.00	66	OR	4H	2W	
72.24	75.29	3.05	3.05	100	0.38	12	2R	1H	5W	
75.29	78.33	3.04	3.04	100	1.22	40	3R	2H	3W	
78.33	81.38	3.05	3	98	2.42	79	OR	4H	1W	
81.38	84.43	3.05	3.05	100	1.97	65	OR	4H	2W	
84.43	87.48	3.05	3.05	100	2.61	86	OR	4H	1W	

From (m)	To (m)	Interval (m)	Recovery (m)	Recovery %	RQD	RQD %	Reactivity	Hardness	Weathering	Comments
87.48	90.53	3.05	3.05	100	2.30	75	OR	4H	1W	
90.53	93.57	3.04	3.04	100	2.43	80	OR	4H	1W	
93.57	96.62	3.05	3.05	100	2.20	72	OR	4H	2W	
96.62	99.67	3.05	3.05	100	2.69	88	OR	4H	1W	
99.67	102.72	3.05	3.01	99	3.01	99	OR	4H	1W	
102.72	105.77	3.05	3.03	99	2.25	74	OR	4H	1W	
105.77	108.81	3.04	3.04	100	2.13	70	OR	4H	2W	
108.81	111.86	3.05	3.05	100	1.16	38	OR	2H	3W	
111.86	114.91	3.05	3.05	100	1.83	60	OR	3H	2W	
114.91	117.96	3.05	3.05	100	2.44	80	OR	4H	1W	
117.96	121.01	3.05	3.05	100	2.59	85	OR	4H	1W	
121.01	124.05	3.04	3.04	100	1.75	58	OR	4H	2W	
124.05	127.10	3.05	3.05	100	2.24	73	OR	4H	2W	
127.10	130.15	3.05	3.05	100	2.05	67	OR	3H	3W	
130.15	133.20	3.05	3.02	99	2.36	77	OR	4H	2W	
133.20	136.25	3.05	3.05	100	2.27	74	OR	4H	3W	
136.25	139.29	3.04	3.04	100	2.73	90	OR	4H	1W	
139.29	142.34	3.05	3.05	100	2.21	72	OR	4H	1W	
142.34	145.39	3.05	3	98	2.30	75	OR	4H	1W	
145.39	148.44	3.05	3.05	100	2.69	88	OR	4H	1W	
148.44	151.49	3.05	3.05	100	1.99	65	OR	4H	1W	
151.49	154.53	3.04	2.98	98	1.77	58	OR	4H	1W	
154.53	157.58	3.05	3.05	100	2.45	80	OR	4H	1W	
157.58	160.63	3.05	3.05	100	2.56	84	OR	3H	1W	
160.63	163.68	3.05	3.05	100	2.69	88	OR	4H	1W	
163.68	166.73	3.05	3.01	99	2.26	74	OR	4H	1W	
166.73	169.77	3.04	3.03	100	1.67	55	OR	4H	1W	
169.77	172.82	3.05	3.04	100	1.53	50	OR	4H	1W	
172.82	175.87	3.05	3.05	100	2.30	75	OR	4H	1W	
175.87	178.92	3.05	3.05	100	3.00	98	OR	4H	1W	
178.92	181.97	3.05	3.05	100	2.78	91	OR	4H	1W	EOH

Depth (m)	Magnetic Susceptibility	Rock Type	Comments
0	0	CAS	Casing
1	0	CAS	Casing
2	0	CAS	Casing
3	0	GRN	Broken
4	0.13	GRN	
5	0.52	GRN	
6	0.07	GRN	
7	0.04	GRN	
8	0.16	GRN	
9	0	GRN	Broken
10	0.07	GRN	
11	0.08	GRN	
12	0.22	GRN	
13	0.66	GRN	
14	0.75	GRN	
15	0.06	GRN	
16	0	GRN	Broken
17	0.02	GRN	
18	0.14	GRN	
19	0.12	GRN	
20	0.16	GRN	
21	0.13	GRN	
22	0.14	GRN	
23	0.19	GRN	
24	0.04	GRN	
25	0.37	GRN	
26	0.12	GRN	
27	0.05	GRN	
28	0.4	GRN	

Depth (m)	Magnetic Susceptibility	Unit	Comments
29	0.01	GRN	
30	0.35	GRN	
31	0.14	GRN	
32	0.03	GRN	
33	0.17	GRN	
34	0.03	GRN	
35	0.33	GRN	
36	0.45	GRN	
37	0.15	GRN	
38	0.57	GRN	
39	0.03	GRN	
40	0.12	GRN	
41	0.02	GRN	
42	0.44	GRN	
43	0.16	GRN	
44	0.14	GRN	
45	0.03	GRN	
46	0.06	GRN	
47	0	GRN	Broken
48	0.22	GRN	
49	0.05	GRN	
50	0	GRN	Broken
51	0.64	GRN	
52	0.3	GRN	
53	0.12	GRN	
54	0.22	GRN	
55	0.09	GRN	
56	0	GRN	Broken
56	0	GRN	Broken

Depth (m)	Magnetic Susceptibility	Rock Type	Comments
57	0	GRN	Broken
58	0.13	GRN	
59	0.15	GRN	
60	0.11	GRN	
61	0.18	GRN	
62	0.15	GRN	
63	0.1	GRN	
64	0.3	GRN	
65	0.42	GRN	
66	0.14	GRN	
67	0.65	GRN	
68	0.03	GRN	
69	0.57	GRN	
70	0.25	GRN	
71	0.06	GRN	
72	0.52	GRN	
73	0.19	GRN	
74	0	GRN	Broken
75	0	GRN	Broken
76	0.04	GRN	
77	0.18	GRN	
78	0.15	GRN	
79	0.12	GRN	
80	0.19	GRN	
81	0.36	GRN	
82	0.21	GRN	
83	0.14	GRN	
84	0.03	GRN	
85	0.13	GRN	
86	0.08	GRN	
87	0.44	GRN	

Depth (m)	Magnetic Susceptibility	Unit	Comments
88	0.22	GRN	
89	0.11	GRN	
90	0.04	GRN	
91	0.32	GRN	
92	0.13	GRN	
93	0.24	GRN	
94	0.04	GRN	
95	0.16	GRN	
96	0	GRN	Broken
97	0.22	GRN	
98	0.15	GRN	
99	0.14	GRN	
100	0.14	GRN	
101	0.21	GRN	
102	0.14	GRN	
103	0.15	GRN	
104	0.39	GRN	
105	0.13	GRN	
106	0.14	GRN	
107	0.16	GRN	
108	0.11	GRN	
109	0.14	GRN	
110	0.14	GRN	
111	0.09	GRN	
112	0.14	GRN	
113	0.12	GRN	
114	0.2	GRN	
115	0.13	GRN	
116	0.23	GRN	
117	0.19	GRN	
118	0.17	GRN	

Depth (m)	Magnetic Susceptibility	Rock Type	Comments
119	0.29	GRN	
120	0.28	GRN	
121	0.21	GRN	
122	0.18	GRN	
123	0.18	GRN	
124	0.17	GRN	
125	0.34	GRN	
126	0.31	GRN	
127	0.22	GRN	
128	0.17	GRN	
129	0.34	GRN	
130	0.13	GRN	
131	0.15	GRN	
132	0.31	GRN	
133	0.2	GRN	
133	0.2	GRN	
134	0.19	GRN	
135	0.15	GRN	
136	0.16	GRN	
137	0.17	GRN	
138	0.34	GRN	
139	0.25	GRN	
140	0.15	GRN	
141	0.11	GRN	
142	0.2	GRN	
143	0.21	GRN	
144	0.3	GRN	
145	0.16	GRN	
146	0.23	GRN	
147	0.22	GRN	
148	0.33	GRN	

Depth (m)	Magnetic Susceptibility	Unit	Comments
149	0.31	GRN	
150	0.15	GRN	
151	0.2	GRN	
152	0.13	GRN	
153	0.13	GRN	
154	0.23	GRN	
155	0.12	GRN	
156	0.53	GRN	
157	0	GRN	Broken
158	0.09	GRN	
159	0.12	GRN	
160	0.15	GRN	
161	0.18	GRN	
162	0.14	GRN	
163	0.39	GRN	
164	0.05	GRN	
165	0	GRN	Broken
166	0.37	GRN	
167	0.18	GRN	
168	0.33	GRN	
169	0.04	GRN	
170	0	GRN	Broken
171	0.7	GRN	
172	0.17	GRN	
173	0.05	GRN	
174	0.13	GRN	
175	0.26	GRN	
175	0.26	DIO	
176	0.73	DIO	
177	7.5	DIO	
178	7.5	DIO	

Depth (m)	Magnetic Susceptibility	Rock Type	Comments
179	3.8	DIO	
180	4.9	DIO	
181	1.67	DIO	

Depth (m)	Magnetic Susceptibility	Unit	Comments
-----------	-------------------------	------	----------



Hole Name	From (m)	Length (m)	Core Size	Rock Type	Weight in Air (g)	Weight in Water (g)	Density (g/cm3)	Specific Gravity	Comments
HAM-12-011									
	46	15	NQ	GRN	799.1	496.8	2.6	2.6	Granite
	66	13.2	NQ	GRN	729	453.7	2.7	2.7	Granite
	85	14	NQ	GRN	765.7	476.2	2.7	2.6	Granite
	137	16	NQ	GRN	869.8	538.3	2.7	2.6	Granite with hairline veinlets.