

Elevation 1515m

Drill contractor CARON

Logged by D. PARRY

Total depth 280' (85.37m)

Coordinates 7+20m N, 12+25m E

Hole started

completed

Core size NQ

Dip - 80°

Target VAESITE BEARING HORIZON AT EXTREME EAST

Azimuth 045°

ALONG WHITE CREEK.

Depth (m)	% Recov	Visual Log	Struct	Lithology	Alteration	Sulphide & Alteration Mineralogy										Sample Number	Assay Interval	Assay Results		
						Py	Ve							QZ	CA			EP	Ni (PPM)	Zn (PPM)
	0			CASING TO 3.35m.																
5	89			3.35m. BLACK ARGILLITE. FRACTURED BEDROCK TO 15.6m FRAGMENT ~ 4cm DIAMETER.		1%														
	60																			
	68																			
	24																			
	98																			
10	92			DK. GREY TO BLACK, MED. TO THINLY BEDDED ARGILLITE. FINELY LAMINATED, THICK LAMELLAE TO VERY THIN BEDDED DIAGENETIC PYRITE COMMONLY PARALLEL TO BEDDING	- IRON RUST STAINING ON FRACTURE / CLVG. SURFACE. YELLOW TO PALE GREEN OXIDE - SILVER WHITE (SILKY) GLAUKE MINERAL + PY WITHIN FRACTURED WEATHERED MATERIAL.															
	62																			
	66																			
	60																			
	40																			
	49																			
	54																			
15	25			15.4m 15.7m QZ-SHALE BRECCIA.	- QUARTZ - IRON STAIN BRECCIA W/ ANGULAR FRAGMENTS OF BLACK ARGILLITE.								50							
	43																			
	65																			
	77																			
20	86			20.80m 21.64m QZ-SHALE BRECCIA.		3%							50							
	66																			
	80																			
	99																			
25	98			25.4 PY FLECKS ON TWO CLEAVAGE SURFACES 25.87 1cm BAND OF PYRITE. (80% MASSIVE CORE, 60% MASSIVE RIMS)		7%														
	98																			
	95																			
30	99			PYRITE LAMELLAE COMMON.																
	95																			
	90																			
35	98			35.25 TO 35.27m CHALCEDONIC QUARTZ w/ PYRITE AT TOP CONTACT. (30% MASSIVE) DIAGENETIC		7%														
	93																			
	99																			
	82																			
40	53			39.62m 40.07m MED GREY LST BED BRECCIATED WITH SECONDARY CALCITE REPLACEMENT MINOR QZ INFILLING < 5%.										5% 55						
	16																			
	98																			
	100																			
45	99																			
	97																			
	98			49.18m 49.32m PALE YELLOWISH GREY LST. BED. w/ SECONDARY CALCITE INFILLING IN FRACTURES										5%						

