Geology Terney

004910

CURRAGH RESOURCES INC.
DY DEPOSIT
ESTIMATE OF GEOLOGICAL RESERVES

JUNE 1991 ← out of date
#WH9103 See Dec 1991 Version

P.J. Chornoby
C.V. Reed

TABLE OF CONTENTS

List of Figures

List of Tables

List of Appendices

List of Appendices

Appendix VIII Dy Deposit - Reserve Polygons - Plan View Scale = 1:2000

Drawing #	Title	POCKET
AN-DY-91-100	Polygon Reserves 9% lead + zinc Cutoff	1
AN-DY-91-101	Polygon Reserves 8% lead + zinc Cutoff	2
AN-DY 91-103	Polygon Reserves 6% lead + zinc Cutoff	3

Appendix IX Dy Deposit - AB zone Composites - Vertical Long Sections
Scale = 1:1250

Drawing #	Title	POCKET
AN-DY-91-123	Vertical Long Section 1+50E	4
AN-DY-91-122	Vertical Long Section 2+00E	5
AN-DY-91-104	Vertical Long Section 2+50E	6
AN-DY-91-105	Vertical Long Section 3+00E	7
AN-DY-91-106	Vertical Long Section 3+50E	8
AN-DY-91-107	Vertical Long Section 4+00E	9
AN-DY-91-108	Vertical Long Section 4+50E	10
AN-DY-91-109	Vertical Long Section 5+00E	11
AN-DY-91-110	Vertical Long Section 5+50E	12
AN-DY-91-111	Vertical Long Section 6+00E	13
AN-DY-91-112	Vertical Long Section 6+50E	14
AN-DY-91-113	Vertical Long Section 7+00E	15
AN-DY-91-114	Vertical Long Section 7+50E	16
AN-DY-91-115	Vertical Long Section 8+00E	17
AN-DY-91-116	Vertical Long Section 8+50E	18
AN-DY-91-117	Vertical Long Section 9+00E	19
AN-DY-91-118	Vertical Long Section 9+50E	20
AN-DY-91-119	Vertical Long Section 10+00E	21
AN-DY-91-120	Vertical Long Section 10+50E	22
AN-DY-91-121	Vertical Long Section 11+00E	23

EXECUTIVE SUMMARY

The Dy deposit is a lead-zinc-silver-gold bearing stratiform, synsedimentary, pyritic, massive sulphide deposit. The deposit consists of several sulphide horizons interlayered with a variety of phyllites in a zone approximately 200 metres thick. In this report a set of horizons containing the bulk of the ore grade intersections is termed the AB Zone. The zone is 10 to 160 metres thick and dips approximately 25 to 35° southwest. Only a portion of this thickness is mineralized in any given drill hole. The zone is from 480 to 690 metres below the surface. Within the AB Zone two sub-zones are identified; the A Zone in the southwest is dominated by baritic massive sulphides and is relatively lead rich; the B Zone, along the northeast edge of the deposit, is dominated by pyritic ores and disseminated sulphides in quartzite and is relatively zinc rich.

In 1989 and 1990 Curragh Resources Inc. (CRI) drilled sixteen diamond drill holes to test ground conditions at locations proposed for ramp and shaft access to the deposit. Four of these holes returned high grade intersections. Five additional holes were drilled in 1991. Three holes targeted to test an upper horizon failed to intersect high grade mineralization. Two holes targeted to test the B Zone were successful.

Dy deposit in-situ geological reserves have been re-estimated utilizing all drill hole data available to date. This report documents that estimate and summarizes all previous reserve estimates for the deposit.

As a result of 1991 drilling, the upper horizon (horizon 3A) present in earlier Cyprus Anvil Mining Corporation (CAMC) reserve calculations (amounting to approximately 900,000 tonnes) is not included in the AB Zone or the new reserve estimate. The A2 and B2 horizons identified by CAMC occur in the AB Zone. The new reserve estimate is confined to this zone.

The new reserve estimates are calculated at 6%, 8% and 9% lead plus zinc assay cutoffs and are summarized in the table below. All reserves are classified as probable or possible. There are no proven reserves at Dy. Earlier reserve calculations are included for comparison.

Calculation	Cutoff (%Pb+Zn)	Tonnes	% Pb	% Zn	Pb+Zn	Ag (g/mt)	Au (g/mt)
CRI 91	6	35,631,000	4.15	5.77	9.92	62.6	n/a
CRI 91	8	21,558,000	5.25	6.97	12.22	78.0	0.84
CRI 91	9	18,330,000	5.58	7.30	12.88	81.7	0.85
CAMC Hall 81	9	21,334,127	5.68	6.95	12.63	81.6	n/a
CAMC Rollings 82	9	21,059,980	5.54	6.74	12.28	83.77	0.95
Kilborn 89	9	20,114,825	5.47	6.77	12.44	84.5	0.91

1.0 INTRODUCTION

One of five known lead-zinc deposits in the Anvil District, the Dy deposit is located 30 kilometres southeast of the Faro concentrator, 480 to 690 metres below the surface. The Dy deposit was discovered in 1976 by Cyprus Anvil Mining Corporation (CAMC). The discovery hole (76X-21) was targeted to intersect favourable stratigraphy interpreted to exist at least 500 m below the surface. The hole was successful in intersecting several thick sulphide horizons over an interval from 513.6 m to 622.8 m. In the five years that followed, CAMC drilled 52 holes in the vicinity of the deposit and produced two versions of a preliminary reserve calculation.

After acquiring the assets of CAMC in 1985, Curragh Resources Inc. (CRI) completed an additional 21 drillholes at Dy. The holes were drilled between 1989 and 1991. The majority of the drillholes were drilled to test geotechnical conditions near proposed underground development. Nine drillholes were targeted to test and delineate parts of the Dy mineralized zone.

This report presents a new structural interpretation for the deposit based partly on the results of that drilling and presents a polygonal calculation of the geological reserves based on all drilling completed to date. Summaries of the earlier reserve estimates are included for comparison. Detailed calculation sheets, maps, vertical sections and drillhole assays are included in the Appendices at the end of the report.

2.0 LOCATION AND ACCESS

The Dy property is located in the Anvil Range of central Yukon near the town of Faro, approximately 200 km northeast of Whitehorse (figure 1). The Dy property is 6 km southeast of the Grum deposit on the southeast limit of the Vangorda Plateau. Ground elevations on the property range from 800 to 1175 m.

Access to the property can be gained by all weather roads from two directions. A secondary road from Faro southeast along Pelly River and northeast along Blind Creek can be used as can a road extending southeast from the Vangorda deposit. Access to Faro is via all weather highway or daily air service.

3.0 CLAIMS

The Dy Project is on land that is part of a larger block of claims covering favourable geology in the Anvil Range. The claims in the vicinity of the Dy Project are listed on Table I and shown on figure 2.



Figure 1: Map of the Yukon Territory showing the location of the Dy Project

TABLE I

DY PROJECT AREA CLAIMS

Total Number of Claims Listed: 57 — Total Area (ha.): 840

LOCATION	TYPE	CLAIM NAME AND NUMBER	GRANT NUMBER	LEASE NO.	RECORDED OWNER	OTHER INTEREST	EXPIRY DATE	AREA (HECTARES)	COMMENTS
AN-VANGORDA DY	LEASE IP	DY 41	85922	3500 *	CRI		01-Mar-2002	12.1	Dy underground;ore
AN-VANGORDA DY	LEASE IP	DY 43	85924	3501 *	CRI		01-Mar-2002	21.1	Dy underground;ore
AN-VANGORDA DY	LEASE IP	DY 45	85926	3502 *	CRI		01-Mar-2002	16.0	Dy underground;ore
AN-VANGORDA DY	LEASE IP	DY 183	93116	3505 *	CRI		01-Mar-2002	19.3	Dy underground;ore
AN-VANGORDA DY	LEASE IP	DY 184	93117	3506 *	CRI		01-Mar-2002	16.7	Dy underground;ore
AN-VANGORDA DY	LEASE IP	DY 185	93118	3507 *	CRI		01-Mar-2002	21.0	Dy underground;ore
AN-VANGORDA DY	LEASE IP	DY 186	93119	3508 *	CRI		01-Mar-2002	5.2	Dy underground;ore
AN-VANGORDA DY	LEASE IP	DY 144	Y4359	3504 *	CRI		01-Mar-2002	18.0	Dy underground;ore
AN-VANGORDA DY	LEASE IP	DY 43A FR	YA24932	3503 *	CRI		01-Mar-96	0.6	Dy underground;ore
AN-VANGORDA DY	LEASE IP	GALE 13	Y67331	3509 *	PRM	28.6% RCV	01-Mar-2005	20.9	Dy underground
AN-VANGORDA DY	CLAIM	GALE 25	Y67343	GAZ	PRM	28.6% RCV	01-Mar-2005	17.4	Dy underground;ore
AN-VANGORDA DY	CLAIM	GALE 26 FR	Y67344		PRM	28.6% RCV	01-Mar-2005	17.4	Dy underground
AN-VANGORDA DY	CLAIM	GALE 27	Y67345	GAZ	PRM	28.6% RCV	01-Mar-2005	18.5	Dy underground;ore
AN-VANGORDA DY	CLAIM	GALE 44	Y67362		PRM	28.6% RCV	01-Mar-2005	20.9	Dy underground
AN-VANGORDA DY	LEASE IP	GALE 46	Y67364	3510 *	PRM	28.6% RCV	01-Mar-2001	20.9	Dy underground;ore
AN-VANGORDA DY	CLAIM	MAC 2	66721		CRI	KA/CNR 5% NPI	01-Mar-2006	20.9	Dy underground
AN-VANGORDA DY	CLAIM	QUE 32 FR	Y10670		CRI		01-Mar-2005	0.1	Dy underground
AN-VANGORDA DY	CLAIM	QUE 33 FR	Y10671		PRM	28.6% RCV	01-Mar-2005	0.5	Dy underground
AN-VANGORDA DY	LEASE IP	QUE 37 FR	Y10675	3511 *	CRI		01-Mar-2001	2.8	Dy underground;ore
AN-VANGORDA DY	CLAIM	QUE 38 FR	Y10676		PRM	28.6% RCV	01-Mar-2005	1.3	Dy underground
AN-VANGORDA DY	LEASE IP	QUE 47 FR	Y10845	3512 *	CRI		01-Mar-2002	0.7	Dy underground;ore
AN-VANGORDA PL	CLAIM	DY 42	85923		CRI		01-Mar-2006	20.9	
AN-VANGORDA PL	CLAIM	DY 44	85925		CRI		01-Mar-2006	20.9	
AN-VANGORDA PL	CLAIM	DY 46	85927		CRI		01-Mar-2006	18.3	
AN-VANGORDA PL	CLAIM	DY 61	85942		CRI		01-Mar-2006	18.3	
AN-VANGORDA PL	CLAIM	DY 62	85943		CRI		01-Mar-2006	20.9	
AN-VANGORDA PL	CLAIM	DY 63	85944		CRI		01-Mar-2006	19.6	
AN-VANGORDA PL	CLAIM	DY 65	85946		CRI		01-Mar-2006	20.9	
AN-VANGORDA PL	CLAIM	DY 173	93106		CRI		01-Mar-2006	7.0	
AN-VANGORDA PL	CLAIM	DY 174	93107		CRI		01-Mar-2006	15.7	
AN-VANGORDA PL	CLAIM	DY 44A FR	YA24933		CRI		01-Mar-96	1.7	
AN-VANGORDA PL	CLAIM	GALE 14	Y67332		PRM	28.6% RCV	01-Mar-2005	20.9	
AN-VANGORDA PL	CLAIM	GALE 15	Y67333		PRM	28.6% RCV	01-Mar-2005	20.9	
AN-VANGORDA PL	CLAIM	GALE 28	Y67346		PRM	28.6% RCV	01-Mar-2005	20.9	
AN-VANGORDA PL	CLAIM	GALE 29	Y67347		PRM	28.6% RCV	01-Mar-2005	20.9	

4a

LOCATION	TYPE	CLAIM NAME AND NUMBER	GRANT NUMBER	LEASE NO.	RECORDED OWNER	OTHER INTEREST	EXPIRY DATE	AREA (HECTARES)	COMMENTS
AN-VANGORDA PL	CLAIM	GALE 30	Y67348		PRM	28.6% RCV	01-Mar-2005	20.9	
AN-VANGORDA PL	CLAIM	GALE 31	Y67349		PRM	28.6% RCV	01-Mar-2005	20.9	
AN-VANGORDA PL	CLAIM	GALE 40	Y67358		PRM	28.6% RCV	01-Mar-2005	20.9	
AN-VANGORDA PL	CLAIM	GALE 42	Y67360		PRM	28.6% RCV	01-Mar-2005	20.9	
AN-VANGORDA PL	CLAIM	GALE 43	Y67361		PRM	28.6% RCV	01-Mar-2005	20.9	
AN-VANGORDA PL	CLAIM	GALE 45	Y67363		PRM	28.6% RCV	01-Mar-2005	20.9	
AN-VANGORDA PL	CLAIM	GALE 47	Y67365		PRM	28.6% RCV	01-Mar-2005	20.9	
AN-VANGORDA PL	CLAIM	GALE 49	Y67367		PRM	28.6% RCV	01-Mar-2005	20.9	
AN-VANGORDA PL	CLAIM	GALE 51	Y67369		PRM	28.6% RCV	01-Mar-2005	20.9	
AN-VANGORDA PL	CLAIM	GALE 53	Y67371		PRM	28.6% RCV	01-Mar-2005	10.9	
AN-VANGORDA PL	CLAIM	GALE 55	Y67373		PRM	28.6% RCV	01-Mar-2005	15.7	
AN-VANGORDA PL	CLAIM	MAC 1	66720		CRI	KA/CNR 5% NPI	01-Mar-2005	15.7	
AN-VANGORDA PL	CLAIM	MAC 1 FR	YA19720		CRI	KA/CNR 5% NPI	01-Mar-2006	20.9	
AN-VANGORDA PL	CLAIM	QUE 25 FR	Y10663		PRM	28.6% RCV	01-Mar-2001	2.0	
AN-VANGORDA PL	CLAIM	QUE 26 FR	Y10664		PRM	28.6% RCV	01-Mar-2005	4.2	
AN-VANGORDA PL	CLAIM	QUE 27 FR	Y10665		PRM	28.6% RCV	01-Mar-2005	4.2	
AN-VANGORDA PL	CLAIM	QUE 28 FR	Y10666		PRM	28.6% RCV	01-Mar-2005	12.5	
AN-VANGORDA PL	CLAIM	QUE 29 FR	Y10667		PRM	28.6% RCV	01-Mar-2005	12.5	
AN-VANGORDA PL	CLAIM	QUE 30 FR	Y10668		PRM	28.6% RCV	01-Mar-2005	12.5	
AN-VANGORDA PL	CLAIM	QUE 31 FR	Y10669		PRM	28.6% RCV	01-Mar-2005	12.5	
AN-VANGORDA PL	CLAIM	QUE 34 FR	Y10672		PRM	28.6% RCV	01-Mar-2005	12.5	
AN-VANGORDA PL	CLAIM	QUE 39 FR	Y10677		PRM	28.6% RCV	01-Mar-2005	4.2	

4b

NOTES:

LEASE IP = mineral lease has been issued and signed by CRI, awaiting copy signed by Crown

GAZ = claim has been surveyed and is being gazetted prior to taking to lease


PROPOSED EXPLORATION DRIFT
DRILL INDICATED MINERALIZED ZONE PROJECTED TO SURFACE
PROPOSED DECLINE
PROPOSED DECLINE COLLAR
ROAD TO BLIND CREEK
90DY01
90DY02
90DY03
90DY04
91DY05
90DY09
91DY03
90DY05
91DY04
91DY02
91DY01
90DY07
90DY08
90DY06
90DY14
90DY13
90DY12
90DY11
90DY10
90DY08B1-08B5
902000N
901500N
901000N
900500N
900000N
899500N
0
250m
500m
N
CURRAGH RESOURCES INC.
DY PROPERTY
DY AREA - CLAIMS
REVISIONS:
REPORT No: WH9103
FIG No: 2
Drawn by: J.C.N.
Date: JUNE 5 1991
N.T.S.
105K3
Drawing No: FILE: DYMRMAP
LEGEND:
DECLINE DRILLHOLE COLLAR LOCATION
INFILL DRILLHOLE COLLAR LOCATION
SHAFT DRILLHOLE COLLAR LOCATION
CURRAGH RESOURCES INC
PELLY RIVER MINES
KERR-ADDISON/CNR

Claims comprising the Dy property are mostly wholly beneficially owned by Curragh Resources Inc. Part of the property consists of claims beneficially owned by Pelly River Mines which is 71.43% owned by Curragh. To the west of the deposit there are claims with a total 5% net profits interest to Kerr Addison Mines (2%) and Canadian Natural Resources (3%). The distribution of the various ownership positions is indicated in figure 2. Certain quartz claims are in the process of being converted to mineral leases. Lease documents for 12 claims have been issued and signed by Curragh Resources and await signing on behalf of the Crown. Two additional claims have been surveyed and will be converted to leases once the statutory 60 day notice period has passed. The area of the Dy mineral leases is outlined in figure 3.

4.0 DEPOSIT GEOLOGY

The Dy deposit is similar to the other Anvil District deposits in that it is a multi-layered, polydeformed, sediment hosted sequence of exhalative, massive and disseminated pyritic sulphides. Sulphide layers are variably mineralized and commonly interbanded with altered or unaltered metasedimentary and lesser metavolcanic phyllites. The enclosing rocks are muscovite-chlorite phyllites which are locally altered near the deposit. Metamorphic grade is dominantly greenschist facies with local, deeper portions of the vicinity transitional to amphibolite facies. Numerous late, hornblende diorite and quartz feldspar porphyry dikes cut the deposit and are more concentrated at the east end of the deposit.

The known mineralized zone ranges up to 200 m thick in aggregate, has a strike length of approximately 2200 m, and a width up to 1800 m. The horizons of the Dy deposit span a poorly defined transition zone from the Mt. Mye formation to the younger, calcareous Vangorda formation. The deposit is amoeboid shaped in plan view and is unusual for the Anvil District in that it has two well defined zones (figure 3) of varying lead zinc ratio, in the southwest the A which is relatively lead rich and in the northeast the B which is relatively zinc rich.

4.1 Structure

The internal structure of Dy is poorly understood because of lack of data, however, it is reasonable to expect that the structural complexity of the other more densely drilled Vangorda Plateau deposits (Vangorda, Grum) also exists at Dy. There is evidence of at least five phases of deformation in the district. On Vangorda Plateau the first two are generally most significant in that they are penetrative and affect the overall shape and geotechnical characteristics of the mineralized zone and its host rocks. A well developed, moderately southwest dipping, metamorphic cleavage (S_2) is generally subparallel to the sulphide layering. In the phyllite host rocks, S_2 is a well developed, micaceous cleavage axial planar to second phase folds in layering. S_2 is generally the most important parting or plane of fissility in the rocks. This cleavage is an important geotechnical consideration for underground development, particularly where S_2 is cross


B ZONE
A ZONE
B ZONE
DRILL INDICATED AB ZONE PROJECTED TO SURFACE
PROPOSED EXPLORATION DRIFT
PROPOSED DECLINE
PROPOSED DECLINE COLLAR
ROAD TO BLIND CREEK
90DY01
90DY02
90DY03
90DY04
91DY05
90DY09
91DY03
90DY05
90DY07
91DY04
91DY02
91DY01
90DY08
90DY06
90DY14
90DY13
90DY12
90DY11
90DY10
90DYOB01-OB03
GALE 13
GALE 14
GALE 15
GALE 25
GALE 26FR
GALE 27
GALE 28
GALE 29
GALE 30
GALE 31
GALE 40
GALE 42
GALE 43
GALE 44
GALE 45
GALE 46
GALE 47
GALE 49
GALE 51
GALE 53
GALE 55
DY 42
DY 43
DY 44
DY 45
DY 46
DY 61
DY 63
DY 65
DY 173
DY 174
DY 183
DY 184
DY 185
DY 186
902,000N
901,500N
901,000N
900,500N
900,000N
899,500N
596,500E
597,000E
597,500E
598,000E
598,500E
0
250m
500m
REVISIONS:
CURRAGH RESOURCES INC.
DY PROPERTY
DY AREA – MINING LEASE
REPORT No: WH8103
FIG No: 3
Drawn by: J.C.H.
Date: JUNE 5, 1991
N.T.S. 105K3
Drawing No: FILE: DYHRMAP
LEGEND:
DECLINE DRILLHOLE COLLAR LOCATION
INFILL DRILLHOLE COLLAR LOCATION
SHAFT DRILLHOLE COLLAR LOCATION
MINING LEASE

cut by faults and joints. Within massive and disseminated sulphide horizons, S_2 is present as thin compositional bands. The sulphide rock types are generally competent and S_2 does not represent a significant geotechnical concern. A possible exception to this generalization is due to local, fissile, carbonaceous partings along S_2 present in some lower grade disseminated sulphide bearing quartzites. This material is more prevalent at the footwall of the high grade zone.

4.2 Faults

There are numerous steep faults which cut the deposit and there are important, shallowly dipping faults present immediately beneath the deposit. Many of these faults, especially the steeply dipping ones, contain significant clay/mud gouge and are water bearing. The current drilling density precludes the possibility of resolving frequency of occurrence or orientation and displacement on most of these faults. Two important faults were detected in the shaft pilot hole. The upper one trends northeast-southwest and dips moderately northwest. The lower fault is perhaps more significant in that it may truncate the ore zone along its northeast boundary (the straight portion of the outline northeast of 90DY04 in figure 4). It is suspected to trend east-northeast/west-southwest and dip steeply south. The shallowly dipping faults are generally marked by intact fault rock and may not pose a significant geotechnical concern.

4.3 Sulphide Lithofacies

There are several sulphide lithofacies which comprise all of the Anvil District deposits. Two principal subdivisions exist; massive and disseminated pyritic sulphides. The proportion of each type varies from deposit to deposit. The distribution and proportion of each is not well known at Dy. Drilling to date indicates that the bulk of the higher grade material is massive sulphide.

The dominant rock type in the massive sulphide lithofacies is massive pyritic sulphide (4E) which is gradational into barite bearing massive sulphide (4G). Massive pyritic sulphide consists of homogeneous to finely banded, usually weakly foliated, fine grained massive pyrite with lesser sphalerite and galena. Total sulphide content is at least 60%, generally greater than 80%, and commonly near 100%. Gangue consists of quartz $\pm$ barite (less than 10%) $\pm$ carbonates (calcite, dolomite, ankerite, siderite). Accessory minerals include pyrrhotite, magnetite, chalcopyrite, arsenopyrite and marcasite.

The baritic massive sulphides (4G) are a well banded rock consisting of alternating barite poor and barite rich bands on a scale of a few millimetres. Barite content is at least 10% and generally near 30%, rarely is there more than 50% barite by volume in this rock type. The baritic massive sulphides are usually always high grade.

They tend to be slightly more lead and silver rich than other rock types. The barite lithofacies commonly contains fine magnetite and less commonly is carbonate bearing.

Other less important lithofacies at Dy contain up to 70% pyrrhotite (4H), or up to 50% carbonate (4K).

The dominant rock type in the quartzose, disseminated sulphide lithofacies is ribbon banded graphitic quartzite (4A). This unit is dark grey to black, moderately hard to very hard, well banded, fine grained, sulphide bearing, carbonaceous, locally micaceous quartzite. Compositional bands usually range from 1 mm to 2 cm thick. The bands are alternating dark grey to black, very fine grained, locally micaceous quartzite interbanded with light grey to locally red-brown, fine grained, quartz-sulphide bands. Pyrite is usually the dominant sulphide species with lesser sphalerite and galena. Locally, lead-zinc sulphides, particularly light red-brown sphalerite, are dominant. Locally, pyrrhotite is present rather than pyrite but is only a minor constituent overall. Carbon content is normally within the ¼ to ½% range and generally occurs in thin coatings concentrated on cleavage surfaces.

Chalcopyrite occurs locally in traces as small blebs and infills of hairline fractures. Total sulphide content varies from 15% to 30% and may locally range up to 60%.

An important variant of the disseminated sulphides (4D where > 4% Pb+Zn, 4C where < 4% Pb+Zn)is deficient in carbon, less well banded and more sulphide (particularly pyrite) rich. Major sulphide minerals are pyrite, galena and sphalerite. Total sulphide content is generally in the range 30 to 60%. Gangue is quartz with lesser carbonate. Accessory minerals are magnetite, chalcopyrite and/or pyrrhotite. 4A is completely gradational to 4D/4C and some pyritic quartzites appear to be related to 4A by alteration involving decarbonation adjacent to metabasites.

5.0 PREVIOUS RESERVE CALCULATIONS

Three reserve calculations have been completed for the Dy deposit over the years. They are:

1) B.V. Hall, CAMC 1981
2) Rollings, CAMC 1982
3) P.C. Coltas, Kilborn Limited, consultant, 1989

Each calculation utilized a polygonal method using various assumptions and parameters and was based on all of CAMC's drillhole data.

5.1 B.V. Hall Calculation CAMC 1981

In 1981, a CAMC sectional interpretation resolved four shallow dipping mineralized horizons (Horizon 2, Horizon 3, Horizon 4, Horizon 5) at a cutoff grade of 9% and 12% combined lead plus zinc over a minimum width of 3.5 metres (Table II). Plans were drawn indicating the intersections for each horizon and polygonal areas of influence set up on each plan. Employing a polygonal calculation method, the following drill indicated and drill inferred reserves were determined on the basis of 42 drill holes, each of which intersected one or more of the mineralized horizons (see Appendix III for calculation details).

TABLE II: Dy Reserve Estimate, CAMC (Hall, 1981)

9% (Pb+Zn) Cutoff

	Tonnes	Pb(%)	Zn(%)	Pb+Zn(%)	Ag (g/t)
Drill Indicated	17,388,056	5.82	6.84	12.66	83.1
Drill Inferred	3,946,071	5.03	7.45	12.48	75.3
TOTAL	21,334,127	5.68	6.95	12.63	81.6

12% (Pb+Zn) Cutoff

	Tonnes	Pb(%)	Zn(%)	Pb+Zn(%)	Ag (g/t)
Drill Indicated	9,982,856	6.88	7.95	14.83	102.1
Drill Inferred	1,647,200	5.91	8.32	14.23	90.3
TOTAL	11,630,056	6.74	8.00	14.74	100.4

5.2 CAMC (Rollings) Calculation, 1982

In 1982 a second reserve calculation was conducted by CAMC (Rollings, 1982). Utilizing the same data and a similar polygonal calculation method apparently even the same polygons (descriptive text not available) as Hall (1981), Rollings calculated a reserve in three horizons (A2, 3A, B2). The estimated reserves are listed in Table III (see Appendix IV for calculation details).

TABLE III: Dy Reserve Estimate, CAMC (Rollings, 1982)

	Tonnes	Pb(%)	Zn(%)	Pb+Zn(%)	Ag (g/t)	Au (g/t)
Possible	21,059,980	5.54	6.74	12.28	83.77	0.95

5.3 Kilborn Limited Calculation, 1989

In 1989 Kilborn Limited, as part of their review of Curragh's 11 year plan for the Faro Division, engaged P.C. Coltas to "review the previous estimates and to reclassify the mineral inventory". Coltas eliminated the 3A horizon reserve of Rollings, reduced the A2 and increased the B2 horizon. His classified estimate is listed in Table IV (see Appendix V for calculation details).

TABLE IV: Dy Reserve Estimate, Kilborn Ltd. (Coltas, 1989)

9% (Pb+Zn) Cutoff

	Tonnes	Pb(%)	Zn(%)	Pb+Zn(%)	Ag (g/t)	Au (g/t)
Probable	14,920.525	5.45	7.02	12.47	85.7	0.93
Possible	5,194,300	5.57	6.07	11.64	81.0	0.87
TOTAL	20,114,825	5.47	6.77	12.44	84.5	0.91

6.0 GEOLOGICAL RESERVE ESTIMATE

6.1 Drillhole Database

The current reserve estimate uses all previous drillhole information some of which was corrected prior to quantification.

In 1989 and 1990, Curragh Resources Inc. (CRI) drilled sixteen holes to test ground conditions at locations proposed for shaft and ramp access to the deposit. Four of these holes intersected the Dy deposit and returned high grade intersections from the B2 horizon.

Five additional delineation holes were drilled in 1991. Hole locations are given in figure 4. Three holes, located to test the southeastern part of the 3A horizon failed to intersect high grade mineralization (i.e. 9% lead + zinc over 3.5 m) although the holes were not continued to test deeper horizons. Two holes targeted to intersect the B2 horizon were successful.


1175m
1150m
902,000N
1125m
1200m
1100m
1175m
1150m
1125m
1100m
1075m
1050m
1075m
901,500N
90DY01
90DY02
90DY03
91DY05
90DY09
91DY03
PROPOSED EXPLORATION DRIFT
90DY05
1050m
1025m
1000m
901,000N
1175m
DRILL INDICATED MINERALIZED ZONE PROJECTED TO SURFACE
90DY07
975m
1150m
91DY04
91DY02
91DY01
950m
900,500N
90DY08
1125m
1100m
1075m
1050m
1025m
1000m
925m
900m
90DY06
975m
950m
900,000N
PROPOSED DECLINE
875m
90DY14
90DY13
90DY12
90DY11
90DY10
850m
899,500N
90DY08B01-0B08
PROPOSED DECLINE COLLAR
ROAD TO BLIND CREEK
825m
800m
0
250m
500m
N
REVISIONS:
CURRAGH RESOURCES INC.
DY PROPERTY
SURFACE TOPOGRAPHY
1990 - 1991 DRILLHOLE LOCATION PLAN
REPORT No.
FIG. No.
Drawn by: J.C.M.
Date: JUNE 5, 1991
N.T.S.
105K-3
Drawing No.
FILE: DYHRMAP
LEGEND:
DECLINE DRILLHOLE COLLAR LOCATION
INFILL DRILLHOLE COLLAR LOCATION
SHAFT DRILLHOLE COLLAR LOCATION

Figure 4

The new polygonal reserve calculation incorporates the 1990-1991 drill results.

All drillhole data in the vicinity of the Dy deposit was entered into a computer database using Gemcom PCXPLOR database software. All data was visually verified and corrected as necessary including field and office checks on selected surveyed collar locations.

6.2 Calculation Method

Using the above database, vertical cross and longitudinal section drawings were plotted at 50 metre intervals at 1:1250 scale. Cross and long section grid are at azimuth 63° and azimuth 153° respectively (figure 5). The orientation of the cross sections was chosen to be at right angles to the long dimension of the A Zone portion of deposit. The orientation of the section grid differs greatly from the earlier CAMC exploration grid which was more closely perpendicular to the strike of the deposit. The new section orientation reduces drillhole off set and as a result of the deposit appears to have better continuity.

The bulk of high grade mineralization was observed to occur largely in one thick layer herein named the AB Zone. The AB Zone includes both the A2 and B2 horizons identified by Rollings (1982). Reserves calculated in this study are confined to the AB Zone. Mineralization intersected outside of the zone possibly represents fold repeats, fault dislocations or lateral extensions of the layer. This material is considered as exploration potential and is separately quantified (see section 7.1).

The AB Zone is a broad zone consisting of mineralized (sulphide lithofacies) and/or altered rock, which collectively may be exhalate and/or chemical sediments. Lesser amounts of unmineralized unaltered wall rock and intrusive are locally included. One or more sulphide horizons variably enriched in lead and zinc are usually present. Contours of the AB Zone footwall and hanging wall elevation are given in figures 5 and 6. In general the zone dips southwest from 20 to 35°. The zone is up to 160 metres thick but is mostly 40 to 75 metres or less thick. Reserves in the AB Zone were calculated at Pb+Zn cutoffs of 6%, 8% and 9% over a minimum core length of 3.5 metres. Due to the angle of intersections between the drill holes and the mineralized horizons the core length closely approximates the vertical thickness of the mineralization. Correlation between drill holes is uncertain because of the low density of drill holes and complex deformation.

Assay composites were calculated over a minimum core length of 3.5 metres. If a drillhole intersected more than one qualifying intersection separated by a waste zone greater than 3.5 metres thick, the waste zone was excluded from the composite. If thin internal waste intervals were present (generally less than 3.5 metres in length) they were


902,000N
901,500N
901,000N
900,500N
596,500E
597,000E
597,500E
598,000E
DRILL INDICATED MINERALIZED ZONE
PROJECTED TO SURFACE
600m
550m
500m
450m
400m
350m
300m
250m
200m
150m
100m
50m
0m
150m
300m
CURRAGH RESOURCES INC.
DY PROPERTY
AB ZONE FOOTWALL CONTOURS
REVISIONS:
Figure 5
LEGEND:
Contour interval = 50m
Contours are metres above sea level
Drawn by: CVR
Date: 06 / 13 /91
scale: 1:5000
ABfwtw.DWG



CURRAGH RESOURCES INC.

DY PROPERTY

AB ZONE HANGINGWALL CONTOURS

CVR | 06 / 13 /91 | 105A3

AB-HWTW.DWG

REVISIONS:

LEGEND:

Contour interval = 50m

Contours are metres above sea level

Figure 6

included in the composite. Low grade or waste was included in some composites to establish a minimum 3.5 metre core length provided that the composited grade for the 3.5 metres was still greater than the cutoff. Composites were calculated by weighting each individual assay interval by its length. There is only one composite per drillhole thus if a drillhole had multiple intersections they are summed to make up one composite. At a 6% sample cutoff composites range from 3.3 to 37.9 metres in total length. At a 9% cutoff they range from 3.3 to 31.8 metres in length.

The middle of the composite intervals were projected vertically onto plan. The location of drillholes which did not intersect the mineralized zone were also plotted on plan.

In plan, the area of influence of a drillhole intersection is halfway (maximum 150 metres) to the next drillhole where the limits are reasonably defined by drilling. In directions where the 'ore zone' remains open the limit of mineralization is extended approximately 60 metres from the drill hole.

Composite polygon limits (figures 7, 8 and 9) are defined by the perpendicular bisectors of lines drawn to nearby composites. Polygon limits were clipped against the interpreted outline of the mineralized zone which is arbitrarily limited at 60 meters from peripheral holes of ore grade.

Polygon volumes were calculated using the vertical thickness of the composite. This may be slightly longer than the true thickness. Projection of the moderately southwest dipping AB Zone vertically onto plan would compensate for the overestimation of thickness.

Average pulp specific gravities were calculated for samples used in the 6%, 8% and 9% cutoff composites and reduced 2% to compensate for porosity. A specific gravity of 3.92 was used in the calculation of all reserves.

Details of the data used for the calculation on a polygon by polygon basis can be found in Appendix I.

6.3 Classification of Reserves

Reserves were categorized as probable or possible based on the following criteria.

6.3.1 Classification of Probable Reserve

Probable reserves are those which are delineated both up and down dip as well as in both strike directions by diamond drilling or a well known structural


902,000N
901,500N
901,000N
900,500N
PELLY RIVER MINES
CURRAGH
CURRAGH/KAYCHA
PELLY RIVER MINES
CURRAGH
PELLY RIVER MINES
PELLY RIVER MINES
DRILL INDICATED MINERALIZED ZONE PROJECTED TO SURFACE
LEGEND
POLYGON NUMBER
22m VERTICAL THICKNESS (m)
+6% Pb+Zn INTERSECTION >3.0m
DIAMOND DRILLHOLE TRACE PROJECTED TO SURFACE
OUTLINE OF PROBABLE RESERVE
596,500E
597,000E
597,500E
598,000E
DY DEPOSIT
AB ZONE
DRAWING NUMBER
POLYGONAL RESERVE CALCULATION
6% LEAD + ZINC CUTOFF

Figure 7


902,000N
901,500N
901,000N
900,500N
596,500E
597,000E
597,500E
598,000E
PELLY RIVER MINES
CURRAGH
CURRAGH/KA/CNR
DRILL INDICATED MINERALIZED ZONE
PROJECTED TO SURFACE
LEGEND
POLYGON NUMBER
%Pb
%Zn
(VERTICAL THICKNESS (M))
+8% Pb+Zn INTERSECTION >3.0m
DIAMOND DRILLHOLE TRACE
PROJECTED TO SURFACE
OUTLINE OF PROBABLE RESERVE
DY DEPOSIT
AB ZONE
DRAWING NUMBER
POLYGONAL RESERVE CALCULATION
8% LEAD + ZINC CUTOFF

Figure 8


902,000N
901,500N
901,000N
900,500N
PELLY RIVER MINES
CURRAGH
DRILL INDICATED MINERALIZED ZONE
PROJECTED TO SURFACE
LEGEND
POLYGON NUMBER
ZPb
ZZn
VERTICAL THICKNESS m
+9% Pb+Zn INTERSECTION >3.0m
DIAMOND DRILLHOLE TRACE
PROJECTED TO SURFACE
OUTLINE OF PROBABLE RESERVE
596,500E
597,000E
597,500E
598,000E
DY DEPOSIT
AB ZONE
DRAWING NUMBER
POLYGONAL RESERVE CALCULATION
9% LEAD + ZINC CUTOFF

Figure 9

discontinuity. The drillhole spacing at Dy is not adequate to classify the reserve as proven. In the case of Anvil District deposits, in an open pit context, a drillhole spacing of at least 30.5 metres is required for proven classification. Dy drillholes are collared 75 metres apart on the original CAMC cross section grid. Drilled cross sections are 150 metres apart. The outline of the intersections assigned to the probable category is shown on figures 7, 8 and 9.

6.3.2 Classification of Possible Reserve

Possible reserves are quantitative estimates based on widely spaced drillholes and largely on the broad knowledge of the geological character of the deposit. The continuity of reserve is not necessarily confirmed up or down dip or along strike by drillholes or well known structural discontinuities. In situations where the lateral extents of the reserve are not defined by drilling or a well known structural discontinuity, the outline of the possible reserve is extended approximately 60 metres beyond the last drillhole. The remainder of the deposit not considered probable within this outline is considered possible.

6.4 Results

The results of the reserve estimation are provided for probable, possible and total material at the three sample cutoffs on Table V.

TABLE V: Dy Geological Reserve Estimate, CRI (Reed, Chornoby 1991)
In situ, undiluted

6% (Pb+Zn) Cutoff

	Tonnes	%Pb	%Zn	%Pb+Zn	Ag (g/mt)	Au (g/mt)
Probable	7,537,000	4.71	6.41	11.12	71.7	0.74
Possible	28,094,000	4.00	5.60	9.60	60.2	n/a
Total	35,631,000	4.15	5.77	9.92	62.6	n/a

8% (Pb+Zn) Cutoff

	Tonnes	%Pb	%Zn	%Pb+Zn	Ag (g/mt)	Au (g/mt)
Probable	5,612,000	5.34	7.17	12.51	81.6	0.81
Possible	15,946,000	5.21	6.90	12.11	76.7	0.86
Total	21,558,000	5.24	6.97	12.21	78.0	0.84

9% (Pb+Zn) Cutoff

	Tonnes	%Pb	%Zn	%Pb+Zn	Ag (g/mt)	Au (g/mt)
Probable	5,163,000	5.51	7.35	12.86	82.8	0.77
Possible	13,167,000	5.60	7.28	12.88	81.3	0.89
Total	18,330,000	5.58	7.30	12.88	81.7	0.85

6.4.1 Minority Interests

A group of claims in the vicinity of the Dy deposit are owned by Pelly River Mines (PRM) (see figure 2 and Table I). The deposit underlies these claims in part. Table VI summarizes reserves contained within the claim boundaries of Pelly River Mines. Claims to the west of the Dy deposit carry a total 5% net profits interest to Kerr Addison Mines and Canadian National Resources. The known deposit does not extend onto these claims.

Appendix II shows the details of the assumptions used to calculate the tonnage and grade in each portion of the deposit.

TABLE VI: Portion of above within Pelly River Mine claim boundaries
In situ, undiluted

6% (Pb+Zn) Cutoff

	Tonnes	%Pb	%Zn	%Pb+Zn	Ag (g/mt)	Au (g/mt)
Probable	76,000	3.74	5.09	8.83	66.2	0.80
Possible	1,524,000	4.34	5.99	10.33	71.7	n/a
Total	1,600,000	4.31	5.95	10.26	71.4	n/a

8% (Pb+Zn) Cutoff

	Tonnes	%Pb	%Zn	%Pb+Zn	Ag (g/mt)	Au (g/mt)
Probable	44,000	4.44	5.27	9.71	85.1	0.81
Possible	1,230,000	4.68	6.44	11.12	76.8	1.13
Total	1,274,000	4.67	6.40	11.07	77.1	1.12

9% (Pb+Zn) Cutoff

	Tonnes	%Pb	%Zn	%Pb+Zn	Ag (g/mt)	Au (g/mt)
Probable	35,000	5.30	5.23	10.53	77.5	0.61
Possible	770,000	5.33	7.19	12.52	88.2	1.41
Total	805,000	5.33	7.11	12.44	87.2	1.37

7.0 EXPLORATION POTENTIAL

There is considerable potential to extend the deposit or add to the reserves by further more extensive or more detailed drilling. This could occur both within the area drilled to date or outside of it. The potential beyond the area drilled to date is considerably greater than within it.

7.1 Potential within the Area Drilled

Several Intersections greater than cutoff grade and the minimum 3.5 metre core length have been encountered above and below the AB Zone. Generally the intersections are singular and are too widely spaced to facilitate a reliable correlation. To reflect the potential these intersections represent, a calculation was made based on a radius of influence for each drill hole of 50 metres. Specific gravity of 3.92 was used for all cutoffs. The potential determined is summarized in Table VII (see Appendix VI for details).

Table VII: Dy Exploration Potential

6% Pb+Zn Cutoff

	Tonnes	Pb+Zn (%)
Above A	1,680,000	8.01
Below A	350,000	8.97
TOTAL	2,030,000	8.17

8% Pb+Zn Cutoff

	Tonnes	Pb+Zn (%)
Above A	750,000	9.08
Below A	300,000	9.38
TOTAL	1,050,000	9.16

7.2 Potential beyond the Area Drilled

The Dy deposit has been deliminated by drilling in only a few areas. All known drillholes are compiled on figures 7, 8 and 9 where the paucity of definitive limit holes can be appreciated. Additional exploration potential is suggested to the northwest, south and southwest of the Dy deposit where (figure 10) the present limits of the mineralized zone are largely determined by the lack of drill information.


B ZONE
A ZONE
B ZONE
PROPOSED EXPLORATION DRIFT
DRILL INDICATED AB ZONE
PROJECTED TO SURFACE
90DY05
90DY07
90DY08
90DY06
90DY14
90DY13
90DY02
90DY11
90DY10
90DY01-OR08
PROPOSED DECLINE
PROPOSED DECLINE COLLAR
ROAD TO BLIND CREEK
1175m
1150m
1125m
1100m
1075m
1050m
1025m
1000m
975m
950m
925m
900m
875m
850m
825m
800m
902,000N
901,500N
901,000N
900,500N
900,000N
899,500N
596,500E
597,000E
597,500E
598,000E
598,500E
0
250m
500m
N
REVISIONS:
CURRAGH RESOURCES INC.
DY PROPERTY
EXPLORATION POTENTIAL
REPORT No: WH8103
FIG No: 10
Drawn by: J.C.N.
Date: JUNE 3, 1991
N.T.S.
Drawing No: FILE: DYHRMAP
LEGEND:
DECLINE DRILLHOLE COLLAR LOCATION
ARROW INDICATES EXPLORATION POTENTIAL

APPENDIX I

CRI 1991 POLYGON RESERVE CALCULATION
CALCULATION TABLES

DY DEPOSIT: POLYGONAL GEOLOGICAL RESERVE CALCULATION
CUTOFF = 6% LEAD PLUS ZINC

TOTAL DEPOSIT PROBABLE + POSSIBLE

CLASSIFICATION	%Pb+Zn	%Pb	%Zn	Ag (GRAMS PER TONNE)	Au	POLY-GON	SG	AREA*	VOLUME* (CUBIC METRES)	TONNAGE*
PROB + POSS	9.92	4.15	5.77	62.6	NA	ALL	3.92	703,000	9,089,000	35,631,000

(FROM CALCULATION BELOW)

COMPOSITE							POLYGON				
VERTICAL THICKNESS (METRES)	DDH	%Pb+Zn	%Pb	%Zn	Ag (GRAMS PER TONNE)	Au	POLY-GON	SG	AREA	VOLUME (CUBIC METRES)	TONNAGE
6.28	76X21	8.10	2.93	5.17	55.4	0.66	1	3.92	17,118	107,572	421,684
7.61	77X03	8.34	4.62	3.72	60.8	0.28	2	3.92	23,953	182,332	714,741
6.75	77X05	12.93	5.27	7.66	108.3	1.35	4	3.92	9,442	63,733	249,831
9.68	77X11	6.29	2.27	4.02	34.3	NA	5	3.92	44,891	434,709	1,704,061
11.88	78X04	15.08	5.67	9.41	88.7	0.62	6	3.92	9,857	117,079	458,948
3.45	79X08	7.46	3.37	4.09	50.4	2.09	7	3.92	11,778	40,579	159,070
17.46	78X05	12.70	4.43	8.27	69.6	0.87	8	3.92	8,330	145,410	570,008
17.83	90DY05	15.98	5.89	10.09	79.7	0.45	9	3.92	15,320	273,145	1,070,728
5.69	78X08	11.03	3.70	7.33	68.9	0.71	12	3.92	21,606	123,009	482,196
9.09	90DY04	11.13	3.87	7.26	48.3	0.53	13	3.92	6,589	59,892	234,778
22.62	79X14	8.51	4.27	4.24	55.6	1.22	15	3.92	12,287	277,953	1,089,577
10.08	90DY09	12.99	4.09	8.90	67.1	0.39	16	3.92	8,141	82,078	321,746
32.97	80X02	10.46	4.01	6.45	60.5	0.67	17	3.92	11,469	378,068	1,482,028
3.16	80X12	8.14	3.17	4.97	49.3	0.24	18	3.92	12,612	39,820	156,096
3.31	80X04	11.79	5.22	6.57	83.0	1.54	19	3.92	15,865	52,540	205,956
4.04	80X07	9.88	3.74	6.14	48.9	0.79	20	3.92	17,023	68,818	269,768
18.00	80X10	11.38	4.86	6.52	81.1	1.41	21	3.92	12,818	230,744	904,516
10.87	80X13	8.24	3.37	4.87	46.2	0.39	22	3.92	11,661	126,778	496,968
3.38	EA81X02	7.69	3.53	4.16	58.9	NA	23	3.92	24,436	82,496	323,385
7.70	80X01	9.39	4.62	4.77	65.5	0.87	26	3.92	14,216	109,520	429,320
4.34	79X17	8.19	2.35	5.84	37.8	0.25	27	3.92	15,644	67,828	265,887
3.79	90DY07	8.76	3.66	5.10	55.8	0.39	28	3.92	34,474	130,626	512,054
10.36	77X01	9.06	3.48	5.58	61.4	0.56	29	3.92	20,397	211,293	828,268
13.33	79X12	9.36	4.55	4.81	65.1	0.54	30	3.92	16,132	215,044	842,972
37.14	79X06	11.70	6.62	5.08	87.7	0.93	31	3.92	9,744	361,887	1,418,595
35.44	77X06	15.16	5.33	9.83	95.7	0.46	32	3.92	5,885	208,552	817,524
23.70	91DY03	10.32	3.98	6.34	64.4	0.62	33	3.92	6,096	144,437	566,193
12.25	79X07	12.03	3.99	8.04	57.2	0.61	34	3.92	3,052	37,395	146,590
23.09	91DY05	12.59	3.97	8.62	68.9	0.52	35	3.92	10,206	235,645	923,728
18.57	78X11	9.78	3.73	6.05	59.4	0.52	36	3.92	8,356	155,150	608,187
30.31	77X09	7.47	2.63	4.84	41.5	0.21	37	3.92	27,584	836,165	3,277,766
8.48	79X04	9.29	3.45	5.84	54.7	0.35	38	3.92	10,042	85,113	333,642
3.43	79X05	10.98	4.22	6.76	65.2	0.24	39	3.92	21,468	73,577	288,421
6.46	80X11	6.20	2.29	3.91	35.1	NA	42	3.92	23,409	151,138	592,460
37.86	78X02	7.73	3.08	4.65	48.0	0.42	43	3.92	14,242	539,154	2,113,485
14.82	79X16	11.06	4.73	6.33	73.6	0.82	44	3.92	11,253	166,766	653,724
20.14	80X09	12.46	7.96	4.50	99.2	0.92	45	3.92	18,268	367,951	1,442,368
22.59	80X08	10.83	4.90	5.93	74.6	0.97	46	3.92	14,020	316,689	1,241,421
18.63	80X05	12.73	5.54	7.19	83.0	1.10	47	3.92	13,540	252,305	989,037
15.60	78X01	8.94	3.14	5.80	52.7	0.59	48	3.92	8,127	126,795	497,038
25.89	79X09	6.90	2.46	4.44	37.2	0.44	49	3.92	16,944	438,615	1,719,372
10.43	78X09	10.04	3.42	6.62	58.4	0.83	50	3.92	14,361	149,813	587,266
3.81	79X01	6.89	2.19	4.70	39.0	0.67	51	3.92	14,733	56,137	220,058
3.31	79X02	12.68	4.84	7.84	69.3	0.30	52	3.92	10,253	33,965	133,143
36.48	79X11	9.87	5.23	4.64	71.4	0.82	53	3.92	7,276	265,413	1,040,420
6.53	79X18	8.59	2.87	5.72	72.1	1.14	55	3.92	11,926	77,835	305,112
13.75	79X13	13.50	6.57	6.93	87.2	0.95	56	3.92	14,007	192,541	754,760
16.22	80X06	8.83	3.74	5.09	66.2	0.80	57	3.92	12,046	195,375	765,870
TOTAL		9.92	4.15	5.77	62.6	NA		3.92	702,894	9,089,481	35,630,766

* rounded to nearest 1000

C.R.I. 08–Jul–91

CVR WH386 FILE=DY6%CUT.WK

DY DEPOSIT: POLYGONAL GEOLOGICAL RESERVE CALCULATION
CUTOFF = 6% LEAD PLUS ZINC

TOTAL DEPOSIT PROBABLE

CLASSIFICATION	%Pb+Zn	%Pb	%Zn	Ag (GRAMS PER TONNE)	Au	POLY-GON	SG	AREA*	VOLUME* (CUBIC METRES)	TONNAGE*
PROBABLE	11.12	4.71	6.41	71.7	0.74	ALL	3.92	109,000	1,923,000	7,537,000

(FROM CALCULATION BELOW)

COMPOSITE							POLYGON				
VERTICAL THICKNESS (METRES)	DDH	%Pb+Zn	%Pb	%Zn	Ag (GRAMS PER TONNE)	Au	POLY-GON	SG	AREA	VOLUME (CUBIC METRES)	TONNAGE
6.28	76X21	8.10	2.93	5.17	55.4	0.66	1	3.92	0	0	0
7.61	77X03	8.34	4.62	3.72	60.8	0.28	2	3.92	0	0	0
6.75	77X05	12.93	5.27	7.66	108.3	1.35	4	3.92	0	0	0
9.68	77X11	6.29	2.27	4.02	34.3	NA	5	3.92	0	0	0
11.88	78X04	15.08	5.67	9.41	88.7	0.62	6	3.92	245	2,910	11,408
3.45	79X08	7.46	3.37	4.09	50.4	2.09	7	3.92	0	0	0
17.46	78X05	12.70	4.43	8.27	69.6	0.87	8	3.92	0	0	0
17.83	90DY05	15.98	5.89	10.09	79.7	0.45	9	3.92	0	0	0
5.69	78X08	11.03	3.70	7.33	68.9	0.71	12	3.92	0	0	0
9.09	90DY04	11.13	3.87	7.26	48.3	0.53	13	3.92	0	0	0
22.62	79X14	8.51	4.27	4.24	55.6	1.22	15	3.92	6,472	146,408	573,919
10.08	90DY09	12.99	4.09	8.90	67.1	0.39	16	3.92	517	5,213	20,433
32.97	80X02	10.46	4.01	6.45	60.5	0.67	17	3.92	0	0	0
3.16	80X12	8.14	3.17	4.97	49.3	0.24	18	3.92	0	0	0
3.31	80X04	11.79	5.22	6.57	83.0	1.54	19	3.92	0	0	0
4.04	80X07	9.88	3.74	6.14	48.9	0.79	20	3.92	0	0	0
18.00	80X10	11.38	4.86	6.52	81.1	1.41	21	3.92	0	0	0
10.87	80X13	8.24	3.37	4.87	46.2	0.39	22	3.92	0	0	0
3.38	EA81X02	7.69	3.53	4.16	58.9	NA	23	3.92	0	0	0
7.70	80X01	9.39	4.62	4.77	65.5	0.87	26	3.92	2,680	20,646	80,934
4.34	79X17	8.19	2.35	5.84	37.8	0.25	27	3.92	0	0	0
3.79	90DY07	8.76	3.66	5.10	55.8	0.39	28	3.92	0	0	0
10.36	77X01	9.06	3.48	5.58	61.4	0.56	29	3.92	0	0	0
13.33	79X12	9.36	4.55	4.81	65.1	0.54	30	3.92	7,800	103,974	407,579
37.14	79X06	11.70	6.62	5.08	87.7	0.93	31	3.92	2,365	87,835	344,312
35.44	77X06	15.16	5.33	9.83	95.7	0.46	32	3.92	4,760	168,693	661,276
23.70	91DY03	10.32	3.98	6.34	64.4	0.62	33	3.92	6,096	144,437	566,193
12.25	79X07	12.03	3.99	8.04	57.2	0.61	34	3.92	1,690	20,709	81,180
23.09	91DY05	12.59	3.97	8.62	68.9	0.52	35	3.92	7,750	178,933	701,419
18.57	78X11	9.78	3.73	6.05	59.4	0.52	36	3.92	8,356	155,150	608,187
30.31	77X09	7.47	2.63	4.84	41.5	0.21	37	3.92	1,225	37,134	145,566
8.48	79X04	9.29	3.45	5.84	54.7	0.35	38	3.92	7,815	66,241	259,664
3.43	79X05	10.98	4.22	6.76	65.2	0.24	39	3.92	0	0	0
6.46	80X11	6.20	2.29	3.91	35.1	NA	42	3.92	0	0	0
37.86	78X02	7.73	3.08	4.65	48.0	0.42	43	3.92	0	0	0
14.82	79X16	11.06	4.73	6.33	73.6	0.82	44	3.92	6,306	93,452	366,333
20.14	80X09	12.46	7.96	4.50	99.2	0.92	45	3.92	495	9,970	39,084
22.59	80X08	10.83	4.90	5.93	74.6	0.97	46	3.92	840	18,974	74,380
18.63	80X05	12.73	5.54	7.19	83.0	1.10	47	3.92	10,323	192,360	754,050
15.60	78X01	8.94	3.14	5.80	52.7	0.59	48	3.92	0	0	0
25.89	79X09	6.90	2.46	4.44	37.2	0.44	49	3.92	0	0	0
10.43	78X09	10.04	3.42	6.62	58.4	0.83	50	3.92	0	0	0
3.81	79X01	6.89	2.19	4.70	39.0	0.67	51	3.92	0	0	0
3.31	79X02	12.68	4.84	7.84	69.3	0.30	52	3.92	9,400	31,140	122,070
36.48	79X11	9.87	5.23	4.64	71.4	0.82	53	3.92	3,900	142,258	557,652
6.53	79X18	8.59	2.87	5.72	72.1	1.14	55	3.92	0	0	0
13.75	79X13	13.50	6.57	6.93	87.2	0.95	56	3.92	9,919	136,346	534,476
16.22	80X06	8.83	3.74	5.09	66.2	0.80	57	3.92	9,860	159,923	626,897
TOTAL		11.12	4.71	6.41	71.7	0.74		3.92	108,813	1,922,707	7,537,011

* rounded to nearest 1000

DY DEPOSIT: POLYGONAL GEOLOGICAL RESERVE CALCULATION
CUTOFF = 6% LEAD PLUS ZINC

TOTAL DEPOSIT POSSIBLE

CLASSIFICATION	%Pb+Zn	%Pb	%Zn	Ag (GRAMS PER TONNE)	Au	POLY-GON	SG	AREA*	VOLUME* (CUBIC METRES)	TONNAGE*
POSSIBLE (FROM CALCULATION BELOW)	9.60	4.00	5.60	60.2	NA	ALL	3.92	594,000	7,167,000	28,094,000

COMPOSITE							POLYGON				
VERTICAL THICKNESS (METRES)	DDH	%Pb+Zn	%Pb	%Zn	Ag (GRAMS PER TONNE)	Au	POLY-GON	SG	AREA	VOLUME (CUBIC METRES)	TONNAGE
6.28	76X21	8.10	2.93	5.17	55.4	0.66	1	3.92	17,118	107,572	421,684
7.61	77X03	8.34	4.62	3.72	60.8	0.28	2	3.92	23,953	182,332	714,741
6.75	77X05	12.93	5.27	7.66	108.3	1.35	4	3.92	9,442	63,733	249,831
9.68	77X11	6.29	2.27	4.02	34.3	NA	5	3.92	44,891	434,709	1,704,061
11.88	78X04	15.08	5.67	9.41	88.7	0.62	6	3.92	9,612	114,169	447,541
3.45	79X08	7.46	3.37	4.09	50.4	2.09	7	3.92	11,778	40,579	159,070
17.46	78X05	12.70	4.43	8.27	69.6	0.87	8	3.92	8,330	145,410	570,008
17.83	90DY05	15.98	5.89	10.09	79.7	0.45	9	3.92	15,320	273,145	1,070,728
5.69	78X08	11.03	3.70	7.33	68.9	0.71	12	3.92	21,606	123,009	482,196
9.09	90DY04	11.13	3.87	7.26	48.3	0.53	13	3.92	6,589	59,892	234,778
22.62	79X14	8.51	4.27	4.24	55.6	1.22	15	3.92	5,815	131,545	515,658
10.08	90DY09	12.99	4.09	8.90	67.1	0.39	16	3.92	7,624	76,865	301,313
32.97	80X02	10.46	4.01	6.45	60.5	0.67	17	3.92	11,469	378,068	1,482,028
3.16	80X12	8.14	3.17	4.97	49.3	0.24	18	3.92	12,612	39,820	156,096
3.31	80X04	11.79	5.22	6.57	83.0	1.54	19	3.92	15,865	52,540	205,956
4.04	80X07	9.88	3.74	6.14	48.9	0.79	20	3.92	17,023	68,818	269,768
18.00	80X10	11.38	4.86	6.52	81.1	1.41	21	3.92	12,818	230,744	904,516
10.87	80X13	8.24	3.37	4.87	46.2	0.39	22	3.92	11,661	126,778	496,968
3.38	EA81X02	7.69	3.53	4.16	58.9	NA	23	3.92	24,436	82,496	323,385
7.70	80X01	9.39	4.62	4.77	65.5	0.87	26	3.92	11,536	88,874	348,386
4.34	79X17	8.19	2.35	5.84	37.8	0.25	27	3.92	15,644	67,828	265,887
3.79	90DY07	8.76	3.66	5.10	55.8	0.39	28	3.92	34,474	130,626	512,054
10.36	77X01	9.06	3.48	5.58	61.4	0.56	29	3.92	20,397	211,293	828,268
13.33	79X12	9.36	4.55	4.81	65.1	0.54	30	3.92	8,332	111,070	435,393
37.14	79X06	11.70	6.62	5.08	87.7	0.93	31	3.92	7,379	274,052	1,074,283
35.44	77X06	15.16	5.33	9.83	95.7	0.46	32	3.92	1,125	39,859	156,247
23.70	91DY03	10.32	3.98	6.34	64.4	0.62	33	3.92	0	0	0
12.25	79X07	12.03	3.99	8.04	57.2	0.61	34	3.92	1,362	16,686	65,410
23.09	91DY05	12.59	3.97	8.62	68.9	0.52	35	3.92	2,456	56,711	222,309
18.57	78X11	9.78	3.73	6.05	59.4	0.52	36	3.92	0	0	0
30.31	77X09	7.47	2.63	4.84	41.5	0.21	37	3.92	26,359	799,031	3,132,200
8.48	79X04	9.29	3.45	5.84	54.7	0.35	38	3.92	2,227	18,872	73,978
3.43	79X05	10.98	4.22	6.76	65.2	0.24	39	3.92	21,468	73,577	288,421
6.46	80X11	6.20	2.29	3.91	35.1	NA	42	3.92	23,409	151,138	592,460
37.86	78X02	7.73	3.08	4.65	48.0	0.42	43	3.92	14,242	539,154	2,113,485
14.82	79X16	11.06	4.73	6.33	73.6	0.82	44	3.92	4,947	73,314	287,391
20.14	80X09	12.46	7.96	4.50	99.2	0.92	45	3.92	17,773	357,981	1,403,284
22.59	80X08	10.83	4.90	5.93	74.6	0.97	46	3.92	13,180	297,715	1,167,041
18.63	80X05	12.73	5.54	7.19	83.0	1.10	47	3.92	3,217	59,946	234,988
15.60	78X01	8.94	3.14	5.80	52.7	0.59	48	3.92	8,127	126,795	497,038
25.89	79X09	6.90	2.46	4.44	37.2	0.44	49	3.92	16,944	438,615	1,719,372
10.43	78X09	10.04	3.42	6.62	58.4	0.83	50	3.92	14,361	149,813	587,266
3.81	79X01	6.89	2.19	4.70	39.0	0.67	51	3.92	14,733	56,137	220,058
3.31	79X02	12.68	4.84	7.84	69.3	0.30	52	3.92	853	2,825	11,073
36.48	79X11	9.87	5.23	4.64	71.4	0.82	53	3.92	3,376	123,155	482,769
6.53	79X18	8.59	2.87	5.72	72.1	1.14	55	3.92	11,926	77,835	305,112
13.75	79X13	13.50	6.57	6.93	87.2	0.95	56	3.92	4,088	56,195	220,284
16.22	80X06	8.83	3.74	5.09	66.2	0.80	57	3.92	2,186	35,452	138,973
TOTAL		9.60	4.00	5.60	60.2	NA		3.92	594,080	7,166,774	28,093,755

* rounded to nearest 1000

C.R.I. 08–Jul–91

CVR WH386 FILE=DY6%CUT.WK

DY DEPOSIT: POLYGONAL GEOLOGICAL RESERVE CALCULATION
CUTOFF = 8% LEAD PLUS ZINC

TOTAL DEPOSIT PROBABLE + POSSIBLE

CLASSIFICATION	%Pb+Zn	%Pb	%Zn	Ag (GRAMS PER TONNE)	Au	POLY-GON	SG	AREA*	VOLUME* (CUBIC METRES)	TONNAGE*
PROB + POSS	12.21	5.24	6.97	78.0	0.84	ALL	3.92	575,000	5,499,000	21,558,000

(FROM CALCULATION BELOW)

COMPOSITE							POLYGON				
VERTICAL THICKNESS (METRES)	DDH	%Pb+Zn	%Pb	%Zn	Ag (GRAMS PER TONNE)	Au	POLY-GON	SG	AREA	VOLUME (CUBIC METRES)	TONNAGE
6.284	76X21	8.10	2.93	5.17	55.4	0.66	1	3.92	17,140	107,708	422,214
3.417	77X03	11.07	6.07	5.00	81.0	0.62	2	3.92	24,002	82,014	321,495
6.75	77X05	12.93	5.27	7.66	108.3	1.35	4	3.92	9,552	64,479	252,757
8.53	78X04	17.94	7.10	10.84	114.6	0.85	6	3.92	9,853	84,044	329,454
13.353	78X05	14.28	4.97	9.31	77.9	1.04	8	3.92	8,542	114,055	447,094
17.829	90DY05	15.98	5.89	10.09	79.7	0.45	9	3.92	15,128	269,715	1,057,284
3.496	78X08	13.98	4.41	9.57	81.5	0.90	12	3.92	21,606	75,535	296,096
9.09	90DY04	11.13	3.87	7.26	48.3	0.53	13	3.92	6,590	59,907	234,834
15.848	79X14	9.72	4.93	4.79	65.8	1.28	15	3.92	12,634	200,219	784,858
10.082	90DY09	12.99	4.09	8.90	67.1	0.39	16	3.92	8,041	81,071	317,800
17.872	80X02	14.76	5.75	9.01	83.1	1.20	17	3.92	12,289	219,629	860,946
3.312	80X04	11.79	5.22	6.57	83.0	1.54	19	3.92	14,707	48,710	190,944
4.043	80X07	9.88	3.74	6.14	48.9	0.79	20	3.92	17,094	69,110	270,911
16.181	80X10	11.91	5.14	6.77	85.5	1.50	21	3.92	12,793	207,007	811,467
4.508	80X13	9.68	3.97	5.71	52.6	0.70	22	3.92	11,475	51,731	202,784
4.247	80X01	11.67	5.96	5.71	80.2	1.15	26	3.92	14,384	61,088	239,463
3.372	79X17	8.45	2.48	5.97	42.8	0.26	27	3.92	15,636	52,723	206,675
3.49	90DY07	8.90	3.70	5.20	56.7	0.38	28	3.92	34,943	121,950	478,043
6.907	77X01	10.22	3.91	6.31	67.3	0.83	29	3.92	20,426	141,085	553,054
10.167	79X12	10.36	5.03	5.33	71.6	0.67	30	3.92	16,381	166,544	652,851
19.291	79X06	16.29	9.77	6.52	119.3	1.03	31	3.92	10,151	195,821	767,618
28.526	77X06	16.96	5.95	11.01	105.8	0.57	32	3.92	5,850	166,863	654,102
17.745	91DY03	11.66	4.57	7.09	74.8	0.73	33	3.92	6,551	116,242	455,669
10.405	79X07	13.02	4.37	8.65	61.7	0.65	34	3.92	3,018	31,404	123,105
23.088	91DY05	12.59	3.97	8.62	68.9	0.52	35	3.92	9,788	225,992	885,890
9.419	78X11	12.30	4.72	7.58	77.3	0.73	36	3.92	8,121	76,488	299,833
7.018	77X09	11.13	4.11	7.02	57.1	0.70	37	3.92	28,826	202,302	793,025
4.726	79X04	11.48	3.68	7.80	63.9	0.63	38	3.92	10,089	47,683	186,915
3.427	79X05	10.98	4.22	6.76	65.2	0.24	39	3.92	22,324	76,504	299,894
14.444	80X09	14.99	9.66	5.33	119.3	1.00	42	3.92	19,518	281,921	1,105,130
21.999	78X02	9.21	3.74	5.47	60.4	0.69	44	3.92	14,841	326,476	1,279,787
8.375	79X16	13.92	6.33	7.59	94.0	0.96	45	3.92	11,838	99,144	388,645
17.19	80X08	12.15	5.46	6.69	82.2	1.11	46	3.92	14,166	243,512	954,566
16.198	80X05	13.50	5.93	7.57	88.6	1.08	47	3.92	13,253	214,674	841,521
12.873	78X01	9.51	3.26	6.25	54.4	0.71	48	3.92	8,063	103,799	406,892
3.978	79X09	9.28	3.85	5.43	48.8	0.98	49	3.92	15,959	63,485	248,861
10.432	78X09	10.04	3.42	6.62	58.4	0.83	50	3.92	14,148	147,593	578,564
3.313	79X02	12.68	4.84	7.84	69.3	0.30	52	3.92	10,077	33,383	130,863
31.774	79X11	10.30	5.40	4.90	76.5	0.78	53	3.92	6,965	221,293	867,469
3.357	79X18	9.87	2.96	6.91	60.9	0.93	55	3.92	11,581	38,878	152,403
13.746	79X13	13.50	6.57	6.93	87.2	0.95	56	3.92	14,054	193,184	757,279
9.263	80X06	9.71	4.44	5.27	85.1	0.81	57	3.92	12,365	114,534	448,974
TOTAL		12.21	5.24	6.97	78.0	0.84		3.92	574,760	5,499,498	21,558,030

* Rounded to nearest 1000

DY DEPOSIT: POLYGONAL GEOLOGICAL RESERVE CALCULATION
CUTOFF = 8% LEAD PLUS ZINC

TOTAL DEPOSIT PROBABLE

CLASSIFICATION	%Pb+Zn	%Pb	%Zn	Ag (GRAMS PER TONNE)	Au	POLY-GON	SG	AREA*	VOLUME* (CUBIC METRES)	TONNAGE*
PROBABLE	12.51	5.34	7.17	81.6	0.81	ALL	3.92	109,000	1,432,000	5,612,000

(FROM CALCULATION BELOW)

COMPOSITE							POLYGON				
VERTICAL THICKNESS (METRES)	DDH	%Pb+Zn	%Pb	%Zn	Ag (GRAMS PER TONNE)	Au	POLY-GON	SG	AREA	VOLUME (CUBIC METRES)	TONNAGE
6.28	76X21	8.10	2.93	5.17	55.4	0.66	1	3.92	0	0	0
3.42	77X03	11.07	6.07	5.00	81.0	0.62	2	3.92	0	0	0
6.75	77X05	12.93	5.27	7.66	108.3	1.35	4	3.92	0	0	0
8.53	78X04	17.94	7.10	10.84	114.6	0.85	6	3.92	245	2,090	8,192
13.35	78X05	14.28	4.97	9.31	77.9	1.04	8	3.92	0	0	0
17.83	90DY05	15.98	5.89	10.09	79.7	0.45	9	3.92	0	0	0
3.50	78X08	13.98	4.41	9.57	81.5	0.90	12	3.92	0	0	0
9.09	90DY04	11.13	3.87	7.26	48.3	0.53	13	3.92	0	0	0
15.85	79X14	9.72	4.93	4.79	65.8	1.28	15	3.92	5,977	94,723	371,316
10.08	90DY09	12.99	4.09	8.90	67.1	0.39	16	3.92	527	5,313	20,828
17.87	80X02	14.76	5.75	9.01	83.1	1.20	17	3.92	0	0	0
3.31	80X04	11.79	5.22	6.57	83.0	1.54	19	3.92	0	0	0
4.04	80X07	9.88	3.74	6.14	48.9	0.79	20	3.92	0	0	0
16.18	80X10	11.91	5.14	6.77	85.5	1.50	21	3.92	0	0	0
4.51	80X13	9.68	3.97	5.71	52.6	0.70	22	3.92	0	0	0
4.25	80X01	11.67	5.96	5.71	80.2	1.15	26	3.92	2,726	11,577	45,383
3.37	79X17	8.45	2.48	5.97	42.8	0.26	27	3.92	0	0	0
3.49	90DY07	8.90	3.70	5.20	56.7	0.38	28	3.92	0	0	0
6.91	77X01	10.22	3.91	6.31	67.3	0.83	29	3.92	0	0	0
10.17	79X12	10.36	5.03	5.33	71.6	0.67	30	3.92	7,956	80,889	317,084
19.29	79X06	16.29	9.77	6.52	119.3	1.03	31	3.92	2,117	40,839	160,089
28.53	77X06	16.96	5.95	11.01	105.8	0.57	32	3.92	4,631	132,104	517,847
17.75	91DY03	11.66	4.57	7.09	74.8	0.73	33	3.92	6,551	116,242	455,669
10.41	79X07	13.02	4.37	8.65	61.7	0.65	34	3.92	1,700	17,689	69,339
23.09	91DY05	12.59	3.97	8.62	68.9	0.52	35	3.92	7,479	172,675	676,887
9.42	78X11	12.30	4.72	7.58	77.3	0.73	36	3.92	8,121	76,488	299,833
7.02	77X09	11.13	4.11	7.02	57.1	0.70	37	3.92	1,276	8,955	35,103
4.73	79X04	11.48	3.68	7.80	63.9	0.63	38	3.92	8,007	37,841	148,337
3.43	79X05	10.98	4.22	6.76	65.2	0.24	39	3.92	0	0	0
14.44	80X09	14.99	9.66	5.33	119.3	1.00	42	3.92	495	7,150	28,027
22.00	78X02	9.21	3.74	5.47	60.4	0.69	44	3.92	0	0	0
8.38	79X16	13.92	6.33	7.59	94.0	0.96	45	3.92	6,306	52,813	207,026
17.19	80X08	12.15	5.46	6.69	82.2	1.11	46	3.92	840	14,440	56,603
16.20	80X05	13.50	5.93	7.57	88.6	1.08	47	3.92	10,323	167,212	655,471
12.87	78X01	9.51	3.26	6.25	54.4	0.71	48	3.92	0	0	0
3.98	79X09	9.28	3.85	5.43	48.8	0.98	49	3.92	0	0	0
10.43	78X09	10.04	3.42	6.62	58.4	0.83	50	3.92	0	0	0
3.31	79X02	12.68	4.84	7.84	69.3	0.30	52	3.92	9,469	31,371	122,974
31.77	79X11	10.30	5.40	4.90	76.5	0.78	53	3.92	4,205	133,610	523,750
3.36	79X18	9.87	2.96	6.91	60.9	0.93	55	3.92	0	0	0
13.75	79X13	13.50	6.57	6.93	87.2	0.95	56	3.92	9,919	136,347	534,479
9.26	80X06	9.71	4.44	5.27	85.1	0.81	57	3.92	9,860	91,333	358,026
TOTAL		12.51	5.34	7.17	81.6	0.81		3.92	108,729	1,431,700	5,612,262

* Rounded to nearest 1000

DY DEPOSIT: POLYGONAL GEOLOGICAL RESERVE CALCULATION
CUTOFF = 8% LEAD PLUS ZINC

TOTAL DEPOSIT POSSIBLE

CLASSIFICATION	%Pb+Zn	%Pb	%Zn	Ag (GRAMS PER TONNE)	Au	POLY-GON	SG	AREA*	VOLUME* (CUBIC METRES)	TONNAGE*
POSSIBLE	12.11	5.21	6.90	76.7	0.86	ALL	3.92	466,000	4,068,000	15,946,000

(FROM CALCULATION BELOW)

COMPOSITE							POLYGON				
VERTICAL THICKNESS (METRES)	DDH	%Pb+Zn	%Pb	%Zn	Ag (GRAMS PER TONNE)	Au	POLY-GON	SG	AREA	VOLUME (CUBIC METRES)	TONNAGE
6.28	76X21	8.10	2.93	5.17	55.4	0.66	1	3.92	17,140	107,708	422,214
3.42	77X03	11.07	6.07	5.00	81.0	0.62	2	3.92	24,002	82,014	321,495
6.75	77X05	12.93	5.27	7.66	108.3	1.35	4	3.92	9,552	64,479	252,757
8.53	78X04	17.94	7.10	10.84	114.6	0.85	6	3.92	9,608	81,955	321,262
13.35	78X05	14.28	4.97	9.31	77.9	1.04	8	3.92	8,542	114,055	447,094
17.83	90DY05	15.98	5.89	10.09	79.7	0.45	9	3.92	15,128	269,715	1,057,284
3.50	78X08	13.98	4.41	9.57	81.5	0.90	12	3.92	21,606	75,535	296,096
9.09	90DY04	11.13	3.87	7.26	48.3	0.53	13	3.92	6,590	59,907	234,834
15.85	79X14	9.72	4.93	4.79	65.8	1.28	15	3.92	6,657	105,495	413,542
10.08	90DY09	12.99	4.09	8.90	67.1	0.39	16	3.92	7,514	75,758	296,972
17.87	80X02	14.76	5.75	9.01	83.1	1.20	17	3.92	12,289	219,629	860,946
3.31	80X04	11.79	5.22	6.57	83.0	1.54	19	3.92	14,707	48,710	190,944
4.04	80X07	9.88	3.74	6.14	48.9	0.79	20	3.92	17,094	69,110	270,911
16.18	80X10	11.91	5.14	6.77	85.5	1.50	21	3.92	12,793	207,007	811,467
4.51	80X13	9.68	3.97	5.71	52.6	0.70	22	3.92	11,475	51,731	202,784
4.25	80X01	11.67	5.96	5.71	80.2	1.15	26	3.92	11,658	49,510	194,080
3.37	79X17	8.45	2.48	5.97	42.8	0.26	27	3.92	15,636	52,723	206,675
3.49	90DY07	8.90	3.70	5.20	56.7	0.38	28	3.92	34,943	121,950	478,043
6.91	77X01	10.22	3.91	6.31	67.3	0.83	29	3.92	20,426	141,085	553,054
10.17	79X12	10.36	5.03	5.33	71.6	0.67	30	3.92	8,425	85,655	335,767
19.29	79X06	16.29	9.77	6.52	119.3	1.03	31	3.92	8,034	154,982	607,529
28.53	77X06	16.96	5.95	11.01	105.8	0.57	32	3.92	1,219	34,759	136,255
17.75	91DY03	11.66	4.57	7.09	74.8	0.73	33	3.92	0	0	0
10.41	79X07	13.02	4.37	8.65	61.7	0.65	34	3.92	1,318	13,716	53,766
23.09	91DY05	12.59	3.97	8.62	68.9	0.52	35	3.92	2,309	53,317	209,003
9.42	78X11	12.30	4.72	7.58	77.3	0.73	36	3.92	0	0	0
7.02	77X09	11.13	4.11	7.02	57.1	0.70	37	3.92	27,550	193,347	757,921
4.73	79X04	11.48	3.68	7.80	63.9	0.63	38	3.92	2,082	9,841	38,578
3.43	79X05	10.98	4.22	6.76	65.2	0.24	39	3.92	22,324	76,504	299,894
14.44	80X09	14.99	9.66	5.33	119.3	1.00	42	3.92	19,023	274,771	1,077,103
22.00	78X02	9.21	3.74	5.47	60.4	0.69	44	3.92	14,841	326,476	1,279,787
8.38	79X16	13.92	6.33	7.59	94.0	0.96	45	3.92	5,532	46,331	181,619
17.19	80X08	12.15	5.46	6.69	82.2	1.11	46	3.92	13,326	229,072	897,963
16.20	80X05	13.50	5.93	7.57	88.6	1.08	47	3.92	2,930	47,462	186,050
12.87	78X01	9.51	3.26	6.25	54.4	0.71	48	3.92	8,063	103,799	406,892
3.98	79X09	9.28	3.85	5.43	48.8	0.98	49	3.92	15,959	63,485	248,861
10.43	78X09	10.04	3.42	6.62	58.4	0.83	50	3.92	14,148	147,593	578,564
3.31	79X02	12.68	4.84	7.84	69.3	0.30	52	3.92	608	2,013	7,890
31.77	79X11	10.30	5.40	4.90	76.5	0.78	53	3.92	2,760	87,684	343,719
3.36	79X18	9.87	2.96	6.91	60.9	0.93	55	3.92	11,581	38,878	152,403
13.75	79X13	13.50	6.57	6.93	87.2	0.95	56	3.92	4,135	56,837	222,801
9.26	80X06	9.71	4.44	5.27	85.1	0.81	57	3.92	2,505	23,201	90,948
TOTAL		12.11	5.21	6.90	76.7	0.85		3.92	466,031	4,067,798	15,945,768

DY DEPOSIT: POLYGONAL GEOLOGICAL RESERVE CALCULATION
CUTOFF = 9% LEAD PLUS ZINC

TOTAL DEPOSIT PROBABLE + POSSIBLE

CLASSIFICATION	%Pb+Zn	%Pb	%Zn	Ag (GRAMS PER TONNE)	Au	POLY-GON	SG	AREA*	VOLUME* (CUBIC METRES)	TONNAGE*
PROB + POSS	12.88	5.58	7.30	81.7	0.85	ALL	3.92	507,000	4,676,000	18,330,000

(FROM CALCULATION BELOW)

COMPOSITE							POLYGON				
VERTICAL THICKNESS (METRES)	DDH	%Pb+Zn	%Pb	%Zn	Ag (GRAMS PER TONNE)	Au	POLY-GON	SG	AREA	VOLUME (CUBIC METRES)	TONNAGE
3.42	77X03	11.07	6.07	5.00	81.0	0.62	2	3.92	23,947	81,825	320,755
6.75	77X05	12.93	5.27	7.66	108.3	1.35	4	3.92	9,470	63,924	250,581
8.53	78X04	17.94	7.10	10.84	114.6	0.85	6	3.92	9,858	84,085	329,614
13.35	78X05	14.28	4.97	9.31	77.9	1.04	8	3.92	8,486	113,314	444,189
17.83	90DY05	15.98	5.89	10.09	79.7	0.45	9	3.92	15,128	269,715	1,057,284
3.50	78X08	13.98	4.41	9.57	81.5	0.90	12	3.92	21,324	74,550	292,235
9.09	90DY04	11.13	3.87	7.26	48.3	0.53	13	3.92	6,590	59,907	234,834
8.00	79X14	10.73	6.08	4.65	75.2	1.57	15	3.92	12,509	100,056	392,221
10.08	90DY09	12.99	4.09	8.90	67.1	0.39	16	3.92	8,043	81,091	317,875
16.15	80X02	15.46	6.10	9.36	87.6	1.30	17	3.92	12,290	198,503	778,133
3.31	80X04	11.79	5.22	6.57	83.0	1.54	19	3.92	14,969	49,578	194,346
3.45	80X07	10.04	3.79	6.25	48.5	0.80	20	3.92	16,963	58,539	229,474
14.17	80X10	12.42	5.42	7.00	89.0	1.46	21	3.92	12,818	181,605	711,893
4.51	80X13	9.68	3.97	5.71	52.6	0.70	22	3.92	11,473	51,720	202,742
4.25	80X01	11.67	5.96	5.71	80.2	1.15	26	3.92	14,295	60,709	237,980
3.46	77X01	12.18	4.63	7.55	79.0	0.94	29	3.92	20,582	71,214	279,160
10.17	79X12	10.36	5.03	5.33	71.6	0.67	30	3.92	16,336	166,085	651,053
13.77	79X06	19.23	11.99	7.24	144.4	1.22	31	3.92	10,066	138,622	543,398
28.53	77X06	16.96	5.95	11.01	105.8	0.57	32	3.92	5,851	166,911	654,292
17.75	91DY03	11.66	4.57	7.09	74.8	0.73	33	3.92	6,557	116,352	456,101
8.75	79X07	13.97	4.79	9.18	66.9	0.69	34	3.92	3,012	26,356	103,317
23.09	91DY05	12.57	3.95	8.62	68.9	0.52	35	3.92	9,671	223,279	875,255
9.42	78X11	12.30	4.72	7.58	77.3	0.73	36	3.92	8,098	76,272	298,987
6.55	77X09	11.40	4.23	7.17	58.2	0.73	37	3.92	29,490	193,129	757,065
4.73	79X04	11.48	3.68	7.80	63.9	0.63	38	3.92	10,090	47,683	186,919
3.43	79X05	10.98	4.22	6.76	65.2	0.24	39	3.92	22,335	76,543	300,048
14.44	80X09	14.99	9.66	5.33	119.3	1.00	42	3.92	19,517	281,906	1,105,073
16.78	78X02	9.72	4.02	5.70	64.6	0.70	44	3.92	14,638	245,679	963,062
8.09	79X16	14.09	6.42	7.67	95.3	0.98	45	3.92	11,819	95,568	374,625
13.81	80X05	14.08	6.15	7.93	91.1	0.91	46	3.92	13,952	192,670	755,267
9.45	78X01	9.77	3.35	6.42	52.4	0.77	47	3.92	8,013	75,743	296,913
3.98	79X09	9.28	3.85	5.43	48.8	0.98	48	3.92	15,731	62,578	245,305
10.43	78X09	10.04	3.42	6.62	58.4	0.83	49	3.92	14,161	147,729	579,096
3.31	79X02	12.68	4.84	7.84	69.3	0.30	51	3.92	10,077	33,384	130,864
31.77	79X11	10.30	5.40	4.90	76.5	0.78	52	3.92	6,885	218,761	857,542
3.36	79X18	9.87	2.96	6.91	60.9	0.93	54	3.92	11,694	39,257	153,886
13.75	79X13	13.50	6.57	6.93	87.2	0.95	55	3.92	14,170	194,781	763,541
7.43	80X06	10.53	5.30	5.23	77.5	0.61	56	3.92	12,660	94,023	368,570
12.09	80X08	13.52	6.00	7.52	91.4	1.02	57	3.92	13,433	162,363	636,465
		12.88	5.58	7.30	81.7	0.85		3.92	506,996	4,676,011	18,329,963

* rounded to nearest 1000

DY DEPOSIT: POLYGONAL GEOLOGICAL RESERVE CALCULATION
CUTOFF = 9% LEAD PLUS ZINC

TOTAL DEPOSIT PROBABLE

CLASSIFICATION	%Pb+Zn	%Pb	%Zn	Ag (GRAMS PER TONNE)	Au	POLY-GON	SG	AREA*	VOLUME* (CUBIC METRES)	TONNAGE*
PROBABLE	12.86	5.51	7.35	82.8	0.77	ALL	3.92	109,000	1,317,000	5,163,000

(FROM CALCULATION BELOW)

COMPOSITE							POLYGON				
VERTICAL THICKNESS (METRES)	DDH	%Pb+Zn	%Pb	%Zn	Ag (GRAMS PER TONNE)	Au	POLY-GON	SG	AREA	VOLUME (CUBIC METRES)	TONNAGE
3.42	77X03	11.07	6.07	5.00	81.0	0.62	2	3.92		0	0
6.75	77X05	12.93	5.27	7.66	108.3	1.35	4	3.92		0	0
8.53	78X04	17.94	7.10	10.84	114.6	0.85	6	3.92	332	2,832	11,101
13.35	78X05	14.28	4.97	9.31	77.9	1.04	8	3.92		0	0
17.83	90DY05	15.98	5.89	10.09	79.7	0.45	9	3.92		0	0
3.50	78X08	13.98	4.41	9.57	81.5	0.90	12	3.92		0	0
9.09	90DY04	11.13	3.87	7.26	48.3	0.53	13	3.92		0	0
8.00	79X14	10.73	6.08	4.65	75.2	1.57	15	3.92	6,308	50,458	197,794
10.08	90DY09	12.99	4.09	8.90	67.1	0.39	16	3.92	517	5,212	20,433
16.15	80X02	15.46	6.10	9.36	87.6	1.30	17	3.92		0	0
3.31	80X04	11.79	5.22	6.57	83.0	1.54	19	3.92		0	0
3.45	80X07	10.04	3.79	6.25	48.5	0.80	20	3.92		0	0
14.17	80X10	12.42	5.42	7.00	89.0	1.46	21	3.92		0	0
4.51	80X13	9.68	3.97	5.71	52.6	0.70	22	3.92		0	0
4.25	80X01	11.67	5.96	5.71	80.2	1.15	26	3.92	2,721	11,556	45,300
3.46	77X01	12.18	4.63	7.55	79.0	0.94	29	3.92		0	0
10.17	79X12	10.36	5.03	5.33	71.6	0.67	30	3.92	7,878	80,096	313,975
13.77	79X06	19.23	11.99	7.24	144.4	1.22	31	3.92	2,227	30,670	120,227
28.53	77X06	16.96	5.95	11.01	105.8	0.57	32	3.92	4,760	135,784	532,272
17.75	91DY03	11.66	4.57	7.09	74.8	0.73	33	3.92	6,557	116,352	456,101
8.75	79X07	13.97	4.79	9.18	66.9	0.69	34	3.92	1,607	14,063	55,126
23.09	91DY05	12.57	3.95	8.62	68.9	0.52	35	3.92	7,349	169,674	665,121
9.42	78X11	12.30	4.72	7.58	77.3	0.73	36	3.92	8,098	76,272	298,987
6.55	77X09	11.40	4.23	7.17	58.2	0.73	37	3.92	1,334	8,736	34,247
4.73	79X04	11.48	3.68	7.80	63.9	0.63	38	3.92	8,030	37,950	148,763
3.43	79X05	10.98	4.22	6.76	65.2	0.24	39	3.92		0	0
14.44	80X09	14.99	9.66	5.33	119.3	1.00	42	3.92	700	10,111	39,634
16.78	78X02	9.72	4.02	5.70	64.6	0.70	44	3.92		0	0
8.09	79X16	14.09	6.42	7.67	95.3	0.98	45	3.92	6,526	52,769	206,855
13.81	80X05	14.08	6.15	7.93	91.1	0.91	46	3.92	9,911	136,871	536,534
9.45	78X01	9.77	3.35	6.42	52.4	0.77	47	3.92		0	0
3.98	79X09	9.28	3.85	5.43	48.8	0.98	48	3.92		0	0
10.43	78X09	10.04	3.42	6.62	58.4	0.83	49	3.92		0	0
3.31	79X02	12.68	4.84	7.84	69.3	0.30	51	3.92	9,343	30,953	121,337
31.77	79X11	10.30	5.40	4.90	76.5	0.78	52	3.92	3,964	125,952	493,732
3.36	79X18	9.87	2.96	6.91	60.9	0.93	54	3.92		0	0
13.75	79X13	13.50	6.57	6.93	87.2	0.95	55	3.92	10,093	138,738	543,854
7.43	80X06	10.53	5.30	5.23	77.5	0.61	56	3.92	10,224	75,934	297,660
12.09	80X08	13.52	6.00	7.52	91.4	1.02	57	3.92	513	6,201	24,306
		12.86	5.51	7.35	82.8	0.77		3.92	108,992	1,317,184	5,163,361

* rounded to nearest 1000

DY DEPOSIT: POLYGONAL GEOLOGICAL RESERVE CALCULATION
CUTOFF = 9% LEAD PLUS ZINC

TOTAL DEPOSIT POSSIBLE

CLASSIFICATION	%Pb+Zn	%Pb	%Zn	Ag (GRAMS PER TONNE)	Au	POLY-GON	SG	AREA*	VOLUME* (CUBIC METRES)	TONNAGE*
POSSIBLE	12.88	5.60	7.28	81.3	0.89	ALL	3.92	398,000	3,359,000	13,167,000

(FROM CALCULATION BELOW)

		COMPOSITE					POLYGON				
VERTICAL THICKNESS (METRES)	DDH	%Pb+Zn	%Pb	%Zn	Ag (GRAMS PER TONNE)	Au	POLY-GON	SG	AREA	VOLUME (CUBIC METRES)	TONNAGE
3.42	77X03	11.07	6.07	5.00	81.0	0.62	2	3.92	23,947	81,825	320,755
6.75	77X05	12.93	5.27	7.66	108.3	1.35	4	3.92	9,470	63,924	250,581
8.53	78X04	17.94	7.10	10.84	114.6	0.85	6	3.92	9,526	81,253	318,513
13.35	78X05	14.28	4.97	9.31	77.9	1.04	8	3.92	8,486	113,314	444,189
17.83	90DY05	15.98	5.89	10.09	79.7	0.45	9	3.92	15,128	269,715	1,057,284
3.50	78X08	13.98	4.41	9.57	81.5	0.90	12	3.92	21,324	74,550	292,235
9.09	90DY04	11.13	3.87	7.26	48.3	0.53	13	3.92	6,590	59,907	234,834
8.00	79X14	10.73	6.08	4.65	75.2	1.57	15	3.92	6,201	49,599	194,427
10.08	90DY09	12.99	4.09	8.90	67.1	0.39	16	3.92	7,526	75,878	297,442
16.15	80X02	15.46	6.10	9.36	87.6	1.30	17	3.92	12,290	198,503	778,133
3.31	80X04	11.79	5.22	6.57	83.0	1.54	19	3.92	14,969	49,578	194,346
3.45	80X07	10.04	3.79	6.25	48.5	0.80	20	3.92	16,963	58,539	229,474
14.17	80X10	12.42	5.42	7.00	89.0	1.46	21	3.92	12,818	181,605	711,893
4.51	80X13	9.68	3.97	5.71	52.6	0.70	22	3.92	11,473	51,720	202,742
4.25	80X01	11.67	5.96	5.71	80.2	1.15	26	3.92	11,574	49,153	192,680
3.46	77X01	12.18	4.63	7.55	79.0	0.94	29	3.92	20,582	71,214	279,160
10.17	79X12	10.36	5.03	5.33	71.6	0.67	30	3.92	8,458	85,989	337,079
13.77	79X06	19.23	11.99	7.24	144.4	1.22	31	3.92	7,839	107,952	423,171
28.53	77X06	16.96	5.95	11.01	105.8	0.57	32	3.92	1,091	31,128	122,020
17.75	91DY03	11.66	4.57	7.09	74.8	0.73	33	3.92	0	0	0
8.75	79X07	13.97	4.79	9.18	66.9	0.69	34	3.92	1,405	12,293	48,190
23.09	91DY05	12.57	3.95	8.62	68.9	0.52	35	3.92	2,322	53,606	210,134
9.42	78X11	12.30	4.72	7.58	77.3	0.73	36	3.92	0	0	0
6.55	77X09	11.40	4.23	7.17	58.2	0.73	37	3.92	28,156	184,392	722,818
4.73	79X04	11.48	3.68	7.80	63.9	0.63	38	3.92	2,060	9,734	38,156
3.43	79X05	10.98	4.22	6.76	65.2	0.24	39	3.92	22,335	76,543	300,048
14.44	80X09	14.99	9.66	5.33	119.3	1.00	42	3.92	18,817	271,796	1,065,439
16.78	78X02	9.72	4.02	5.70	64.6	0.70	44	3.92	14,638	245,679	963,062
8.09	79X16	14.09	6.42	7.67	95.3	0.98	45	3.92	5,293	42,798	167,770
13.81	80X05	14.08	6.15	7.93	91.1	0.91	46	3.92	4,041	55,799	218,733
9.45	78X01	9.77	3.35	6.42	52.4	0.77	47	3.92	8,013	75,743	296,913
3.98	79X09	9.28	3.85	5.43	48.8	0.98	48	3.92	15,731	62,578	245,305
10.43	78X09	10.04	3.42	6.62	58.4	0.83	49	3.92	14,161	147,729	579,096
3.31	79X02	12.68	4.84	7.84	69.3	0.30	51	3.92	734	2,430	9,527
31.77	79X11	10.30	5.40	4.90	76.5	0.78	52	3.92	2,921	92,809	363,810
3.36	79X18	9.87	2.96	6.91	60.9	0.93	54	3.92	11,694	39,257	153,886
13.75	79X13	13.50	6.57	6.93	87.2	0.95	55	3.92	4,077	56,042	219,686
7.43	80X06	10.53	5.30	5.23	77.5	0.61	56	3.92	2,436	18,089	70,910
12.09	80X08	13.52	6.00	7.52	91.4	1.02	57	3.92	12,920	156,163	612,158
		12.88	5.60	7.28	81.3	0.89		3.92	398,005	3,358,827	13,166,602

* rounded to nearest 1000

APPENDIX II

CRI 1991 RESERVES WITHIN PELLY RIVER MINES CLAIM BOUNDARIES
CALCULATION TABLES

DY DEPOSIT: POLYGONAL GEOLOGICAL RESERVE CALCULATION
TOTAL RESERVES WITHIN PELLY RIVER MINES CLAIM BOUNDARIES
CUTOFF = 6% LEAD PLUS ZINC

	%Pb+Zn	%Pb	%Zn	Ag	Au	TONNES*	%TONNES
				(GRAMS PER TONNE)			
TOTAL DEPOSIT	9.92	4.15	5.77	62.6	NA	35,631,000	100.0
CURRAGH RESOURCES	9.90	4.14	5.76	62.2	NA	34,031,000	95.5
PELLY RIVER MINES	10.26	4.31	5.95	71.4	NA	1,600,000	4.5

VERTICAL THICKNESS (METRES)	DDH	POLY-GON	%Pb+Zn	%Pb	%Zn	Ag	Au	TOTAL TONNES	CRI TONNES	P.R.M. TONNES
						(GRAMS PER TONNE)				
6.28	76X21	1	8.10	2.93	5.17	55.4	0.66	421,684	421,684	0
7.61	77X03	2	8.34	4.62	3.72	60.8	0.28	714,741	714,741	0
6.75	77X05	4	12.93	5.27	7.66	108.3	1.35	249,831	249,831	0
9.68	77X11	5	6.29	2.27	4.02	34.3	NA	1,704,061	1,704,061	0
11.88	78X04	6	15.08	5.67	9.41	88.7	0.62	458,948	458,948	0
3.45	79X08	7	7.46	3.37	4.09	50.4	2.09	159,070	159,070	0
17.46	78X05	8	12.70	4.43	8.27	69.6	0.87	570,008	570,008	0
17.83	90DY05	9	15.98	5.89	10.09	79.7	0.45	1,070,728	1,070,728	0
5.69	78X08	12	11.03	3.70	7.33	68.9	0.71	482,196	387,771	94,425
9.09	90DY04	13	11.13	3.87	7.26	48.3	0.53	234,778	234,778	0
22.62	79X14	15	8.51	4.27	4.24	55.6	1.22	1,089,577	1,089,577	0
10.08	90DY09	16	12.99	4.09	8.90	67.1	0.39	321,746	321,746	0
32.97	80X02	17	10.46	4.01	6.45	60.5	0.67	1,482,028	1,477,440	4,587
3.16	80X12	18	8.14	3.17	4.97	49.3	0.24	156,096	156,096	0
3.31	80X04	19	11.79	5.22	6.57	83.0	1.54	205,956	205,956	0
4.04	80X07	20	9.88	3.74	6.14	48.9	0.79	269,768	269,768	0
18.00	80X10	21	11.38	4.86	6.52	81.1	1.41	904,516	24,402	880,114
10.87	80X13	22	8.24	3.37	4.87	46.2	0.39	496,968	496,968	0
3.38	EA81X02	23	7.69	3.53	4.16	58.9	NA	323,385	203,752	119,633
7.70	80X01	26	9.39	4.62	4.77	65.5	0.87	429,320	429,320	0
4.34	79X17	27	8.19	2.35	5.84	37.8	0.25	265,887	265,887	0
3.79	90DY07	28	8.76	3.66	5.10	55.8	0.39	512,054	124,021	388,033
10.36	77X01	29	9.06	3.48	5.58	61.4	0.56	828,268	810,848	17,420
13.33	79X12	30	9.36	4.55	4.81	65.1	0.54	842,972	842,972	0
37.14	79X06	31	11.70	6.62	5.08	87.7	0.93	1,418,595	1,418,595	0
35.44	77X06	32	15.16	5.33	9.83	95.7	0.46	817,524	817,524	0
23.70	91DY03	33	10.32	3.98	6.34	64.4	0.62	566,193	566,193	0
12.25	79X07	34	12.03	3.99	8.04	57.2	0.61	146,590	146,590	0
23.09	91DY05	35	12.59	3.97	8.62	68.9	0.52	923,728	923,728	0
18.57	78X11	36	9.78	3.73	6.05	59.4	0.52	608,187	608,187	0
30.31	77X09	37	7.47	2.63	4.84	41.5	0.21	3,277,766	3,277,766	0
8.48	79X04	38	9.29	3.45	5.84	54.7	0.35	333,642	333,642	0
3.43	79X05	39	10.98	4.22	6.76	65.2	0.24	288,421	288,421	0
6.46	80X11	42	6.20	2.29	3.91	35.1	NA	592,460	592,460	0
37.86	78X02	43	7.73	3.08	4.65	48.0	0.42	2,113,485	2,113,485	0
14.82	79X16	44	11.06	4.73	6.33	73.6	0.82	653,724	653,724	0
20.14	80X09	45	12.46	7.96	4.50	99.2	0.92	1,442,368	1,442,368	0
22.59	80X08	46	10.83	4.90	5.93	74.6	0.97	1,241,421	1,241,421	0
18.63	80X05	47	12.73	5.54	7.19	83.0	1.10	989,037	989,037	0
15.60	78X01	48	8.94	3.14	5.80	52.7	0.59	497,038	497,038	0
25.89	79X09	49	6.90	2.46	4.44	37.2	0.44	1,719,372	1,719,372	0
10.43	78X09	50	10.04	3.42	6.62	58.4	0.83	587,266	587,266	0
3.81	79X01	51	6.89	2.19	4.70	39.0	0.67	220,058	220,058	0
3.31	79X02	52	12.68	4.84	7.84	69.3	0.30	133,143	133,143	0
36.48	79X11	53	9.87	5.23	4.64	71.4	0.82	1,040,420	1,040,420	0
6.53	79X18	55	8.59	2.87	5.72	72.1	1.14	305,112	305,112	0
13.75	79X13	56	13.50	6.57	6.93	87.2	0.95	754,760	754,760	0
16.22	80X06	57	8.83	3.74	5.09	66.2	0.80	765,870	670,055	95,815
TOTAL								35,630,766	34,030,738	1,600,027

* rounded to nearest 1000

DY DEPOSIT: POLYGONAL GEOLOGICAL RESERVE CALCULATION
PROBABLE RESERVES WITHIN PELLY RIVER MINES CLAIM BOUNDARIES
CUTOFF = 6% LEAD PLUS ZINC

	%Pb+Zn	%Pb	%Zn	Ag	Au	TONNES*	%TONNES
				(GRAMS PER TONNE)			
TOTAL DEPOSIT	11.12	4.71	6.41	71.7	0.74	7,537,000	100.0
CURRAGH RESOURCES	11.14	4.72	6.42	71.8	0.74	7,461,000	99.0
PELLY RIVER MINES	8.83	3.74	5.09	66.2	0.80	76,000	1.0

VERTICAL THICKNESS (METRES)	DDH	POLY-GON	%Pb+Zn	%Pb	%Zn	Ag	Au	TOTAL TONNES	CRI TONNES	P.R.M. TONNES
						(GRAMS PER TONNE)				
6.28	76X21	1	8.10	2.93	5.17	55.4	0.66	0	0	0
7.61	77X03	2	8.34	4.62	3.72	60.8	0.28	0	0	0
6.75	77X05	4	12.93	5.27	7.66	108.3	1.35	0	0	0
9.68	77X11	5	6.29	2.27	4.02	34.3	NA	0	0	0
11.88	78X04	6	15.08	5.67	9.41	88.7	0.62	11,408	11,408	0
3.45	79X08	7	7.46	3.37	4.09	50.4	2.09	0	0	0
17.46	78X05	8	12.70	4.43	8.27	69.6	0.87	0	0	0
17.83	90DY05	9	15.98	5.89	10.09	79.7	0.45	0	0	0
5.69	78X08	12	11.03	3.70	7.33	68.9	0.71	0	0	0
9.09	90DY04	13	11.13	3.87	7.26	48.3	0.53	0	0	0
22.62	79X14	15	8.51	4.27	4.24	55.6	1.22	573,919	573,919	0
10.08	90DY09	16	12.99	4.09	8.90	67.1	0.39	20,433	20,433	0
32.97	80X02	17	10.46	4.01	6.45	60.5	0.67	0	0	0
3.16	80X12	18	8.14	3.17	4.97	49.3	0.24	0	0	0
3.31	80X04	19	11.79	5.22	6.57	83.0	1.54	0	0	0
4.04	80X07	20	9.88	3.74	6.14	48.9	0.79	0	0	0
18.00	80X10	21	11.38	4.86	6.52	81.1	1.41	0	0	0
10.87	80X13	22	8.24	3.37	4.87	46.2	0.39	0	0	0
3.38	EA81X02	23	7.69	3.53	4.16	58.9	NA	0	0	0
7.70	80X01	26	9.39	4.62	4.77	65.5	0.87	80,934	80,934	0
4.34	79X17	27	8.19	2.35	5.84	37.8	0.25	0	0	0
3.79	90DY07	28	8.76	3.66	5.10	55.8	0.39	0	0	0
10.36	77X01	29	9.06	3.48	5.58	61.4	0.56	0	0	0
13.33	79X12	30	9.36	4.55	4.81	65.1	0.54	407,579	407,579	0
37.14	79X06	31	11.70	6.62	5.08	87.7	0.93	344,312	344,312	0
35.44	77X06	32	15.16	5.33	9.83	95.7	0.46	661,276	661,276	0
23.70	91DY03	33	10.32	3.98	6.34	64.4	0.62	566,193	566,193	0
12.25	79X07	34	12.03	3.99	8.04	57.2	0.61	81,180	81,180	0
23.09	91DY05	35	12.59	3.97	8.62	68.9	0.52	701,419	701,419	0
18.57	78X11	36	9.78	3.73	6.05	59.4	0.52	608,187	608,187	0
30.31	77X09	37	7.47	2.63	4.84	41.5	0.21	145,566	145,566	0
8.48	79X04	38	9.29	3.45	5.84	54.7	0.35	259,664	259,664	0
3.43	79X05	39	10.98	4.22	6.76	65.2	0.24	0	0	0
6.46	80X11	42	6.20	2.29	3.91	35.1	NA	0	0	0
37.86	78X02	43	7.73	3.08	4.65	48.0	0.42	0	0	0
14.82	79X16	44	11.06	4.73	6.33	73.6	0.82	366,333	366,333	0
20.14	80X09	45	12.46	7.96	4.50	99.2	0.92	39,084	39,084	0
22.59	80X08	46	10.83	4.90	5.93	74.6	0.97	74,380	74,380	0
18.63	80X05	47	12.73	5.54	7.19	83.0	1.10	754,050	754,050	0
15.60	78X01	48	8.94	3.14	5.80	52.7	0.59	0	0	0
25.89	79X09	49	6.90	2.46	4.44	37.2	0.44	0	0	0
10.43	78X09	50	10.04	3.42	6.62	58.4	0.83	0	0	0
3.81	79X01	51	6.89	2.19	4.70	39.0	0.67	0	0	0
3.31	79X02	52	12.68	4.84	7.84	69.3	0.30	122,070	122,070	0
36.48	79X11	53	9.87	5.23	4.64	71.4	0.82	557,652	557,652	0
6.53	79X18	55	8.59	2.87	5.72	72.1	1.14	0	0	0
13.75	79X13	56	13.50	6.57	6.93	87.2	0.95	534,476	534,476	0
16.22	80X06	57	8.83	3.74	5.09	66.2	0.80	626,897	550,601	76,296
TOTAL								7,537,011	7,460,715	76,296

* rounded to nearest 1000

C.R.I. 08–Jul–91

CVR WH386 FILE=DY6%CUT.WK

DY DEPOSIT: POLYGONAL GEOLOGICAL RESERVE CALCULATION
POSSIBLE RESERVES WITHIN PELLY RIVER MINES CLAIM BOUNDARIES
CUTOFF = 6% LEAD PLUS ZINC

	%Pb+Zn	%Pb	%Zn	Ag	Au	TONNES*	%TONNES
				(GRAMS PER TONNE)			
TOTAL DEPOSIT	9.60	4.00	5.60	60.2	NA	28,094,000	100.0
CURRAGH RESOURCES	9.56	3.98	5.58	59.5	NA	26,570,000	94.6
PELLY RIVER MINES	10.33	4.34	5.99	71.7	NA	1,524,000	5.4

VERTICAL THICKNESS (METRES)	DDH	POLY-GON	%Pb+Zn	%Pb	%Zn	Ag	Au	TOTAL TONNES	CRI TONNES	P.R.M. TONNES
						(GRAMS PER TONNE)				
6.28	76X21	1	8.10	2.93	5.17	55.4	0.66	421,684	421,684	0
7.61	77X03	2	8.34	4.62	3.72	60.8	0.28	714,741	714,741	0
6.75	77X05	4	12.93	5.27	7.66	108.3	1.35	249,831	249,831	0
9.68	77X11	5	6.29	2.27	4.02	34.3	NA	1,704,061	1,704,061	0
11.88	78X04	6	15.08	5.67	9.41	88.7	0.62	447,541	447,541	0
3.45	79X08	7	7.46	3.37	4.09	50.4	2.09	159,070	159,070	0
17.46	78X05	8	12.70	4.43	8.27	69.6	0.87	570,008	570,008	0
17.83	90DY05	9	15.98	5.89	10.09	79.7	0.45	1,070,728	1,070,728	0
5.69	78X08	12	11.03	3.70	7.33	68.9	0.71	482,196	387,771	94,425
9.09	90DY04	13	11.13	3.87	7.26	48.3	0.53	234,778	234,778	0
22.62	79X14	15	8.51	4.27	4.24	55.6	1.22	515,658	515,658	0
10.08	90DY09	16	12.99	4.09	8.90	67.1	0.39	301,313	301,313	0
32.97	80X02	17	10.46	4.01	6.45	60.5	0.67	1,482,028	1,477,440	4,587
3.16	80X12	18	8.14	3.17	4.97	49.3	0.24	156,096	156,096	0
3.31	80X04	19	11.79	5.22	6.57	83.0	1.54	205,956	205,956	0
4.04	80X07	20	9.88	3.74	6.14	48.9	0.79	269,768	269,768	0
18.00	80X10	21	11.38	4.86	6.52	81.1	1.41	904,516	24,402	880,114
10.87	80X13	22	8.24	3.37	4.87	46.2	0.39	496,968	496,968	0
3.38	EA81X02	23	7.69	3.53	4.16	58.9	NA	323,385	203,752	119,633
7.70	80X01	26	9.39	4.62	4.77	65.5	0.87	348,386	348,386	0
4.34	79X17	27	8.19	2.35	5.84	37.8	0.25	265,887	265,887	0
3.79	90DY07	28	8.76	3.66	5.10	55.8	0.39	512,054	124,021	388,033
10.36	77X01	29	9.06	3.48	5.58	61.4	0.56	828,268	810,848	17,420
13.33	79X12	30	9.36	4.55	4.81	65.1	0.54	435,393	435,393	0
37.14	79X06	31	11.70	6.62	5.08	87.7	0.93	1,074,283	1,074,283	0
35.44	77X06	32	15.16	5.33	9.83	95.7	0.46	156,247	156,247	0
23.70	91DY03	33	10.32	3.98	6.34	64.4	0.62	0	0	0
12.25	79X07	34	12.03	3.99	8.04	57.2	0.61	65,410	65,410	0
23.09	91DY05	35	12.59	3.97	8.62	68.9	0.52	222,309	222,309	0
18.57	78X11	36	9.78	3.73	6.05	59.4	0.52	0	0	0
30.31	77X09	37	7.47	2.63	4.84	41.5	0.21	3,132,200	3,132,200	0
8.48	79X04	38	9.29	3.45	5.84	54.7	0.35	73,978	73,978	0
3.43	79X05	39	10.98	4.22	6.76	65.2	0.24	288,421	288,421	0
6.46	80X11	42	6.20	2.29	3.91	35.1	NA	592,460	592,460	0
37.86	78X02	43	7.73	3.08	4.65	48.0	0.42	2,113,485	2,113,485	0
14.82	79X16	44	11.06	4.73	6.33	73.6	0.82	287,391	287,391	0
20.14	80X09	45	12.46	7.96	4.50	99.2	0.92	1,403,284	1,403,284	0
22.59	80X08	46	10.83	4.90	5.93	74.6	0.97	1,167,041	1,167,041	0
18.63	80X05	47	12.73	5.54	7.19	83.0	1.10	234,988	234,988	0
15.60	78X01	48	8.94	3.14	5.80	52.7	0.59	497,038	497,038	0
25.89	79X09	49	6.90	2.46	4.44	37.2	0.44	1,719,372	1,719,372	0
10.43	78X09	50	10.04	3.42	6.62	58.4	0.83	587,266	587,266	0
3.81	79X01	51	6.89	2.19	4.70	39.0	0.67	220,058	220,058	0
3.31	79X02	52	12.68	4.84	7.84	69.3	0.30	11,073	11,073	0
36.48	79X11	53	9.87	5.23	4.64	71.4	0.82	482,769	482,769	0
6.53	79X18	55	8.59	2.87	5.72	72.1	1.14	305,112	305,112	0
13.75	79X13	56	13.50	6.57	6.93	87.2	0.95	220,284	220,284	0
16.22	80X06	57	8.83	3.74	5.09	66.2	0.80	138,973	119,454	19,519
TOTAL								28,093,755	26,570,023	1,523,732

* rounded to nearest 1000

DY DEPOSIT: POLYGONAL GEOLOGICAL RESERVE CALCULATION
TOTAL RESERVES WITHIN PELLY RIVER MINES CLAIM BOUNDARIES
CUTOFF = 8% LEAD PLUS ZINC

	%Pb+Zn	%Pb	%Zn	Ag	Au	TONNES*	%TONNES
				(GRAMS PER TONNE)			
TOTAL (PROB + POSS)	12.21	5.24	6.97	78.0	0.84	21,558,000	100.0
CURRAGH RESOURCES	12.29	5.28	7.01	78.0	0.82	20,284,000	94.1
PELLY RIVER MINES	11.07	4.67	6.40	77.1	1.12	1,274,000	5.9

VERTICAL THICKNESS (METRES)	DDH	POLY-GON	%Pb+Zn	%Pb	%Zn	Ag	Au	TOTAL TONNES	CRI TONNES	P.R.M. TONNES
						(GRAMS PER TONNE)				
6.28	76X21	1	8.10	2.93	5.17	55.4	0.66	422,214	422,214	0
3.42	77X03	2	11.07	6.07	5.00	81.0	0.62	321,495	321,495	0
6.75	77X05	4	12.93	5.27	7.66	108.3	1.35	252,757	252,757	0
8.53	78X04	6	17.94	7.10	10.84	114.6	0.85	329,454	329,454	0
13.35	78X05	8	14.28	4.97	9.31	77.9	1.04	447,094	447,094	0
17.83	90DY05	9	15.98	5.89	10.09	79.7	0.45	1,057,284	1,057,284	0
3.50	78X08	12	13.98	4.41	9.57	81.5	0.90	296,096	238,113	57,983
9.09	90DY04	13	11.13	3.87	7.26	48.3	0.53	234,834	234,834	0
15.85	79X14	15	9.72	4.93	4.79	65.8	1.28	784,858	784,858	0
10.08	90DY09	16	12.99	4.09	8.90	67.1	0.39	317,800	317,800	0
17.87	80X02	17	14.76	5.75	9.01	83.1	1.20	860,946	858,459	2,487
3.31	80X04	19	11.79	5.22	6.57	83.0	1.54	190,944	190,944	0
4.04	80X07	20	9.88	3.74	6.14	48.9	0.79	270,911	270,911	0
16.18	80X10	21	11.91	5.14	6.77	85.5	1.50	811,467	20,374	791,093
4.51	80X13	22	9.68	3.97	5.71	52.6	0.70	202,784	202,784	0
4.25	80X01	26	11.67	5.96	5.71	80.2	1.15	239,463	239,463	0
3.37	79X17	27	8.45	2.48	5.97	42.8	0.26	206,675	206,675	0
3.49	90DY07	28	8.90	3.70	5.20	56.7	0.38	478,043	122,342	355,701
6.91	77X01	29	10.22	3.91	6.31	67.3	0.83	553,054	541,438	11,615
10.17	79X12	30	10.36	5.03	5.33	71.6	0.67	652,851	652,851	0
19.29	79X06	31	16.29	9.77	6.52	119.3	1.03	767,618	767,618	0
28.53	77X06	32	16.96	5.95	11.01	105.8	0.57	654,102	654,102	0
17.75	91DY03	33	11.66	4.57	7.09	74.8	0.73	455,669	455,669	0
10.41	79X07	34	13.02	4.37	8.65	61.7	0.65	123,105	123,105	0
23.09	91DY05	35	12.59	3.97	8.62	68.9	0.52	885,890	885,890	0
9.42	78X11	36	12.30	4.72	7.58	77.3	0.73	299,833	299,833	0
7.02	77X09	37	11.13	4.11	7.02	57.1	0.70	793,025	793,025	0
4.73	79X04	38	11.48	3.68	7.80	63.9	0.63	186,915	186,915	0
3.43	79X05	39	10.98	4.22	6.76	65.2	0.24	299,894	299,894	0
14.44	80X09	42	14.99	9.66	5.33	119.3	1.00	1,105,130	1,105,130	0
22.00	78X02	44	9.21	3.74	5.47	60.4	0.69	1,279,787	1,279,787	0
8.38	79X16	45	13.92	6.33	7.59	94.0	0.96	388,645	388,645	0
17.19	80X08	46	12.15	5.46	6.69	82.2	1.11	954,566	954,566	0
16.20	80X05	47	13.50	5.93	7.57	88.6	1.08	841,521	841,521	0
12.87	78X01	48	9.51	3.26	6.25	54.4	0.71	406,892	406,892	0
3.98	79X09	49	9.28	3.85	5.43	48.8	0.98	248,861	248,861	0
10.43	78X09	50	10.04	3.42	6.62	58.4	0.83	578,564	578,564	0
3.31	79X02	52	12.68	4.84	7.84	69.3	0.30	130,863	130,863	0
31.77	79X11	53	10.30	5.40	4.90	76.5	0.78	867,469	867,469	0
3.36	79X18	55	9.87	2.96	6.91	60.9	0.93	152,403	152,403	0
13.75	79X13	56	13.50	6.57	6.93	87.2	0.95	757,279	757,279	0
9.26	80X06	57	9.71	4.44	5.27	85.1	0.81	448,974	394,254	54,721
TOTAL								21,558,030	20,284,431	1,273,600

* Rounded to nearest 1000

DY DEPOSIT: POLYGONAL GEOLOGICAL RESERVE CALCULATION
PROBABLE RESERVES WITHIN PELLY RIVER MINES CLAIM BOUNDARIES
CUTOFF = 8% LEAD PLUS ZINC

	%Pb+Zn	%Pb	%Zn	Ag	Au	TONNES*	%TONNES
				(GRAMS PER TONNE)			
TOTAL DEPOSIT (PROB)	12.51	5.34	7.17	81.6	0.81	5,612,000	100.0
CURRAGH RESOURCES	12.54	5.35	7.19	81.6	0.81	5,568,000	99.2
PELLY RIVER MINES	9.71	4.44	5.27	85.1	0.81	44,000	0.8

VERTICAL THICKNESS (METRES)	DDH	POLY-GON	%Pb+Zn	%Pb	%Zn	Ag (GRAMS PER TONNE)	Au	TOTAL TONNES	CRI TONNES	P.R.M. TONNES
6.28	76X21	1	8.10	2.93	5.17	55.4	0.66	0	0	0
3.42	77X03	2	11.07	6.07	5.00	81.0	0.62	0	0	0
6.75	77X05	4	12.93	5.27	7.66	108.3	1.35	0	0	0
8.53	78X04	6	17.94	7.10	10.84	114.6	0.85	8,192	8,192	0
13.35	78X05	8	14.28	4.97	9.31	77.9	1.04	0	0	0
17.83	90DY05	9	15.98	5.89	10.09	79.7	0.45	0	0	0
3.50	78X08	12	13.98	4.41	9.57	81.5	0.90	0	0	0
9.09	90DY04	13	11.13	3.87	7.26	48.3	0.53	0	0	0
15.85	79X14	15	9.72	4.93	4.79	65.8	1.28	371,316	371,316	0
10.08	90DY09	16	12.99	4.09	8.90	67.1	0.39	20,828	20,828	0
17.87	80X02	17	14.76	5.75	9.01	83.1	1.20	0	0	0
3.31	80X04	19	11.79	5.22	6.57	83.0	1.54	0	0	0
4.04	80X07	20	9.88	3.74	6.14	48.9	0.79	0	0	0
16.18	80X10	21	11.91	5.14	6.77	85.5	1.50	0	0	0
4.51	80X13	22	9.68	3.97	5.71	52.6	0.70	0	0	0
4.25	80X01	26	11.67	5.96	5.71	80.2	1.15	45,383	45,383	0
3.37	79X17	27	8.45	2.48	5.97	42.8	0.26	0	0	0
3.49	90DY07	28	8.90	3.70	5.20	56.7	0.38	0	0	0
6.91	77X01	29	10.22	3.91	6.31	67.3	0.83	0	0	0
10.17	79X12	30	10.36	5.03	5.33	71.6	0.67	317,084	317,084	0
19.29	79X06	31	16.29	9.77	6.52	119.3	1.03	160,089	160,089	0
28.53	77X06	32	16.96	5.95	11.01	105.8	0.57	517,847	517,847	0
17.75	91DY03	33	11.66	4.57	7.09	74.8	0.73	455,669	455,669	0
10.41	79X07	34	13.02	4.37	8.65	61.7	0.65	69,339	69,339	0
23.09	91DY05	35	12.59	3.97	8.62	68.9	0.52	676,887	676,887	0
9.42	78X11	36	12.30	4.72	7.58	77.3	0.73	299,833	299,833	0
7.02	77X09	37	11.13	4.11	7.02	57.1	0.70	35,103	35,103	0
4.73	79X04	38	11.48	3.68	7.80	63.9	0.63	148,337	148,337	0
3.43	79X05	39	10.98	4.22	6.76	65.2	0.24	0	0	0
14.44	80X09	42	14.99	9.66	5.33	119.3	1.00	28,027	28,027	0
22.00	78X02	44	9.21	3.74	5.47	60.4	0.69	0	0	0
8.38	79X16	45	13.92	6.33	7.59	94.0	0.96	207,026	207,026	0
17.19	80X08	46	12.15	5.46	6.69	82.2	1.11	56,603	56,603	0
16.20	80X05	47	13.50	5.93	7.57	88.6	1.08	655,471	655,471	0
12.87	78X01	48	9.51	3.26	6.25	54.4	0.71	0	0	0
3.98	79X09	49	9.28	3.85	5.43	48.8	0.98	0	0	0
10.43	78X09	50	10.04	3.42	6.62	58.4	0.83	0	0	0
3.31	79X02	52	12.68	4.84	7.84	69.3	0.30	122,974	122,974	0
31.77	79X11	53	10.30	5.40	4.90	76.5	0.78	523,750	523,750	0
3.36	79X18	55	9.87	2.96	6.91	60.9	0.93	0	0	0
13.75	79X13	56	13.50	6.57	6.93	87.2	0.95	534,479	534,479	0
9.26	80X06	57	9.71	4.44	5.27	85.1	0.81	358,026	314,453	43,573
TOTAL								5,612,262	5,568,689	43,573

* Rounded to nearest 1000

DY DEPOSIT: POLYGONAL GEOLOGICAL RESERVE CALCULATION
POSSIBLE RESERVES WITHIN PELLY RIVER MINES CLAIM BOUNDARIES
CUTOFF = 8% LEAD PLUS ZINC

	%Pb+Zn	%Pb	%Zn	Ag	Au	TONNES*	%TONNES
				(GRAMS PER TONNE)			
TOTAL DEPOSIT (POSS)	12.11	5.21	6.90	76.7	0.85	15,946,000	100.0
CURRAGH RESOURCES	12.20	5.26	6.94	76.7	0.83	14,716,000	92.3
PELLY RIVER MINES	11.12	4.68	6.44	76.8	1.13	1,230,000	7.7

VERTICAL THICKNESS (METRES)	DDH	POLY-GON	%Pb+Zn	%Pb	%Zn	Ag	Au	TOTAL TONNES	CRI TONNES	P.R.M. TONNES
						(GRAMS PER TONNE)				
6.28	76X21	1	8.10	2.93	5.17	55.4	0.66	422,214	422,214	0
3.42	77X03	2	11.07	6.07	5.00	81.0	0.62	321,495	321,495	0
6.75	77X05	4	12.93	5.27	7.66	108.3	1.35	252,757	252,757	0
8.53	78X04	6	17.94	7.10	10.84	114.6	0.85	321,262	321,262	0
13.35	78X05	8	14.28	4.97	9.31	77.9	1.04	447,094	447,094	0
17.83	90DY05	9	15.98	5.89	10.09	79.7	0.45	1,057,284	1,057,284	0
3.50	78X08	12	13.98	4.41	9.57	81.5	0.90	296,096	238,113	57,983
9.09	90DY04	13	11.13	3.87	7.26	48.3	0.53	234,834	234,834	0
15.85	79X14	15	9.72	4.93	4.79	65.8	1.28	413,542	413,542	0
10.08	90DY09	16	12.99	4.09	8.90	67.1	0.39	296,972	296,972	0
17.87	80X02	17	14.76	5.75	9.01	83.1	1.20	860,946	858,459	2,487
3.31	80X04	19	11.79	5.22	6.57	83.0	1.54	190,944	190,944	0
4.04	80X07	20	9.88	3.74	6.14	48.9	0.79	270,911	270,911	0
16.18	80X10	21	11.91	5.14	6.77	85.5	1.50	811,467	20,374	791,093
4.51	80X13	22	9.68	3.97	5.71	52.6	0.70	202,784	202,784	0
4.25	80X01	26	11.67	5.96	5.71	80.2	1.15	194,080	194,080	0
3.37	79X17	27	8.45	2.48	5.97	42.8	0.26	206,675	206,675	0
3.49	90DY07	28	8.90	3.70	5.20	56.7	0.38	478,043	122,342	355,701
6.91	77X01	29	10.22	3.91	6.31	67.3	0.83	553,054	541,438	11,615
10.17	79X12	30	10.36	5.03	5.33	71.6	0.67	335,767	335,767	0
19.29	79X06	31	16.29	9.77	6.52	119.3	1.03	607,529	607,529	0
28.53	77X06	32	16.96	5.95	11.01	105.8	0.57	136,255	136,255	0
17.75	91DY03	33	11.66	4.57	7.09	74.8	0.73	0	0	0
10.41	79X07	34	13.02	4.37	8.65	61.7	0.65	53,766	53,766	0
23.09	91DY05	35	12.59	3.97	8.62	68.9	0.52	209,003	209,003	0
9.42	78X11	36	12.30	4.72	7.58	77.3	0.73	0	0	0
7.02	77X09	37	11.13	4.11	7.02	57.1	0.70	757,921	757,921	0
4.73	79X04	38	11.48	3.68	7.80	63.9	0.63	38,578	38,578	0
3.43	79X05	39	10.98	4.22	6.76	65.2	0.24	299,894	299,894	0
14.44	80X09	42	14.99	9.66	5.33	119.3	1.00	1,077,103	1,077,103	0
22.00	78X02	44	9.21	3.74	5.47	60.4	0.69	1,279,787	1,279,787	0
8.38	79X16	45	13.92	6.33	7.59	94.0	0.96	181,619	181,619	0
17.19	80X08	46	12.15	5.46	6.69	82.2	1.11	897,963	897,963	0
16.20	80X05	47	13.50	5.93	7.57	88.6	1.08	186,050	186,050	0
12.87	78X01	48	9.51	3.26	6.25	54.4	0.71	406,892	406,892	0
3.98	79X09	49	9.28	3.85	5.43	48.8	0.98	248,861	248,861	0
10.43	78X09	50	10.04	3.42	6.62	58.4	0.83	578,564	578,564	0
3.31	79X02	52	12.68	4.84	7.84	69.3	0.30	7,890	7,890	0
31.77	79X11	53	10.30	5.40	4.90	76.5	0.78	343,719	343,719	0
3.36	79X18	55	9.87	2.96	6.91	60.9	0.93	152,403	152,403	0
13.75	79X13	56	13.50	6.57	6.93	87.2	0.95	222,801	222,801	0
9.26	80X06	57	9.71	4.44	5.27	85.1	0.81	90,948	79,801	11,147
TOTAL								15,945,768	14,715,741	1,230,027

* Rounded to nearest 1000

DY DEPOSIT: POLYGONAL GEOLOGICAL RESERVE CALCULATION
TOTAL RESERVES WITHIN PELLY RIVER MINES CLAIM BOUNDARIES
CUTOFF = 9% LEAD PLUS ZINC

	%Pb+Zn	%Pb	%Zn	Ag	Au	TONNES*	%TONNES
				(GRAMS PER TONNE)			
TOTAL DEPOSIT (ALL CAT)	12.88	5.58	7.30	81.7	0.85	18,330,000	100.0
CURRAGH RESOURCES	12.90	5.59	7.31	81.4	0.83	17,525,000	95.6
PELLY RIVER MINES	12.44	5.33	7.11	87.7	1.37	805,000	4.4

VERTICAL THICKNESS (METRES)	DDH	POLY-GON	%Pb+Zn	%Pb	%Zn	Ag	Au	TOTAL TONNES	CRI TONNES	P.R.M. TONNES
						(GRAMS PER TONNE)				
3.42	77X03	2	11.07	6.07	5.00	81.0	0.62	320,755	320,755	0
6.75	77X05	4	12.93	5.27	7.66	108.3	1.35	250,581	250,581	0
8.53	78X04	6	17.94	7.10	10.84	114.6	0.85	329,614	329,614	0
13.35	78X05	8	14.28	4.97	9.31	77.9	1.04	444,189	444,189	0
17.83	90DY05	9	15.98	5.89	10.09	79.7	0.45	1,057,284	1,057,284	0
3.50	78X08	12	13.98	4.41	9.57	81.5	0.90	292,235	234,033	58,202
9.09	90DY04	13	11.13	3.87	7.26	48.3	0.53	234,834	234,834	0
8.00	79X14	15	10.73	6.08	4.65	75.2	1.57	392,221	392,221	0
10.08	90DY09	16	12.99	4.09	8.90	67.1	0.39	317,875	317,875	0
16.15	80X02	17	15.46	6.10	9.36	87.6	1.30	778,133	775,885	2,248
3.31	80X04	19	11.79	5.22	6.57	83.0	1.54	194,346	194,346	0
3.45	80X07	20	10.04	3.79	6.25	48.5	0.80	229,474	229,474	0
14.17	80X10	21	12.42	5.42	7.00	89.0	1.46	711,893	16,995	694,898
4.51	80X13	22	9.68	3.97	5.71	52.6	0.70	202,742	202,742	0
4.25	80X01	26	11.67	5.96	5.71	80.2	1.15	237,980	237,980	0
3.46	77X01	29	12.18	4.63	7.55	79.0	0.94	279,160	272,067	7,094
10.17	79X12	30	10.36	5.03	5.33	71.6	0.67	651,053	651,053	0
13.77	79X06	31	19.23	11.99	7.24	144.4	1.22	543,398	543,398	0
28.53	77X06	32	16.96	5.95	11.01	105.8	0.57	654,292	654,292	0
17.75	91DY03	33	11.66	4.57	7.09	74.8	0.73	456,101	456,101	0
8.75	79X07	34	13.97	4.79	9.18	66.9	0.69	103,317	103,317	0
23.09	91DY05	35	12.57	3.95	8.62	68.9	0.52	875,255	875,255	0
9.42	78X11	36	12.30	4.72	7.58	77.3	0.73	298,987	298,987	0
6.55	77X09	37	11.40	4.23	7.17	58.2	0.73	757,065	757,065	0
4.73	79X04	38	11.48	3.68	7.80	63.9	0.63	186,919	186,919	0
3.43	79X05	39	10.98	4.22	6.76	65.2	0.24	300,048	300,048	0
14.44	80X09	42	14.99	9.66	5.33	119.3	1.00	1,105,073	1,105,073	0
16.78	78X02	44	9.72	4.02	5.70	64.6	0.70	963,062	963,062	0
8.09	79X16	45	14.09	6.42	7.67	95.3	0.98	374,625	374,625	0
13.81	80X05	46	14.08	6.15	7.93	91.1	0.91	755,267	755,267	0
9.45	78X01	47	9.77	3.35	6.42	52.4	0.77	296,913	296,913	0
3.98	79X09	48	9.28	3.85	5.43	48.8	0.98	245,305	245,305	0
10.43	78X09	49	10.04	3.42	6.62	58.4	0.83	579,096	579,096	0
3.31	79X02	51	12.68	4.84	7.84	69.3	0.30	130,864	130,864	0
31.77	79X11	52	10.30	5.40	4.90	76.5	0.78	857,542	857,542	0
3.36	79X18	54	9.87	2.96	6.91	60.9	0.93	153,886	153,886	0
13.75	79X13	55	13.50	6.57	6.93	87.2	0.95	763,541	763,541	0
7.43	80X06	56	10.53	5.30	5.23	77.5	0.61	368,570	325,743	42,826
12.09	80X08	57	13.52	6.00	7.52	91.4	1.02	636,465	636,465	0
TOTAL								18,329,963	17,524,694	805,268

* rounded to nearest 1000

C.R.I. 08–Jul–91

CVR WH386 FILE=DY9%CUT.WK

DY DEPOSIT: POLYGONAL GEOLOGICAL RESERVE CALCULATION
PROBABLE RESERVES WITHIN PELLY RIVER MINES CLAIM BOUNDARIES
CUTOFF = 9% LEAD PLUS ZINC

	%Pb+Zn	%Pb	%Zn	Ag	Au	TONNES*	%TONNES
				(GRAMS PER TONNE)			
TOTAL DEPOSIT	12.86	5.51	7.35	82.8	0.77	5,163,000	100.0
CURRAGH RESOURCES	12.88	5.51	7.37	82.9	0.77	5,128,000	99.3
PELLY RIVER MINES	10.53	5.30	5.23	77.5	0.61	35,000	0.7

VERTICAL THICKNESS (METRES)	DDH	POLY-GON	%Pb+Zn	%Pb	%Zn	Ag	Au	TOTAL TONNES	CRI TONNES	P.R.M. TONNES
						(GRAMS PER TONNE)				
3.42	77X03	2	11.07	6.07	5.00	81.0	0.62	0	0	0
6.75	77X05	4	12.93	5.27	7.66	108.3	1.35	0	0	0
8.53	78X04	6	17.94	7.10	10.84	114.6	0.85	11,101	11,101	0
13.35	78X05	8	14.28	4.97	9.31	77.9	1.04	0	0	0
17.83	90DY05	9	15.98	5.89	10.09	79.7	0.45	0	0	0
3.50	78X08	12	13.98	4.41	9.57	81.5	0.90	0	0	0
9.09	90DY04	13	11.13	3.87	7.26	48.3	0.53	0	0	0
8.00	79X14	15	10.73	6.08	4.65	75.2	1.57	197,794	197,794	0
10.08	90DY09	16	12.99	4.09	8.90	67.1	0.39	20,433	20,433	0
16.15	80X02	17	15.46	6.10	9.36	87.6	1.30	0	0	0
3.31	80X04	19	11.79	5.22	6.57	83.0	1.54	0	0	0
3.45	80X07	20	10.04	3.79	6.25	48.5	0.80	0	0	0
14.17	80X10	21	12.42	5.42	7.00	89.0	1.46	0	0	0
4.51	80X13	22	9.68	3.97	5.71	52.6	0.70	0	0	0
4.25	80X01	26	11.67	5.96	5.71	80.2	1.15	45,300	45,300	0
3.46	77X01	29	12.18	4.63	7.55	79.0	0.94	0	0	0
10.17	79X12	30	10.36	5.03	5.33	71.6	0.67	313,975	313,975	0
13.77	79X06	31	19.23	11.99	7.24	144.4	1.22	120,227	120,227	0
28.53	77X06	32	16.96	5.95	11.01	105.8	0.57	532,272	532,272	0
17.75	91DY03	33	11.66	4.57	7.09	74.8	0.73	456,101	456,101	0
8.75	79X07	34	13.97	4.79	9.18	66.9	0.69	55,126	55,126	0
23.09	91DY05	35	12.57	3.95	8.62	68.9	0.52	665,121	665,121	0
9.42	78X11	36	12.30	4.72	7.58	77.3	0.73	298,987	298,987	0
6.55	77X09	37	11.40	4.23	7.17	58.2	0.73	34,247	34,247	0
4.73	79X04	38	11.48	3.68	7.80	63.9	0.63	148,763	148,763	0
3.43	79X05	39	10.98	4.22	6.76	65.2	0.24	0	0	0
14.44	80X09	42	14.99	9.66	5.33	119.3	1.00	39,634	39,634	0
16.78	78X02	44	9.72	4.02	5.70	64.6	0.70	0	0	0
8.09	79X16	45	14.09	6.42	7.67	95.3	0.98	206,855	206,855	0
13.81	80X05	46	14.08	6.15	7.93	91.1	0.91	536,534	536,534	0
9.45	78X01	47	9.77	3.35	6.42	52.4	0.77	0	0	0
3.98	79X09	48	9.28	3.85	5.43	48.8	0.98	0	0	0
10.43	78X09	49	10.04	3.42	6.62	58.4	0.83	0	0	0
3.31	79X02	51	12.68	4.84	7.84	69.3	0.30	121,337	121,337	0
31.77	79X11	52	10.30	5.40	4.90	76.5	0.78	493,732	493,732	0
3.36	79X18	54	9.87	2.96	6.91	60.9	0.93	0	0	0
13.75	79X13	55	13.50	6.57	6.93	87.2	0.95	543,854	543,854	0
7.43	80X06	56	10.53	5.30	5.23	77.5	0.61	297,660	262,723	34,937
12.09	80X08	57	13.52	6.00	7.52	91.4	1.02	24,306	24,306	0
TOTAL								5,163,361	5,128,425	34,937

* rounded to nearest 1000

C.R.I. 08–Jul–91

CVR WH386 FILE=DY9%CUT.WK

DY DEPOSIT: POLYGONAL GEOLOGICAL RESERVE CALCULATION
POSSIBLE RESERVES WITHIN PELLY RIVER MINES CLAIM BOUNDARIES
CUTOFF = 9% LEAD PLUS ZINC

	%Pb+Zn	%Pb	%Zn	Ag	Au	TONNES*	%TONNES
				(GRAMS PER TONNE)			
TOTAL DEPOSIT	12.88	5.60	7.28	81.3	0.89	13,167,000	100.0
CURRAGH RESOURCES	12.90	5.62	7.28	80.9	0.85	12,397,000	94.2
PELLY RIVER MINES	12.52	5.33	7.19	88.2	1.41	770,000	5.8

VERTICAL THICKNESS (METRES)	DDH	POLY-GON	%Pb+Zn	%Pb	%Zn	Ag	Au	TOTAL TONNES	CRI TONNES	P.R.M. TONNES
						(GRAMS PER TONNE)				
3.42	77X03	2	11.07	6.07	5.00	81.0	0.62	320,755	320,755	0
6.75	77X05	4	12.93	5.27	7.66	108.3	1.35	250,581	250,581	0
8.53	78X04	6	17.94	7.10	10.84	114.6	0.85	318,513	318,513	0
13.35	78X05	8	14.28	4.97	9.31	77.9	1.04	444,189	444,189	0
17.83	90DY05	9	15.98	5.89	10.09	79.7	0.45	1,057,284	1,057,284	0
3.50	78X08	12	13.98	4.41	9.57	81.5	0.90	292,235	234,033	58,202
9.09	90DY04	13	11.13	3.87	7.26	48.3	0.53	234,834	234,834	0
8.00	79X14	15	10.73	6.08	4.65	75.2	1.57	194,427	194,427	0
10.08	90DY09	16	12.99	4.09	8.90	67.1	0.39	297,442	297,442	0
16.15	80X02	17	15.46	6.10	9.36	87.6	1.30	778,133	775,885	2,248
3.31	80X04	19	11.79	5.22	6.57	83.0	1.54	194,346	194,346	0
3.45	80X07	20	10.04	3.79	6.25	48.5	0.80	229,474	229,474	0
14.17	80X10	21	12.42	5.42	7.00	89.0	1.46	711,893	16,995	694,898
4.51	80X13	22	9.68	3.97	5.71	52.6	0.70	202,742	202,742	0
4.25	80X01	26	11.67	5.96	5.71	80.2	1.15	192,680	192,680	0
3.46	77X01	29	12.18	4.63	7.55	79.0	0.94	279,160	272,067	7,094
10.17	79X12	30	10.36	5.03	5.33	71.6	0.67	337,079	337,079	0
13.77	79X06	31	19.23	11.99	7.24	144.4	1.22	423,171	423,171	0
28.53	77X06	32	16.96	5.95	11.01	105.8	0.57	122,020	122,020	0
17.75	91DY03	33	11.66	4.57	7.09	74.8	0.73	0	0	0
8.75	79X07	34	13.97	4.79	9.18	66.9	0.69	48,190	48,190	0
23.09	91DY05	35	12.57	3.95	8.62	68.9	0.52	210,134	210,134	0
9.42	78X11	36	12.30	4.72	7.58	77.3	0.73	0	0	0
6.55	77X09	37	11.40	4.23	7.17	58.2	0.73	722,818	722,818	0
4.73	79X04	38	11.48	3.68	7.80	63.9	0.63	38,156	38,156	0
3.43	79X05	39	10.98	4.22	6.76	65.2	0.24	300,048	300,048	0
14.44	80X09	42	14.99	9.66	5.33	119.3	1.00	1,065,439	1,065,439	0
16.78	78X02	44	9.72	4.02	5.70	64.6	0.70	963,062	963,062	0
8.09	79X16	45	14.09	6.42	7.67	95.3	0.98	167,770	167,770	0
13.81	80X05	46	14.08	6.15	7.93	91.1	0.91	218,733	218,733	0
9.45	78X01	47	9.77	3.35	6.42	52.4	0.77	296,913	296,913	0
3.98	79X09	48	9.28	3.85	5.43	48.8	0.98	245,305	245,305	0
10.43	78X09	49	10.04	3.42	6.62	58.4	0.83	579,096	579,096	0
3.31	79X02	51	12.68	4.84	7.84	69.3	0.30	9,527	9,527	0
31.77	79X11	52	10.30	5.40	4.90	76.5	0.78	363,810	363,810	0
3.36	79X18	54	9.87	2.96	6.91	60.9	0.93	153,886	153,886	0
13.75	79X13	55	13.50	6.57	6.93	87.2	0.95	219,686	219,686	0
7.43	80X06	56	10.53	5.30	5.23	77.5	0.61	70,910	63,020	7,890
12.09	80X08	57	13.52	6.00	7.52	91.4	1.02	612,158	612,158	0

TOTAL	13,166,602	12,396,270	770,332

* rounded to nearest 1000

C.R.I. 08-Jul-91

CVR WH386 FILE=DY9%CUT.WK

APPENDIX III

CAMC DY RESERVE CALCULATION, HALL 1981
(BOUND SEPARATELY)

DY DEPOSIT ORE RESERVES
CALCULATION METHODS
1981 CALCULATIONS, B.V. HALL

PREMISES AND METHODS

Ore Reserves in the DY Deposit have been calculated using the following premises and methods:

1. Ore intersections are assigned to stratigraphic horizons from the geological cross and long sections.

2. A minimum 3.5 meter mining width is used.

3. Qualifying intersections are identified with 9% and 12% combined lead+zinc cut-off grades.

4. No assays less than these cut-offs are used in defining an ore section unless they are enclosed by assays greater than these cut-offs with the average of the entire section greater than the cut-offs.

5. Anomalous silver values (high or low) are taken into account such that intersections with less than cut-off grades in combined lead-zinc but greater than cut-off grades in silver (i.e. 6 gms/MT Ag per 1% combined Pb+Zn) are included in an ore intersection (two cases); whereas intersections with greater than cut-off grades in combined lead-zinc but less than silver cut-off grades are relegated to waste status (one case).

6. Tonnages are calculated using a polygon "area of influence" method wherein qualifying intersections are plotted in plan on all drill holes in a stratigraphic horizon. Straight lines are drawn through adjacent intersections and perpendiculars dropped from each intersection to the bounding connecting lines. Intersections of these perpendiculars and connecting lines form unique polygons about each intersection.

7. Where sufficient (three or more) drill holes surround an intersection, a complete polygon can be constructed. Such polygons are considered "drill indicated". Where insufficient drill holes surround an intersection, a complete polygon cannot be constructed. In these cases, a mirror image of the available portion of the polygon is used to complete its outline. Such polygons are considered "drill inferred".

8. The area of all polygons is measured by planimeter. Final tonnages are calculated by multiplying this area by the drilled, approximate true thickness by the measured, average specific gravity for the entire intersection.

9. Tonnages are collated by stratigraphic horizon into "indicated" or "inferred" status.

PREMISES AND METHODS - (Cont'd)

10. These tonnages are multiplied by the average lead, zinc and silver grades over the defining intercept to determine metal contents which are summed by horizon and reserve status then recast to average grades for each horizon.

Results of these calculations are summarized in the following sections, first by cut-off grades (9% and 12% combined lead-zinc) for the entire deposit, and secondly by stratigraphic horizon and reserve status. All assay data on which these calculations are based are included as Appendix I of this report.

DY DEPOSIT RESERVES - 1981

(3.5 m minimum mining width)

9 % Cutoff

	Tonnes	Pb	Zn	Ag
Horizon 2				
Drill Indicated	1,361,739	4.09	5.78	65.5
Drill Inferred	1,700,636	4.54	7.96	74.6
	3,062,375	4.34	6.99	70.6
Horizon 3				
Drill Indicated	9,795,755	5.36	7.34	84.7
Drill Inferred	1,649,439	5.67	7.44	82.6
	11,445,194	5.40	7.35	84.4
Horizon 4				
Drill Indicated	5,219,602	7.18	6.31	96.9
Drill Inferred	-	-	-	-
	5,219,602	7.18	6.31	96.9
Horizon 5				
Drill Indicated	1,010,960	4.74	5.10	65.0
Drill Inferred	595,996	4.71	6.06	57.2
	1,606,956	4.73	5.46	62.1
TOTAL DRILL INDICATED	17,388,056	5.82	6.84	83.1
TOTAL DRILL INFERRED	3,946,071	5.03	7.45	75.3
TOTAL DEPOSIT	21,334,127	5.68	6.95	81.6

DY DEPOSIT RESERVES - 1981

(3.5 m minimum mining width)

12 % Cutoff

	Tonnes	Pb	Zn	Ag
Horizon 2				
Drill Indicated	604,387	4.49	8.84	80.6
Drill Inferred	766,383	5.07	8.63	84.8
	1,370,770	4.81	8.72	82.9
Horizon 3				
Drill Indicated	5,210,043	6.38	9.06	100.0
Drill Inferred	880,817	6.65	8.06	95.1
	6,090,860	6.42	8.92	99.3
Horizon 4				
Drill Indicated	4,168,426	7.86	6.44	104.0
Drill Inferred	-	-	-	-
	4,168,426	7.86	6.44	104.0
TOTAL DRILL INDICATED	9,982,856	6.88	7.95	102.1
TOTAL DRILL INFERRED	1,647,200	5.91	8.32	90.3
TOTAL DEPOSIT	11,630,056	6.74	8.00	100.4

APPENDIX IV

CAMC DY RESERVE CALCULATION, ROLLINGS 1982
(BOUND SEPARATELY)

DY DEPOSIT ORE CALCULATIONS
ROLLINGS 1982
CYPRUS ANVIL MINING CORP.

SUMMARY FOR HORIZON: A2

DDH	POLYGONAL AREA	TOTAL INTERVAL	WASTE
77X05	7,760.000	7.000	0.000
79X03	15,440.000	3.500	0.000
79X06	10,480.000	33.200	2.200
79X11	8,560.000	28.100	1.600
79X12	13,360.000	10.600	0.000
79X13	14,600.000	14.400	1.200
79X14	12,720.000	13.500	0.000
79X16	20,240.000	8.700	0.000
79X18	9,120.000	3.500	0.000
80X01	10,040.000	4.300	0.000
80X02	11,080.000	16.900	0.000
80X04	11,640.000	3.500	0.000
80X05	14,720.000	18.200	0.000
80X06	11,720.000	9.600	0.000
80X07	23,080.000	10.400	0.000
80X08	15,880.000	17.900	0.000
80X09	17,480.000	19.600	2.500
80X10	10,520.000	16.000	0.000
80X13	21,680.000	4.700	0.000

POLYGON	ORE VOLUMES	ORE TONNES	METAL TONNES Cu	Pb	Zn	Ag(grams)	Au(grams)	TONNAGE PROPORTION
NON-CONT	3,217,104.00	13,611,628.96	19,216.343	798,577.439	835,361.215	1167,381,235.09	14,489,505.98	100.00
4A	85,728.00	273,968.28	144.929	7,983.544	14,511.463	12,970,848.08	141,425.02	2.01
4D+4C	249,784.00	1,008,912.84	1,541.523	49,363.449	63,017.278	85,020,664.89	899,457.75	7.41
4E+4F	538,428.00	2,360,975.28	5,155.537	92,534.206	108,096.052	143,830,724.47	3,575,836.86	17.35
4G+4K	2,145,440.00	9,343,053.16	11,990.021	641,612.720	645,197.296	919,110,689.67	9,757,739.11	68.64
4H	14,656.00	59,526.32	94.170	4,047.235	3,159.206	5,746,833.36	36,445.02	.44
4L	60,720.00	209,847.60	218.298	15,444.107	9,950.281	16,618,702.80	181,935.79	1.54
4J	19,136.00	68,506.88	68.507	2,760.827	4,172.069	5,686,071.04	84,263.46	.50
OTHER	103,212.00	284,398.92	15.676	15.676	23.514	130,894.46	10,189.39	2.09

POLYGON	% Cu	% Pb	% Zn	Ag(g/mT)	Au(g/mT)
NON-CONT	.140	5.870	6.140	85.76	1.06
4A	.050	2.910	5.300	47.34	.52
4D+4C	.150	4.890	6.250	84.27	.89
4E+4F	.220	3.920	4.580	60.92	1.51
4G+4K	.130	6.870	6.910	98.37	1.04
4H	.160	6.800	5.310	96.54	.61
4L	.100	7.360	4.740	79.19	.87
4J	.100	4.030	6.090	83.00	1.23
OTHER	.010	.010	.010	.46	.04

NOTE: 1. VOLUMES CALCULATED USING DRILL-HOLE ORE INTERCEPTS WHICH MAY BE GREATER THAN TRUE THICKNESSES.
2. VOLUMES CALCULATED USING CONSTANT THICKNESS OVER POLYGONAL AREA.
3. TONNES CALCULATED USING ASSUMED SPECIFIC GRAVITIES IN SOME CASES.

02mAR82 DY

WEIGHTED AVGS BY INTERVAL & POLYGON EXTNS

PAGE: 4

SUMMARY FOR HORIZON: 3A

DDH	POLYGONAL AREA	TOTAL INTERVAL	WASTE
77X05	8,560.000	9.300	0.000
77X11	43,440.000	3.500	0.400

POLYGON	ORE VOLUMES	ORE TONNES	METAL TONNES Cu	Pb	Zn	Ag(grams)	Au(grams)	TONNAGE PROPORTION
NON-CONT	231,648.00	960,601.44	1,527.145	48,274.042	56,292.102	60,843,474.88	562,758.47	100.00
4A	.00	.00	.000	.000	.000	.00	.00	
4C+4D	.00	.00	.000	.000	.000	.00	.00	
4E+4F	133,680.00	555,922.52	934.432	30,811.042	40,456.141	AY,182,642.55	419,393.72	57.88
4G+4K	71,904.00	330,049.36	594.071	18,078.251	16,732.996	23,264,421.48	165,019.68	34.36
4H	.00	.00	.000	.000	.000	.00	.00	
4L	8,688.00	27,454.08	27.454	142.761	148.252	258,060.35	.00	2.86

POLYGON	% Cu	% Pb	% Zn	Ag(g/mT)	Au(g/mT)
NON-CONT	.160	5.030	5.860	64.34	.59
4A	.000	.000	.000	.00	.00
4C+4D	.000	.000	.000	.00	.00
4E+4F	.140	5.540	7.260	38.18	.75
4G+4K	.180	5.720	5.070	38.42	.50
4H	.000	.000	.000	.00	.00
4L	.100	.520	.540	9.40	.00

NOTE: 1. VOLUMES CALCULATED USING DRILL-HOLE ORE INTERCEPTS WHICH MAY BE GREATER THAN TRUE THICKNESSES.
2. VOLUMES CALCULATED USING CONSTANT THICKNESS OVER POLYGONAL AREA.
3. TONNES CALCULATED USING ASSUMED SPECIFIC GRAVITIES IN SOME CASES.

**THIS REPORT WAS REQUESTED BY: MCR .PROGRAM AT: 08:10:55

SUMMARY FOR HORIZON: B2

DDH	POLYGONAL AREA	TOTAL INTERVAL	WASTE
76X21	12,480.000	3.500	0.000
77X01	16,600.000	3.500	0.200
77X03	23,920.000	3.500	0.000
77X06	13,720.000	29.100	0.600
78X01	8,640.000	10.700	0.000
78X02	14,640.000	19.300	0.200
78X04	11,360.000	8.900	1.300
78X05	7,960.000	13.700	0.000
78X08	32,480.000	3.500	0.000
78X09	16,360.000	5.000	0.000
78X11	11,320.000	9.900	0.000
79X02	13,120.000	3.500	1.000
79X04	9,920.000	4.800	0.000
79X05	8,160.000	3.500	0.000
79X07	13,040.000	9.000	0.000
79X08	14,600.000	3.500	0.000
79X09	19,480.000	4.100	0.000

POLYGON	ORE VOLUMES	ORE TONNES	METAL TONNES Cu	Pb	Zn	Ag(grams)	Au(grams)	TONNAGE PROPORTION
NON-CONT	1,847,880.00	6,487,749.72	4,910.646	318,860.919	528,075.186	536,045,365.19	4,942,144.80	100.00
4A	411,176.00	1,311,580.16	626.353	59,444.695	99,835.043	94,761,140.04	802,808.54	20.22
4D+4C	632,388.00	2,105,403.16	1,549.638	94,304.210	160,246.446	158,029,881.29	1,924,269.83	32.45
4E+4F	418,284.00	1,638,828.80	2,032.923	101,645.678	143,362.101	165,543,643.89	1,487,515.94	25.26
4G+4K	288,128.00	1,126,292.48	741.303	58,200.568	116,943.091	110,808,628.01	706,347.63	17.36
4H	.00	.00	.000	.000	.000	.00	.00	
4L	.00	.00	.000	.000	.000	.00	.00	
4J	32,800.00	115,784.00	34.735	7,826.998	12,678.348	10,883,696.00	48,629.28	1.78
OTHER	65,104.00	187,448.32	35.468	262.464	510.742	1,205,917.44	29,083.89	2.89

POLYGON	% Cu	% Pb	% Zn	Ag(g/mT)	Au(g/mT)
NON-CONT	.080	4.910	8.140	82.62	.76
4A	.050	4.530	7.610	72.25	.61
4D+4C	.070	4.480	7.610	75.06	.91
4E+4F	.120	6.200	8.750	101.01	.91
4G+4K	.070	5.170	10.380	98.38	.63
4H	.000	.000	.000	.00	.00
4L	.000	.000	.000	.00	.00
4J	.030	6.760	10.950	91.00	.42
OTHER	.020	.140	.270	6.43	.16

NOTES: 1. VOLUMES CALCULATED USING DRILL-HOLE ORE INTERCEPTS WHICH MAY BE GREATER THAN TRUE THICKNESSES.
2. VOLUMES CALCULATED USING CONSTANT THICKNESS OVER POLYGONAL AREA.
3. TONNES CALCULATED USING ASSUMED SPECIFIC GRAVITIES IN SOME CASES.

SUMMARY FOR HORIZON: 23

DDH	POLYGONAL AREA	TOTAL INTERVAL	WASTE
76X21	12,480.000	3.500	0.000
77X01	16,600.000	3.500	0.200
77X03	23,920.000	3.500	0.000
77X06	13,720.000	29.100	0.600
78X01	8,640.000	10.700	0.000
78X02	14,640.000	19.300	0.200
78X04	11,360.000	8.900	1.300
78X05	7,960.000	13.700	0.000
78X08	32,480.000	3.500	0.000
78X09	16,360.000	5.000	0.000
78X11	11,320.000	9.900	0.000
79X02	13,120.000	3.500	1.000
79X04	9,920.000	4.800	0.000
79X05	8,160.000	3.500	0.000
79X07	13,040.000	9.000	0.000
79X08	14,600.000	3.500	0.000
79X09	19,480.000	4.100	0.000
77X05	7,760.000	7.000	0.000
79X03	15,440.000	3.500	0.000
79X06	10,480.000	33.200	2.200
79X11	8,560.000	28.100	1.600
79X12	13,360.000	10.600	0.000
79X13	14,600.000	14.400	1.200
79X14	12,720.000	13.500	0.000
79X16	20,240.000	8.700	0.000
79X18	9,120.000	3.500	0.000
80X01	10,040.000	4.300	0.000
80X02	11,080.000	16.900	0.000
80X04	11,640.000	3.500	0.000
80X05	14,720.000	18.200	0.000
80X06	11,720.000	9.600	0.000
80X07	23,080.000	10.400	0.000
80X08	15,880.000	17.900	0.000
80X09	17,480.000	19.600	2.500
80X10	10,520.000	16.000	0.000
80X13	21,680.000	4.700	0.000
77X05	8,560.000	9.300	0.000
77X11	43,440.000	3.500	0.400

POLYGON	ORE VOLUMES	ORE TONNES	METAL TONNES Cu	Pb	Zn	Ag(grams)	Au(grams)	TONNAGE PROPORTION
NON-CONT	5,296,632.00	21,059,980.12	25,654.134	1,165,712.407	1,418,728.508	1764,270,074.17	19,994,409.25	100.00
4A	496,904.00	1,585,548.44	771.282	67,428.239	114,346.506	107,731,978.12	944,233.57	7.53
4D+4C	882,172.00	3,114,316.00	3,091.161	143,667.659	223,263.724	243,050,546.18	2,823,727.58	14.79
4E+4F	1,090,392.00	4,555,781.60	8,122.792	224,991.916	291,814.284	348,562,000.93	5,482,746.53	21.63
4G+4K	2,505,472.00	10,799,385.00	13,325.395	718,691.539	778,873.383	1053,183,792.18	10,629,106.42	51.28
4H	14,656.00	59,526.32	94.170	4,047.235	3,159.206	5,746,833.36	36,445.02	.28
4L	69,408.00	237,301.68	245.752	15,586.868	10,098.533	16,876,771.15	181,935.79	1.13
4J	51,936.00	184,290.88	103.242	10,587.825	16,850.417	16,569,767.04	132,892.74	.88
OTHER	185,692.00	519,631.24	51.144	278.140	534.256	1,336,811.90	39,273.28	2.47

POLYGON	% Cu	% Pb	% Zn	Ag(g/mT)	Au(g/mT)
NON-CONT	.120	5.540	6.740	83.77	.95
4A	.050	4.250	7.210	67.95	.60
4D+4C	.100	4.610	7.170	78.04	.91
4E+4F	.180	4.940	6.410	76.51	1.20
4G+4K	.120	6.650	7.210	97.52	.98
4H	.160	6.800	5.310	96.54	.61
4L	.100	6.570	4.260	71.12	.77
4J	.060	5.750	9.140	89.91	.72
OTHER	.010	.050	.100	2.57	.08

NOTE: 1. VOLUMES CALCULATED USING DRILL-HOLE ORE INTERCEPTS WHICH MAY BE GREATER THAN TRUE THICKNESSES.
2. VOLUMES CALCULATED USING CONSTANT THICKNESS OVER POLYGONAL AREA.
3. TONNES CALCULATED USING ASSUMED SPECIFIC GRAVITIES IN SOME CASES.

**THIS REPORT WAS REQUESTED BY: BOBR .EXPLORE AT: 16:58:11

APPENDIX V

KILBORN LIMITED
DY RESERVE CALCULATION, COLTAS 1989

KILBORN LIMITED

ESTIMATE OF GEOLOGICAL ORE RESERVES FOR DY DEPOSIT OF CURRAGH RESOURCES INC. FARO, YUKON

FEBRUARY, 1989

Prepared by:

P. C. COLTAS, P.Eng.
Consulting Geologist

[3680_15.RPT/2]

SUMMARY

An ore reserve estimate was carried out on the Dy deposit of Curragh Resources Inc. (Curragh). This deposit is one of a series of strataform, stratabound lead, zinc deposits located in the Anvil District, Faro, Yukon.

Ore Reserves

Ore reserve estimates are as follows:

	Tonnes	% Pb	% Zn	Ag g/t	Au g/t
Probable Reserves	14,920,525	5.44	7.02	85.7	0.93
Possible Reserves	5,194,300	5.57	6.07	81.0	0.87

Premises and Methods

Ore reserves in the Dy deposit have been calculated using the following premises and methods:

1. A minimum 3.5 metre mining width has been used, all intersections less than 3.5 metres were rejected.

2. Qualifying intersections are identified with a 9 percent combined lead plus zinc cut-off grade.

3. No assays less than this cut-off are used in defining an ore section unless they are enclosed by assays greater than these cut-offs with the average of the entire section greater than the cut-off.

4. Anomalous silver values (high) are taken into account such that intersections with less than cut-off grades combined lead-zinc but greater than cut-off grades in silver (i.e., 9 gms/MT per one percent combined lead plus zinc) are included in an ore intersection (one case).

*5. "Tonnages are calculated using a polygon 'area of influence' method wherein qualifying intersections are plotted in plan on all drill holes in a stratigraphic horizon. Straight lines are drawn through

adjacent intersections and perpendiculars dropped from each intersection to the bounding connecting lines. Intersections of these perpendiculars and connecting lines form unique polygons about each intersection"..."The area of all polygons is measured by planimeter. Final tonnages are calculated by multiplying this area by the drilled, approximate true thickness by the measured, average specific gravity for the entire intersection."

6. New sections were drawn to show all ore intersections and also holes with interesting low grade material. These sections were used to classify ore intersections into probable or possible reserves:

   (a) Probable Reserves: Where two or more holes on one section join two or more holes on an adjacent section or sections on the same stratigraphic horizon.

   (b) Possible Reserves: Where two or more holes are in a stratigraphic horizon, however, do not join a similar horizon on adjacent section or sections.

   (c) A number of ore grade intersections were rejected, because they were completely isolated from all other ore intersections. The holes in question are as follows: 77-1 (9+00 E), 77-5 (upper intersection) (12+00 E), 77-11 (18+00 E), 79-3 (13+50 E), and 80-5 (lower intersection) (15+00 E).

7. Calculation sheets accompany these reserves (in appendices). The grades-tonnes, etc., are all assigned to sections, **"A-2 Horizon and B-2 Horizon". Two plans accompany this report:

   (a) Probable reserves;
   (b) Possible reserves. All ore intersections (including low grade) are shown on these plans, and are coded for their classification.

8. The sections accompanying this report, and used as previously mentioned to classify ore intersections, show the location of all ore

intersections including low grade, and are coded to indicate their classification.

9. All available information, cross and long sections and assay logs for all holes were critically reviewed, including checking the sections for the exact location of the ore intersection (longitude, latitude and elevation). All assay logs were reviewed, and all ore intersections recalculated. Some previously included ore intersections were rejected (below cut-off grade), a number of other previously used intersections were shortened (material on fringe area below cut-off grade), and a number of previously used ore intersections were combined, still meeting the cut-off grade.

* Direct quote from B. V. Hall's (1981) ore reserve report.

** Taken from B. V. Hall's (1981) ore reserve report.

DY DEPOSIT RESERVE SUMMARY - 1989

(3.5 m Minimum Mining Width - 9% Pb+Zn Cut-off)

A-2 HORIZON

Section	Probable Tonnes	% Pb	% Zn	Ag g/T	Au g/T	Possible Tonnes	% Pb	% Zn	Ag g/T	Au g/T
10 + 50	603,275	5.02	5.33	71.6	0.67	-	-	-	-	-
12 + 00	2,676,425	6.54	5.04	87.8	1.04	919,300	5.88	6.08	94.9	1.11
13 + 50	954,650	3.82	6.63	68.3	1.03	-	-	-	-	-
15 + 00	3,898,100	5.80	6.71	92.4	1.09	1,564,500	7.87	5.61	101.6	0.89
16 + 50	1,226,525	5.38	7.16	81.2	0.96	1,084,900	4.14	5.32	59.0	0.94
TOTAL	9,358,975	5.70	6.19	85.8	1.03	3,568,700	6.23	5.64	86.9	0.96

B-2 HORIZON

Section	Probable Tonnes	% Pb	% Zn	Ag g/T	Au g/T	Possible Tonnes	% Pb	% Zn	Ag g/T	Au g/T
9 + 00	-	-	-	-	-	386,500	4.41	9.57	81.5	0.90
10 + 50	-	-	-	-	-	368,375	6.07	4.99	81.0	0.62
12 + 00	-	-	-	-	-	168,625	4.35	5.64	92.6	1.09
13 + 50	607,000	4.32	8.16	68.6	0.93	-	-	-	-	-
15 + 00	511,200	4.07	6.02	63.0	1.05	-	-	-	-	-
16 + 50	2,249,650	5.40	9.01	92.6	.71	512,750	2.75	6.70	44.6	0.47
18 + 00	1,539,925	4.54	7.84	82.7	0.74	-	-	-	-	-
19 + 50	653,775	6.30	9.66	100.5	0.70	189,350	3.38	7.66	57.8	0.39
TOTAL	5,561,550	5.03	8.40	85.5	0.77	1,625,600	4.14	7.00	68.1	0.66
GRAND TOTAL	14,920,525	5.45	7.02	85.7	0.93	5,194,300	5.57	6.07	81.0	0.87

I, P. C. Coltas, have critically reviewed all available information on the Dy Deposit of Curragh Resources Inc., Faro, Yukon. This information included the following:

(a) Ore Reserves, B. V. Hall, 1981;
(b) Ore Reserves, Rolling, 1982;
(c) Cross and long sections;
(d) Plans - ore reserve, diamond drill hole locations and topographic;
(e) All diamond drill assay logs.

The ore reserves reported are an accurate estimate of the mineral inventory of the Dy deposit.

P. C. Coltas, P.Eng.
Consulting Geologist

NOTE: Original signed by 'P.C. Coltas', on file at Kilborn's office.

APPENDIX VI

CRI DY EXPLORATION POTENTIAL

EXPLORATION POTENTIAL

6% cutoff Above AB Zone

80x11	100,000 @ 7.49		
77x05	450,000 @ 9.16		
77x05	300,000 @ 7.47		
79x18	100,000 @ 7.43		
79x16	100,000 @ 6.02		
80x07	200,000 @ 9.30		
79x14	100,000 @ 8.34		
79x14	150,000 @ 7.74		
79x14	180,000 @ 6.43		
	1,680,000 @ 8.01	→	1,680,000 @ 8.01

6% cutoff Below AB Zone

79x08	150,000 @ 8.80		
79x03	100,000 @ 9.39		
77x05	100,000 @ 8.83		
	350,000 @ 8.97	→	350,000 @ 8.97

Total Potential @ 6% 2,030,000 @ 8.17

Potential - Summary

8% cutoff Above AB Zone

77x05	450,000 @ 9.16		
80x07	200,000 @ 9.30		
79x14	100,000 @ 8.34		
	750,000 @ 9.08	→	750,000 @ 9.08

8% cutoff Below AB Zone

79x08	100,000 @ 9.92		
79x03	100,000 @ 9.39		
77x05	100,000 @ 8.83		
	300,000 @ 9.38	→	300,000 @ 9.38

Total Potential @ 8% 1,050,000 @ 9.16

APPENDIX VII

DY DEPOSIT - SUMMARY DRILL LOGS CORE ASSAYS 1976 TO 1991

ANVIL DISTRICT DETAILED LOGGING LITHOSTRATIGRAPHIC CODE

Unconsolidated Overburden

Unit 11	11 A	Triconed, no recovery
	11 B	Till, silt, sand - all unconsolidated

Intrusive Rocks

Unit 10	10 AB	Granite - Anvil Batholith
		$10AB_{mm}$ Mt. Mye phase biotite-muscovite
		$10AB_{o}$ Orchay phase biotite-hornblende
		$10AB_{m}$ Majorie phase biotite-hornblende
	10 C	Pegmatite
	10 E	Biotite-hornblende granite porphyry
	10 F	Smokey quartz-feldspar porphyry
	10 Q	Bull qtz veins/pods

1 Foliated/lineated
2 Porphyritic
3 Aphanitic
4 Smokey qtz-bearing
5 Muscovite-bearing
6 Kspar-bearing
7 Biotite-bearing
8 Amphibole-bearing
9 Altered (kaolinite, montmorillonite)
0 Normal (equigranular)

Vangorda Formation

Unit 5	5 A	Variably calcareous, graphitic phyllite (= 1E, hosts Units 2/4)
	5 A*	Graphitic fault rock with shear band fabric and vein quartz, altered metabasite clasts
	5 B	Calcareous muscovite-chlorite+/- biotite phyllite (greenschist equivalent of 3D)
	5 C	Metabasite (includes pyroxenite)
	5 D	Chloritic phyllite (also logged as 5F locally)
	5 F	Laminarly banded, variably calcareous, chloritic phyllite (associated with 5C)
	5 E	Phyllitic marble and silicated marble
	5 G	Variably calcareous, graphitic phyllite (above basal graphitic unit)

1 Siliceous
2 Carbonaceous

	3	Calcareous
	4	Altered, pyritic (white mica envelope)
	5	Banded/laminated
	6	Non-calcareous
	7	Chlorite laminations
	8	Chloritic
	9	Sulfide-bearing
	0	Normal
	*	Carbonate-bearing

Vangorda Formation

Unit 3	3 D	Calc-silicate phyllite/schist (amphibolite facies equivalent of 5B)

Faro/Grum, Vangorda, DY Deposits Conformable Contact

Unit 2/4	2/4 A	Sulfide-bearing, ribbon-banded, graphitic quartzite
	2/4 B	Pyrite-free quartzite (may contain base metal sulfides)
	2/4 C	Base metal-poor, pyritic quartzite
	2/4 D	Base metal-bearing, pyritic quartzite
	2/4 E	Massive pyritic sulfides
	2/4 F	Buckshot facies, massive pyritic sulfides
	2/4 G	Baritic facies, massive sulfides/sulfates (>10% BaS04)
	2/4 H	Pyrrhotitic facies, massive sulfides
	2/4 J	Non-pyritic, massive sulfides/oxides (vein type sulfides)
	2/4 K	Dolomite-bearing, massive pyritic sulfides

	1	Siliceous
	2	Fine pyrite/marcasite-bearing
	3	Coarse, porphyroblastic pyrite-bearing
	4	Sphalerite and/or galena-bearing
	5	Carbonaceous
	6	Barite-bearing
	7	Pyrrhotite-bearing
	8	Magnetite-bearing
	9	Chalcopyrite-bearing
	0	Normal
	*	Carbonate-bearing

Alteration Facies for Metapelite Units

Unit 2/4	2/4 L	White muscovite>qtz-chl-bio-phyllite (generally sulfide-bearing)

	1	Siliceous
	2	Pyrite-bearing

	3	Talc/kaolinite-bearing
	4	ZnS and/or PbS-bearing
	5	Carbonate-bearing
	6	Chl-bio > qtz-musc phyllite
	7	Pyrrhotite-bearing
	8	Magnetite-bearing
	9	Chalcopyrite-bearing
	0	Normal

Mt. Mye Formation (Greenschist Facies)

Unit 3	3 I	Graphitic quartzite in non-calcareous phyllite/schist
	3 G	Non-calcareous muscovite-chlorite+/biotite phyllite/schist (= 1C, 1D)
	3 F	Marble and silicated marble (=1G)
	3 E	Graphitic phyllite/schist (= 5A)
	3 D	Calc-silicate phyllite/schist
	3 C	Metabasite (includes pyroxenite)
	3 B	Chloritic phyllite/schist (c.f. 5D)
	3 A	Transition zone with Unit 1 (interbanded chloritic phyllite, graphitic phyllite, and pelites of Vangorda and Mt. Mye Fms.)

	1	Siliceous
	2	Non-calcareous
	3	Calcareous
	4	Altered, pyritic (wme)*
	5	Banded/laminated
	6	Sulfide-bearing
	7	Chlorite laminations
	8	Chloritic
	9	Carbonaceous
	0	Normal

Mt. Mye Formation (Amphibolite Facies)

Unit 1	1 B	Tactite and silicated marble (=3F)
	1 C	Quartzo-feldspathic, biotite-muscovite gneiss/schist (= 3G)
	1 D	Carbonaceous biotite-muscovite-andalusite schist (= 3G)
	1 CD	Biotite-muscovite-andalusite schist (= 3G) transitional between 1C and 1D
	1 E	Graphitic schist (=5A)
	1 F	Metabasite (=3C), chloritic schist/amphibolite
	1 G	Marble and silicated marble (= 3F)
	1 H	Chloritic schist (c.f. 5D)

1	Siliceous
2	Carbonaceous
3	Calcareous
4	Altered, pyritic (wme)*
5	Banded
6	Clotted
7	Staurolitic
8	Chloritic
9	Sulfide-bearing
0	Normal

*(wme) White mica envelope

Carbonates

*	carbonate
#	calcite
$	dolomite
@	ankerite

Drill Hole: 76X21 Section:
Northing: 901429.3 Easting: 596612.4 Elevation: 1192.3
Length: 774.9 Core: DDH Record: 1

ASSAYS

Sample #	---Depths--- From	To	Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Au g/t
0	.0	513.6	513.6		WASTE							
5497	513.6	515.1	1.5		4K1			.85	.72	.13	9.0	
5498	515.1	516.6	1.5		4K18			1.01	1.00	.01	10.0	
5499	516.6	517.6	1.0		4K189			.11	.10	.01	7.5	
5500	517.6	518.5	.9		4K189			.10	.09	.01	6.5	
5851	518.5	520.0	1.5		4A0			3.20	.85	2.35	7.5	
5852	520.0	520.8	.8		4A0			3.28	1.43	1.85	17.4	
5853	520.8	521.2	.4		5B6			.50	.30	.20	5.6	
0	521.2	563.0	41.8		WASTE							
5473	563.0	564.5	1.5		4E0			.16	.12	.04	2.8	
5474	564.5	565.5	1.0		4D9			1.71	.75	.96	10.0	
5475	565.5	566.3	.8		4L6			.11	.04	.07	1.9	
5476	566.3	566.6	.3		4E0			.06	.04	.02	3.7	
5477	566.6	567.0	.4		4L6			.04	.02	.02	.3	
5478	567.0	568.9	1.9		4K0			.09	.07	.02	3.7	
5479	568.9	570.0	1.1		4L6			.04	.02	.02	.3	
5480	570.0	571.4	1.4		4K9			.50	.24	.26	6.5	
5481	571.4	572.9	1.5		4C79			.06	.05	.01	3.7	.01
5482	572.9	574.4	1.5		4C7			.04	.03	.01	.9	.01
5483	574.4	575.9	1.5		4C7			.83	.23	.60	4.7	.01
5484	575.9	577.4	1.5		4C7			.55	.27	.28	7.2	.02
5485	577.4	579.0	1.6		4C7			.26	.18	.08	4.7	.01
5486	579.0	580.5	1.5		4C7			.45	.12	.33	1.9	.01
5487	580.5	581.7	1.2		4C7			.06	.05	.01	1.9	.01
5488	581.7	582.6	.9		4E0		4.30	9.81	3.31	6.50	51.0	.34
5489	582.6	584.2	1.6		4A4		3.18	6.80	2.61	4.19	48.0	.69
5490	584.2	585.7	1.5		4A4		3.12	6.90	2.48	4.42	36.0	.41
5491	585.7	587.2	1.5		4A4		3.09	8.87	3.25	5.62	77.0	1.03
5492	587.2	588.0	.8		4A49		3.59	9.56	3.39	6.17	71.0	.75
5493	588.0	589.5	1.5		4D0			4.75	2.10	2.65	30.2	.02
0	589.5	618.1	28.6		WASTE							
5494	618.1	619.6	1.5		4A0			3.60	1.50	2.10	23.0	.02
5495	619.6	621.1	1.5		4A4			3.75	1.00	2.75	10.9	.01
5496	621.1	622.8	1.7		4A4			4.85	1.25	3.60	13.7	.02
0	622.8	774.9	152.1		WASTE							

Drill Hole: 77X01 Section:
Northing: 901504.8 Easting: 596686.4 Elevation: 1185.5
Length: 750.0 Core: DDH Record: 2

ASSAYS

Sample #	---Depths--- From	To	Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Au g/t
0	.0	581.4	581.4		WASTE							
10555	581.4	582.4	1.0		4E09		3.91	13.51	5.09	8.42	97.0	1.37
10556	582.4	583.4	1.0		4E0		4.15	16.87	6.20	10.67	104.0	.75
10557	583.4	584.7	1.3		4E15		3.45	9.41	3.77	5.64	58.0	.89
0	584.7	590.2	5.5		WASTE							
10558	590.2	592.2	2.0		4C0			.61	.24	.37	.7	
10559	592.2	593.5	1.3		4A0			1.82	1.33	.49	6.5	
10560	593.5	595.5	2.0		4C0			5.70	1.72	3.98	28.8	
10561	595.5	597.5	2.0		4C09			2.31	1.12	1.19	15.1	
10562	597.5	599.5	2.0		4C09			2.91	1.09	1.82	17.5	
10563	599.5	601.0	1.5		4D09			5.29	1.72	3.57	28.8	
10564	601.0	603.0	2.0		4D5			5.51	2.00	3.51	33.6	
10565	603.0	605.0	2.0		4C5			2.91	.78	2.13	15.8	
10566	605.0	607.0	2.0		4C5			4.16	1.59	2.57	29.1	
10567	607.0	608.0	1.0		4D5			7.43	3.07	4.36	50.1	
10568	608.0	609.5	1.5		4D5			7.04	2.53	4.51	39.4	
10569	609.5	611.5	2.0		4D09			5.63	2.29	3.34	64.1	
10570	611.5	613.4	1.9		4K6			3.62	1.10	2.52	28.5	
10571	613.4	615.4	2.0		4C5			3.71	1.19	2.52	26.1	
10572	615.4	617.4	2.0		4C59			4.67	1.98	2.69	30.9	
10573	617.4	618.4	1.0		4D5			8.68	3.53	5.15	56.9	
10574	618.4	620.0	1.6		4C5			4.79	1.68	3.11	24.7	
10575	620.0	620.9	.9		4G0			3.19	.60	2.59	12.0	
10576	620.9	622.6	1.7		5B6			.57	.09	.48	.1	
10577	622.6	624.0	1.4		4L14		2.77	4.52	1.79	2.73	30.0	1.23
10578	624.0	625.2	1.2		4G0		4.22	18.36	7.15	11.21	127.0	.69
0	625.2	774.9	149.7		WASTE							

Drill Hole: 77X02 Section:
Northing: 901682.1 Easting: 596844.6 Elevation: 1183.0
Length: 736.9 Core: DDH Record: 3

ASSAYS

Sample #	---Depths--- From	To	Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Au g/t
0	.0	736.9	736.9		WASTE							

Drill Hole: 77X03 Section:
Northing: 901349.3 Easting: 596876.0 Elevation: 1188.5
Length: 844.3 Core: DDH Record: 4

ASSAYS

Sample #	---Depths--- From	To	Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Au g/t
0	.0	698.1	698.1		WASTE							
2601	698.1	700.1	2.0		4L17			.20	.09	.11	.1	
2602	700.1	701.1	1.0		4E84		4.30	14.96	9.85	5.11	127.0	.69
2603	701.1	702.6	1.5		4E849		4.41	7.27	3.68	3.59	53.0	.62
2604	702.6	703.6	1.0		4G184		4.47	12.87	5.88	6.99	77.0	.55
2605	703.6	704.6	1.0		4E187			5.47	2.46	3.01	41.2	
2606	704.6	705.9	1.3		4E187			5.24	1.73	3.51	36.7	
2607	705.9	707.9	2.0		4K68			6.99	5.02	1.97	51.1	
2608	707.9	709.9	2.0		4K689			2.88	1.92	.96	28.5	
2609	709.9	710.8	.9		4C79			1.53	.57	.96	7.2	
2610	710.8	712.8	2.0		4A0			.31	.07	.24	1.4	
2611	712.8	714.0	1.2		4A0			.72	.44	.28	6.2	
2612	714.0	716.0	2.0		4G9			7.31	3.26	4.05	54.9	
2613	716.0	717.2	1.2		4E89			.86	.41	.45	18.2	
2614	717.2	719.2	2.0		4L37			.03	.01	.02	.1	
0	719.2	729.2	10.0		WASTE							
2615	729.2	731.2	2.0		4A0			.63	.29	.34	.1	
2616	731.2	733.2	2.0		4E186			.90	.52	.38	13.0	
2617	733.2	735.2	2.0		4E186			4.06	2.32	1.74	32.9	
2618	735.2	736.6	1.4		4E186			3.16	1.74	1.42	24.7	
2619	736.6	737.6	1.0		4A0			.78	.51	.27	4.1	
2620	737.6	739.3	1.7		4L37			1.73	1.08	.65	13.0	
2621	739.3	741.3	2.0		4C7			3.25	2.04	1.21	36.3	
2622	741.3	742.6	1.3		4G9			2.68	1.24	1.44	28.5	
2623	742.6	743.6	1.0		4C75			.56	.26	.30	16.8	
2624	743.6	745.6	2.0		4L17			.06	.04	.02	.1	
0	745.6	844.3	98.7		WASTE							

Drill Hole: 77X04 Section:
Northing: 901169.8 Easting: 596709.0 Elevation: 1185.8
Length: 850.1 Core: DDH Record: 12

ASSAYS

Sample #	---Depths--- From	To	Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Au g/t
0	.0	788.6	788.6		WASTE							
2625	788.6	790.3	1.7		4C7			1.10	.57	.53	2.7	
2626	790.3	791.6	1.3		4E9			6.33	2.88	3.45	28.8	
2627	791.6	793.6	2.0		4C7			.03	.02	.01	.1	
0	793.6	798.9	5.3		WASTE							
2628	798.9	799.7	.8		4E15		3.48	8.29	2.37	5.92	43.0	.41
0	799.7	850.1	50.4		WASTE							

Drill Hole: 77X05 Section:
Northing: 901295.8 Easting: 597116.1 Elevation: 1161.2
Length: 879.4 Core: DDH Record: 5

ASSAYS

Sample #	---Depths--- From	To	Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Au g/t
0	.0	590.0	590.0		WASTE							
2657	590.0	591.0	1.0		4G9			2.60	1.69	.91	31.0	
2658	591.0	593.0	2.0		4G9		3.95	6.74	3.98	2.76	52.8	
2659	593.0	594.3	1.3		4G0		4.68	11.26	5.60	5.66	80.0	.69
2660	594.3	595.2	.9		4E69		4.47	10.84	4.36	6.48	77.0	.82
2661	595.2	597.2	2.0		4G0		4.48	10.96	5.51	5.45	65.0	.41
2662	597.2	598.3	1.1		4G9		4.61	9.16	4.82	4.34	60.0	.62
2663	598.3	600.3	2.0		4C69		4.45	5.07	3.35	1.72	52.8	
2664	600.3	602.3	2.0		4C69		3.67	4.06	2.30	1.76	36.2	
2665	602.3	604.3	2.0		4G0		4.68	10.56	5.89	4.67	69.0	.48
2666	604.3	606.3	2.0		4G0		4.55	11.46	6.35	5.11	76.0	.41
2667	606.3	608.3	2.0		4C69		3.91	5.44	2.95	2.49	43.4	
2668	608.3	609.2	.9		4L79			2.93	1.46	1.47	28.9	
0	609.2	614.4	5.2		WASTE							
2669	614.4	615.4	1.0		4C79			4.49	2.33	2.16	33.1	
2670	615.4	617.2	1.8		4C79			5.93	3.09	2.84	39.3	
2671	617.2	618.5	1.3		4G0		4.50	10.81	6.20	4.61	75.0	.65
0	618.5	619.1	.6		WASTE							
2672	619.1	621.1	2.0		4A0		3.16	7.80	3.10	4.70	37.0	.45
2673	621.1	622.4	1.3		4A0		3.02	5.41	1.79	3.62	20.0	.27
2674	622.4	624.1	1.7		4E9		4.49	9.45	5.05	4.40	67.0	.41
2675	624.1	626.3	2.2		4A0		3.06	6.10	2.25	3.85	27.0	.27
2676	626.3	627.8	1.5		4E469		4.51	8.69	4.76	3.93	57.0	.55
0	627.8	635.5	7.7		WASTE							
2677	635.5	636.7	1.2		4H19			6.81	3.56	3.25	61.7	
0	636.7	640.5	3.8		WASTE							
2678	640.5	642.9	2.4		4C7			1.79	.15	1.64	3.0	
0	642.9	671.5	28.6		WASTE							
2679	671.5	673.2	1.7		4E89			1.76	.85	.91	16.0	
0	673.2	673.6	.4		WASTE							
2680	673.6	675.0	1.4		4E89			3.23	1.47	1.76	23.8	
0	675.0	707.7	32.7		WASTE							
2681	707.7	709.0	1.3		4C79			.61	.29	.32	6.0	
2682	709.0	711.0	2.0		4G19		4.26	12.28	5.15	7.13	98.0	1.37
2683	711.0	713.0	2.0		4G19		4.54	14.72	6.05	8.67	123.0	1.65
2684	713.0	715.0	2.0		4G19		4.45	13.18	5.33	7.85	116.0	1.37
2685	715.0	716.0	1.0		4A0		3.39	10.14	3.83	6.31	84.0	.69
0	716.0	740.2	24.2		WASTE							
2686	740.2	742.4	2.2		4E89		4.33	10.00	4.52	5.48	85.0	1.03
0	742.4	762.3	19.9		WASTE							
2687	762.3	763.5	1.2		4A0		4.26	1.45	.11	1.34	18.3	
2688	763.5	765.1	1.6		4G0		4.53	9.69	3.70	5.99	57.0	.55
2689	765.1	766.7	1.6		4G0		4.41	9.04	3.56	5.48	55.0	.48
2690	766.7	768.5	1.8		4A0			3.20	1.43	1.77	22.2	

0	768.5	827.7	59.2	WASTE				
2691	827.7	830.7	3.0	4C7	1.46	.39	1.07	7.0
2692	830.7	833.8	3.1	4C79	.95	.43	.52	9.7
2693	833.8	837.1	3.3	4C79	1.63	.62	1.01	10.4
0	837.1	879.4	42.3	WASTE				

Drill Hole: 77X06 Section:
Northing: 901158.4 Easting: 597593.3 Elevation: 1075.2
Length: 801.0 Core: DDH Record: 6

ASSAYS

Sample #	---Depths--- From	To	Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Au g/t
0	.0	435.9	435.9		WASTE							
1307	435.9	436.6	.7		4E49			2.70	1.28	1.42	17.0	
0	436.6	438.5	1.9		WASTE							
1308	438.5	440.6	2.1		4C09			.70	.34	.36	10.0	
1309	440.6	442.8	2.2		4C09			1.18	.44	.74	13.0	
0	442.8	443.2	.4		WASTE							
1310	443.2	444.7	1.5		4C49			.48	.22	.26	10.0	
0	444.7	452.6	7.9		WASTE							
1311	452.6	455.5	2.9		4C0			.05	.03	.02	2.0	
1312	455.5	457.5	2.0		4K09			.06	.05	.01	7.0	
1313	457.5	459.5	2.0		4K09			.06	.05	.01	8.0	
1314	459.5	461.5	2.0		4K09			.05	.04	.01	9.0	
1315	461.5	462.7	1.2		4K0			.64	.28	.36	4.0	
0	462.7	541.3	78.6		WASTE							
2629	541.3	543.3	2.0		4A14		3.11	4.50	1.61	2.89	44.0	
2630	543.3	545.3	2.0		4A14		2.90	4.86	1.98	2.88	43.0	
2631	545.3	547.3	2.0		4A14		2.99	7.77	2.98	4.79	60.0	
2632	547.3	549.3	2.0		4A14		2.75	7.34	2.51	4.83	46.0	
2633	549.3	550.8	1.5		4A14		2.76	6.32	2.31	4.01	35.0	
2634	550.8	552.3	1.5		4A14		2.93	9.82	3.34	6.48	75.0	
0	552.3	557.1	4.8		WASTE							
2635	557.1	559.1	2.0		4A14		2.78	5.46	1.98	3.48	35.0	
2636	559.1	561.1	2.0		4A14		2.88	4.01	1.34	2.67	27.0	
0	561.1	576.6	15.5		WASTE							
2637	576.6	578.1	1.5		4A4		3.27	15.19	4.43	10.76	82.0	.34
2638	578.1	579.5	1.4		4A4		2.97	8.05	2.52	5.53	48.0	.10
0	579.5	583.7	4.2		WASTE							
2639	583.7	584.7	1.0		4C0		2.99	6.98	2.19	4.79	40.0	
2640	584.7	586.5	1.8		4C0		2.67	4.80	1.96	2.84	36.0	
2641	586.5	588.4	1.9		4E1		3.69	16.47	8.23	8.24	121.0	.69
2642	588.4	590.4	2.0		4G0		4.24	20.83	7.11	13.72	145.0	.75
2643	590.4	592.4	2.0		4G0		3.94	15.91	4.76	11.15	78.0	.55
2644	592.4	593.4	1.0		4G0		4.42	6.41	1.61	4.80	18.0	.34
2645	593.4	594.8	1.4		4E1		4.04	29.48	10.49	18.99	240.0	.93
2646	594.8	596.8	2.0		4A4		3.51	31.74	10.41	21.33	182.0	.62
2647	596.8	597.7	.9		4A4		3.55	29.96	8.76	21.20	181.0	.75
2648	597.7	599.3	1.6		4G1		3.94	10.01	3.96	6.05	66.0	.55
2649	599.3	601.3	2.0		4G1		3.60	16.10	4.11	11.99	80.0	.48
2650	601.3	603.3	2.0		4G1		3.82	13.08	3.75	9.33	73.0	.34
2651	603.3	604.6	1.3		4G1		3.82	22.04	7.81	14.23	151.0	.34
2652	604.6	606.6	2.0		4D6		3.48	13.13	6.12	7.01	98.0	1.03
2653	606.6	608.5	1.9		4D6		3.43	17.18	6.22	10.96	98.0	.69
2654	608.5	610.5	2.0		4D0		2.90	14.41	5.82	8.59	101.0	.55
2655	610.5	612.1	1.6		4E6		3.67	16.16	6.74	9.42	88.0	.62

0	612.1	801.0	188.9	WASTE

Drill Hole: 77X07 Section:
Northing: 900968.2 Easting: 598165.4 Elevation: 1015.6
Length: 492.2 Core: DDH Record: 7

ASSAYS

Sample #	---Depths--- From	To	Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Au g/t
0	.0	492.2	492.2		WASTE							

Drill Hole: 77X08 Section:
Northing: 901412.5 Easting: 597699.1 Elevation: 1046.2
Length: 991.2 Core: DDH Record: 8

ASSAYS

Sample #	---Depths--- From	To	Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Au g/t
0	.0	377.6	377.6		WASTE							
1316	377.6	378.0	.4		4A0			3.11	.55	2.56	10.0	
1317	378.0	378.4	.4		4L0			.24	.06	.18	1.0	
1318	378.4	379.0	.6		4A0			3.23	.57	2.66	9.0	
1319	379.0	379.6	.6		4L0			.55	.12	.43	.1	
0	379.6	991.2	611.6		WASTE							

Drill Hole: 77X09 Section:
Northing: 900896.2 Easting: 597591.4 Elevation: 1081.0
Length: 836.0 Core: DDH Record: 9

ASSAYS

Sample #	---Depths--- From	To	Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Au g/t
0	.0	625.5	625.5		WASTE							
2501	625.5	627.5	2.0		4A4		3.12	11.69	3.52	8.17	25.0	.72
2502	627.5	629.5	2.0		4A4		3.06	7.37	2.51	4.86	41.0	.27
2503	629.5	631.5	2.0		4A4		2.91	7.54	2.58	4.96	53.0	.14
2504	631.5	633.5	2.0		4A4		2.96	8.28	2.57	5.71	45.0	.69
2505	633.5	635.5	2.0		4A4			6.42	2.63	3.79	37.7	
2506	635.5	637.5	2.0		4A4			6.05	1.74	4.31	31.1	
2507	637.5	639.5	2.0		4A4			6.10	2.18	3.92	31.9	
0	639.5	639.6	.1		WASTE							
2508	639.6	641.5	1.9		4A4			6.20	2.11	4.09	31.7	
2509	641.5	643.5	2.0		4A4			5.79	1.93	3.86	31.2	
2510	643.5	645.5	2.0		4A4			5.97	1.79	4.18	27.9	
2511	645.5	647.5	2.0		4A4			5.67	1.81	3.86	30.0	
2512	647.5	649.5	2.0		4A4			6.22	1.88	4.34	31.1	
2513	649.5	651.5	2.0		4A4			6.42	2.58	3.84	42.0	
2514	651.5	653.5	2.0		4A0			2.07	.80	1.27	12.9	
2515	653.5	655.5	2.0		4A0			2.39	.98	1.41	16.4	
2516	655.5	657.5	2.0		4A0			3.26	1.34	1.92	20.9	
0	657.5	657.7	.2		WASTE							
2517	657.7	659.2	1.5		4A0			3.67	1.34	2.33	21.2	
0	659.2	695.7	36.5		WASTE							
2518	695.7	697.8	2.1		4A7			3.09	1.11	1.98	19.6	
2519	697.8	699.6	1.8		4A7			4.83	1.61	3.22	26.9	
2520	699.6	701.6	2.0		4A0			7.02	2.69	4.33	54.0	
2521	701.6	703.2	1.6		4C4			4.31	1.81	2.50	29.8	
2522	703.2	704.8	1.6		4D0		3.63	12.41	5.60	6.81	80.0	1.51
2523	704.8	706.0	1.2		4H1		3.90	18.74	7.14	11.60	123.0	.72
0	706.0	802.8	96.8		WASTE							
2524	802.8	804.8	2.0		4L7			.90	.48	.42	5.8	
2525	804.8	806.8	2.0		4L7			1.58	.66	.92	6.7	
2526	806.8	809.0	2.2		4L7			2.78	.30	2.48	4.5	
0	809.0	836.0	27.0		WASTE							

Drill Hole: 77X10 Section:
Northing: 900633.6 Easting: 598073.3 Elevation: 961.4
Length: 451.7 Core: DDH Record: 10

ASSAYS

Sample #	---Depths--- From	To	Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Au g/t
0	.0	451.7	451.7		WASTE							

Drill Hole: 77X11 Section:
Northing: 900623.4 Easting: 597509.2 Elevation: 1091.1
Length: 913.1 Core: DDH Record: 11

ASSAYS

Sample #	---Depths--- From	To	Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Au g/t
0	.0	549.7	549.7		WASTE							
2527	549.7	551.3	1.6		4H1			7.38	3.04	4.34	39.4	
0	551.3	551.5	.2		WASTE							
2528	551.5	552.8	1.3		4E7		4.23	14.68	6.19	8.49	75.0	.75
0	552.8	553.2	.4		WASTE							
2529	553.2	554.8	1.6		4E7		4.06	11.51	5.15	6.36	63.0	.75
2530	554.8	557.1	2.3		4L0			1.06	.52	.54	9.4	
2531	557.1	558.2	1.1		4G7			7.30	3.42	3.88	44.5	
0	558.2	558.8	.6		WASTE							
2532	558.8	560.3	1.5		4C7			2.78	1.06	1.72	15.5	
0	560.3	560.7	.4		WASTE							
2533	560.7	561.7	1.0		4A9			3.92	1.72	2.20	22.2	
2534	561.7	563.7	2.0		4E69			3.60	2.24	1.36	42.6	
2535	563.7	565.1	1.4		4A4			5.22	2.12	3.10	30.4	
2536	565.1	566.5	1.4		4C0			1.60	.58	1.02	11.8	
2537	566.5	567.9	1.4		4C0			2.38	1.24	1.14	17.8	
0	567.9	568.3	.4		WASTE							
2538	568.3	570.0	1.7		4A0			2.16	1.00	1.16	17.0	
0	570.0	570.3	.3		WASTE							
2539	570.3	571.6	1.3		4A0			1.76	.90	.86	14.3	
2540	571.6	572.9	1.3		5B6			.17	.14	.03	4.9	
2541	572.9	574.0	1.1		4A0			.36	.28	.08	7.5	
2542	574.0	576.0	2.0		5B6			.48	.28	.20	6.0	
2543	576.0	577.0	1.0		5B6			.85	.72	.13	13.0	
2544	577.0	578.5	1.5		5B6			.74	.54	.20	9.2	
2545	578.5	580.5	2.0		4A0			3.52	1.56	1.96	20.2	
2546	580.5	582.3	1.8		4A0			3.73	1.48	2.25	20.1	
2547	582.3	584.3	2.0		4L0			.32	.12	.20	3.0	
0	584.3	660.5	76.2		WASTE							
2551	660.5	661.5	1.0		4C7			.36	.23	.13	5.0	
2552	661.5	662.8	1.3		4C7			.33	.25	.08	8.8	
2553	662.8	664.5	1.7		4E1			.28	.21	.07	16.4	
2554	664.5	665.9	1.4		4E8			.39	.32	.07	13.8	
2555	665.9	667.8	1.9		4G89			8.42	4.69	3.73	52.5	
2556	667.8	669.3	1.5		4G19			2.21	1.15	1.06	21.2	
2557	669.3	670.6	1.3		4G89			5.15	3.71	1.44	41.7	
2558	670.6	672.5	1.9		4G9			2.81	1.94	.87	35.4	
0	672.5	673.8	1.3		WASTE							
2559	673.8	675.7	1.9		4E16			3.31	1.98	1.33	31.7	
2560	675.7	676.7	1.0		4G9			1.09	.81	.28	22.5	
2561	676.7	678.1	1.4		4E19			1.00	.61	.39	23.0	
0	678.1	678.6	.5		WASTE							
2562	678.6	679.6	1.0		4E16			3.84	1.59	2.25	22.8	
2563	679.6	681.6	2.0		4A0			2.41	.89	1.52	11.8	

2564	681.6	683.3	1.7	4A0	3.08	1.32	1.76	19.8
0	683.3	688.1	4.8	WASTE				
2565	688.1	690.1	2.0	4A0	1.24	.78	.46	18.8
2566	690.1	691.1	1.0	4E19	.48	.36	.12	20.1
2567	691.1	692.7	1.6	4E1	.25	.19	.06	21.3
0	692.7	731.2	38.5	WASTE				
2568	731.2	732.2	1.0	4E19	.96	.61	.35	18.8
0	732.2	769.6	37.4	WASTE				
2569	769.6	771.6	2.0	4A64	6.91	2.77	4.14	42.0
2570	771.6	773.6	2.0	4A4	5.65	1.83	3.82	29.8
2571	773.6	775.6	2.0	4A4	6.18	2.34	3.84	34.7
2572	775.6	777.6	2.0	4A4	6.21	2.34	3.87	34.1
2573	777.6	779.6	2.0	4A4	6.53	2.09	4.44	30.8
2574	779.6	781.6	2.0	4A4	5.21	1.95	3.26	22.3
2575	781.6	783.6	2.0	4A0	4.34	1.72	2.62	21.9
2576	783.6	785.6	2.0	4A0	4.16	1.64	2.52	21.4
2577	785.6	787.6	2.0	4A0	3.32	1.45	1.87	23.7
2578	787.6	789.6	2.0	4A0	4.02	1.56	2.46	23.1
2579	789.6	791.7	2.1	4A0	2.84	1.12	1.72	18.2
0	791.7	913.1	121.4	WASTE				

Drill Hole: 78X01 Section:
Northing: 901232.7 Easting: 597306.6 Elevation: 1127.3
Length: 850.1 Core: DDH Record: 13

ASSAYS

Sample #	---Depths--- From	To	Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Au g/t
0	.0	475.1	475.1		WASTE							
2589	475.1	476.7	1.6		4E19			1.12	.84	.28	18.6	
0	476.7	480.4	3.7		WASTE							
2590	480.4	482.4	2.0		4C9			4.42	2.13	2.29	35.3	
2591	482.4	484.4	2.0		4C0			4.27	1.87	2.40	27.2	
2592	484.4	485.4	1.0		4C0			4.03	2.04	1.99	28.9	
2593	485.4	486.4	1.0		4L0			.77	.37	.40	7.1	
2594	486.4	487.7	1.3		4L0			1.21	.73	.48	19.6	
0	487.7	616.4	128.7		WASTE							
2721	616.4	618.4	2.0		4D4		3.23	10.98	3.74	7.24	76.0	.62
2722	618.4	620.0	1.6		4D4			5.94	2.05	3.89	38.0	.48
2723	620.0	622.1	2.1		5D6			.64	.26	.38	5.7	
2724	622.1	623.5	1.4		4A0			1.47	.47	1.00	10.3	
2725	623.5	625.5	2.0		4A0			3.26	1.26	2.00	27.8	
2726	625.5	626.6	1.1		4A0			2.96	1.22	1.74	26.5	
0	626.6	629.7	3.1		WASTE							
2727	629.7	631.7	2.0		4C0			2.69	.75	1.94	17.1	
2728	631.7	633.7	2.0		4C0			4.93	2.24	2.69	36.4	
2729	633.7	635.7	2.0		4D0		3.22	10.49	3.83	6.66	53.0	1.30
2730	635.7	637.7	2.0		4D0		2.91	8.93	2.65	6.28	40.0	.34
2731	637.7	639.7	2.0		4D0		3.03	8.61	2.78	5.83	49.0	.82
2732	639.7	640.7	1.0		4C0			3.09	.92	2.17	14.2	
2733	640.7	642.5	1.8		4D0			7.99	3.52	4.47	61.8	
2734	642.5	645.5	3.0		5A1			1.80	.54	1.26	5.9	
0	645.5	645.8	.3		WASTE							
2735	645.8	647.8	2.0		4A4		3.08	11.21	3.87	7.34	69.0	.69
2736	647.8	649.5	1.7		4A4		2.89	9.55	3.65	5.90	51.0	.69
0	649.5	850.1	200.6		WASTE							

Drill Hole: 78X02 Section:
Northing: 901014.0 Easting: 597559.3 Elevation: 1083.7
Length: 807.7 Core: DDH Record: 14

ASSAYS

Sample #	---Depths--- From	To	Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Au g/t
0	.0	508.7	508.7		WASTE							
1320	508.7	510.7	2.0		4L7			.63	.32	.31	7.0	
1321	510.7	512.6	1.9		4L7			.23	.14	.09	6.0	
1322	512.6	514.6	2.0		4E9			.71	.44	.27	18.0	
1323	514.6	515.6	1.0		4E9			.11	.08	.03	11.0	
0	515.6	581.0	65.4		WASTE							
2580	581.0	581.6	.6		4E4			17.15	5.08	12.07	128.0	
0	581.6	585.6	4.0		WASTE							
2581	585.6	586.9	1.3		4A4			8.89	2.50	6.39	49.2	
2582	586.9	588.9	2.0		4A4			8.39	2.83	5.56	47.0	
2583	588.9	589.9	1.0		4A4			.18	.07	.11	.4	
2584	589.9	591.7	1.8		5A19			8.97	3.11	5.86	53.9	
2585	591.7	593.7	2.0		4A4			5.89	1.78	4.11	22.1	
2586	593.7	595.7	2.0		4A4			6.62	2.17	4.45	11.6	
2587	595.7	597.6	1.9		4A4			6.05	2.19	3.86	13.9	
2588	597.6	598.6	1.0		4A0			1.35	.42	.93	3.3	
0	598.6	640.5	41.9		WASTE							
2595	640.5	642.5	2.0		4A0			3.63	2.14	1.49	37.4	
2596	642.5	644.0	1.5		4A0			1.47	.69	.78	15.6	
2597	644.0	646.0	2.0		4C7			1.11	.40	.71	22.5	
2598	646.0	648.0	2.0		4C7			2.67	.88	1.79	16.5	
2599	648.0	650.0	2.0		4C7			.42	.17	.25	1.6	
2600	650.0	652.0	2.0		4C7			.79	.27	.52	3.0	
2701	652.0	653.0	1.0		4L17			.81	.45	.36	6.6	
2702	653.0	654.0	1.0		4A4			6.79	3.65	3.14	53.4	
2703	654.0	655.1	1.1		4A4			8.29	2.47	5.82	47.6	
0	655.1	674.3	19.2		WASTE							
2704	674.3	676.3	2.0		4A4		3.63	10.16	5.77	4.39	69.0	.05
2705	676.3	678.3	2.0		4A4		3.41	10.42	6.22	4.20	74.0	1.10
2706	678.3	680.3	2.0		4E4		3.59	8.51	4.16	4.35	67.0	2.19
2707	680.3	682.3	2.0		4E4			5.52	3.34	2.18	55.0	
2708	682.3	684.3	2.0		4E49			3.32	1.00	2.32	31.0	
2709	684.3	686.3	2.0		4D5		3.43	9.07	3.00	6.07	66.0	1.37
2710	686.3	687.6	1.3		4D5		3.30	13.29	4.57	8.72	77.0	1.37
2711	687.6	688.6	1.0		4E1			4.85	1.89	2.96	28.0	
2712	688.6	690.5	1.9		4E1			6.48	2.14	4.34	47.7	
2713	690.5	692.5	2.0		4D0		3.61	12.61	4.50	8.11	83.0	1.23
2714	692.5	694.5	2.0		4D0		3.01	9.88	3.81	6.07	62.0	.48
2715	694.5	696.5	2.0		4D0			4.17	1.92	2.25	25.1	
2716	696.5	697.5	1.0		4D0			4.50	1.68	2.82	22.2	
2717	697.5	698.9	1.4		4D0			6.50	2.22	4.28	36.1	
2718	698.9	700.9	2.0		4A4		3.07	10.06	3.92	6.14	65.0	.69
2719	700.9	702.2	1.3		4A4		3.04	9.17	3.34	5.83	61.0	.62
0	702.2	703.9	1.7		WASTE							

2720	703.9	705.4	1.5	4A4	2.97	10.28	3.87	6.41	66.0	.62
0	705.4	807.7	102.3	WASTE						

Drill Hole: 78X03 Section:
Northing: 901306.6 Easting: 597631.3 Elevation: 1057.7
Length: 876.3 Core: DDH Record: 15

ASSAYS

Sample #	---Depths--- From	To	Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Au g/t
0	.0	876.3	876.3		WASTE							

Drill Hole: 78X04 Section:
Northing: 901123.3 Easting: 597733.8 Elevation: 1039.1
Length: 675.0 Core: DDH Record: 16

ASSAYS

Sample #	---Depths--- From	To	Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Au g/t
0	.0	518.4	518.4		WASTE							
2737	518.4	520.6	2.2		4G4		4.35	17.57	5.38	12.19	92.0	.62
0	520.6	532.3	11.7		WASTE							
2738	532.3	533.4	1.1		4J0		3.46	16.87	4.42	12.45	49.0	.14
0	533.4	533.9	.5		WASTE							
2739	533.9	534.5	.6		4J0		3.97	14.59	3.77	10.82	43.0	.07
0	534.5	556.6	22.1		WASTE							
2740	556.6	558.6	2.0		4E0		4.40	26.53	11.28	15.25	192.0	.89
2741	558.6	560.0	1.4		4E9		3.82	21.76	8.72	13.04	134.0	1.58
2742	560.0	562.0	2.0		4E0		4.25	18.62	8.23	10.39	122.0	1.08
0	562.0	675.0	113.0		WASTE							

Drill Hole: 78X05 Section:
Northing: 901302.2 Easting: 597325.3 Elevation: 1113.9
Length: 711.3 Core: DDH Record: 17

ASSAYS

Sample #	---Depths--- From	To	Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Au g/t
0	.0	450.7	450.7		WASTE							
3517	450.7	451.1	.4		4C0			.39	.24	.15	6.0	
0	451.1	586.3	135.2		WASTE							
2743	586.3	588.1	1.8		4D0		3.46	21.48	7.94	13.54	124.0	1.03
2744	588.1	589.8	1.7		4D0		3.56	16.73	6.87	9.86	93.0	.96
2745	589.8	591.1	1.3		4A3		3.35	7.35	2.60	4.75	48.0	.62
2746	591.1	592.3	1.2		4D0		3.43	17.78	6.59	11.19	102.0	1.51
2747	592.3	593.8	1.5		4D0		3.04	10.29	3.46	6.83	60.0	.62
2748	593.8	594.8	1.0		4D0		2.96	9.25	2.97	6.28	47.0	1.30
2749	594.8	596.2	1.4		4D0		3.09	9.77	3.34	6.43	53.0	1.37
2750	596.2	598.0	1.8		4D0		3.17	21.57	6.85	14.72	97.0	1.41
2751	598.0	600.0	2.0		4D0		3.04	10.25	2.85	7.40	58.0	.75
2752	600.0	602.0	2.0		4D0		3.29	6.88	2.16	4.72	37.0	.31
2753	602.0	603.2	1.2		4D0		3.40	9.48	3.28	6.20	48.0	.34
2754	603.2	604.2	1.0		5D6			6.49	2.87	3.62	47.0	.34
0	604.2	608.3	4.1		WASTE							
2755	608.3	609.2	.9		4H0			1.47	.56	.91	23.0	
0	609.2	648.4	39.2		WASTE							
3518	648.4	648.8	.4		4C0			4.30	.33	3.97	2.0	
0	648.8	711.3	62.5		WASTE							

Drill Hole: 78X06 Section:
Northing: 900936.8 Easting: 597848.4 Elevation: 1008.1
Length: 614.8 Core: DDH Record: 18

ASSAYS

Sample #	---Depths--- From	To	Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Au g/t
0	.0	495.4	495.4		WASTE							
3519	495.4	495.9	.5		4E0			1.60	.32	1.28	8.0	
3520	495.9	498.2	2.3		4A0			5.47	1.97	3.50	37.0	
0	498.2	876.3	378.1		WASTE							

Drill Hole: 78X07 Section:
Northing: 901409.1 Easting: 597041.1 Elevation: 1169.1
Length: 719.6 Core: DDH Record: 19

ASSAYS

Sample #	---Depths--- From	To	Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Au g/t
0	.0	512.4	512.4		WASTE							
2762	512.4	513.4	1.0		4K9			.83	.66	.17	21.0	
0	513.4	515.6	2.2		WASTE							
2763	515.6	517.6	2.0		4K9			.07	.05	.02	8.0	
2764	517.6	519.6	2.0		4K9			.04	.03	.01	7.0	
2765	519.6	521.6	2.0		4C9			.03	.02	.01	10.0	
2766	521.6	523.6	2.0		4C9			.02	.01	.01	7.0	
2767	523.6	525.6	2.0		4C9			.07	.03	.04	8.0	
2768	525.6	527.5	1.9		4C9			.40	.06	.34	10.0	
2769	527.5	529.4	1.9		4C9			1.12	.05	1.07	7.0	
2770	529.4	531.4	2.0		4C9			.25	.08	.17	9.0	
2771	531.4	533.6	2.2		4C89			.07	.05	.02	11.0	
2772	533.6	535.6	2.0		4C89			.11	.08	.03	10.0	
2773	535.6	537.6	2.0		4C89			.62	.34	.28	15.0	
2774	537.6	539.6	2.0		4C89			1.32	.67	.65	15.0	
2775	539.6	541.6	2.0		4C8			1.25	.71	.54	13.0	
2776	541.6	543.6	2.0		4C89			1.47	.83	.64	18.0	
2777	543.6	545.6	2.0		4C89			.12	.08	.04	10.0	
2778	545.6	547.6	2.0		4C89			2.31	1.27	1.04	28.0	
2779	547.6	549.6	2.0		4C89			2.26	1.39	.87	27.0	
2780	549.6	550.9	1.3		4C89			3.00	1.77	1.23	28.0	
0	550.9	553.6	2.7		WASTE							
2781	553.6	555.2	1.6		4E189			2.39	1.52	.87	33.0	
2782	555.2	557.0	1.8		4L7			1.00	.52	.48	12.0	
2783	557.0	558.9	1.9		4C89			2.21	2.04	.17	36.0	
0	558.9	559.3	.4		WASTE							
2784	559.3	561.3	2.0		4E19			.42	.33	.09	22.0	
2785	561.3	562.6	1.3		4E19			.30	.23	.07	17.0	
0	562.6	563.2	.6		WASTE							
2786	563.2	565.2	2.0		4E19			.63	.48	.15	18.0	
0	565.2	565.4	.2		WASTE							
2787	565.4	567.4	2.0		4E89			1.74	.73	1.01	26.0	
2788	567.4	569.4	2.0		4E189			2.06	1.05	1.01	27.0	
2789	569.4	571.4	2.0		4D8		3.39	7.37	5.49	1.88	52.0	.41
2790	571.4	573.4	2.0		4C89			.88	.69	.19	15.0	
2791	573.4	575.4	2.0		4C89			.75	.30	.45	15.0	
2792	575.4	577.4	2.0		4C0			.21	.14	.07	6.0	
2793	577.4	579.4	2.0		4C0			2.22	.71	1.51	16.2	
2794	579.4	581.4	2.0		4C0			.35	.12	.23	6.0	
2795	581.4	583.4	2.0		4C0			.46	.23	.23	8.0	
2796	583.4	584.4	1.0		4A0			.57	.27	.30	6.0	
2797	584.4	585.8	1.4		4A0			2.06	.64	1.42	8.0	
0	585.8	587.5	1.7		WASTE							
2798	587.5	588.4	.9		4A7			.57	.14	.43	2.0	

2799	588.4	590.7	2.3	4A7		1.13	.32	.81	6.0	
0	590.7	595.3	4.6	WASTE						
2800	595.3	596.4	1.1	4C9		.53	.31	.22	9.1	
0	596.4	617.5	21.1	WASTE						
2801	617.5	619.2	1.7	4A0		1.47	.23	1.24	2.0	
0	619.2	620.7	1.5	WASTE						
2802	620.7	621.7	1.0	4C0		.95	.90	.05	10.1	
2803	621.7	623.5	1.8	4C0		.23	.16	.07	9.6	
2804	623.5	627.9	4.4	4A0		2.30	.87	1.43	10.1	
2805	627.9	629.1	1.2	4A0		.36	.12	.24	2.0	
2806	629.1	630.7	1.6	4G0	4.64	7.06	4.52	2.54	70.0	1.03
2807	630.7	632.1	1.4	4E9		1.11	.78	.33	42.9	
0	632.1	876.3	244.2	WASTE						

Drill Hole: 78X08 Section:
Northing: 901584.7 Easting: 596780.8 Elevation: 1179.5
Length: 738.8 Core: DDH Record: 20

ASSAYS

Sample #	---Depths--- From	To	Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Au g/t
0	.0	633.2	633.2		WASTE							
2756	633.2	634.1	.9		4E4		4.05	25.72	7.83	17.89	141.0	.21
2757	634.1	636.0	1.9		4E4		3.19	13.16	4.27	8.89	77.0	1.41
2758	636.0	636.9	.9		5A1		3.12	1.09	.37	.72	17.0	.41
2759	636.9	638.9	2.0		4A4		3.39	6.86	2.80	4.06	52.0	.41
2760	638.9	640.9	2.0		4A4			4.38	2.01	2.37	38.0	
2761	640.9	642.5	1.6		4A4			5.89	2.20	3.69	42.0	
0	642.5	876.3	233.8		WASTE							

Drill Hole: 78X09 Section:
Northing: 901265.3 Easting: 597475.4 Elevation: 1083.3
Length: 684.2 Core: DDH Record: 21

ASSAYS

Sample #	---Depths--- From	To	Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Au g/t
0	.0	556.3	556.3		WASTE							
2808	556.3	557.6	1.3		4G4		3.76	13.29	3.00	10.29	40.0	.72
2809	557.6	559.0	1.4		5B6		3.07	5.49	1.71	3.78	29.0	.41
2810	559.0	560.5	1.5		4G0		4.28	7.93	2.10	5.83	35.0	.17
2811	560.5	562.1	1.6		4G0		4.16	10.86	3.86	7.00	68.0	1.03
0	562.1	575.2	13.1		WASTE							
2812	575.2	577.2	2.0		4D4		3.53	10.78	4.45	6.33	83.0	1.03
2813	577.2	579.2	2.0		4D4		3.16	9.88	3.94	5.94	71.0	1.34
2814	579.2	580.2	1.0		4D4		3.33	12.84	4.50	8.34	69.0	.86
2815	580.2	581.4	1.2		4E4			5.54	2.40	3.14	48.0	
0	581.4	583.4	2.0		WASTE							
2816	583.4	584.4	1.0		4K0			1.30	.62	.68	37.0	
2817	584.4	585.8	1.4		4K0			.69	.49	.20	21.0	
2818	585.8	587.1	1.3		4K4		3.80	10.26	2.53	7.73	63.0	.48
0	587.1	684.2	97.1		WASTE							

Drill Hole: 78X11 Section:
Northing: 901080.3 Easting: 597581.8 Elevation: 1072.1
Length: 716.2 Core: DDH Record: 23

ASSAYS

Sample #	---Depths--- From	To	Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Au g/t
0	.0	464.9	464.9		WASTE							
2819	464.9	467.2	2.3		4E89			2.29	1.33	.96	27.0	
0	467.2	468.6	1.4		WASTE							
2820	468.6	470.6	2.0		4E819			1.69	.69	1.00	17.0	
2821	470.6	471.8	1.2		4E819			.92	.32	.60	14.5	
2822	471.8	473.8	2.0		4E819			.40	.21	.19	14.5	
2823	473.8	475.8	2.0		4E819			.43	.23	.20	15.0	
2824	475.8	477.8	2.0		4E819			.33	.24	.09	16.0	
2825	477.8	479.4	1.6		4E819			.22	.16	.06	10.0	
0	479.4	550.2	70.8		WASTE							
2826	550.2	552.2	2.0		4A4		2.72	7.34	2.12	5.22	37.0	.50
2827	552.2	554.1	1.9		4A4		2.74	7.15	2.10	5.05	36.0	.58
2828	554.1	556.2	2.1		4A4		2.62	8.19	3.56	4.63	53.0	.34
2829	556.2	558.3	2.1		4A0			3.16	1.62	1.54	21.0	
2830	558.3	560.1	1.8		4A0			3.38	1.04	2.34	18.0	
2831	560.1	561.2	1.1		4A0			2.81	.78	2.03	14.5	
2832	561.2	562.3	1.1		4A4			7.08	2.31	4.77	37.0	
0	562.3	583.1	20.8		WASTE							
2833	583.1	584.1	1.0		4A1			3.71	1.27	2.44	14.5	
2834	584.1	586.1	2.0		4A1			4.27	1.68	2.59	20.0	
2835	586.1	587.5	1.4		4A14			9.90	4.70	5.20	67.0	
2836	587.5	589.5	2.0		4A0			2.06	.92	1.14	12.0	
2837	589.5	591.5	2.0		4A0			2.66	.86	1.80	11.0	
2838	591.5	592.5	1.0		4A0			4.57	1.30	3.27	17.0	
2839	592.5	594.2	1.7		4A0			2.25	.64	1.61	7.0	
0	594.2	607.3	13.1		WASTE							
2840	607.3	609.3	2.0		4A0			.43	.17	.26	4.0	
2841	609.3	611.3	2.0		4A0			4.89	1.84	3.05	28.0	
2842	611.3	613.3	2.0		4A0			1.76	.91	.85	14.5	
2843	613.3	615.3	2.0		4A0			4.57	1.74	2.83	26.0	
2844	615.3	617.2	1.9		4A4		2.99	9.05	3.41	5.64	53.0	.69
2845	617.2	618.3	1.1		4E0		4.24	15.28	7.83	7.45	142.0	.96
2846	618.3	619.6	1.3		4G4		4.02	21.67	6.83	14.84	106.0	.69
2847	619.6	621.6	2.0		4D4		3.15	8.58	3.47	5.11	54.0	.62
2848	621.6	623.6	2.0		4D4		3.15	12.00	4.31	7.69	76.0	.82
2849	623.6	625.2	1.6		4D4		3.73	11.53	4.48	7.05	69.0	.69
2850	625.2	627.2	2.0		4A0			3.13	.92	2.21	17.0	
2851	627.2	629.2	2.0		4A0			4.13	1.31	2.82	21.0	
2852	629.2	631.2	2.0		4A0			3.54	.92	2.62	18.0	
2853	631.2	632.2	1.0		4A0			3.72	1.06	2.66	20.0	
2854	632.2	634.1	1.9		4A0			7.21	2.44	4.77	38.0	
2855	634.1	636.0	1.9		5A1			1.12	.36	.76	5.0	
2856	636.0	638.0	2.0		4A0			5.01	2.00	3.01	35.0	
0	638.0	716.2	78.2		WASTE							

Drill Hole: 79X01 Section:
Northing: 901160.1 Easting: 597289.3 Elevation: 1136.0
Length: 772.2 Core: DDH Record: 24

ASSAYS

Sample #	---Depths--- From	To	Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Au g/t
0	.0	509.8	509.8		WASTE							
7	509.8	511.4	1.6		4K9			.08	.06	.02	5.0	
8	511.4	512.9	1.5		4K9			.32	.22	.10	6.5	
9	512.9	514.9	2.0		4K0			.52	.38	.14	7.0	
10	514.9	517.0	2.1		4K0			.11	.09	.02	4.0	
11	517.0	518.7	1.7		4E0			.63	.48	.15	5.0	
12	518.7	520.7	2.0		4C9			1.25	.79	.46	18.0	
13	520.7	522.7	2.0		4C9			.75	.52	.23	11.0	
14	522.7	524.3	1.6		4C9			.20	.14	.06	5.0	
15	524.3	525.7	1.4		4K0			.14	.10	.04	3.5	
16	525.7	526.7	1.0		4L0			.20	.12	.08	4.0	
17	526.7	528.1	1.4		4L0			.15	.11	.04	6.0	
18	528.1	528.8	.7		4K0			.11	.09	.02	4.0	
19	528.8	530.4	1.6		4A0			.04	.02	.02	.1	
0	530.4	532.3	1.9		WASTE							
20	532.3	532.9	.6		4A0			.02	.01	.01	.1	
21	532.9	535.0	2.1		4K0			.16	.11	.05	6.0	
22	535.0	536.0	1.0		4A0			.03	.02	.01	.1	
23	536.0	536.7	.7		4K0			.18	.12	.06	8.0	
24	536.7	538.0	1.3		4L0			.06	.04	.02	.1	
25	538.0	540.3	2.3		4K0			.11	.07	.04	3.0	
0	540.3	545.4	5.1		WASTE							
26	545.4	546.0	.6		4L0			.12	.08	.04	4.0	
0	546.0	547.3	1.3		WASTE							
27	547.3	549.2	1.9		4C5			.19	.13	.06	2.5	
28	549.2	550.1	.9		4D9			3.95	2.07	1.88	27.0	
0	550.1	554.5	4.4		WASTE							
29	554.5	556.5	2.0		4A1			5.39	2.20	3.19	39.0	
30	556.5	558.5	2.0		4A1			4.62	1.30	3.32	23.0	
31	558.5	560.5	2.0		4A1		2.85	5.83	2.02	3.81	26.0	.51
32	560.5	561.6	1.1		4A1		2.74	7.43	2.16	5.27	33.0	.38
0	561.6	650.9	89.3		WASTE							
33	650.9	652.9	2.0		4A0		2.88	7.40	2.45	4.95	49.0	.72
34	652.9	654.9	2.0		4A0		2.76	6.38	1.93	4.45	29.0	.62
35	654.9	656.9	2.0		4A0			5.30	1.65	3.65	27.5	
36	656.9	658.9	2.0		4A0			4.74	1.61	3.13	26.0	
37	658.9	660.9	2.0		4A0			3.47	1.40	2.07	25.0	
38	660.9	662.7	1.8		4A0			3.20	.98	2.22	21.0	
0	662.7	681.3	18.6		WASTE							
39	681.3	682.6	1.3		4C5			5.66	2.01	3.65	27.0	
40	682.6	683.5	.9		4G0			5.76	2.05	3.71	40.0	
0	683.5	772.2	88.7		WASTE							

Drill Hole: 79X02 Section:
Northing: 901048.0 Easting: 597720.6 Elevation: 1036.4
Length: 683.8 Core: DDH Record: 25

ASSAYS

Sample #	---Depths--- From	To	Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Au g/t
0	.0	536.7	536.7		WASTE							
45	536.7	538.5	1.8		4L1			.03	.01	.02	1.0	
0	538.5	539.4	.9		WASTE							
46	539.4	540.5	1.1		4L1			.11	.08	.03	2.0	
47	540.5	542.5	2.0		4A0			.49	.13	.36	3.0	
48	542.5	544.8	2.3		4A0			.05	.01	.04	1.0	
49	544.8	546.0	1.2		5A9			.04	.01	.03	.5	
50	546.0	547.2	1.2		5A9			.03	.01	.02	.5	
51	547.2	548.3	1.1		5B9			.03	.01	.02	.5	
0	548.3	548.6	.3		WASTE							
52	548.6	550.3	1.7		5A9			.03	.01	.02	1.0	
53	550.3	551.2	.9		4A7			.12	.04	.08	1.0	
0	551.2	557.9	6.7		WASTE							
54	557.9	559.9	2.0		4L0			.23	.11	.12	2.0	
55	559.9	561.0	1.1		4L0			.06	.03	.03	16.0	
0	561.0	570.6	9.6		WASTE							
56	570.6	572.6	2.0		4L7			.04	.01	.03	1.0	
57	572.6	574.6	2.0		4L7			.14	.06	.08	2.0	
58	574.6	575.7	1.1		4L7			.11	.05	.06	2.0	
0	575.7	577.6	1.9		WASTE							
59	577.6	579.6	2.0		4A0			2.54	.89	1.65	11.0	
60	579.6	581.6	2.0		4A0			2.50	.87	1.63	11.0	
61	581.6	583.5	1.9		4A0			4.39	1.98	2.41	28.0	
62	583.5	585.6	2.1		5A9			.36	.14	.22	3.0	
63	585.6	587.8	2.2		4A0			2.97	.73	2.24	16.0	
64	587.8	589.2	1.4		5D9			.54	.14	.40	3.0	
65	589.2	590.0	.8		4A0			.32	.12	.20	4.0	
66	590.0	592.1	2.1		5D9			.47	.12	.35	4.0	
67	592.1	593.2	1.1		5D9			.17	.07	.10	8.0	
68	593.2	594.0	.8		4A0			.52	.12	.40	3.0	
0	594.0	595.4	1.4		WASTE							
69	595.4	596.9	1.5		4A4			4.54	1.96	2.58	34.0	
70	596.9	598.4	1.5		4A4			.77	.04	.73	2.0	
71	598.4	600.0	1.6		4A4			.10	.02	.08	3.0	
72	600.0	601.5	1.5		4J4		3.51	17.12	6.27	10.85	101.0	.45
73	601.5	602.5	1.0		4J4		3.56	18.60	7.50	11.10	88.0	.38
0	602.5	606.6	4.1		WASTE							
74	606.6	607.6	1.0		4J4			10.13	3.80	6.33	57.0	
75	607.6	608.3	.7		5A0			1.33	.55	.78	5.0	
0	608.3	646.7	38.4		WASTE							
76	646.7	648.5	1.8		3G0			.11	.04	.07	2.0	
0	648.5	683.8	35.3		WASTE							

Drill Hole: 79X03 Section:
Northing: 901019.0 Easting: 597251.5 Elevation: 1140.0
Length: 956.7 Core: DDH Record: 26

ASSAYS

Sample #	---Depths--- From	To	Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Au g/t
0	.0	578.3	578.3		WASTE							
77	578.3	580.4	2.1		4L7			.56	.42	.14	6.5	
78	580.4	581.5	1.1		4A3			.13	.11	.02	2.0	
79	581.5	583.5	2.0		4C0			.88	.66	.22	8.0	
80	583.5	585.5	2.0		4L0			.48	.34	.14	4.0	
0	585.5	587.5	2.0		WASTE							
81	587.5	588.5	1.0		4L0			.29	.26	.03	3.0	
82	588.5	590.1	1.6		5D9			.27	.23	.04	3.0	
83	590.1	592.1	2.0		4L7			.06	.04	.02	2.0	
84	592.1	594.1	2.0		4L7			.14	.10	.04	2.0	
85	594.1	595.9	1.8		4L7			.24	.13	.11	1.0	
86	595.9	597.1	1.2		4G49			1.61	.91	.70	16.0	
87	597.1	598.1	1.0		4L0			.20	.13	.07	2.0	
88	598.1	599.3	1.2		4G49			2.70	1.79	.91	30.0	
89	599.3	600.6	1.3		4G4			5.26	3.34	1.92	45.0	
90	600.6	602.3	1.7		4K649			1.06	.75	.31	28.0	
91	602.3	604.5	2.2		4E9			.51	.38	.13	27.0	
92	604.5	606.7	2.2		4E9			.17	.12	.05	7.0	
93	606.7	608.7	2.0		4L9			.15	.11	.04	13.0	
94	608.7	610.2	1.5		4C9			.18	.11	.07	11.0	
95	610.2	612.0	1.8		4C9			1.23	.65	.58	16.0	
96	612.0	614.0	2.0		4C9			.29	.15	.14	9.0	
97	614.0	615.1	1.1		4C9			.07	.04	.03	5.0	
98	615.1	616.6	1.5		4A9			.11	.06	.05	6.0	
0	616.6	621.2	4.6		WASTE							
99	621.2	623.2	2.0		5A9			.04	.02	.02	.5	
100	623.2	624.0	.8		4C9			.06	.04	.02	2.0	
0	624.0	624.4	.4		WASTE							
101	624.4	626.4	2.0		4L0			.04	.01	.03	.1	
102	626.4	628.4	2.0		4L0			.06	.03	.03	2.0	
103	628.4	630.1	1.7		4L0			.05	.02	.03	1.0	
104	630.1	631.9	1.8		5A9			.04	.02	.02	1.0	
0	631.9	639.0	7.1		WASTE							
105	639.0	639.8	.8		4C0			.15	.10	.05	8.0	
106	639.8	641.8	2.0		4L0			.06	.03	.03	2.0	
107	641.8	643.8	2.0		4L0			.05	.03	.02	2.0	
108	643.8	644.4	.6		4L0			.07	.02	.05	2.0	
109	644.4	646.3	1.9		4C0			.18	.13	.05	7.0	
0	646.3	700.8	54.5		WASTE							
110	700.8	702.8	2.0		4A4			5.22	1.94	3.28	36.0	
111	702.8	704.8	2.0		4A4			4.20	1.48	2.72	29.0	
112	704.8	706.4	1.6		4A4			4.01	1.31	2.70	25.0	
0	706.4	713.6	7.2		WASTE							
248	713.6	715.7	2.1		4A0			.58	.27	.31	5.0	

0	715.7	717.2	1.5	WASTE						
249	717.2	719.3	2.1	4A0		.22	.09	.13	2.0	
0	719.3	731.3	12.0	WASTE						
250	731.3	733.4	2.1	4L4		2.82	1.88	.94	25.0	
251	733.4	735.4	2.0	4A0		.90	.02	.88	30.0	
252	735.4	737.4	2.0	4A0		.27	.01	.26	16.0	
253	737.4	739.4	2.0	4A0		1.37	1.07	.30	17.0	
254	739.4	740.7	1.3	4A0		.24	.08	.16	7.0	
255	740.7	741.7	1.0	4A0		.48	.37	.11	12.0	
0	741.7	759.7	18.0	WASTE						
256	759.7	761.2	1.5	4A0		.32	.24	.08	4.0	
257	761.2	762.8	1.6	4A0		.14	.06	.08	10.0	
0	762.8	821.9	59.1	WASTE						
258	821.9	823.2	1.3	4A0		4.44	2.03	2.41	32.0	
259	823.2	824.7	1.5	4A0		1.73	.69	1.04	15.0	
260	824.7	826.0	1.3	4E9		.96	.62	.34	15.0	
261	826.0	827.8	1.8			1.58	.78	.80	20.0	
0	827.8	862.3	34.5	WASTE						
113	862.3	864.2	1.9	4A1		1.75	1.02	.73	17.0	
114	864.2	864.5	.3	4C0		.62	.44	.18	10.0	
115	864.5	866.5	2.0	4G4	4.28	9.03	3.51	5.52	56.0	.86
116	866.5	868.0	1.5	4G4	4.35	9.88	4.11	5.77	36.0	.38
117	868.0	868.7	.7	4D0		.22	.15	.07	6.0	
118	868.7	869.7	1.0	4G4		3.93	1.51	2.42	43.0	
119	869.7	870.4	.7	4A0		.22	.17	.05	8.0	
120	870.4	871.2	.8	4C0		.44	.30	.14	14.0	
121	871.2	872.1	.9	4D4		10.85	6.56	4.29	146.0	
122	872.1	872.5	.4	4G1		1.01	.66	.35	27.0	
123	872.5	874.7	2.2	4A0		.70	.36	.34	6.0	
124	874.7	876.7	2.0	4A4		1.12	.54	.58	14.0	
125	876.7	878.7	2.0	4A4		.89	.39	.50	10.0	
126	878.7	880.1	1.4	4A4		1.53	1.02	.51	27.0	
0	880.1	956.7	76.6	WASTE						

Drill Hole: 79X04 Section:
Northing: 900978.1 Easting: 597708.8 Elevation: 1042.8
Length: 689.1 Core: DDH Record: 27

ASSAYS

Sample #	---Depths--- From	To	Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Au g/t
0	.0	365.5	365.5		WASTE							
262	365.5	367.0	1.5		4L76			.08	.05	.03	2.0	
0	367.0	390.6	23.6		WASTE							
263	390.6	391.9	1.3		4A0			.09	.05	.04	2.0	
0	391.9	392.3	.4		WASTE							
264	392.3	394.5	2.2		4A0			.08	.05	.03	3.0	
265	394.5	396.5	2.0		4K1			.04	.03	.01	6.0	
266	396.5	398.8	2.3		4C79			.05	.04	.01		
267	398.8	400.0	1.2		4A0			.03	.02	.01	3.0	
268	400.0	400.5	.5		4E0			.03	.01	.02	7.0	
0	400.5	582.2	181.7		WASTE							
287	582.2	584.2	2.0		4D57			7.40	2.21	5.19	50.0	
288	584.2	586.2	2.0		4A4			1.71	.68	1.03	12.0	
289	586.2	588.2	2.0		4A4			7.03	3.62	3.41	46.0	
290	588.2	590.0	1.8		4A4			5.98	2.64	3.34	40.0	
0	590.0	625.8	35.8		WASTE							
127	625.8	626.8	1.0		4G0		4.05	16.74	4.79	11.95	90.0	.55
128	626.8	627.8	1.0		4A41		3.03	8.65	2.72	5.93	47.0	.34
129	627.8	629.1	1.3		4A41		3.05	10.73	3.60	7.13	66.0	.55
130	629.1	630.6	1.5		4C0		3.33	10.53	3.66	6.87	56.0	.93
131	630.6	632.6	2.0		4A1			3.29	1.18	2.11	21.0	
132	632.6	634.5	1.9		4A1			3.73	1.70	2.03	25.0	
0	634.5	689.1	54.6		WASTE							

Drill Hole: 79X05 Section:
Northing: 900902.4 Easting: 597714.5 Elevation: 1048.4
Length: 754.3 Core: DDH Record: 28

ASSAYS

Sample #	---Depths--- From	To	Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Au g/t
0	.0	395.3	395.3		WASTE							
305	395.3	396.3	1.0		4K78			.16	.11	.05	8.0	
0	396.3	396.6	.3		WASTE							
306	396.6	398.2	1.6		4K78			.13	.08	.05	8.0	
307	398.2	398.9	.7		4K79B			.44	.22	.22	10.0	
0	398.9	527.1	128.2		WASTE							
311	527.1	529.0	1.9		4L746			1.42	.51	.91	6.0	
312	529.0	531.0	2.0		4L746			1.66	.58	1.08	8.0	
313	531.0	532.0	1.0		4L746			4.78	1.74	3.04	17.0	
314	532.0	533.0	1.0		4L743			5.30	2.14	3.16	24.0	
315	533.0	534.9	1.9		4L743			3.72	1.52	2.20	15.0	
316	534.9	536.7	1.8		4L746			.47	.15	.32	2.0	
0	536.7	542.5	5.8		WASTE							
317	542.5	544.1	1.6		4L746			1.34	.47	.87	15.0	
0	544.1	586.4	42.3		WASTE							
459	586.4	588.2	1.8		4A4			.56	.20	.36	3.0	
460	588.2	589.6	1.4		4A4			4.81	1.31	3.50	22.0	
461	589.6	591.1	1.5		4A4			4.19	1.38	2.81	23.0	
0	591.1	591.7	.6		WASTE							
462	591.7	592.3	.6		4H1			5.54	1.69	3.85	35.0	
463	592.3	594.3	2.0		4A47			4.95	1.55	3.40	28.0	
464	594.3	596.1	1.8		4A47			6.21	4.55	1.66	69.0	
465	596.1	599.7	3.6		4A47			1.75	.44	1.31	5.0	
466	599.7	601.3	1.6		4A0			.84	.35	.49	5.0	
467	601.3	603.3	2.0		4A0			3.46	1.26	2.20	17.0	
468	603.3	605.3	2.0		4A0			2.10	.80	1.30	9.0	
469	605.3	607.3	2.0		4A0			1.40	.43	.97	7.0	
470	607.3	609.4	2.1		4A0			1.39	.57	.82	9.0	
471	609.4	611.1	1.7		4A0			1.86	.69	1.17	8.0	
472	611.1	613.1	2.0		4A0			.75	.50	.25	7.0	
473	613.1	614.2	1.1		4A0			.20	.07	.13	.1	
474	614.2	616.6	2.4		4L764			1.35	.48	.87	6.0	
475	616.6	618.1	1.5		4A47			1.07	.32	.75	7.0	
476	618.1	619.6	1.5		4A479			1.90	.59	1.31	15.0	
477	619.6	620.7	1.1		4L74			1.04	.43	.61	9.0	
478	620.7	622.0	1.3		4L74			2.53	1.20	1.33	19.0	
0	622.0	623.7	1.7		WASTE							
479	623.7	625.4	1.7		4A4			5.34	2.15	3.19	34.0	
480	625.4	626.3	.9		4A4			5.74	3.57	2.17	51.0	
481	626.3	627.4	1.1		4A4			4.12	2.71	1.41	33.0	
0	627.4	632.6	5.2		WASTE							
482	632.6	634.0	1.4		4A0			3.11	1.17	1.94	18.0	
483	634.0	635.9	1.9		4D0		3.19	12.16	5.01	7.15	75.0	.34
484	635.9	636.9	1.0		4D0		3.15	13.45	4.54	8.91	75.0	.21

0	636.9	754.3	117.4	WASTE

Drill Hole: 79X06 Section:
Northing: 901128.9 Easting: 597124.2 Elevation: 1161.7
Length: 918.3 Core: DDH Record: 29

ASSAYS

Sample #	---Depths--- From	To	Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Au g/t
0	.0	671.0	671.0		WASTE							
308	671.0	672.0	1.0		4K7			5.18	2.97	2.21	42.0	
0	672.0	676.7	4.7		WASTE							
309	676.7	677.7	1.0		4K79			7.68	4.24	3.44	61.0	
0	677.7	678.1	.4		WASTE							
310	678.1	679.4	1.3		4G89			9.10	4.71	4.39	88.0	
0	679.4	706.6	27.2		WASTE							
318	706.6	708.5	1.9		4E89		4.51	7.00	4.08	2.92	57.0	2.92
319	708.5	710.8	2.3		4G0		4.05	15.35	6.52	8.83	97.0	.82
0	710.8	713.0	2.2		WASTE							
320	713.0	714.3	1.3		4G18		4.29	12.82	7.32	5.50	82.0	.93
321	714.3	714.8	.5		4L3		2.99	4.31	2.77	1.54	26.0	.21
322	714.8	716.1	1.3		4G18		4.58	8.35	4.62	3.73	58.0	1.23
323	716.1	716.7	.6		4D49		4.39	8.15	4.63	3.52	58.0	1.92
324	716.7	717.4	.7		4G148			4.18	2.01	2.17	28.0	
325	717.4	718.2	.8		4D48			4.46	2.77	1.69	46.0	
326	718.2	720.2	2.0		4G148		4.61	14.43	7.47	6.96	100.0	.86
327	720.2	722.2	2.0		4G148		4.70	24.75	15.96	8.79	174.0	1.03
328	722.2	724.2	2.0		4G148		4.47	24.65	15.34	9.31	181.0	.86
329	724.2	725.7	1.5		4G148		4.79	30.61	23.76	6.85	248.0	1.44
330	725.7	726.7	1.0		4G148		4.88	25.72	21.13	4.59	237.0	2.13
331	726.7	728.3	1.6		4E4		4.59	10.82	6.25	4.57	84.0	1.89
332	728.3	730.5	2.2		4G0		4.48	14.53	6.48	8.05	99.0	.89
333	730.5	732.7	2.2		4G0		3.79	13.75	6.97	6.78	101.0	1.34
334	732.7	734.0	1.3		4E9			1.83	.91	.92	23.0	
335	734.0	735.4	1.4		4E9			6.60	4.25	2.35	60.0	
336	735.4	737.0	1.6		4G48		4.81	10.32	4.62	5.70	140.0	1.72
337	737.0	738.0	1.0		4G48		4.32	8.33	4.62	3.71	57.0	1.20
338	738.0	738.5	.5		5D69		2.87	.26	.09	.17	6.0	.69
339	738.5	739.8	1.3		4G0		4.60	9.76	5.07	4.69	72.0	2.33
340	739.8	741.8	2.0		4A0			6.48	1.88	4.60	36.0	
341	741.8	743.8	2.0		4A0			5.26	1.81	3.45	33.0	
342	743.8	745.5	1.7		4A0			3.65	1.37	2.28	23.0	
343	745.5	747.5	2.0		4A7			2.29	.92	1.37	22.0	
0	747.5	772.1	24.6		WASTE							
344	772.1	774.1	2.0		4A4			6.42	2.28	4.14	34.0	
345	774.1	776.1	2.0		4A4			7.40	2.61	4.79	46.0	
346	776.1	777.3	1.2		4A4			5.11	1.88	3.23	33.0	
0	777.3	782.1	4.8		WASTE							
347	782.1	782.8	.7		4G48			16.96	9.55	7.41	114.0	
348	782.8	783.3	.5		4D489			4.76	2.48	2.28	34.0	
349	783.3	783.9	.6		4C9			2.93	1.92	1.01	29.0	
350	783.9	785.2	1.3		4A79			.39	.18	.21	8.0	
382	785.2	786.4	1.2		4L37			.23	.12	.11	5.0	

383	786.4	788.0	1.6	4A0	1.44	.58	.86	10.0
384	788.0	788.9	.9	4C0	.57	.37	.20	14.0
385	788.9	789.5	.6	4G0	4.82	2.41	2.41	38.0
386	789.5	790.1	.6	4E89	1.69	1.17	.52	30.0
387	790.1	790.5	.4	4G8	10.91	3.61	7.30	63.0
388	790.5	791.0	.5	4G9	1.12	.71	.41	19.0
389	791.0	791.7	.7	4L7	.83	.48	.35	8.0
0	791.7	793.6	1.9	WASTE				
390	793.6	794.5	.9	4G9	4.70	2.47	2.23	39.0
391	794.5	796.6	2.1	4E89	.46	.28	.18	20.0
392	796.6	797.8	1.2	4G89	4.44	1.99	2.45	33.0
393	797.8	799.5	1.7	4A0	.39	.24	.15	8.0
394	799.5	800.6	1.1	4L37	.21	.14	.07	2.0
395	800.6	801.6	1.0	4A0	.41	.31	.10	7.0
0	801.6	802.9	1.3	WASTE				
396	802.9	804.2	1.3	4G89	1.02	.64	.38	19.0
397	804.2	805.7	1.5	4G89	1.84	1.23	.61	27.0
0	805.7	812.6	6.9	WASTE				
398	812.6	814.3	1.7	4L67	.06	.03	.03	6.0
399	814.3	816.1	1.8	4L17	.05	.02	.03	2.0
400	816.1	817.9	1.8	4L67	.04	.01	.03	2.0
0	817.9	872.5	54.6	WASTE				
379	872.5	873.2	.7	4L7	.61	.19	.42	19.0
380	873.2	874.2	1.0	4A0	.09	.07	.02	2.0
381	874.2	875.7	1.5	4A0	.13	.07	.06	1.0
451	875.7	878.0	2.3	4A4	5.54	1.97	3.57	29.0
452	878.0	878.8	.8	4G0	8.18	3.17	5.01	56.0
453	878.8	879.2	.4	4A0	1.13	.66	.47	15.0
0	879.2	956.7	77.5	WASTE				

Drill Hole: 79X07 Section:
Northing: 901181.0 Easting: 597665.0 Elevation: 1052.7
Length: 699.5 Core: DDH Record: 30

ASSAYS

Sample #	---Depths--- From	To	Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Au g/t
0	.0	544.0	544.0		WASTE							
617	544.0	545.8	1.8		4A0			4.79	1.51	3.28	28.0	
0	545.8	568.4	22.6		WASTE							
619	568.4	570.2	1.8		4A0			.75	.26	.49	4.0	
620	570.2	572.2	2.0		4A0			.05	.02	.03	1.0	
621	572.2	574.2	2.0		4A0			.77	.32	.45	4.0	
622	574.2	576.1	1.9		4G0		4.16	6.42	1.87	4.55	32.0	.34
623	576.1	577.8	1.7		4G0		4.25	8.01	2.13	5.88	34.0	.48
624	577.8	578.6	.8		4G0		4.47	22.98	6.78	16.20	150.0	1.20
625	578.6	580.3	1.7		4D4		3.36	6.87	2.17	4.70	35.0	.51
626	580.3	581.4	1.1		4D4		3.05	11.37	3.61	7.76	83.0	.34
627	581.4	583.3	1.9		4D4		4.32	16.28	6.76	9.52	104.0	1.44
628	583.3	585.2	1.9		4D4		3.07	14.26	4.41	9.85	3.0	.10
629	585.2	586.8	1.6		4A14		3.97	15.71	5.51	10.20	80.0	.65
630	586.8	588.8	2.0		5A0			1.14	.37	.77	5.0	
0	588.8	792.7	203.9		WASTE							

Drill Hole: 79X08 Section:
Northing: 901342.6 Easting: 597181.0 Elevation: 1146.5
Length: 832.9 Core: DDH Record: 31

ASSAYS

Sample #	---Depths--- From	To	Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Au g/t
0	.0	502.5	502.5		WASTE							
2857	502.5	503.6	1.1		4L75			.73	.53	.20	12.0	
2858	503.6	505.5	1.9		4L75			.36	.19	.17	5.0	
2859	505.5	507.0	1.5		4L37			.34	.24	.10	5.0	
2860	507.0	508.2	1.2		4L37			.41	.14	.27	5.0	
2861	508.2	509.5	1.3		4D0			5.55	2.98	2.57	38.0	
2862	509.5	510.6	1.1		4G8			6.66	3.71	2.95	46.0	
2863	510.6	511.5	.9		4L374			.61	.45	.16	8.0	
2864	511.5	513.1	1.6		4C89			2.63	1.49	1.14	21.0	
2865	513.1	515.2	2.1		4C09			.72	.36	.36	24.0	
2866	515.2	516.6	1.4		4C79			.13	.05	.08	11.0	
2867	516.6	517.9	1.3		4C79			.14	.05	.09	12.0	
2868	517.9	518.2	.3		5D6			.24	.17	.07	13.0	
2869	518.2	518.9	.7		4C789			.14	.05	.09	8.0	
2870	518.9	519.9	1.0		5D6			.06	.02	.04	4.0	
2871	519.9	521.4	1.5		4D89			1.59	.92	.67	22.0	
2872	521.4	522.5	1.1		4D89			1.38	.77	.61	20.0	
2873	522.5	524.5	2.0		4C89			1.85	.54	1.31	18.0	
2874	524.5	526.5	2.0		4C89			3.59	.81	2.78	18.0	
2875	526.5	528.5	2.0		4C89			.76	.44	.32	15.0	
2876	528.5	529.3	.8		4L0			.07	.03	.04	6.0	
2877	529.3	531.3	2.0		4C89			.46	.26	.20	13.0	
2878	531.3	533.3	2.0		4C89			.64	.26	.38	15.0	
2879	533.3	535.3	2.0		4C8			.09	.04	.05	3.0	
2880	535.3	536.8	1.5		4C89			.16	.10	.06	15.0	
2881	536.8	537.4	.6		4E9			.19	.10	.09	14.0	
2882	537.4	538.6	1.2		4C89			.22	.15	.07	15.0	
2883	538.6	539.9	1.3		4C9			2.12	1.21	.91	24.0	
2884	539.9	541.5	1.6		4C9			1.27	.83	.44	19.0	
2885	541.5	543.5	2.0		4C9			1.49	.89	.60	21.0	
2886	543.5	544.4	.9		4K19			1.58	.98	.60	21.0	
2887	544.4	545.6	1.2		4C79			.90	.65	.25	32.0	
2888	545.6	547.2	1.6		4K9			1.03	.43	.60	12.0	
2889	547.2	549.2	2.0		4G9			8.61	3.73	4.88	66.0	
2890	549.2	550.4	1.2		4G9			3.27	1.84	1.43	35.0	
2891	550.4	551.3	.9		4C89			.69	.32	.37	12.0	
2892	551.3	552.0	.7		4D8			3.93	1.93	2.00	28.0	
2893	552.0	554.0	2.0		4L728			.55	.25	.30	8.0	
2894	554.0	555.5	1.5		4L7			.81	.53	.28	10.0	
0	555.5	558.0	2.5		WASTE							
2895	558.0	560.0	2.0		4L7			.04	.01	.03	2.0	
2896	560.0	562.0	2.0		4L7			.17	.09	.08	4.0	
2897	562.0	564.0	2.0		4L7			.06	.02	.04	2.0	
2898	564.0	566.0	2.0		4L7			.13	.07	.06	3.0	

2899	566.0	566.7	.7	4L7		.19	.09	.10	3.0	
2900	566.7	567.1	.4	4H9		1.95	.92	1.03	18.0	
2951	567.1	568.1	1.0	4L719		1.05	.59	.46	14.0	
2952	568.1	569.0	.9	4D89		3.27	1.90	1.37	27.0	
2953	569.0	569.5	.5	4L1		1.30	.63	.67	11.0	
2954	569.5	572.0	2.5	4G489	4.30	8.24	3.96	4.28	59.0	1.99
2955	572.0	573.2	1.2	4A4	2.96	5.48	1.88	3.60	29.0	2.33
2956	573.2	574.2	1.0	4K19		.31	.20	.11	19.0	
2957	574.2	576.2	2.0	4A9		1.19	.77	.42	19.0	
2958	576.2	577.7	1.5	4C79		.75	.55	.20	20.0	
2959	577.7	579.7	2.0	5A7		.16	.07	.09	5.0	
2960	579.7	581.9	2.2	4L7		.03	.01	.02	3.0	
0	581.9	586.6	4.7	WASTE						
2961	586.6	588.3	1.7	4A0		.83	.30	.53	6.0	
2962	588.3	588.7	.4	4L27		.35	.06	.29	3.0	
2963	588.7	589.1	.4	4A0		.45	.06	.39	4.0	
2964	589.1	592.4	3.3	4C7		.36	.08	.28	4.0	
2965	592.4	592.9	.5	4A0		.16	.10	.06	4.0	
2966	592.9	593.8	.9	4L679		.79	.34	.45	20.0	
2967	593.8	595.8	2.0	4L7		.02	.01	.01	1.0	
2968	595.8	597.2	1.4	4L6		.26	.24	.02	4.0	
2969	597.2	597.5	.3	4C9		3.16	1.79	1.37	30.0	
2979	597.5	598.0	.5	4K0		1.16	.42	.74	16.0	
2980	598.0	599.2	1.2	4K0		1.21	.82	.39	16.0	
2981	599.2	600.2	1.0	4E9		.72	.51	.21	14.0	
2982	600.2	602.3	2.1	4L0		.40	.19	.21	4.0	
2983	602.3	605.3	3.0	4L9		.24	.13	.11	5.0	
2984	605.3	606.2	.9	4C79		.33	.30	.03	8.0	
2985	606.2	608.0	1.8	4L79		.16	.13	.03	5.0	
2986	608.0	610.2	2.2	4C7		1.14	.38	.76	11.0	
2987	610.2	610.8	.6	4A0		.06	.04	.02	5.0	
0	610.8	616.2	5.4	WASTE						
2988	616.2	617.8	1.6	4C78		1.16	.14	1.02	6.0	
2989	617.8	618.8	1.0	4C78		.50	.17	.33	5.0	
2990	618.8	620.5	1.7	4L65		.48	.05	.43	3.0	
2991	620.5	622.0	1.5	4E879		3.87	2.50	1.37	40.0	
2992	622.0	623.3	1.3	4E879		2.98	1.87	1.11	24.0	
2993	623.3	624.6	1.3	4G8		7.80	4.20	3.60	53.0	
0	624.6	675.2	50.6	WASTE						
2994	675.2	676.3	1.1	4A4		4.55	1.56	2.99	25.0	
2995	676.3	677.7	1.4	4G0	1.90	10.37	4.61	5.76	97.0	.38
2996	677.7	679.1	1.4	4G0	4.04	11.28	4.94	6.34	113.0	1.92
2997	679.1	680.5	1.4	4A4	2.95	6.66	2.64	4.02	43.0	.86
2998	680.5	681.5	1.0	4A4	2.62	6.14	2.30	3.84	36.0	.89
2999	681.5	683.5	2.0	4A0		3.97	1.57	2.40	25.0	
3000	683.5	685.5	2.0	4A0		1.60	.69	.91	13.0	
701	685.5	687.5	2.0	4A0		2.09	.74	1.35	13.0	
702	687.5	689.1	1.6	4A0		1.61	.65	.96	13.0	
703	689.1	689.4	.3	5D6		.06	.03	.03	3.0	
704	689.4	691.0	1.6	4A0		1.73	.81	.92	16.0	
705	691.0	692.9	1.9	4A0		2.33	.92	1.41	18.0	
706	692.9	695.1	2.2	4L1		2.59	1.21	1.38	17.0	
707	695.1	696.6	1.5	4A0		2.98	.90	2.08	14.0	
0	696.6	750.0	53.4	WASTE						

668	750.0	751.4	1.4	4A4	2.87	.85	2.02	9.0
669	751.4	752.4	1.0	4A4	5.63	2.84	2.79	25.0
670	752.4	754.4	2.0	4A7	.27	.17	.10	3.0
671	754.4	755.7	1.3	4A7	.16	.09	.07	3.0
672	755.7	756.7	1.0	5D0	.38	.14	.24	3.0
673	756.7	757.3	.6	4A9	2.37	.91	1.46	14.0
674	757.3	759.4	2.1	4C9	5.96	2.51	3.45	36.0
0	759.4	761.0	1.6	WASTE				
675	761.0	761.8	.8	4L7	.19	.08	.11	4.0
0	761.8	956.7	194.9	WASTE				

Drill Hole: 79X09 Section:
Northing: 901124.8 Easting: 597432.3 Elevation: 1105.2
Length: 795.3 Core: DDH Record: 32

ASSAYS

Sample #	---Depths--- From	To	Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Au g/t
0	.0	502.6	502.6		WASTE							
806	502.6	504.6	2.0		4L3			.02	.01	.01	3.0	
807	504.6	506.8	2.2		4L3			.03	.02	.01	3.0	
808	506.8	509.1	2.3		4K9			.06	.05	.01	12.0	
809	509.1	510.4	1.3		4K9			.04	.03	.01	7.0	
810	510.4	510.9	.5		4K89			.12	.09	.03	13.0	
811	510.9	511.6	.7		4K9			.57	.32	.25	14.0	
812	511.6	513.6	2.0		4K9			.72	.43	.29	14.0	
813	513.6	514.6	1.0		4K0			.06	.05	.01	7.0	
814	514.6	515.6	1.0		4C0			.05	.04	.01	7.0	
815	515.6	517.6	2.0		4A0			.04	.03	.01	4.0	
816	517.6	519.6	2.0		4A0			.05	.03	.02	3.0	
817	519.6	521.6	2.0		4A0			.04	.02	.02	4.0	
818	521.6	522.2	.6		4A0			.03	.02	.01	4.0	
819	522.2	523.6	1.4		4C0			.14	.09	.05	6.0	
820	523.6	525.0	1.4		4A0			.04	.03	.01	5.0	
821	525.0	525.6	.6		4C0			.05	.03	.02	4.0	
822	525.6	526.4	.8		4K0			.16	.07	.09	11.0	
823	526.4	527.6	1.2		4C0			.22	.13	.09	7.0	
824	527.6	528.8	1.2		4K0			.18	.13	.05	14.0	
825	528.8	530.0	1.2		4A1			2.09	.83	1.26	17.0	
826	530.0	531.2	1.2		4A1			2.53	1.17	1.36	23.0	
827	531.2	532.5	1.3		4C0			.14	.08	.06	4.0	
828	532.5	534.1	1.6		4A0			3.18	1.40	1.78	28.0	
829	534.1	535.9	1.8		4L627			1.36	.68	.68	14.0	
830	535.9	536.2	.3		4A4			6.43	1.51	4.92	19.0	
0	536.2	580.2	44.0		WASTE							
831	580.2	582.2	2.0		4A4			6.38	1.63	4.75	32.0	
832	582.2	584.2	2.0		4A4			5.46	1.82	3.64	30.0	
833	584.2	586.2	2.0		4A4			6.66	1.89	4.77	33.0	
834	586.2	587.6	1.4		4A4			4.00	1.24	2.76	26.0	
0	587.6	592.8	5.2		WASTE							
836	592.8	595.0	2.2		4A0			1.81	1.02	.79	11.0	
837	595.0	597.2	2.2		4L6			2.90	.89	2.01	11.0	
838	597.2	597.9	.7		4A0			3.14	.49	2.65	9.0	
839	597.9	598.1	.2		5D3			.15	.05	.10	2.0	
840	598.1	600.3	2.2		4A0			3.83	1.00	2.83	17.0	
841	600.3	602.5	2.2		4A0			3.50	.82	2.68	15.0	
842	602.5	604.5	2.0		4L7			5.65	1.56	4.09	23.0	
843	604.5	606.0	1.5		4L7			7.46	2.31	5.15	34.0	
844	606.0	607.7	1.7		4L4			3.65	1.00	2.65	16.0	
845	607.7	609.1	1.4		4A0			.58	.23	.35	5.0	
846	609.1	609.9	.8		5D3			.32	.09	.23	3.0	
847	609.9	611.3	1.4		4L47			1.93	.40	1.53	7.0	

848	611.3	612.6	1.3	4D1		6.14	1.60	4.54	26.0	
849	612.6	614.6	2.0	4L14		7.47	3.53	3.94	52.0	
850	614.6	616.6	2.0	4L14		2.91	1.54	1.37	24.0	
708	616.6	618.3	1.7	4L14		3.36	1.77	1.59	23.0	
709	618.3	620.3	2.0	4D14		3.01	1.46	1.55	22.0	
710	620.3	622.0	1.7	4D14		3.38	1.33	2.05	18.0	
711	622.0	622.7	.7	4D14		8.19	2.15	6.04	38.0	
712	622.7	623.1	.4	5D3		4.67	1.35	3.32	23.0	
713	623.1	624.1	1.0	4L14		8.64	2.32	6.32	48.0	
714	624.1	625.6	1.5	5D3		1.46	.39	1.07	7.0	
715	625.6	627.2	1.6	4L6		1.10	.27	.83	6.0	
716	627.2	627.8	.6	4L4		.85	.16	.69	3.0	
717	627.8	629.7	1.9	5D3		.57	.19	.38	8.0	
718	629.7	630.2	.5	4L147		2.50	.69	1.81	14.0	
719	630.2	632.0	1.8	4A7		1.62	.34	1.28	6.0	
720	632.0	634.0	2.0	4A0		1.69	.56	1.13	11.0	
721	634.0	636.0	2.0	4A0		.50	.23	.27	5.0	
722	636.0	636.8	.8	4A0		3.13	1.55	1.58	28.0	
723	636.8	638.8	2.0	4A4	2.77	9.29	3.78	5.51	51.0	.65
724	638.8	640.1	1.3	4A4	2.91	9.27	3.55	5.72	47.0	.69
725	640.1	640.9	.8	4D9	3.61	9.28	4.52	4.76	46.0	2.30
726	640.9	642.9	2.0	4D1	3.22	7.58	3.55	4.03	50.0	.86
727	642.9	644.9	2.0	4D1	3.11	4.23	1.47	2.76	26.0	1.82
728	644.9	646.9	2.0	4D1	3.24	8.95	3.33	5.62	50.0	1.23
729	646.9	648.4	1.5	4D1		3.52	1.29	2.23	26.0	
730	648.4	649.2	.8	4C0		1.40	.59	.81	13.0	
731	649.2	651.0	1.8	4D0		4.64	2.36	2.28	35.0	
732	651.0	653.0	2.0	4C9		1.52	.65	.87	19.0	
733	653.0	653.5	.5	4D0		6.78	2.55	4.23	40.0	
734	653.5	654.3	.8	4L4		1.19	.37	.82	6.0	
735	654.3	656.1	1.8	4A0		7.45	3.06	4.39	49.0	
0	656.1	657.3	1.2	WASTE						
736	657.3	658.3	1.0	4A4		9.05	2.16	6.89	35.0	
0	658.3	795.3	137.0	WASTE						

Drill Hole: 79X11 Section:
Northing: 901057.0 Easting: 597102.9 Elevation: 1163.0
Length: 971.1 Core: DDH Record: 33

ASSAYS

Sample #	---Depths--- From	To	Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Au g/t
0	.0	742.1	742.1		WASTE							
1135	742.1	742.6	.5		4G49			14.60	6.30	8.30	109.0	
1136	742.6	743.3	.7		4C9			1.68	1.01	.67	16.0	
0	743.3	745.6	2.3		WASTE							
1137	745.6	747.7	2.1		4K9			2.36	1.41	.95	15.0	
1138	747.7	749.7	2.0		4K89		4.46	7.43	6.50	.93	36.0	1.82
1139	749.7	750.9	1.2		4G48		4.33	14.22	7.78	6.44	103.0	1.03
1140	750.9	751.5	.6		4K8		4.50	6.70	3.73	2.97	50.0	1.78
1141	751.5	753.0	1.5		4G48		4.63	12.87	7.07	5.80	92.0	1.03
1142	753.0	754.0	1.0		4K8		4.60	9.98	6.86	3.12	73.0	1.82
1143	754.0	755.4	1.4		4G483		4.57	12.78	6.12	6.66	89.0	.82
1144	755.4	757.5	2.1		4K89			2.36	1.37	.99	25.0	
1145	757.5	759.3	1.8		4K9			.63	.34	.29	14.0	
1146	759.3	761.1	1.8		4K9			1.98	1.15	.83	18.0	
1147	761.1	762.1	1.0		4J4		4.56	18.85	12.35	6.50	131.0	.58
1148	762.1	762.7	.6		4G4		2.84	7.07	2.60	4.47	35.0	.51
1149	762.7	763.5	.8		4D8		4.12	12.84	7.00	5.84	80.0	.55
1150	763.5	765.5	2.0		4G483		4.33	11.20	5.40	5.80	86.0	.48
1251	765.5	767.1	1.6		4A4		4.38	14.79	5.61	9.18	74.0	.45
1252	767.1	769.6	2.5		4A4		2.66	5.51	1.91	3.60	27.0	.48
1253	769.6	770.1	.5		4E1		4.37	12.11	5.17	6.94	90.0	1.06
0	770.1	779.2	9.1		WASTE							
1254	779.2	779.8	.6		4E9			4.54	1.78	2.76	36.0	
1255	779.8	781.5	1.7		4G43		4.50	19.73	11.86	7.87	143.0	1.41
1256	781.5	783.0	1.5		4G43		4.50	12.24	7.24	5.00	99.0	1.27
1257	783.0	784.7	1.7		4G43		4.50	17.49	8.05	9.44	145.0	1.92
1258	784.7	785.7	1.0		4K469		4.61	3.37	2.56	.81	47.0	1.27
1259	785.7	787.2	1.5		4K46		4.66	15.81	7.36	8.45	92.0	1.03
1260	787.2	789.2	2.0		4K469		4.10	5.95	3.32	2.63	67.0	.79
1261	789.2	790.7	1.5		4G43		4.61	16.05	7.26	8.79	92.0	.51
1262	790.7	792.3	1.6		4E84		4.45	8.16	4.80	3.36	77.0	.48
1263	792.3	793.6	1.3		4E849		4.24	2.31	1.20	1.11	39.0	.58
1264	793.6	795.0	1.4		4G483		4.39	12.29	6.02	6.27	89.0	.93
1265	795.0	796.2	1.2		4G483		4.74	10.65	5.44	5.21	71.0	.79
1266	796.2	797.7	1.5		4D84			5.39	3.23	2.16	35.0	
1267	797.7	799.7	2.0		4D789			5.89	2.53	3.36	34.0	
1268	799.7	801.7	2.0		4D789			5.25	1.77	3.48	28.0	
1269	801.7	802.9	1.2		4D784			7.81	2.35	5.46	34.0	
1270	802.9	804.3	1.4		4D789			1.40	.63	.77	13.0	
1236	804.3	805.2	.9		4A739			2.13	1.43	.70	21.0	
1237	805.2	807.4	2.2		4A739							
1238	807.4	808.9	1.5		4L179			.25	.15	.10	6.0	
1239	808.9	810.5	1.6		4L179			.56	.20	.36	9.0	
1240	810.5	812.2	1.7		4L179			1.61	.39	1.22	12.0	

1241	812.2	813.8	1.6	4L179	.34	.15	.19	9.0
0	813.8	819.1	5.3	WASTE				
1242	819.1	819.8	.7	4E0	3.95	1.77	2.18	27.0
0	819.8	829.3	9.5	WASTE				
1271	829.3	830.9	1.6	4A0	.12	.06	.06	4.0
1272	830.9	832.0	1.1	5D9	.12	.02	.10	2.0
1273	832.0	834.5	2.5	4A0	.53	.32	.21	6.0
1274	834.5	835.0	.5	4K49	4.04	2.60	1.44	34.0
1275	835.0	836.9	1.9	4L67	.17	.08	.09	3.0
1276	836.9	838.7	1.8	4L67	.11	.05	.06	4.0
0	838.7	873.3	34.6	WASTE				
1277	873.3	875.2	1.9	4L67	.19	.11	.08	5.0
1278	875.2	877.1	1.9	4A0	.34	.32	.02	7.0
1279	877.1	878.8	1.7	4A0	.44	.30	.14	6.0
1280	878.8	880.2	1.4	4A4	4.15	1.80	2.35	30.0
1281	880.2	881.9	1.7	4L148	5.74	1.59	4.15	23.0
1282	881.9	883.7	1.8	4L148	6.33	2.16	4.17	29.0
1283	883.7	885.5	1.8	4L148	9.76	3.35	6.41	49.0
1284	885.5	887.5	2.0	5A9	.28	.09	.19	3.0
1285	887.5	889.4	1.9	5A9	.06	.05	.01	2.0
1286	889.4	891.1	1.7	5A9	.26	.18	.08	3.0
1287	891.1	892.5	1.4	5A9	.62	.35	.27	7.0
1288	892.5	893.4	.9	4L794	3.81	1.77	2.04	28.0
0	893.4	894.0	.6	WASTE				
1289	894.0	896.0	2.0	4L749	3.96	1.84	2.12	25.0
1290	896.0	897.9	1.9	4L491	1.61	.67	.94	10.0
1291	897.9	899.7	1.8	4L749	1.42	.58	.84	7.0
1292	899.7	901.6	1.9	4L741	2.28	.91	1.37	12.0
1293	901.6	903.4	1.8	4L741	1.04	.38	.66	7.0
0	903.4	971.1	67.7	WASTE				

Drill Hole: 79X12 Section:
Northing: 901166.6 Easting: 596987.6 Elevation: 1175.5
Length: 889.1 Core: DDH Record: 34

ASSAYS

Sample #	---Depths--- From	To	Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Au g/t
0	.0	723.8	723.8		WASTE							
1201	723.8	724.4	.6		4E1		3.27	6.78	3.08	3.70	50.0	.51
1202	724.4	725.0	.6		4G4		4.47	11.55	4.77	6.78	63.0	.65
1203	725.0	727.0	2.0		4D48		4.35	10.66	5.00	5.66	74.0	.58
1204	727.0	729.0	2.0		4G4		4.49	7.32	3.48	3.84	50.0	1.23
1205	729.0	730.0	1.0		4G4		4.25	9.01	5.14	3.87	57.0	.24
1206	730.0	732.3	2.3		4G48		4.21	11.84	5.56	6.28	88.0	.79
1207	732.3	733.5	1.2		4G48		3.70	11.77	5.79	5.98	83.0	.34
1208	733.5	735.0	1.5		4D0		4.31	11.01	5.74	5.27	76.0	.45
1209	735.0	736.1	1.1		4E897			3.60	2.10	1.50	40.0	
1210	736.1	737.3	1.2		4G4			7.57	3.45	4.12	41.0	
1211	737.3	737.7	.4		4E4			8.13	4.09	4.04	56.0	
1212	737.7	738.8	1.1		4K1			2.52	1.53	.99	24.0	
1213	738.8	740.8	2.0		4C0			3.42	1.49	1.93	22.0	
1214	740.8	743.1	2.3		4C0			2.62	1.31	1.31	20.0	
1215	743.1	745.1	2.0		4C79			1.77	.88	.89	19.0	
1216	745.1	746.0	.9		4C79			.19	.11	.08	8.0	
1217	746.0	747.0	1.0		4C89			.19	.11	.08	6.0	
1218	747.0	749.5	2.5		4A0			1.10	.44	.66	8.0	
1219	749.5	750.0	.5		4E9			4.29	2.63	1.66	39.0	
1220	750.0	750.8	.8		4G9			14.42	5.54	8.88	91.0	
1221	750.8	751.4	.6		4A0			4.61	1.64	2.97	35.0	
1222	751.4	753.4	2.0		4E89			1.59	.92	.67	28.0	
1223	753.4	754.9	1.5		4E89			.43	.33	.10	21.0	
0	754.9	763.6	8.7		WASTE							
1224	763.6	764.1	.5		4A0			1.76	.85	.91	22.0	
1225	764.1	764.5	.4		4E9			2.16	1.06	1.10	30.0	
1226	764.5	765.5	1.0		4G49			1.47	.74	.73	24.0	
1227	765.5	766.2	.7		4A9			.65	.42	.23	8.0	
1228	766.2	767.2	1.0		4G49			4.53	2.74	1.79	32.0	
1229	767.2	769.3	2.1		4L4			1.24	.73	.51	5.0	
1230	769.3	771.8	2.5		4L7			.32	.18	.14	1.0	
1231	771.8	772.1	.3		4D49			3.39	1.69	1.70	28.0	
1232	772.1	773.2	1.1		4E89			2.03	1.00	1.03	22.0	
0	773.2	831.0	57.8		WASTE							
1233	831.0	833.0	2.0		4A0			1.70	.63	1.07	9.0	
1234	833.0	835.0	2.0		4A0			1.38	.63	.75	8.0	
1235	835.0	837.0	2.0		4A0			.07	.03	.04	.1	
0	837.0	858.1	21.1		WASTE							
1324	858.1	859.4	1.3		4C79			8.52	4.16	4.36	45.0	
0	859.4	971.1	111.7		WASTE							

Drill Hole: 79X13 Section:
Northing: 900818.5 Easting: 597200.5 Elevation: 1138.5
Length: 1014.9 Core: DDH Record: 35

ASSAYS

Sample #	---Depths--- From	To	Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Au g/t
0	.0	771.3	771.3		WASTE							
1488	771.3	772.5	1.2		4K0			4.90	3.42	1.48	56.0	
1489	772.5	774.4	1.9		4L643		3.46	11.84	7.60	4.24	77.0	.79
1490	774.4	775.1	.7		4E4		3.83	8.31	3.38	4.93	59.0	.65
1491	775.1	777.1	2.0		4G4		4.21	16.84	7.48	9.36	87.0	1.44
1492	777.1	779.1	2.0		4G4		4.46	14.71	6.38	8.33	111.0	1.47
1493	779.1	779.6	.5		4L4		3.06	9.05	4.01	5.04	60.0	1.41
1494	779.6	781.3	1.7		4G4		4.19	16.51	7.46	9.05	109.0	1.54
0	781.3	786.0	4.7		WASTE							
1495	786.0	787.5	1.5		4G4		4.42	16.29	7.66	8.63	93.0	.45
1496	787.5	789.0	1.5		4G4		4.36	16.38	7.31	9.07	120.0	.38
0	789.0	790.2	1.2		WASTE							
1497	790.2	791.6	1.4		4L4		3.70	15.26	9.24	6.02	98.0	.93
0	791.6	803.4	11.8		WASTE							
3128	803.4	805.6	2.2		4E9			6.40	2.79	3.61	74.0	
0	805.6	841.7	36.1		WASTE							
3129	841.7	843.6	1.9		4L5			.10	.04	.06	1.0	
0	843.6	911.2	67.6		WASTE							
3130	911.2	911.5	.3		4L24			.30	.06	.24	1.0	
3131	911.5	912.1	.6		4C0			2.33	1.32	1.01	17.0	
3132	912.1	914.5	2.4		4G8			8.00	3.96	4.04	49.0	
0	914.5	1014.9	100.4		WASTE							

Drill Hole: 79X14 Section:
Northing: 900987.7 Easting: 597083.6 Elevation: 1164.5
Length: 955.5 Core: DDH Record: 36

ASSAYS

Sample #	---Depths--- From	To	Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Au g/t
0	.0	686.3	686.3		WASTE							
3066	686.3	688.6	2.3		4C89			6.46	3.70	2.76	49.0	
3067	688.6	689.0	.4		4L9			.32	.18	.14	8.0	
3068	689.0	689.8	.8		4C289			2.29	1.52	.77	22.0	
3069	689.8	690.6	.8		4L0			.03	.02	.01	.1	
0	690.6	704.1	13.5		WASTE							
3070	704.1	705.7	1.6		4C79			2.55	1.68	.87	20.0	
3071	705.7	706.4	.7		4A0			.82	.47	.35	2.0	
3072	706.4	708.4	2.0		4GB9			6.79	3.81	2.98	51.0	
3073	708.4	710.4	2.0		4G8			6.18	3.26	2.92	47.0	
3074	710.4	712.5	2.1		4G8			6.34	3.43	2.91	42.0	
3075	712.5	713.0	.5		4L79			1.46	.79	.67	15.0	
3076	713.0	714.3	1.3		4A0			.30	.19	.11	3.0	
3077	714.3	715.5	1.2		4L2			2.42	1.24	1.18	23.0	
3078	715.5	717.5	2.0		4GB9			6.38	3.54	2.84	42.0	
3079	717.5	719.5	2.0		4GB9		4.52	7.21	3.86	3.35	53.0	.93
3080	719.5	720.5	1.0		4G8		4.44	11.61	5.53	6.08	78.0	.93
3081	720.5	720.8	.3		4E0			4.17	2.20	1.97	58.0	
3082	720.8	722.2	1.4		4A0			3.56	1.43	2.13	25.0	
3083	722.2	723.9	1.7		4A0			4.46	1.50	2.96	23.0	
0	723.9	734.1	10.2		WASTE							
3084	734.1	734.9	.8		4C2			.72	.19	.53	6.0	
0	734.9	742.0	7.1		WASTE							
3085	742.0	743.9	1.9		4L42			.93	.73	.20	5.0	
3086	743.9	745.9	2.0		4L629			2.58	.51	2.07	8.0	
3087	745.9	747.9	2.0		4L629			.15	.07	.08	3.0	
3088	747.9	749.9	2.0		4L629			.30	.10	.20	15.0	
0	749.9	787.7	37.8		WASTE							
3089	787.7	788.3	.6		4C9			4.87	1.95	2.92	34.0	
3090	788.3	788.8	.5		4E9			1.81	.80	1.01	22.0	
3091	788.8	789.1	.3		4G4			14.97	7.10	7.87	85.0	
3092	789.1	790.3	1.2		4E9			1.30	.59	.71	22.0	
3093	790.3	791.6	1.3		4D46		3.61	8.47	3.07	5.40	59.0	.99
3094	791.6	792.1	.5		4G0		4.33	13.61	5.68	7.93	70.0	.96
3095	792.1	792.7	.6		4D6		4.31	9.07	4.17	4.90	56.0	.79
3096	792.7	794.2	1.5		4E4		4.78	10.16	5.26	4.90	66.0	1.75
3097	794.2	794.5	.3		4G9		4.77	7.82	2.95	4.87	50.0	2.40
3098	794.5	795.7	1.2		4E49		4.30	6.53	4.95	1.58	62.0	1.75
3099	795.7	796.1	.4		4H2		4.42	14.21	8.37	5.84	115.0	1.03
3100	796.1	798.1	2.0		4K41		4.35	13.02	6.94	6.08	80.0	1.61
3133	798.1	800.1	2.0		4K491		4.59	10.90	7.20	3.70	88.0	1.65
3134	800.1	802.1	2.0		4K491		4.36	4.24	2.14	2.10	31.0	2.61
3135	802.1	804.1	2.0		4K491		4.53	5.20	3.51	1.69	36.0	2.02
3136	804.1	804.6	.5		4K41		4.37	17.00	7.82	9.18	93.0	1.51

3137	804.6	805.1	.5	4G4	4.62	11.37	5.04	6.33	56.0	1.20
3138	805.1	807.1	2.0	4K491		5.52	2.78	2.74	43.0	
3139	807.1	808.7	1.6	4K491		1.07	.55	.52	19.0	
3140	808.7	809.1	.4	4G4		17.58	7.62	9.96	87.0	
3141	809.1	811.5	2.4	5D3		.13	.07	.06	5.0	
3142	811.5	812.4	.9	4G4		18.80	8.82	9.98	92.0	
3143	812.4	814.3	1.9	4E419		4.20	2.09	2.11	27.0	
3144	814.3	815.6	1.3	4A0		1.13	.42	.71	8.0	
3145	815.6	817.6	2.0	4C9		.66	.25	.41	13.0	
3146	817.6	819.3	1.7	4C9		2.80	1.01	1.79	24.0	
3147	819.3	821.8	2.5	4A0		6.47	2.88	3.59	47.0	
3148	821.8	822.5	.7	4G4	4.40	17.11	5.92	11.19	84.0	1.78
3149	822.5	824.8	2.3	4A0	3.19	7.21	2.84	4.37	45.0	1.27
0	824.8	854.5	29.7	WASTE						
3150	854.5	856.3	1.8	4L4		.87	.23	.64	6.0	
3151	856.3	856.8	.5	4E9		1.90	1.23	.67	23.0	
3152	856.8	857.7	.9	4E7		6.57	3.55	3.02	47.0	
0	857.7	902.4	44.7	WASTE						
3153	902.4	903.9	1.5	4A0		.30	.16	.14	6.0	
3154	903.9	904.2	.3	4A7		4.62	2.57	2.05	36.0	
3155	904.2	905.0	.8	4C7		.10	.08	.02	7.0	
3156	905.0	905.6	.6	4A79		2.43	1.10	1.33	23.0	
3157	905.6	907.6	2.0	4A0		.31	.13	.18	1.0	
3158	907.6	908.9	1.3	4A0		.14	.07	.07	1.0	
0	908.9	913.4	4.5	WASTE						
3159	913.4	915.4	2.0	4A0		1.08	.70	.38	10.0	
3160	915.4	916.6	1.2	4A0		4.38	1.19	3.19	16.0	
0	916.6	927.9	11.3	WASTE						
3161	927.9	929.0	1.1	4H4		5.66	2.68	2.98	37.0	
3162	929.0	929.7	.7	4L1		.68	.20	.48	.1	
0	929.7	955.5	25.8	WASTE						

Drill Hole: 79X15 Section:
Northing: 901483.6 Easting: 597053.9 Elevation: 1158.6
Length: 534.6 Core: DDH Record: 37

ASSAYS

Sample #	---Depths--- From	To	Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Au g/t
0	.0	476.3	476.3		WASTE							
3163	476.3	477.0	.7		4L7			.70	.31	.39	2.0	
3164	477.0	479.0	2.0		4K89			1.77	1.03	.74	17.0	
3165	479.0	480.7	1.7		4K8			.27	.18	.09	6.0	
3166	480.7	481.6	.9		4G0			8.18	4.69	3.49	68.0	
3167	481.6	482.7	1.1		4K0			5.09	2.75	2.34	41.0	
3168	482.7	483.7	1.0		4K0			.29	.18	.11	3.0	
3169	483.7	484.8	1.1		4C0			4.88	2.30	2.58	31.0	
3170	484.8	486.8	2.0		4C89			5.74	2.68	3.06	34.0	
3171	486.8	488.9	2.1		4C89			4.70	2.26	2.44	33.0	
3172	488.9	489.8	.9		4L7			.99	.33	.66	6.0	
3173	489.8	490.2	.4		4C89			7.93	4.01	3.92	41.0	
3174	490.2	492.2	2.0		4L75			1.49	.84	.65	12.0	
3175	492.2	494.2	2.0		4L75			.27	.06	.21	.1	
3176	494.2	496.4	2.2		4L75			.16	.10	.06	.1	
0	496.4	514.9	18.5		WASTE							
3177	514.9	516.9	2.0		4A0			8.08	2.39	5.69	38.0	
3178	516.9	518.3	1.4		4A0			1.62	.67	.95	18.0	
3179	518.3	519.8	1.5		4C0			.59	.34	.25	13.0	
3180	519.8	521.9	2.1		4A0			.02	.01	.01	2.0	
0	521.9	529.4	7.5		WASTE							
3181	529.4	531.4	2.0		4A0			.09	.07	.02	1.0	
3182	531.4	533.4	2.0		4A0			.16	.09	.07	2.0	
3183	533.4	534.6	1.2		4A0			.22	.13	.09	2.0	
0	534.6	955.5	420.9		WASTE							

Drill Hole: 79X16 Section:
Northing: 900725.9 Easting: 597303.1 Elevation: 1118.5
Length: 910.1 Core: DDH Record: 38

ASSAYS

Sample #	---Depths--- From	To	Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Au g/t
0	.0	641.5	641.5		WASTE							
3277	641.5	642.0	.5		4L274			1.81	1.16	.65	18.0	
3278	642.0	642.5	.5		4C89			4.31	2.56	1.75	36.0	
3279	642.5	644.1	1.6		4A47			3.96	1.74	2.22	24.0	
3280	644.1	645.1	1.0		4E19			2.16	1.78	.38	35.0	
3281	645.1	647.9	2.8		4L37			.85	.51	.34	10.0	
3282	647.9	649.1	1.2		4L294			3.20	1.57	1.63	26.0	
3283	649.1	651.1	2.0		4C294			2.05	1.36	.69	23.0	
3284	651.1	652.1	1.0		4C294			3.19	1.71	1.48	25.0	
3285	652.1	655.0	2.9		4L482			2.16	1.33	.83	18.0	
3286	655.0	656.8	1.8		4L7			1.28	.74	.54	9.0	
0	656.8	687.3	30.5		WASTE							
3287	687.3	687.5	.2		4A79			2.67	1.54	1.13	26.0	
3288	687.5	689.6	2.1		4G49			9.74	5.10	4.64	67.0	
3289	689.6	691.6	2.0		4L37			.07	.03	.04	2.0	
3290	691.6	693.6	2.0		4L37			.04	.02	.02	2.0	
3291	693.6	694.9	1.3		4L37			.07	.04	.03	1.0	
3292	694.9	696.9	2.0		4L7			.12	.08	.04	1.0	
0	696.9	710.8	13.9		WASTE							
3368	710.8	712.1	1.3		4L3			.13	.07	.06	1.0	
3369	712.1	714.3	2.2		4C0			5.99	1.43	4.56	15.0	
3370	714.3	715.7	1.4		4L3			.30	.09	.21	.1	
3371	715.7	716.9	1.2		4C7			.11	.07	.04	.1	
3372	716.9	719.9	3.0		4L3			.31	.10	.21	.1	
3373	719.9	721.1	1.2		4C9			5.92	1.31	4.61	18.0	
3374	721.1	722.3	1.2		4E9			1.53	.90	.63	13.0	
0	722.3	732.5	10.2		WASTE							
3375	732.5	734.0	1.5		4A0			.54	.20	.34	4.0	
3376	734.0	735.1	1.1		4C9			1.25	.94	.31	11.0	
3377	735.1	735.4	.3		4L0			.16	.09	.07	.1	
3378	735.4	735.7	.3		4C9			1.86	1.39	.47	17.0	
0	735.7	805.0	69.3		WASTE							
3379	805.0	805.3	.3		4G4			16.58	6.80	9.78	90.0	
3380	805.3	805.7	.4		4K0			.27	.26	.01	4.0	
3381	805.7	806.8	1.1		5B0			.27	.13	.14	.1	
3382	806.8	808.6	1.8		4K19			1.91	1.57	.34	19.0	
3383	808.6	809.1	.5		4G4			14.75	6.34	8.41	70.0	
3384	809.1	811.5	2.4		4C9			3.37	2.04	1.33	33.0	
3385	811.5	811.8	.3		4G4		4.37	16.93	7.07	9.86	124.0	.88
3386	811.8	812.5	.7		4E0		4.36	14.18	6.00	8.18	84.0	1.65
3387	812.5	812.9	.4		4G0		3.60	11.86	4.55	7.31	69.0	.62
3388	812.9	814.4	1.5		4G4		4.28	15.73	7.55	8.18	119.0	1.44
3389	814.4	815.5	1.1		4D4		3.96	15.05	6.26	8.79	87.0	1.06
3390	815.5	816.4	.9		4G4		3.69	15.01	8.51	6.50	104.0	.88

3391	816.4	817.8	1.4	4D4	4.15	12.30	6.50	5.80	80.0	.88
3392	817.8	819.9	2.1	4G4	4.55	13.21	5.15	8.06	94.0	.58
3393	819.9	820.2	.3	4H9	3.86	8.96	3.80	5.16	58.0	.41
0	820.2	830.6	10.4	WASTE						
3394	830.6	832.7	2.1	4L42		3.13	1.40	1.73	26.0	
3395	832.7	833.9	1.2	4L3		3.08	1.24	1.84	25.0	
0	833.9	836.9	3.0	WASTE						
3396	836.9	837.2	.3	4E7		10.49	4.22	6.27	139.0	
0	837.2	840.4	3.2	WASTE						
3397	840.4	841.7	1.3	4A4		7.47	2.45	5.02	40.0	
3398	841.7	842.9	1.2	4A0		5.17	1.81	3.36	31.0	
3399	842.9	843.5	.6	4E9	4.51	9.65	4.42	5.23	76.0	1.68
3400	843.5	844.0	.5	4A0	3.20	8.16	3.17	4.99	46.0	.86
3401	844.0	845.1	1.1	4C0	3.60	6.12	2.47	3.65	48.0	1.27
3402	845.1	847.1	2.0	4A0	3.17	8.38	2.74	5.64	52.0	.75
3403	847.1	849.1	2.0	4A0		5.10	1.84	3.26	27.0	
3404	849.1	851.1	2.0	4A0		5.06	1.60	3.46	21.0	
3405	851.1	853.1	2.0	4A0		6.32	2.37	3.95	35.0	
3406	853.1	855.1	2.0	4A0		5.45	1.77	3.68	27.0	
3407	855.1	857.0	1.9	4A0		4.18	1.77	2.41	30.0	
3408	857.0	858.2	1.2	4L4		2.60	.82	1.78	16.0	
0	858.2	893.9	35.7	WASTE						
3409	893.9	895.0	1.1	4A0		.13	.07	.06	3.0	
3410	895.0	896.1	1.1	4L7		.23	.19	.04	8.0	
0	896.1	910.1	14.0	WASTE						

Drill Hole: 79X17 Section:
Northing: 901309.1 Easting: 597533.6 Elevation: 1069.3
Length: 669.6 Core: DDH Record: 39

ASSAYS

Sample #	---Depths--- From	To	Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Au g/t
0	.0	526.8	526.8		WASTE							
3334	526.8	527.9	1.1		4H4		3.92	10.56	3.73	6.83	68.0	.27
3335	527.9	529.2	1.3		4G4		4.17	9.43	2.27	7.16	39.0	.31
3336	529.2	530.0	.8		4H4		4.37	4.37	1.32	3.05	23.0	.17
3337	530.0	531.3	1.3		4GO		4.42	7.29	1.88	5.41	20.0	.21
3338	531.3	533.0	1.7		4HO			2.61	.87	1.74	17.0	
0	533.0	669.6	136.6		WASTE							

Drill Hole: 79X18 Section:
Northing: 900919.4 Easting: 597223.3 Elevation: 1141.8
Length: 892.1 Core: DDH Record: 40

ASSAYS

Sample #	---Depths--- From	To	Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Au g/t
0	.0	627.1	627.1		WASTE							
3463	627.1	629.1	2.0		4L73			.04	.03	.01	1.0	
3464	629.1	631.1	2.0		4L73			.08	.06	.02	1.0	
3465	631.1	633.9	2.8		4L73			.36	.20	.16	3.0	
3466	633.9	634.2	.3		4C7			2.63	1.45	1.18	16.0	
3467	634.2	634.9	.7		4C789			4.45	3.04	1.41	38.0	
3468	634.9	637.1	2.2		4C89			3.71	2.18	1.53	37.0	
3469	637.1	637.6	.5		4E9			2.61	1.27	1.34	26.0	
3470	637.6	638.2	.6		4G49			11.05	4.34	6.71	80.0	
3471	638.2	638.8	.6		4C89			.71	.52	.19	18.0	
3472	638.8	639.4	.6		4E89			.47	.27	.20	19.0	
3473	639.4	640.4	1.0		4A9			.37	.24	.13	9.0	
3474	640.4	643.1	2.7		4C79			.43	.21	.22	10.0	
3475	643.1	645.1	2.0		4C79			.40	.24	.16	9.0	
3476	645.1	647.1	2.0		4C79			.15	.11	.04	10.0	
3477	647.1	649.1	2.0		4C79			.14	.10	.04	6.0	
3478	649.1	651.1	2.0		4C7			.08	.06	.02	3.0	
3479	651.1	651.5	.4		4A0			.15	.13	.02	3.0	
3480	651.5	653.5	2.0		4L7			.12	.06	.06	.1	
3481	653.5	654.4	.9		4L7			.36	.23	.13	.1	
3482	654.4	654.8	.4		4D4			15.16	7.94	7.22	75.0	
3483	654.8	656.2	1.4		4G0			8.15	3.60	4.55	52.0	
3484	656.2	656.8	.6		4H4			3.05	1.74	1.31	22.0	
3485	656.8	657.5	.7		4H49			3.45	2.00	1.45	35.0	
3486	657.5	658.1	.6		4C89			.87	.74	.13	13.0	
3487	658.1	658.5	.4		4G4			2.37	1.41	.96	20.0	
3488	658.5	659.4	.9		4C9			.78	.60	.18	21.0	
3489	659.4	659.9	.5		4G4			10.03	2.89	7.14	41.0	
3490	659.9	660.8	.9		5D0			.56	.24	.32	3.0	
3491	660.8	662.3	1.5		4G4			11.98	4.59	7.39	61.0	
3492	662.3	662.8	.5		4E1			4.25	1.85	2.40	64.0	
3493	662.8	663.4	.6		4A4			4.19	1.43	2.76	32.0	
3494	663.4	663.7	.3		4D0			4.64	4.04	.60	48.0	
3495	663.7	665.7	2.0		4A0			6.74	4.78	1.96	47.0	
3496	665.7	668.5	2.8		4A0			5.14	4.43	.71	40.0	
3497	668.5	670.5	2.0		4C0			.20	.11	.09	8.0	
3498	670.5	671.7	1.2		4C0			.62	.25	.37	7.0	
0	671.7	694.4	22.7		WASTE							
3499	694.4	694.9	.5		4L39			.68	.37	.31	5.0	
3500	694.9	695.4	.5		4E9			2.92	1.56	1.36	19.0	
0	695.4	738.0	42.6		WASTE							
3501	738.0	738.6	.6		4A4		2.83	9.95	2.98	6.97	55.0	.38
3502	738.6	740.5	1.9		4D0		3.62	6.23	2.57	3.66	86.0	2.02
3503	740.5	741.2	.7		4E19		4.06	7.61	3.17	4.44	109.0	.47

3504	741.2	741.9	.7	4G0	3.85	16.94	5.50	11.44	127.0	1.37
3505	741.9	743.9	2.0	4A4	2.88	8.48	2.27	6.21	45.0	.75
3506	743.9	744.8	.9	4A4	2.74	7.17	2.48	4.69	43.0	.99
3507	744.8	746.8	2.0	4A0		4.92	1.71	3.21	30.0	
3508	746.8	748.8	2.0	4A0		3.47	1.43	2.04	22.0	
3509	748.8	750.8	2.0	4A0		2.65	1.29	1.36	18.0	
3510	750.8	752.8	2.0	4A0		1.07	.56	.51	5.0	
3511	752.8	754.8	2.0	4A0		1.56	.78	.78	8.0	
3512	754.8	755.3	.5	4A0		.32	.28	.04	.1	
0	755.3	759.5	4.2	WASTE						
3513	759.5	760.0	.5	4A0		.45	.24	.21	.1	
3514	760.0	762.2	2.2	4A0		.14	.11	.03	.1	
3515	762.2	763.5	1.3	4L0		.21	.11	.10	.1	
3516	763.5	765.8	2.3	4L37		.24	.09	.15	.1	
0	765.8	892.1	126.3	WASTE						

Drill Hole: 80X01 Section:
Northing: 901092.1 Easting: 596975.1 Elevation: 1174.7
Length: 946.3 Core: DDH Record: 41

ASSAYS

Sample #	---Depths--- From	To	Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Au g/t
0	.0	710.6	710.6		WASTE							
3521	710.6	710.9	.3		4H0			3.52	2.15	1.37	29.0	
0	710.9	711.1	.2		WASTE							
3522	711.1	712.1	1.0		4G489			5.56	3.20	2.36	48.0	
3523	712.1	713.3	1.2		4G9			5.56	2.94	2.62	41.0	
3524	713.3	714.6	1.3		4G9			4.14	2.31	1.83	32.0	
3525	714.6	717.0	2.4		4A0			3.33	1.38	1.95	25.0	
3526	717.0	719.0	2.0		4G89			7.98	4.04	3.94	56.0	
3527	719.0	721.2	2.2		4G89			5.20	2.92	2.28	46.0	
0	721.2	722.6	1.4		WASTE							
3528	722.6	724.5	1.9		4L74			1.44	.56	.88	6.0	
3529	724.5	724.8	.3		4E89			3.97	2.29	1.68	29.0	
0	724.8	757.3	32.5		WASTE							
3530	757.3	758.8	1.5		4G34		4.46	14.88	7.10	7.78	102.0	1.10
3531	758.8	759.6	.8		4K9		4.39	7.05	3.77	3.28	50.0	1.37
3532	759.6	761.6	2.0		4K4		4.18	11.10	5.98	5.12	76.0	1.10
3533	761.6	762.6	1.0		4C9			.91	.43	.48	16.0	
3534	762.6	764.2	1.6		4A7			.82	.33	.49	9.0	
3535	764.2	766.4	2.2		4K9			1.92	1.20	.72	18.0	
3536	766.4	766.8	.4		4E4		3.76	13.72	5.15	8.57	62.0	1.17
3537	766.8	767.8	1.0		4K9		4.02	5.07	3.54	1.53	42.0	.93
3538	767.8	768.3	.5		4D6		3.78	14.15	4.72	9.43	64.0	.82
3539	768.3	769.4	1.1		4E9			4.56	2.02	2.54	48.0	
3540	769.4	771.1	1.7		4E9			.90	.44	.46	28.0	
0	771.1	798.4	27.3		WASTE							
3541	798.4	799.3	.9		4K4			5.34	2.36	2.98	49.0	
3542	799.3	799.8	.5		4G4			8.14	2.93	5.21	59.0	
3543	799.8	801.4	1.6		4K846			4.46	2.52	1.94	41.0	
3544	801.4	803.4	2.0		4K846			5.69	2.95	2.74	40.0	
3545	803.4	805.0	1.6		4K869			1.26	.92	.34	29.0	
3546	805.0	806.3	1.3		4K6			.63	.45	.18	19.0	
3547	806.3	807.7	1.4		4K6			.41	.29	.12	20.0	
3548	807.7	809.4	1.7		4K869			.64	.47	.17	16.0	
3549	809.4	811.1	1.7		4K869			3.82	2.48	1.34	40.0	
3550	811.1	812.9	1.8		4K869			2.47	1.54	.93	20.0	
0	812.9	837.4	24.5		WASTE							
1525	837.4	837.7	.3		4E48			5.19	2.89	2.30	41.0	
0	837.7	838.8	1.1		WASTE							
1526	838.8	839.7	.9		4G4			1.99	1.16	.83	23.0	
1527	839.7	840.4	.7		4K0			7.34	2.84	4.50	46.0	
1528	840.4	841.7	1.3		4E89			3.32	1.18	2.14	23.0	
1529	841.7	842.6	.9		4C9			1.34	.90	.44	25.0	
0	842.6	861.4	18.8		WASTE							
1530	861.4	862.2	.8		4K9			.37	.29	.08	13.0	

1531	862.2	862.8	.6	4K4	.87	.41	.46	12.0
1532	862.8	863.1	.3	4A4	9.27	3.46	5.81	57.0
0	863.1	879.2	16.1	WASTE				
1533	879.2	880.5	1.3	4K4	3.22	1.92	1.30	25.0
0	880.5	955.5	75.0	WASTE				

Drill Hole: 80X02 Section:
Northing: 900722.1 Easting: 597167.8 Elevation: 1130.0
Length: 921.9 Core: DDH Record: 42

ASSAYS

Sample #	---Depths--- From	To	Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Au g/t
0	.0	731.9	731.9		WASTE							
1501	731.9	733.3	1.4		4H34			5.52	2.71	2.81	37.0	
0	733.3	783.6	50.3		WASTE							
1502	783.6	784.7	1.1		4F9			.82	.05	.77	5.0	
0	784.7	827.8	43.1		WASTE							
1503	827.8	829.5	1.7		4E489			6.95	3.84	3.11	51.0	
1504	829.5	831.1	1.6		4E489			4.00	2.02	1.98	24.0	
1505	831.1	833.0	1.9		4G429		4.51	19.69	9.55	10.14	90.0	1.70
1506	833.0	835.0	2.0		4G42		4.46	19.06	8.82	10.24	106.0	1.17
1507	835.0	837.2	2.2		4G42		4.47	17.71	8.26	9.45	108.0	.82
1508	837.2	839.0	1.8		4A4		2.80	8.16	2.50	5.66	40.0	.27
1509	839.0	841.0	2.0		4A4		2.72	7.73	2.04	5.69	38.0	.34
1510	841.0	843.0	2.0		4A4			4.20	1.44	2.76	23.0	
1511	843.0	845.0	2.0		4A4			6.11	2.12	3.99	32.0	
1512	845.0	847.0	2.0		4A4			5.02	2.04	2.98	27.0	
1513	847.0	848.2	1.2		4A4			4.59	1.27	3.32	22.0	
1514	848.2	850.3	2.1		4A4			6.80	2.00	4.80	32.0	
1515	850.3	852.1	1.8		4A4			5.64	1.80	3.84	27.0	
1516	852.1	854.3	2.2		4A4			4.71	1.49	3.22	23.0	
1517	854.3	855.9	1.6		4A4			5.90	2.14	3.76	33.0	
1518	855.9	857.9	2.0		4A0			2.54	.91	1.63	13.0	
1519	857.9	859.9	2.0		4A0			2.05	.77	1.28	10.0	
1520	859.9	862.0	2.1		4A0			1.52	.63	.89	11.0	
1521	862.0	862.8	.8		4A0			2.11	.83	1.28	9.0	
1522	862.8	864.8	2.0		4A4			2.11	.77	1.34	10.0	
1523	864.8	866.8	2.0		4A4			4.97	1.76	3.21	23.0	
1524	866.8	868.7	1.9		4A4			5.84	2.19	3.65	26.0	
0	868.7	872.7	4.0		WASTE							
1552	872.7	874.0	1.3		4G0			10.16	4.00	6.16	65.0	
0	874.0	876.8	2.8		WASTE							
1534	876.8	879.2	2.4		4A4			5.29	2.56	2.73	50.0	
0	879.2	880.1	.9		WASTE							
1535	880.1	882.3	2.2		4A0			.97	.51	.46	11.0	
0	882.3	883.1	.8		WASTE							
1536	883.1	883.5	.4		4A49			1.94	.87	1.07	20.0	
0	883.5	883.8	.3		WASTE							
1537	883.8	886.0	2.2		4A4			8.15	2.89	5.26	49.0	
1538	886.0	887.5	1.5		4A4			6.19	2.51	3.68	42.0	
1539	887.5	888.9	1.4		4A4			3.37	1.73	1.64	32.0	
1540	888.9	890.8	1.9		4G4		4.27	12.41	4.28	8.13	82.0	1.51
1541	890.8	891.8	1.0		4E4		4.20	20.44	6.53	13.91	98.0	1.37
1542	891.8	893.4	1.6		4G42		4.55	12.43	4.26	8.17	78.0	.75
1543	893.4	895.4	2.0		4E0		4.58	9.95	3.48	6.47	58.0	1.92
1544	895.4	897.4	2.0		4E9			2.68	1.20	1.48	27.0	

1545	897.4	899.1	1.7	4E9		.81	.30	.51	11.0	
1546	899.1	900.6	1.5	4E0		5.74	2.92	2.82	43.0	
1547	900.6	902.6	2.0	4D9	3.88	12.02	3.62	8.40	68.0	.69
1548	902.6	904.9	2.3	4D9	3.66	16.93	5.84	11.09	100.0	1.70
1549	904.9	906.9	2.0	4C9		.61	.21	.40	10.0	
1550	906.9	908.4	1.5	4C9		1.32	.52	.80	21.0	
1551	908.4	910.1	1.7	4C9		2.61	2.38	.23	20.0	
0	910.1	921.9	11.8	WASTE						

Drill Hole: 80X03 Section:
Northing: 901571.9 Easting: 596623.9 Elevation: 1186.3
Length: 795.9 Core: DDH Record: 43

ASSAYS

Sample #	---Depths--- From	To	Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Au g/t
0	.0	543.0	543.0		WASTE							
1553	543.0	543.8	.8		4EO			5.82	2.38	3.44	45.0	
0	543.8	955.5	411.7		WASTE							

Drill Hole: 80X04 Section:
Northing: 900863.1 Easting: 597060.4 Elevation: 1151.9
Length: 1009.1 Core: DDH Record: 44

ASSAYS

Sample #	---Depths--- From	To	Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Au g/t
0	.0	802.7	802.7		WASTE							
1554	802.7	803.6	.9		4E189			1.48	.98	.50	20.0	
1555	803.6	803.9	.3		4G4			6.47	3.75	2.72	46.0	
1556	803.9	804.3	.4		4C79			4.61	1.85	2.76	37.0	
1557	804.3	806.7	2.4		4A0			2.91	1.46	1.45	24.0	
1559	806.7	808.4	1.7		4A0			1.87	.90	.97	52.0	
1560	808.4	810.4	2.0		4G9		5.21	16.68	7.38	9.30	112.0	1.37
1561	810.4	811.4	1.0		4E89		4.57	1.05	.56	.49	19.0	2.09
1562	811.4	811.8	.4		4G4		4.42	16.71	7.19	9.52	106.0	1.37
0	811.8	819.4	7.6		WASTE							
1563	819.4	821.4	2.0		4L7			.08	.04	.04	1.0	
1564	821.4	823.4	2.0		4L7			.26	.17	.09	1.0	
1565	823.4	825.4	2.0		4L7			.63	.39	.24	1.0	
1566	825.4	827.4	2.0		4L7			.07	.03	.04	1.0	
1567	827.4	829.4	2.0		4L7			.04	.02	.02	1.0	
1568	829.4	831.2	1.8		4L7			.04	.02	.02	1.0	
0	831.2	892.7	61.5		WASTE							
1569	892.7	893.4	.7		4C0			.30	.22	.08	5.0	
1570	893.4	895.3	1.9		4A0			1.66	.72	.94	10.0	
1571	895.3	895.5	.2		4E0			2.71	1.39	1.32	36.0	
1572	895.5	897.7	2.2		4G9			4.67	2.75	1.92	40.0	
0	897.7	932.9	35.2		WASTE							
1573	932.9	933.4	.5		4A4			6.67	2.72	3.95	43.0	
1574	933.4	933.7	.3		4E4			12.39	6.04	6.35	78.0	
1575	933.7	934.3	.6		4A9			1.79	.50	1.29	8.0	
1576	934.3	936.2	1.9		4C79			.68	.27	.41	7.0	
1577	936.2	937.6	1.4		4C7			2.82	1.49	1.33	22.0	
1578	937.6	939.0	1.4		4C7			2.07	1.09	.98	14.0	
0	939.0	1009.1	70.1		WASTE							

Drill Hole: 80X05 Section:
Northing: 900611.3 Easting: 597291.4 Elevation: 1109.3
Length: 1067.5 Core: DDH Record: 45

ASSAYS

Sample #	---Depths--- From	To	Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Au g/t
0	.0	744.9	744.9		WASTE							
1660	744.9	746.2	1.3		4G0			7.73	3.93	3.80	60.0	
0	746.2	755.3	9.1		WASTE							
1661	755.3	757.3	2.0		4L279			.47	.18	.29	2.0	
1662	757.3	759.3	2.0		4L276			.20	.05	.15	.5	
1663	759.3	760.2	.9		4L276			.09	.04	.05	2.0	
0	760.2	846.5	86.3		WASTE							
1651	846.5	847.8	1.3		4J4		3.58	10.12	4.03	6.09	63.0	1.23
1652	847.8	849.1	1.3		4E4		4.36	5.09	1.83	3.26	29.0	1.23
1653	849.1	851.1	2.0		4G4		4.44	17.51	7.17	10.34	120.0	.69
1654	851.1	853.2	2.1		4G4		4.65	18.05	8.50	9.55	119.0	.62
1655	853.2	854.8	1.6		4E6		4.85	14.43	8.51	5.92	106.0	.93
1656	854.8	856.1	1.3		4E4		4.44	14.81	5.22	9.59	78.0	.62
1657	856.1	857.4	1.3		4G4		4.49	15.80	7.55	8.25	102.0	1.17
1658	857.4	859.4	2.0		4G0		4.53	13.25	5.41	7.84	85.0	1.10
1659	859.4	861.2	1.8		4G4		4.68	13.82	5.31	8.51	87.0	.82
0	861.2	886.9	25.7		WASTE							
1664	886.9	888.4	1.5		4A4			9.78	3.61	6.17	66.0	
0	888.4	893.1	4.7		WASTE							
1665	893.1	895.5	2.4		4L475			2.86	.83	2.03	5.0	
1666	895.5	896.1	.6		4A0			5.77	1.51	4.26	16.0	
1667	896.1	898.1	2.0		4E9		4.36	10.43	3.71	6.72	66.0	2.16
1668	898.1	900.0	1.9		4E0		4.42	7.20	3.77	3.43	54.0	1.30
1669	900.0	901.1	1.1		4C0		4.15	8.93	3.93	5.00	59.0	1.23
0	901.1	901.4	.3		WASTE							
1670	901.4	903.4	2.0		4E18			1.06	.45	.61	5.0	
1671	903.4	904.9	1.5		4E189			.61	.16	.45	5.0	
1672	904.9	905.5	.6		4C8			2.64	.91	1.73	12.0	
1673	905.5	907.5	2.0		4E89			2.51	.94	1.57	21.0	
1674	907.5	909.2	1.7		4C79			1.16	.48	.68	24.0	
0	909.2	943.3	34.1		WASTE							
1675	943.3	944.0	.7		4A0			5.06	1.90	3.16	20.0	
1676	944.0	944.4	.4		4E0			14.54	6.15	8.39	79.0	
1677	944.4	946.4	2.0		4A0			3.99	1.57	2.42	20.0	
1678	946.4	947.8	1.4		4A9			2.41	1.45	.96	14.0	
0	947.8	949.1	1.3		WASTE							
1679	949.1	950.0	.9		4C79			2.74	.97	1.77	11.0	
1680	950.0	951.2	1.2		4C7			4.90	2.16	2.74	31.0	
1681	951.2	951.5	.3		4H249			5.17	2.16	3.01	22.0	
0	951.5	1067.5	116.0		WASTE							

Drill Hole: 80X06 Section:
Northing: 900559.9 Easting: 597171.2 Elevation: 1116.8
Length: 1099.3 Core: DDH Record: 46

ASSAYS

Sample #	---Depths--- From	To	Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Au g/t
0	.0	842.0	842.0		WASTE							
1690	842.0	842.5	.5		4H9			.58	.35	.23	6.0	
1682	842.5	844.5	2.0		4G89			5.77	2.93	2.84	42.0	
1683	844.5	846.5	2.0		4G89			10.06	4.61	5.45	67.0	
1684	846.5	848.7	2.2		4G89			9.34	4.71	4.63	66.0	
1685	848.7	850.6	1.9		4A0			3.08	1.63	1.45	24.0	
0	850.6	852.5	1.9		WASTE							
1686	852.5	854.5	2.0		4L7			.02	.01	.01	2.0	
1687	854.5	856.5	2.0		4L7			.02	.01	.01	1.0	
1688	856.5	858.5	2.0		4L7			.27	.15	.12	3.0	
1689	858.5	860.5	2.0		4L7			.94	.08	.86	2.0	
1691	860.5	861.9	1.4		4L7			.10	.04	.06	.5	
1692	861.9	862.7	.8		4L3			.63	.22	.41	2.0	
1693	862.7	863.2	.5		4D46		4.19	10.25	4.14	6.11	59.0	.55
1694	863.2	863.7	.5		4G4		4.86	11.40	4.75	6.65	64.0	.62
1695	863.7	864.7	1.0		4A0			.97	.47	.50	4.0	
1696	864.7	867.0	2.3		4E49			5.47	2.96	2.51	41.0	
1697	867.0	868.0	1.0		4E89			6.14	2.94	3.20	57.0	
1698	868.0	868.5	.5		4L0			1.40	.60	.80	6.0	
1699	868.5	870.2	1.7		4E9			5.34	2.61	2.73	51.0	
1700	870.2	870.5	.3		4H9			3.57	3.32	.25	55.0	
0	870.5	875.0	4.5		WASTE							
1701	875.0	875.4	.4		4G48		4.35	14.51	6.38	8.13	89.0	1.47
1702	875.4	876.1	.7		4E89		4.83	5.14	3.01	2.13	45.0	1.71
1703	876.1	877.1	1.0		4G48		4.55	13.96	5.83	8.13	84.0	1.09
1704	877.1	877.5	.4		4E89			1.14	.70	.44	23.0	
1705	877.5	878.4	.9		4C0			1.96	.76	1.20	11.0	
1706	878.4	879.9	1.5		4A9			2.20	1.15	1.05	21.0	
1707	879.9	881.3	1.4		4D79			3.82	1.65	2.17	23.0	
1708	881.3	881.7	.4		4G0			6.53	2.38	4.15	36.0	
1709	881.7	882.3	.6		4D79			1.86	.61	1.25	8.0	
1710	882.3	883.2	.9		4E19			3.38	1.36	2.02	19.0	
1711	883.2	885.4	2.2		4D8		4.46	6.39	.96	5.43	116.0	1.65
1712	885.4	886.1	.7		4E89		4.42	6.22	4.22	2.00	50.0	1.78
1713	886.1	888.6	2.5		4G489		3.94	13.66	7.20	6.46	99.0	1.17
1714	888.6	890.6	2.0		4E869			3.64	1.99	1.65	30.0	
1715	890.6	891.5	.9		4E869			.75	.30	.45	13.0	
1716	891.5	893.0	1.5		4C9			4.33	2.19	2.14	37.0	
1717	893.0	893.7	.7		4G0			9.01	5.29	3.72	81.0	
1718	893.7	895.7	2.0		4E89			1.43	.57	.86	12.0	
1719	895.7	896.6	.9		4E89			1.59	.77	.82	22.0	
1720	896.6	898.6	2.0		4C7			4.79	3.37	1.42	45.0	
1721	898.6	900.6	2.0		4C7			2.94	.90	2.04	10.0	
1722	900.6	902.6	2.0		4C7		4.12	8.28	2.44	5.84	32.0	.69

1723	902.6	904.3	1.7	4C7	3.69	7.49	2.18	5.31	35.0	.82
1724	904.3	906.6	2.3	4A0		2.69	.84	1.85	10.0	
1725	906.6	908.6	2.0	4C0		.98	.30	.68	4.0	
1726	908.6	910.6	2.0	4C9		2.62	1.20	1.42	19.0	
1727	910.6	914.6	4.0	4C9		1.45	.53	.92	8.0	
1728	914.6	916.6	2.0	4C9		.28	.13	.15	2.0	
1729	916.6	917.8	1.2	4C9		.14	.08	.06	5.0	
0	917.8	946.0	28.2	WASTE						
1730	946.0	946.5	.5	4A4		2.91	1.11	1.80	35.0	
1731	946.5	946.9	.4	4E0		.99	.62	.37	43.0	
1732	946.9	948.9	2.0	4G0		4.48	2.40	2.08	51.0	
1733	948.9	950.9	2.0	4G0		2.77	1.08	1.69	31.0	
1734	950.9	952.9	2.0	4G9		5.79	2.72	3.07	63.0	
1735	952.9	955.0	2.1	4G0		6.51	2.20	4.31	32.0	
1736	955.0	957.2	2.2	4A4		4.97	1.71	3.26	24.0	
1737	957.2	959.2	2.0	4A0		1.68	.62	1.06	7.0	
1738	959.2	959.8	.6	4L9		6.04	4.52	1.52	59.0	
1739	959.8	961.9	2.1	4G9		6.62	2.73	3.89	57.0	
1740	961.9	962.4	.5	4L0		.52	.28	.24	5.0	
1741	962.4	964.3	1.9	4A0		2.19	.76	1.43	7.0	
0	964.3	977.9	13.6	WASTE						
1742	977.9	979.4	1.5	4A0		2.16	.43	1.73	3.0	
0	979.4	994.2	14.8	WASTE						
1743	994.2	994.7	.5	4G49		7.42	3.27	4.15	40.0	
0	994.7	1099.3	104.6	WASTE						

Drill Hole: 80X07 Section:
Northing: 900526.0 Easting: 597433.1 Elevation: 1088.0
Length: 938.4 Core: DDH Record: 47

ASSAYS

Sample #	---Depths--- From	To	Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Au g/t
0	.0	743.0	743.0		WASTE							
5145	743.0	743.5	.5		4G4			13.46	5.50	7.96	77.0	
5146	743.5	743.8	.3		4E0			9.60	4.36	5.24	56.0	
0	743.8	746.5	2.7		WASTE							
5147	746.5	747.2	.7		4G4		3.92	17.35	7.15	10.20	115.0	.62
5148	747.2	748.5	1.3		4A4		2.79	4.10	1.73	2.37	20.0	.30
5149	748.5	749.6	1.1		4G4		4.45	11.51	4.87	6.64	65.0	.96
5150	749.6	751.1	1.5		4E49		4.22	4.34	2.42	1.92	36.0	2.54
1744	751.1	753.4	2.3		4G4		4.38	11.98	5.72	6.26	84.0	.82
0	753.4	801.6	48.2		WASTE							
1745	801.6	803.6	2.0		4L67			.20	.08	.12	3.0	
1746	803.6	805.6	2.0		4L67			.05	.02	.03	2.0	
1747	805.6	807.5	1.9		4L67			.24	.09	.15	2.0	
0	807.5	810.0	2.5		WASTE							
1748	810.0	810.9	.9		4A0			5.78	2.17	3.61	35.0	
1749	810.9	811.2	.3		4A4		3.30	12.87	3.85	9.02	53.0	.62
1750	811.2	811.7	.5		4E6		4.58	14.17	3.07	11.10	33.0	.69
1751	811.7	813.2	1.5		4G0		4.46	9.01	4.12	4.89	50.0	.75
1752	813.2	814.4	1.2		4G0		4.13	8.90	3.67	5.23	52.0	.96
1753	814.4	815.0	.6		4C0		3.78	8.92	3.42	5.50	51.0	.75
1754	815.0	816.1	1.1		4A4		3.22	5.04	2.48	2.56	38.0	.69
1755	816.1	818.8	2.7		4A0			.97	.61	.36	11.0	
1756	818.8	820.5	1.7		4A4			5.72	3.91	1.81	57.0	
0	820.5	825.2	4.7		WASTE							
1761	825.2	827.2	2.0		4A0			5.40	1.97	3.43	31.0	
1762	827.2	828.0	.8		4A0			.06	.03	.03	3.0	
0	828.0	832.7	4.7		WASTE							
1757	832.7	834.7	2.0		4L67			.12	.06	.06	2.0	
1758	834.7	836.7	2.0		4L67			.17	.09	.08	5.0	
1759	836.7	838.7	2.0		4L67							
0	838.7	850.7	12.0		WASTE							
1760	850.7	851.2	.5		4D49			3.96	1.84	2.12	37.0	
0	851.2	938.4	87.2		WASTE							

Drill Hole: 80X08 Section:
Northing: 900521.6 Easting: 597266.9 Elevation: 1101.8
Length: 985.4 Core: DDH Record: 48

ASSAYS

Sample #	---Depths--- From	To	Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Au g/t
0	.0	822.3	822.3		WASTE							
1763	822.3	823.0	.7		4G489			10.07	4.63	5.44	71.0	
1764	823.0	826.5	3.5		4L679			1.46	.64	.82	13.0	
1765	826.5	827.0	.5		4G148			9.67	4.32	5.35	62.0	
0	827.0	829.2	2.2		WASTE							
1766	829.2	829.7	.5		4G4		3.90	9.14	3.79	5.35	75.0	1.51
1767	829.7	830.5	.8		4D469		4.43	10.30	5.16	5.14	64.0	.69
1768	830.5	831.4	.9		4G0		4.29	13.97	7.05	6.92	83.0	.93
1769	831.4	831.9	.5		4A97		3.10	1.19	.45	.74	9.0	.75
1770	831.9	832.9	1.0		4G4		4.35	17.82	7.26	10.56	108.0	1.17
1771	832.9	834.4	1.5		4G48		4.54	15.81	6.53	9.28	106.0	.82
1772	834.4	834.9	.5		4E819		4.28	2.05	.94	1.11	24.0	1.47
1773	834.9	835.2	.3		4C7		3.62	2.50	1.19	1.31	17.0	.75
1774	835.2	835.9	.7		4G4		4.23	14.86	5.58	9.28	90.0	.99
1775	835.9	836.6	.7		4G9		5.10	12.18	5.16	7.02	140.0	2.84
1776	836.6	837.5	.9		4E0		4.63	10.23	4.10	6.13	73.0	1.37
1777	837.5	839.5	2.0		4G41		4.51	16.35	7.16	9.19	99.0	.55
1778	839.5	841.1	1.6		4G4		4.75	19.87	10.10	9.77	138.0	.75
1779	841.1	841.8	.7		4G19		4.27	12.06	4.84	7.22	77.0	1.16
1780	841.8	842.9	1.1		4C79			3.25	1.49	1.76	31.0	
1781	842.9	845.2	2.3		4E89			1.53	.69	.84	18.0	
1782	845.2	845.5	.3		4G4			12.38	5.26	7.12	88.0	
1783	845.5	847.0	1.5		4E819			3.07	1.46	1.61	34.0	
1784	847.0	847.6	.6		4C9			3.40	1.80	1.60	33.0	
1785	847.6	848.5	.9		4G4		4.45	17.26	7.68	9.58	109.0	.69
1786	848.5	850.6	2.1		4E469		4.50	6.54	3.15	3.39	51.0	1.71
0	850.6	860.5	9.9		WASTE							
1787	860.5	861.5	1.0		4G4		4.25	13.62	5.42	8.20	83.0	.69
1788	861.5	863.5	2.0		4E189		4.15	4.71	2.39	2.32	49.0	1.54
1789	863.5	865.1	1.6		4E189		3.86	8.05	4.18	3.87	51.0	1.30
1790	865.1	865.8	.7		4G0		4.39	16.19	7.69	8.50	82.0	1.51
1791	865.8	866.5	.7		4E89			1.49	.72	.77	19.0	
1792	866.5	867.8	1.3		4C79			2.34	1.12	1.22	22.0	.45
1793	867.8	869.3	1.5		4E9			3.00	1.28	1.72	31.0	1.03
1794	869.3	869.9	.6		4G4			16.66	8.14	8.52	147.0	.38
1795	869.9	871.9	2.0		4C7			6.20	2.60	3.60	42.0	.51
1796	871.9	873.9	2.0		4C7			4.27	2.69	1.58	38.0	.65
1801	873.9	874.9	1.0		4C79			6.07	2.00	4.07	34.0	.51
1802	874.9	876.9	2.0		4C0			2.25	.96	1.29	24.0	1.65
1803	876.9	878.9	2.0		4C89			1.41	.81	.60	19.0	.82
1804	878.9	880.9	2.0		4C89			6.41	2.74	3.67	46.0	.62
1805	880.9	882.9	2.0		4C89			1.12	.55	.57	15.0	.69
1806	882.9	884.9	2.0		4C89			1.51	.37	1.14	6.0	.48
1807	884.9	886.9	2.0		4C89			1.38	.53	.85	11.0	.31

1808	886.9	888.9	2.0	4C89	.83	.36	.47	12.0	.65
1809	888.9	890.3	1.4	4C89					.51
1810	890.3	891.0	.7	4C579	.44	.21	.23	10.0	.55
1811	891.0	893.0	2.0	4C79	.41	.22	.19	11.0	.48
1812	893.0	895.0	2.0	4C79	.43	.18	.25	12.0	.55
1813	895.0	896.6	1.6	4C79	.47	.29	.18	16.0	.79
1814	896.6	898.6	2.0	4C79	.28	.15	.13	15.0	.58
1815	898.6	899.3	.7	4A79	.71	.63	.08	15.0	
1816	899.3	899.7	.4	4A9	.38	.28	.10	11.0	
1817	899.7	901.0	1.3	4C79	.82	.45	.37	12.0	
1818	901.0	903.0	2.0	4L179	.26	.13	.13	7.0	
1819	903.0	903.9	.9	4L17	.16	.09	.07	5.0	
1820	903.9	905.9	2.0	4L7	.09	.03	.06	5.0	
1821	905.9	907.6	1.7	4L7	.08	.05	.03	4.0	
1822	907.6	908.1	.5	4L6	.04	.02	.02	4.0	
0	908.1	920.1	12.0	WASTE					
1797	920.1	920.5	.4	4A4	6.77	3.03	3.74	42.0	.14
1798	920.5	921.2	.7	4D7	16.13	6.13	10.00	95.0	.31
0	921.2	922.6	1.4	WASTE					
1799	922.6	924.6	2.0	4A0	3.08	1.64	1.44	30.0	.14
1800	924.6	925.5	.9	4A0	.52	.35	.17	10.0	.27
0	925.5	928.2	2.7	WASTE					
1823	928.2	930.7	2.5	4A7	1.91	.84	1.07	17.0	
1824	930.7	931.3	.6	4A4	2.29	.83	1.46	16.0	
1825	931.3	932.4	1.1	4G9	7.59	.61	6.98	90.0	
1826	932.4	933.9	1.5	4H419	1.04	.28	.76	20.0	
0	933.9	985.4	51.5	WASTE					

Drill Hole: 80X09 Section:
Northing: 900811.0 Easting: 597344.9 Elevation: 1120.1
Length: 955.8 Core: DDH Record: 49

ASSAYS

Sample #	---Depths--- From	To	Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Au g/t
0	.0	637.5	637.5		WASTE							
1827	637.5	639.2	1.7		4C89			1.05	.45	.60	22.0	
1828	639.2	640.7	1.5		4L74			1.27	.82	.45	12.0	
1829	640.7	641.6	.9		4C859			4.36	1.82	2.54	28.0	
0	641.6	647.3	5.7		WASTE							
1830	647.3	648.3	1.0		4A0			2.28	.88	1.40	20.0	
0	648.3	650.8	2.5		WASTE							
1831	650.8	651.3	.5		4E89			7.28	3.48	3.80	54.0	
1832	651.3	651.8	.5		4C7			.67	.42	.25	11.0	
1833	651.8	653.0	1.2		4G49			6.47	3.42	3.05	56.0	
0	653.0	658.1	5.1		WASTE							
1834	658.1	659.1	1.0		4L7			.07	.05	.02	2.0	
1835	659.1	660.1	1.0		4L12			1.65	.76	.89	15.0	
1836	660.1	662.6	2.5		4L7			.21	.11	.10	3.0	
0	662.6	663.6	1.0		WASTE							
1837	663.6	665.1	1.5		4K89			3.43	1.68	1.75	25.0	
0	665.1	677.1	12.0		WASTE							
1838	677.1	678.4	1.3		4K09			2.62	1.37	1.25	20.0	
0	678.4	725.0	46.6		WASTE							
1839	725.0	726.8	1.8		4C9		3.45	11.64	6.58	5.06	83.0	.34
1840	726.8	727.0	.2		4H0		3.89	14.05	9.37	4.68	120.0	.27
0	727.0	729.1	2.1		WASTE							
1841	729.1	731.1	2.0		4K41		3.39	11.51	7.40	4.11	83.0	1.17
1842	731.1	733.1	2.0		4K41		4.15	17.41	11.78	5.63	147.0	1.10
1843	733.1	735.1	2.0		4K41		4.12	17.00	11.69	5.31	121.0	.96
1844	735.1	735.8	.7		4K41		4.15	15.06	9.77	5.29	97.0	.75
1845	735.8	737.8	2.0		4G4		3.74	12.98	6.45	6.53	74.0	.69
1846	737.8	739.8	2.0		4G4		3.94	15.75	11.28	4.47	133.0	.96
1847	739.8	741.1	1.3		4G4		4.27	16.32	11.38	4.94	135.0	1.51
1848	741.1	743.1	2.0		4E89		4.33	6.63	4.34	2.29	60.0	1.85
1849	743.1	744.9	1.8		4E89			2.74	1.59	1.15	31.0	
1850	744.9	745.2	.3		4H0			2.06	.98	1.08	27.0	
0	745.2	769.4	24.2		WASTE							
1851	769.4	770.9	1.5		4G7		4.38	15.06	9.12	5.94	164.0	1.78
1852	770.9	772.5	1.6		4G4		4.04	17.93	10.71	7.22	153.0	.34
0	772.5	789.7	17.2		WASTE							
1853	789.7	791.9	2.2		4C7			2.93	1.72	1.21	21.0	
0	791.9	798.1	6.2		WASTE							
1854	798.1	799.9	1.8		4L127			1.27	.56	.71	9.0	
1855	799.9	802.2	2.3		4L17			.55	.25	.30	4.0	
1856	802.2	803.1	.9		4C789			2.99	.19	2.80	25.0	
0	803.1	955.8	152.7		WASTE							

Drill Hole: 80X10 Section:
Northing: 900462.3 Easting: 597151.4 Elevation: 1110.0
Length: 1040.2 Core: DDH Record: 50

ASSAYS

Sample #	---Depths--- From	To	Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Au g/t
0	.0	858.6	858.6		WASTE							
1857	858.6	860.8	2.2		4H19			7.19	3.24	3.95	63.0	
1858	860.8	862.4	1.6		4L17			.08	.03	.05	4.0	
1859	862.4	864.4	2.0		4L167			.47	.26	.21	5.0	
1860	864.4	866.4	2.0		4L167			.09	.03	.06	5.0	
1861	866.4	868.4	2.0		4L167			.15	.04	.11	1.0	
1862	868.4	870.4	2.0		4L167			.10	.03	.07	2.0	
1863	870.4	872.4	2.0		4L167			.08	.02	.06	3.0	
0	872.4	874.4	2.0		WASTE							
1864	874.4	876.9	2.5		4L167			.16	.05	.11	6.0	
1865	876.9	877.9	1.0		4L17			.19	.07	.12	5.0	
1866	877.9	879.8	1.9		4L13			.24	.10	.14	5.0	
1867	879.8	881.5	1.7		4A0			5.50	2.31	3.19	27.0	
1868	881.5	881.8	.3		4C0			9.42	3.67	5.75	46.0	
0	881.8	909.8	28.0		WASTE							
1869	909.8	910.6	.8		4G4		4.29	12.94	6.20	6.74	88.0	.96
1870	910.6	911.3	.7		4E1		4.31	8.56	3.90	4.66	75.0	1.78
1871	911.3	912.5	1.2		4G4		4.43	15.72	7.80	7.92	116.0	1.03
1872	912.5	912.9	.4		4K641		4.14	10.93	6.10	4.83	78.0	1.34
1873	912.9	913.5	.6		4G49		4.30	14.66	7.20	7.46	105.0	1.78
1874	913.5	915.5	2.0		4G4		4.46	17.50	7.10	10.40	99.0	1.10
1875	915.5	917.1	1.6		4G4		4.38	17.30	6.60	10.70	122.0	1.03
1876	917.1	918.7	1.6		4E19		4.41	8.94	4.90	4.04	112.0	2.06
1877	918.7	919.1	.4		4G49		4.40	15.51	6.80	8.71	102.0	1.99
1878	919.1	921.1	2.0		4E19		3.83	6.31	2.47	3.84	46.0	1.65
1879	921.1	922.3	1.2		4E1		5.38	11.97	4.87	7.10	76.0	1.54
1880	922.3	922.6	.3		4G4		4.54	12.68	4.98	7.70	80.0	1.37
1881	922.6	924.6	2.0		4E9		4.34	10.73	4.38	6.35	70.0	1.65
1882	924.6	925.8	1.2		4E9		4.60	8.28	3.47	4.81	76.0	1.99
1883	925.8	926.7	.9		4D0		3.22	8.42	2.87	5.55	42.0	1.44
1884	926.7	928.2	1.5		4A4		2.82	6.10	2.09	4.01	26.0	.51
1885	928.2	928.6	.4		4G0		4.20	8.40	3.22	5.18	98.0	1.10
1886	928.6	929.0	.4		4K9			.22	.14	.08	15.0	
0	929.0	948.3	19.3		WASTE							
1887	948.3	950.3	2.0		4A0			2.01	.59	1.42	12.0	
1888	950.3	950.8	.5		4A0			1.68	.84	.84	13.0	
1889	950.8	952.8	2.0		4G0			4.90	1.83	3.07	30.0	
1890	952.8	954.0	1.2		4G9			4.02	1.91	2.11	32.0	
1891	954.0	954.3	.3		4A0			2.89	.84	2.05	12.0	
1892	954.3	955.3	1.0		4D0			9.05	2.59	6.46	31.0	
1893	955.3	956.2	.9		4A0			5.54	1.99	3.55	24.0	
0	956.2	1040.2	84.0		WASTE							

Drill Hole: 80X11 Section:
Northing: 900910.1 Easting: 597374.8 Elevation: 1120.4
Length: 917.4 Core: DDH Record: 51

ASSAYS

Sample #	---Depths--- From	To	Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Au g/t
0	.0	612.9	612.9		WASTE							
1894	612.9	613.4	.5		4E86		4.52	6.65	3.77	2.88	44.0	1.10
1895	613.4	615.5	2.1		4G9		4.47	10.58	5.15	5.43	82.0	1.03
1896	615.5	616.2	.7		4E869			.97	.51	.46	21.0	
1897	616.2	616.7	.5		4L15			.09	.05	.04	2.0	
1898	616.7	618.1	1.4		4C0			.24	.18	.06	12.0	
1899	618.1	619.1	1.0		4C0			.17	.11	.06	11.0	
0	619.1	623.8	4.7		WASTE							
1900	623.8	624.1	.3		4G89			1.19	.65	.54	13.0	
0	624.1	726.3	102.2		WASTE							
1901	726.3	728.4	2.1		4L7			.32	.12	.20	4.0	
1902	728.4	729.6	1.2		4L17			2.06	.74	1.32	12.0	
0	729.6	731.6	2.0		WASTE							
1903	731.6	733.6	2.0		4A4			4.42	2.02	2.40	29.0	
1904	733.6	735.6	2.0		4A4			4.87	2.36	2.51	28.0	
1905	735.6	737.6	2.0		4A4			7.06	2.21	4.85	30.0	
1906	737.6	739.8	2.2		4A4			4.95	2.19	2.76	31.0	
0	739.8	752.8	13.0		WASTE							
1907	752.8	753.8	1.0		4A0			1.05	.33	.72	9.0	
1908	753.8	757.5	3.7		5B29			.54	.23	.31	4.0	
1909	757.5	759.5	2.0		4L7			.46	.29	.17	4.0	
1910	759.5	761.5	2.0		4L7			1.17	.54	.63	11.0	
1911	761.5	762.0	.5		4L7			.13	.04	.09	2.0	
0	762.0	767.3	5.3		WASTE							
1912	767.3	768.4	1.1		4L172			5.05	1.95	3.10	28.0	
0	768.4	787.6	19.2		WASTE							
1913	787.6	789.6	2.0		4D0			3.89	2.44	1.45	31.0	
1914	789.6	790.0	.4		4D0			.96	.24	.72	4.0	
1915	790.0	792.0	2.0		4L145			.27	.12	.15	3.0	
1916	792.0	794.0	2.0		4L145			1.03	.50	.53	9.0	
1917	794.0	795.4	1.4		4L145			.24	.09	.15	9.0	
0	795.4	807.8	12.4		WASTE							
1918	807.8	808.5	.7		4C7			2.89	.64	2.25	14.0	
1919	808.5	810.5	2.0		4C0			3.03	.47	2.56	8.0	
1920	810.5	811.9	1.4		4C0			5.13	1.74	3.39	27.0	
1921	811.9	813.9	2.0		4D0			6.51	2.33	4.18	44.0	
1922	813.9	815.0	1.1		4D0			6.16	2.70	3.46	37.0	
1923	815.0	815.9	.9		4C5			3.32	.99	2.33	22.0	
1924	815.9	816.7	.8		4C57			.60	.16	.44	8.0	
1925	816.7	818.6	1.9		4C0			.84	.33	.51	17.0	
0	818.6	917.4	98.8		WASTE							

Drill Hole: 80X12 Section:
Northing: 900670.9 Easting: 597017.2 Elevation: 1137.3
Length: 1037.5 Core: DDH Record: 52

ASSAYS

Sample #	---Depths--- From	To	Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Au g/t
0	.0	843.5	843.5		WASTE							
2003	843.5	844.2	.7		4A1			.33	.19	.14	5.0	
2004	844.2	846.0	1.8		4A0			4.65	2.01	2.64	37.0	
0	846.0	846.2	.2		WASTE							
2005	846.2	848.0	1.8		4A0			4.98	2.03	2.95	33.0	
2006	848.0	848.7	.7		4D0		3.51	16.77	8.00	8.77	108.0	.69
2007	848.7	849.3	.6		4E0		3.50	11.45	2.42	9.03	50.0	.58
0	849.3	849.9	.6		WASTE							
2008	849.9	851.9	2.0		4A0			2.90	1.21	1.69	18.0	
2009	851.9	853.9	2.0		4A0			4.63	2.15	2.48	34.0	
2010	853.9	855.9	2.0		4A0			.88	.33	.55	7.0	
2011	855.9	857.4	1.5		4A0			2.28	.83	1.45	17.0	
2012	857.4	858.1	.7		4E0			9.14	1.67	7.47	36.0	
2013	858.1	858.9	.8		4G4			7.87	3.31	4.56	55.0	
2014	858.9	859.2	.3		4E19			2.25	1.56	.69	29.0	
2015	859.2	860.7	1.5		4L37			.23	.16	.07	2.0	
2016	860.7	861.5	.8		4L76			.46	.33	.13	4.0	
2017	861.5	861.9	.4		4E69			3.16	1.92	1.24	44.0	
2018	861.9	863.8	1.9		4KB9			4.30	1.74	2.56	39.0	
2019	863.8	864.2	.4		4A0			2.99	1.01	1.98	18.0	
2020	864.2	865.2	1.0		4E0			10.22	2.16	8.06	37.0	
2021	865.2	866.4	1.2		4A0			3.41	1.08	2.33	16.0	
0	866.4	868.6	2.2		WASTE							
2022	868.6	870.8	2.2		4A0			2.68	1.22	1.46	28.0	
2023	870.8	872.9	2.1		4E0			1.05	.70	.35	32.0	
2024	872.9	874.9	2.0		4A0			.23	.15	.08	6.0	
2025	874.9	876.4	1.5		4A0			1.33	.45	.88	12.0	
2026	876.4	877.1	.7		4E1			.42	.26	.16	14.0	
2027	877.1	879.1	2.0		4G9			4.57	2.39	2.18	39.0	
2028	879.1	881.1	2.0		4G89			5.92	3.28	2.64	43.0	
2029	881.1	882.5	1.4		4G89			1.88	1.11	.77	28.0	
2030	882.5	883.0	.5		4C9			.57	.41	.16	25.0	
0	883.0	884.5	1.5		WASTE							
2031	884.5	885.3	.8		4C8			.54	.34	.20	14.0	
2032	885.3	886.1	.8		4C89			.79	.62	.17	18.0	
0	886.1	886.4	.3		WASTE							
2033	886.4	888.4	2.0		4L7			.58	.39	.19	2.0	
2034	888.4	890.4	2.0		4L7			.38	.18	.20	3.0	
2035	890.4	892.4	2.0		4L7			.54	.25	.29	4.0	
2036	892.4	893.8	1.4		4L7			.90	.43	.47	7.0	
0	893.8	897.6	3.8		WASTE							
2037	897.6	899.6	2.0		4A0			1.02	.35	.67	3.0	
2038	899.6	901.6	2.0		4A0			2.98	1.02	1.96	17.0	
2039	901.6	902.4	.8		4A0			.71	.22	.49	5.0	

2040	902.4	904.4	2.0	4E0	.63	.22	.41	10.0
2041	904.4	906.7	2.3	4E0	.36	.22	.14	10.0
2042	906.7	907.4	.7	4C7	7.34	4.05	3.29	66.0
0	907.4	1040.2	132.8	WASTE				

Drill Hole: 80X13 Section:
Northing: 900410.3 Easting: 597385.9 Elevation: 1066.0
Length: 914.7 Core: DDH Record: 53

ASSAYS

Sample #	---Depths--- From	To	Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Au g/t
0	.0	733.9	733.9		WASTE							
1926	733.9	734.5	.6		4E49			8.40	3.85	4.55	63.0	
1927	734.5	735.7	1.2		4L74			1.86	.64	1.22	9.0	
1928	735.7	736.7	1.0		4E89			4.69	2.10	2.59	36.0	
1929	736.7	738.7	2.0		4C79			3.94	1.41	2.53	26.0	
1930	738.7	740.5	1.8		4C79			3.85	1.66	2.19	33.0	
1931	740.5	742.0	1.5		4A7			1.51	.78	.73	19.0	
1932	742.0	743.6	1.6		4C79			4.35	1.60	2.75	24.0	
1933	743.6	743.9	.3		4L9			2.83	.82	2.01	13.0	
1934	743.9	744.5	.6		4D79			8.80	3.13	5.67	36.0	
1935	744.5	745.3	.8		4C89			3.01	1.86	1.15	29.0	
1936	745.3	746.8	1.5		4C9			1.99	.55	1.44	11.0	
0	746.8	747.5	.7		WASTE							
1937	747.5	748.9	1.4		4A7			.86	.38	.48	8.0	
1938	748.9	751.0	2.1		4C79			.38	.20	.18	6.0	
1939	751.0	753.0	2.0		4L127			.11	.07	.04	4.0	
1940	753.0	754.5	1.5		4L127			.14	.09	.05	4.0	
0	754.5	782.0	27.5		WASTE							
1941	782.0	783.5	1.5		4G48		4.51	12.57	5.05	7.52	64.0	.58
1942	783.5	785.5	2.0		4G189		4.26	7.84	3.46	4.38	48.0	.86
1943	785.5	786.7	1.2		4G189		4.41	9.15	3.48	5.67	46.0	.58
1944	786.7	788.7	2.0		4A0		3.03	7.39	3.55	3.84	46.0	.58
1945	788.7	790.7	2.0		4A0			3.32	1.83	1.49	31.0	
1946	790.7	792.7	2.0		4A0			3.23	2.18	1.05	32.0	
1947	792.7	794.9	2.2		4A0			2.60	.95	1.65	15.0	
1948	794.9	795.6	.7		4A4			6.69	3.05	3.64	41.0	
1949	795.6	796.1	.5		4G0			9.47	3.35	6.12	56.0	
1950	796.1	797.9	1.8		4G8			4.50	1.64	2.86	48.0	
2001	797.9	799.5	1.6		4A4			9.57	3.45	6.12	25.0	
2002	799.5	801.0	1.5		4A0			3.43	1.05	2.38	15.0	
0	801.0	914.7	113.7		WASTE							

Drill Hole: EA81X01 Section:
Northing: 900426.3 Easting: 597237.8 Elevation: 1090.3
Length: 995.9 Core: DDH Record: 54

ASSAYS

Sample #	---Depths--- From	To	Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Au g/t
0	.0	827.1	827.1		WASTE							
1998	827.1	827.7	.6		4E68			10.02	4.45	5.57	70.0	
1999	827.7	829.2	1.5		4A0			6.12	2.79	3.33	51.0	
0	829.2	840.6	11.4		WASTE							
2000	840.6	842.6	2.0		4L12			.34	.10	.24	5.0	
2043	842.6	844.8	2.2		4L62			.47	.11	.36	6.0	
2044	844.8	846.4	1.6		4L12			.35	.13	.22	7.0	
0	846.4	873.4	27.0		WASTE							
2045	873.4	874.5	1.1		4E86			1.27	.69	.58	26.0	
2046	874.5	874.9	.4		4C58			.51	.28	.23	13.0	
2047	874.9	875.6	.7		4K6*			2.58	1.64	.94	34.0	
2048	875.6	877.4	1.8		4E8*			2.09	1.49	.60	32.0	
0	877.4	877.8	.4		WASTE							
2049	877.8	878.5	.7		4C*8			1.02	.76	.26	28.0	
2050	878.5	879.7	1.2		4EK8			1.65	1.16	.49	27.0	
2401	879.7	880.7	1.0		4G8*			2.50	1.95	.55	37.0	
2402	880.7	882.5	1.8		4E8			2.04	1.26	.78	30.0	
0	882.5	995.9	113.4		WASTE							

Drill Hole: EA81X02 Section:
Northing: 900514.1 Easting: 597734.1 Elevation: 1026.7
Length: 828.1 Core: DDH Record: 55

ASSAYS

Sample #	---Depths--- From	To	Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Au g/t
0	.0	488.2	488.2		WASTE							
1969	488.2	488.9	.7		4L73			.42	.23	.19	4.0	
0	488.9	490.2	1.3		WASTE							
1970	490.2	490.6	.4		4G0			11.30	4.20	7.10	58.0	
1971	490.6	491.2	.6		4DK6			11.30	4.30	7.00	49.0	
1972	491.2	492.1	.9		4C75			5.32	3.30	2.02	30.0	
1973	492.1	492.9	.8		4A0			5.50	3.20	2.30	29.0	
1974	492.9	493.4	.5		4C0			.19	.15	.04	32.0	
1975	493.4	494.1	.7		4A0			.84	.41	.43	13.0	
1976	494.1	496.1	2.0		4C07			.79	.28	.51	9.0	
1977	496.1	497.9	1.8		4C07			1.58	.35	1.23	7.0	
1978	497.9	500.0	2.1		4L32			1.33	.23	1.10	6.0	
1979	500.0	500.3	.3		4A7			.63	.24	.39	8.0	
0	500.3	513.7	13.4		WASTE							
1980	513.7	515.7	2.0		4C7			1.39	.98	.41	19.0	
1981	515.7	517.7	2.0		4C7			.09	.03	.06	5.0	
1982	517.7	518.5	.8		4C7			.33	.09	.24	7.0	
0	518.5	521.5	3.0		WASTE							
1983	521.5	523.5	2.0		4L7			.62	.19	.43	5.0	
1984	523.5	525.1	1.6		4L7			.13	.07	.06	4.0	
0	525.1	562.5	37.4		WASTE							
1985	562.5	564.5	2.0		4L7			.05	.02	.03	6.0	
1986	564.5	566.5	2.0		4L7			.03	.01	.02	4.0	
1987	566.5	568.6	2.1		4L7			.05	.04	.01	4.0	
0	568.6	573.3	4.7		WASTE							
1997	573.3	574.8	1.5		4L24			1.73	.38	1.35	8.0	
1988	574.8	576.8	2.0		4L16			.19	.05	.14	4.0	
1989	576.8	578.8	2.0		4L16			.25	.08	.17	3.0	
1990	578.8	580.3	1.5		4L16			1.36	.63	.73	14.0	
0	580.3	590.4	10.1		WASTE							
1991	590.4	590.9	.5		4G1			9.20	4.60	4.60	36.0	
0	590.9	592.7	1.8		WASTE							
1992	592.7	592.9	.2		4E1			2.95	2.50	.45	29.0	
1993	592.9	593.5	.6		4G4			19.70	9.40	10.30	125.0	
1994	593.5	593.7	.2		4C0			1.93	.78	1.15	18.0	
0	593.7	604.4	10.7		WASTE							
1995	604.4	605.4	1.0		4E4			19.10	8.90	10.20	146.0	
0	605.4	607.4	2.0		WASTE							
1996	607.4	607.8	.4		4E41			19.50	8.60	10.90	150.0	
0	607.8	828.1	220.3		WASTE							

Drill Hole: EA81X03 Section:
Northing: 900365.6 Easting: 597073.5 Elevation: 1104.6
Length: 1047.5 Core: DDH Record: 56

ASSAYS

Sample #	---Depths--- From	To	Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Au g/t
0	.0	906.5	906.5		WASTE							
2403	906.5	908.5	2.0		4L79			4.19	2.73	1.46	44.0	
0	908.5	919.5	11.0		WASTE							
2404	919.5	920.0	.5		4L7			3.34	1.70	1.64	32.0	
2405	920.0	920.9	.9		4E86			5.23	3.56	1.67	59.0	
2406	920.9	922.1	1.2		4C7			4.79	2.90	1.89	46.0	
0	922.1	923.2	1.1		WASTE							
2407	923.2	925.2	2.0		4A0			1.77	1.06	.71	20.0	
2408	925.2	927.0	1.8		4A0			2.14	.85	1.29	17.0	
2409	927.0	927.8	.8		4A0			.52	.37	.15	11.0	
0	927.8	931.3	3.5		WASTE							
2410	931.3	931.7	.4		4E86			.66	.51	.15	32.0	
2411	931.7	932.2	.5		4G8			1.57	.92	.65	26.0	
2412	932.2	934.2	2.0		4A0			.78	.52	.26	12.0	
2413	934.2	936.2	2.0		4A0			.37	.32	.05	9.0	
2414	936.2	936.9	.7		4A0			.29	.27	.02	8.0	
2415	936.9	937.9	1.0		4L12			.67	.18	.49	13.0	
0	937.9	941.0	3.1		WASTE							
2416	941.0	941.7	.7		4L17			.23	.07	.16	6.0	
2417	941.7	943.7	2.0		4L7			.05	.02	.03	4.0	
2418	943.7	945.7	2.0		4L7			.06	.03	.03	2.0	
2419	945.7	947.7	2.0		4L7			.04	.02	.02	2.0	
2420	947.7	949.7	2.0		4L7			.07	.03	.04	1.0	
2421	949.7	950.9	1.2		4L7			.03	.01	.02	1.0	
2422	950.9	951.2	.3		4C5			.14	.06	.08	8.0	
0	951.2	953.2	2.0		WASTE							
2423	953.2	954.3	1.1		4C57			1.45	.77	.68	13.0	
2424	954.3	956.7	2.4		4A0			2.07	1.03	1.04	20.0	
2425	956.7	957.5	.8		4A4			6.95	2.92	4.03	54.0	
2426	957.5	958.2	.7		4A0			.71	.29	.42	9.0	
2427	958.2	960.2	2.0		4G*			4.17	2.17	2.00	51.0	
2428	960.2	961.8	1.6		4G*			1.32	.91	.41	32.0	
2429	961.8	963.8	2.0		4C8			.39	.27	.12	20.0	
2430	963.8	964.7	.9		4C8			2.06	1.15	.91	30.0	
2431	964.7	965.4	.7		4E8			4.13	2.55	1.58	41.0	
2432	965.4	966.2	.8		4G8*			7.98	4.70	3.28	55.0	
2433	966.2	966.7	.5		4L1			.52	.22	.30	8.0	
2434	966.7	968.4	1.7		4G8*			.25	.18	.07	20.0	
2435	968.4	969.3	.9		4E8			.38	.25	.13	30.0	
2436	969.3	971.3	2.0		4G8*			5.25	3.38	1.87	49.0	
2437	971.3	973.3	2.0		4G8*			6.49	3.28	3.21	46.0	
2438	973.3	973.6	.3		4G8*			4.44	2.08	2.36	35.0	
2439	973.6	975.6	2.0		4K68			.82	.55	.27	22.0	
2440	975.6	976.3	.7		4K68			3.09	1.75	1.34	37.0	

2441	976.3	977.8	1.5	4A0	4.54	1.47	3.07	26.0
2442	977.8	978.3	.5	4E0	.24	.10	.14	14.0
0	978.3	1047.5	69.2	WASTE				

Drill Hole: 89DS01 Section:
Northing: 901388.5 Easting: 597335.6 Elevation: 1105.8
Length: 452.0 Core: DDH Record: 57

ASSAYS

Sample #	---Depths--- From	To	Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Au g/t
0	.0	452.0	452.0		WASTE							

Drill Hole: 89DS02 Section:
Northing: 901358.9 Easting: 597337.9 Elevation: 1107.8
Length: 392.3 Core: DDH Record: 58

ASSAYS

Sample #	---Depths--- From	To	Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Au g/t
0	0.0	392.3			WASTE							

Drill Hole: 90DY01 Section:
Northing: 901399.4 Easting: 597347.3 Elevation: 1100.3
Length: 139.3 Core: DDH Record: 59

ASSAYS

Sample #	---Depths--- From	To	Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Au g/t
0	0.0	139.3			WASTE							

Drill Hole: 90DY02 Section:
Northing: 901355.1 Easting: 597367.9 Elevation: 1096.9
Length: 149.4 Core: DDH Record: 60

ASSAYS

Sample #	---Depths--- From	To	Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Au g/t
NO SAMPLES												

Drill Hole: 90DY03 Section:
Northing: 901328.0 Easting: 597286.0 Elevation: 1120.6
Length: 151.5 Core: DDH Record: 61

ASSAYS

Sample #	---Depths--- From	To	Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Au g/t

NO SAMPLES

Drill Hole: 90DY04DS Section:
Northing: 901369.5 Easting: 597305.0 Elevation: 1115.3
Length: 662.3 Core: DDH Record: 62

ASSAYS

Sample #	---Depths--- From	To	Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Au g/t
0	.0	554.3	554.3		WASTE		2.70	.00	.00	.00	.0	.00
65101	554.3	555.2	.9		4G0		4.25	7.42	2.00	5.42	29.6	.35
65102	555.2	555.9	.7		4H04		3.65	3.93	.61	3.32	11.2	.11
65103	555.9	556.8	.9		3G02		2.91	.15	.04	.11	.1	.02
65104	556.8	557.8	1.0		4G4		4.09	11.20	2.33	8.87	35.0	.46
65105	557.8	558.5	.7		4G4		4.19	11.97	2.76	9.21	39.4	.45
65106	558.5	559.4	.9		4G4		4.33	10.45	3.15	7.30	32.3	.46
65107	559.4	559.9	.5		4G44		4.11	23.76	5.46	18.30	87.4	.35
65108	559.9	560.6	.7		4A0		2.79	1.83	.54	1.29	6.4	1.21
65109	560.6	561.4	.8		4A0		2.69	2.64	1.00	1.64	13.2	.17
65110	561.4	562.0	.6		3G0		2.76	.06	.02	.04	.1	.08
65111	562.0	562.9	.9		3G0		3.11	1.32	1.20	.12	18.7	.39
65112	562.9	563.9	1.0		4EC4		3.98	21.06	8.86	12.20	73.4	.77
65113	563.9	564.7	.8		4EC4		3.27	9.70	4.67	5.03	55.3	.54
65114	564.7	565.3	.6		4EC4		4.18	13.33	7.27	6.06	87.5	.72
65115	565.3	565.9	.6		4EC44		4.25	31.60	10.20	21.40	169.9	.78
	565.9	662.3			WASTE							

Drill Hole: 90DY05 Section:
Northing: 901121.3 Easting: 597801.5 Elevation: 1017.0
Length: 657.8 Core: DDH Record: 63

ASSAYS

Sample #	---Depths--- From	To	Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Au g/t
0	.0	516.2	516.2		WASTE							
65116	516.2	516.7	.5		4KO		2.49	1.40	.97	.43	7.0	.07
65117	516.7	517.5	.8		4GO		3.84	11.77	3.33	8.44	63.5	.41
65118	517.5	518.3	.8		4GO		4.33	13.68	1.48	12.20	123.1	.61
65119	518.3	519.1	.8		4EO		4.12	12.33	4.16	8.17	54.8	.45
65120	519.1	519.7	.6		4GO		3.33	8.76	2.67	6.09	38.6	.28
65121	519.7	520.4	.7		4K06		2.98	2.32	.82	1.50	10.3	.11
65122	520.4	521.1	.7		4GO		2.86	16.42	4.82	11.60	65.6	.41
65123	521.1	521.8	.7		4GO		3.74	13.94	3.84	10.10	73.4	.33
65124	521.8	523.2	1.4		4GO		3.09	14.37	4.17	10.20	51.7	.20
65125	523.2	524.6	1.4		4GO		4.27	9.71	2.45	7.26	34.9	.09
65126	524.6	525.2	.6		4GO		3.82	8.36	2.50	5.86	31.4	.12
65127	525.2	526.1	.9		4GO		4.04	25.50	10.90	14.60	132.9	.49
65128	526.1	526.3	.2		4GO		4.33	12.23	3.50	8.73	53.9	.91
65129	526.3	527.4	1.1		4GO		3.93	17.43	6.43	11.00	70.0	.51
65130	527.4	528.6	1.2		4GO		4.23	21.03	9.33	11.70	83.0	.55
65131	528.6	529.1	.5		4K4		3.74	16.53	5.63	10.90	77.8	.47
65132	529.1	530.2	1.1		4G4		4.16	19.01	8.31	10.70	114.8	.61
65133	530.2	530.9	.7		4G4		4.23	11.36	3.58	7.78	58.7	.43
65134	530.9	531.9	1.0		4G4		3.84	21.07	8.77	12.30	136.3	.58
65135	531.9	532.6	.7		4E4		4.48	27.00	14.40	12.60	196.2	1.26
65136	532.6	533.0	.4		4G4		3.83	27.80	12.10	15.70	175.1	.86
65137	533.0	533.6	.6		4G4		3.46	21.07	8.87	12.20	58.4	.53
65138	533.6	534.6	1.0		4G44		4.11	18.29	6.99	11.30	74.2	.44
0	534.6	657.8			WASTE							

Drill Hole: 90DY06 Section:
Northing: 900100.0 Easting: 597693.3 Elevation: 963.5
Length: 457.2 Core: DDH Record: 64

ASSAYS

Sample #	---Depths--- From	To	Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Au g/t
NO SAMPLES												

Drill Hole: 90DY07 Section:
Northing: 900768.6 Easting: 597774.6 Elevation: 1034.2
Length: 686.7 Core: DDH Record: 65

ASSAYS

Sample #	---Depths--- From	To	Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Au g/t
	.0	381.8	381.8		WASTE							
65139	381.8	383.4	1.6		4L0		2.76	.08	.07	.01	.1	.01
65140	383.4	384.7	1.3		4L0		2.79	.02	.01	.01	.1	.01
65141	384.7	385.1	.4		4K@$		2.76	.14	.06	.08	.1	.01
65142	385.1	387.2	2.1		4L0$		2.84	.02	.01	.01	.1	.02
65143	387.2	388.4	1.2		4L0$		3.08	1.65	.76	.89	10.1	.19
65144	388.4	390.1	1.7		4E0$		3.58	.41	.33	.08	12.9	.30
65145	390.1	391.7	1.6		4E0		4.04	.50	.32	.18	11.4	.53
65146	391.7	393.4	1.7		4E0		3.83	.04	.03	.01	9.9	.41
65147	393.4	394.9	1.5		4C0		3.41	.13	.07	.06	5.7	.25
65148	394.9	396.6	1.7		4C0		3.24	.17	.14	.03	6.0	.22
65149	396.6	398.6	2.0		4C0		4.05	1.06	.87	.19	12.1	.19
65150	398.6	400.6	2.0		4C0		3.21	.64	.46	.18	7.3	.16
65151	400.6	401.6	1.0		4C0		3.44	.23	.16	.07	9.2	.81
65152	401.6	402.8	1.2		4C0		3.15	.23	.17	.06	8.5	.38
65153	402.8	403.9	1.1		4C0		3.06	.16	.14	.02	6.5	.18
65154	403.9	405.7	1.8		4C0		2.78	.07	.06	.01	2.7	.06
65155	405.7	407.1	1.4		4C0		3.16	.22	.18	.04	6.3	.30
65156	407.1	408.1	1.0		4L14		3.00	.54	.24	.30	4.4	.13
65157	408.1	409.6	1.5		4L14		2.76	.09	.07	.02	.7	.14
65158	409.6	410.0	.4		5A69		2.78	.04	.03	.01	.1	.01
65159	410.0	410.7	.7		5B219		2.67	.05	.03	.02	.1	.06
65160	410.7	413.0	2.3		5A19		2.54	.09	.05	.04	.8	.01
65161	413.0	414.4	1.4		5A109		2.79	.06	.02	.04	.4	.01
65162	414.4	416.6	2.2		5B6		2.68	.02	.01	.01	.1	.02
65163	416.6	417.3	.7		5B619		2.74	.02	.01	.01	.4	.01
65164	417.3	418.4	1.1		4C0		3.22	.07	.05	.02	3.4	.19
65165	418.4	419.0	.6		5B612		2.71	.04	.03	.01	1.8	.01
	419.0	587.4			WASTE							
65166	587.4	587.9	.5		4A0		2.43	5.52	1.98	3.54	10.4	.03
65167	587.9	589.0	1.1		5B6		2.72	.02	.01	.01	2.2	.01
65168	589.0	590.7	1.7		4A04		3.19	5.81	2.19	3.62	29.4	.11
65169	590.7	592.4	1.7		4A04		2.67	6.09	1.94	4.15	19.6	.05
65170	592.4	594.2	1.8		4A0		2.59	.23	.07	.16	3.1	.01
65171	594.2	595.5	1.3		4A0		2.75	2.04	.66	1.38	6.5	.01
65172	595.5	596.0	.5		4A0		2.57	3.30	1.39	1.91	10.6	.08
65173	596.0	596.5	.5		4A4		2.99	13.27	5.19	8.08	70.6	.11
65174	596.5	597.2	.7		4A0		2.58	.44	.11	.33	7.9	.03
65175	597.2	598.2	1.0		4A4		2.97	15.12	6.25	8.87	97.9	.59
65176	598.2	599.8	1.6		4A04		3.01	7.01	3.11	3.90	45.9	.51
65177	599.8	601.7	1.9		4L1		2.79	.99	.45	.54	7.2	.08
65178	601.7	603.0	1.3		4L1		2.74	.02	.01	.01	.1	.07
65179	603.0	603.9	.9		4A4		3.56	12.77	5.41	7.36	86.7	.22
	603.9	686.7			WASTE							

Drill Hole: 90DY08 Section:
Northing: 900359.0 Easting: 597719.0 Elevation: 1005.5
Length: 642.2 Core: DDH Record: 66

ASSAYS

Sample #	---Depths--- From	To	Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Au g/t
65241	550.9	551.6	.7		4L0$		3.08	2.04	.91	1.13	15.4	.02
65242	558.7	559.1	.4		4A04		2.85	.31	.15	.16	28.6	.05
65243	559.1	560.0	.9		4G4		3.34	11.48	4.61	6.87	46.7	.15
65244	570.6	571.0	.4		10E9$		2.90	1.37	.41	.96	8.4	.03

Drill Hole: 90DY09 Section:
Northing: 901227.0 Easting: 597649.0 Elevation: 1056.0
Length: 647.7 Core: DDH Record: 67

ASSAYS

Sample #	---Depths--- From	To	Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Au g/t
0	.0	549.0	549.0		WASTE							
65180	549.0	551.2	2.2		5A6		2.47	.06	.01	.05	1.1	.08
65181	551.2	552.0	.8		4G4		3.71	5.07	1.50	3.57	19.9	.17
65182	552.0	552.8	.8		4G4		4.09	2.85	.79	2.06	29.5	.14
65183	552.8	553.5	.7		4G4		4.30	5.43	1.83	3.60	18.4	.16
65184	553.5	554.4	.9		4G4		4.16	4.16	.98	3.18	39.0	.11
65185	554.4	556.5	2.1		4L01$		2.84	.05	.01	.04	.7	.05
65186	556.5	557.7	1.2		4G4		4.34	9.76	3.61	6.15	56.3	.12
65187	557.7	559.2	1.5		4E0		4.48	25.00	6.60	18.40	108.7	.78
65188	559.2	560.9	1.7		4E0		4.47	16.28	4.38	11.90	89.2	.61
65189	560.9	562.5	1.6		4G44		4.35	13.01	4.89	8.12	79.6	.18
65190	562.5	563.4	.9		4L0		3.05	.62	.18	.44	3.0	.01
65191	563.4	563.8	.4		4G44		4.16	5.34	1.56	3.78	16.3	.09
65192	563.8	564.8	1.0		4G4		4.31	2.40	.64	1.76	10.2	.13
65193	564.8	565.4	.6		4E4		4.50	22.60	6.50	16.10	109.7	.85
65194	565.4	566.7	1.3		4E4		3.48	12.39	5.30	7.09	69.2	.51
65195	566.7	567.1	.4		4L0		2.90	.34	.16	.18	4.1	.25
65196	567.1	569.4	2.3		4G4		3.49	5.88	1.87	4.01	29.5	.49
65197	569.4	570.1	.7		5A0		2.95	.44	.14	.30	3.7	.02
65198	570.1	572.0	1.9		5A019		2.96	4.05	1.93	2.12	19.2	.50
65199	582.1	583.1	1.0		4L0		2.88	.04	.01	.03	1.5	.01
65200	583.1	583.6	.5		4H0		4.15	8.47	3.81	4.66	88.9	.31
65201	583.6	584.5	.9		4L0		3.06	.78	.20	.58	5.0	.01
65202	584.5	586.4	1.9		4L0		2.87	.03	.01	.02	.9	.01
65203	586.4	587.1	.7		4G44		3.72	15.72	6.56	9.16	111.5	1.07
65204	587.1	588.1	1.0		5B64		2.82	.06	.01	.05	1.3	.01
65205	636.7	637.4	.7		5B46		2.88	.41	.16	.25	2.4	.01
65206	637.4	639.0	1.6		5B216		2.77	.38	.13	.25	2.0	.01
65207	639.0	639.4	.4		5D06		2.81	.04	.01	.03	.6	.01
65208	639.4	640.7	1.3		4L19		2.89	.49	.23	.26	3.5	.01
65209	640.7	642.1	1.4		5B20		2.88	.18	.07	.11	1.5	.03
65210	642.1	643.5	1.4		5B21		2.86	.36	.20	.16	1.8	.01
65211	643.5	644.8	1.3		5B21		2.84	.03	.01	.02	.5	.01
0	644.8	647.7			WASTE							

Drill Hole: 90DY10 Section:
Northing: 899446.9 Easting: 597635.6 Elevation: 855.8
Length: 51.8 Core: DDH Record: 68

ASSAYS

Sample #	---Depths--- From	To	Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Au g/t

NO SAMPLES

Drill Hole: 90DY11 Section:
Northing: 899473.1 Easting: 597638.3 Elevation: 860.0
Length: 55.2 Core: DDH Record: 69

ASSAYS

Sample #	---Depths--- From	To	Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Au g/t

NO SAMPLES

Drill Hole: 90DY12 Section:
Northing: 899519.1 Easting: 597641.4 Elevation: 865.0
Length: 68.9 Core: DDH Record: 70

ASSAYS

Sample #	---Depths--- From	To	Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Au g/t
NO SAMPLES												

Drill Hole: 90DY13 Section:
Northing: 899574.4 Easting: 597645.8 Elevation: 874.2
Length: 100.6 Core: DDH Record: 71

ASSAYS

Sample #	---Depths--- From	To	Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Au g/t

NO SAMPLES

Drill Hole: 90DY14 Section:
Northing: 899673.9 Easting: 597653.6 Elevation: 884.4
Length: 125.0 Core: DDH Record: 72

ASSAYS

Sample #	---Depths--- From	To	Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Au g/t

NO SAMPLES

Drill Hole: 900B01 Section:
Northing: 899384.0 Easting: 597630.3 Elevation: 839.9
Length: 9.5 Core: DDH Record: 73

ASSAYS

Sample #	---Depths--- From	To	Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Au g/t
NO SAMPLES												

Drill Hole: 900B02 Section:
Northing: 899385.0 Easting: 597639.0 Elevation: 839.7
Length: 12.5 Core: DDH Record: 74

ASSAYS

Sample #	---Depths--- From	To	Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Au g/t

NO SAMPLES

Drill Hole: 900803 Section:
Northing: 899382.8 Easting: 597622.1 Elevation: 840.1
Length: 9.5 Core: DDH Record: 75

ASSAYS

Sample #	---Depths--- From	To	Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Au g/t

NO SAMPLES

Drill Hole: 900804 Section:
Northing: 899370.2 Easting: 597628.6 Elevation: 839.2
Length: 11.0 Core: DDH Record: 76

ASSAYS

Sample #	---Depths--- From	To	Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Au g/t
NO SAMPLES												

Drill Hole: 900B05 Section:
Northing: 899342.0 Easting: 597625.8 Elevation: 831.4
Length: 12.5 Core: DDH Record: 77

ASSAYS

Sample #	---Depths--- From	To	Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Au g/t
NO SAMPLES												

Drill Hole: 900B06 Section:
Northing: 899339.4 Easting: 597631.5 Elevation: 831.1
Length: 13.9 Core: DDH Record: 78

ASSAYS

Sample #	---Depths--- From	To	Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Au g/t

NO SAMPLES

Drill Hole: 900807 Section:
Northing: 899344.8 Easting: 597622.5 Elevation: 831.4
Length: 15.5 Core: DDH Record: 79

ASSAYS

Sample #	---Depths--- From	To	Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Au g/t

NO SAMPLES

Drill Hole: 900808 Section:
Northing: 899419.0 Easting: 597635.0 Elevation: 847.4
Length: 7.3 Core: DDH Record: 80

ASSAYS

Sample #	---Depths--- From	To	Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Au g/t
NO SAMPLES												

Drill Hole: 91DY01 Section:
Northing: 900595.5 Easting: 597471.5 Elevation: 1092.9
Length: 608.4 Core: DDH Record: 81

ASSAYS

Sample #	---Depths--- From	To	Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Au g/t
0	.0	608.4	608.4		WASTE							

Drill Hole: 91DY02 Section:
Northing: 900645.5 Easting: 597557.0 Elevation: 1081.6
Length: 579.1 Core: DDH Record: 82

ASSAYS

Sample #	---Depths--- From	To	Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Au g/t
65212	533.0	534.0	1.0		4E0		4.27	3.71	1.46	2.25	22.0	.87
65213	534.0	534.7	.7		4E0		4.22	5.34	2.42	2.92	26.3	.91
65214	534.7	535.0	.3		4E4		3.80	8.65	3.66	4.99	37.4	.56
65215	535.0	535.2	.2		4C0		3.19	.85	.46	.39	13.8	.27
65216	535.2	537.1	1.9		5B1		2.79	.04	.02	.02	.2	.01
65217	537.1	538.9	1.8		5B1		2.68	.02	.01	.01	.1	.01
65218	538.9	540.1	1.2		5B1		2.62	.02	.01	.01	.1	.02
65219	540.1	540.9	.8		4L0		2.95	.02	.01	.01	.8	.01
65220	540.9	541.5	.6		5B61		2.80	2.69	1.35	1.34	8.5	.01
65221	541.5	542.9	1.4		5A0		2.66	.02	.01	.01	.1	.01
65222	542.9	544.0	1.1		5B64		2.79	.02	.01	.01	.8	.11
65223	544.0	545.1	1.1		5A0		2.42	.27	.11	.16	2.7	.03
65224	545.1	547.2	2.1		4C0		3.26	.16	.12	.04	5.5	.16
65225	547.2	549.2	2.0		4C0		3.21	.20	.17	.03	4.5	.01
65226	549.2	549.8	.6		4C0		3.04	1.21	.34	.87	5.4	.01
65227	549.8	550.6	.8		4L0*		2.97	.02	.01	.01	.7	.01
65228	550.6	552.3	1.7		4L0*		2.97	.15	.07	.08	2.6	.32
65229	552.3	554.3	2.0		4C0		3.31	.28	.23	.05	5.8	.11
65230	554.3	556.9	2.6		4C0		3.34	1.20	.47	.73	8.0	.11
65231	556.9	558.9	2.0		4C0		3.26	.12	.11	.01	4.4	.26
65232	558.9	560.9	2.0		4C0		3.27	.20	.10	.10	8.5	.20
65233	560.9	563.2	2.3		4C0		3.23	.16	.11	.05	8.2	.21
65234	563.2	564.5	1.3		5B0		2.75	.29	.09	.20	3.9	.13
65235	564.5	564.9	.4		5A61		2.96	.94	.44	.50	5.6	.34
65236	564.9	566.7	1.8		5B16		2.81	.04	.03	.01	.8	.07
65237	566.7	568.1	1.4		5B16		2.83	.04	.03	.01	.3	.03
65238	568.1	570.9	2.8		5B16		2.95	.15	.14	.01	1.2	.15
65239	570.9	572.4	1.5		5B19		3.10	.12	.11	.01	1.0	.47
65240	572.4	574.1	1.7		5B19		3.06	.15	.10	.05	2.1	.14
65212	533.0	534.0	1.0		4E0		4.27	3.71	1.46	2.25	22.0	.87
65213	534.0	534.7	.7		4E0		4.22	5.34	2.42	2.92	26.3	.91
65214	534.7	535.0	.3		4E4		3.80	8.65	3.66	4.99	37.4	.56
65215	535.0	535.2	.2		4C0		3.19	.85	.46	.39	13.8	.27
65216	535.2	537.1	1.9		5B1		2.79	.04	.02	.02	.2	.01
65217	537.1	538.9	1.8		5B1		2.68	.02	.01	.01	.1	.01
65218	538.9	540.1	1.2		5B1		2.62	.02	.01	.01	.1	.02
65219	540.1	540.9	.8		4L0		2.95	.02	.01	.01	.8	.01
65220	540.9	541.5	.6		5B61		2.80	2.69	1.35	1.34	8.5	.01
65221	541.5	542.9	1.4		5A0		2.66	.02	.01	.01	.1	.01
65222	542.9	544.0	1.1		5B64		2.79	.02	.01	.01	.8	.11
65223	544.0	545.1	1.1		5A0		2.42	.27	.11	.16	2.7	.03
65224	545.1	547.2	2.1		4C0		3.26	.16	.12	.04	5.5	.16
65225	547.2	549.2	2.0		4C0		3.21	.20	.17	.03	4.5	.01
65226	549.2	549.8	.6		4C0		3.04	1.21	.34	.87	5.4	.01

65227	549.8	550.6	.8	4L0*	2.97	.02	.01	.01	.7	.01
65228	550.6	552.3	1.7	4L0*	2.97	.15	.07	.08	2.6	.32
65229	552.3	554.3	2.0	4C0	3.31	.28	.23	.05	5.8	.11
65230	554.3	556.9	2.6	4C0	3.34	1.20	.47	.73	8.0	.11
65231	556.9	558.9	2.0	4C0	3.26	.12	.11	.01	4.4	.26
65232	558.9	560.9	2.0	4C0	3.27	.20	.10	.10	8.5	.20
65233	560.9	563.2	2.3	4C0	3.23	.16	.11	.05	8.2	.21
65234	563.2	564.5	1.3	5B0	2.75	.29	.09	.20	3.9	.13
65235	564.5	564.9	.4	5A61	2.96	.94	.44	.50	5.6	.34
65236	564.9	566.7	1.8	5B16	2.81	.04	.03	.01	.8	.07
65237	566.7	568.1	1.4	5B16	2.83	.04	.03	.01	.3	.03
65238	568.1	570.9	2.8	5B16	2.95	.15	.14	.01	1.2	.15
65239	570.9	572.4	1.5	5B19	3.10	.12	.11	.01	1.0	.47
65240	572.4	574.1	1.7	5B19	3.06	.15	.10	.05	2.1	.14

Drill Hole: 91DY03 Section:
Northing: 901165.0 Easting: 597629.2 Elevation: 1062.0
Length: 685.8 Core: DDH Record: 83

ASSAYS

Sample #	---Depths--- From	To	Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Au g/t
0	.0	544.7	544.7		WASTE							
65245	544.7	545.5	.8				2.80	.05	.02	.03	.2	.08
65246	545.5	546.2	.7				3.93	16.98	5.96	11.02	125.6	.51
65247	546.2	547.6	1.4				2.89	7.27	2.71	4.56	52.2	.55
65248	547.6	549.7	2.1				2.84	6.28	2.07	4.21	39.4	.45
65249	549.7	552.6	2.9				3.00	9.59	3.31	6.28	71.5	.55
65250	552.6	553.3	.7				3.36	8.20	2.67	5.53	58.0	.53
65251	553.3	554.3	1.0				3.19	6.46	2.26	4.20	51.9	.18
65252	554.3	555.7	1.4				2.92	3.98	2.01	1.97	22.1	.07
65253	555.7	558.0	2.3				2.62	.84	.28	.56	13.1	.06
65254	558.0	559.1	1.1				2.86	4.47	2.05	2.42	44.4	.18
65255	559.1	561.3	2.2				2.84	1.94	.66	1.28	12.5	.17
65256	561.3	562.4	1.1				2.76	.25	.13	.12	1.6	.03
0	562.4	571.8	9.4		WASTE							
65257	571.8	572.9	1.1				3.46	8.75	3.47	5.28	44.7	.62
65258	572.9	574.1	1.2				2.87	.12	.05	.07	.8	.10
65259	574.1	574.8	.7				3.64	8.33	2.46	5.87	31.7	.27
65260	574.8	576.1	1.3				3.38	7.91	2.60	5.31	38.7	.24
65261	576.1	576.8	.7				3.23	8.09	3.03	5.06	35.7	.34
65262	576.8	577.7	.9				2.84	.27	.09	.18	1.3	.08
65263	577.7	579.6	1.9				3.06	3.83	1.45	2.38	22.9	.44
65264	579.6	581.6	2.0				2.89	.90	.41	.49	7.4	.27
65265	581.6	584.1	2.5				2.82	1.64	.55	1.09	9.8	.28
65266	584.1	585.0	.9				3.34	11.45	4.54	6.91	55.2	.30
65267	585.0	586.6	1.6				2.95	1.01	.48	.53	8.3	.33
65268	586.6	588.3	1.7				3.18	4.14	1.45	2.69	21.6	.43
65269	588.3	589.9	1.6				3.96	10.13	3.24	6.89	52.8	.75
65270	589.9	591.5	1.6				3.75	12.59	4.14	8.45	69.6	.66
65271	591.5	592.3	.8				2.83	.19	.07	.12	.4	.12
65272	592.3	594.4	2.1				3.77	11.07	4.88	6.19	71.1	.99
65273	594.4	595.4	1.0				3.74	27.23	12.53	14.70	189.1	1.57
65274	595.4	596.3	.9				3.66	12.55	5.53	7.02	84.1	.98
65275	596.3	597.3	1.0				3.64	12.82	5.69	7.13	86.9	1.02
65276	597.3	598.4	1.1				4.37	26.15	11.55	14.60	136.4	.96
0	598.4	603.0	4.6		WASTE							
65277	603.0	604.9	1.9				2.82	.23	.10	.13	.5	.04
65278	604.9	607.3	2.4				2.95	.11	.05	.06	.3	.03

Drill Hole: 91DY04 Section:
Northing: 900752.8 Easting: 597448.3 Elevation: 1102.5
Length: 709.1 Core: DDH Record: 84

ASSAYS

Sample #	---Depths--- From	To	Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Au g/t
0	.0	592.5	592.5		WASTE							
65279	592.5	594.0	1.5	100.0	4L0		2.81	.04	.01	.03	2.0	.18
65280	594.0	595.6	1.6	100.0	4L1		2.74	.03	.01	.02	.5	.10
65281	595.6	596.5	.9	100.0	5B61		3.05	.07	.06	.01	1.7	.32
65282	596.5	598.3	1.8	100.0	4L17		3.33	.28	.25	.03	5.6	.27
65283	598.3	599.7	1.4	100.0	5B6		2.88	.02	.01	.01	.1	.11
65284	599.7	600.3	.6	100.0	4E8		4.01	.02	.01	.01	4.7	.49
65285	600.3	601.5	1.2	100.0	4C0		3.19	.04	.02	.02	1.2	.26
65286	601.5	602.4	.9	100.0	4C0		3.23	.07	.05	.02	.1	.15
65287	602.4	604.1	1.7	100.0	5B416		2.81	.02	.01	.01	1.1	.12
65288	604.1	604.9	.8	100.0	4L0		2.84	.02	.01	.01	.3	.09
65289	604.9	606.0	1.1	100.0	4L1		2.82	.02	.01	.01	.7	.11
65290	606.0	607.0	1.0	100.0	4L0		2.96	.04	.01	.03	1.0	.16
65291	607.0	610.0	3.0	100.0	5B64		2.86	.05	.01	.04	.1	.07
0	610.0	630.0	20.0		WASTE							
65292	630.0	632.5	2.5	100.0	5B64		2.39	.81	.35	.46	4.7	.07
0	632.5	653.4	20.9		WASTE							
65293	653.4	654.5	1.1	100.0	5B01		2.80	.07	.06	.01	.7	.09
65294	654.5	656.5	2.0	100.0	5B01		2.86	.30	.14	.16	1.8	.04
65295	656.5	659.2	2.7	100.0	5B0		2.88	.46	.29	.17	2.8	.07
65296	659.2	660.2	1.0	100.0	5B0		2.83	1.12	.47	.65	6.1	.07
65297	660.2	662.0	1.8	100.0	5B6		2.85	.03	.02	.01	.3	.07
65298	662.0	664.1	2.1	100.0	5B6		2.82	.04	.03	.01	.1	.02
65299	664.1	666.0	1.9	100.0	5B6		2.84	.02	.01	.01	.1	.06
65300	666.0	667.8	1.8	100.0	5B6		2.72	.52	.20	.32	2.7	.10
65301	667.8	669.0	1.2	100.0	4G0		4.48	6.90	3.06	3.84	48.5	.84
65302	669.0	670.8	1.8	100.0	4G0		4.21	5.13	2.90	2.23	39.2	.52
65303	670.8	671.9	1.1	100.0	5B6		2.99	.66	.46	.20	7.0	.09
65304	671.9	673.0	1.1	100.0	4L0		2.86	.17	.11	.06	2.5	.07
65305	673.0	675.7	2.7	100.0	4L0		2.95	.60	.28	.32	5.2	.13
65306	675.7	678.0	2.3	100.0	5B6		2.84	.12	.04	.08	.6	.08
65307	678.0	681.0	3.0	100.0	5B6		2.84	.05	.02	.03	.4	.09
65308	681.0	683.0	2.0	100.0	5B6		2.84	.02	.01	.01	.3	.02
65309	683.0	684.2	1.2	100.0	4C8		3.38	1.63	1.13	.50	20.7	.51
65310	684.2	685.5	1.3	100.0	4C01		4.13	.57	.45	.12	17.3	.76
65311	685.5	685.9	.4	100.0	4G0		4.26	10.28	5.08	5.20	107.2	1.27
65312	685.9	688.0	2.1	100.0	4E08		4.49	1.43	1.25	.18	23.7	.87
65313	688.0	688.5	.5	100.0	4E08		4.40	1.93	1.30	.63	29.9	1.31
65314	688.5	690.1	1.6	100.0	4E08		4.34	.52	.40	.12	11.6	1.23
65315	690.1	691.1	1.0	100.0	4C87		3.89	3.09	1.81	1.28	32.6	.46
65316	691.1	691.5	.5	100.0	4C87		3.26	2.11	1.33	.78	21.6	.35
65317	691.5	692.6	1.1	100.0	4C87		3.38	2.84	1.90	.94	29.5	.43
65318	692.6	693.4	.8	100.0	4E8		4.37	.68	.50	.18	15.6	.88
65319	693.4	695.5	2.1	100.0	4C0		4.11	.85	.53	.32	16.9	.76

65320	695.5	696.0	.5	100.0	4G0	1.14	.24	.15	.09	8.8	1.11
65321	696.0	696.5	.5	100.0	4E0	3.81	2.57	1.57	1.00	42.9	1.82
65322	696.5	697.0	.5	100.0	4L0	2.91	2.29	.85	1.44	17.3	.40
65323	697.0	697.2	.2	100.0	4L0	3.90	2.09	1.03	1.06	14.3	.45
65324	697.2	697.8	.6	100.0	10Q$#	2.97	3.62	1.31	2.31	20.7	.21
65325	697.8	700.0	2.2	100.0	5B6	2.76	.06	.01	.05	.1	.07
0	700.0	706.0	6.0		WASTE						
65326	706.0	707.3	1.3	100.0	5B61	2.85	.25	.07	.18	1.1	.09
65327	707.3	708.7	1.4	100.0	4C8	3.13	.37	.17	.20	3.2	.37
65328	708.7	709.3	.6	100.0	4C0	3.01	.27	.13	.14	1.2	.35

Drill Hole: 91DY05 Section:
Northing: 901217.8 Easting: 597497.9 Elevation: 1086.6
Length: 709.9 Core: DDH Record: 85

ASSAYS

Sample #	---Depths--- From	To	Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Au g/t
0	.0	584.9	584.9	.0	WASTE		.00	.00	.00	.00	.0	.00
65381	430.8	431.7	.9	100.0	5B4		2.81	.19	.06	.13	1.9	.01
65382	431.7	432.1	.4	100.0	4C0		3.26	.31	.23	.08	3.4	.34
65383	432.1	433.0	.9	100.0	5B4		2.61	.03	.01	.02	.8	.01
65384	433.0	434.3	1.3	100.0	4E0		3.17	.06	.02	.04	1.3	.35
65385	434.3	436.9	2.6	100.0	5B4		2.80	.07	.01	.06	.6	.01
65386	436.9	437.7	.8	100.0	5C4		2.85	.08	.01	.07	.9	.02
65387	437.7	439.8	2.1	100.0	4G8		3.83	.13	.08	.05	5.6	.63
65388	439.8	440.6	.8	100.0	4GB4		3.58	2.01	1.09	.92	16.9	.59
65389	440.6	442.4	1.8	100.0	5C4		3.10	1.24	.57	.67	7.1	.10
65390	442.4	443.5	1.1	100.0	4E7		3.88	3.96	2.35	1.61	27.0	.73
65391	443.5	446.1	2.6	100.0	5C46		2.85	.10	.03	.07	.6	.07
65392	451.3	452.5	1.2	100.0	5C67		2.77	.13	.05	.08	1.9	.02
65393	452.5	453.7	1.2	100.0	4K0		3.62	.19	.11	.08	5.0	.30
65394	453.7	455.3	1.6	100.0	4K87		3.31	.13	.08	.05	4.4	.34
65395	455.3	456.5	1.2	100.0	4K*		3.54	.04	.02	.02	5.5	.32
65396	456.5	457.7	1.2	100.0	4K0		3.79	.09	.03	.06	3.8	.44
65397	457.7	458.4	.7	100.0	4K7		3.82	.08	.05	.03	3.6	.59
65398	458.4	459.0	.6	100.0	4K0		3.68	.13	.09	.04	4.1	.36
65399	459.0	461.2	2.2	100.0	4L0		2.82	.06	.01	.05	1.2	.01
65400	461.2	461.6	.4	100.0	4CE4		3.42	2.01	.98	1.03	14.6	1.92
65401	461.6	463.3	1.7	100.0	4E48		4.11	1.08	.83	.25	11.8	.91
65402	463.3	464.5	1.2	100.0	4E48		4.25	1.62	.87	.75	11.9	.65
65403	464.5	465.4	.9	100.0	4CE8		3.73	2.39	1.24	1.15	16.9	.49
65404	465.4	466.4	1.0	100.0	5B4		2.78	.10	.04	.06	1.8	.05
0	466.4	543.2	76.8	.0	WASTE		.00	.00	.00	.00	.0	.00
65358	543.2	543.7	.5	100.0	5A6		2.79	.03	.01	.02	3.1	.07
65359	543.7	544.1	.4	100.0	5A6$		2.81	.69	.28	.41	5.2	.06
65360	544.1	544.4	.3	100.0	4H8		3.42	12.60	4.05	8.55	99.6	.29
65361	544.4	545.1	.7	100.0	4D44		3.45	10.63	3.41	7.22	69.1	.42
65362	545.1	546.0	.9	100.0	5A6$		2.80	.16	.05	.11	.9	.06
65363	546.0	548.0	2.0	100.0	5A6$		2.79	.21	.04	.17	.7	.08
65364	548.0	549.2	1.2	100.0	4A14		2.87	6.53	2.01	4.52	39.9	.31
65365	549.2	549.5	.3	100.0	5A6		2.77	1.94	.51	1.43	8.3	.11
65366	549.5	549.9	.4	100.0	5A69		2.84	3.05	1.01	2.04	17.8	.28
65367	549.9	550.9	1.0	100.0	5B4		2.81	.92	.81	.11	10.8	.10
65368	550.9	552.4	1.5	100.0	4L14		2.59	4.71	1.82	2.89	31.5	.66
65369	552.4	553.5	1.1	100.0	5C46		2.81	.16	.07	.09	.6	.04
65370	553.5	554.7	1.2	100.0	5C46		2.78	.52	.20	.32	2.6	.07
65371	554.7	555.1	.4	100.0	5A61		2.74	.70	.30	.40	5.5	.09
65372	555.1	558.2	3.1	100.0	5C7		2.75	.11	.02	.09	.1	.02
65373	558.2	559.0	.8	100.0	5A6		2.67	1.09	.26	.83	1.3	.02
65374	559.0	559.4	.4	100.0	5C7		2.82	.60	.25	.35	2.6	.01
65375	559.4	560.7	1.3	100.0	5A6		2.74	3.76	1.44	2.32	19.5	.44

65376	560.7	561.3	.6	100.0	5F46	2.85	.14	.04	.10	.1	.01
65377	561.3	562.1	.8	100.0	5A61	2.94	1.22	.31	.91	3.9	.16
65378	562.1	562.8	.7	100.0	5C6	2.80	.27	.06	.21	.1	.02
65379	562.8	563.3	.5	100.0	5C6	2.82	.24	.06	.18	.1	.04
0	563.3	579.5	16.2	.0	WASTE	.00	.00	.00	.00	.0	.00
65380	579.5	580.5	1.0	100.0	5A69	2.85	3.13	1.07	2.06	19.7	.23
0	580.5	584.9	4.4	.0	WASTE	.00	.00	.00	.00	.0	.00
65329	584.9	585.6	.7	100.0	4E4	4.04	19.29	9.05	10.24	123.0	1.25
65330	585.6	586.5	.9	100.0	4G0*	4.32	10.24	5.46	4.78	89.0	1.02
65331	586.5	587.7	1.2	100.0	4G0	4.30	18.66	8.06	10.60	132.3	1.16
65332	587.7	588.2	.5	100.0	5A61	2.85	1.64	.48	1.16	4.3	.36
65333	588.2	588.5	.3	100.0	4C4	3.42	5.04	2.31	2.73	32.2	.81
65334	588.5	590.0	1.5	100.0	4D4	3.68	11.96	4.10	7.86	61.4	.98
65335	590.0	590.5	.5	100.0	4C4	3.34	14.92	4.32	10.60	66.7	.88
65336	590.5	591.6	1.1	100.0	4G4	4.23	33.40	11.20	22.20	190.8	.83
65337	591.6	592.2	.6	100.0	4G44	3.68	25.31	9.21	16.10	130.7	1.27
65338	592.2	592.7	.5	100.0	4C48	3.36	14.68	4.58	10.10	87.4	.55
65339	592.7	595.0	2.3	100.0	5A6	2.58	.50	.21	.29	3.5	.12
65340	595.0	595.5	.5	100.0	4A4	3.39	12.94	3.55	9.39	85.6	.85
65341	595.5	595.8	.3	100.0	4D4	3.73	12.45	3.00	9.45	70.5	.51
65342	595.8	596.5	.7	100.0	4G48	3.86	5.18	1.09	4.09	13.3	.32
65343	596.5	597.1	.6	100.0	5C14	3.26	2.40	.75	1.65	9.8	.09
65344	597.1	597.7	.6	100.0	4G44	3.88	31.19	7.29	23.90	192.1	.62
65345	597.7	598.0	.3	100.0	5C41	3.18	8.96	2.57	6.39	31.2	.31
65346	598.0	599.2	1.2	100.0	4D4	3.94	31.03	8.23	22.80	169.8	.62
65347	599.2	599.8	.6	100.0	4D44	3.89	20.55	6.95	13.60	106.1	.94
65348	599.8	601.5	1.7	100.0	4G4	3.39	27.60	6.20	21.40	108.6	.47
65349	601.5	603.7	2.2	100.0	5A6	2.54	.16	.05	.11	.1	.04
65350	603.7	604.4	.7	100.0	5B46	2.69	.13	.06	.07	.1	.06
65351	604.4	604.6	.2	100.0	4H84	3.74	10.58	3.44	7.14	50.8	.11
65352	604.6	605.8	1.2	100.0	10E9	2.86	.48	.16	.32	1.5	.06
65353	605.8	606.3	.5	100.0	5B16	2.86	.05	.03	.02	.1	.03
65354	606.3	606.7	.4	100.0	4H0	4.22	12.86	3.29	9.57	60.2	.16
65355	606.7	607.0	.3	100.0	10C99	3.47	14.41	3.81	10.60	67.2	.43
65356	607.0	607.5	.5	100.0	4K0	3.77	13.89	4.35	9.54	108.6	.42
65357	607.5	608.1	.6	100.0	4E04	4.11	9.24	2.60	6.64	49.4	.40
0	608.1	709.9	101.8		WASTE						

APPENDIX VIII

DY DEPOSIT - RESERVE POLYGONS
PLAN VIEW
SCALE = 1:2000