

26 Nov

006075

D.D.H. No KP 78-1

PAGE 1

[illegible]

Page 2 of 5

Footage - meters		DESCRIPTION	Rec. meters	Sample No.	DEPTH		Sample Length
From	To				From	To	
		Orange ochre color due to limonitic staining. Negligible pyrite.					
11.0	11.5	QUARTZ-GRAPHITE PHYLLITE. Dark Gray-black. Siliceous; 10% graphite. Core broken & tumbled. Graphite as dissemination within siliceous matrix. A few pyrite crystals + blebs. Negligible oxidation noted.	0.1/ 0.5		11.0	11.5	
11.5	16.4	QUARTZ-SERICITE PHYLLITE. Light Pale Gray. Soft, mainly sericite, uniformly pale gray. Probable alteration but no buff color bleaching seen. No sulphides. $F_1 @ 35^\circ @ 12.1''$, $25^\circ @ 12.7$, $40^\circ @ 13.5''$, $70^\circ @ 14.4$, $50^\circ @ 15.2''$.	0.07/ 0.5 0.9/ 2.0 0.55/ 2.4		11.5	12.0 14.0 16.4	
16.4	16.7	QUARTZ-GRAPHITE PHYLLITE As 11.0-11.5 ^m section above. Core recovered as fragments + tumbled fragments.	0.13/ 0.3		16.4	16.7	
16.7	26.5	QUARTZ-SERICITE ± GRAPHITE PHYLLITE • Light Gray/Med Gray. 16.7-17.8 ^m : Mainly sericite phyllite, hard & siliceous - 23.5': " " " , sericitic + soft; appear to be fractured - 26.5': mainly sericite w/ 3-5% graphite, soft, fissile, also fractured. Minor pyrite following banding. $F_1 @ 55^\circ @ 16.8''$, $45^\circ @ 17.1$, $40^\circ @ 17.7$, $30^\circ @ 18.6$, $0^\circ @ 22$, $50^\circ @ 22.7$, $20^\circ @ 23.8$, $30^\circ @ 24.6$, $20^\circ @ 25.6$, $30^\circ @ 26$, $45^\circ @ 26.2''$	0.55/ 1.3 0.25/ 1.4 0.35/ 3.1 0.4/ 0.6 0.4/ 1.3 0.45/ 0.6 0.6/ 0.6		16.7	18.0 20.4 23.5 24.0 25.3 25.9 26.5	

DEPTH - m		DESCRIPTION	REC. m.	Sample No.	DEPTH		Sample Length		
From	To				From	To			
26.5	45.7	QUARTZ - SERICITE - GRAPHITE PHYLLITE. Dark Gray to Black. 60% qtz, 25% sericite, 15% graphite, 1-2% pyrite. Qtz content near uniform, sericite/graphite content varies. Graphite occurs as minute bands or threads. Fracturing not macroscopic, generally @ 90° to banding, often show minor offsets. Fr 20° @ 27.5", 40° @ 27.8, 20° @ 28.1, 50° @ 29.3(?) - 31.3, 30° @ 32.4(?), 20° @ 32.6, 40° - 30° @ 33.8, 30° to 36.3", 45° @ 36.6, 45° to 38.4, 20° @ 39.5, 10° @ 42.1, 20° @ 42.6, 45° @ 43.7(?) to 45.7"	1.6 0.3 3.1 2.6 5.7 0.4 2.5 0.35 0.6 0.2 1.8 0.7 0.9 0.3 3.0		26.5	28.1			
						31.2			
						36.9			
						39.4			
						40.0			
						41.8			
						42.7			
						45.7			
45.7	57.6	QUARTZ - SERICITE - GRAPHITE PHYLLITE. Similar to section above, but very siliceous, hard, fractured, and parts brecciated (47"-55"). Parts show thicker graphite layers, slight increase in pyrite, up to 5% between 48.6 - 50.5". No Pb Zn noted. Because of numerous fractures, core breaks up into angular fragments. 46-57" rock undergone intense stress; flowlines, brecciation, slippage, warped banding (or folds), & probable drag fold @ 51.6(?). Fr 25° @ 45.8, 30° @ 48.6, 20-30° @ 49-50.9 - 57(?)	0.25 2.9 0.55 2.3 1.1 7.9 0.06 0.3		45.7	48.6			
						50.9			
						58.8			
						59.1			
57.6	63.3	SILICIFIED QUARTZ GRAPHITE. Medium Gray to Gray-Black. Rock 90% or more quartz, graphite disseminated within siliceous mass. 0.5% to 1% pyrite occurring along fracture planes. Multiple fractures, parts brecciated and re-cemented. Band indistinct; possibly 15° to core from 59.5-61"; 35° @ 61.4, 55° @ 62.3(?) - 62.6(?)	0.45 1.2 0.8 1.0 0.45 2.0		59.1	60.3			
						61.3			
						63.3			
63.3	66.1	QUARTZ - SERICITE - GRAPHITE PHYLLITE ? 0.08" of gray-black mud w/ rock chips recovered. Sledge	0.08 2.8		63.3	66.1			

DIAMOND DRILL RECORD

LOGGED BY

[Signature]

D.D.H. # KP 78-1

PAGE 4 of 5

DEPTH From To		DESCRIPTION	R.C. meters	Sample No.	DEPTH From To		SAMPLE LENGTH	ASSAY				
								Pb	Zn	Ag	Au	Cu
		gray-black color, show quartz grains w/ flakes of sericite/graphite. A few grains pyrite but no Pb Zn noted.										
66.1	69.2	QUARTZ-SERICITE PHYLLITE. Medium Gray. 70% qtz, 30% sericite, negligible pyrite, minor graphite. Finely foliated, slightly fissile, moderately hard. F ₁ @ 55°	0.4 3.1		66.1	69.2						
69.2	70.7	No CORE. Cuttings show 90% qtz, 5% med. gray sericite flakey chips, 1% pyrite, no Pb Zn noted.	NIL 1.5	KP78-1B	69.2	70.7	sludge 1.5					
70.7	72.2	No CORE. Cuttings slightly darker than above sludge, an increase in graphite content, 1-2% pyrite, no Pb Zn seen.	NIL 1.5	KP78-1C	70.7	72.2	sludge 1.5					
72.2	73.8	No CORE. Cuttings black, graphitic; 2% pyrite.	NIL 1.4	KP78-1D	72.2	73.6	sludge 1.4					
73.8	75.3	No CORE Cuttings black, graphitic, 1-2% pyrite	NIL 1.7	KP78-1E	73.6	75.3	sludge 1.7					
75.3	76.8	QUARTZ-SERICITE-GRAPHITE PHYLLITE. Dark Gray 65-70% quartz, 20 sericite, 15 graphite, 0.5% pyrite. Thinly foliated, varying hardness. F ₁ = 55°?	0.15 1.5		75.3	76.8						

Page 5 of 5

DEPTH		DESCRIPTION	REC. meters	Sample No	DEPTH		Sample Length	ASSAY					
From	To				From	To		Pb	Zn	Ag	Au	Cu	
76.8	78.3	No CORE. Cuttings black, graphitic, 5% pyrite, no Pb Zn seen.	NIL 1.5	KP 78- IF	76.8	78.3	Sledge 1.5						
78.3	79.9	QUARTZ - GRAPHITE PHYLLITE. Black. 70-80% quartz, 1% pyrite. Siliceous & hard. Appear to be highly fractured & folded. F ₁ 25° @ 79.4(?).	0.3 1.6		78.3	79.9							
79.9	81.1	QUARTZ - SERICITE - GRAPHITE PHYLLITE. Med. Gray. 80% qtz, 10/10% Sericite/graphite. Siliceous & hard. Appear to be less fractured than section immed. above. Slightly fissile. Negligible pyrite. F ₁ 40-50°	0.35 1.2		79.9	81.1							
81.1	84.4	QUARTZ - SERICITE - GRAPHITE PHYLLITE. Med. to Light Gray 50% quartz, 30 sericite, 20% graphite, negligible pyrite blebs. Very thinly foliated, fissile. Wavy & crumpled F _{1A} F ₂ faint but distinguishable from 82.8-84.4". F ₁ 40° @ 81.3-81.6", 55° @ 81.8, 80° @ 82.5, 65-80° @ 82.6-84" & F ₂ near vertical to F ₁ .	0.8 1.5 1.3 1.8		81.1	82.6 84.4							
84.4		END OF HOLE. REMARKS: E.M. anomaly caused by graphitic rocks but geo- chem anomaly & gravity high not explained. Various means were tried to obtain core recovery. At 81.1" a different type of bit (Series 50 w/hard matrix), fewer but coarser diamond was used. Improved core recovery thereafter may be due to the change in rock type and core angle.											
					26' NW casing left in hole.								

[illegible]

[illegible]

[illegible]

DIAMOND DRILL RECORD

LOGGED BY F CHOW ^{TO 63.6} W. MURTON ^{> 63.6}

PROPERTY FINLAYSON LAKE PROJECT - PELLY CLAIMS

LATITUDE 27° 5' N BEARING OF HOLE 194°

DEPARTURE 500E DIP OF HOLE -60°

ELEVATION 2910 ft (887m) DIP TESTS —

STARTED SEPT 20/78 D.S.

COMPLETED SEPT 29/78 N.S.

Proposed:
DEPTH Ultimate: 171.2 m.

D.D.H. No. KP 78-2 PAGE 1 of 8

CLAIM No.

-DIRECTION AND DISTANCE FROM

NE. CLAIM POST

20' N CASING LEFT IN HOLE

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

Interval		DESCRIPTION	Recovery	Sample No	Interval		Sample Length	Assay					Assay x		
From	To				From	To		Pb	Zn	Ag	Au	Cu	Pb	Zn	Ag
91.9	100.7	↖ QTZ Ser Gr. phyll . 80% ser, 10% q, 10% g F ₂ -80° F ₂ ? 11 to F ₂ ? Lt grey color 4 cm qtz vein @ 98.0 . Fault (mud) @ 100.4, 100.6	1.6/3.2 1.0/1.2 0/0.7		91.9	95.1 96.4									
100.7	106.4	Fault zone. Shearing + brecciation of core. Fragments of grey ser phyl in gneiss matrix across F ₂ ? @ 80-90°. Threads of buff sericate following F ₂ .	2.9/3.7 3.6/5.7		97.0	100.7									
106.4	106.7	Secondary quartz zone. Hard, & porous in section. Looks like 1/2 dissolved.	0.3/0.3												
106.7	111.8	Bleached buff-white tuff. Looks like ^{1mm} white in a ^{creamy buff} matrix. No foliation except minor faulting @ 45° @ 108.2. Occasional dark fragment upto 1mm - white mud sections. Core lost between 110.3 + 111.8 - muddy. @ 111.8 angular QTZ ser phyll fragments in (1-2cm) in creamy tuff.	2.3/3.6 2.3/3.6 0.2/1.5		106.7	110.3 110.3 111.8									
111.8	113.0	Secondary quartz zone "spongy" looking	0.1/1.2												
113.0	123.4	QTZ Ser gneiss phyll. Siliceous sections F ₂ ? @ 80°. Secondary qtz seams up to 1cm following F ₂ ? foliation. Numerous fault zone 114-117 F ₂ 11 F ₀ F ₁ @ 70°-90° Lt. grey 118.0-118.5 - bleached creamy white with buff sericate bands & threads 11 to F ₂ .	10.1/10.1												
0.5/0.5															
7.4/7.4	120.4														

many elongate white needles
shaped fragments (crystals?)
is with no preferred
orientation
fragments softer than
matrix (1.5?) scratched both
with fingernail
Spec 108.5 - carbonate

[illegible]

[illegible]