

006550

VOLUME II

APPENDICES M, N, O & P

DETAILS OF RESULTS OF MINERAL INVENTORY IN APPENDIX D

APPENDIX M

SYMPHONY FILES USED FOR INVENTORY CALCULATION

The following files:

COMPS.WR1
TNS&GRD.WR1

contained on the diskette in this pocket are described previously. They contain all the data used to calculate the mineral inventory.

APPENDIX N

**DETAILS OF INVENTORY CALCULATION FOR TOTAL
IN-SITU "PROVEN+PROBABLE" AND "POSSIBLE"
SULPHIDE MINERALIZATION (CLASSES "A" & "B").
INCLUDES BLOCKS CODED BOTH AS THICK AND THIN.**

APPENDIX N-1

SUMMARY BY EACH SECTION FOR EACH ZONE

JEWELBOX HILL IN-SITU, PRE-MINING, MINERAL INVENTORY -- SUMMARY BY ZONE & SECTION

"A" & "B" Classes of mineralization (sum of "proven+probable" and "possible"), sulphides only, thick & thin zones

SECTION	ZONE	VOLUME (cu.m.)	TONNAGE (tonnes)	Pb+Zn (wt.%)	Pb (wt.%)	Zn (wt.%)	Ag (g/t)	LEAD (tonnes)	ZINC (tonnes)	SILVER (kg.)
1237	JB1	547	1,751	18.91	7.25	11.66	31.8	127.0	204.1	55.7
1250	JB1	1,051	3,363	15.19	6.56	8.64	35.5	220.4	290.4	119.4
1275	JB1	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1300	JB1	771	2,466	28.70	11.66	17.04	62.5	287.5	420.1	154.2
1312	JB1	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1325	JB1	899	2,876	20.62	11.10	9.52	66.2	319.2	273.8	190.4
1337	JB1	1,490	4,767	17.94	6.78	11.16	36.4	323.2	531.8	173.4
1350	JB1	221	707	26.52	10.99	15.53	49.0	77.6	109.8	34.6
1362	JB1	3,523	11,273	25.49	9.73	15.76	42.8	1,096.6	1,776.4	482.3
1375	JB1	2,016	6,450	15.74	7.36	8.38	37.9	474.5	540.6	244.4
1387	JB1	4,087	13,077	17.08	7.15	9.93	31.3	935.3	1,298.7	409.0
1400	JB1	2,092	6,694	17.73	7.55	10.18	29.0	505.4	681.4	194.1
1412	JB1	1,455	4,657	24.83	10.92	13.92	54.6	508.4	648.1	254.5
1425	JB1	3,942	12,614	16.53	5.66	10.88	25.2	713.4	1,371.8	317.6
1437	JB1	3,370	10,783	14.99	5.88	9.11	37.7	633.9	982.3	406.5
1450	JB1	2,212	7,079	20.16	8.59	11.58	43.1	607.8	819.6	305.4
1462	JB1	1,323	4,233	23.42	8.17	15.25	40.9	345.7	645.6	172.9
1475	JB1	3,738	11,962	12.51	5.31	7.20	24.5	635.2	860.7	293.6
1487	JB1	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1500	JB1	5,061	16,196	15.29	6.24	9.05	31.6	1,010.3	1,466.1	512.4
1512	JB1	5,905	18,896	21.94	8.12	13.81	40.1	1,534.8	2,610.0	758.3
1525	JB1	5,773	18,474	17.07	5.95	11.11	34.8	1,100.0	2,053.0	643.5
1537	JB1	7,849	25,117	12.03	5.12	6.91	27.5	1,286.2	1,735.0	691.6
1550	JB1	6,667	21,334	21.50	8.69	12.80	45.5	1,854.6	2,731.3	971.4
1562	JB1	3,045	9,744	19.91	5.53	14.39	53.6	538.4	1,402.0	522.6
1575	JB1	1,851	5,924	17.43	6.39	11.05	35.5	378.3	654.3	210.2
1587	JB1	1,797	5,750	26.48	9.60	16.89	42.0	551.9	970.9	241.4
1600	JB1	2,049	6,556	15.26	5.17	10.09	29.6	339.0	661.5	193.9
1612	JB1	1,880	6,015	8.47	2.34	6.13	21.3	140.7	368.7	128.1
1625	JB1	1,088	3,482	22.65	8.13	14.52	43.9	283.1	505.5	152.8
TOTAL/AVERAGE		75,699	242,237	17.93	6.95	10.99	36.5	16,828	26,614	8,834

JEWELBOX HILL IN-SITU, PRE-MINING, MINERAL INVENTORY -- SUMMARY BY ZONE & SECTION

"A" & "B" Classes of mineralization (sum of "proven+probable" and "possible"), sulphides only, thick & thin zones

SECTION	ZONE	VOLUME (cu.m.)	TONNAGE (tonnes)	Pb+Zn (wt.%)	Pb (wt.%)	Zn (wt.%)	Ag (g/t)	LEAD (tonnes)	ZINC (tonnes)	SILVER (kg.)
1237	J1	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1250	J1	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1275	J1	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1300	J1	1,327	4,246	13.38	4.09	9.29	21.3	173.6	394.4	90.5
1312	J1	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1325	J1	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1337	J1	760	2,432	14.03	6.70	7.33	31.1	162.9	178.2	75.6
1350	J1	184	589	10.39	3.17	7.22	16.2	18.7	42.5	9.5
1362	J1	469	1,499	13.24	5.55	7.69	25.6	83.2	115.3	38.4
1375	J1	823	2,634	16.44	8.62	7.82	48.5	227.1	206.0	127.7
1387	J1	1,820	5,822	17.23	6.70	10.53	34.7	390.1	613.1	202.0
1400	J1	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1412	J1	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1425	J1	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1437	J1	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1450	J1	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1462	J1	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1475	J1	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1487	J1	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1500	J1	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1512	J1	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1525	J1	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1537	J1	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1550	J1	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1562	J1	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1575	J1	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1587	J1	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1600	J1	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1612	J1	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1625	J1	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
TOTAL/AVERAGE		5,382	17,223	15.13	6.13	9.00	31.6	1,056	1,549	544

JEWELBOX HILL IN-SITU, PRE-MINING, MINERAL INVENTORY -- SUMMARY BY ZONE & SECTION

"A" & "B" Classes of mineralization (sum of "proven+probable" and "possible"), sulphides only, thick & thin zones

SECTION	ZONE	VOLUME (cu.m.)	TONNAGE (tonnes)	Pb+Zn (wt.%)	Pb (wt.%)	Zn (wt.%)	Ag (g/t)	LEAD (tonnes)	ZINC (tonnes)	SILVER (kg.)
1237	JB1-L	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1250	JB1-L	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1275	JB1-L	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1300	JB1-L	1,388	4,443	13.42	6.02	7.40	36.0	267.3	328.9	160.0
1312	JB1-L	399	1,275	15.14	6.21	8.92	31.7	79.2	113.8	40.4
1325	JB1-L	453	1,448	17.42	7.73	9.70	37.4	111.9	140.4	54.2
1337	JB1-L	1,271	4,067	20.43	8.11	12.32	42.7	329.9	501.2	173.5
1350	JB1-L	563	1,800	16.45	3.57	12.88	56.7	64.2	231.9	102.1
1362	JB1-L	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1375	JB1-L	1,422	4,549	23.51	9.38	14.13	46.4	426.7	642.7	211.0
1387	JB1-L	1,239	3,965	17.05	6.94	10.12	38.1	275.0	401.1	151.1
1400	JB1-L	1,714	5,483	14.58	6.47	8.11	28.7	354.9	444.6	157.5
1412	JB1-L	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1425	JB1-L	1,150	3,679	18.27	7.77	10.50	40.6	286.0	386.2	149.3
1437	JB1-L	1,431	4,578	13.67	5.28	8.40	23.8	241.5	384.4	109.1
1450	JB1-L	1,121	3,588	26.63	11.67	14.96	49.8	418.7	536.6	178.8
1462	JB1-L	3,001	9,603	23.32	10.26	13.05	52.8	985.4	1,253.5	507.2
1475	JB1-L	1,345	4,304	19.17	7.93	11.23	34.1	341.4	483.4	146.6
1487	JB1-L	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1500	JB1-L	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1512	JB1-L	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1525	JB1-L	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1537	JB1-L	655	2,096	11.88	4.02	7.86	19.2	84.3	164.7	40.2
1550	JB1-L	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1562	JB1-L	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1575	JB1-L	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1587	JB1-L	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1600	JB1-L	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1612	JB1-L	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1625	JB1-L	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
TOTAL/AVERAGE		17,150	54,879	18.73	7.77	10.96	39.7	4,266	6,013	2,181

JEWELBOX HILL IN-SITU, PRE-MINING, MINERAL INVENTORY -- SUMMARY BY ZONE & SECTION

"A" & "B" Classes of mineralization (sum of "proven+probable" and "possible"), sulphides only, thick & thin zones

SECTION	ZONE	VOLUME (cu.m.)	TONNAGE (tonnes)	Pb+Zn (wt.%)	Pb (wt.%)	Zn (wt.%)	Ag (g/t)	LEAD (tonnes)	ZINC (tonnes)	SILVER (kg.)
1237	POD	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1250	POD	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1275	POD	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1300	POD	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1312	POD	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1325	POD	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1337	POD	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1350	POD	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1362	POD	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1375	POD	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1387	POD	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1400	POD	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1412	POD	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1425	POD	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1437	POD	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1450	POD	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1462	POD	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1475	POD	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1487	POD	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1500	POD	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1512	POD	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1525	POD	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1537	POD	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1550	POD	7,269	23,261	21.27	8.83	12.44	47.3	2,054.3	2,894.5	1,099.5
1562	POD	10,123	32,393	26.98	12.75	14.23	162.2	4,130.9	4,609.3	5,255.2
1575	POD	12,395	39,663	25.19	10.14	15.06	58.4	4,020.0	5,972.9	2,316.4
1587	POD	5,070	16,222	21.90	9.08	12.83	51.6	1,472.9	2,080.6	836.7
1600	POD	5,209	16,669	22.79	9.66	13.13	48.4	1,610.0	2,189.0	806.0
1612	POD	752	2,407	11.92	3.82	8.10	19.1	92.0	194.9	46.1
1625	POD	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
TOTAL/AVERAGE		40,817	130,616	23.98	10.24	13.74	79.3	13,380	17,941	10,360

JEWELBOX HILL IN-SITU, PRE-MINING, MINERAL INVENTORY -- SUMMARY BY ZONE & SECTION

"A" & "B" Classes of mineralization (sum of "proven+probable" and "possible"), sulphides only, thick & thin zones

SECTION	ZONE	VOLUME (cu.m.)	TONNAGE (tonnes)	Pb+Zn (wt.%)	Pb (wt.%)	Zn (wt.%)	Ag (g/t)	LEAD (tonnes)	ZINC (tonnes)	SILVER (kg.)
1237	CHIMNEY	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1250	CHIMNEY	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1275	CHIMNEY	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1300	CHIMNEY	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1312	CHIMNEY	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1325	CHIMNEY	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1337	CHIMNEY	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1350	CHIMNEY	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1362	CHIMNEY	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1375	CHIMNEY	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1387	CHIMNEY	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1400	CHIMNEY	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1412	CHIMNEY	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1425	CHIMNEY	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1437	CHIMNEY	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1450	CHIMNEY	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1462	CHIMNEY	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1475	CHIMNEY	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1487	CHIMNEY	7,241	23,171	15.13	6.15	8.98	26.7	1,424.4	2,081.9	619.6
1500	CHIMNEY	26,648	85,274	26.05	10.62	15.44	65.8	9,052.0	13,164.4	5,613.6
1512	CHIMNEY	77	246	29.54	12.89	16.65	66.3	31.8	41.0	16.3
1525	CHIMNEY	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1537	CHIMNEY	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1550	CHIMNEY	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1562	CHIMNEY	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1575	CHIMNEY	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1587	CHIMNEY	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1600	CHIMNEY	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1612	CHIMNEY	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1625	CHIMNEY	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
TOTAL/AVERAGE		33,966	108,691	23.73	9.67	14.06	57.5	10,508	15,287	6,250

JEWELBOX HILL IN-SITU, PRE-MINING, MINERAL INVENTORY -- SUMMARY BY ZONE & SECTION

"A" & "B" Classes of mineralization (sum of "proven+probable" and "possible"), sulphides only, thick & thin zones

SECTION	ZONE	VOLUME (cu.m.)	TONNAGE (tonnes)	Pb+Zn (wt.%)	Pb (wt.%)	Zn (wt.%)	Ag (g/t)	LEAD (tonnes)	ZINC (tonnes)	SILVER (kg.)
1237 M1		0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1250 M1		0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1275 M1		0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1300 M1		0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1312 M1		0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1325 M1		0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1337 M1		0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1350 M1		0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1362 M1		304	972	16.59	6.73	9.87	33.2	65.4	95.9	32.3
1375 M1		0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1387 M1		933	2,985	12.59	4.52	8.07	27.9	135.0	240.9	83.4
1400 M1		0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1412 M1		1,055	3,377	18.27	5.89	12.38	32.3	199.0	418.0	109.0
1425 M1		1,074	3,436	16.09	6.77	9.33	30.4	232.5	320.4	104.4
1437 M1		1,120	3,585	17.21	7.08	10.12	32.1	253.9	362.9	115.2
1450 M1		790	2,527	15.95	6.25	9.71	30.9	157.8	245.3	78.0
1462 M1		368	1,176	17.07	7.08	9.99	26.5	83.2	117.5	31.2
1475 M1		730	2,335	10.72	5.83	4.89	24.0	136.2	114.2	56.1
1487 M1		1,098	3,513	21.69	8.59	13.10	33.4	301.9	460.3	117.3
1500 M1		274	876	13.50	4.88	8.62	25.0	42.7	75.5	21.9
1512 M1		0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1525 M1		0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1537 M1		0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1550 M1		0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1562 M1		0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1575 M1		0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1587 M1		0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1600 M1		0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1612 M1		0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1625 M1		0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
TOTAL/AVERAGE		7,744	24,781	16.38	6.49	9.89	30.2	1,608	2,451	749

JEWELBOX HILL IN-SITU, PRE-MINING, MINERAL INVENTORY -- SUMMARY BY ZONE & SECTION

"A" & "B" Classes of mineralization (sum of "proven+probable" and "possible"), sulphides only, thick & thin zones

SECTION	ZONE	VOLUME (cu.m.)	TONNAGE (tonnes)	Pb+Zn (wt.%)	Pb (wt.%)	Zn (wt.%)	Ag (g/t)	LEAD (tonnes)	ZINC (tonnes)	SILVER (kg.)
1237	M2	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1250	M2	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1275	M2	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1300	M2	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1312	M2	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1325	M2	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1337	M2	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1350	M2	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1362	M2	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1375	M2	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1387	M2	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1400	M2	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1412	M2	174	558	13.89	5.91	7.98	30.1	32.9	44.5	16.8
1425	M2	471	1,506	14.29	5.42	8.87	27.8	81.7	133.5	41.8
1437	M2	3,421	10,946	12.20	4.76	7.43	70.3	521.3	813.7	769.1
1450	M2	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1462	M2	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1475	M2	624	1,996	16.50	5.49	11.02	47.9	109.5	220.0	95.6
1487	M2	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1500	M2	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1512	M2	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1525	M2	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1537	M2	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1550	M2	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1562	M2	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1575	M2	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1587	M2	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1600	M2	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1612	M2	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1625	M2	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
TOTAL/AVERAGE		4,689	15,006	13.04	4.97	8.08	61.5	745	1,212	923

JEWELBOX HILL IN-SITU, PRE-MINING, MINERAL INVENTORY -- SUMMARY BY ZONE & SECTION

"A" & "B" Classes of mineralization (sum of "proven+probable" and "possible"), sulphides only, thick & thin zones

SECTION	ZONE	VOLUME (cu.m.)	TONNAGE (tonnes)	Pb+Zn (wt.%)	Pb (wt.%)	Zn (wt.%)	Ag (g/t)	LEAD (tonnes)	ZINC (tonnes)	SILVER (kg.)
1237	JB2-E	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1250	JB2-E	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1275	JB2-E	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1300	JB2-E	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1312	JB2-E	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1325	JB2-E	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1337	JB2-E	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1350	JB2-E	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1362	JB2-E	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1375	JB2-E	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1387	JB2-E	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1400	JB2-E	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1412	JB2-E	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1425	JB2-E	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1437	JB2-E	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1450	JB2-E	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1462	JB2-E	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1475	JB2-E	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1487	JB2-E	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1500	JB2-E	4,836	15,476	21.93	8.60	13.33	72.8	1,330.5	2,063.1	1,126.3
1512	JB2-E	10,453	33,449	20.67	7.99	12.67	54.1	2,674.0	4,239.5	1,810.9
1525	JB2-E	10,427	33,368	17.56	7.36	10.20	118.7	2,456.1	3,402.3	3,960.5
1537	JB2-E	6,492	20,775	19.19	7.29	11.89	60.4	1,514.6	2,471.1	1,255.1
1550	JB2-E	6,597	21,109	22.35	8.32	14.03	50.2	1,756.7	2,960.9	1,058.8
1562	JB2-E	9,830	31,457	24.38	9.96	14.43	92.2	3,132.1	4,538.4	2,901.8
1575	JB2-E	434	1,388	11.16	1.78	9.39	48.7	24.6	130.3	67.6
1587	JB2-E	2,857	9,142	14.39	4.00	10.38	54.5	366.0	949.2	498.4
1600	JB2-E	589	1,886	17.91	6.90	11.01	67.7	130.1	207.6	127.7
1612	JB2-E	670	2,144	25.89	3.92	21.97	152.2	84.0	471.2	326.4
1625	JB2-E	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
TOTAL/AVERAGE		53,186	170,194	20.51	7.91	12.59	77.2	13,469	21,434	13,134

JEWELBOX HILL IN-SITU, PRE-MINING, MINERAL INVENTORY -- SUMMARY BY ZONE & SECTION

"A" & "B" Classes of mineralization (sum of "proven+probable" and "possible"), sulphides only, thick & thin zones

SECTION	ZONE	VOLUME (cu.m.)	TONNAGE (tonnes)	Pb+Zn (wt.%)	Pb (wt.%)	Zn (wt.%)	Ag (g/t)	LEAD (tonnes)	ZINC (tonnes)	SILVER (kg.)
1237	JB2-L	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1250	JB2-L	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1275	JB2-L	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1300	JB2-L	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1312	JB2-L	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1325	JB2-L	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1337	JB2-L	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1350	JB2-L	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1362	JB2-L	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1375	JB2-L	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1387	JB2-L	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1400	JB2-L	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1412	JB2-L	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1425	JB2-L	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1437	JB2-L	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1450	JB2-L	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1462	JB2-L	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1475	JB2-L	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1487	JB2-L	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1500	JB2-L	1,308	4,185	17.79	4.15	13.64	171.1	173.8	570.6	715.9
1512	JB2-L	1,731	5,539	14.88	3.87	11.00	46.9	214.4	609.5	259.9
1525	JB2-L	4,462	14,278	17.45	5.82	11.64	36.1	830.3	1,661.8	515.7
1537	JB2-L	243	778	9.59	5.53	4.07	80.2	43.0	31.6	62.4
1550	JB2-L	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1562	JB2-L	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1575	JB2-L	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1587	JB2-L	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1600	JB2-L	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1612	JB2-L	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1625	JB2-L	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
TOTAL/AVERAGE		7,744	24,780	16.69	5.09	11.60	62.7	1,261	2,874	1,554

JEWELBOX HILL IN-SITU, PRE-MINING, MINERAL INVENTORY -- SUMMARY BY ZONE & SECTION

"A" & "B" Classes of mineralization (sum of "proven+probable" and "possible"), sulphides only, thick & thin zones

SECTION	ZONE	VOLUME (cu.m.)	TONNAGE (tonnes)	Pb+Zn (wt.%)	Pb (wt.%)	Zn (wt.%)	Ag (g/t)	LEAD (tonnes)	ZINC (tonnes)	SILVER (kg.)
1237	JB2-W	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1250	JB2-W	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1275	JB2-W	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1300	JB2-W	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1312	JB2-W	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1325	JB2-W	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1337	JB2-W	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1350	JB2-W	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1362	JB2-W	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1375	JB2-W	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1387	JB2-W	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1400	JB2-W	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1412	JB2-W	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1425	JB2-W	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1437	JB2-W	156	500	12.60	5.49	7.11	21.6	27.5	35.6	10.8
1450	JB2-W	900	2,881	19.07	6.27	12.80	36.3	180.6	368.7	104.5
1462	JB2-W	1,540	4,927	25.06	10.33	14.73	48.6	509.1	725.7	239.4
1475	JB2-W	4,436	14,194	25.84	10.11	15.73	55.4	1,435.5	2,232.2	786.5
1487	JB2-W	2,551	8,162	34.22	12.33	21.89	63.4	1,006.5	1,786.7	517.8
1500	JB2-W	5,900	18,881	26.53	9.50	17.03	57.2	1,794.3	3,214.8	1,080.2
1512	JB2-W	20,350	65,119	21.70	7.05	14.65	58.9	4,590.2	9,537.5	3,837.8
1525	JB2-W	9,527	30,486	26.15	9.56	16.59	62.1	2,915.5	5,056.9	1,892.0
1537	JB2-W	7,101	22,722	29.61	10.56	19.05	75.9	2,400.5	4,328.2	1,725.7
1550	JB2-W	3,632	11,622	18.95	6.49	12.46	94.0	754.2	1,448.3	1,091.9
1562	JB2-W	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1575	JB2-W	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1587	JB2-W	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1600	JB2-W	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1612	JB2-W	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1625	JB2-W	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
TOTAL/AVERAGE		56,092	179,494	24.71	8.70	16.01	62.9	15,614	28,735	11,287

JEWELBOX HILL IN-SITU, PRE-MINING, MINERAL INVENTORY -- SUMMARY BY ZONE & SECTION

"A" & "B" Classes of mineralization (sum of "proven+probable" and "possible"), sulphides only, thick & thin zones

SECTION	ZONE	VOLUME (cu.m.)	TONNAGE (tonnes)	Pb+Zn (wt.%)	Pb (wt.%)	Zn (wt.%)	Ag (g/t)	LEAD (tonnes)	ZINC (tonnes)	SILVER (kg.)
1237	FW	1,349	4,316	8.77	3.82	4.94	17.7	165.0	213.3	76.5
1250	FW	9,024	28,875	14.25	4.67	9.58	34.7	1,349.2	2,765.7	1,003.0
1275	FW	5,554	17,772	14.20	4.10	10.10	46.9	728.9	1,794.6	834.0
1300	FW	9,888	31,642	19.18	5.41	13.77	62.4	1,710.7	4,357.3	1,974.8
1312	FW	4,040	12,929	14.29	4.31	9.99	62.6	557.0	1,291.1	809.5
1325	FW	4,897	15,671	13.64	3.83	9.80	75.0	600.9	1,536.0	1,175.9
1337	FW	9,660	30,911	14.47	5.71	8.77	78.8	1,764.6	2,709.7	2,436.1
1350	FW	2,405	7,695	14.08	4.22	9.85	50.1	324.9	758.3	385.7
1362	FW	4,323	13,833	14.56	5.90	8.66	40.1	815.5	1,198.3	554.9
1375	FW	5,716	18,290	15.48	5.77	9.70	88.0	1,055.9	1,774.9	1,609.4
1387	FW	5,998	19,194	15.97	6.33	9.64	61.3	1,215.5	1,849.5	1,177.4
1400	FW	5,843	18,697	16.88	5.72	11.16	258.4	1,069.9	2,086.4	4,830.8
1412	FW	4,317	13,813	20.20	5.45	14.74	59.9	753.3	2,036.5	827.1
1425	FW	4,190	13,408	19.29	4.81	14.48	79.4	645.6	1,941.0	1,064.1
1437	FW	6,050	19,359	21.71	5.91	15.79	88.8	1,144.8	3,057.6	1,718.5
1450	FW	5,282	16,904	17.36	6.54	10.82	58.1	1,105.0	1,829.4	982.7
1462	FW	1,731	5,540	18.77	7.83	10.94	19.2	433.8	606.2	106.1
1475	FW	1,723	5,514	14.97	5.61	9.35	67.1	309.5	515.8	370.2
1487	FW	506	1,618	12.36	4.48	7.88	40.6	72.5	127.5	65.7
1500	FW	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1512	FW	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1525	FW	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1537	FW	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1550	FW	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1562	FW	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1575	FW	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1587	FW	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1600	FW	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1612	FW	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1625	FW	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
TOTAL/AVERAGE		92,494	295,980	16.31	5.35	10.96	74.3	15,822	32,449	22,003

JEWELBOX HILL IN-SITU, PRE-MINING, MINERAL INVENTORY -- SUMMARY BY ZONE & SECTION

"A" & "B" Classes of mineralization (sum of "proven+probable" and "possible"), sulphides only, thick & thin zones

SECTION	ZONE	VOLUME (cu.m.)	TONNAGE (tonnes)	Pb+Zn (wt.%)	Pb (wt.%)	Zn (wt.%)	Ag (g/t)	LEAD (tonnes)	ZINC (tonnes)	SILVER (kg.)
1237 AB		0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1250 AB		0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1275 AB		0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1300 AB		0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1312 AB		0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1325 AB		0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1337 AB		0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1350 AB		0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1362 AB		0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1375 AB		0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1387 AB		0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1400 AB		0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1412 AB		0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1425 AB		0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1437 AB		0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1450 AB		0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1462 AB		264	843	11.03	3.80	7.23	15.6	32.0	61.0	13.2
1475 AB		157	502	12.00	4.84	7.16	17.8	24.3	36.0	9.0
1487 AB		2,954	9,452	24.01	8.21	15.80	64.7	776.1	1,493.3	611.2
1500 AB		5,140	16,449	26.68	12.99	13.69	471.9	2,136.2	2,252.5	7,762.1
1512 AB		3,022	9,671	20.02	6.99	13.03	61.2	676.1	1,260.2	591.5
1525 AB		651	2,084	13.21	5.75	7.46	71.9	119.9	155.5	149.9
1537 AB		1,902	6,086	16.66	6.02	10.64	63.7	366.4	647.6	387.5
1550 AB		0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1562 AB		0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1575 AB		0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1587 AB		711	2,275	13.98	4.70	9.28	44.0	106.9	211.1	100.1
1600 AB		0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1612 AB		0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1625 AB		0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
TOTAL/AVERAGE		14,801	47,364	21.86	8.95	12.92	203.2	4,238	6,117	9,624

JEWELBOX HILL IN-SITU, PRE-MINING, MINERAL INVENTORY -- SUMMARY BY ZONE & SECTION

"A" & "B" Classes of mineralization (sum of "proven+probable" and "possible"), sulphides only, thick & thin zones

SECTION	ZONE	VOLUME (cu.m.)	TONNAGE (tonnes)	Pb+Zn (wt.%)	Pb (wt.%)	Zn (wt.%)	Ag (g/t)	LEAD (tonnes)	ZINC (tonnes)	SILVER (kg.)
1237	UNKN	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1250	UNKN	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1275	UNKN	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1300	UNKN	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1312	UNKN	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1325	UNKN	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1337	UNKN	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1350	UNKN	236	754	11.79	4.97	6.82	83.4	37.5	51.5	62.9
1362	UNKN	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1375	UNKN	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1387	UNKN	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1400	UNKN	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1412	UNKN	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1425	UNKN	293	936	12.59	3.25	9.34	17.2	30.4	87.4	16.1
1437	UNKN	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1450	UNKN	65	209	10.58	4.83	5.75	21.0	10.1	12.0	4.4
1462	UNKN	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1475	UNKN	190	609	17.57	7.43	10.14	40.1	45.2	61.7	24.4
1487	UNKN	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1500	UNKN	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1512	UNKN	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1525	UNKN	446	1,428	22.12	7.59	14.53	94.9	108.4	207.5	135.6
1537	UNKN	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1550	UNKN	222	710	13.33	3.81	9.52	22.6	27.1	67.6	16.0
1562	UNKN	160	513	16.57	4.75	11.82	40.6	24.4	60.6	20.8
1575	UNKN	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1587	UNKN	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1600	UNKN	1,228	3,928	15.54	3.87	11.67	65.4	151.9	458.3	256.9
1612	UNKN	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1625	UNKN	443	1,416	10.51	1.85	8.66	96.6	26.2	122.7	136.8
TOTAL/AVERAGE		3,283	10,504	15.14	4.39	10.75	64.2	461	1,129	674

APPENDIX N-2

SUMMARY BY EACH ZONE FOR EACH SECTION

JEWELBOX HILL IN-SITU, PRE-MINING, MINERAL INVENTORY -- SUMMARY BY ZONE & SECTION

"A" & "B" Classes of mineralization (sum of "proven+probable" and "possible"), sulphides only, thick & thin zones

SECTION	ZONE	VOLUME (cu.m.)	TONNAGE (tonnes)	Pb+Zn (wt.%)	Pb (wt.%)	Zn (wt.%)	Ag (g/t)	LEAD (tonnes)	ZINC (tonnes)	SILVER (kg.)
1237	J1	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1237	JB1	547	1,751	18.91	7.25	11.66	31.8	127.0	204.1	55.7
1237	JB1-L	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1237	POD	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1237	CHIMNEY	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1237	M1	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1237	M2	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1237	JB2-E	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1237	JB2-L	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1237	JB2-W	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1237	FW	1,349	4,316	8.77	3.82	4.94	17.7	165.0	213.3	76.5
1237	AB	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1237	UNKN	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
TOTAL/AVERAGE		1,896	6,066	11.69	4.81	6.88	21.8	292	417	132

JEWELBOX HILL IN-SITU, PRE-MINING, MINERAL INVENTORY -- SUMMARY BY ZONE & SECTION

"A" & "B" Classes of mineralization (sum of "proven+probable" and "possible"), sulphides only, thick & thin zones

SECTION	ZONE	VOLUME (cu.m.)	TONNAGE (tonnes)	Pb+Zn (wt.%)	Pb (wt.%)	Zn (wt.%)	Ag (g/t)	LEAD (tonnes)	ZINC (tonnes)	SILVER (kg.)
1250	J1	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1250	JB1	1,051	3,363	15.19	6.56	8.64	35.5	220.4	290.4	119.4
1250	JB1-L	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1250	POD	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1250	CHIMNEY	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1250	M1	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1250	M2	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1250	JB2-E	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1250	JB2-L	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1250	JB2-W	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1250	FW	9,024	28,875	14.25	4.67	9.58	34.7	1,349.2	2,765.7	1,003.0
1250	AB	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1250	UNKN	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
TOTAL/AVERAGE		10,074	32,238	14.35	4.87	9.48	34.8	1,570	3,056	1,122

JEWELBOX HILL IN-SITU, PRE-MINING, MINERAL INVENTORY -- SUMMARY BY ZONE & SECTION

"A" & "B" Classes of mineralization (sum of "proven+probable" and "possible"), sulphides only, thick & thin zones

SECTION	ZONE	VOLUME (cu.m.)	TONNAGE (tonnes)	Pb+Zn (wt.%)	Pb (wt.%)	Zn (wt.%)	Ag (g/t)	LEAD (tonnes)	ZINC (tonnes)	SILVER (kg.)
1275	J1	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1275	JB1	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1275	JB1-L	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1275	POD	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1275	CHIMNEY	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1275	M1	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1275	M2	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1275	JB2-E	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1275	JB2-L	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1275	JB2-W	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1275	FW	5,554	17,772	14.20	4.10	10.10	46.9	728.9	1,794.6	834.0
1275	AB	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1275	UNKN	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
TOTAL/AVERAGE		5,554	17,772	14.20	4.10	10.10	46.9	729	1,795	834

JEWELBOX HILL IN-SITU, PRE-MINING, MINERAL INVENTORY -- SUMMARY BY ZONE & SECTION

"A" & "B" Classes of mineralization (sum of "proven+probable" and "possible"), sulphides only, thick & thin zones

SECTION	ZONE	VOLUME (cu.m.)	TONNAGE (tonnes)	Pb+Zn (wt.%)	Pb (wt.%)	Zn (wt.%)	Ag (g/t)	LEAD (tonnes)	ZINC (tonnes)	SILVER (kg.)
1300	J1	1,327	4,246	13.38	4.09	9.29	21.3	173.6	394.4	90.5
1300	JB1	771	2,466	28.70	11.66	17.04	62.5	287.5	420.1	154.2
1300	JB1-L	1,388	4,443	13.42	6.02	7.40	36.0	267.3	328.9	160.0
1300	POD	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1300	CHIMNEY	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1300	M1	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1300	M2	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1300	JB2-E	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1300	JB2-L	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1300	JB2-W	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1300	FW	9,888	31,642	19.18	5.41	13.77	62.4	1,710.7	4,357.3	1,974.8
1300	AB	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1300	UNKN	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
TOTAL/AVERAGE		13,374	42,797	18.55	5.70	12.85	55.6	2,439	5,501	2,379

JEWELBOX HILL IN-SITU, PRE-MINING, MINERAL INVENTORY -- SUMMARY BY ZONE & SECTION

"A" & "B" Classes of mineralization (sum of "proven+probable" and "possible"), sulphides only, thick & thin zones

SECTION	ZONE	VOLUME (cu.m.)	TONNAGE (tonnes)	Pb+Zn (wt.%)	Pb (wt.%)	Zn (wt.%)	Ag (g/t)	LEAD (tonnes)	ZINC (tonnes)	SILVER (kg.)
1312	J1	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1312	JB1	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1312	JB1-L	399	1,275	15.14	6.21	8.92	31.7	79.2	113.8	40.4
1312	POD	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1312	CHIMNEY	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1312	M1	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1312	M2	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1312	JB2-E	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1312	JB2-L	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1312	JB2-W	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1312	FW	4,040	12,929	14.29	4.31	9.99	62.6	557.0	1,291.1	809.5
1312	AB	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1312	UNKN	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
TOTAL/AVERAGE		4,439	14,204	14.37	4.48	9.89	59.8	636	1,405	850

JEWELBOX HILL IN-SITU, PRE-MINING, MINERAL INVENTORY -- SUMMARY BY ZONE & SECTION

"A" & "B" Classes of mineralization (sum of "proven+probable" and "possible"), sulphides only, thick & thin zones

SECTION	ZONE	VOLUME (cu.m.)	TONNAGE (tonnes)	Pb+Zn (wt.%)	Pb (wt.%)	Zn (wt.%)	Ag (g/t)	LEAD (tonnes)	ZINC (tonnes)	SILVER (kg.)
1325	J1	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1325	JB1	899	2,876	20.62	11.10	9.52	66.2	319.2	273.8	190.4
1325	JB1-L	453	1,448	17.42	7.73	9.70	37.4	111.9	140.4	54.2
1325	POD	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1325	CHIMNEY	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1325	M1	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1325	M2	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1325	JB2-E	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1325	JB2-L	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1325	JB2-W	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1325	FW	4,897	15,671	13.64	3.83	9.80	75.0	600.9	1,536.0	1,175.9
1325	AB	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1325	UNKN	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
TOTAL/AVERAGE		6,248	19,995	14.92	5.16	9.75	71.0	1,032	1,950	1,420

JEWELBOX HILL IN-SITU, PRE-MINING, MINERAL INVENTORY -- SUMMARY BY ZONE & SECTION

"A" & "B" Classes of mineralization (sum of "proven+probable" and "possible"), sulphides only, thick & thin zones

SECTION	ZONE	VOLUME (cu.m.)	TONNAGE (tonnes)	Pb+Zn (wt.%)	Pb (wt.%)	Zn (wt.%)	Ag (g/t)	LEAD (tonnes)	ZINC (tonnes)	SILVER (kg.)
1337	J1	760	2,432	14.03	6.70	7.33	31.1	162.9	178.2	75.6
1337	JB1	1,490	4,767	17.94	6.78	11.16	36.4	323.2	531.8	173.4
1337	JB1-L	1,271	4,067	20.43	8.11	12.32	42.7	329.9	501.2	173.5
1337	POD	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1337	CHIMNEY	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1337	M1	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1337	M2	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1337	JB2-E	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1337	JB2-L	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1337	JB2-W	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1337	FW	9,660	30,911	14.47	5.71	8.77	78.8	1,764.6	2,709.7	2,436.1
1337	AB	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1337	UNKN	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
TOTAL/AVERAGE		13,180	42,177	15.41	6.12	9.30	67.8	2,581	3,921	2,858

JEWELBOX HILL IN-SITU, PRE-MINING, MINERAL INVENTORY -- SUMMARY BY ZONE & SECTION

"A" & "B" Classes of mineralization (sum of "proven+probable" and "possible"), sulphides only, thick & thin zones

SECTION	ZONE	VOLUME (cu.m.)	TONNAGE (tonnes)	Pb+Zn (wt.%)	Pb (wt.%)	Zn (wt.%)	Ag (g/t)	LEAD (tonnes)	ZINC (tonnes)	SILVER (kg.)
1350	J1	184	589	10.39	3.17	7.22	16.2	18.7	42.5	9.5
1350	JB1	221	707	26.52	10.99	15.53	49.0	77.6	109.8	34.6
1350	JB1-L	563	1,800	16.45	3.57	12.88	56.7	64.2	231.9	102.1
1350	POD	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1350	CHIMNEY	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1350	M1	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1350	M2	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1350	JB2-E	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1350	JB2-L	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1350	JB2-W	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1350	FW	2,405	7,695	14.08	4.22	9.85	50.1	324.9	758.3	385.7
1350	AB	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1350	UNKN	236	754	11.79	4.97	6.82	83.4	37.5	51.5	62.9
TOTAL/AVERAGE		3,608	11,545	14.87	4.53	10.34	51.5	523	1,194	595

JEWELBOX HILL IN-SITU, PRE-MINING, MINERAL INVENTORY -- SUMMARY BY ZONE & SECTION

"A" & "B" Classes of mineralization (sum of "proven+probable" and "possible"), sulphides only, thick & thin zones

SECTION	ZONE	VOLUME (cu.m.)	TONNAGE (tonnes)	Pb+Zn (wt.%)	Pb (wt.%)	Zn (wt.%)	Ag (g/t)	LEAD (tonnes)	ZINC (tonnes)	SILVER (kg.)
1362	J1	469	1,499	13.24	5.55	7.69	25.6	83.2	115.3	38.4
1362	JB1	3,523	11,273	25.49	9.73	15.76	42.8	1,096.6	1,776.4	482.3
1362	JB1-L	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1362	POD	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1362	CHIMNEY	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1362	M1	304	972	16.59	6.73	9.87	33.2	65.4	95.9	32.3
1362	M2	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1362	JB2-E	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1362	JB2-L	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1362	JB2-W	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1362	FW	4,323	13,833	14.56	5.90	8.66	40.1	815.5	1,198.3	554.9
1362	AB	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1362	UNKN	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
TOTAL/AVERAGE		8,618	27,577	19.03	7.47	11.55	40.2	2,061	3,186	1,108

JEWELBOX HILL IN-SITU, PRE-MINING, MINERAL INVENTORY -- SUMMARY BY ZONE & SECTION

"A" & "B" Classes of mineralization (sum of "proven+probable" and "possible"), sulphides only, thick & thin zones

SECTION	ZONE	VOLUME (cu.m.)	TONNAGE (tonnes)	Pb+Zn (wt.%)	Pb (wt.%)	Zn (wt.%)	Ag (g/t)	LEAD (tonnes)	ZINC (tonnes)	SILVER (kg.)
1375	J1	823	2,634	16.44	8.62	7.82	48.5	227.1	206.0	127.7
1375	JB1	2,016	6,450	15.74	7.36	8.38	37.9	474.5	540.6	244.4
1375	JB1-L	1,422	4,549	23.51	9.38	14.13	46.4	426.7	642.7	211.0
1375	POD	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1375	CHIMNEY	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1375	M1	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1375	M2	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1375	JB2-E	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1375	JB2-L	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1375	JB2-W	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1375	FW	5,716	18,290	15.48	5.77	9.70	88.0	1,055.9	1,774.9	1,609.4
1375	AB	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1375	UNKN	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
TOTAL/AVERAGE		9,976	31,923	16.75	6.84	9.91	68.7	2,184	3,164	2,193

JEWELBOX HILL IN-SITU, PRE-MINING, MINERAL INVENTORY -- SUMMARY BY ZONE & SECTION

"A" & "B" Classes of mineralization (sum of "proven+probable" and "possible"), sulphides only, thick & thin zones

SECTION	ZONE	VOLUME (cu.m.)	TONNAGE (tonnes)	Pb+Zn (wt.%)	Pb (wt.%)	Zn (wt.%)	Ag (g/t)	LEAD (tonnes)	ZINC (tonnes)	SILVER (kg.)
1387	J1	1,820	5,822	17.23	6.70	10.53	34.7	390.1	613.1	202.0
1387	JB1	4,087	13,077	17.08	7.15	9.93	31.3	935.3	1,298.7	409.0
1387	JB1-L	1,239	3,965	17.05	6.94	10.12	38.1	275.0	401.1	151.1
1387	POD	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1387	CHIMNEY	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1387	M1	933	2,985	12.59	4.52	8.07	27.9	135.0	240.9	83.4
1387	M2	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1387	JB2-E	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1387	JB2-L	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1387	JB2-W	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1387	FW	5,998	19,194	15.97	6.33	9.64	61.3	1,215.5	1,849.5	1,177.4
1387	AB	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1387	UNKN	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
TOTAL/AVERAGE		14,076	45,043	16.33	6.55	9.78	44.9	2,951	4,403	2,023

JEWELBOX HILL IN-SITU, PRE-MINING, MINERAL INVENTORY -- SUMMARY BY ZONE & SECTION

"A" & "B" Classes of mineralization (sum of "proven+probable" and "possible"), sulphides only, thick & thin zones

SECTION	ZONE	VOLUME (cu.m.)	TONNAGE (tonnes)	Pb+Zn (wt.%)	Pb (wt.%)	Zn (wt.%)	Ag (g/t)	LEAD (tonnes)	ZINC (tonnes)	SILVER (kg.)
1400	J1	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1400	JB1	2,092	6,694	17.73	7.55	10.18	29.0	505.4	681.4	194.1
1400	JB1-L	1,714	5,483	14.58	6.47	8.11	28.7	354.9	444.6	157.5
1400	POD	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1400	CHIMNEY	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1400	M1	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1400	M2	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1400	JB2-E	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1400	JB2-L	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1400	JB2-W	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1400	FW	5,843	18,697	16.88	5.72	11.16	48.8	1,069.9	2,086.4	913.1
1400	AB	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1400	UNKN	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
TOTAL/AVERAGE		9,648	30,874	16.66	6.25	10.40	41.0	1,930	3,212	1,265

JEWELBOX HILL IN-SITU, PRE-MINING, MINERAL INVENTORY -- SUMMARY BY ZONE & SECTION

"A" & "B" Classes of mineralization (sum of "proven+probable" and "possible"), sulphides only, thick & thin zones

SECTION	ZONE	VOLUME (cu.m.)	TONNAGE (tonnes)	Pb+Zn (wt.%)	Pb (wt.%)	Zn (wt.%)	Ag (g/t)	LEAD (tonnes)	ZINC (tonnes)	SILVER (kg.)
1412	J1	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1412	JB1	1,455	4,657	24.83	10.92	13.92	54.6	508.4	648.1	254.5
1412	JB1-L	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1412	POD	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1412	CHIMNEY	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1412	M1	1,055	3,377	18.27	5.89	12.38	32.3	199.0	418.0	109.0
1412	M2	174	558	13.89	5.91	7.98	30.1	32.9	44.5	16.8
1412	JB2-E	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1412	JB2-L	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1412	JB2-W	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1412	FW	4,317	13,813	20.20	5.45	14.74	59.9	753.3	2,036.5	827.1
1412	AB	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1412	UNKN	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
TOTAL/AVERAGE		7,002	22,405	20.71	6.67	14.05	53.9	1,494	3,147	1,207

JEWELBOX HILL IN-SITU, PRE-MINING, MINERAL INVENTORY -- SUMMARY BY ZONE & SECTION

"A" & "B" Classes of mineralization (sum of "proven+probable" and "possible"), sulphides only, thick & thin zones

SECTION	ZONE	VOLUME (cu.m.)	TONNAGE (tonnes)	Pb+Zn (wt.%)	Pb (wt.%)	Zn (wt.%)	Ag (g/t)	LEAD (tonnes)	ZINC (tonnes)	SILVER (kg.)
1425	J1	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1425	JB1	3,942	12,614	16.53	5.66	10.88	25.2	713.4	1,371.8	317.6
1425	JB1-L	1,150	3,679	18.27	7.77	10.50	40.6	286.0	386.2	149.3
1425	POD	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1425	CHIMNEY	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1425	M1	1,074	3,436	16.09	6.77	9.33	30.4	232.5	320.4	104.4
1425	M2	471	1,506	14.29	5.42	8.87	27.8	81.7	133.5	41.8
1425	JB2-E	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1425	JB2-L	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1425	JB2-W	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1425	FW	4,190	13,408	19.29	4.81	14.48	79.4	645.6	1,941.0	1,064.1
1425	AB	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1425	UNKN	293	936	12.59	3.25	9.34	17.2	30.4	87.4	16.1
TOTAL/AVERAGE		11,118	35,579	17.51	5.59	11.92	47.6	1,990	4,240	1,693

JEWELBOX HILL IN-SITU, PRE-MINING, MINERAL INVENTORY -- SUMMARY BY ZONE & SECTION

"A" & "B" Classes of mineralization (sum of "proven+probable" and "possible"), sulphides only, thick & thin zones

SECTION	ZONE	VOLUME (cu.m.)	TONNAGE (tonnes)	Pb+Zn (wt.%)	Pb (wt.%)	Zn (wt.%)	Ag (g/t)	LEAD (tonnes)	ZINC (tonnes)	SILVER (kg.)
1437	J1	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1437	JB1	3,370	10,783	14.99	5.88	9.11	37.7	633.9	982.3	406.5
1437	JB1-L	1,431	4,578	13.67	5.28	8.40	23.8	241.5	384.4	109.1
1437	POD	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1437	CHIMNEY	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1437	M1	1,120	3,585	17.21	7.08	10.12	32.1	253.9	362.9	115.2
1437	M2	3,421	10,946	12.20	4.76	7.43	70.3	521.3	813.7	769.1
1437	JB2-E	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1437	JB2-L	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1437	JB2-W	156	500	12.60	5.49	7.11	21.6	27.5	35.6	10.8
1437	FW	6,050	19,359	21.71	5.91	15.79	88.8	1,144.8	3,057.6	1,718.5
1437	AB	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1437	UNKN	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
TOTAL/AVERAGE		15,547	49,751	17.00	5.67	11.33	62.9	2,823	5,636	3,129

JEWELBOX HILL IN-SITU, PRE-MINING, MINERAL INVENTORY -- SUMMARY BY ZONE & SECTION

"A" & "B" Classes of mineralization (sum of "proven+probable" and "possible"), sulphides only, thick & thin zones

SECTION	ZONE	VOLUME (cu.m.)	TONNAGE (tonnes)	Pb+Zn (wt.%)	Pb (wt.%)	Zn (wt.%)	Ag (g/t)	LEAD (tonnes)	ZINC (tonnes)	SILVER (kg.)
1450 J1		0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1450 JB1		2,212	7,079	20.16	8.59	11.58	43.1	607.8	819.6	305.4
1450 JB1-L		1,121	3,588	26.63	11.67	14.96	49.8	418.7	536.6	178.8
1450 POD		0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1450 CHIMNEY		0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1450 M1		790	2,527	15.95	6.25	9.71	30.9	157.8	245.3	78.0
1450 M2		0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1450 JB2-E		0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1450 JB2-L		0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1450 JB2-W		900	2,881	19.07	6.27	12.80	36.3	180.6	368.7	104.5
1450 FW		5,282	16,904	17.36	6.54	10.82	58.1	1,105.0	1,829.4	982.7
1450 AB		0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1450 UNKN		65	209	10.58	4.83	5.75	21.0	10.1	12.0	4.4
TOTAL/AVERAGE		10,371	33,186	18.96	7.47	11.49	49.8	2,480	3,812	1,654

JEWELBOX HILL IN-SITU, PRE-MINING, MINERAL INVENTORY -- SUMMARY BY ZONE & SECTION

"A" & "B" Classes of mineralization (sum of "proven+probable" and "possible"), sulphides only, thick & thin zones

SECTION	ZONE	VOLUME (cu.m.)	TONNAGE (tonnes)	Pb+Zn (wt.%)	Pb (wt.%)	Zn (wt.%)	Ag (g/t)	LEAD (tonnes)	ZINC (tonnes)	SILVER (kg.)
1462	J1	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1462	JB1	1,323	4,233	23.42	8.17	15.25	40.9	345.7	645.6	172.9
1462	JB1-L	3,001	9,603	23.32	10.26	13.05	52.8	985.4	1,253.5	507.2
1462	POD	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1462	CHIMNEY	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1462	M1	368	1,176	17.07	7.08	9.99	26.5	83.2	117.5	31.2
1462	M2	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1462	JB2-E	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1462	JB2-L	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1462	JB2-W	1,540	4,927	25.06	10.33	14.73	48.6	509.1	725.7	239.4
1462	FW	1,731	5,540	18.77	7.83	10.94	19.2	433.8	606.2	106.1
1462	AB	264	843	11.03	3.80	7.23	15.6	32.0	61.0	13.2
1462	UNKN	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
TOTAL/AVERAGE		8,226	26,322	22.03	9.08	12.95	40.7	2,389	3,409	1,070

JEWELBOX HILL IN-SITU, PRE-MINING, MINERAL INVENTORY -- SUMMARY BY ZONE & SECTION

"A" & "B" Classes of mineralization (sum of "proven+probable" and "possible"), sulphides only, thick & thin zones

SECTION	ZONE	VOLUME (cu.m.)	TONNAGE (tonnes)	Pb+Zn (wt.%)	Pb (wt.%)	Zn (wt.%)	Ag (g/t)	LEAD (tonnes)	ZINC (tonnes)	SILVER (kg.)
1475	J1	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1475	JB1	3,738	11,962	12.51	5.31	7.20	24.5	635.2	860.7	293.6
1475	JB1-L	1,345	4,304	19.17	7.93	11.23	34.1	341.4	483.4	146.6
1475	POD	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1475	CHIMNEY	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1475	M1	730	2,335	10.72	5.83	4.89	24.0	136.2	114.2	56.1
1475	M2	624	1,996	16.50	5.49	11.02	47.9	109.5	220.0	95.6
1475	JB2-E	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1475	JB2-L	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1475	JB2-W	4,436	14,194	25.84	10.11	15.73	55.4	1,435.5	2,232.2	786.5
1475	FW	1,723	5,514	14.97	5.61	9.35	67.1	309.5	515.8	370.2
1475	AB	157	502	12.00	4.84	7.16	17.8	24.3	36.0	9.0
1475	UNKN	190	609	17.57	7.43	10.14	40.1	45.2	61.7	24.4
TOTAL/AVERAGE		12,942	41,415	18.26	7.33	10.92	43.0	3,037	4,524	1,782

JEWELBOX HILL IN-SITU, PRE-MINING, MINERAL INVENTORY -- SUMMARY BY ZONE & SECTION

"A" & "B" Classes of mineralization (sum of "proven+probable" and "possible"), sulphides only, thick & thin zones

SECTION	ZONE	VOLUME (cu.m.)	TONNAGE (tonnes)	Pb+Zn (wt.%)	Pb (wt.%)	Zn (wt.%)	Ag (g/t)	LEAD (tonnes)	ZINC (tonnes)	SILVER (kg.)
1487	J1	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1487	JB1	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1487	JB1-L	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1487	POD	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1487	CHIMNEY	7,241	23,171	15.13	6.15	8.98	26.7	1,424.4	2,081.9	619.6
1487	M1	1,098	3,513	21.69	8.59	13.10	33.4	301.9	460.3	117.3
1487	M2	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1487	JB2-E	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1487	JB2-L	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1487	JB2-W	2,551	8,162	34.22	12.33	21.89	63.4	1,006.5	1,786.7	517.8
1487	FW	506	1,618	12.36	4.48	7.88	40.6	72.5	127.5	65.7
1487	AB	2,954	9,452	24.01	8.21	15.80	64.7	776.1	1,493.3	611.2
1487	UNKN	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
TOTAL/AVERAGE		14,349	45,916	20.76	7.80	12.96	42.1	3,581	5,950	1,932

JEWELBOX HILL IN-SITU, PRE-MINING, MINERAL INVENTORY -- SUMMARY BY ZONE & SECTION

"A" & "B" Classes of mineralization (sum of "proven+probable" and "possible"), sulphides only, thick & thin zones

SECTION	ZONE	VOLUME (cu.m.)	TONNAGE (tonnes)	Pb+Zn (wt.%)	Pb (wt.%)	Zn (wt.%)	Ag (g/t)	LEAD (tonnes)	ZINC (tonnes)	SILVER (kg.)
1500	J1	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1500	JB1	5,061	16,196	15.29	6.24	9.05	31.6	1,010.3	1,466.1	512.4
1500	JB1-L	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1500	POD	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1500	CHIMNEY	26,648	85,274	26.05	10.62	15.44	65.8	9,052.0	13,164.4	5,613.6
1500	M1	274	876	13.50	4.88	8.62	25.0	42.7	75.5	21.9
1500	M2	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1500	JB2-E	4,836	15,476	21.93	8.60	13.33	72.8	1,330.5	2,063.1	1,126.3
1500	JB2-L	1,308	4,185	17.79	4.15	13.64	171.1	173.8	570.6	715.9
1500	JB2-W	5,900	18,881	26.53	9.50	17.03	57.2	1,794.3	3,214.8	1,080.2
1500	FW	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1500	AB	5,140	16,449	26.68	12.99	13.69	471.9	2,136.2	2,252.5	7,762.1
1500	UNKN	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
TOTAL/AVERAGE		49,168	157,336	24.37	9.88	14.50	107.0	15,540	22,807	16,832

JEWELBOX HILL IN-SITU, PRE-MINING, MINERAL INVENTORY -- SUMMARY BY ZONE & SECTION

"A" & "B" Classes of mineralization (sum of "proven+probable" and "possible"), sulphides only, thick & thin zones

SECTION	ZONE	VOLUME (cu.m.)	TONNAGE (tonnes)	Pb+Zn (wt.%)	Pb (wt.%)	Zn (wt.%)	Ag (g/t)	LEAD (tonnes)	ZINC (tonnes)	SILVER (kg.)
1512	J1	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1512	JB1	5,905	18,896	21.94	8.12	13.81	40.1	1,534.8	2,610.0	758.3
1512	JB1-L	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1512	POD	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1512	CHIMNEY	77	246	29.54	12.89	16.65	66.3	31.8	41.0	16.3
1512	M1	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1512	M2	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1512	JB2-E	10,453	33,449	20.67	7.99	12.67	54.1	2,674.0	4,239.5	1,810.9
1512	JB2-L	1,731	5,539	14.88	3.87	11.00	46.9	214.4	609.5	259.9
1512	JB2-W	20,350	65,119	21.70	7.05	14.65	58.9	4,590.2	9,537.5	3,837.8
1512	FW	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1512	AB	3,022	9,671	20.02	6.99	13.03	61.2	676.1	1,260.2	591.5
1512	UNKN	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
TOTAL/AVERAGE		41,538	132,920	21.08	7.31	13.77	54.7	9,721	18,298	7,275

JEWELBOX HILL IN-SITU, PRE-MINING, MINERAL INVENTORY -- SUMMARY BY ZONE & SECTION

"A" & "B" Classes of mineralization (sum of "proven+probable" and "possible"), sulphides only, thick & thin zones

SECTION	ZONE	VOLUME (cu.m.)	TONNAGE (tonnes)	Pb+Zn (wt.%)	Pb (wt.%)	Zn (wt.%)	Ag (g/t)	LEAD (tonnes)	ZINC (tonnes)	SILVER (kg.)
1525	J1	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1525	JB1	5,773	18,474	17.07	5.95	11.11	34.8	1,100.0	2,053.0	643.5
1525	JB1-L	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1525	POD	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1525	CHIMNEY	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1525	M1	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1525	M2	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1525	JB2-E	10,427	33,368	17.56	7.36	10.20	118.7	2,456.1	3,402.3	3,960.5
1525	JB2-L	4,462	14,278	17.45	5.82	11.64	36.1	830.3	1,661.8	515.7
1525	JB2-W	9,527	30,486	26.15	9.56	16.59	62.1	2,915.5	5,056.9	1,892.0
1525	FW	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1525	AB	651	2,084	13.21	5.75	7.46	71.9	119.9	155.5	149.9
1525	UNKN	446	1,428	22.12	7.59	14.53	94.9	108.4	207.5	135.6
TOTAL/AVERAGE		31,287	100,117	20.04	7.52	12.52	72.9	7,530	12,537	7,297

JEWELBOX HILL IN-SITU, PRE-MINING, MINERAL INVENTORY -- SUMMARY BY ZONE & SECTION

"A" & "B" Classes of mineralization (sum of "proven+probable" and "possible"), sulphides only, thick & thin zones

SECTION	ZONE	VOLUME (cu.m.)	TONNAGE (tonnes)	Pb+Zn (wt.%)	Pb (wt.%)	Zn (wt.%)	Ag (g/t)	LEAD (tonnes)	ZINC (tonnes)	SILVER (kg.)
1537	J1	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1537	JB1	7,849	25,117	12.03	5.12	6.91	27.5	1,286.2	1,735.0	691.6
1537	JB1-L	655	2,096	11.88	4.02	7.86	19.2	84.3	164.7	40.2
1537	POD	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1537	CHIMNEY	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1537	M1	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1537	M2	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1537	JB2-E	6,492	20,775	19.19	7.29	11.89	60.4	1,514.6	2,471.1	1,255.1
1537	JB2-L	243	778	9.59	5.53	4.07	80.2	43.0	31.6	62.4
1537	JB2-W	7,101	22,722	29.61	10.56	19.05	75.9	2,400.5	4,328.2	1,725.7
1537	FW	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1537	AB	1,902	6,086	16.66	6.02	10.64	63.7	366.4	647.6	387.5
1537	UNKN	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
TOTAL/AVERAGE		24,242	77,575	19.43	7.34	12.09	53.7	5,695	9,378	4,163

JEWELBOX HILL IN-SITU, PRE-MINING, MINERAL INVENTORY -- SUMMARY BY ZONE & SECTION

"A" & "B" Classes of mineralization (sum of "proven+probable" and "possible"), sulphides only, thick & thin zones

SECTION	ZONE	VOLUME (cu.m.)	TONNAGE (tonnes)	Pb+Zn (wt.%)	Pb (wt.%)	Zn (wt.%)	Ag (g/t)	LEAD (tonnes)	ZINC (tonnes)	SILVER (kg.)
1550	J1	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1550	JB1	6,667	21,334	21.50	8.69	12.80	45.5	1,854.6	2,731.3	971.4
1550	JB1-L	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1550	POD	7,269	23,261	21.27	8.83	12.44	47.3	2,054.3	2,894.5	1,099.5
1550	CHIMNEY	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1550	M1	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1550	M2	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1550	JB2-E	6,597	21,109	22.35	8.32	14.03	50.2	1,756.7	2,960.9	1,058.8
1550	JB2-L	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1550	JB2-W	3,632	11,622	18.95	6.49	12.46	94.0	754.2	1,448.3	1,091.9
1550	FW	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1550	AB	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1550	UNKN	222	710	13.33	3.81	9.52	22.6	27.1	67.6	16.0
TOTAL/AVERAGE		24,386	78,037	21.21	8.26	12.95	54.3	6,447	10,103	4,238

JEWELBOX HILL IN-SITU, PRE-MINING, MINERAL INVENTORY -- SUMMARY BY ZONE & SECTION

"A" & "B" Classes of mineralization (sum of "proven+probable" and "possible"), sulphides only, thick & thin zones

SECTION	ZONE	VOLUME (cu.m.)	TONNAGE (tonnes)	Pb+Zn (wt.%)	Pb (wt.%)	Zn (wt.%)	Ag (g/t)	LEAD (tonnes)	ZINC (tonnes)	SILVER (kg.)
1562	J1	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1562	JB1	3,045	9,744	19.91	5.53	14.39	53.6	538.4	1,402.0	522.6
1562	JB1-L	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1562	POD	10,123	32,393	26.98	12.75	14.23	162.2	4,130.9	4,609.3	5,255.2
1562	CHIMNEY	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1562	M1	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1562	M2	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1562	JB2-E	9,830	31,457	24.38	9.96	14.43	92.2	3,132.1	4,538.4	2,901.8
1562	JB2-L	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1562	JB2-W	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1562	FW	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1562	AB	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1562	UNKN	160	513	16.57	4.75	11.82	40.6	24.4	60.6	20.8
TOTAL/AVERAGE		23,159	74,108	24.88	10.56	14.32	117.4	7,826	10,610	8,700

JEWELBOX HILL IN-SITU, PRE-MINING, MINERAL INVENTORY -- SUMMARY BY ZONE & SECTION

"A" & "B" Classes of mineralization (sum of "proven+probable" and "possible"), sulphides only, thick & thin zones

SECTION	ZONE	VOLUME (cu.m.)	TONNAGE (tonnes)	Pb+Zn (wt.%)	Pb (wt.%)	Zn (wt.%)	Ag (g/t)	LEAD (tonnes)	ZINC (tonnes)	SILVER (kg.)
1575	J1	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1575	JB1	1,851	5,924	17.43	6.39	11.05	35.5	378.3	654.3	210.2
1575	JB1-L	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1575	POD	12,395	39,663	25.19	10.14	15.06	58.4	4,020.0	5,972.9	2,316.4
1575	CHIMNEY	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1575	M1	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1575	M2	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1575	JB2-E	434	1,388	11.16	1.78	9.39	48.7	24.6	130.3	67.6
1575	JB2-L	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1575	JB2-W	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1575	FW	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1575	AB	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1575	UNKN	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
TOTAL/AVERAGE		14,680	46,975	23.80	9.42	14.39	55.2	4,423	6,757	2,594

JEWELBOX HILL IN-SITU, PRE-MINING, MINERAL INVENTORY -- SUMMARY BY ZONE & SECTION

"A" & "B" Classes of mineralization (sum of "proven+probable" and "possible"), sulphides only, thick & thin zones

SECTION	ZONE	VOLUME (cu.m.)	TONNAGE (tonnes)	Pb+Zn (wt.%)	Pb (wt.%)	Zn (wt.%)	Ag (g/t)	LEAD (tonnes)	ZINC (tonnes)	SILVER (kg.)
1587	J1	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1587	JB1	1,797	5,750	26.48	9.60	16.89	42.0	551.9	970.9	241.4
1587	JB1-L	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1587	POD	5,070	16,222	21.90	9.08	12.83	51.6	1,472.9	2,080.6	836.7
1587	CHIMNEY	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1587	M1	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1587	M2	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1587	JB2-E	2,857	9,142	14.39	4.00	10.38	54.5	366.0	949.2	498.4
1587	JB2-L	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1587	JB2-W	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1587	FW	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1587	AB	711	2,275	13.98	4.70	9.28	44.0	106.9	211.1	100.1
1587	UNKN	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
TOTAL/AVERAGE		10,434	33,389	20.10	7.48	12.61	50.2	2,498	4,212	1,677

JEWELBOX HILL IN-SITU, PRE-MINING, MINERAL INVENTORY -- SUMMARY BY ZONE & SECTION

"A" & "B" Classes of mineralization (sum of "proven+probable" and "possible"), sulphides only, thick & thin zones

SECTION	ZONE	VOLUME (cu.m.)	TONNAGE (tonnes)	Pb+Zn (wt.%)	Pb (wt.%)	Zn (wt.%)	Ag (g/t)	LEAD (tonnes)	ZINC (tonnes)	SILVER (kg.)
1600 J1		0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1600 JB1		2,049	6,556	15.26	5.17	10.09	29.6	339.0	661.5	193.9
1600 JB1-L		0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1600 POD		5,209	16,669	22.79	9.66	13.13	48.4	1,610.0	2,189.0	806.0
1600 CHIMNEY		0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1600 M1		0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1600 M2		0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1600 JB2-E		589	1,886	17.91	6.90	11.01	67.7	130.1	207.6	127.7
1600 JB2-L		0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1600 JB2-W		0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1600 FW		0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1600 AB		0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1600 UNKN		1,228	3,928	15.54	3.87	11.67	65.4	151.9	458.3	256.9
TOTAL/AVERAGE		9,074	29,038	19.79	7.68	12.11	47.7	2,231	3,516	1,385

JEWELBOX HILL IN-SITU, PRE-MINING, MINERAL INVENTORY -- SUMMARY BY ZONE & SECTION

"A" & "B" Classes of mineralization (sum of "proven+probable" and "possible"), sulphides only, thick & thin zones

SECTION	ZONE	VOLUME (cu.m.)	TONNAGE (tonnes)	Pb+Zn (wt.%)	Pb (wt.%)	Zn (wt.%)	Ag (g/t)	LEAD (tonnes)	ZINC (tonnes)	SILVER (kg.)
1612	J1	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1612	JB1	1,880	6,015	8.47	2.34	6.13	21.3	140.7	368.7	128.1
1612	JB1-L	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1612	POD	752	2,407	11.92	3.82	8.10	19.1	92.0	194.9	46.1
1612	CHIMNEY	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1612	M1	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1612	M2	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1612	JB2-E	670	2,144	25.89	3.92	21.97	152.2	84.0	471.2	326.4
1612	JB2-L	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1612	JB2-W	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1612	FW	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1612	AB	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1612	UNKN	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
TOTAL/AVERAGE		3,302	10,566	12.79	3.00	9.79	47.4	317	1,035	501

JEWELBOX HILL IN-SITU, PRE-MINING, MINERAL INVENTORY -- SUMMARY BY ZONE & SECTION

"A" & "B" Classes of mineralization (sum of "proven+probable" and "possible"), sulphides only, thick & thin zones

SECTION	ZONE	VOLUME (cu.m.)	TONNAGE (tonnes)	Pb+Zn (wt.%)	Pb (wt.%)	Zn (wt.%)	Ag (g/t)	LEAD (tonnes)	ZINC (tonnes)	SILVER (kg.)
1625	J1	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1625	JB1	1,088	3,482	22.65	8.13	14.52	43.9	283.1	505.5	152.8
1625	JB1-L	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1625	POD	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1625	CHIMNEY	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1625	M1	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1625	M2	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1625	JB2-E	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1625	JB2-L	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1625	JB2-W	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1625	FW	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1625	AB	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1625	UNKN	443	1,416	10.51	1.85	8.66	96.6	26.2	122.7	136.8
TOTAL/AVERAGE		1,531	4,898	19.14	6.31	12.83	59.1	309	628	290

APPENDIX N-3
LISTING OF BLOCKS BY SECTION

SECTION: 1237 Pre-mining, In-situ, Undiluted, Sulphide mineralization above 8% Pb+Zn, Both "A" or "proven plus probable" and "B" or "possible" mineralization, both thin (< 2.2m. true) and thick ore

INVENTORY BLOCK NAME	MATERIAL TYPE	ORE ZONE NAME	CLASSIF. A=PROB+PROV B+POSSIBLE	THIN BLOCK ? (Y=<2.2m.)	MINING STATUS (Y=MINED)	MINING AREA NAME	BLOCK AREA IN SECTION (sq. m.)	STRIKE ADJUSTMENT (x12.5 m.)	IN-SITU DENSITY (tns/cu.m)	BLOCK VOLUME (cu. m.)	BLOCK TONNAGE (tonnes)	Pb+Zn GRADE (wt. %)	LEAD GRADE (wt. %)	ZINC GRADE (wt. %)	SILVER GRADE (gm/tn)	LEAD METAL (tonnes)	ZINC METAL (tonnes)	SILVER METAL (kg)
1237-1	ORE	JB1	B	Y	N		15.6	1	3.2	194.6	622.8	11.60	4.48	7.12	18.5	27.9	44.3	11.5
1237-2	ORE	JB1	B	Y	N		28.2	1	3.2	352.5	1,128.0	22.95	8.78	14.17	39.1	99.1	159.8	44.1
1237-3	ORE	FW	B	Y	N		47.2	1	3.2	589.6	1,886.8	9.20	3.85	5.35	17.2	72.6	100.9	32.4
1237-4	ORE	FW	B	Y	N		60.7	1	3.2	759.0	2,428.8	8.43	3.81	4.63	18.2	92.4	112.3	44.2
Totals and Averages for Section:				1237					3.2	1,896	6,066	11.69	4.81	6.88	21.8	292	417	132

SECTION: 1250 Pre-mining, In-situ, Undiluted, Sulphide mineralization above 8% Pb+Zn, Both "A" or "proven plus probable" and "B" or "possible" mineralization, both thin (< 2.2m. true) and thick ore

INVENTORY BLOCK	MATERIAL TYPE	ORE ZONE	CLASSIF. A=PROB+PROV B+POSSIBLE	THIN BLOCK ? (Y=<2.2m.)	MINING STATUS (Y=MINED)	MINING AREA NAME	BLOCK AREA IN SECTION (sq. m.)	STRIKE ADJUSTMENT (x12.5 m.)	IN-SITU DENSITY (tns/cu.m)	BLOCK VOLUME (cu. m.)	BLOCK TONNAGE (tonnes)	Pb+Zn GRADE (wt. %)	LEAD GRADE (wt. %)	ZINC GRADE (wt. %)	SILVER GRADE (gm/tn)	LEAD METAL (tonnes)	ZINC METAL (tonnes)	SILVER METAL (kg)
1250-3	ORE	FW	B	Y	N		18.2	1.3	3.2	296.2	948.0	8.17	3.11	5.06	13.9	29.5	47.9	13.2
1250-4	ORE	FW	B	N	N		129.5	1.5	3.2	2,428.5	7,771.2	16.32	5.46	10.86	35.2	424.2	844.2	273.5
1250-6	ORE	FW	B	Y	N		284.6	1.3	3.2	4,624.4	14,798.2	13.73	4.88	8.85	26.5	721.4	1,309.9	392.2
1250-7	ORE	JB1	B	N	N		64.7	1.3	3.2	1,050.9	3,362.8	15.19	6.56	8.64	35.5	220.4	290.4	119.4
1250-8	ORE	FW	B	N	N		89.3	1.5	3.2	1,674.4	5,358.0	13.77	3.25	10.52	60.5	174.1	563.7	324.2
Totals and Averages for Section:				1250					3.2	10,074	32,238	14.35	4.87	9.48	34.8	1,570	3,056	1,122

SECTION: 1275 Pre-mining, In-situ, Undiluted, Sulphide mineralization above 8% Pb+Zn, Both "A" or "proven plus probable" and "B" or "possible" mineralization, both thin (< 2.2m. true) and thick ore

INVENTORY BLOCK NAME	MATERIAL TYPE	ORE ZONE	CLASSIF. A=PROB+PROV B+POSSIBLE	THIN BLOCK ? (Y=<2.2m.)	MINING STATUS (Y=MINED)	MINING AREA NAME	BLOCK AREA IN SECTION (sq. m.)	STRIKE ADJUSTMENT (x12.5 m.)	IN-SITU DENSITY (tns/cu.m)	BLOCK VOLUME (cu. m.)	BLOCK TONNAGE (tonnes)	Pb+Zn GRADE (wt. %)	LEAD GRADE (wt. %)	ZINC GRADE (wt. %)	SILVER GRADE (gm/tn)	LEAD METAL (tonnes)	ZINC METAL (tonnes)	SILVER METAL (kg)
1275-1	ORE	FW	B	N	N		155.1	2.1	3.2	4,071.6	13,029.2	12.14	3.68	8.46	44.6	479.6	1,101.8	580.9
1275-2	ORE	FW	B	N	N		59.3	2	3.2	1,482.3	4,743.2	19.86	5.25	14.61	53.4	249.3	692.8	253.1
Totals and Averages for Section:				1275					3.2	5,554	17,772	14.20	4.10	10.10	46.9	729	1,795	834

SECTION: 1300 Pre-mining, In-situ, Undiluted, Sulphide mineralization above 8% Pb+Zn, Both "A" or "proven plus probable" and "B" or "possible" mineralization, both thin (< 2.2m. true) and thick ore

INVENTORY MATERIAL BLOCK NAME	ORE TYPE ZONE NAME	CLASSIF. A=PROB+PROV B+POSSIBLE	THIN BLOCK ? (Y=<2.2m.)	MINING STATUS (Y=MINED)	MINING AREA NAME	BLOCK AREA IN SECTION (sq. m.)	STRIKE ADJUSTMENT (x12.5 m.)	IN-SITU DENSITY (tns/cu.m)	BLOCK VOLUME (cu. m.)	BLOCK TONNAGE (tonnes)	Pb+Zn GRADE (wt. %)	LEAD GRADE (wt. %)	ZINC GRADE (wt. %)	SILVER GRADE (gm/tn)	LEAD METAL (tonnes)	ZINC METAL (tonnes)	SILVER METAL (kg)	
	ORE	FW	A	N	Y	1370-3795	4.4	1.4	3.2	76.8	245.8	17.11	4.76	12.35	41.5	11.7	30.4	10.2
	ORE	FW	A	N	Y	1340-420	0.0	1.3	3.2	0.3	1.0	19.85	4.87	14.98	94.3	0.1	0.2	0.1
	ORE	FW	A	N	Y	1370-3795	12.5	1.4	3.2	219.4	702.2	17.11	4.76	12.35	41.5	33.4	86.8	29.1
	ORE	FW	A	N	Y	1340-420	78.4	1.3	3.2	1,273.8	4,076.3	19.85	4.87	14.98	94.3	198.5	610.5	384.6
	ORE	FW	A	N	Y	1370-M1	2.2	1.5	3.2	40.3	129.0	17.11	4.76	12.35	41.5	6.1	15.9	5.4
1300-1	ORE	J1	B	Y	N		21.8	1.5	3.2	408.4	1,306.8	15.91	3.97	11.94	28.4	51.9	156.0	37.1
1300-4	ORE	J1	B	N	N		29.6	1.5	3.2	554.8	1,775.4	12.71	3.96	8.75	17.2	70.3	155.3	30.5
1300-5	ORE	J1	B	Y	N		19.4	1.5	3.2	363.8	1,164.0	11.55	4.42	7.13	19.6	51.4	83.0	22.9
1300-7	ORE	FW	A	N	N		134.4	1.4	3.2	2,352.7	7,528.6	17.11	4.76	12.35	41.5	358.1	930.1	312.3
1300-7A	ORE	FW	A	N	N		16.8	1.4	3.2	293.1	938.0	17.11	4.76	12.35	41.5	44.6	115.9	38.9
1300-8	ORE	FW	B	N	N		22.8	1.5	3.2	427.5	1,368.0	14.55	5.86	8.68	21.7	80.2	118.8	29.7
1300-9	ORE	FW	B	Y	N		59.1	1.5	3.2	1,107.9	3,545.4	25.30	8.14	17.15	41.0	288.7	608.2	145.5
1300-10	ORE	FW	B	N	N		38.9	1.5	3.2	728.4	2,331.0	22.06	7.72	14.34	37.9	179.9	334.2	88.3
1300-12	ORE	JB1-L	B	N	N		79.3	1.4	3.2	1,388.5	4,443.0	13.42	6.02	7.40	36.0	267.3	328.9	160.0
1300-13	ORE	JB1	B	N	N		51.4	1.2	3.2	770.6	2,465.8	28.70	11.66	17.04	62.5	287.5	420.1	154.2
1300-14	ORE	FW	A	N	N		181.9	1.3	3.2	2,956.4	9,460.4	19.85	4.87	14.98	94.3	460.6	1,416.9	892.5
1300-14A	ORE	FW	A	N	N		0.2	1.3	3.2	2.4	7.8	19.85	4.87	14.98	94.3	0.4	1.2	0.7
1300-15	ORE	FW	B	Y	N		21.8	1.5	3.2	408.9	1,308.6	10.46	3.70	6.76	28.6	48.5	88.4	37.5

Totals and Averages for Section: 1300 3.2 13,374 42,797 18.55 5.70 12.85 55.6 2,439 5,501 2,379

SECTION: 1312 Pre-mining, In-situ, Undiluted, Sulphide mineralization above 8% Pb+Zn, Both "A" or "proven plus probable" and "B" or "possible" mineralization, both thin (< 2.2m. true) and thick ore

INVENTORY MATERIAL	ORE	CLASSIF.	THIN	MINING	MINING	BLOCK AREA	STRIKE	IN-SITU	BLOCK	BLOCK	Pb+Zn	LEAD	ZINC	SILVER	LEAD	ZINC	SILVER	
BLOCK	TYPE	ZONE	A=PROB+PROV	BLOCK ?	STATUS	AREA	IN SECTION	ADJUSTMENT	DENSITY	VOLUME	TONNAGE	GRADE	GRADE	GRADE	GRADE	METAL	METAL	METAL
NAME	NAME	B+POSSIBLE	(Y=<2.2m.)	(Y=MINED)	NAME	(sq. m.)	(x12.5 m.)	(tns/cu.m)	(cu. m.)	(tonnes)	(wt. %)	(wt. %)	(wt. %)	(gm/tn)	(tonnes)	(tonnes)	(kg)	
	ORE	FW	A	N	Y	1340-420	7.8	0.9	3.2	87.2	279.0	14.84	5.33	9.51	129.6	14.9	26.5	36.2
1312-3A	ORE	FW	A	N	N		8.8	0.9	3.2	98.9	316.4	14.84	5.33	9.51	129.6	16.9	30.1	41.0
1312-1	ORE	JB1-L	A	N	N		31.9	1	3.2	398.5	1,275.2	15.14	6.21	8.92	31.7	79.2	113.8	40.4
1312-2	ORE	FW	B	N	N		60.6	0.7	3.2	530.1	1,696.2	17.09	7.65	9.45	39.5	129.7	160.2	66.9
1312-3	ORE	FW	B	N	N		103.2	1	3.2	1,290.0	4,128.0	14.84	5.33	9.51	129.6	219.9	392.5	535.2
1312-4	ORE	FW	B	N	N		203.4	0.8	3.2	2,034.1	6,509.1	13.17	2.70	10.47	20.0	175.6	681.7	130.2
Totals and Averages for Section:				1312					3.2	4,439	14,204	14.37	4.48	9.89	59.8	636	1,405	850

SECTION: 1325 Pre-mining, In-situ, Undiluted, Sulphide mineralization above 8% Pb+Zn, Both "A" or "proven plus probable" and "B" or "possible" mineralization, both thin (< 2.2m. true) and thick ore

INVENTORY BLOCK NAME	MATERIAL TYPE	ORE ZONE NAME	CLASSIF. A=PROB+PROV B+POSSIBLE	THIN BLOCK ? (Y=<2.2m.)	MINING STATUS (Y=MINED)	MINING AREA NAME	BLOCK AREA IN SECTION (sq. m.)	STRIKE ADJUSTMENT (x12.5 m.)	IN-SITU DENSITY (tns/cu.m)	BLOCK VOLUME (cu. m.)	BLOCK TONNAGE (tonnes)	Pb+Zn GRADE (wt. %)	LEAD GRADE (wt. %)	ZINC GRADE (wt. %)	SILVER GRADE (gm/tn)	LEAD METAL (tonnes)	ZINC METAL (tonnes)	SILVER METAL (kg)
	ORE	JB1-L	A	N	Y	1370-M1	19.0	1	3.2	238.0	761.6	17.42	7.73	9.70	37.4	58.8	73.8	28.5
	ORE	FW	A	N	Y	1340-420	2.3	1	3.2	28.2	90.4	8.26	2.35	5.92	27.3	2.1	5.4	2.5
	ORE	FW	A	N	Y	1370-M1-50	26.7	1	3.2	333.5	1,067.2	15.51	3.91	11.60	44.2	41.7	123.8	47.2
	ORE	FW	A	N	Y	1370-3795	28.5	0.9	3.2	320.9	1,026.7	11.39	2.85	8.55	42.2	29.2	87.7	43.3
1325-1	ORE	JB1	B	N	N		102.7	0.7	3.2	898.6	2,875.6	20.62	11.10	9.52	66.2	319.2	273.8	190.4
1325-2	ORE	JB1-L	A	N	N		17.2	1	3.2	214.6	686.8	17.42	7.73	9.70	37.4	53.1	66.6	25.7
1325-3	ORE	FW	B	N	N		148.8	0.9	3.2	1,673.9	5,356.4	14.14	4.26	9.88	137.5	228.2	529.2	736.5
1325-4	ORE	FW	B	Y	N		12.0	1	3.2	149.5	478.4	8.26	2.35	5.92	27.3	11.2	28.3	13.0
1325-4A	ORE	FW	B	Y	N		5.3	1	3.2	66.8	213.6	8.26	2.35	5.92	27.3	5.0	12.6	5.8
1325-6	ORE	FW	A	N	N		74.8	1	3.2	935.4	2,993.2	15.51	3.91	11.60	44.2	116.9	347.3	132.4
1325-7	ORE	FW	A	N	N		24.6	0.9	3.2	276.8	885.6	11.39	2.85	8.55	42.2	25.2	75.7	37.4
1325-8	ORE	FW	B	N	N		13.0	1	3.2	162.4	519.6	9.78	2.64	7.13	45.4	13.7	37.1	23.6
1325-9	ORE	FW	B	Y	N		8.4	1	3.2	105.1	336.4	11.02	4.07	6.95	19.3	13.7	23.4	6.5
1325-10	ORE	FW	A	N	N		58.9	1	3.2	735.6	2,354.0	14.70	4.21	10.49	50.4	99.1	247.0	118.6
1325-13	ORE	FW	B	Y	N		8.7	1	3.2	109.1	349.2	9.55	4.23	5.32	25.9	14.8	18.6	9.0

Totals and Averages for Section: 1325 3.2 6,248 19,995 14.92 5.16 9.75 71.0 1,032 1,950 1,420

SECTION: 1337 Pre-mining, In-situ, Undiluted, Sulphide mineralization above 8% Pb+Zn, Both "A" or "proven plus probable" and "B" or "possible" mineralization, both thin (< 2.2m. true) and thick ore

INVENTORY BLOCK NAME	MATERIAL TYPE	ORE ZONE NAME	CLASSIF. A=PROB+PROV B+POSSIBLE	THIN BLOCK ? (Y=<2.2m.)	MINING STATUS (Y=MINED)	MINING AREA NAME	BLOCK AREA IN SECTION (sq. m.)	STRIKE ADJUSTMENT (x12.5 m.)	IN-SITU DENSITY (tns/cu.m)	BLOCK VOLUME (cu. m.)	BLOCK TONNAGE (tonnes)	Pb+Zn GRADE (wt. %)	LEAD GRADE (wt. %)	ZINC GRADE (wt. %)	SILVER GRADE (gm/tn)	LEAD METAL (tonnes)	ZINC METAL (tonnes)	SILVER METAL (kg)
	ORE	FW	A	N	Y	1370M1-6	10.8	1	3.2	135.0	432.0	15.50	3.31	12.19	58.3	14.3	52.7	25.2
	ORE	FW	A	N	Y	1370-M1-1	10.9	1	3.2	135.9	434.8	15.50	3.31	12.19	58.3	14.4	53.0	25.3
1337-1	ORE	J1	B	Y	N		60.8	1	3.2	760.0	2,432.0	14.03	6.70	7.33	31.1	162.9	178.2	75.6
1337-4	ORE	JB1	A	N	N		119.2	1	3.2	1,489.6	4,766.8	17.94	6.78	11.16	36.4	323.2	531.8	173.4
1337-5	ORE	JB1-L	A	N	N		92.0	1	3.2	1,149.4	3,678.0	20.95	8.27	12.67	44.2	304.2	466.1	162.6
1337-6	ORE	JB1-L	A	Y	N		9.7	1	3.2	121.6	389.2	15.61	6.61	9.00	28.0	25.7	35.0	10.9
1337-8	ORE	FW	B	N	N		277.4	1.2	3.2	4,160.3	13,312.8	13.19	5.36	7.84	59.7	712.9	1,043.3	794.8
1337-10	ORE	FW	A	Y	N		16.2	1	3.2	202.8	648.8	14.79	3.56	11.24	16.7	23.1	72.9	10.8
1337-11	ORE	FW	A	N	N		65.7	1.1	3.2	903.0	2,889.5	21.63	8.69	12.93	44.7	251.2	373.7	129.3
1337-12	ORE	FW	B	N	N		83.5	1.1	3.2	1,148.5	3,675.3	15.84	5.66	10.18	112.7	207.9	374.2	414.3
1337-13	ORE	FW	B	N	N		38.6	1	3.2	482.5	1,544.0	8.68	3.37	5.31	52.7	52.0	82.0	81.3
1337-14	ORE	FW	B	N	N		20.2	1	3.2	252.5	808.0	16.23	5.43	10.80	45.9	43.9	87.3	37.1
1337-15	ORE	FW	B	N	N		34.5	1	3.2	430.9	1,378.8	20.05	19.19	0.87	476.4	264.5	12.0	656.8
1337-23	ORE	FW	A	N	N		56.3	1	3.2	704.3	2,253.6	15.50	3.31	12.19	58.3	74.6	274.7	131.3
1337-23A	ORE	FW	A	N	N		32.9	1	3.2	411.8	1,317.6	15.50	3.31	12.19	58.3	43.6	160.6	76.8
1337-24	ORE	FW	B	Y	N		55.4	1	3.2	692.5	2,216.0	8.37	2.81	5.57	23.9	62.2	123.4	53.0

Totals and Averages for Section: 1337 3.2 13,180 42,177 15.41 6.12 9.30 67.8 2,581 3,921 2,858

SECTION: 1350 Pre-mining, In-situ, Undiluted, Sulphide mineralization above 8% Pb+Zn, Both "A" or "proven plus probable" and "B" or "possible" mineralization, both thin (< 2.2m. true) and thick ore

INVENTORY BLOCK NAME	MATERIAL TYPE	ORE ZONE NAME	CLASSIF. A=PROB+PROV B+POSSIBLE	THIN BLOCK ? (Y=<2.2m.)	MINING STATUS (Y=MINED)	MINING AREA NAME	BLOCK AREA IN SECTION (sq. m.)	STRIKE ADJUSTMENT (x12.5 m.)	IN-SITU DENSITY (tns/cu.m)	BLOCK VOLUME (cu. m.)	BLOCK TONNAGE (tonnes)	Pb+Zn GRADE (wt. %)	LEAD GRADE (wt. %)	ZINC GRADE (wt. %)	SILVER GRADE (gm/tn)	LEAD METAL (tonnes)	ZINC METAL (tonnes)	SILVER METAL (kg)
	ORE	FW	A	N	Y	1370M1-4	52.0	0.7	3.2	454.7	1,455.2	16.40	4.92	11.48	50.1	71.6	167.0	72.9
	ORE	FW	A	N	Y	1370-M1-6	7.0	1	3.2	87.1	278.8	18.08	5.17	12.91	83.0	14.4	36.0	23.1
1350-4	ORE	J1	B	N	N		14.7	1	3.2	184.0	588.8	10.39	3.17	7.22	16.2	18.7	42.5	9.5
1350-7	ORE	FW	B	N	N		65.9	0.7	3.2	576.6	1,845.2	16.40	4.92	11.48	50.1	90.8	211.8	92.5
1350-9	ORE	JB1-L	B	N	N		45.0	1	3.2	562.5	1,800.0	16.45	3.57	12.88	56.7	64.2	231.9	102.1
1350-11	ORE	JB1	B	N	N		17.7	1	3.2	220.9	706.8	26.52	10.99	15.53	49.0	77.6	109.8	34.6
1350-12	ORE	UNKN	B	Y	N		18.9	1	3.2	235.8	754.4	11.79	4.97	6.82	83.4	37.5	51.5	62.9
1350-13	ORE	FW	B	Y	N		21.6	1	3.2	270.3	864.8	8.43	1.88	6.55	52.3	16.3	56.6	45.2
1350-15	ORE	FW	B	Y	N		73.8	0.8	3.2	738.4	2,362.9	10.92	3.63	7.29	33.1	85.8	172.2	78.2
1350-21	ORE	FW	A	N	N		22.2	1	3.2	277.5	888.0	18.08	5.17	12.91	83.0	45.9	114.6	73.7

Totals and Averages for Section: 1350 3.2 3,608 11,545 14.87 4.53 10.34 51.5 523 1,194 595

SECTION: 1362 Pre-mining, In-situ, Undiluted, Sulphide mineralization above 8% Pb+Zn, Both "A" or "proven plus probable" and "B" or "possible" mineralization, both thin (< 2.2m. true) and thick ore

INVENTORY BLOCK NAME	MATERIAL TYPE	ORE ZONE NAME	CLASSIF. A=PROB+PROV B=POSSIBLE	THIN BLOCK ? (Y=<2.2m.)	MINING STATUS (Y=MINED)	MINING AREA NAME	BLOCK AREA IN SECTION (sq. m.)	STRIKE ADJUSTMENT (x12.5 m.)	IN-SITU DENSITY (tns/cu.m)	BLOCK VOLUME (cu. m.)	BLOCK TONNAGE (tonnes)	Pb+Zn GRADE (wt. %)	LEAD GRADE (wt. %)	ZINC GRADE (wt. %)	SILVER GRADE (gm/tn)	LEAD METAL (tonnes)	ZINC METAL (tonnes)	SILVER METAL (kg)
	ORE	FW	A	N	Y	1370-M1	6.9	0.8	3.2	69.1	221.1	12.12	2.11	10.02	63.6	4.7	22.1	14.1
	ORE	FW	A	N	Y	1340-420	3.3	0.8	3.2	33.1	105.9	22.07	11.20	10.87	61.9	11.9	11.5	6.6
	ORE	JB1	A	N	Y	1415-301	5.5	1	3.2	69.0	220.8	25.49	9.73	15.76	42.8	21.5	34.8	9.4
	ORE	JB1	A	N	Y	1410-310	48.9	1	3.2	611.8	1,957.6	25.49	9.73	15.76	42.8	190.4	308.5	83.8
	ORE	JB1	A	N	Y	1415-301	53.6	1	3.2	669.9	2,143.6	25.49	9.73	15.76	42.8	208.5	337.8	91.7
1362-1	ORE	J1	B	Y	N		15.1	1	3.2	189.0	604.8	15.55	6.40	9.15	28.0	38.7	55.3	16.9
1362-4	ORE	J1	B	Y	N		22.4	1	3.2	279.5	894.4	11.68	4.98	6.70	24.0	44.5	59.9	21.5
1362-5	ORE	JB1	A	N	N		113.4	1	3.2	1,417.4	4,535.6	25.49	9.73	15.76	42.8	441.2	714.7	194.1
1362-5A	ORE	JB1	A	N	N		6.5	1	3.2	80.9	258.8	25.49	9.73	15.76	42.8	25.2	40.8	11.1
1362-5B	ORE	JB1	A	N	N		4.4	1	3.2	54.9	175.6	25.49	9.73	15.76	42.8	17.1	27.7	7.5
1362-5C	ORE	JB1	A	N	N		16.4	1	3.2	205.4	657.2	25.49	9.73	15.76	42.8	63.9	103.6	28.1
1362-5D	ORE	JB1	A	Y	N		5.6	1	3.2	70.1	224.4	25.49	9.73	15.76	42.8	21.8	35.4	9.6
1362-5E	ORE	JB1	A	N	N		0.1	1	3.2	1.5	4.8	25.49	9.73	15.76	42.8	0.5	0.8	0.2
1362-6	ORE	JB1	B	N	N		27.4	1	3.2	342.0	1,094.4	25.49	9.73	15.76	42.8	106.5	172.5	46.8
1362-7	ORE	FW	B	N	N		62.0	1	3.2	775.3	2,480.8	12.45	5.20	7.25	32.9	129.0	179.9	81.6
1362-8	ORE	M1	A	N	N		24.3	1	3.2	303.8	972.0	16.59	6.73	9.87	33.2	65.4	95.9	32.3
1362-9	ORE	FW	A	N	N		84.4	1	3.2	1,054.5	3,374.4	15.23	7.11	8.13	33.2	239.8	274.2	112.2
1362-10	ORE	FW	B	Y	N		11.8	1	3.2	147.5	472.0	8.99	3.95	5.05	18.2	18.6	23.8	8.6
1362-12	ORE	FW	B	N	N		43.8	0.8	3.2	437.5	1,400.0	12.12	2.11	10.02	63.6	29.5	140.2	89.0
1362-12A	ORE	FW	B	Y	N		19.6	0.8	3.2	196.1	627.5	12.12	2.11	10.02	63.6	13.2	62.9	39.9
1362-13	ORE	FW	B	Y	N		59.6	0.8	3.2	595.6	1,905.9	22.07	11.20	10.87	61.9	213.5	207.2	118.0
1362-15	ORE	FW	B	Y	N		72.9	0.8	3.2	728.8	2,332.2	13.48	4.85	8.63	22.7	113.2	201.3	53.0
1362-21	ORE	FW	A	N	N		38.1	0.6	3.2	285.4	913.2	12.86	4.62	8.24	35.1	42.2	75.2	32.1

Totals and Averages for Section: 1362 3.2 8,618 27,577 19.03 7.47 11.55 40.2 2,061 3,186 1,108

SECTION: 1375 Pre-mining, In-situ, Undiluted, Sulphide mineralization above 8% Pb+Zn, Both "A" or "proven plus probable" and "B" or "possible" mineralization, both thin (< 2.2m. true) and thick ore

INVENTORY BLOCK NAME	MATERIAL TYPE	ORE ZONE NAME	CLASSIF. A=PROB+PROV B+POSSIBLE	THIN BLOCK ? (Y=<2.2m.)	MINING STATUS (Y=MINED)	MINING AREA NAME	BLOCK AREA IN SECTION (sq. m.)	STRIKE ADJUSTMENT (x12.5 m.)	IN-SITU DENSITY (tns/cu.m)	BLOCK VOLUME (cu. m.)	BLOCK TONNAGE (tonnes)	Pb+Zn GRADE (wt. %)	LEAD GRADE (wt. %)	ZINC GRADE (wt. %)	SILVER GRADE (gm/tn)	LEAD METAL (tonnes)	ZINC METAL (tonnes)	SILVER METAL (kg)
	ORE	FW	A	N	Y	1370-M1	27.3	1	3.2	341.3	1,092.0	12.66	5.20	7.46	68.0	56.8	81.4	74.3
	ORE	JB1	A	N	Y	1405	2.8	1	3.2	35.1	112.4	15.74	7.36	8.38	37.9	8.3	9.4	4.3
	ORE	JB1	A	N	Y	1415-300	9.9	1	3.2	123.4	394.8	15.74	7.36	8.38	37.9	29.0	33.1	15.0
	ORE	JB1-L	A	N	Y	1410-3795	32.8	1	3.2	410.4	1,313.2	23.51	9.38	14.13	46.4	123.2	185.5	60.9
	ORE	JB1	A	N	Y	1415-306	18.6	1	3.2	232.9	745.2	15.74	7.36	8.38	37.9	54.8	62.5	28.2
	ORE	FW	A	N	Y	1340-420	20.8	1	3.2	259.6	830.8	11.59	3.70	7.90	91.7	30.7	65.6	76.2
	ORE	JB1	A	N	Y	1405	20.1	1	3.2	251.1	803.6	15.74	7.36	8.38	37.9	59.1	67.4	30.4
1375-1	ORE	J1	A	N	N		65.9	1	3.2	823.3	2,634.4	16.44	8.62	7.82	48.5	227.1	206.0	127.7
1375-3	ORE	JB1	B	Y	N		28.7	1	3.2	358.5	1,147.2	15.74	7.36	8.38	37.9	84.4	96.2	43.5
1375-3A	ORE	JB1	A	N	N		14.6	1	3.2	182.4	583.6	15.74	7.36	8.38	37.9	42.9	48.9	22.1
1375-3B	ORE	JB1	A	N	N		55.5	1	3.2	693.1	2,218.0	15.74	7.36	8.38	37.9	163.2	185.9	84.0
1375-3C	ORE	JB1	A	N	N		11.1	1	3.2	139.1	445.2	15.74	7.36	8.38	37.9	32.8	37.3	16.9
1375-4	ORE	JB1-L	A	N	N		77.1	1	3.2	964.3	3,085.6	23.51	9.38	14.13	46.4	289.4	435.9	143.1
1375-4A	ORE	JB1-L	A	N	N		3.8	1	3.2	47.0	150.4	23.51	9.38	14.13	46.4	14.1	21.2	7.0
1375-5	ORE	FW	A	N	N		88.2	1	3.2	1,102.9	3,529.2	19.95	7.54	12.41	59.9	266.2	437.9	211.2
1375-5A	ORE	FW	A	N	N		35.7	1	3.2	445.6	1,426.0	19.95	7.54	12.41	59.9	107.5	176.9	85.4
1375-6	ORE	FW	A	N	N		38.4	1	3.2	479.9	1,535.6	12.66	5.20	7.46	68.0	79.9	114.5	104.4
1375-8	ORE	FW	A	N	N		147.8	1	3.2	1,847.5	5,912.0	11.59	3.70	7.90	91.7	218.5	466.9	542.0
1375-10	ORE	FW	B	N	N		8.6	1	3.2	107.9	345.2	17.21	7.42	9.79	36.0	25.6	33.8	12.4
1375-16	ORE	FW	A	Y	N		44.0	1	3.2	550.1	1,760.4	27.33	10.58	16.75	83.5	186.2	295.0	147.1
1375-18	ORE	FW	A	N	N		46.5	1	3.2	580.8	1,858.4	10.08	4.54	5.54	191.8	84.3	102.9	356.4

Totals and Averages for Section: 1375 3.2 9,976 31,923 16.75 6.84 9.91 68.7 2,184 3,164 2,193

SECTION: 1387 Pre-mining, In-situ, Undiluted, Sulphide mineralization above 8% Pb+Zn, Both "A" or "proven plus probable" and "B" or "possible" mineralization, both thin (< 2.2m. true) and thick ore

INVENTORY BLOCK NAME	MATERIAL TYPE	ORE ZONE NAME	CLASSIF. A=PROB+PROV B+POSSIBLE	THIN BLOCK ? (Y=<2.2m.)	MINING STATUS (Y=MINED)	MINING AREA NAME	BLOCK AREA IN SECTION (sq. m.)	STRIKE ADJUSTMENT (x12.5 m.)	IN-SITU DENSITY (tns/cu.m)	BLOCK VOLUME (cu. m.)	BLOCK TONNAGE (tonnes)	Pb+Zn GRADE (wt. %)	LEAD GRADE (wt. %)	ZINC GRADE (wt. %)	SILVER GRADE (gm/tn)	LEAD METAL (tonnes)	ZINC METAL (tonnes)	SILVER METAL (kg)
	ORE	FW	A	N	Y	1370-M1	18.9	0.8	3.2	189.1	605.1	14.54	6.37	8.17	43.7	38.5	49.4	26.4
	ORE	JB1	A	N	Y	1405	2.3	1	3.2	28.2	90.4	17.32	7.68	9.64	33.5	6.9	8.7	3.0
	ORE	JB1-L	A	N	Y	1405	19.7	1	3.2	246.1	787.6	17.05	6.94	10.12	38.1	54.6	79.7	30.0
	ORE	JB1	A	N	Y	1415-300	21.6	1	3.2	270.0	864.0	17.32	7.68	9.64	33.5	66.4	83.3	29.0
	ORE	JB1	A	N	Y	1415-306	44.0	1	3.2	550.4	1,761.2	17.32	7.68	9.64	33.5	135.3	169.7	59.0
	ORE	JB1	A	N	Y	1415-301	13.2	1	3.2	165.5	529.6	16.79	6.51	10.29	28.6	34.5	54.5	15.1
	ORE	FW	A	N	Y	1340-420	4.0	0.8	3.2	40.4	129.3	14.54	6.37	8.17	43.7	8.2	10.6	5.6
1387-2	ORE	JB1	B	Y	N		92.8	1	3.2	1,159.4	3,710.0	17.32	7.68	9.64	33.5	285.0	357.6	124.3
1387-2A	ORE	JB1	A	Y	N		3.5	1	3.2	44.0	140.8	17.32	7.68	9.64	33.5	10.8	13.6	4.7
1387-2B	ORE	JB1	A	Y	N		15.1	1	3.2	189.3	605.6	17.32	7.68	9.64	33.5	46.5	58.4	20.3
1387-4	ORE	JB1-L	B	N	N		79.4	1	3.2	992.9	3,177.2	17.05	6.94	10.12	38.1	220.4	321.4	121.1
1387-6	ORE	JB1	A	N	N		45.0	1	3.2	562.3	1,799.2	16.79	6.51	10.29	28.6	117.1	185.1	51.4
1387-7	ORE	FW	B	N	N		95.8	0.8	3.2	958.1	3,065.9	19.44	7.09	12.35	54.0	217.4	378.7	165.7
1387-8	ORE	FW	B	N	N		146.4	0.6	3.2	1,098.2	3,514.3	20.49	8.15	12.34	46.7	286.3	433.6	164.1
1387-9	ORE	FW	B	N	N		205.7	0.8	3.2	2,057.3	6,583.4	14.54	6.37	8.17	43.7	419.0	538.0	287.5
1387-10	ORE	FW	B	Y	N		51.1	0.8	3.2	510.9	1,634.9	13.49	4.44	9.05	48.8	72.6	147.9	79.7
1387-12	ORE	FW	B	Y	N		30.4	1	3.2	380.1	1,216.4	13.89	7.10	6.79	91.0	86.4	82.6	110.7
1387-13	ORE	FW	B	Y	N		13.7	1	3.2	170.8	546.4	10.34	6.91	3.43	447.3	37.8	18.7	244.4
1387-17	ORE	FW	B	Y	N		67.8	0.7	3.2	593.1	1,897.8	12.60	2.59	10.01	49.1	49.1	189.9	93.2
1387-20	ORE	M1	B	Y	N		17.7	1	3.2	220.6	706.0	26.11	8.36	17.75	58.5	59.0	125.3	41.3
1387-23	ORE	M1	B	N	N		57.0	1	3.2	712.3	2,279.2	8.41	3.33	5.07	18.5	76.0	115.6	42.1
1387-24	ORE	J1	B	N	N		145.6	1	3.2	1,819.5	5,822.4	17.23	6.70	10.53	34.7	390.1	613.1	202.0
1387-25	ORE	JB1	B	N	N		89.4	1	3.2	1,117.6	3,576.4	16.79	6.51	10.29	28.6	232.7	367.9	102.2

Totals and Averages for Section: 1387 3.2 14,076 45,043 16.33 6.55 9.78 44.9 2,951 4,403 2,023

SECTION: 1400 Pre-mining, In-situ, Undiluted, Sulphide mineralization above 8% Pb+Zn, Both A or "proven plus probable" and B or "possible" mineralization, both thin (< 2.2m. true) and thick ore

INVENTORY BLOCK NAME	MATERIAL TYPE	ORE ZONE NAME	CLASSIF. A=PROB+PROV B+POSSIBLE	THIN BLOCK ? (Y=<2.2m.)	MINING STATUS (Y=MINED)	MINING AREA NAME	BLOCK AREA IN SECTION (sq. m.)	STRIKE ADJUSTMENT (x12.5 m.)	IN-SITU DENSITY (tns/cu.m)	BLOCK VOLUME (cu. m.)	BLOCK TONNAGE (tonnes)	Pb+Zn GRADE (wt. %)	LEAD GRADE (wt. %)	ZINC GRADE (wt. %)	SILVER GRADE (gm/tn)	LEAD METAL (tonnes)	ZINC METAL (tonnes)	SILVER METAL (kg)
	0 ORE	JB1-L	A	N	Y	1405	3.4	1.1	3.2	46.2	147.8	14.58	6.47	8.11	28.7	9.6	12.0	4.2
	0 ORE	FW	A	N	Y	1340-FWS	52.2	0.8	3.2	521.9	1,670.1	16.92	6.18	10.74	43.0	103.2	179.4	71.8
	0 ORE	JB1-L	A	N	Y	1415-301	13.0	1.1	3.2	178.9	572.4	14.58	6.47	8.11	28.7	37.0	46.4	16.4
	0 ORE	JB1-L	A	N	Y	1415-301	0.2	1.1	3.2	2.1	6.6	14.58	6.47	8.11	28.7	0.4	0.5	0.2
	0 ORE	FW	A	N	Y	1370-M1	44.6	0.8	3.2	446.0	1,427.2	16.92	6.18	10.74	43.0	88.2	153.3	61.3
	0 ORE	JB1	A	N	Y	1405	4.5	1	3.2	56.1	179.6	11.07	5.39	5.68	19.9	9.7	10.2	3.6
	0 ORE	JB1	A	N	Y	1415-300	22.9	0.8	3.2	228.9	732.5	19.95	8.37	11.58	29.0	61.3	84.8	21.2
	0 ORE	JB1	A	N	Y	1415-306	12.0	0.8	3.2	119.7	383.0	19.95	8.37	11.58	29.0	32.0	44.4	11.1
1400-1	ORE	JB1	A	N	N	0	50.6	0.8	3.2	506.3	1,620.2	19.95	8.37	11.58	29.0	135.5	187.6	46.9
1400-1A	ORE	JB1	B	Y	N	0	13.3	1	3.2	165.6	530.0	19.95	8.37	11.58	29.0	44.3	61.4	15.4
1400-4	ORE	JB1	A	Y	N	0	25.1	1	3.2	313.5	1,003.2	11.07	5.39	5.68	19.9	54.1	57.0	20.0
1400-7	ORE	JB1-L	A	N	N	0	107.6	1.1	3.2	1,479.5	4,734.4	14.58	6.47	8.11	28.7	306.4	383.9	136.0
1400-7A	ORE	JB1-L	A	Y	N	0	0.5	1.1	3.2	6.6	21.1	14.58	6.47	8.11	28.7	1.4	1.7	0.6
1400-7B	ORE	JB1-L	A	Y	N	0	0.0	1.1	3.2	0.3	0.9	14.58	6.47	8.11	28.7	0.1	0.1	0.0
1400-8	ORE	FW	A	Y	N	0	25.1	1	3.2	313.4	1,002.8	23.42	6.80	16.63	43.1	68.2	166.7	43.2
1400-9	ORE	FW	A	N	N	0	151.3	0.7	3.2	1,323.7	4,235.8	13.96	4.01	9.95	68.4	169.7	421.7	289.6
1400-10	ORE	FW	A	Y	N	0	13.3	1	3.2	165.6	530.0	14.50	5.89	8.61	28.4	31.2	45.6	15.0
1400-11	ORE	FW	A	N	N	0	228.7	0.8	3.2	2,287.3	7,319.4	16.92	6.18	10.74	43.0	452.3	786.2	314.6
1400-15	ORE	FW	A	N	N	0	78.5	0.8	3.2	784.8	2,511.4	19.54	6.26	13.28	46.8	157.2	333.5	117.5
1400-16	ORE	JB1	B	Y	N	0	56.2	1	3.2	701.9	2,246.0	18.01	7.50	10.51	33.8	168.4	236.0	75.9
Totals and Averages for Section:				1400					3.2	5,843	18,697	16.88	5.72	11.16	48.8	1,070	2,086	913

SECTION: 1412 Pre-mining, In-situ, Undiluted, Sulphide mineralization above 8% Pb+Zn, Both "A" or "proven plus probable" and "B" or "possible" mineralization, both thin (< 2.2m. true) and thick ore

INVENTORY BLOCK NAME	MATERIAL TYPE	ORE ZONE NAME	CLASSIF. A=PROB+PROV B+POSSIBLE	THIN BLOCK ? (Y=<2.2m.)	MINING STATUS (Y=MINED)	MINING AREA NAME	BLOCK AREA IN SECTION (sq. m.)	STRIKE ADJUSTMENT (x12.5 m.)	IN-SITU DENSITY (tns/cu.m)	BLOCK VOLUME (cu. m.)	BLOCK TONNAGE (tonnes)	Pb+Zn GRADE (wt. %)	LEAD GRADE (wt. %)	ZINC GRADE (wt. %)	SILVER GRADE (gm/tn)	LEAD METAL (tonnes)	ZINC METAL (tonnes)	SILVER METAL (kg)
	ORE	FW	A	N	Y	1340-FWS	11.2	0.8	3.2	111.5	356.8	19.75	6.01	13.74	59.4	21.4	49.0	21.2
	ORE	JB1	A	N	Y	1415-301	18.9	0.8	3.2	189.4	606.1	21.59	9.25	12.34	49.0	56.1	74.8	29.7
	ORE	FW	A	N	Y	1370-M1	22.0	1	3.2	274.5	878.4	13.28	4.27	9.01	31.0	37.5	79.1	27.2
	ORE	FW	A	N	Y	1340-420	10.2	0.8	3.2	102.4	327.7	27.44	5.09	22.35	86.7	16.7	73.2	28.4
1412-1	ORE	JB1	B	N	N		35.5	1	3.2	444.0	1,420.8	32.21	14.71	17.50	67.4	209.0	248.6	95.8
1412-5	ORE	JB1	B	N	N		82.2	0.8	3.2	822.0	2,630.4	21.59	9.25	12.34	49.0	243.3	324.7	129.0
1412-6	ORE	FW	B	N	N		47.2	1	3.2	589.8	1,887.2	13.28	4.27	9.01	31.0	80.6	170.0	58.5
1412-7	ORE	M1	B	N	N		53.6	1	3.2	670.1	2,144.4	10.95	4.53	6.43	22.6	97.0	137.9	48.5
1412-8	ORE	M1	B	N	N		30.8	1	3.2	385.1	1,232.4	31.00	8.27	22.73	49.1	102.0	280.1	60.5
1412-9	ORE	M2	B	Y	N		13.9	1	3.2	174.3	557.6	13.89	5.91	7.98	30.1	32.9	44.5	16.8
1412-10	ORE	FW	A	N	N		83.4	0.8	3.2	833.7	2,667.8	27.44	5.09	22.35	86.7	135.8	596.3	231.3
1412-10A	ORE	FW	A	Y	N		4.2	0.8	3.2	41.6	133.1	27.44	5.09	22.35	86.7	6.8	29.8	11.5
1412-12	ORE	FW	B	N	N		236.3	0.8	3.2	2,363.2	7,562.2	19.75	6.01	13.74	59.4	454.5	1,039.1	448.9

Totals and Averages for Section: 1412 3.2 7,002 22,405 20.71 6.67 14.05 53.9 1,494 3,147 1,207

SECTION: 1425 Pre-mining, In-situ, Undiluted, Sulphide mineralization above 8% Pb+Zn, Both "A" or "proven plus probable" and "B" or "possible" mineralization, both thin (< 2.2m. true) and thick ore

INVENTORY BLOCK NAME	MATERIAL TYPE	ORE ZONE NAME	CLASSIF. A=PROB+PROV B+POSSIBLE	THIN BLOCK ? (Y=<2.2m.)	MINING STATUS (Y=MINED)	MINING AREA NAME	BLOCK AREA IN SECTION (sq. m.)	STRIKE ADJUSTMENT (x12.5 m.)	IN-SITU DENSITY (tns/cu.m)	BLOCK VOLUME (cu. m.)	BLOCK TONNAGE (tonnes)	Pb+Zn GRADE (wt. %)	LEAD GRADE (wt. %)	ZINC GRADE (wt. %)	SILVER GRADE (gm/tn)	LEAD METAL (tonnes)	ZINC METAL (tonnes)	SILVER METAL (kg)
	ORE	JB1	A	N	Y	1415-100	46.2	1	3.2	576.9	1,846.0	20.99	6.46	14.53	28.0	119.2	268.2	51.7
	ORE	JB1	A	N	Y	1415-301	16.5	0.8	3.2	164.8	527.4	8.45	3.52	4.93	16.0	18.6	26.0	8.5
	ORE	JB1	A	N	Y	1415-300	44.8	1	3.2	560.0	1,792.0	20.99	6.46	14.53	28.0	115.7	260.3	50.2
	ORE	M1	A	N	Y	1340-202	10.8	0.8	3.2	108.0	345.6	12.86	5.39	7.47	23.7	18.6	25.8	8.2
	ORE	FW	A	N	Y	1340-FWS	40.0	0.9	3.2	450.2	1,440.7	24.50	4.58	19.92	121.3	66.0	287.0	174.7
	ORE	JB1	A	N	Y	1405	6.9	1	3.2	85.6	274.0	8.33	3.64	4.69	20.7	10.0	12.9	5.7
1425-2	ORE	UNKN	A	Y	N		23.4	1	3.2	292.5	936.0	12.59	3.25	9.34	17.2	30.4	87.4	16.1
1425-4	ORE	JB1	A	N	N		38.1	1	3.2	476.5	1,524.8	20.99	6.46	14.53	28.0	98.5	221.5	42.7
1425-4A	ORE	JB1	B	Y	N		5.1	1	3.2	63.2	202.4	20.99	6.46	14.53	28.0	13.1	29.4	5.7
1425-4B	ORE	JB1	B	Y	N		27.9	1	3.2	349.0	1,116.8	20.99	6.46	14.53	28.0	72.1	162.3	31.3
1425-5	ORE	M1	A	N	N		53.3	0.8	3.2	533.2	1,706.2	12.86	5.39	7.47	23.7	92.0	127.5	40.5
1425-5A	ORE	M1	A	N	N		12.6	0.8	3.2	126.2	403.8	12.86	5.39	7.47	23.7	21.8	30.2	9.6
1425-6	ORE	FW	A	N	N		122.8	0.9	3.2	1,381.6	4,421.2	18.55	5.71	12.84	42.4	252.5	567.9	187.2
1425-7	ORE	JB1-L	A	N	N		56.2	0.9	3.2	631.8	2,021.8	17.65	7.48	10.18	39.0	151.2	205.8	78.8
1425-8	ORE	JB1	A	N	N		46.7	1	3.2	584.3	1,869.6	19.57	7.68	11.89	33.9	143.6	222.3	63.3
1425-9	ORE	M1	B	N	N		18.0	1	3.2	224.5	718.4	27.08	10.87	16.21	45.4	78.1	116.5	32.6
1425-10	ORE	FW	A	Y	N		86.0	1	3.2	1,074.5	3,438.4	13.82	3.83	9.99	81.3	131.7	343.4	279.5
1425-13	ORE	JB1	A	Y	N		4.2	1	3.2	52.3	167.2	8.33	3.64	4.69	20.7	6.1	7.8	3.5
1425-13A	ORE	JB1	B	Y	N		12.2	1	3.2	151.9	486.0	8.33	3.64	4.69	20.7	17.7	22.8	10.1
1425-14	ORE	FW	B	N	N		19.2	1	3.2	239.6	766.8	15.61	5.53	10.08	22.8	42.4	77.3	17.5
1425-15	ORE	JB1	A	N	N		87.7	0.8	3.2	877.3	2,807.4	8.45	3.52	4.93	16.0	98.9	138.3	45.0
1425-16	ORE	M1	B	Y	N		6.5	1	3.2	81.8	261.6	16.27	8.42	7.85	51.3	22.0	20.5	13.4
1425-18	ORE	M2	B	Y	N		21.2	1	3.2	264.6	846.8	17.00	6.36	10.63	27.9	53.9	90.0	23.6
1425-19	ORE	M2	B	Y	N		16.5	1	3.2	206.0	659.2	10.81	4.21	6.60	27.6	27.8	43.5	18.2
1425-23	ORE	FW	A	N	N		88.4	0.9	3.2	994.5	3,182.4	24.50	4.58	19.92	121.3	145.8	633.9	385.9
1425-23A	ORE	FW	A	N	N		4.4	0.9	3.2	49.6	158.8	24.50	4.58	19.92	121.3	7.3	31.6	19.3
1425-25	ORE	JB1-L	A	N	N		41.4	1	3.2	518.0	1,657.6	19.02	8.13	10.89	42.5	134.8	180.4	70.5

 SECTION: 1425 Pre-mining, In-situ, Undiluted, Sulphide mineralization above 8% Pb+Zn, Both "A" or "proven plus probable" and "B" or "possible" mineralization, both thin (< 2.2m. true) and thick ore

INVENTORY MATERIAL	ORE	CLASSIF.	THIN	MINING	MINING	BLOCK AREA	STRIKE	IN-SITU	BLOCK	BLOCK	Pb+Zn	LEAD	ZINC	SILVER	LEAD	ZINC	SILVER	
BLOCK	TYPE	ZONE	A=PROB+PROV	BLOCK ?	STATUS	AREA	IN SECTION	ADJUSTMENT	DENSITY	VOLUME	TONNAGE	GRADE	GRADE	GRADE	GRADE	METAL	METAL	METAL
NAME	NAME	B+POSSIBLE	(Y=<2.2m.)	(Y=MINED)	NAME	(sq. m.)	(x12.5 m.)	(tns/cu.m)	(cu. m.)	(tonnes)	(wt. %)	(wt. %)	(wt. %)	(gm/tn)	(tonnes)	(tonnes)	(kg)	

Totals and Averages for Section: 1425 3.2 11,118 35,579 17.51 5.59 11.92 47.6 1,990 4,240 1,693

SECTION: 1437 Pre-mining, In-situ, Undiluted, Sulphide mineralization above 8% Pb+Zn, Both "A" or "proven plus probable" and "B" or "possible" mineralization, both thin (< 2.2m. true) and thick ore

INVENTORY BLOCK NAME	MATERIAL TYPE	ORE ZONE NAME	CLASSIF. A=PROB+PROV B+POSSIBLE	THIN BLOCK ? (Y=<2.2m.)	MINING STATUS (Y=MINED)	MINING AREA NAME	BLOCK AREA IN SECTION (sq. m.)	STRIKE ADJUSTMENT (x12.5 m.)	IN-SITU DENSITY (tns/cu.m)	BLOCK VOLUME (cu. m.)	BLOCK TONNAGE (tonnes)	Pb+Zn GRADE (wt. %)	LEAD GRADE (wt. %)	ZINC GRADE (wt. %)	SILVER GRADE (gm/tn)	LEAD METAL (tonnes)	ZINC METAL (tonnes)	SILVER METAL (kg)
	ORE	JB1	A	N	Y	1415-100	24.5	1	3.2	306.5	980.8	13.52	5.24	8.27	40.8	51.4	81.1	40.0
	ORE	JB1	A	N	Y	1415-300	23.8	1	3.2	297.8	952.8	13.52	5.24	8.27	40.8	50.0	78.8	38.9
	ORE	FW	A	N	Y	1370-M1	39.8	1	3.2	498.0	1,593.6	21.71	5.04	16.67	104.9	80.2	265.7	167.1
	ORE	M2	A	N	Y	1340202A	3.0	1	3.2	37.3	119.2	11.46	3.93	7.53	26.8	4.7	9.0	3.2
	ORE	M2	A	N	Y	1340-202	3.5	1	3.2	43.6	139.6	15.66	5.07	10.59	25.5	7.1	14.8	3.6
	ORE	M2	A	N	Y	1340-202	17.2	1	3.2	214.4	686.0	18.44	7.80	10.64	37.8	53.5	73.0	25.9
	ORE	JB1	A	N	Y	1415-LOOP	10.0	1	3.2	124.4	398.0	15.07	6.09	8.97	25.4	24.3	35.7	10.1
	ORE	M2	A	N	Y	1340-202	28.9	1	3.2	361.4	1,156.4	18.44	7.80	10.64	37.8	90.2	123.0	43.7
	ORE	JB2-W	A	N	Y	1340202B	5.5	1	3.2	68.5	219.2	12.60	5.49	7.11	21.6	12.0	15.6	4.7
	ORE	M1	A	N	Y	1340202A	3.5	0.7	3.2	30.6	98.0	17.21	7.08	10.12	32.1	6.9	9.9	3.1
	ORE	M2	A	N	Y	1340202A	11.8	1	3.2	147.8	472.8	11.46	3.93	7.53	26.8	18.6	35.6	12.7
	ORE	FW	A	N	Y	1340-FWN	21.7	1	3.2	271.4	868.4	21.71	5.04	16.67	104.9	43.7	144.8	91.1
	ORE	M2	A	N	Y	1340-202	14.1	1	3.2	176.3	564.0	10.34	3.16	7.18	19.0	17.8	40.5	10.7
1437-1	ORE	JB1	A	N	N		71.4	1	3.2	892.3	2,855.2	13.52	5.24	8.27	40.8	149.7	236.2	116.4
1437-1A	ORE	JB1	A	N	N		69.2	1	3.2	865.5	2,769.6	13.52	5.24	8.27	40.8	145.3	229.1	112.9
1437-2	ORE	JB1	A	Y	N		42.9	1	3.2	536.4	1,716.4	21.39	8.48	12.91	35.0	145.6	221.6	60.0
1437-4	ORE	FW	A	N	N		210.8	1	3.2	2,635.4	8,433.2	21.71	5.04	16.67	104.9	424.7	1,406.1	884.3
1437-4A	ORE	FW	A	N	N		27.6	1	3.2	344.5	1,102.4	21.71	5.04	16.67	104.9	55.5	183.8	115.6
1437-7	ORE	JB1-L	B	Y	N		42.9	1	3.2	536.4	1,716.4	15.73	6.20	9.53	27.0	106.4	163.6	46.3
1437-8	ORE	M2	A	N	N		157.4	0.7	3.2	1,377.5	4,408.0	8.21	3.86	4.35	131.9	170.2	191.6	581.4
1437-10	ORE	JB1	A	N	N		27.8	1	3.2	347.0	1,110.4	15.07	6.09	8.97	25.4	67.7	99.6	28.2
1437-11	ORE	JB1-L	A	N	N		102.2	0.7	3.2	894.3	2,861.9	12.44	4.72	7.72	21.9	135.1	220.8	62.8
1437-14	ORE	M2	A	N	N		22.1	1	3.2	275.8	882.4	11.46	3.93	7.53	26.8	34.7	66.5	23.7
1437-14	ORE	M2	A	N	N		4.1	1	3.2	50.9	162.8	11.46	3.93	7.53	26.8	6.4	12.3	4.4
1437-15	ORE	M1	A	N	N		124.5	0.7	3.2	1,089.6	3,486.8	17.21	7.08	10.12	32.1	246.9	353.0	112.1
1437-17	ORE	M2	A	N	N		1.4	1	3.2	17.4	55.6	10.34	3.16	7.18	19.0	1.8	4.0	1.1
1437-18	ORE	FW	A	N	N		110.5	1	3.2	1,381.1	4,419.6	21.70	8.88	12.82	34.4	392.5	566.7	152.0

SECTION: 1437 Pre-mining, In-situ, Undiluted, Sulphide mineralization above 8% Pb+Zn, Both "A" or "proven plus probable" and "B" or "possible" mineralization, both thin (< 2.2m. true) and thick ore

INVENTORY BLOCK NAME	MATERIAL TYPE	ORE ZONE NAME	CLASSIF. A=PROB+PROV B=POSSIBLE	THIN BLOCK ? (Y=<2.2m.)	MINING STATUS (Y=MINED)	MINING AREA NAME	BLOCK AREA IN SECTION (sq. m.)	STRIKE ADJUSTMENT (x12.5 m.)	IN-SITU DENSITY (tns/cu.m)	BLOCK VOLUME (cu. m.)	BLOCK TONNAGE (tonnes)	Pb+Zn GRADE (wt. %)	LEAD GRADE (wt. %)	ZINC GRADE (wt. %)	SILVER GRADE (gm/tn)	LEAD METAL (tonnes)	ZINC METAL (tonnes)	SILVER METAL (kg)
1437-22	ORE	JB2-W	A	Y	N		3.7	1	3.2	46.4	148.4	12.60	5.49	7.11	21.6	8.1	10.5	3.2
1437-22A	ORE	JB2-W	A	Y	N		3.3	1	3.2	41.5	132.8	12.60	5.49	7.11	21.6	7.3	9.4	2.9
1437-27	ORE	FW	B	N	N		73.5	1	3.2	919.3	2,941.6	21.71	5.04	16.67	104.9	148.1	490.5	308.5
1437-28	ORE	M2	A	N	N		41.1	1	3.2	514.3	1,645.6	15.66	5.07	10.59	25.5	83.4	174.3	42.0
1437-29	ORE	M2	A	N	N		14.9	1	3.2	186.1	595.6	15.66	5.07	10.59	25.5	30.2	63.1	15.2
1437-29A	ORE	M2	A	N	N		1.4	1	3.2	18.0	57.6	15.66	5.07	10.59	25.5	2.9	6.1	1.5
Totals and Averages for Section:				1437					3.2	15,547	49,751	17.00	5.67	11.33	62.9	2,823	5,636	3,129

SECTION: 1450 Pre-mining, In-situ, Undiluted, Sulphide mineralization above 8% Pb+Zn, Both "A" or "proven plus probable" and "B" or "possible" mineralization, both thin (< 2.2m. true) and thick ore

INVENTORY BLOCK	MATERIAL TYPE	ORE ZONE	CLASSIF. A=PROB+PROV B+POSSIBLE	THIN BLOCK ? (Y=<2.2m.)	MINING STATUS (Y=MINED)	MINING AREA NAME	BLOCK AREA IN SECTION (sq. m.)	STRIKE ADJUSTMENT (x12.5 m.)	IN-SITU DENSITY (tns/cu.m)	BLOCK VOLUME (cu. m.)	BLOCK TONNAGE (tonnes)	Pb+Zn GRADE (wt. %)	LEAD GRADE (wt. %)	ZINC GRADE (wt. %)	SILVER GRADE (gm/tn)	LEAD METAL (tonnes)	ZINC METAL (tonnes)	SILVER METAL (kg)
	ORE	JB1	A	N	Y	1415-100	25.7	0.9	3.2	288.8	924.1	20.16	8.59	11.58	43.1	79.3	107.0	39.9
	ORE	JB1	A	N	Y	1415-200	17.5	0.9	3.2	196.9	630.0	20.16	8.59	11.58	43.1	54.1	72.9	27.2
	ORE	JB2-W	A	N	Y	1340-202	65.9	0.8	3.2	658.8	2,108.2	19.07	6.27	12.80	36.3	132.2	269.8	76.5
	ORE	JB1	A	N	Y	1415-LOOP	13.7	0.8	3.2	136.7	437.4	20.16	8.59	11.58	43.1	37.6	50.6	18.9
	ORE	JB1	A	N	Y	1415-200	5.6	0.8	3.2	56.1	179.5	20.16	8.59	11.58	43.1	15.4	20.8	7.7
	ORE	JB1	A	N	Y	1415-300	25.0	0.8	3.2	249.8	799.4	20.16	8.59	11.58	43.1	68.6	92.5	34.5
	ORE	FW	A	N	Y	1370 VENT	16.3	1	3.2	203.9	652.4	17.48	6.46	11.03	28.9	42.1	71.9	18.9
	ORE	JB1	A	N	Y	1415-202	25.5	0.8	3.2	255.1	816.3	20.16	8.59	11.58	43.1	70.1	94.5	35.2
1450-1	ORE	JB1	A	N	N		26.8	0.8	3.2	268.4	858.9	20.16	8.59	11.58	43.1	73.7	99.4	37.1
1450-1A	ORE	JB1	A	N	N		2.6	0.9	3.2	29.0	92.9	20.16	8.59	11.58	43.1	8.0	10.8	4.0
1450-1B	ORE	JB1	A	N	N		22.2	0.9	3.2	249.3	797.8	20.16	8.59	11.58	43.1	68.5	92.4	34.4
1450-1C	ORE	JB1	A	N	N		10.1	0.9	3.2	113.6	363.6	20.16	8.59	11.58	43.1	31.2	42.1	15.7
1450-1D	ORE	JB1	A	Y	N		8.7	0.9	3.2	97.5	312.1	20.16	8.59	11.58	43.1	26.8	36.1	13.5
1450-1E	ORE	JB1	A	N	N		3.2	0.9	3.2	35.4	113.4	20.16	8.59	11.58	43.1	9.7	13.1	4.9
1450-1F	ORE	JB1	A	N	N		31.4	0.6	3.2	235.5	753.6	20.16	8.59	11.58	43.1	64.7	87.3	32.5
1450-2	ORE	JB1-L	A	N	N		89.7	1	3.2	1,121.1	3,587.6	26.63	11.67	14.96	49.8	418.7	536.6	178.8
1450-3	ORE	FW	A	N	N		67.5	1	3.2	843.4	2,698.8	17.48	6.46	11.03	28.9	174.3	297.6	78.0
1450-4	ORE	FW	A	N	N		63.2	1	3.2	790.4	2,529.2	21.28	8.94	12.34	42.2	226.2	312.1	106.7
1450-5	ORE	FW	A	N	N		119.5	1	3.2	1,493.5	4,779.2	18.64	7.90	10.74	82.7	377.5	513.2	395.4
1450-7	ORE	FW	B	N	N		50.1	1	3.2	626.8	2,005.6	16.06	3.56	12.50	105.0	71.4	250.6	210.6
1450-8	ORE	FW	B	N	N		106.0	1	3.2	1,324.5	4,238.4	14.10	5.04	9.06	40.8	213.5	384.0	173.0
1450-10	ORE	M1	B	Y	N		63.2	1	3.2	789.6	2,526.8	15.95	6.25	9.71	30.9	157.8	245.3	78.0
1450-11	ORE	UNKN	B	Y	N		5.2	1	3.2	65.3	208.8	10.58	4.83	5.75	21.0	10.1	12.0	4.4
1450-12	ORE	JB2-W	A	Y	N		17.3	0.8	3.2	173.0	553.6	19.07	6.27	12.80	36.3	34.7	70.8	20.1
1450-12A	ORE	JB2-W	A	N	N		0.1	0.8	3.2	0.5	1.6	19.07	6.27	12.80	36.3	0.1	0.2	0.1
1450-24	ORE	JB2-W	A	N	N		5.4	1	3.2	67.9	217.2	19.07	6.27	12.80	36.3	13.6	27.8	7.9

SECTION: 1450 Pre-mining, In-situ, Undiluted, Sulphide mineralization above 8% Pb+Zn, Both "A" or "proven plus probable" and "B" or "possible" mineralization, both thin (< 2.2m. true) and thick ore

INVENTORY MATERIAL	ORE	CLASSIF.	THIN	MINING	MINING	BLOCK AREA	STRIKE	IN-SITU	BLOCK	BLOCK	Pb+Zn	LEAD	ZINC	SILVER	LEAD	ZINC	SILVER	
BLOCK	TYPE	ZONE	A=PROB+PROV	BLOCK ?	STATUS	AREA	IN SECTION	ADJUSTMENT	DENSITY	VOLUME	TONNAGE	GRADE	GRADE	GRADE	GRADE	METAL	METAL	METAL
NAME	NAME	B+POSSIBLE	(Y=<2.2m.)	(Y=MINED)	NAME	(sq. m.)	(x12.5 m.)	(tns/cu.m)	(cu. m.)	(tonnes)	(wt. %)	(wt. %)	(wt. %)	(gm/tn)	(tonnes)	(tonnes)	(kg)	

Totals and Averages for Section: 1450 3.2 10,371 33,186 18.96 7.47 11.49 49.8 2,480 3,812 1,654

SECTION: 1462 Pre-mining, In-situ, Undiluted, Sulphide mineralization above 8% Pb+Zn, Both "A" or "proven plus probable" and "B" or "possible" mineralization, both thin (< 2.2m. true) and thick ore

INVENTORY MATERIAL BLOCK NAME	ORE TYPE ZONE	CLASSIF. A=PROB+PROV B+POSSIBLE	THIN BLOCK ? (Y=<2.2m.)	MINING STATUS (Y=MINED)	MINING AREA NAME	BLOCK AREA IN SECTION (sq. m.)	STRIKE ADJUSTMENT (x12.5 m.)	IN-SITU DENSITY (tns/cu.m)	BLOCK VOLUME (cu. m.)	BLOCK TONNAGE (tonnes)	Pb+Zn GRADE (wt. %)	LEAD GRADE (wt. %)	ZINC GRADE (wt. %)	SILVER GRADE (gm/tn)	LEAD METAL (tonnes)	ZINC METAL (tonnes)	SILVER METAL (kg)		
	ORE	JB2-W	A	N	Y	1340-202	69.5	1	3.2	869.1	2,781.2	25.06	10.33	14.73	48.6	287.3	409.7	135.1	
	ORE	JB2-W	A	N	Y	1340-202	29.1	1	3.2	363.1	1,162.0	25.06	10.33	14.73	48.6	120.1	171.2	56.5	
	ORE	FW	A	N	Y	1370-LOOP	39.2	1	3.2	489.5	1,566.4	17.75	8.22	9.53	14.0	128.7	149.2	21.9	
1462-1	ORE	JB1	B	N	N		105.8	1	3.2	1,322.8	4,232.8	23.42	8.17	15.25	40.9	345.7	645.6	172.9	
1462-2	ORE	JB1-L	A	N	N		190.2	0.9	3.2	2,139.3	6,845.8	23.28	9.91	13.37	57.3	678.4	915.0	392.1	
1462-4	ORE	JB1-L	A	N	N		68.9	1	3.2	861.5	2,756.8	23.41	11.14	12.28	41.8	307.0	338.5	115.1	
1462-6	ORE	JB2-W	A	N	N		16.5	1	3.2	206.1	659.6	25.06	10.33	14.73	48.6	68.1	97.2	32.1	
1462-6A	ORE	JB2-W	A	N	N		8.1	1	3.2	101.4	324.4	25.06	10.33	14.73	48.6	33.5	47.8	15.8	
1462-11A	ORE	AB	B	Y	N		7.6	1	3.2	94.5	302.4	11.03	3.80	7.23	15.6	11.5	21.9	4.7	
1462-11B	ORE	AB	B	Y	N		13.5	1	3.2	169.0	540.8	11.03	3.80	7.23	15.6	20.6	39.1	8.4	
1462-14	ORE	FW	B	Y	N		65.3	0.7	3.2	571.6	1,829.2	17.75	8.22	9.53	14.0	150.3	174.3	25.5	
1462-15	ORE	M1	B	Y	N		42.0	0.7	3.2	367.5	1,176.0	17.07	7.08	9.99	26.5	83.2	117.5	31.2	
1462-16	ORE	FW	B	Y	N		41.3	1	3.2	516.4	1,652.4	17.75	8.22	9.53	14.0	135.8	157.4	23.1	
1462-17	ORE	FW	B	Y	N		12.3	1	3.2	153.9	492.4	29.28	3.85	25.43	72.4	19.0	125.2	35.6	
Totals and Averages for Section:								1462		3.2	8,226	26,322	22.03	9.08	12.95	40.7	2,389	3,409	1,070

SECTION: 1475 Pre-mining, In-situ, Undiluted, Sulphide mineralization above 8% Pb+Zn, Both "A" or "proven plus probable" and "B" or "possible" mineralization, both thin (< 2.2m. true) and thick ore

INVENTORY BLOCK NAME	MATERIAL TYPE	ORE ZONE NAME	CLASSIF. A=PROB+PROV B+POSSIBLE	THIN BLOCK ? (Y=<2.2m.)	MINING STATUS (Y=MINED)	MINING AREA NAME	BLOCK AREA IN SECTION (sq. m.)	STRIKE ADJUSTMENT (x12.5 m.)	IN-SITU DENSITY (tns/cu.m)	BLOCK VOLUME (cu. m.)	BLOCK TONNAGE (tonnes)	Pb+Zn GRADE (wt. %)	LEAD GRADE (wt. %)	ZINC GRADE (wt. %)	SILVER GRADE (gm/tn)	LEAD METAL (tonnes)	ZINC METAL (tonnes)	SILVER METAL (kg)
	ORE	JB1	A	N	Y	1415-LP	19.9	0.9	3.2	223.9	716.4	12.51	5.31	7.20	24.5	38.0	51.6	17.6
	ORE	JB2-W	A	N	Y	1340-202	295.5	0.7	3.2	2,585.9	8,274.8	25.84	10.11	15.73	55.4	836.9	1,301.4	458.5
	ORE	JB1	A	N	Y	R1417	80.6	0.9	3.2	906.2	2,899.8	12.51	5.31	7.20	24.5	154.0	208.7	71.2
	ORE	FW	A	N	Y	1370 VENT	8.6	1	3.2	107.6	344.4	21.48	8.29	13.20	129.0	28.5	45.4	44.4
1475-2	ORE	JB1-L	A	N	N		134.5	0.8	3.2	1,344.9	4,303.7	19.17	7.93	11.23	34.1	341.4	483.4	146.6
1475-3	ORE	UNKN	A	Y	N		15.2	1	3.2	190.3	608.8	17.57	7.43	10.14	40.1	45.2	61.7	24.4
1475-9	ORE	JB2-W	A	N	N		99.7	0.7	3.2	871.9	2,790.2	25.84	10.11	15.73	55.4	282.2	438.8	154.6
1475-9A	ORE	JB2-W	A	N	N		63.0	0.9	3.2	709.2	2,269.4	25.84	10.11	15.73	55.4	229.5	356.9	125.8
1475-9B	ORE	JB2-W	A	N	N		21.5	1	3.2	268.5	859.2	25.84	10.11	15.73	55.4	86.9	135.1	47.6
1475-10	ORE	M2	B	Y	N		33.1	1	3.2	413.3	1,322.4	10.85	2.80	8.05	27.7	37.1	106.5	36.6
1475-11	ORE	JB1	A	N	N		175.6	0.8	3.2	1,756.4	5,620.5	12.51	5.31	7.20	24.5	298.5	404.4	138.0
1475-11A	ORE	JB1	B	N	N		62.9	0.9	3.2	708.0	2,265.5	12.51	5.31	7.20	24.5	120.3	163.0	55.6
1475-11B	ORE	JB1	A	N	N		4.0	0.9	3.2	45.3	145.1	12.51	5.31	7.20	24.5	7.7	10.4	3.6
1475-11C	ORE	JB1	A	N	N		8.7	0.9	3.2	98.2	314.3	12.51	5.31	7.20	24.5	16.7	22.6	7.7
1475-11D	ORE	JB1	A	N	N			0.9	3.2			12.51	5.31	7.20	24.5			
1475-13	ORE	M1	A	N	N		48.6	1	3.2	607.1	1,942.8	11.17	6.22	4.95	25.1	120.8	96.1	48.7
1475-15	ORE	FW	A	Y	N		37.8	1	3.2	471.9	1,510.0	21.48	8.29	13.20	129.0	125.1	199.3	194.9
1475-15A	ORE	FW	A	N	N		2.8	1	3.2	34.6	110.8	21.48	8.29	13.20	129.0	9.2	14.6	14.3
1475-16	ORE	FW	B	Y	N		46.9	1	3.2	585.6	1,874.0	10.25	3.28	6.97	20.7	61.4	130.7	38.8
1475-18	ORE	M1	A	Y	N		14.0	0.7	3.2	122.6	392.3	8.51	3.91	4.60	18.8	15.3	18.1	7.4
1475-19	ORE	M2	B	N	N		24.1	0.7	3.2	210.6	674.0	27.59	10.75	16.84	87.5	72.5	113.5	59.0
1475-22	ORE	FW	B	Y	N		13.4	1	3.2	167.9	537.2	8.69	2.34	6.35	26.4	12.6	34.1	14.2
1475-25	ORE	FW	A	N	N		28.4	1	3.2	355.4	1,137.2	14.45	6.39	8.06	55.9	72.7	91.7	63.6
1475-26	ORE	AB	B	N	N		12.6	1	3.2	157.0	502.4	12.00	4.84	7.16	17.8	24.3	36.0	9.0

Totals and Averages for Section: 1475

3.2 12,942 41,415 18.26 7.33 10.92 43.0 3,037 4,524 1,782

 SECTION: 1475 Pre-mining, In-situ, Undiluted, Sulphide mineralization above 8% Pb+Zn, Both "A" or "proven plus probable" and "B" or "possible" mineralization, both thin (< 2.2m. true) and thick ore

INVENTORY MATERIAL	ORE	CLASSIF.	THIN	MINING	MINING	BLOCK AREA	STRIKE	IN-SITU	BLOCK	BLOCK	Pb+Zn	LEAD	ZINC	SILVER	LEAD	ZINC	SILVER
BLOCK	TYPE	ZONE	A=PROB+PROV	BLOCK ?	STATUS	AREA	ADJUSTMENT	DENSITY	VOLUME	TONNAGE	GRADE	GRADE	GRADE	GRADE	METAL	METAL	METAL
NAME	NAME	B+POSSIBLE	(Y=<2.2m.)	(Y=MINED)	NAME	(sq. m.)	(x12.5 m.)	(tns/cu.m)	(cu. m.)	(tonnes)	(wt. %)	(wt. %)	(wt. %)	(gm/tn)	(tonnes)	(tonnes)	(kg)

SECTION: 1487 Pre-mining, In-situ, Undiluted, Sulphide mineralization above 8% Pb+Zn, Both "A" or "proven plus probable" and "B" or "possible" mineralization, both thin (< 2.2m. true) and thick ore

INVENTORY BLOCK NAME	MATERIAL TYPE	ORE ZONE NAME	CLASSIF. A=PROB+PROV B=POSSIBLE	THIN BLOCK ? (Y=<2.2m.)	MINING STATUS (Y=MINED)	MINING AREA NAME	BLOCK AREA IN SECTION (sq. m.)	STRIKE ADJUSTMENT (X12.5 m.)	IN-SITU DENSITY (tns/cu.m)	BLOCK VOLUME (cu. m.)	BLOCK TONNAGE (tonnes)	Pb+Zn GRADE (wt. %)	LEAD GRADE (wt. %)	ZINC GRADE (wt. %)	SILVER GRADE (gm/tn)	LEAD METAL (tonnes)	ZINC METAL (tonnes)	SILVER METAL (kg)
	ORE	CHIMNEY	A	N	Y	1340-200	9.1	0.8	3.2	90.5	289.6	18.49	7.81	10.68	35.0	22.6	30.9	10.1
	ORE	JB2-W	A	N	Y	1340-201	109.2	0.9	3.2	1,228.2	3,930.1	34.22	12.33	21.89	63.4	484.6	860.3	249.3
1487-2	ORE	M1	A	N	N		44.6	0.7	3.2	390.6	1,249.9	28.98	11.46	17.51	44.3	143.3	218.9	55.3
1487-3	ORE	M1	B	Y	N		9.2	1	3.2	115.0	368.0	27.99	10.53	17.46	43.9	38.8	64.3	16.2
1487-4	ORE	M1	B	N	N		22.0	1	3.2	274.9	879.6	22.64	8.09	14.55	35.0	71.2	128.0	30.8
1487-5	ORE	CHIMNEY	A	N	N		178.5	0.8	3.2	1,785.0	5,712.0	18.49	7.81	10.68	35.0	446.0	610.1	200.2
1487-6	ORE	FW	B	N	N		40.5	1	3.2	505.6	1,618.0	12.36	4.48	7.88	40.6	72.5	127.5	65.7
1487-9	ORE	CHIMNEY	A	N	N		270.4	1.3	3.2	4,393.4	14,058.7	13.76	5.21	8.55	22.0	732.9	1,202.2	309.5
1487-10	ORE	CHIMNEY	B	N	N		27.4	0.8	3.2	274.1	877.1	27.30	15.43	11.87	65.6	135.3	104.1	57.5
1487-11	ORE	CHIMNEY	A	N	N		22.9	0.8	3.2	228.6	731.5	8.48	3.99	4.49	16.8	29.2	32.8	12.3
1487-13	ORE	CHIMNEY	A	N	N		46.9	0.8	3.2	469.3	1,501.8	10.65	3.88	6.77	20.0	58.3	101.7	30.1
1487-16	ORE	JB2-W	A	N	N		117.6	0.9	3.2	1,322.4	4,231.8	34.22	12.33	21.89	63.4	521.8	926.4	268.5
1487-21	ORE	AB	B	Y	N		5.4	1	3.2	66.9	214.0	9.05	2.77	6.29	43.5	5.9	13.5	9.3
1487-22	ORE	AB	A	N	N		161.3	1	3.2	2,015.6	6,450.0	27.00	9.59	18.10	50.5	618.8	1,167.8	325.8
1487-23	ORE	AB	B	Y	N		14.5	1	3.2	181.6	581.2	17.64	6.00	11.64	27.3	34.9	67.6	15.9
1487-26	ORE	AB	B	N	N		32.4	1	3.2	405.5	1,297.6	19.30	5.93	13.37	161.5	77.0	173.5	209.6
1487-28	ORE	AB	B	N	N		22.7	1	3.2	284.3	909.6	12.16	4.35	7.81	55.7	39.6	71.0	50.7
1487-33	ORE	M1	A	N	N		36.3	0.7	3.2	317.5	1,015.8	9.63	4.79	4.84	14.8	48.7	49.2	15.0
Totals and Averages for Section:				1487					3.2	14,349	45,916	20.76	7.80	12.96	42.1	3,581	5,950	1,932

SECTION: 1500 Pre-mining, In-situ, Undiluted, Sulphide mineralization above 8% Pb+Zn, Both "A" or "proven plus probable" and "B" or "possible" mineralization, both thin (< 2.2m. true) and thick ore

INVENTORY BLOCK NAME	MATERIAL TYPE	ORE ZONE NAME	CLASSIF. A=PROB+PROV B+POSSIBLE	THIN BLOCK ? (Y=<2.2m.)	MINING STATUS (Y=MINED)	MINING AREA NAME	BLOCK AREA IN SECTION (sq. m.)	STRIKE ADJUSTMENT (x12.5 m.)	IN-SITU DENSITY (tns/cu.m)	BLOCK VOLUME (cu. m.)	BLOCK TONNAGE (tonnes)	Pb+Zn GRADE (wt. %)	LEAD GRADE (wt. %)	ZINC GRADE (wt. %)	SILVER GRADE (gm/tn)	LEAD METAL (tonnes)	ZINC METAL (tonnes)	SILVER METAL (kg)
	ORE	JB2-W	A	N	Y	1350CHIMNE	112.1	1	3.2	1,401.3	4,484.0	28.77	10.97	17.80	66.7	491.7	798.2	299.0
	ORE	CHIMNEY	A	N	Y	CHIMNEY	1,300.6	0.9	3.2	14,631.6	46,821.2	26.30	10.69	15.61	66.7	5,005.6	7,308.7	3,121.7
	ORE	JB2-E	A	N	Y	13702E-200	12.9	1	3.2	160.6	514.0	20.83	8.12	12.71	76.9	41.7	65.3	39.5
	ORE	CHIMNEY	A	N	Y	CHIMNEY	7.1	0.9	3.2	80.2	256.7	26.30	10.69	15.61	66.7	27.4	40.1	17.1
	ORE	JB1	A	N	Y	1422-100	64.8	1	3.2	810.4	2,593.2	12.94	5.76	7.18	32.0	149.4	186.2	83.0
	ORE	CHIMNEY	A	N	Y	CHIMNEY	680.1	1	3.2	8,501.6	27,205.2	26.30	10.69	15.61	66.7	2,908.5	4,246.7	1,813.8
	ORE	JB2-E	A	N	Y	13702E-200	5.5	0.5	3.2	34.3	109.8	20.83	8.12	12.71	76.9	8.9	14.0	8.4
	ORE	JB2-W	A	N	Y	13402W-101	51.6	1	3.2	644.4	2,062.0	25.15	7.49	17.66	43.9	154.4	364.2	90.5
	ORE	JB2-W	A	N	Y	1350CHIMNE	88.5	1	3.2	1,106.3	3,540.0	28.77	10.97	17.80	66.7	388.2	630.2	236.1
	ORE	JB2-W	A	N	Y	13402W-101	1.3	1	3.2	16.6	53.2	25.15	7.49	17.66	43.9	4.0	9.4	2.3
1500-1	ORE	JB1	B	N	N		163.1	1	3.2	2,038.8	6,524.0	13.30	4.98	8.32	23.5	324.9	542.8	153.1
1500-2	ORE	CHIMNEY	A	N	N		181.6	0.9	3.2	2,042.4	6,535.8	26.30	10.69	15.61	66.7	698.7	1,020.2	435.8
1500-2B	ORE	CHIMNEY	A	N	N		9.3	0.9	3.2	104.7	335.2	26.30	10.69	15.61	66.7	35.8	52.3	22.3
1500-2C	ORE	CHIMNEY	A	N	N		25.9	0.9	3.2	290.9	931.0	26.30	10.69	15.61	66.7	99.5	145.3	62.1
1500-2D	ORE	CHIMNEY	A	N	N		20.5	0.9	3.2	230.1	736.2	26.30	10.69	15.61	66.7	78.7	114.9	49.1
1500-2E	ORE	CHIMNEY	A	N	N		2.1	0.9	3.2	23.9	76.3	26.30	10.69	15.61	66.7	8.2	11.9	5.1
1500-2F	ORE	CHIMNEY	A	N	N		4.2	0.9	3.2	46.9	150.1	26.30	10.69	15.61	66.7	16.0	23.4	10.0
1500-2G	ORE	CHIMNEY	A	N	N		7.5	0.9	3.2	84.6	270.7	26.30	10.69	15.61	66.7	28.9	42.3	18.0
1500-3	ORE	JB1	B	N	N		79.6	0.9	3.2	895.1	2,864.2	25.41	10.24	15.17	49.4	293.3	434.5	141.5
1500-5	ORE	JB2-E	B	Y	N		29.1	1	3.2	364.0	1,164.8	34.10	15.70	18.40	60.4	182.9	214.3	70.4
1500-8	ORE	JB2-E	A	N	N		4.3	1	3.2	54.3	173.6	10.18	4.95	5.24	242.7	8.6	9.1	42.1
1500-9	ORE	JB2-W	A	N	N		75.2	1	3.2	940.1	3,008.4	25.15	7.49	17.66	43.9	225.2	531.3	132.0
1500-10	ORE	JB2-L	B	Y	N		32.0	1	3.2	400.4	1,281.2	8.71	3.21	5.50	24.0	41.1	70.4	30.7
1500-13	ORE	JB2-E	B	Y	N		18.0	1	3.2	224.5	718.4	13.83	6.33	7.51	25.4	45.5	53.9	18.3
1500-14	ORE	JB2-E	B	Y	N		15.5	1	3.2	193.4	618.8	15.58	6.26	9.32	30.2	38.7	57.7	18.7
1500-17	ORE	JB2-E	A	N	N		111.2	0.8	3.2	1,111.7	3,557.4	28.38	10.47	17.92	87.9	372.4	637.3	312.8
1500-18	ORE	M1	A	N	N		21.9	1	3.2	273.6	875.6	13.50	4.88	8.62	25.0	42.7	75.5	21.9

SECTION: 1500 Pre-mining, In-situ, Undiluted, Sulphide mineralization above 8% Pb+Zn, Both "A" or "proven plus probable" and "B" or "possible" mineralization, both thin (< 2.2m. true) and thick ore

INVENTORY BLOCK NAME	MATERIAL TYPE	ORE ZONE NAME	CLASSIF. A=PROB+PROV B+POSSIBLE	THIN BLOCK ? (Y=<2.2m.)	MINING STATUS (Y=MINED)	MINING AREA NAME	BLOCK AREA IN SECTION (sq. m.)	STRIKE ADJUSTMENT (x12.5 m.)	IN-SITU DENSITY (tns/cu.m)	BLOCK VOLUME (cu. m.)	BLOCK TONNAGE (tonnes)	Pb+Zn GRADE (wt. %)	LEAD GRADE (wt. %)	ZINC GRADE (wt. %)	SILVER GRADE (gm/tn)	LEAD METAL (tonnes)	ZINC METAL (tonnes)	SILVER METAL (kg)
1500-20	ORE	JB2-W	A	N	N		91.1	1	3.2	1,138.6	3,643.6	28.77	10.97	17.80	66.7	399.5	648.6	243.0
1500-20A	ORE	JB2-W	A	N	N		13.7	1	3.2	171.6	549.2	28.77	10.97	17.80	66.7	60.2	97.8	36.6
1500-21	ORE	JB2-L	B	N	N		72.6	1	3.2	907.4	2,903.6	21.80	4.57	17.23	236.0	132.7	500.2	685.1
1500-27	ORE	JB2-E	B	N	N		30.1	1	3.2	375.6	1,202.0	8.16	2.44	5.72	38.1	29.3	68.8	45.8
1500-28	ORE	AB	B	N	N		335.3	1	3.2	4,191.5	13,412.8	28.03	14.23	13.80	568.6	1,909.2	1,851.0	7,626.8
1500-30	ORE	AB	B	Y	N		37.0	1	3.2	462.4	1,479.6	9.92	2.76	7.16	27.3	40.9	105.9	40.4
1500-31	ORE	AB	B	N	N		38.9	1	3.2	486.4	1,556.4	30.95	11.96	18.99	61.0	186.2	295.6	95.0
1500-33	ORE	JB1	B	N	N		105.4	1	3.2	1,317.1	4,214.8	12.94	5.76	7.18	32.0	242.8	302.6	134.9
1500-37	ORE	JB2-E	A	N	N		315.9	0.5	3.2	1,974.3	6,317.6	20.83	8.12	12.71	76.9	513.1	803.0	485.8
1500-39	ORE	CHIMNEY	A	N	N		54.3	0.9	3.2	611.2	1,955.9	15.50	7.39	8.11	30.0	144.6	158.6	58.6
1500-41	ORE	JB2-E	A	N	N		27.5	1	3.2	343.5	1,099.2	20.83	8.12	12.71	76.9	89.3	139.7	84.5
1500-42	ORE	JB2-W	B	N	N		26.7	1	3.2	333.9	1,068.4	8.18	3.35	4.84	18.6	35.8	51.7	19.9
1500-44	ORE	JB2-W	A	N	N		11.2	1	3.2	140.4	449.2	25.15	7.49	17.66	43.9	33.6	79.3	19.7
1500-46	ORE	JB2-W	A	N	N		0.6	1	3.2	7.1	22.8	25.15	7.49	17.66	43.9	1.7	4.0	1.0

Totals and Averages for Section: 1500 3.2 49,168 157,336 24.37 9.88 14.50 107.0 15,540 22,807 16,832

SECTION: 1512 Pre-mining, In-situ, Undiluted, Sulphide mineralization above 8% Pb+Zn, Both "A" or "proven plus probable" and "B" or "possible" mineralization, both thin (< 2.2m. true) and thick ore

INVENTORY BLOCK NAME	MATERIAL TYPE	ORE ZONE	CLASSIF. A=PROB+PROV B+POSSIBLE	THIN BLOCK ? (Y=<2.2m.)	MINING STATUS (Y=MINED)	MINING AREA NAME	BLOCK AREA IN SECTION (sq. m.)	STRIKE ADJUSTMENT (x12.5 m.)	IN-SITU DENSITY (tns/cu.m)	BLOCK VOLUME (cu. m.)	BLOCK TONNAGE (tonnes)	Pb+Zn GRADE (wt. %)	LEAD GRADE (wt. %)	ZINC GRADE (wt. %)	SILVER GRADE (gm/tn)	LEAD METAL (tonnes)	ZINC METAL (tonnes)	SILVER METAL (kg)
	ORE	JB2-W	A	N	Y	13402W-100	136.8	0.7	3.2	1,196.6	3,829.3	17.94	6.24	11.70	35.4	239.0	447.9	135.6
	ORE	JB2-E	A	N	Y	13802E-100	4.2	0.9	3.2	46.8	149.8	20.74	7.94	12.80	55.2	11.9	19.2	8.3
	ORE	JB2-W	A	N	Y	1350VENT A	7.1	0.9	3.2	79.8	255.2	23.76	7.63	16.13	71.6	19.5	41.2	18.3
	ORE	JB2-E	A	N	Y	13802E-100	154.0	0.9	3.2	1,731.9	5,542.2	20.74	7.94	12.80	55.2	440.2	709.3	306.1
	ORE	JB2-E	A	N	Y	13702E-200	19.7	0.9	3.2	222.1	710.6	20.74	7.94	12.80	55.2	56.5	91.0	39.3
	ORE	JB2-W	A	N	Y	1360VENT A	169.1	0.9	3.2	1,902.5	6,088.0	23.76	7.63	16.13	71.6	464.8	981.9	436.0
	ORE	JB2-E	A	N	Y	DP-3	17.5	0.9	3.2	196.9	630.0	20.74	7.94	12.80	55.2	50.0	80.6	34.8
	ORE	JB2-E	A	N	Y	13702E-100	21.8	0.9	3.2	244.7	783.0	20.74	7.94	12.80	55.2	62.2	100.2	43.2
	ORE	JB2-W	A	N	Y	1340-ACCES	51.8	0.7	3.2	453.2	1,450.4	17.94	6.24	11.70	35.4	90.5	169.7	51.4
	ORE	JB2-W	A	N	Y	DP-2	25.2	0.9	3.2	283.6	907.6	23.76	7.63	16.13	71.6	69.3	146.4	65.0
	ORE	JB2-W	A	N	Y	1330-402A	2.5	0.7	3.2	21.8	69.7	20.64	5.67	14.97	54.4	4.0	10.4	3.8
	ORE	JB2-W	A	N	Y	1330-402	17.5	0.7	3.2	153.0	489.7	20.64	5.67	14.97	54.4	27.8	73.3	26.6
	ORE	JB2-W	A	N	Y	1350VENT A	214.5	0.9	3.2	2,413.5	7,723.1	23.76	7.63	16.13	71.6	589.6	1,245.6	553.1
	ORE	JB1	A	N	Y	R1421	12.9	0.9	3.2	144.6	462.6	21.94	8.12	13.81	40.1	37.6	63.9	18.6
	ORE	JB2-W	A	N	Y	13402W-400	88.1	0.7	3.2	770.4	2,465.4	17.94	6.24	11.70	35.4	153.9	288.4	87.3
	ORE	JB1	A	N	Y	1422CHIMNE	89.0	0.9	3.2	1,001.3	3,204.0	21.94	8.12	13.81	40.1	260.3	442.6	128.6
	ORE	JB2-W	A	N	Y	DP	52.5	0.9	3.2	590.1	1,888.2	23.76	7.63	16.13	71.6	144.1	304.5	135.2
1512-1	ORE	JB1	A	N	N		380.3	0.9	3.2	4,277.9	13,689.4	21.94	8.12	13.81	40.1	1,112.0	1,890.9	549.4
1512-2	ORE	JB2-E	B	N	N		67.6	1	3.2	845.5	2,705.6	20.87	9.03	11.84	32.3	244.3	320.3	87.5
1512-3	ORE	JB2-E	A	N	N		147.4	0.9	3.2	1,658.1	5,306.0	20.74	7.94	12.80	55.2	421.5	679.1	293.1
1512-3B	ORE	JB2-E	A	N	N		466.1	0.9	3.2	5,243.1	16,777.8	20.74	7.94	12.80	55.2	1,332.8	2,147.3	926.7
1512-4	ORE	JB2-W	A	N	N		577.6	0.9	3.2	6,498.2	20,794.3	23.76	7.63	16.13	71.6	1,587.5	3,353.7	1,489.3
1512-4A	ORE	JB2-W	A	N	N		4.8	0.9	3.2	54.2	173.5	23.76	7.63	16.13	71.6	13.2	28.0	12.4
1512-4B	ORE	JB2-W	A	N	N		6.6	0.9	3.2	74.3	237.6	23.76	7.63	16.13	71.6	18.1	38.3	17.0
1512-4C	ORE	JB2-W	A	N	N		60.1	0.5	3.2	375.6	1,202.0	23.76	7.63	16.13	71.6	91.8	193.9	86.1
1512-5	ORE	JB2-W	B	N	N		149.4	0.7	3.2	1,307.0	4,182.4	20.64	5.67	14.97	54.4	237.1	626.1	227.5
1512-7	ORE	JB2-L	A	N	N		84.4	1	3.2	1,054.8	3,375.2	13.01	3.44	9.57	60.8	116.2	322.9	205.3

SECTION: 1512 Pre-mining, In-situ, Undiluted, Sulphide mineralization above 8% Pb+Zn, Both "A" or "proven plus probable" and "B" or "possible" mineralization, both thin (< 2.2m. true) and thick ore

INVENTORY BLOCK NAME	MATERIAL TYPE	ORE ZONE NAME	CLASSIF. A=PROB+PROV B+POSSIBLE	THIN BLOCK ? (Y=<2.2m.)	MINING STATUS (Y=MINED)	MINING AREA NAME	BLOCK AREA IN SECTION (sq. m.)	STRIKE ADJUSTMENT (x12.5 m.)	IN-SITU DENSITY (tns/cu.m)	BLOCK VOLUME (cu. m.)	BLOCK TONNAGE (tonnes)	Pb+Zn GRADE (wt. %)	LEAD GRADE (wt. %)	ZINC GRADE (wt. %)	SILVER GRADE (gm/tn)	LEAD METAL (tonnes)	ZINC METAL (tonnes)	SILVER METAL (kg)
1512-8	ORE	JB2-E	B	Y	N		14.4	1	3.2	179.8	575.2	15.87	5.77	10.10	99.2	33.2	58.1	57.1
1512-10	ORE	AB	B	Y	N		4.7	1	3.2	58.5	187.2	10.58	6.55	4.03	254.5	12.3	7.5	47.6
1512-13	ORE	AB	B	N	N		180.6	1	3.2	2,257.4	7,223.6	22.11	8.04	14.07	63.8	580.9	1,016.0	460.6
1512-13A	ORE	AB	B	N	N		8.0	1	3.2	100.1	320.4	22.11	8.04	14.07	63.8	25.8	45.1	20.4
1512-14	ORE	AB	B	Y	N		38.7	1	3.2	484.1	1,549.2	13.82	3.62	10.21	39.2	56.0	158.1	60.7
1512-15	ORE	AB	B	Y	N		9.8	1	3.2	122.1	390.8	8.85	0.29	8.56	5.5	1.1	33.5	2.1
1512-18	ORE	CHIMNEY	B	N	N		10.3	0.6	3.2	77.0	246.5	29.54	12.89	16.65	66.3	31.8	41.0	16.3
1512-24	ORE	JB2-W	A	N	N		12.2	1	3.2	152.8	488.8	23.76	7.63	16.13	71.6	37.3	78.8	35.0
1512-34	ORE	JB2-W	A	N	N		349.9	0.7	3.2	3,061.6	9,797.2	17.94	6.24	11.70	35.4	611.4	1,146.0	347.0
1512-34A	ORE	JB2-W	A	N	N		24.0	0.7	3.2	210.3	672.8	17.94	6.24	11.70	35.4	42.0	78.7	23.8
1512-34B	ORE	JB2-W	A	N	N		82.0	0.7	3.2	717.1	2,294.9	17.94	6.24	11.70	35.4	143.2	268.4	81.3
1512-41	ORE	JB1	B	Y	N		38.5	1	3.2	481.1	1,539.6	21.94	8.12	13.81	40.1	125.1	212.7	61.8
1512-43	ORE	JB2-L	B	N	N		54.1	1	3.2	676.1	2,163.6	17.79	4.54	13.25	25.2	98.2	286.7	54.6
1512-3A	ORE	JB2-E	A	N	N		6.7	1	3.2	84.1	269.2	20.74	7.94	12.80	55.2	21.4	34.5	14.9
1512-5A	ORE	JB2-W	B	N	N		2.7	1	3.2	34.0	108.8	20.64	5.67	14.97	54.4	6.2	16.3	5.9

Totals and Averages for Section: 1512 3.2 41,538 132,920 21.08 7.31 13.77 54.7 9,721 18,298 7,275

SECTION: 1525 Pre-mining, In-situ, Undiluted, Sulphide mineralization above 8% Pb+Zn, Both "A" or "proven plus probable" and "B" or "possible" mineralization, both thin (< 2.2m. true) and thick ore

INVENTORY BLOCK NAME	MATERIAL TYPE	ORE ZONE NAME	CLASSIF. A=PROB+PROV B+POSSIBLE	THIN BLOCK ? (Y=<2.2m.)	MINING STATUS (Y=MINED)	MINING AREA NAME	BLOCK AREA IN SECTION (sq. m.)	STRIKE ADJUSTMENT (x12.5 m.)	IN-SITU DENSITY (tns/cu.m)	BLOCK VOLUME (cu. m.)	BLOCK TONNAGE (tonnes)	Pb+Zn GRADE (wt. %)	LEAD GRADE (wt. %)	ZINC GRADE (wt. %)	SILVER GRADE (gm/tn)	LEAD METAL (tonnes)	ZINC METAL (tonnes)	SILVER METAL (kg)
	ORE	JB2-E	A	N	Y	13802E-100	63.1	1	3.2	788.3	2,522.4	16.67	7.07	9.60	62.2	178.4	242.2	156.9
	ORE	JB2-W	A	N	Y	1335-401	40.2	0.7	3.2	351.6	1,125.0	35.62	13.61	22.01	93.4	153.1	247.7	105.0
	ORE	JB1	A	N	Y	1422-100	22.6	0.7	3.2	197.9	633.4	17.11	6.73	10.38	36.7	42.6	65.7	23.3
	ORE	JB1	A	N	Y	R1423	18.7	1	3.2	233.4	746.8	16.57	6.41	10.16	33.5	47.9	75.9	25.0
	ORE	JB2-E	A	N	Y	13702E-198	40.5	1	3.2	506.0	1,619.2	13.80	5.88	7.92	26.5	95.2	128.3	42.9
	ORE	JB2-W	A	N	Y	1350VENT	12.2	0.7	3.2	106.7	341.3	35.62	13.61	22.01	93.4	46.4	75.1	31.9
	ORE	JB1	A	N	Y	1422CHIMNE	137.1	0.9	3.2	1,542.8	4,937.0	19.79	6.22	13.57	39.1	307.1	669.9	193.2
	ORE	JB2-L	A	N	Y	1335-401	186.4	1	3.2	2,329.5	7,454.4	19.81	6.28	13.53	40.3	468.3	1,008.5	300.1
	ORE	JB2-E	A	N	Y	13802E-100	105.4	1	3.2	1,317.9	4,217.2	16.41	8.52	7.89	317.9	359.3	332.8	1,340.7
	ORE	JB2-W	A	N	Y	DP-23	2.0	0.8	3.2	20.3	65.0	14.69	3.68	11.01	47.1	2.4	7.2	3.1
	ORE	JB2-W	A	N	Y	REFUGE STA	37.7	1	3.2	471.4	1,508.4	18.34	6.44	11.89	31.2	97.2	179.4	47.1
	ORE	JB2-L	A	N	Y	1335-401	4.3	1	3.2	54.1	173.2	19.81	6.28	13.53	40.3	10.9	23.4	7.0
	ORE	JB1	A	N	Y	1422CHIMNE	42.8	0.9	3.2	481.7	1,541.5	19.79	6.22	13.57	39.1	95.9	209.2	60.3
	ORE	JB2-W	A	N	Y	13402W-400	102.9	0.7	3.2	900.3	2,880.9	35.62	13.61	22.01	93.4	392.0	634.2	269.0
	ORE	JB2-L	A	N	Y	1335-401	1.1	1	3.2	14.0	44.8	19.81	6.28	13.53	40.3	2.8	6.1	1.8
1525-3	ORE	JB1	B	Y	N		43.0	1	3.2	537.0	1,718.4	13.48	5.58	7.89	32.4	96.0	135.6	55.7
1525-5	ORE	JB1	A	N	N		148.0	0.7	3.2	1,294.6	4,142.6	17.11	6.73	10.38	36.7	278.9	429.9	152.2
1525-6	ORE	JB1	B	N	N		71.5	0.7	3.2	625.5	2,001.7	9.44	2.93	6.51	16.1	58.6	130.3	32.2
1525-8	ORE	JB1	A	N	N		46.6	0.9	3.2	523.7	1,675.8	19.79	6.22	13.57	39.1	104.2	227.4	65.6
1525-9	ORE	JB1	A	N	N		26.7	1	3.2	333.9	1,068.4	16.57	6.41	10.16	33.5	68.5	108.5	35.8
1525-9A	ORE	JB1	A	N	N		0.1	1	3.2	1.0	3.2	16.57	6.41	10.16	33.5	0.2	0.3	0.1
1525-14	ORE	JB2-E	A	N	N		198.5	1	3.2	2,481.3	7,940.0	16.67	7.07	9.60	62.2	561.5	762.4	493.8
1525-14A	ORE	JB2-E	A	N	N		15.7	1	3.2	196.8	629.6	16.67	7.07	9.60	62.2	44.5	60.5	39.2
1525-15	ORE	JB2-E	A	N	N		94.6	1	3.2	1,182.3	3,783.2	16.41	8.52	7.89	317.9	322.3	298.5	1,202.7
1525-19	ORE	JB2-E	A	N	N		25.3	0.8	3.2	252.5	808.0	20.63	11.32	9.30	152.2	91.5	75.2	123.0
1525-22	ORE	JB2-E	A	N	N		22.6	1	3.2	282.8	904.8	13.80	5.88	7.92	26.5	53.2	71.7	24.0
1525-22A	ORE	JB2-E	A	N	N		4.0	1	3.2	49.4	158.0	13.80	5.88	7.92	26.5	9.3	12.5	4.2

SECTION: 1525 Pre-mining, In-situ, Undiluted, Sulphide mineralization above 8% Pb+Zn, Both "A" or "proven plus probable" and "B" or "possible" mineralization, both thin (< 2.2m. true) and thick ore

INVENTORY BLOCK NAME	MATERIAL TYPE	ORE ZONE NAME	CLASSIF. A=PROB+PROV B+POSSIBLE	THIN BLOCK ? (Y=<2.2m.)	MINING STATUS (Y=MINED)	MINING AREA NAME	BLOCK AREA IN SECTION (sq. m.)	STRIKE ADJUSTMENT (x12.5 m.)	IN-SITU DENSITY (tns/cu.m)	BLOCK VOLUME (cu. m.)	BLOCK TONNAGE (tonnes)	Pb+Zn GRADE (wt. %)	LEAD GRADE (wt. %)	ZINC GRADE (wt. %)	SILVER GRADE (gm/tn)	LEAD METAL (tonnes)	ZINC METAL (tonnes)	SILVER METAL (kg)
1525-23	ORE	JB2-E	A	N	N		13.6	1	3.2	170.3	544.8	15.16	5.60	9.56	29.8	30.5	52.1	16.2
1525-26	ORE	JB2-E	A	N	N		365.7	0.7	3.2	3,200.1	10,240.4	20.28	6.94	13.34	50.5	710.5	1,366.1	517.1
1525-27	ORE	AB	B	N	N		52.1	1	3.2	651.4	2,084.4	13.21	5.75	7.46	71.9	119.9	155.5	149.9
1525-29	ORE	JB2-W	B	N	N		88.4	0.8	3.2	884.2	2,829.4	14.69	3.68	11.01	47.1	104.2	311.6	133.2
1525-30	ORE	JB2-W	A	N	N		358.8	0.7	3.2	3,139.8	10,047.2	35.62	13.61	22.01	93.4	1,367.0	2,211.8	938.0
1525-33	ORE	UNKN	B	Y	N		35.7	1	3.2	446.4	1,428.4	22.12	7.59	14.53	94.9	108.4	207.5	135.6
1525-34	ORE	JB2-W	A	N	N		283.2	1	3.2	3,540.4	11,329.2	18.34	6.44	11.89	31.2	730.0	1,347.3	353.6
1525-34A	ORE	JB2-W	A	N	N		9.0	1	3.2	112.3	359.2	18.34	6.44	11.89	31.2	23.1	42.7	11.2
1525-35	ORE	JB2-L	A	N	N		67.1	1	3.2	839.0	2,684.8	19.81	6.28	13.53	40.3	168.7	363.2	108.1
1525-35A	ORE	JB2-L	A	N	N		26.2	1	3.2	327.0	1,046.4	19.81	6.28	13.53	40.3	65.7	141.6	42.1
1525-40	ORE	JB2-L	B	Y	N		71.5	1	3.2	894.0	2,860.8	8.05	3.95	4.10	19.6	113.1	117.2	56.0
1525-44	ORE	JB2-L	A	N	N		0.3	1	3.2	4.1	13.2	19.81	6.28	13.53	40.3	0.8	1.8	0.5
1525-45	ORE	JB1	A	N	N		0.1	1	3.2	1.5	4.8	9.44	2.93	6.51	16.1	0.1	0.3	0.1

Totals and Averages for Section: 1525 3.2 31,287 100,117 20.04 7.52 12.52 72.9 7,530 12,537 7,297

SECTION: 1537 Pre-mining, In-situ, Undiluted, Sulphide mineralization above 8% Pb+Zn, Both "A" or "proven plus probable" and "B" or "possible" mineralization, both thin (< 2.2m. true) and thick ore

INVENTORY BLOCK NAME	MATERIAL TYPE	ORE ZONE NAME	CLASSIF. A=PROB+PROV B+POSSIBLE	THIN BLOCK ? (Y=<2.2m.)	MINING STATUS (Y=MINED)	MINING AREA NAME	BLOCK AREA IN SECTION (sq. m.)	STRIKE ADJUSTMENT (x12.5 m.)	IN-SITU DENSITY (tns/cu.m)	BLOCK VOLUME (cu. m.)	BLOCK TONNAGE (tonnes)	Pb+Zn GRADE (wt. %)	LEAD GRADE (wt. %)	ZINC GRADE (wt. %)	SILVER GRADE (gm/tn)	LEAD METAL (tonnes)	ZINC METAL (tonnes)	SILVER METAL (kg)
	ORE	JB2-E	A	N	Y	1380-103-B	18.3	0.9	3.2	206.2	659.9	13.04	5.83	7.20	76.2	38.5	47.5	50.3
	ORE	JB2-E	A	N	Y	CHIM-TTA	70.2	0.9	3.2	789.4	2,526.1	20.95	7.70	13.25	62.3	194.6	334.7	157.3
	ORE	JB2-E	A	N	Y	13702EACCE	3.5	0.9	3.2	39.5	126.4	19.36	8.21	11.15	40.8	10.4	14.1	5.2
	ORE	JB1	A	N	Y	VENT RAISE	9.9	1	3.2	123.1	394.0	9.48	3.34	6.14	16.8	13.2	24.2	6.6
	ORE	JB2-W	A	N	Y	1330-401	4.4	1	3.2	54.8	175.2	17.75	6.17	11.58	35.4	10.8	20.3	6.2
	ORE	JB2-W	A	N	Y	1335-403-B	58.4	0.9	3.2	657.3	2,103.5	35.86	12.74	23.11	93.3	268.1	486.2	196.3
	ORE	JB1	A	N	Y	1422-ACCES	27.9	1	3.2	348.8	1,116.0	9.48	3.34	6.14	16.8	37.3	68.5	18.7
	ORE	JB2-E	A	N	Y	1380-103-B	14.7	0.9	3.2	165.2	528.5	19.36	8.21	11.15	40.8	43.4	58.9	21.6
	ORE	JB2-W	A	N	Y	1335-403-A	54.0	0.9	3.2	607.7	1,944.7	35.86	12.74	23.11	93.3	247.8	449.5	181.5
1537-1	ORE	JB1	B	N	N		245.3	1	3.2	3,066.3	9,812.0	11.52	5.47	6.06	34.3	536.3	594.3	336.3
1537-2	ORE	JB1	B	N	N		158.8	1	3.2	1,984.9	6,351.6	9.48	3.34	6.14	16.8	212.2	389.8	106.5
1537-3	ORE	JB1	B	N	N		70.8	1	3.2	884.4	2,830.0	19.26	8.82	10.44	37.7	249.6	295.5	106.7
1537-4	ORE	JB1-L	B	N	N		52.4	1	3.2	655.0	2,096.0	11.88	4.02	7.86	19.2	84.3	164.7	40.2
1537-5	ORE	AB	B	N	N		84.2	1	3.2	1,052.1	3,366.8	16.67	7.07	9.60	62.2	238.1	323.3	209.4
1537-6	ORE	JB2-E	A	N	N		55.4	0.9	3.2	623.5	1,995.1	13.04	5.83	7.20	76.2	116.4	143.7	152.1
1537-6A	ORE	JB2-E	A	N	N		13.3	0.9	3.2	149.4	478.1	13.04	5.83	7.20	76.2	27.9	34.4	36.4
1537-7	ORE	JB2-E	A	N	N		17.7	0.9	3.2	198.8	636.1	19.36	8.21	11.15	40.8	52.2	71.0	26.0
1537-7A	ORE	JB2-E	A	N	N		13.5	0.9	3.2	151.9	486.0	19.36	8.21	11.15	40.8	39.9	54.2	19.8
1537-7B	ORE	JB2-E	A	N	N		1.0	0.9	3.2	11.0	35.3	19.36	8.21	11.15	40.8	2.9	3.9	1.4
1537-8	ORE	JB2-E	A	N	N		335.0	0.9	3.2	3,769.2	12,061.4	20.95	7.70	13.25	62.3	929.2	1,598.1	750.9
1537-9	ORE	AB	B	N	N		14.8	1	3.2	185.5	593.6	15.20	5.36	9.84	77.6	31.8	58.4	46.1
1537-10	ORE	JB2-W	A	N	N		338.1	0.9	3.2	3,803.2	12,170.2	35.86	12.74	23.11	93.3	1,550.9	2,812.8	1,135.8
1537-11	ORE	JB2-W	B	Y	N		76.8	1	3.2	959.6	3,070.8	17.75	6.17	11.58	35.4	189.5	355.7	108.6
1537-12	ORE	JB2-W	B	Y	N		46.6	1	3.2	582.0	1,862.4	10.15	3.29	6.86	31.3	61.3	127.7	58.3
1537-13	ORE	JB2-W	B	N	N		34.9	1	3.2	436.1	1,395.6	10.61	5.16	5.45	28.0	72.0	76.1	39.1
1537-15	ORE	AB	B	N	N		53.2	1	3.2	664.4	2,126.0	17.05	4.54	12.51	62.1	96.5	266.0	132.0
1537-30	ORE	JB2-E	A	N	N		34.5	0.9	3.2	388.2	1,242.4	13.67	4.78	8.90	27.5	59.4	110.5	34.1

SECTION: 1537 Pre-mining, In-situ, Undiluted, Sulphide mineralization above 8% Pb+Zn, Both "A" or "proven plus probable" and "B" or "possible" mineralization, both thin (< 2.2m. true) and thick ore

INVENTORY BLOCK NAME	MATERIAL TYPE	ORE ZONE NAME	CLASSIF. A=PROB+PROV B+POSSIBLE	THIN BLOCK ? (Y=<2.2m.)	MINING STATUS (Y=MINED)	MINING AREA NAME	BLOCK AREA IN SECTION (sq. m.)	STRIKE ADJUSTMENT (x12.5 m.)	IN-SITU DENSITY (tns/cu.m)	BLOCK VOLUME (cu. m.)	BLOCK TONNAGE (tonnes)	Pb+Zn GRADE (wt. %)	LEAD GRADE (wt. %)	ZINC GRADE (wt. %)	SILVER GRADE (gm/tn)	LEAD METAL (tonnes)	ZINC METAL (tonnes)	SILVER METAL (kg)
1537-31	ORE	JB1	A	Y	N		71.7	1	3.2	895.8	2,866.4	9.21	2.91	6.29	17.8	83.5	180.4	50.9
1537-36	ORE	JB2-L	B	Y	N		21.6	0.9	3.2	243.2	778.3	9.59	5.53	4.07	80.2	43.0	31.6	62.4
1537-38	ORE	JB1	B	Y	N		43.7	1	3.2	545.9	1,746.8	19.26	8.82	10.44	37.7	154.1	182.4	65.9
Totals and Averages for Section:				1537					3.2	24,242	77,575	19.43	7.34	12.09	5,695	9,378	4,163	

SECTION: 1550 Pre-mining, In-situ, Undiluted, Sulphide mineralization above 8% Pb+Zn, Both "A" or "proven plus probable" and "B" or "possible" mineralization, both thin (< 2.2m. true) and thick ore

INVENTORY BLOCK NAME	MATERIAL TYPE	ORE ZONE NAME	CLASSIF. A=PROB+PROV B=POSSIBLE	THIN BLOCK ? (Y=<2.2m.)	MINING STATUS (Y=MINED)	MINING AREA NAME	BLOCK AREA IN SECTION (sq. m.)	STRIKE ADJUSTMENT (x12.5 m.)	IN-SITU DENSITY (tns/cu.m)	BLOCK VOLUME (cu. m.)	BLOCK TONNAGE (tonnes)	Pb+Zn GRADE (wt. %)	LEAD GRADE (wt. %)	ZINC GRADE (wt. %)	SILVER GRADE (gm/tn)	LEAD METAL (tonnes)	ZINC METAL (tonnes)	SILVER METAL (kg)
	ORE	POD	A	N	Y	1422-POD	124.2	0.7	3.2	1,086.9	3,478.2	21.27	8.83	12.44	47.3	307.2	432.8	164.4
	ORE	JB2-E	A	N	Y	1370-2E	5.2	0.7	3.2	45.4	145.3	22.65	8.34	14.31	50.4	12.1	20.8	7.3
	ORE	JB1	A	N	Y	1422-201	207.8	0.8	3.2	2,077.9	6,649.3	21.83	9.40	12.43	48.3	625.0	826.6	321.1
	ORE	POD	A	N	Y	NORTH DRIF	20.3	0.7	3.2	177.4	567.6	21.27	8.83	12.44	47.3	50.1	70.6	26.8
	ORE	POD	A	N	Y	1422-POD-1	18.9	0.7	3.2	165.6	529.8	21.27	8.83	12.44	47.3	46.8	65.9	25.0
	ORE	JB2-E	A	N	Y	1370-2E	38.6	0.7	3.2	337.8	1,081.1	22.65	8.34	14.31	50.4	90.2	154.7	54.5
	ORE	JB2-E	A	N	Y	1370-2E	58.7	0.7	3.2	513.2	1,642.2	22.65	8.34	14.31	50.4	137.0	234.9	82.8
	ORE	JB2-E	A	N	Y	1370-2E	100.2	0.7	3.2	877.1	2,806.7	22.65	8.34	14.31	50.4	234.2	401.6	141.5
	ORE	JB2-W	A	N	Y	1340-200	27.9	1	3.2	348.8	1,116.0	22.85	7.76	15.10	126.0	86.6	168.5	140.6
1550-1	ORE	JB1	A	N	N		68.2	0.8	3.2	682.0	2,182.4	21.83	9.40	12.43	48.3	205.1	271.3	105.4
1550-1A	ORE	JB1	A	N	N		12.0	0.8	3.2	119.9	383.7	21.83	9.40	12.43	48.3	36.1	47.7	18.5
1550-1B	ORE	JB1	B	N	N		165.4	1	3.2	2,067.8	6,616.8	21.83	9.40	12.43	48.3	621.9	822.6	319.5
1550-2	ORE	JB1	A	N	N		101.1	0.8	3.2	1,010.9	3,234.9	25.16	7.91	17.26	44.4	255.8	558.2	143.8
1550-3	ORE	JB1	A	N	N		70.9	0.8	3.2	708.5	2,267.2	13.92	4.89	9.04	27.8	110.8	204.9	63.1
1550-4	ORE	POD	A	N	N		465.3	0.9	3.2	5,234.6	16,750.8	21.27	8.83	12.44	47.3	1,479.3	2,084.4	791.8
1550-4A	ORE	POD	A	N	N		10.7	0.7	3.2	93.6	299.6	21.27	8.83	12.44	47.3	26.5	37.3	14.2
1550-4B	ORE	POD	A	N	N		53.5	0.7	3.2	468.1	1,498.0	21.27	8.83	12.44	47.3	132.3	186.4	70.8
1550-5	ORE	JB2-E	A	N	N		523.0	0.7	3.2	4,576.3	14,644.3	22.65	8.34	14.31	50.4	1,221.9	2,095.1	738.5
1550-6	ORE	UNKN	B	Y	N		22.2	0.8	3.2	222.0	710.4	13.33	3.81	9.52	22.6	27.1	67.6	16.0
1550-7	ORE	JB2-W	B	Y	N		86.3	1	3.2	1,078.5	3,451.2	9.71	3.49	6.22	18.0	120.3	214.8	62.3
1550-9	ORE	JB2-W	A	N	N		142.1	1	3.2	1,776.4	5,684.4	22.85	7.76	15.10	126.0	441.0	858.2	716.3
1550-9A	ORE	JB2-W	B	Y	N		34.3	1	3.2	428.3	1,370.4	22.85	7.76	15.10	126.0	106.3	206.9	172.7
1550-10	ORE	JB2-E	B	Y	N		19.7	1	3.2	246.6	789.2	14.58	7.76	6.82	43.3	61.2	53.8	34.2
1550-30	ORE	POD	B	Y	N		3.4	1	3.2	42.9	137.2	21.27	8.83	12.44	47.3	12.1	17.1	6.5

Totals and Averages for Section: 1550 3.2 24,386 78,037 21.21 8.26 12.95 54.3 6,447 10,103 4,238

 SECTION: 1550 Pre-mining, In-situ, Undiluted, Sulphide mineralization above 8% Pb+Zn, Both "A" or "proven plus probable" and "B" or "possible" mineralization, both thin (< 2.2m. true) and thick ore

INVENTORY BLOCK	MATERIAL TYPE	ORE ZONE	CLASSIF. A=PROB+PROV B+POSSIBLE	THIN BLOCK ? (Y=<2.2m.)	MINING STATUS (Y=MINED)	MINING AREA NAME	BLOCK AREA IN SECTION (sq. m.)	STRIKE ADJUSTMENT (x12.5 m.)	IN-SITU DENSITY (tns/cu.m)	BLOCK VOLUME (cu. m.)	BLOCK TONNAGE (tonnes)	Pb+Zn GRADE (wt. %)	LEAD GRADE (wt. %)	ZINC GRADE (wt. %)	SILVER GRADE (gm/tn)	LEAD METAL (tonnes)	ZINC METAL (tonnes)	SILVER METAL (kg)

SECTION: 1562 Pre-mining, In-situ, Undiluted, Sulphide mineralization above 8% Pb+Zn, Both "A" or "proven plus probable" and "B" or "possible" mineralization, both thin (< 2.2m. true) and thick ore

INVENTORY BLOCK NAME	MATERIAL TYPE	ORE ZONE NAME	CLASSIF. A=PROB+PROV B+POSSIBLE	THIN BLOCK ? (Y=<2.2m.)	MINING STATUS (Y=MINED)	MINING AREA NAME	BLOCK AREA IN SECTION (sq. m.)	STRIKE ADJUSTMENT (x12.5 m.)	IN-SITU DENSITY (tns/cu.m)	BLOCK VOLUME (cu. m.)	BLOCK TONNAGE (tonnes)	Pb+Zn GRADE (wt. %)	LEAD GRADE (wt. %)	ZINC GRADE (wt. %)	SILVER GRADE (gm/tn)	LEAD METAL (tonnes)	ZINC METAL (tonnes)	SILVER METAL (kg)
	ORE	POD	A	N	Y	1422-POD	210.2	0.8	3.2	2,102.0	6,726.4	26.98	12.75	14.23	162.2	857.8	957.1	1,091.2
	ORE	POD	A	N	Y	1422-POD	112.4	0.8	3.2	1,123.9	3,596.5	26.98	12.75	14.23	162.2	458.6	511.7	583.5
	ORE	JB2-E	A	N	Y	1380-100	0.5	0.7	3.2	4.4	14.0	25.40	10.48	14.92	98.1	1.5	2.1	1.4
	ORE	POD	A	N	Y	NORTH DRIF	12.4	0.8	3.2	124.1	397.1	26.98	12.75	14.23	162.2	50.6	56.5	64.4
	ORE	JB2-E	A	N	Y	1369-2E AC	16.0	0.7	3.2	140.0	448.0	25.40	10.48	14.92	98.1	47.0	66.8	44.0
	ORE	JB2-E	A	N	Y	1380-100	105.9	0.7	3.2	926.6	2,965.2	25.40	10.48	14.92	98.1	310.8	442.3	291.0
	ORE	JB2-E	A	N	Y	1380-100	0.1	0.7	3.2	0.8	2.5	25.40	10.48	14.92	98.1	0.3	0.4	0.2
1562-1	ORE	JB1	B	N	N		243.6	1	3.2	3,045.0	9,744.0	19.91	5.53	14.39	53.6	538.4	1,402.0	522.6
1562-2	ORE	POD	A	N	N		351.2	0.8	3.2	3,511.5	11,236.8	26.98	12.75	14.23	162.2	1,433.0	1,598.9	1,823.0
1562-2A	ORE	POD	A	N	N		325.7	0.8	3.2	3,257.3	10,423.4	26.98	12.75	14.23	162.2	1,329.2	1,483.2	1,691.0
1562-3	ORE	JB2-E	A	N	N		897.2	0.7	3.2	7,850.8	25,122.7	25.40	10.48	14.92	98.1	2,633.0	3,747.6	2,465.3
1562-3A	ORE	JB2-E	A	N	N		2.4	0.7	3.2	20.6	65.8	25.40	10.48	14.92	98.1	6.9	9.8	6.5
1562-4	ORE	JB2-E	A	N	N		141.9	0.5	3.2	887.1	2,838.8	14.16	4.67	9.49	33.0	132.7	269.3	93.6
1562-5	ORE	UNKN	B	Y	N		12.8	1	3.2	160.4	513.2	16.57	4.75	11.82	40.6	24.4	60.6	20.8
1562-20	ORE	POD	A	N	N		0.3	1	3.2	4.1	13.2	26.98	12.75	14.23	162.2	1.7	1.9	2.1

Totals and Averages for Section: 1562 3.2 23,159 74,108 24.88 10.56 14.32 117.4 7,826 10,610 8,700

SECTION: 1575 Pre-mining, In-situ, Undiluted, Sulphide mineralization above 8% Pb+Zn, Both "A" or "proven plus probable" and "B" or "possible" mineralization, both thin (< 2.2m. true) and thick ore

INVENTORY BLOCK NAME	MATERIAL TYPE	ORE ZONE NAME	CLASSIF. A=PROB+PROV B=POSSIBLE	THIN BLOCK ? (Y=<2.2m.)	MINING STATUS (Y=MINED)	MINING AREA NAME	BLOCK AREA IN SECTION (sq. m.)	STRIKE ADJUSTMENT (x12.5 m.)	IN-SITU DENSITY (tns/cu.m)	BLOCK VOLUME (cu. m.)	BLOCK TONNAGE (tonnes)	Pb+Zn GRADE (wt. %)	LEAD GRADE (wt. %)	ZINC GRADE (wt. %)	SILVER GRADE (gm/tn)	LEAD METAL (tonnes)	ZINC METAL (tonnes)	SILVER METAL (kg)
	ORE	POD	A	N	Y	1422-POD-1	50.3	1	3.2	628.1	2,010.0	25.19	10.14	15.06	58.4	203.7	302.7	117.4
	ORE	POD	A	N	Y	1422-POD	284.6	1	3.2	3,557.6	11,384.4	25.19	10.14	15.06	58.4	1,153.9	1,714.4	664.9
	ORE	POD	A	N	Y	1422-POD-1	0.3	1	3.2	3.8	12.0	25.19	10.14	15.06	58.4	1.2	1.8	0.7
	ORE	POD	A	N	Y	NORTH DRIF	15.1	1	3.2	188.9	604.4	25.19	10.14	15.06	58.4	61.3	91.0	35.3
1575-1	ORE	JB1	A	N	N		128.9	0.7	3.2	1,127.5	3,608.1	18.36	6.78	11.58	38.4	244.7	417.8	138.6
1575-2	ORE	JB1	B	N	N		37.9	0.7	3.2	331.6	1,061.2	13.16	4.56	8.60	22.0	48.4	91.3	23.3
1575-4	ORE	POD	A	N	N		584.5	1	3.2	7,306.8	23,381.6	25.19	10.14	15.06	58.4	2,369.8	3,521.0	1,365.5
1575-4A	ORE	POD	A	N	N		1.6	1	3.2	20.1	64.4	25.19	10.14	15.06	58.4	6.5	9.7	3.8
1575-4B	ORE	POD	A	N	N		55.2	1	3.2	689.5	2,206.4	25.19	10.14	15.06	58.4	223.6	332.3	128.9
1575-5	ORE	JB2-E	B	Y	N		34.7	1	3.2	433.8	1,388.0	11.16	1.78	9.39	48.7	24.6	130.3	67.6
1575-15	ORE	JB1	B	Y	N		31.4	1	3.2	392.1	1,254.8	18.36	6.78	11.58	38.4	85.1	145.3	48.2

Totals and Averages for Section: 1575 3.2 14,680 46,975 23.80 9.42 14.39 55.2 4,423 6,757 2,594

SECTION: 1587 Pre-mining, In-situ, Undiluted, Sulphide mineralization above 8% Pb+Zn, Both "A" or "proven plus probable" and "B" or "possible" mineralization, both thin (< 2.2m. true) and thick ore

INVENTORY BLOCK	MATERIAL TYPE	ORE ZONE	CLASSIF. A=PROB+PROV B+POSSIBLE	THIN BLOCK ? (Y=<2.2m.)	MINING STATUS (Y=MINED)	MINING AREA NAME	BLOCK AREA IN SECTION (sq. m.)	STRIKE ADJUSTMENT (x12.5 m.)	IN-SITU DENSITY (tns/cu.m)	BLOCK VOLUME (cu. m.)	BLOCK TONNAGE (tonnes)	Pb+Zn GRADE (wt. %)	LEAD GRADE (wt. %)	ZINC GRADE (wt. %)	SILVER GRADE (gm/tn)	LEAD METAL (tonnes)	ZINC METAL (tonnes)	SILVER METAL (kg)
	ORE	POD	A	N	Y	1422-POD	59.6	0.9	3.2	670.7	2,146.3	25.54	10.78	14.76	61.3	231.5	316.7	131.7
	ORE	POD	A	N	Y	NORTH DRIF	7.5	0.9	3.2	84.2	269.3	25.54	10.78	14.76	61.3	29.0	39.7	16.5
	ORE	POD	A	N	Y	NORTH DRIF	2.9	0.9	3.2	32.9	105.1	25.54	10.78	14.76	61.3	11.3	15.5	6.4
1587-1	ORE	JB1	B	N	N		68.4	1	3.2	854.4	2,734.0	27.14	10.17	16.97	46.8	278.0	464.0	128.0
1587-2	ORE	JB1	B	N	N		75.4	1	3.2	942.5	3,016.0	25.89	9.08	16.81	37.6	273.9	507.0	113.4
1587-3	ORE	POD	B	N	N		41.2	1	3.2	514.8	1,647.2	25.54	10.78	14.76	61.3	177.6	243.1	101.0
1587-3A	ORE	POD	A	N	N		207.8	0.9	3.2	2,337.9	7,481.2	25.54	10.78	14.76	61.3	806.8	1,104.0	458.9
1587-4	ORE	AB	B	N	N		56.9	1	3.2	710.9	2,274.8	13.98	4.70	9.28	44.0	106.9	211.1	100.1
1587-5	ORE	POD	A	N	N		84.6	0.9	3.2	951.3	3,044.2	11.70	4.12	7.58	23.1	125.5	230.8	70.5
1587-6	ORE	JB2-E	A	N	N		92.9	1	3.2	1,161.5	3,716.8	16.37	3.18	13.18	78.0	118.3	490.0	289.8
1587-7	ORE	JB2-E	B	Y	N		52.0	1	3.2	650.4	2,081.2	15.33	7.16	8.17	33.6	149.0	170.0	69.9
1587-12	ORE	JB2-E	B	Y	N		83.6	1	3.2	1,045.0	3,344.0	11.60	2.95	8.65	41.5	98.7	289.2	138.7
1587-21	ORE	POD	A	N	N		38.2	1	3.2	477.9	1,529.2	14.52	5.96	8.56	33.8	91.2	130.8	51.7
Totals and Averages for Section:				1587					3.2	10,434	33,389	20.10	7.48	12.61	50.2	2,498	4,212	1,677

SECTION: 1600 Pre-mining, In-situ, Undiluted, Sulphide mineralization above 8% Pb+Zn, Both "A" or "proven plus probable" and "B" or "possible" mineralization, both thin (< 2.2m. true) and thick ore

INVENTORY BLOCK	MATERIAL TYPE	ORE ZONE	CLASSIF. A=PROB+PROV B+POSSIBLE	THIN BLOCK ? (Y=<2.2m.)	MINING STATUS (Y=MINED)	MINING AREA NAME	BLOCK AREA IN SECTION (sq. m.)	STRIKE ADJUSTMENT (x12.5 m.)	IN-SITU DENSITY (tns/cu.m)	BLOCK VOLUME (cu. m.)	BLOCK TONNAGE (tonnes)	Pb+Zn GRADE (wt. %)	LEAD GRADE (wt. %)	ZINC GRADE (wt. %)	SILVER GRADE (gm/tn)	LEAD METAL (tonnes)	ZINC METAL (tonnes)	SILVER METAL (kg)
	ORE	POD	A	N	Y	NORTH DRIF	14.2	1	3.2	176.9	566.0	23.97	10.27	13.70	51.5	58.1	77.6	29.2
	ORE	POD	A	N	Y	1422-POD	70.6	1	3.2	882.5	2,824.0	23.97	10.27	13.70	51.5	290.0	387.0	145.5
	ORE	JB2-E	A	N	Y	1369-2E AC	3.9	1	3.2	48.1	154.0	17.91	6.90	11.01	67.7	10.6	17.0	10.4
1600-1	ORE	JB1	B	N	N		113.2	1	3.2	1,415.1	4,528.4	15.26	5.17	10.09	29.6	234.2	457.0	133.9
1600-2	ORE	POD	A	N	N		357.2	0.8	3.2	3,572.3	11,431.4	23.97	10.27	13.70	51.5	1,174.0	1,566.6	589.0
1600-3	ORE	POD	B	Y	N		12.5	1	3.2	156.4	500.4	11.68	5.13	6.55	24.5	25.7	32.8	12.2
1600-4	ORE	JB2-E	B	Y	N		43.3	1	3.2	541.1	1,731.6	17.91	6.90	11.01	67.7	119.5	190.7	117.3
1600-5	ORE	UNKN	A	N	N		98.2	1	3.2	1,227.5	3,928.0	15.54	3.87	11.67	65.4	151.9	458.3	256.9
1600-7	ORE	JB1	B	N	N		50.7	1	3.2	633.5	2,027.2	15.26	5.17	10.09	29.6	104.8	204.6	60.0
1600-13	ORE	POD	A	Y	N		33.7	1	3.2	420.9	1,346.8	13.90	4.62	9.28	22.3	62.2	125.0	30.1

Totals and Averages for Section: 1600 3.2 9,074 29,038 19.79 7.68 12.11 47.7 2,231 3,516 1,385

SECTION: 1612 Pre-mining, In-situ, Undiluted, Sulphide mineralization above 8% Pb+Zn, Both "A" or "proven plus probable" and "B" or "possible" mineralization, both thin (< 2.2m. true) and thick ore

INVENTORY BLOCK NAME	MATERIAL TYPE	ORE ZONE NAME	CLASSIF. A=PROB+PROV B+POSSIBLE	THIN BLOCK ? (Y=<2.2m.)	MINING STATUS (Y=MINED)	MINING AREA NAME	BLOCK AREA IN SECTION (sq. m.)	STRIKE ADJUSTMENT (x12.5 m.)	IN-SITU DENSITY (tns/cu.m)	BLOCK VOLUME (cu. m.)	BLOCK TONNAGE (tonnes)	Pb+Zn GRADE (wt. %)	LEAD GRADE (wt. %)	ZINC GRADE (wt. %)	SILVER GRADE (gm/tn)	LEAD METAL (tonnes)	ZINC METAL (tonnes)	SILVER METAL (kg)
1612-1	ORE	JB1	B	N	N		74.5	1	3.2	931.5	2,980.8	8.47	2.34	6.13	21.3	69.8	182.7	63.5
1612-3	ORE	JB2-E	B	Y	N		10.8	1	3.2	134.9	431.6	13.04	3.47	9.57	87.9	15.0	41.3	37.9
1612-4	ORE	JB2-E	B	Y	N		42.8	1	3.2	535.3	1,712.8	29.13	4.03	25.10	168.4	69.0	429.9	288.4
1612-5	ORE	POD	B	N	N		60.2	1	3.2	752.3	2,407.2	11.92	3.82	8.10	19.1	92.0	194.9	46.1
1612-6	ORE	JB1	B	N	N		75.9	1	3.2	948.1	3,034.0	8.47	2.34	6.13	21.3	71.0	186.0	64.6
Totals and Averages for Section:				1612					3.2	3,302	10,566	12.79	3.00	9.79	47.4	317	1,035	501

SECTION: 1625 Pre-mining, In-situ, Undiluted, Sulphide mineralization above 8% Pb+Zn, Both "A" or "proven plus probable" and "B" or "possible" mineralization, both thin (< 2.2m. true) and thick ore

INVENTORY MATERIAL	ORE	CLASSIF.	THIN	MINING	MINING	BLOCK AREA	STRIKE	IN-SITU	BLOCK	BLOCK	Pb+Zn	LEAD	ZINC	SILVER	LEAD	ZINC	SILVER
BLOCK	TYPE	ZONE	A=PROB+PROV	BLOCK ?	STATUS	AREA	ADJUSTMENT	DENSITY	VOLUME	TONNAGE	GRADE	GRADE	GRADE	GRADE	METAL	METAL	METAL
NAME	NAME	B+POSSIBLE	(Y=<2.2m.)	(Y=MINED)	NAME	(sq. m.)	(x12.5 m.)	(tns/cu.m)	(cu. m.)	(tonnes)	(wt. %)	(wt. %)	(wt. %)	(gm/tn)	(tonnes)	(tonnes)	(kg)
1625-1	ORE	UNKN	B	N	N	35.4	1	3.2	442.6	1,416.4	10.51	1.85	8.66	96.6	26.2	122.7	136.8
1625-2	ORE	JB1	B	N	N	87.0	1	3.2	1,088.0	3,481.6	22.65	8.13	14.52	43.9	283.1	505.5	152.8
Totals and Averages for Section:			1625					3.2	1,531	4,898	19.14	6.31	12.83	59.1	309	628	290

APPENDIX 0

**DETAILS OF INVENTORY CALCULATION FOR TOTAL
IN-SITU "PROVEN+PROBABLE" SULPHIDE MINERALIZATION
(CLASS "A" ONLY).
INCLUDES BLOCKS CODED BOTH AS THICK AND THIN.**

APPENDIX O-1

SUMMARY BY EACH SECTION FOR EACH ZONE

JEWELBOX HILL IN-SITU, PRE-MINING, MINERAL INVENTORY -- SUMMARY BY ZONE & SECTION

"A" Class of mineralization only (i.e., "proven + probable"), sulphides only, thick and thin zones

SECTION	ZONE	VOLUME (cu.m.)	TONNAGE (tonnes)	Pb+Zn (wt.%)	Pb (wt.%)	Zn (wt.%)	Ag (g/t)	LEAD (tonnes)	ZINC (tonnes)	SILVER (kg.)
1237	JB1	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1250	JB1	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1275	JB1	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1300	JB1	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1312	JB1	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1325	JB1	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1337	JB1	1,490	4,767	17.94	6.78	11.16	36.4	323.2	531.8	173.4
1350	JB1	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1362	JB1	3,181	10,178	25.49	9.73	15.76	42.8	990.1	1,603.9	435.5
1375	JB1	1,657	5,303	15.74	7.36	8.38	37.9	390.1	444.5	200.9
1387	JB1	1,810	5,791	17.11	7.21	9.90	31.5	417.5	573.2	182.5
1400	JB1	1,225	3,918	17.27	7.47	9.80	26.2	292.6	384.0	102.8
1412	JB1	189	606	21.59	9.25	12.34	49.0	56.1	74.8	29.7
1425	JB1	3,378	10,808	16.36	5.65	10.71	25.0	610.5	1,157.3	270.5
1437	JB1	3,370	10,783	14.99	5.88	9.11	37.7	633.9	982.3	406.5
1450	JB1	2,212	7,079	20.16	8.59	11.58	43.1	607.8	819.6	305.4
1462	JB1	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1475	JB1	3,030	9,696	12.51	5.31	7.20	24.5	514.9	697.7	238.0
1487	JB1	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1500	JB1	810	2,593	12.94	5.76	7.18	32.0	149.4	186.2	83.0
1512	JB1	5,424	17,356	21.94	8.12	13.81	40.1	1,409.8	2,397.4	696.5
1525	JB1	4,610	14,754	18.52	6.41	12.11	37.7	945.5	1,787.1	555.6
1537	JB1	1,368	4,376	9.30	3.06	6.24	17.4	134.0	273.1	76.3
1550	JB1	4,599	14,717	21.34	8.38	12.97	44.3	1,232.7	1,908.7	651.9
1562	JB1	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1575	JB1	1,128	3,608	18.36	6.78	11.58	38.4	244.7	417.8	138.6
1587	JB1	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1600	JB1	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1612	JB1	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1625	JB1	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
TOTAL/AVERAGE		39,480	126,335	18.36	7.09	11.27	36.0	8,953	14,239	4,547

JEWELBOX HILL IN-SITU, PRE-MINING, MINERAL INVENTORY -- SUMMARY BY ZONE & SECTION

"A" Class of mineralization only (i.e., "proven + probable"), sulphides only, thick and thin zones

SECTION	ZONE	VOLUME (cu.m.)	TONNAGE (tonnes)	Pb+Zn (wt.%)	Pb (wt.%)	Zn (wt.%)	Ag (g/t)	LEAD (tonnes)	ZINC (tonnes)	SILVER (kg.)
1237	J1	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1250	J1	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1275	J1	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1300	J1	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1312	J1	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1325	J1	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1337	J1	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1350	J1	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1362	J1	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1375	J1	823	2,634	16.44	8.62	7.82	48.5	227.1	206.0	127.7
1387	J1	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1400	J1	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1412	J1	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1425	J1	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1437	J1	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1450	J1	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1462	J1	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1475	J1	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1487	J1	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1500	J1	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1512	J1	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1525	J1	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1537	J1	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1550	J1	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1562	J1	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1575	J1	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1587	J1	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1600	J1	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1612	J1	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1625	J1	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
TOTAL/AVERAGE		823	2,634	16.44	8.62	7.82	48.5	227	206	128

JEWELBOX HILL IN-SITU, PRE-MINING, MINERAL INVENTORY -- SUMMARY BY ZONE & SECTION

"A" Class of mineralization only (i.e., "proven + probable"), sulphides only, thick and thin zones

SECTION	ZONE	VOLUME (cu.m.)	TONNAGE (tonnes)	Pb+Zn (wt.%)	Pb (wt.%)	Zn (wt.%)	Ag (g/t)	LEAD (tonnes)	ZINC (tonnes)	SILVER (kg.)
1237	JB1-L	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1250	JB1-L	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1275	JB1-L	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1300	JB1-L	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1312	JB1-L	399	1,275	15.14	6.21	8.92	31.7	79.2	113.8	40.4
1325	JB1-L	453	1,448	17.42	7.73	9.70	37.4	111.9	140.4	54.2
1337	JB1-L	1,271	4,067	20.43	8.11	12.32	42.7	329.9	501.2	173.5
1350	JB1-L	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1362	JB1-L	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1375	JB1-L	1,422	4,549	23.51	9.38	14.13	46.4	426.7	642.7	211.0
1387	JB1-L	246	788	17.05	6.94	10.12	38.1	54.6	79.7	30.0
1400	JB1-L	1,714	5,483	14.58	6.47	8.11	28.7	354.9	444.6	157.5
1412	JB1-L	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1425	JB1-L	1,150	3,679	18.27	7.77	10.50	40.6	286.0	386.2	149.3
1437	JB1-L	894	2,862	12.44	4.72	7.72	21.9	135.1	220.8	62.8
1450	JB1-L	1,121	3,588	26.63	11.67	14.96	49.8	418.7	536.6	178.8
1462	JB1-L	3,001	9,603	23.32	10.26	13.05	52.8	985.4	1,253.5	507.2
1475	JB1-L	1,345	4,304	19.17	7.93	11.23	34.1	341.4	483.4	146.6
1487	JB1-L	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1500	JB1-L	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1512	JB1-L	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1525	JB1-L	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1537	JB1-L	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1550	JB1-L	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1562	JB1-L	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1575	JB1-L	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1587	JB1-L	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1600	JB1-L	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1612	JB1-L	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1625	JB1-L	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
TOTAL/AVERAGE		13,014	41,646	19.99	8.46	11.53	41.1	3,524	4,803	1,711

JEWELBOX HILL IN-SITU, PRE-MINING, MINERAL INVENTORY -- SUMMARY BY ZONE & SECTION

"A" Class of mineralization only (i.e., "proven + probable"), sulphides only, thick and thin zones

SECTION	ZONE	VOLUME (cu.m.)	TONNAGE (tonnes)	Pb+Zn (wt.%)	Pb (wt.%)	Zn (wt.%)	Ag (g/t)	LEAD (tonnes)	ZINC (tonnes)	SILVER (kg.)
1237	POD	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1250	POD	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1275	POD	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1300	POD	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1312	POD	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1325	POD	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1337	POD	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1350	POD	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1362	POD	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1375	POD	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1387	POD	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1400	POD	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1412	POD	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1425	POD	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1437	POD	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1450	POD	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1462	POD	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1475	POD	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1487	POD	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1500	POD	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1512	POD	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1525	POD	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1537	POD	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1550	POD	7,226	23,124	21.27	8.83	12.44	47.3	2,042.2	2,877.4	1,093.0
1562	POD	10,123	32,393	26.98	12.75	14.23	162.2	4,130.9	4,609.3	5,255.2
1575	POD	12,395	39,663	25.19	10.14	15.06	58.4	4,020.0	5,972.9	2,316.4
1587	POD	4,555	14,575	21.49	8.89	12.61	50.5	1,295.3	1,837.5	735.7
1600	POD	5,053	16,168	23.14	9.80	13.34	49.1	1,584.4	2,156.2	793.8
1612	POD	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1625	POD	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
TOTAL/AVERAGE		39,351	125,924	24.24	10.38	13.86	81.0	13,073	17,453	10,194

JEWELBOX HILL IN-SITU, PRE-MINING, MINERAL INVENTORY -- SUMMARY BY ZONE & SECTION

"A" Class of mineralization only (i.e., "proven + probable"), sulphides only, thick and thin zones

SECTION	ZONE	VOLUME (cu.m.)	TONNAGE (tonnes)	Pb+Zn (wt.%)	Pb (wt.%)	Zn (wt.%)	Ag (g/t)	LEAD (tonnes)	ZINC (tonnes)	SILVER (kg.)
1237	CHIMNEY	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1250	CHIMNEY	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1275	CHIMNEY	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1300	CHIMNEY	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1312	CHIMNEY	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1325	CHIMNEY	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1337	CHIMNEY	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1350	CHIMNEY	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1362	CHIMNEY	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1375	CHIMNEY	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1387	CHIMNEY	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1400	CHIMNEY	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1412	CHIMNEY	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1425	CHIMNEY	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1437	CHIMNEY	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1450	CHIMNEY	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1462	CHIMNEY	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1475	CHIMNEY	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1487	CHIMNEY	6,967	22,294	14.65	5.78	8.87	25.2	1,289.1	1,977.8	562.1
1500	CHIMNEY	26,648	85,274	26.05	10.62	15.44	65.8	9,052.0	13,164.4	5,613.6
1512	CHIMNEY	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1525	CHIMNEY	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1537	CHIMNEY	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1550	CHIMNEY	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1562	CHIMNEY	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1575	CHIMNEY	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1587	CHIMNEY	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1600	CHIMNEY	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1612	CHIMNEY	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1625	CHIMNEY	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
TOTAL/AVERAGE		33,615	107,568	23.69	9.61	14.08	57.4	10,341	15,142	6,176

JEWELBOX HILL IN-SITU, PRE-MINING, MINERAL INVENTORY -- SUMMARY BY ZONE & SECTION

"A" Class of mineralization only (i.e., "proven + probable"), sulphides only, thick and thin zones

SECTION	ZONE	VOLUME (cu.m.)	TONNAGE (tonnes)	Pb+Zn (wt.%)	Pb (wt.%)	Zn (wt.%)	Ag (g/t)	LEAD (tonnes)	ZINC (tonnes)	SILVER (kg.)
1237	M1	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1250	M1	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1275	M1	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1300	M1	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1312	M1	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1325	M1	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1337	M1	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1350	M1	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1362	M1	304	972	16.59	6.73	9.87	33.2	65.4	95.9	32.3
1375	M1	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1387	M1	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1400	M1	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1412	M1	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1425	M1	767	2,456	12.86	5.39	7.47	23.7	132.3	183.5	58.3
1437	M1	1,120	3,585	17.21	7.08	10.12	32.1	253.9	362.9	115.2
1450	M1	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1462	M1	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1475	M1	730	2,335	10.72	5.83	4.89	24.0	136.2	114.2	56.1
1487	M1	708	2,266	20.30	8.47	11.83	31.0	192.0	268.1	70.4
1500	M1	274	876	13.50	4.88	8.62	25.0	42.7	75.5	21.9
1512	M1	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1525	M1	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1537	M1	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1550	M1	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1562	M1	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1575	M1	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1587	M1	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1600	M1	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1612	M1	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1625	M1	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
TOTAL/AVERAGE		3,903	12,489	15.39	6.59	8.81	28.4	822	1,100	354

JEWELBOX HILL IN-SITU, PRE-MINING, MINERAL INVENTORY -- SUMMARY BY ZONE & SECTION

"A" Class of mineralization only (i. e., "proven + probable"), sulphides only, thick and thin zones

SECTION	ZONE	VOLUME (cu.m.)	TONNAGE (tonnes)	Pb+Zn (wt.%)	Pb (wt.%)	Zn (wt.%)	Ag (g/t)	LEAD (tonnes)	ZINC (tonnes)	SILVER (kg.)
1237	M2	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1250	M2	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1275	M2	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1300	M2	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1312	M2	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1325	M2	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1337	M2	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1350	M2	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1362	M2	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1375	M2	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1387	M2	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1400	M2	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1412	M2	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1425	M2	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1437	M2	3,421	10,946	12.20	4.76	7.43	70.3	521.3	813.7	769.1
1450	M2	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1462	M2	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1475	M2	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1487	M2	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1500	M2	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1512	M2	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1525	M2	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1537	M2	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1550	M2	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1562	M2	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1575	M2	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1587	M2	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1600	M2	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1612	M2	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1625	M2	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
TOTAL/AVERAGE		3,421	10,946	12.20	4.76	7.43	70.3	521	814	769

JEWELBOX HILL IN-SITU, PRE-MINING, MINERAL INVENTORY -- SUMMARY BY ZONE & SECTION

"A" Class of mineralization only (i.e., "proven + probable"), sulphides only, thick and thin zones

SECTION	ZONE	VOLUME (cu.m.)	TONNAGE (tonnes)	Pb+Zn (wt.%)	Pb (wt.%)	Zn (wt.%)	Ag (g/t)	LEAD (tonnes)	ZINC (tonnes)	SILVER (kg.)
1237	JB2-E	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1250	JB2-E	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1275	JB2-E	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1300	JB2-E	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1312	JB2-E	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1325	JB2-E	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1337	JB2-E	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1350	JB2-E	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1362	JB2-E	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1375	JB2-E	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1387	JB2-E	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1400	JB2-E	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1412	JB2-E	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1425	JB2-E	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1437	JB2-E	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1450	JB2-E	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1462	JB2-E	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1475	JB2-E	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1487	JB2-E	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1500	JB2-E	3,679	11,772	22.96	8.78	14.17	82.7	1,034.1	1,668.5	973.2
1512	JB2-E	9,428	30,169	20.74	7.94	12.80	55.2	2,396.5	3,861.1	1,666.4
1525	JB2-E	10,427	33,368	17.56	7.36	10.20	118.7	2,456.1	3,402.3	3,960.5
1537	JB2-E	6,492	20,775	19.19	7.29	11.89	60.4	1,514.6	2,471.1	1,255.1
1550	JB2-E	6,350	20,320	22.65	8.34	14.31	50.4	1,695.4	2,907.1	1,024.6
1562	JB2-E	9,830	31,457	24.38	9.96	14.43	92.2	3,132.1	4,538.4	2,901.8
1575	JB2-E	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1587	JB2-E	1,162	3,717	16.37	3.18	13.18	78.0	118.3	490.0	289.8
1600	JB2-E	48	154	17.91	6.90	11.01	67.7	10.6	17.0	10.4
1612	JB2-E	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1625	JB2-E	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
TOTAL/AVERAGE		47,416	151,731	20.90	8.14	12.76	79.6	12,358	19,355	12,082

JEWELBOX HILL IN-SITU, PRE-MINING, MINERAL INVENTORY -- SUMMARY BY ZONE & SECTION

"A" Class of mineralization only (i.e., "proven + probable"), sulphides only, thick and thin zones

SECTION	ZONE	VOLUME (cu.m.)	TONNAGE (tonnes)	Pb+Zn (wt.%)	Pb (wt.%)	Zn (wt.%)	Ag (g/t)	LEAD (tonnes)	ZINC (tonnes)	SILVER (kg.)
1237	JB2-L	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1250	JB2-L	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1275	JB2-L	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1300	JB2-L	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1312	JB2-L	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1325	JB2-L	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1337	JB2-L	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1350	JB2-L	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1362	JB2-L	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1375	JB2-L	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1387	JB2-L	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1400	JB2-L	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1412	JB2-L	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1425	JB2-L	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1437	JB2-L	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1450	JB2-L	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1462	JB2-L	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1475	JB2-L	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1487	JB2-L	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1500	JB2-L	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1512	JB2-L	1,055	3,375	13.01	3.44	9.57	60.8	116.2	322.9	205.3
1525	JB2-L	3,568	11,417	19.81	6.28	13.53	40.3	717.2	1,544.6	459.7
1537	JB2-L	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1550	JB2-L	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1562	JB2-L	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1575	JB2-L	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1587	JB2-L	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1600	JB2-L	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1612	JB2-L	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1625	JB2-L	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
TOTAL/AVERAGE		4,623	14,792	18.26	5.63	12.62	45.0	833	1,867	665

JEWELBOX HILL IN-SITU, PRE-MINING, MINERAL INVENTORY -- SUMMARY BY ZONE & SECTION

"A" Class of mineralization only (i.e., "proven + probable"), sulphides only, thick and thin zones

SECTION	ZONE	VOLUME (cu.m.)	TONNAGE (tonnes)	Pb+Zn (wt.%)	Pb (wt.%)	Zn (wt.%)	Ag (g/t)	LEAD (tonnes)	ZINC (tonnes)	SILVER (kg.)
1237	JB2-W	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1250	JB2-W	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1275	JB2-W	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1300	JB2-W	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1312	JB2-W	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1325	JB2-W	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1337	JB2-W	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1350	JB2-W	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1362	JB2-W	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1375	JB2-W	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1387	JB2-W	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1400	JB2-W	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1412	JB2-W	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1425	JB2-W	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1437	JB2-W	156	500	12.60	5.49	7.11	21.6	27.5	35.6	10.8
1450	JB2-W	900	2,881	19.07	6.27	12.80	36.3	180.6	368.7	104.5
1462	JB2-W	1,540	4,927	25.06	10.33	14.73	48.6	509.1	725.7	239.4
1475	JB2-W	4,436	14,194	25.84	10.11	15.73	55.4	1,435.5	2,232.2	786.5
1487	JB2-W	2,551	8,162	34.22	12.33	21.89	63.4	1,006.5	1,786.7	517.8
1500	JB2-W	5,566	17,812	27.63	9.87	17.76	59.5	1,758.5	3,163.1	1,060.2
1512	JB2-W	19,009	60,828	21.77	7.15	14.62	59.3	4,346.9	8,895.1	3,604.3
1525	JB2-W	8,643	27,656	27.32	10.16	17.16	63.6	2,811.3	4,745.3	1,758.8
1537	JB2-W	5,123	16,394	35.66	12.67	22.99	92.7	2,077.6	3,768.7	1,519.8
1550	JB2-W	2,125	6,800	22.85	7.76	15.10	126.0	527.6	1,026.6	857.0
1562	JB2-W	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1575	JB2-W	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1587	JB2-W	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1600	JB2-W	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1612	JB2-W	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1625	JB2-W	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
TOTAL/AVERAGE		50,048	160,154	25.87	9.17	16.70	65.3	14,681	26,748	10,459

JEWELBOX HILL IN-SITU, PRE-MINING, MINERAL INVENTORY -- SUMMARY BY ZONE & SECTION

"A" Class of mineralization only (i.e., "proven + probable"), sulphides only, thick and thin zones

SECTION	ZONE	VOLUME (cu.m.)	TONNAGE (tonnes)	Pb+Zn (wt.%)	Pb (wt.%)	Zn (wt.%)	Ag (g/t)	LEAD (tonnes)	ZINC (tonnes)	SILVER (kg.)
1237	FW	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1250	FW	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1275	FW	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1300	FW	7,215	23,089	18.71	4.82	13.89	72.5	1,113.4	3,207.7	1,673.8
1312	FW	186	595	14.84	5.33	9.51	129.6	31.7	56.6	77.2
1325	FW	2,630	8,417	14.27	3.73	10.54	45.3	314.3	886.9	381.4
1337	FW	2,493	7,976	17.66	5.28	12.38	50.0	421.2	987.6	398.7
1350	FW	819	2,622	17.15	5.03	12.11	64.8	132.0	317.6	169.8
1362	FW	1,442	4,615	14.77	6.47	8.30	35.7	298.5	383.1	164.9
1375	FW	5,608	17,944	15.44	5.74	9.70	89.0	1,030.2	1,741.1	1,597.0
1387	FW	230	734	14.54	6.37	8.17	43.7	46.7	60.0	32.1
1400	FW	5,843	18,697	16.88	5.72	11.16	258.4	1,069.9	2,086.4	4,830.8
1412	FW	1,364	4,364	23.96	5.00	18.96	73.3	218.2	827.4	319.7
1425	FW	3,950	12,641	19.51	4.77	14.74	82.8	603.2	1,863.7	1,046.7
1437	FW	5,130	16,417	21.71	6.07	15.64	85.9	996.7	2,567.1	1,410.1
1450	FW	3,331	10,660	18.90	7.69	11.21	56.2	820.1	1,194.8	599.0
1462	FW	490	1,566	17.75	8.22	9.53	14.0	128.7	149.2	21.9
1475	FW	970	3,102	18.91	7.59	11.31	102.2	235.6	351.0	317.2
1487	FW	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1500	FW	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1512	FW	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1525	FW	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1537	FW	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1550	FW	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1562	FW	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1575	FW	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1587	FW	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1600	FW	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1612	FW	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1625	FW	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
TOTAL/AVERAGE		41,700	133,441	18.09	5.59	12.50	97.7	7,461	16,680	13,040

JEWELBOX HILL IN-SITU, PRE-MINING, MINERAL INVENTORY -- SUMMARY BY ZONE & SECTION

"A" Class of mineralization only (i.e., "proven + probable"), sulphides only, thick and thin zones

SECTION	ZONE	VOLUME (cu.m.)	TONNAGE (tonnes)	Pb+Zn (wt.%)	Pb (wt.%)	Zn (wt.%)	Ag (g/t)	LEAD (tonnes)	ZINC (tonnes)	SILVER (kg.)
1237	AB	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1250	AB	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1275	AB	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1300	AB	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1312	AB	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1325	AB	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1337	AB	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1350	AB	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1362	AB	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1375	AB	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1387	AB	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1400	AB	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1412	AB	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1425	AB	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1437	AB	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1450	AB	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1462	AB	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1475	AB	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1487	AB	2,016	6,450	27.70	9.59	18.10	50.5	618.8	1,167.8	325.8
1500	AB	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1512	AB	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1525	AB	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1537	AB	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1550	AB	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1562	AB	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1575	AB	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1587	AB	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1600	AB	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1612	AB	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1625	AB	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
TOTAL/AVERAGE		2,016	6,450	27.70	9.59	18.10	50.5	619	1,168	326

JEWELBOX HILL IN-SITU, PRE-MINING, MINERAL INVENTORY -- SUMMARY BY ZONE & SECTION

"A" Class of mineralization only (i.e., "proven + probable"), sulphides only, thick and thin zones

SECTION	ZONE	VOLUME (cu.m.)	TONNAGE (tonnes)	Pb+Zn (wt.%)	Pb (wt.%)	Zn (wt.%)	Ag (g/t)	LEAD (tonnes)	ZINC (tonnes)	SILVER (kg.)
1237	UNKN	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1250	UNKN	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1275	UNKN	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1300	UNKN	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1312	UNKN	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1325	UNKN	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1337	UNKN	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1350	UNKN	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1362	UNKN	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1375	UNKN	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1387	UNKN	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1400	UNKN	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1412	UNKN	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1425	UNKN	293	936	12.59	3.25	9.34	17.2	30.4	87.4	16.1
1437	UNKN	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1450	UNKN	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1462	UNKN	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1475	UNKN	190	609	17.57	7.43	10.14	40.1	45.2	61.7	24.4
1487	UNKN	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1500	UNKN	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1512	UNKN	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1525	UNKN	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1537	UNKN	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1550	UNKN	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1562	UNKN	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1575	UNKN	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1587	UNKN	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1600	UNKN	1,228	3,928	15.54	3.87	11.67	65.4	151.9	458.3	256.9
1612	UNKN	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1625	UNKN	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
TOTAL/AVERAGE		1,710	5,473	15.26	4.16	11.10	54.3	228	607	297

APPENDIX O-2

SUMMARY BY EACH ZONE FOR EACH SECTION

JEWELBOX HILL IN-SITU, PRE-MINING, MINERAL INVENTORY -- SUMMARY BY ZONE & SECTION

"A" Class of mineralization only (i.e., "proven + probable"), sulphides only, thick and thin zones

SECTION	ZONE	VOLUME (cu.m.)	TONNAGE (tonnes)	Pb+Zn (wt.%)	Pb (wt.%)	Zn (wt.%)	Ag (g/t)	LEAD (tonnes)	ZINC (tonnes)	SILVER (kg.)
1237	J1	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1237	JB1	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1237	JB1-L	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1237	POD	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1237	CHIMNEY	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1237	M1	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1237	M2	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1237	JB2-E	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1237	JB2-L	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1237	JB2-W	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1237	FW	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1237	AB	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1237	UNKN	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
TOTAL/AVERAGE		0	0	ERR	ERR	ERR	ERR	0	0	0

JEWELBOX HILL IN-SITU, PRE-MINING, MINERAL INVENTORY -- SUMMARY BY ZONE & SECTION

"A" Class of mineralization only (i.e., "proven + probable"), sulphides only, thick and thin zones

SECTION	ZONE	VOLUME (cu.m.)	TONNAGE (tonnes)	Pb+Zn (wt.%)	Pb (wt.%)	Zn (wt.%)	Ag (g/t)	LEAD (tonnes)	ZINC (tonnes)	SILVER (kg.)
1250	J1	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1250	JB1	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1250	JB1-L	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1250	POD	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1250	CHIMNEY	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1250	M1	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1250	M2	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1250	JB2-E	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1250	JB2-L	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1250	JB2-W	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1250	FW	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1250	AB	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1250	UNKN	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
TOTAL/AVERAGE		0	0	ERR	ERR	ERR	ERR	0	0	0

JEWELBOX HILL IN-SITU, PRE-MINING, MINERAL INVENTORY -- SUMMARY BY ZONE & SECTION

"A" Class of mineralization only (i.e., "proven + probable"), sulphides only, thick and thin zones

SECTION	ZONE	VOLUME (cu.m.)	TONNAGE (tonnes)	Pb+Zn (wt.%)	Pb (wt.%)	Zn (wt.%)	Ag (g/t)	LEAD (tonnes)	ZINC (tonnes)	SILVER (kg.)
1275	J1	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1275	JB1	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1275	JB1-L	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1275	POD	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1275	CHIMNEY	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1275	M1	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1275	M2	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1275	JB2-E	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1275	JB2-L	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1275	JB2-W	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1275	FW	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1275	AB	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1275	UNKN	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
TOTAL/AVERAGE		0	0	ERR	ERR	ERR	ERR	0	0	0

JEWELBOX HILL IN-SITU, PRE-MINING, MINERAL INVENTORY -- SUMMARY BY ZONE & SECTION

"A" Class of mineralization only (i.e., "proven + probable"), sulphides only, thick and thin zones

SECTION	ZONE	VOLUME (cu.m.)	TONNAGE (tonnes)	Pb+Zn (wt.%)	Pb (wt.%)	Zn (wt.%)	Ag (g/t)	LEAD (tonnes)	ZINC (tonnes)	SILVER (kg.)
1300	J1	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1300	JB1	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1300	JB1-L	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1300	POD	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1300	CHIMNEY	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1300	M1	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1300	M2	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1300	JB2-E	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1300	JB2-L	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1300	JB2-W	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1300	FW	7,215	23,089	18.71	4.82	13.89	72.5	1,113.4	3,207.7	1,673.8
1300	AB	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1300	UNKN	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
TOTAL/AVERAGE		7,215	23,089	18.71	4.82	13.89	72.5	1,113	3,208	1,674

JEWELBOX HILL IN-SITU, PRE-MINING, MINERAL INVENTORY -- SUMMARY BY ZONE & SECTION

"A" Class of mineralization only (i.e., "proven + probable"), sulphides only, thick and thin zones

SECTION	ZONE	VOLUME (cu.m.)	TONNAGE (tonnes)	Pb+Zn (wt.%)	Pb (wt.%)	Zn (wt.%)	Ag (g/t)	LEAD (tonnes)	ZINC (tonnes)	SILVER (kg.)
1312	J1	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1312	JB1	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1312	JB1-L	399	1,275	15.14	6.21	8.92	31.7	79.2	113.8	40.4
1312	POD	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1312	CHIMNEY	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1312	M1	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1312	M2	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1312	JB2-E	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1312	JB2-L	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1312	JB2-W	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1312	FW	186	595	14.84	5.33	9.51	129.6	31.7	56.6	77.2
1312	AB	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1312	UNKN	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
TOTAL/AVERAGE		585	1,871	15.04	5.93	9.11	62.9	111	170	118

JEWELBOX HILL IN-SITU, PRE-MINING, MINERAL INVENTORY -- SUMMARY BY ZONE & SECTION

"A" Class of mineralization only (i.e., "proven + probable"), sulphides only, thick and thin zones

SECTION	ZONE	VOLUME (cu.m.)	TONNAGE (tonnes)	Pb+Zn (wt.%)	Pb (wt.%)	Zn (wt.%)	Ag (g/t)	LEAD (tonnes)	ZINC (tonnes)	SILVER (kg.)
1325	J1	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1325	JB1	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1325	JB1-L	453	1,448	17.42	7.73	9.70	37.4	111.9	140.4	54.2
1325	POD	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1325	CHIMNEY	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1325	M1	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1325	M2	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1325	JB2-E	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1325	JB2-L	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1325	JB2-W	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1325	FW	2,630	8,417	14.27	3.73	10.54	45.3	314.3	886.9	381.4
1325	AB	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1325	UNKN	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
TOTAL/AVERAGE		3,083	9,866	14.73	4.32	10.41	44.1	426	1,027	436

JEWELBOX HILL IN-SITU, PRE-MINING, MINERAL INVENTORY -- SUMMARY BY ZONE & SECTION

"A" Class of mineralization only (i.e., "proven + probable"), sulphides only, thick and thin zones

SECTION	ZONE	VOLUME (cu.m.)	TONNAGE (tonnes)	Pb+Zn (wt.%)	Pb (wt.%)	Zn (wt.%)	Ag (g/t)	LEAD (tonnes)	ZINC (tonnes)	SILVER (kg.)
1337	J1	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1337	JB1	1,490	4,767	17.94	6.78	11.16	36.4	323.2	531.8	173.4
1337	JB1-L	1,271	4,067	20.43	8.11	12.32	42.7	329.9	501.2	173.5
1337	POD	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1337	CHIMNEY	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1337	M1	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1337	M2	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1337	JB2-E	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1337	JB2-L	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1337	JB2-W	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1337	FW	2,493	7,976	17.66	5.28	12.38	50.0	421.2	987.6	398.7
1337	AB	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1337	UNKN	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
TOTAL/AVERAGE		5,253	16,810	18.41	6.39	12.02	44.4	1,074	2,021	746

JEWELBOX HILL IN-SITU, PRE-MINING, MINERAL INVENTORY -- SUMMARY BY ZONE & SECTION

"A" Class of mineralization only (i.e., "proven + probable"), sulphides only, thick and thin zones

SECTION	ZONE	VOLUME (cu.m.)	TONNAGE (tonnes)	Pb+Zn (wt.%)	Pb (wt.%)	Zn (wt.%)	Ag (g/t)	LEAD (tonnes)	ZINC (tonnes)	SILVER (kg.)
1350	J1	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1350	JB1	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1350	JB1-L	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1350	POD	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1350	CHIMNEY	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1350	M1	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1350	M2	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1350	JB2-E	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1350	JB2-L	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1350	JB2-W	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1350	FW	819	2,622	17.15	5.03	12.11	64.8	132.0	317.6	169.8
1350	AB	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1350	UNKN	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
TOTAL/AVERAGE		819	2,622	17.15	5.03	12.11	64.8	132	318	170

JEWELBOX HILL IN-SITU, PRE-MINING, MINERAL INVENTORY -- SUMMARY BY ZONE & SECTION

"A" Class of mineralization only (i.e., "proven + probable"), sulphides only, thick and thin zones

SECTION	ZONE	VOLUME (cu.m.)	TONNAGE (tonnes)	Pb+Zn (wt.%)	Pb (wt.%)	Zn (wt.%)	Ag (g/t)	LEAD (tonnes)	ZINC (tonnes)	SILVER (kg.)
1362	J1	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1362	JB1	3,181	10,178	25.49	9.73	15.76	42.8	990.1	1,603.9	435.5
1362	JB1-L	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1362	POD	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1362	CHIMNEY	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1362	M1	304	972	16.59	6.73	9.87	33.2	65.4	95.9	32.3
1362	M2	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1362	JB2-E	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1362	JB2-L	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1362	JB2-W	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1362	FW	1,442	4,615	14.77	6.47	8.30	35.7	298.5	383.1	164.9
1362	AB	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1362	UNKN	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
TOTAL/AVERAGE		4,927	15,765	21.80	8.59	13.21	40.1	1,354	2,083	633

JEWELBOX HILL IN-SITU, PRE-MINING, MINERAL INVENTORY -- SUMMARY BY ZONE & SECTION

"A" Class of mineralization only (i.e., "proven + probable"), sulphides only, thick and thin zones

SECTION	ZONE	VOLUME (cu.m.)	TONNAGE (tonnes)	Pb+Zn (wt.%)	Pb (wt.%)	Zn (wt.%)	Ag (g/t)	LEAD (tonnes)	ZINC (tonnes)	SILVER (kg.)
1375	J1	823	2,634	16.44	8.62	7.82	48.5	227.1	206.0	127.7
1375	JB1	1,657	5,303	15.74	7.36	8.38	37.9	390.1	444.5	200.9
1375	JB1-L	1,422	4,549	23.51	9.38	14.13	46.4	426.7	642.7	211.0
1375	POD	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1375	CHIMNEY	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1375	M1	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1375	M2	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1375	JB2-E	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1375	JB2-L	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1375	JB2-W	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1375	FW	5,608	17,944	15.44	5.74	9.70	89.0	1,030.2	1,741.1	1,597.0
1375	AB	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1375	UNKN	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
TOTAL/AVERAGE		9,510	30,431	16.79	6.82	9.97	70.2	2,074	3,034	2,137

JEWELBOX HILL IN-SITU, PRE-MINING, MINERAL INVENTORY -- SUMMARY BY ZONE & SECTION

"A" Class of mineralization only (i.e., "proven + probable"), sulphides only, thick and thin zones

SECTION	ZONE	VOLUME (cu.m.)	TONNAGE (tonnes)	Pb+Zn (wt.%)	Pb (wt.%)	Zn (wt.%)	Ag (g/t)	LEAD (tonnes)	ZINC (tonnes)	SILVER (kg.)
1387	J1	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1387	JB1	1,810	5,791	17.11	7.21	9.90	31.5	417.5	573.2	182.5
1387	JB1-L	246	788	17.05	6.94	10.12	38.1	54.6	79.7	30.0
1387	POD	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1387	CHIMNEY	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1387	M1	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1387	M2	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1387	JB2-E	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1387	JB2-L	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1387	JB2-W	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1387	FW	230	734	14.54	6.37	8.17	43.7	46.7	60.0	32.1
1387	AB	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1387	UNKN	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
TOTAL/AVERAGE		2,285	7,313	16.84	7.10	9.75	33.5	519	713	245

JEWELBOX HILL IN-SITU, PRE-MINING, MINERAL INVENTORY -- SUMMARY BY ZONE & SECTION

"A" Class of mineralization only (i.e., "proven + probable"), sulphides only, thick and thin zones

SECTION	ZONE	VOLUME (cu.m.)	TONNAGE (tonnes)	Pb+Zn (wt.%)	Pb (wt.%)	Zn (wt.%)	Ag (g/t)	LEAD (tonnes)	ZINC (tonnes)	SILVER (kg.)
1400	J1	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1400	JB1	1,225	3,918	17.27	7.47	9.80	26.2	292.6	384.0	102.8
1400	JB1-L	1,714	5,483	14.58	6.47	8.11	28.7	354.9	444.6	157.5
1400	POD	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1400	CHIMNEY	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1400	M1	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1400	M2	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1400	JB2-E	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1400	JB2-L	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1400	JB2-W	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1400	FW	5,843	18,697	16.88	5.72	11.16	48.8	1,069.9	2,086.4	913.1
1400	AB	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1400	UNKN	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
TOTAL/AVERAGE		8,781	28,098	16.49	6.11	10.37	41.8	1,717	2,915	1,173

JEWELBOX HILL IN-SITU, PRE-MINING, MINERAL INVENTORY -- SUMMARY BY ZONE & SECTION

"A" Class of mineralization only (i.e., "proven + probable"), sulphides only, thick and thin zones

SECTION	ZONE	VOLUME (cu.m.)	TONNAGE (tonnes)	Pb+Zn (wt.%)	Pb (wt.%)	Zn (wt.%)	Ag (g/t)	LEAD (tonnes)	ZINC (tonnes)	SILVER (kg.)
1412	J1	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1412	JB1	189	606	21.59	9.25	12.34	49.0	56.1	74.8	29.7
1412	JB1-L	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1412	POD	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1412	CHIMNEY	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1412	M1	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1412	M2	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1412	JB2-E	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1412	JB2-L	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1412	JB2-W	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1412	FW	1,364	4,364	23.96	5.00	18.96	73.3	218.2	827.4	319.7
1412	AB	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1412	UNKN	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
TOTAL/AVERAGE		1,553	4,970	23.67	5.52	18.15	70.3	274	902	349

JEWELBOX HILL IN-SITU, PRE-MINING, MINERAL INVENTORY -- SUMMARY BY ZONE & SECTION

"A" Class of mineralization only (i.e., "proven + probable"), sulphides only, thick and thin zones

SECTION	ZONE	VOLUME (cu.m.)	TONNAGE (tonnes)	Pb+Zn (wt.%)	Pb (wt.%)	Zn (wt.%)	Ag (g/t)	LEAD (tonnes)	ZINC (tonnes)	SILVER (kg.)
1425	J1	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1425	JB1	3,378	10,808	16.36	5.65	10.71	25.0	610.5	1,157.3	270.5
1425	JB1-L	1,150	3,679	18.27	7.77	10.50	40.6	286.0	386.2	149.3
1425	POD	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1425	CHIMNEY	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1425	M1	767	2,456	12.86	5.39	7.47	23.7	132.3	183.5	58.3
1425	M2	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1425	JB2-E	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1425	JB2-L	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1425	JB2-W	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1425	FW	3,950	12,641	19.51	4.77	14.74	82.8	603.2	1,863.7	1,046.7
1425	AB	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1425	UNKN	293	936	12.59	3.25	9.34	17.2	30.4	87.4	16.1
TOTAL/AVERAGE		9,538	30,521	17.50	5.45	12.05	50.5	1,662	3,678	1,541

JEWELBOX HILL IN-SITU, PRE-MINING, MINERAL INVENTORY -- SUMMARY BY ZONE & SECTION

"A" Class of mineralization only (i.e., "proven + probable"), sulphides only, thick and thin zones

SECTION	ZONE	VOLUME (cu.m.)	TONNAGE (tonnes)	Pb+Zn (wt.%)	Pb (wt.%)	Zn (wt.%)	Ag (g/t)	LEAD (tonnes)	ZINC (tonnes)	SILVER (kg.)
1437	J1	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1437	JB1	3,370	10,783	14.99	5.88	9.11	37.7	633.9	982.3	406.5
1437	JB1-L	894	2,862	12.44	4.72	7.72	21.9	135.1	220.8	62.8
1437	POD	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1437	CHIMNEY	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1437	M1	1,120	3,585	17.21	7.08	10.12	32.1	253.9	362.9	115.2
1437	M2	3,421	10,946	12.20	4.76	7.43	70.3	521.3	813.7	769.1
1437	JB2-E	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1437	JB2-L	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1437	JB2-W	156	500	12.60	5.49	7.11	21.6	27.5	35.6	10.8
1437	FW	5,130	16,417	21.71	6.07	15.64	85.9	996.7	2,567.1	1,410.1
1437	AB	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1437	UNKN	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
TOTAL/AVERAGE		14,092	45,093	16.74	5.70	11.05	61.5	2,568	4,982	2,774

JEWELBOX HILL IN-SITU, PRE-MINING, MINERAL INVENTORY -- SUMMARY BY ZONE & SECTION

"A" Class of mineralization only (i.e., "proven + probable"), sulphides only, thick and thin zones

SECTION	ZONE	VOLUME (cu.m.)	TONNAGE (tonnes)	Pb+Zn (wt.%)	Pb (wt.%)	Zn (wt.%)	Ag (g/t)	LEAD (tonnes)	ZINC (tonnes)	SILVER (kg.)
1450	J1	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1450	JB1	2,212	7,079	20.16	8.59	11.58	43.1	607.8	819.6	305.4
1450	JB1-L	1,121	3,588	26.63	11.67	14.96	49.8	418.7	536.6	178.8
1450	POD	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1450	CHIMNEY	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1450	M1	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1450	M2	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1450	JB2-E	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1450	JB2-L	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1450	JB2-W	900	2,881	19.07	6.27	12.80	36.3	180.6	368.7	104.5
1450	FW	3,331	10,660	18.90	7.69	11.21	56.2	820.1	1,194.8	599.0
1450	AB	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1450	UNKN	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
TOTAL/AVERAGE		7,565	24,207	20.44	8.37	12.06	49.1	2,027	2,920	1,188

JEWELBOX HILL IN-SITU, PRE-MINING, MINERAL INVENTORY -- SUMMARY BY ZONE & SECTION

"A" Class of mineralization only (i.e., "proven + probable"), sulphides only, thick and thin zones

SECTION	ZONE	VOLUME (cu.m.)	TONNAGE (tonnes)	Pb+Zn (wt.%)	Pb (wt.%)	Zn (wt.%)	Ag (g/t)	LEAD (tonnes)	ZINC (tonnes)	SILVER (kg.)
1462	J1	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1462	JB1	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1462	JB1-L	3,001	9,603	23.32	10.26	13.05	52.8	985.4	1,253.5	507.2
1462	POD	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1462	CHIMNEY	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1462	M1	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1462	M2	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1462	JB2-E	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1462	JB2-L	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1462	JB2-W	1,540	4,927	25.06	10.33	14.73	48.6	509.1	725.7	239.4
1462	FW	490	1,566	17.75	8.22	9.53	14.0	128.7	149.2	21.9
1462	AB	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1462	UNKN	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
TOTAL/AVERAGE		5,030	16,096	23.31	10.08	13.22	47.7	1,623	2,128	769

JEWELBOX HILL IN-SITU, PRE-MINING, MINERAL INVENTORY -- SUMMARY BY ZONE & SECTION

"A" Class of mineralization only (i.e., "proven + probable"), sulphides only, thick and thin zones

SECTION	ZONE	VOLUME (cu.m.)	TONNAGE (tonnes)	Pb+Zn (wt.%)	Pb (wt.%)	Zn (wt.%)	Ag (g/t)	LEAD (tonnes)	ZINC (tonnes)	SILVER (kg.)
1475	J1	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1475	JB1	3,030	9,696	12.51	5.31	7.20	24.5	514.9	697.7	238.0
1475	JB1-L	1,345	4,304	19.17	7.93	11.23	34.1	341.4	483.4	146.6
1475	POD	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1475	CHIMNEY	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1475	M1	730	2,335	10.72	5.83	4.89	24.0	136.2	114.2	56.1
1475	M2	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1475	JB2-E	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1475	JB2-L	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1475	JB2-W	4,436	14,194	25.84	10.11	15.73	55.4	1,435.5	2,232.2	786.5
1475	FW	970	3,102	18.91	7.59	11.31	102.2	235.6	351.0	317.2
1475	AB	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1475	UNKN	190	609	17.57	7.43	10.14	40.1	45.2	61.7	24.4
TOTAL/AVERAGE		10,700	34,240	19.42	7.91	11.51	45.8	2,709	3,940	1,569

JEWELBOX HILL IN-SITU, PRE-MINING, MINERAL INVENTORY -- SUMMARY BY ZONE & SECTION

"A" Class of mineralization only (i.e., "proven + probable"), sulphides only, thick and thin zones

SECTION	ZONE	VOLUME (cu.m.)	TONNAGE (tonnes)	Pb+Zn (wt.%)	Pb (wt.%)	Zn (wt.%)	Ag (g/t)	LEAD (tonnes)	ZINC (tonnes)	SILVER (kg.)
1487	J1	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1487	JB1	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1487	JB1-L	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1487	POD	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1487	CHIMNEY	6,967	22,294	14.65	5.78	8.87	25.2	1,289.1	1,977.8	562.1
1487	M1	708	2,266	20.30	8.47	11.83	31.0	192.0	268.1	70.4
1487	M2	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1487	JB2-E	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1487	JB2-L	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1487	JB2-W	2,551	8,162	34.22	12.33	21.89	63.4	1,006.5	1,786.7	517.8
1487	FW	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1487	AB	2,016	6,450	27.70	9.59	18.10	50.5	618.8	1,167.8	325.8
1487	UNKN	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
TOTAL/AVERAGE		12,241	39,171	21.21	7.93	13.28	37.7	3,106	5,200	1,476

JEWELBOX HILL IN-SITU, PRE-MINING, MINERAL INVENTORY -- SUMMARY BY ZONE & SECTION

"A" Class of mineralization only (i.e., "proven + probable"), sulphides only, thick and thin zones

SECTION	ZONE	VOLUME (cu.m.)	TONNAGE (tonnes)	Pb+Zn (wt.%)	Pb (wt.%)	Zn (wt.%)	Ag (g/t)	LEAD (tonnes)	ZINC (tonnes)	SILVER (kg.)
1500	J1	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1500	JB1	810	2,593	12.94	5.76	7.18	32.0	149.4	186.2	83.0
1500	JB1-L	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1500	POD	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1500	CHIMNEY	26,648	85,274	26.05	10.62	15.44	65.8	9,052.0	13,164.4	5,613.6
1500	M1	274	876	13.50	4.88	8.62	25.0	42.7	75.5	21.9
1500	M2	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1500	JB2-E	3,679	11,772	22.96	8.78	14.17	82.7	1,034.1	1,668.5	973.2
1500	JB2-L	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1500	JB2-W	5,566	17,812	27.63	9.87	17.76	59.5	1,758.5	3,163.1	1,060.2
1500	FW	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1500	AB	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1500	UNKN	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
TOTAL/AVERAGE		36,977	118,327	25.60	10.17	15.43	65.5	12,037	18,258	7,752

JEWELBOX HILL IN-SITU, PRE-MINING, MINERAL INVENTORY -- SUMMARY BY ZONE & SECTION

"A" Class of mineralization only (i.e., "proven + probable"), sulphides only, thick and thin zones

SECTION	ZONE	VOLUME (cu.m.)	TONNAGE (tonnes)	Pb+Zn (wt.%)	Pb (wt.%)	Zn (wt.%)	Ag (g/t)	LEAD (tonnes)	ZINC (tonnes)	SILVER (kg.)
1512	J1	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1512	JB1	5,424	17,356	21.94	8.12	13.81	40.1	1,409.8	2,397.4	696.5
1512	JB1-L	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1512	POD	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1512	CHIMNEY	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1512	M1	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1512	M2	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1512	JB2-E	9,428	30,169	20.74	7.94	12.80	55.2	2,396.5	3,861.1	1,666.4
1512	JB2-L	1,055	3,375	13.01	3.44	9.57	60.8	116.2	322.9	205.3
1512	JB2-W	19,009	60,828	21.77	7.15	14.62	59.3	4,346.9	8,895.1	3,604.3
1512	FW	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1512	AB	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1512	UNKN	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
TOTAL/AVERAGE		34,915	111,728	21.25	7.40	13.85	55.2	8,269	15,476	6,173

JEWELBOX HILL IN-SITU, PRE-MINING, MINERAL INVENTORY -- SUMMARY BY ZONE & SECTION

"A" Class of mineralization only (i.e., "proven + probable"), sulphides only, thick and thin zones

SECTION	ZONE	VOLUME (cu.m.)	TONNAGE (tonnes)	Pb+Zn (wt.%)	Pb (wt.%)	Zn (wt.%)	Ag (g/t)	LEAD (tonnes)	ZINC (tonnes)	SILVER (kg.)
1525	J1	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1525	JB1	4,610	14,754	18.52	6.41	12.11	37.7	945.5	1,787.1	555.6
1525	JB1-L	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1525	POD	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1525	CHIMNEY	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1525	M1	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1525	M2	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1525	JB2-E	10,427	33,368	17.56	7.36	10.20	118.7	2,456.1	3,402.3	3,960.5
1525	JB2-L	3,568	11,417	19.81	6.28	13.53	40.3	717.2	1,544.6	459.7
1525	JB2-W	8,643	27,656	27.32	10.16	17.16	63.6	2,811.3	4,745.3	1,758.8
1525	FW	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1525	AB	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1525	UNKN	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
TOTAL/AVERAGE		27,248	87,194	21.11	7.95	13.17	77.2	6,930	11,479	6,735

JEWELBOX HILL IN-SITU, PRE-MINING, MINERAL INVENTORY -- SUMMARY BY ZONE & SECTION

"A" Class of mineralization only (i.e., "proven + probable"), sulphides only, thick and thin zones

SECTION	ZONE	VOLUME (cu.m.)	TONNAGE (tonnes)	Pb+Zn (wt.%)	Pb (wt.%)	Zn (wt.%)	Ag (g/t)	LEAD (tonnes)	ZINC (tonnes)	SILVER (kg.)
1537 J1		0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1537 JB1		1,368	4,376	9.30	3.06	6.24	17.4	134.0	273.1	76.3
1537 JB1-L		0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1537 POD		0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1537 CHIMNEY		0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1537 M1		0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1537 M2		0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1537 JB2-E		6,492	20,775	19.19	7.29	11.89	60.4	1,514.6	2,471.1	1,255.1
1537 JB2-L		0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1537 JB2-W		5,123	16,394	35.66	12.67	22.99	92.7	2,077.6	3,768.7	1,519.8
1537 FW		0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1537 AB		0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1537 UNKN		0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
TOTAL/AVERAGE		12,983	41,545	24.65	8.97	15.68	68.6	3,726	6,513	2,851

JEWELBOX HILL IN-SITU, PRE-MINING, MINERAL INVENTORY -- SUMMARY BY ZONE & SECTION

"A" Class of mineralization only (i.e., "proven + probable"), sulphides only, thick and thin zones

SECTION	ZONE	VOLUME (cu.m.)	TONNAGE (tonnes)	Pb+Zn (wt.%)	Pb (wt.%)	Zn (wt.%)	Ag (g/t)	LEAD (tonnes)	ZINC (tonnes)	SILVER (kg.)
1550	J1	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1550	JB1	4,599	14,717	21.34	8.38	12.97	44.3	1,232.7	1,908.7	651.9
1550	JB1-L	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1550	POD	7,226	23,124	21.27	8.83	12.44	47.3	2,042.2	2,877.4	1,093.0
1550	CHIMNEY	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1550	M1	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1550	M2	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1550	JB2-E	6,350	20,320	22.65	8.34	14.31	50.4	1,695.4	2,907.1	1,024.6
1550	JB2-L	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1550	JB2-W	2,125	6,800	22.85	7.76	15.10	126.0	527.6	1,026.6	857.0
1550	FW	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1550	AB	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1550	UNKN	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
TOTAL/AVERAGE		20,300	64,961	21.89	8.46	13.42	55.8	5,498	8,720	3,627

JEWELBOX HILL IN-SITU, PRE-MINING, MINERAL INVENTORY -- SUMMARY BY ZONE & SECTION

"A" Class of mineralization only (i.e., "proven + probable"), sulphides only, thick and thin zones

SECTION	ZONE	VOLUME (cu.m.)	TONNAGE (tonnes)	Pb+Zn (wt.%)	Pb (wt.%)	Zn (wt.%)	Ag (g/t)	LEAD (tonnes)	ZINC (tonnes)	SILVER (kg.)
1562	J1	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1562	JB1	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1562	JB1-L	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1562	POD	10,123	32,393	26.98	12.75	14.23	162.2	4,130.9	4,609.3	5,255.2
1562	CHIMNEY	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1562	M1	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1562	M2	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1562	JB2-E	9,830	31,457	24.38	9.96	14.43	92.2	3,132.1	4,538.4	2,901.8
1562	JB2-L	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1562	JB2-W	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1562	FW	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1562	AB	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1562	UNKN	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
TOTAL/AVERAGE		19,953	63,850	25.70	11.37	14.33	127.8	7,263	9,148	8,157

JEWELBOX HILL IN-SITU, PRE-MINING, MINERAL INVENTORY -- SUMMARY BY ZONE & SECTION

"A" Class of mineralization only (i.e., "proven + probable"), sulphides only, thick and thin zones

SECTION	ZONE	VOLUME (cu.m.)	TONNAGE (tonnes)	Pb+Zn (wt.%)	Pb (wt.%)	Zn (wt.%)	Ag (g/t)	LEAD (tonnes)	ZINC (tonnes)	SILVER (kg.)
1575	J1	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1575	JB1	1,128	3,608	18.36	6.78	11.58	38.4	244.7	417.8	138.6
1575	JB1-L	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1575	POD	12,395	39,663	25.19	10.14	15.06	58.4	4,020.0	5,972.9	2,316.4
1575	CHIMNEY	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1575	M1	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1575	M2	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1575	JB2-E	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1575	JB2-L	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1575	JB2-W	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1575	FW	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1575	AB	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1575	UNKN	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
TOTAL/AVERAGE		13,522	43,271	24.62	9.86	14.77	56.7	4,265	6,391	2,455

JEWELBOX HILL IN-SITU, PRE-MINING, MINERAL INVENTORY -- SUMMARY BY ZONE & SECTION

"A" Class of mineralization only (i.e., "proven + probable"), sulphides only, thick and thin zones

SECTION	ZONE	VOLUME (cu.m.)	TONNAGE (tonnes)	Pb+Zn (wt.%)	Pb (wt.%)	Zn (wt.%)	Ag (g/t)	LEAD (tonnes)	ZINC (tonnes)	SILVER (kg.)
1587 J1		0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1587 JB1		0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1587 JB1-L		0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1587 POD		4,555	14,575	21.49	8.89	12.61	50.5	1,295.3	1,837.5	735.7
1587 CHIMNEY		0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1587 M1		0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1587 M2		0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1587 JB2-E		1,162	3,717	16.37	3.18	13.18	78.0	118.3	490.0	289.8
1587 JB2-L		0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1587 JB2-W		0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1587 FW		0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1587 AB		0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1587 UNKN		0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
TOTAL/AVERAGE		5,716	18,292	20.45	7.73	12.72	56.1	1,414	2,328	1,025

JEWELBOX HILL IN-SITU, PRE-MINING, MINERAL INVENTORY -- SUMMARY BY ZONE & SECTION

"A" Class of mineralization only (i.e., "proven + probable"), sulphides only, thick and thin zones

SECTION	ZONE	VOLUME (cu.m.)	TONNAGE (tonnes)	Pb+Zn (wt.%)	Pb (wt.%)	Zn (wt.%)	Ag (g/t)	LEAD (tonnes)	ZINC (tonnes)	SILVER (kg.)
1600	J1	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1600	JB1	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1600	JB1-L	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1600	POD	5,053	16,168	23.14	9.80	13.34	49.1	1,584.4	2,156.2	793.8
1600	CHIMNEY	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1600	M1	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1600	M2	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1600	JB2-E	48	154	17.91	6.90	11.01	67.7	10.6	17.0	10.4
1600	JB2-L	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1600	JB2-W	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1600	FW	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1600	AB	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1600	UNKN	1,228	3,928	15.54	3.87	11.67	65.4	151.9	458.3	256.9
TOTAL/AVERAGE		6,328	20,250	21.62	8.63	12.99	52.4	1,747	2,631	1,061

JEWELBOX HILL IN-SITU, PRE-MINING, MINERAL INVENTORY -- SUMMARY BY ZONE & SECTION

"A" Class of mineralization only (i.e., "proven + probable"), sulphides only, thick and thin zones

SECTION	ZONE	VOLUME (cu.m.)	TONNAGE (tonnes)	Pb+Zn (wt.%)	Pb (wt.%)	Zn (wt.%)	Ag (g/t)	LEAD (tonnes)	ZINC (tonnes)	SILVER (kg.)
1612	J1	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1612	JB1	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1612	JB1-L	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1612	POD	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1612	CHIMNEY	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1612	M1	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1612	M2	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1612	JB2-E	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1612	JB2-L	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1612	JB2-W	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1612	FW	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1612	AB	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1612	UNKN	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
TOTAL/AVERAGE		0	0	ERR	ERR	ERR	ERR	0	0	0

JEWELBOX HILL IN-SITU, PRE-MINING, MINERAL INVENTORY -- SUMMARY BY ZONE & SECTION

"A" Class of mineralization only (i.e., "proven + probable"), sulphides only, thick and thin zones

SECTION	ZONE	VOLUME (cu.m.)	TONNAGE (tonnes)	Pb+Zn (wt.%)	Pb (wt.%)	Zn (wt.%)	Ag (g/t)	LEAD (tonnes)	ZINC (tonnes)	SILVER (kg.)
1625	J1	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1625	JB1	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1625	JB1-L	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1625	POD	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1625	CHIMNEY	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1625	M1	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1625	M2	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1625	JB2-E	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1625	JB2-L	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1625	JB2-W	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1625	FW	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1625	AB	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1625	UNKN	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
TOTAL/AVERAGE		0	0	ERR	ERR	ERR	ERR	0	0	0

APPENDIX O-3

LISTING OF BLOCKS BY SECTION

SECTION: 1237 Pre-mining, In-situ, Undiluted, Sulphide mineralization above 8% Pb+Zn, Only "A" or "proven plus probable" mineralization, both thin (< 2.2m. true) and thick ore

INVENTORY MATERIAL	ORE	CLASSIF.	THIN	MINING	MINING	BLOCK AREA	STRIKE	IN-SITU	BLOCK	BLOCK	Pb+Zn	LEAD	ZINC	SILVER	LEAD	ZINC	SILVER	
BLOCK	TYPE	ZONE	A=PROB+PROV	BLOCK ?	STATUS	AREA	IN SECTION	ADJUSTMENT	DENSITY	VOLUME	TONNAGE	GRADE	GRADE	GRADE	GRADE	METAL	METAL	METAL
NAME	NAME	B+POSSIBLE	(Y=<2.2m.)	(Y=MINED)	NAME	(sq. m.)	(x12.5 m.)	(tns/cu.m)	(cu. m.)	(tonnes)	(wt. %)	(wt. %)	(wt. %)	(gm/tn)	(tonnes)	(tonnes)	(kg)	

Totals and Averages for Section: 1237 ERR ERR ERR ERR ERR

SECTION: 1250 Pre-mining, In-situ, Undiluted, Sulphide mineralization above 8% Pb+Zn, Only "A" or "proven plus probable" mineralization, both thin (< 2.2m. true) and thick ore

INVENTORY BLOCK NAME	MATERIAL TYPE	ORE ZONE	CLASSIF. A=PROB+PROV B+POSSIBLE	THIN BLOCK ? (Y=<2.2m.)	MINING STATUS (Y=MINED)	MINING AREA NAME	BLOCK AREA IN SECTION (sq. m.)	STRIKE ADJUSTMENT (x12.5 m.)	IN-SITU DENSITY (tns/cu.m)	BLOCK VOLUME (cu. m.)	BLOCK TONNAGE (tonnes)	Pb+Zn GRADE (wt. %)	LEAD GRADE (wt. %)	ZINC GRADE (wt. %)	SILVER GRADE (gm/tn)	LEAD METAL (tonnes)	ZINC METAL (tonnes)	SILVER METAL (kg)
----------------------------	------------------	-------------	---------------------------------------	-------------------------------	-------------------------------	------------------------	--------------------------------------	------------------------------------	----------------------------------	-----------------------------	------------------------------	---------------------------	--------------------------	--------------------------	----------------------------	---------------------------	---------------------------	-------------------------

Totals and Averages for Section: 1250 ERR ERR ERR ERR ERR

 SECTION: 1275 Pre-mining, In-situ, Undiluted, Sulphide mineralization above 8% Pb+Zn, Only "A" or "proven plus probable" mineralization, both thin (< 2.2m. true) and thick ore

INVENTORY BLOCK	MATERIAL TYPE	ORE ZONE	CLASSIF. A=PROB+PROV B=POSSIBLE	THIN BLOCK ? (Y=<2.2m.)	MINING STATUS (Y=MINED)	MINING AREA NAME	BLOCK AREA IN SECTION (sq. m.)	STRIKE ADJUSTMENT (x12.5 m.)	IN-SITU DENSITY (tns/cu.m)	BLOCK VOLUME (cu. m.)	BLOCK TONNAGE (tonnes)	Pb+Zn GRADE (wt. %)	LEAD GRADE (wt. %)	ZINC GRADE (wt. %)	SILVER GRADE (gm/tn)	LEAD METAL (tonnes)	ZINC METAL (tonnes)	SILVER METAL (kg)
--------------------	------------------	-------------	---------------------------------------	-------------------------------	-------------------------------	------------------------	--------------------------------------	------------------------------------	----------------------------------	-----------------------------	------------------------------	---------------------------	--------------------------	--------------------------	----------------------------	---------------------------	---------------------------	-------------------------

 Totals and Averages for Section: 1275 ERR ERR ERR ERR ERR

SECTION: 1300 Pre-mining, In-situ, Undiluted, Sulphide mineralization above 8% Pb+Zn, Only "A" or "proven plus probable" mineralization, both thin (< 2.2m. true) and thick ore

INVENTORY BLOCK NAME	MATERIAL TYPE	ORE ZONE NAME	CLASSIF. A=PROB+PROV B+POSSIBLE	THIN BLOCK ? (Y=<2.2m.)	MINING STATUS (Y=MINED)	MINING AREA NAME	BLOCK AREA IN SECTION (sq. m.)	STRIKE ADJUSTMENT (x12.5 m.)	IN-SITU DENSITY (tns/cu.m)	BLOCK VOLUME (cu. m.)	BLOCK TONNAGE (tonnes)	Pb+Zn GRADE (wt. %)	LEAD GRADE (wt. %)	ZINC GRADE (wt. %)	SILVER GRADE (gm/tn)	LEAD METAL (tonnes)	ZINC METAL (tonnes)	SILVER METAL (kg)
	ORE	FW	A	N	Y	1370-3795	4.4	1.4	3.2	76.8	245.8	17.11	4.76	12.35	41.5	11.7	30.4	10.2
	ORE	FW	A	N	Y	1340-420	0.0	1.3	3.2	0.3	1.0	19.85	4.87	14.98	94.3	0.1	0.2	0.1
	ORE	FW	A	N	Y	1370-3795	12.5	1.4	3.2	219.4	702.2	17.11	4.76	12.35	41.5	33.4	86.8	29.1
	ORE	FW	A	N	Y	1340-420	78.4	1.3	3.2	1,273.8	4,076.3	19.85	4.87	14.98	94.3	198.5	610.5	384.6
	ORE	FW	A	N	Y	1370-M1	2.2	1.5	3.2	40.3	129.0	17.11	4.76	12.35	41.5	6.1	15.9	5.4
1300-7	ORE	FW	A	N	N		134.4	1.4	3.2	2,352.7	7,528.6	17.11	4.76	12.35	41.5	358.1	930.1	312.3
1300-7A	ORE	FW	A	N	N		16.8	1.4	3.2	293.1	938.0	17.11	4.76	12.35	41.5	44.6	115.9	38.9
1300-14	ORE	FW	A	N	N		181.9	1.3	3.2	2,956.4	9,460.4	19.85	4.87	14.98	94.3	460.6	1,416.9	892.5
1300-14A	ORE	FW	A	N	N		0.2	1.3	3.2	2.4	7.8	19.85	4.87	14.98	94.3	0.4	1.2	0.7

Totals and Averages for Section: 1300 3.2 7,215 23,089 18.71 4.82 13.89 72.5 1,113 3,208 1,674

SECTION: 1312 Pre-mining, In-situ, Undiluted, Sulphide mineralization above 8% Pb+Zn, Only "A" or "proven plus probable" mineralization, both thin (< 2.2m. true) and thick ore

INVENTORY BLOCK	MATERIAL TYPE	ORE ZONE	CLASSIF. A=PROB+PROV B+POSSIBLE	THIN BLOCK ? (Y=<2.2m.)	MINING STATUS (Y=MINED)	MINING AREA NAME	BLOCK AREA IN SECTION (sq. m.)	STRIKE ADJUSTMENT (x12.5 m.)	IN-SITU DENSITY (tns/cu.m)	BLOCK VOLUME (cu. m.)	BLOCK TONNAGE (tonnes)	Pb+Zn GRADE (wt. %)	LEAD GRADE (wt. %)	ZINC GRADE (wt. %)	SILVER GRADE (gm/tn)	LEAD METAL (tonnes)	ZINC METAL (tonnes)	SILVER METAL (kg)
	ORE	FW	A	N	Y	1340-420	7.8	0.9	3.2	87.2	279.0	14.84	5.33	9.51	129.6	14.9	26.5	36.2
1312-3A	ORE	FW	A	N	N		8.8	0.9	3.2	98.9	316.4	14.84	5.33	9.51	129.6	16.9	30.1	41.0
1312-1	ORE	JB1-L	A	N	N		31.9	1	3.2	398.5	1,275.2	15.14	6.21	8.92	31.7	79.2	113.8	40.4
Totals and Averages for Section:				1312					3.2	585	1,871	15.04	5.93	9.11	62.9	111	170	118

SECTION: 1325 Pre-mining, In-situ, Undiluted, Sulphide mineralization above 8% Pb+Zn, Only "A" or "proven plus probable" mineralization, both thin (< 2.2m. true) and thick ore

INVENTORY BLOCK NAME	MATERIAL TYPE	ORE ZONE NAME	CLASSIF. A=PROB+PROV B+POSSIBLE	THIN BLOCK ? (Y=<2.2m.)	MINING STATUS (Y=MINED)	MINING AREA NAME	BLOCK AREA IN SECTION (sq. m.)	STRIKE ADJUSTMENT (x12.5 m.)	IN-SITU DENSITY (tns/cu.m)	BLOCK VOLUME (cu. m.)	BLOCK TONNAGE (tonnes)	Pb+Zn GRADE (wt. %)	LEAD GRADE (wt. %)	ZINC GRADE (wt. %)	SILVER GRADE (gm/tn)	LEAD METAL (tonnes)	ZINC METAL (tonnes)	SILVER METAL (kg)
	ORE	JB1-L	A	N	Y	1370-M1	19.0	1	3.2	238.0	761.6	17.42	7.73	9.70	37.4	58.8	73.8	28.5
	ORE	FW	A	N	Y	1340-420	2.3	1	3.2	28.2	90.4	8.26	2.35	5.92	27.3	2.1	5.4	2.5
	ORE	FW	A	N	Y	1370-M1-50	26.7	1	3.2	333.5	1,067.2	15.51	3.91	11.60	44.2	41.7	123.8	47.2
	ORE	FW	A	N	Y	1370-3795	28.5	0.9	3.2	320.9	1,026.7	11.39	2.85	8.55	42.2	29.2	87.7	43.3
1325-2	ORE	JB1-L	A	N	N		17.2	1	3.2	214.6	686.8	17.42	7.73	9.70	37.4	53.1	66.6	25.7
1325-6	ORE	FW	A	N	N		74.8	1	3.2	935.4	2,993.2	15.51	3.91	11.60	44.2	116.9	347.3	132.4
1325-7	ORE	FW	A	N	N		24.6	0.9	3.2	276.8	885.6	11.39	2.85	8.55	42.2	25.2	75.7	37.4
1325-10	ORE	FW	A	N	N		58.9	1	3.2	735.6	2,354.0	14.70	4.21	10.49	50.4	99.1	247.0	118.6
Totals and Averages for Section:				1325					3.2	3,083	9,866	14.73	4.32	10.41	44.1	426	1,027	436

SECTION: 1337 Pre-mining, In-situ, Undiluted, Sulphide mineralization above 8% Pb+Zn, Only "A" or "proven plus probable" mineralization, both thin (< 2.2m. true) and thick ore

INVENTORY BLOCK NAME	MATERIAL TYPE	ORE ZONE NAME	CLASSIF. A=PROB+PROV B+POSSIBLE	THIN BLOCK ? (Y=<2.2m.)	MINING STATUS (Y=MINED)	MINING AREA NAME	BLOCK AREA IN SECTION (sq. m.)	STRIKE ADJUSTMENT (x12.5 m.)	IN-SITU DENSITY (tns/cu.m)	BLOCK VOLUME (cu. m.)	BLOCK TONNAGE (tonnes)	Pb+Zn GRADE (wt. %)	LEAD GRADE (wt. %)	ZINC GRADE (wt. %)	SILVER GRADE (gm/tn)	LEAD METAL (tonnes)	ZINC METAL (tonnes)	SILVER METAL (kg)
	ORE	FW	A	N	Y	1370M1-6	10.8	1	3.2	135.0	432.0	15.50	3.31	12.19	58.3	14.3	52.7	25.2
	ORE	FW	A	N	Y	1370-M1-1	10.9	1	3.2	135.9	434.8	15.50	3.31	12.19	58.3	14.4	53.0	25.3
1337-4	ORE	JB1	A	N	N		119.2	1	3.2	1,489.6	4,766.8	17.94	6.78	11.16	36.4	323.2	531.8	173.4
1337-5	ORE	JB1-L	A	N	N		92.0	1	3.2	1,149.4	3,678.0	20.95	8.27	12.67	44.2	304.2	466.1	162.6
1337-6	ORE	JB1-L	A	Y	N		9.7	1	3.2	121.6	389.2	15.61	6.61	9.00	28.0	25.7	35.0	10.9
1337-10	ORE	FW	A	Y	N		16.2	1	3.2	202.8	648.8	14.79	3.56	11.24	16.7	23.1	72.9	10.8
1337-11	ORE	FW	A	N	N		65.7	1.1	3.2	903.0	2,889.5	21.63	8.69	12.93	44.7	251.2	373.7	129.3
1337-23	ORE	FW	A	N	N		56.3	1	3.2	704.3	2,253.6	15.50	3.31	12.19	58.3	74.6	274.7	131.3
1337-23A	ORE	FW	A	N	N		32.9	1	3.2	411.8	1,317.6	15.50	3.31	12.19	58.3	43.6	160.6	76.8

Totals and Averages for Section: 1337 3.2 5,253 16,810 18.41 6.39 12.02 44.4 1,074 2,021 746

 SECTION: 1350 Pre-mining, In-situ, Undiluted, Sulphide mineralization above 8% Pb+Zn, Only "A" or "proven plus probable" mineralization, both thin (< 2.2m. true) and thick ore

INVENTORY BLOCK	MATERIAL TYPE	ORE ZONE	CLASSIF. A=PROB+PROV B+POSSIBLE	THIN BLOCK ? (Y=<2.2m.)	MINING STATUS (Y=MINED)	MINING AREA NAME	BLOCK AREA IN SECTION (sq. m.)	STRIKE ADJUSTMENT (x12.5 m.)	IN-SITU DENSITY (tns/cu.m)	BLOCK VOLUME (cu. m.)	BLOCK TONNAGE (tonnes)	Pb+Zn GRADE (wt. %)	LEAD GRADE (wt. %)	ZINC GRADE (wt. %)	SILVER GRADE (gm/tn)	LEAD METAL (tonnes)	ZINC METAL (tonnes)	SILVER METAL (kg)
	ORE	FW	A	N	Y	1370M1-4	52.0	0.7	3.2	454.7	1,455.2	16.40	4.92	11.48	50.1	71.6	167.0	72.9
	ORE	FW	A	N	Y	1370-M1-6	7.0	1	3.2	87.1	278.8	18.08	5.17	12.91	83.0	14.4	36.0	23.1
1350-21	ORE	FW	A	N	N		22.2	1	3.2	277.5	888.0	18.08	5.17	12.91	83.0	45.9	114.6	73.7
Totals and Averages for Section:				1350					3.2	819	2,622	17.15	5.03	12.11	64.8	132	318	170

SECTION: 1362 Pre-mining, In-situ, Undiluted, Sulphide mineralization above 8% Pb+Zn, Only "A" or "proven plus probable" mineralization, both thin (< 2.2m. true) and thick ore

INVENTORY BLOCK NAME	MATERIAL TYPE	ORE ZONE NAME	CLASSIF. A=PROB+PROV B+POSSIBLE	THIN BLOCK ? (Y=<2.2m.)	MINING STATUS (Y=MINED)	MINING AREA NAME	BLOCK AREA IN SECTION (sq. m.)	STRIKE ADJUSTMENT (x12.5 m.)	IN-SITU DENSITY (tns/cu.m)	BLOCK VOLUME (cu. m.)	BLOCK TONNAGE (tonnes)	Pb+Zn GRADE (wt. %)	LEAD GRADE (wt. %)	ZINC GRADE (wt. %)	SILVER GRADE (gm/tn)	LEAD METAL (tonnes)	ZINC METAL (tonnes)	SILVER METAL (kg)
	ORE	FW	A	N	Y	1370-M1	6.9	0.8	3.2	69.1	221.1	12.12	2.11	10.02	63.6	4.7	22.1	14.1
	ORE	FW	A	N	Y	1340-420	3.3	0.8	3.2	33.1	105.9	22.07	11.20	10.87	61.9	11.9	11.5	6.6
	ORE	JB1	A	N	Y	1415-301	5.5	1	3.2	69.0	220.8	25.49	9.73	15.76	42.8	21.5	34.8	9.4
	ORE	JB1	A	N	Y	1410-310	48.9	1	3.2	611.8	1,957.6	25.49	9.73	15.76	42.8	190.4	308.5	83.8
	ORE	JB1	A	N	Y	1415-301	53.6	1	3.2	669.9	2,143.6	25.49	9.73	15.76	42.8	208.5	337.8	91.7
1362-5	ORE	JB1	A	N	N		113.4	1	3.2	1,417.4	4,535.6	25.49	9.73	15.76	42.8	441.2	714.7	194.1
1362-5A	ORE	JB1	A	N	N		6.5	1	3.2	80.9	258.8	25.49	9.73	15.76	42.8	25.2	40.8	11.1
1362-5B	ORE	JB1	A	N	N		4.4	1	3.2	54.9	175.6	25.49	9.73	15.76	42.8	17.1	27.7	7.5
1362-5C	ORE	JB1	A	N	N		16.4	1	3.2	205.4	657.2	25.49	9.73	15.76	42.8	63.9	103.6	28.1
1362-5D	ORE	JB1	A	Y	N		5.6	1	3.2	70.1	224.4	25.49	9.73	15.76	42.8	21.8	35.4	9.6
1362-5E	ORE	JB1	A	N	N		0.1	1	3.2	1.5	4.8	25.49	9.73	15.76	42.8	0.5	0.8	0.2
1362-8	ORE	M1	A	N	N		24.3	1	3.2	303.8	972.0	16.59	6.73	9.87	33.2	65.4	95.9	32.3
1362-9	ORE	FW	A	N	N		84.4	1	3.2	1,054.5	3,374.4	15.23	7.11	8.13	33.2	239.8	274.2	112.2
1362-21	ORE	FW	A	N	N		38.1	0.6	3.2	285.4	913.2	12.86	4.62	8.24	35.1	42.2	75.2	32.1

Totals and Averages for Section: 1362 3.2 4,927 15,765 21.80 8.59 13.21 40.1 1,354 2,083 633

SECTION: 1375 Pre-mining, In-situ, Undiluted, Sulphide mineralization above 8% Pb+Zn, Only "A" or "proven plus probable" mineralization, both thin (< 2.2m. true) and thick ore

INVENTORY BLOCK NAME	MATERIAL TYPE	ORE ZONE NAME	CLASSIF. A=PROB+PROV B+POSSIBLE	THIN BLOCK ? (Y=<2.2m.)	MINING STATUS (Y=MINED)	MINING AREA NAME	BLOCK AREA IN SECTION (sq. m.)	STRIKE ADJUSTMENT (x12.5 m.)	IN-SITU DENSITY (tns/cu.m)	BLOCK VOLUME (cu. m.)	BLOCK TONNAGE (tonnes)	Pb+Zn GRADE (wt. %)	LEAD GRADE (wt. %)	ZINC GRADE (wt. %)	SILVER GRADE (gm/tn)	LEAD METAL (tonnes)	ZINC METAL (tonnes)	SILVER METAL (kg)
	ORE	FW	A	N	Y	1370-M1	27.3	1	3.2	341.3	1,092.0	12.66	5.20	7.46	68.0	56.8	81.4	74.3
	ORE	JB1	A	N	Y	1405	2.8	1	3.2	35.1	112.4	15.74	7.36	8.38	37.9	8.3	9.4	4.3
	ORE	JB1	A	N	Y	1415-300	9.9	1	3.2	123.4	394.8	15.74	7.36	8.38	37.9	29.0	33.1	15.0
	ORE	JB1-L	A	N	Y	1410-3795	32.8	1	3.2	410.4	1,313.2	23.51	9.38	14.13	46.4	123.2	185.5	60.9
	ORE	JB1	A	N	Y	1415-306	18.6	1	3.2	232.9	745.2	15.74	7.36	8.38	37.9	54.8	62.5	28.2
	ORE	FW	A	N	Y	1340-420	20.8	1	3.2	259.6	830.8	11.59	3.70	7.90	91.7	30.7	65.6	76.2
	ORE	JB1	A	N	Y	1405	20.1	1	3.2	251.1	803.6	15.74	7.36	8.38	37.9	59.1	67.4	30.4
1375-1	ORE	J1	A	N	N		65.9	1	3.2	823.3	2,634.4	16.44	8.62	7.82	48.5	227.1	206.0	127.7
1375-3A	ORE	JB1	A	N	N		14.6	1	3.2	182.4	583.6	15.74	7.36	8.38	37.9	42.9	48.9	22.1
1375-3B	ORE	JB1	A	N	N		55.5	1	3.2	693.1	2,218.0	15.74	7.36	8.38	37.9	163.2	185.9	84.0
1375-3C	ORE	JB1	A	N	N		11.1	1	3.2	139.1	445.2	15.74	7.36	8.38	37.9	32.8	37.3	16.9
1375-4	ORE	JB1-L	A	N	N		77.1	1	3.2	964.3	3,085.6	23.51	9.38	14.13	46.4	289.4	435.9	143.1
1375-4A	ORE	JB1-L	A	N	N		3.8	1	3.2	47.0	150.4	23.51	9.38	14.13	46.4	14.1	21.2	7.0
1375-5	ORE	FW	A	N	N		88.2	1	3.2	1,102.9	3,529.2	19.95	7.54	12.41	59.9	266.2	437.9	211.2
1375-5A	ORE	FW	A	N	N		35.7	1	3.2	445.6	1,426.0	19.95	7.54	12.41	59.9	107.5	176.9	85.4
1375-6	ORE	FW	A	N	N		38.4	1	3.2	479.9	1,535.6	12.66	5.20	7.46	68.0	79.9	114.5	104.4
1375-8	ORE	FW	A	N	N		147.8	1	3.2	1,847.5	5,912.0	11.59	3.70	7.90	91.7	218.5	466.9	542.0
1375-16	ORE	FW	A	Y	N		44.0	1	3.2	550.1	1,760.4	27.33	10.58	16.75	83.5	186.2	295.0	147.1
1375-18	ORE	FW	A	N	N		46.5	1	3.2	580.8	1,858.4	10.08	4.54	5.54	191.8	84.3	102.9	356.4

Totals and Averages for Section: 1375

3.2 9,510 30,431 16.79 6.82 9.97 70.2 2,074 3,034 2,137

SECTION: 1387 Pre-mining, In-situ, Undiluted, Sulphide mineralization above 8% Pb+Zn, Only "A" or "proven plus probable" mineralization, both thin (< 2.2m. true) and thick ore

INVENTORY BLOCK NAME	MATERIAL TYPE	ORE ZONE NAME	CLASSIF. A=PROB+PROV B+POSSIBLE	THIN BLOCK ? (Y=<2.2m.)	MINING STATUS (Y=MINED)	MINING AREA NAME	BLOCK AREA IN SECTION (sq. m.)	STRIKE ADJUSTMENT (x12.5 m.)	IN-SITU DENSITY (tns/cu.m)	BLOCK VOLUME (cu. m.)	BLOCK TONNAGE (tonnes)	Pb+Zn GRADE (wt. %)	LEAD GRADE (wt. %)	ZINC GRADE (wt. %)	SILVER GRADE (gm/tn)	LEAD METAL (tonnes)	ZINC METAL (tonnes)	SILVER METAL (kg)
	ORE	FW	A	N	Y	1370-M1	18.9	0.8	3.2	189.1	605.1	14.54	6.37	8.17	43.7	38.5	49.4	26.4
	ORE	JB1	A	N	Y	1405	2.3	1	3.2	28.2	90.4	17.32	7.68	9.64	33.5	6.9	8.7	3.0
	ORE	JB1-L	A	N	Y	1405	19.7	1	3.2	246.1	787.6	17.05	6.94	10.12	38.1	54.6	79.7	30.0
	ORE	JB1	A	N	Y	1415-300	21.6	1	3.2	270.0	864.0	17.32	7.68	9.64	33.5	66.4	83.3	29.0
	ORE	JB1	A	N	Y	1415-306	44.0	1	3.2	550.4	1,761.2	17.32	7.68	9.64	33.5	135.3	169.7	59.0
	ORE	JB1	A	N	Y	1415-301	13.2	1	3.2	165.5	529.6	16.79	6.51	10.29	28.6	34.5	54.5	15.1
	ORE	FW	A	N	Y	1340-420	4.0	0.8	3.2	40.4	129.3	14.54	6.37	8.17	43.7	8.2	10.6	5.6
1387-2A	ORE	JB1	A	Y	N		3.5	1	3.2	44.0	140.8	17.32	7.68	9.64	33.5	10.8	13.6	4.7
1387-2B	ORE	JB1	A	Y	N		15.1	1	3.2	189.3	605.6	17.32	7.68	9.64	33.5	46.5	58.4	20.3
1387-6	ORE	JB1	A	N	N		45.0	1	3.2	562.3	1,799.2	16.79	6.51	10.29	28.6	117.1	185.1	51.4

Totals and Averages for Section: 1387 3.2 2,285 7,313 16.84 7.10 9.75 33.5 519 713 245

SECTION: 1400 Pre-mining, In-situ, Undiluted, Sulphide mineralization above 8% Pb+Zn, Both A or "proven plus probable" and B or "possible" mineralization, both thin (< 2.2m. true) and thick ore

INVENTORY BLOCK NAME	MATERIAL TYPE	ORE ZONE NAME	CLASSIF. A=PROB+PROV B+POSSIBLE	THIN BLOCK ? (Y=<2.2m.)	MINING STATUS (Y=MINED)	MINING AREA NAME	BLOCK AREA IN SECTION (sq. m.)	STRIKE ADJUSTMENT (x12.5 m.)	IN-SITU DENSITY (tns/cu.m)	BLOCK VOLUME (cu. m.)	BLOCK TONNAGE (tonnes)	Pb+Zn GRADE (wt. %)	LEAD GRADE (wt. %)	ZINC GRADE (wt. %)	SILVER GRADE (gm/tn)	LEAD METAL (tonnes)	ZINC METAL (tonnes)	SILVER METAL (kg)
	0 ORE	JB1-L	A	N	Y	1405	3.4	1.1	3.2	46.2	147.8	14.58	6.47	8.11	28.7	9.6	12.0	4.2
	0 ORE	FW	A	N	Y	1340-FWS	52.2	0.8	3.2	521.9	1,670.1	16.92	6.18	10.74	43.0	103.2	179.4	71.8
	0 ORE	JB1-L	A	N	Y	1415-301	13.0	1.1	3.2	178.9	572.4	14.58	6.47	8.11	28.7	37.0	46.4	16.4
	0 ORE	JB1-L	A	N	Y	1415-301	0.2	1.1	3.2	2.1	6.6	14.58	6.47	8.11	28.7	0.4	0.5	0.2
	0 ORE	FW	A	N	Y	1370-M1	44.6	0.8	3.2	446.0	1,427.2	16.92	6.18	10.74	43.0	88.2	153.3	61.3
	0 ORE	JB1	A	N	Y	1405	4.5	1	3.2	56.1	179.6	11.07	5.39	5.68	19.9	9.7	10.2	3.6
	0 ORE	JB1	A	N	Y	1415-300	22.9	0.8	3.2	228.9	732.5	19.95	8.37	11.58	29.0	61.3	84.8	21.2
	0 ORE	JB1	A	N	Y	1415-306	12.0	0.8	3.2	119.7	383.0	19.95	8.37	11.58	29.0	32.0	44.4	11.1
1400-1	ORE	JB1	A	N	N	0	50.6	0.8	3.2	506.3	1,620.2	19.95	8.37	11.58	29.0	135.5	187.6	46.9
1400-4	ORE	JB1	A	Y	N	0	25.1	1	3.2	313.5	1,003.2	11.07	5.39	5.68	19.9	54.1	57.0	20.0
1400-7	ORE	JB1-L	A	N	N	0	107.6	1.1	3.2	1,479.5	4,734.4	14.58	6.47	8.11	28.7	306.4	383.9	136.0
1400-7A	ORE	JB1-L	A	Y	N	0	0.5	1.1	3.2	6.6	21.1	14.58	6.47	8.11	28.7	1.4	1.7	0.6
1400-7B	ORE	JB1-L	A	Y	N	0	0.0	1.1	3.2	0.3	0.9	14.58	6.47	8.11	28.7	0.1	0.1	0.0
1400-8	ORE	FW	A	Y	N	0	25.1	1	3.2	313.4	1,002.8	23.42	6.80	16.63	43.1	68.2	166.7	43.2
1400-9	ORE	FW	A	N	N	0	151.3	0.7	3.2	1,323.7	4,235.8	13.96	4.01	9.95	68.4	169.7	421.7	289.6
1400-10	ORE	FW	A	Y	N	0	13.3	1	3.2	165.6	530.0	14.50	5.89	8.61	28.4	31.2	45.6	15.0
1400-11	ORE	FW	A	N	N	0	228.7	0.8	3.2	2,287.3	7,319.4	16.92	6.18	10.74	43.0	452.3	786.2	314.6
1400-15	ORE	FW	A	N	N	0	78.5	0.8	3.2	784.8	2,511.4	19.54	6.26	13.28	46.8	157.2	333.5	117.5
Totals and Averages for Section:				1400					3.2	5,843	18,697	16.88	5.72	11.16	48.8	1,070	2,086	913

SECTION: 1412 Pre-mining, In-situ, Undiluted, Sulphide mineralization above 8% Pb+Zn, Only "A" or "proven plus probable" mineralization, both thin (< 2.2m. true) and thick ore

INVENTORY BLOCK NAME	MATERIAL TYPE	ORE ZONE NAME	CLASSIF. A=PROB+PROV B+POSSIBLE	THIN BLOCK ? (Y=<2.2m.)	MINING STATUS (Y=MINED)	MINING AREA NAME	BLOCK AREA IN SECTION (sq. m.)	STRIKE ADJUSTMENT (x12.5 m.)	IN-SITU DENSITY (tns/cu.m)	BLOCK VOLUME (cu. m.)	BLOCK TONNAGE (tonnes)	Pb+Zn GRADE (wt. %)	LEAD GRADE (wt. %)	ZINC GRADE (wt. %)	SILVER GRADE (gm/tn)	LEAD METAL (tonnes)	ZINC METAL (tonnes)	SILVER METAL (kg)
	ORE	FW	A	N	Y	1340-FWS	11.2	0.8	3.2	111.5	356.8	19.75	6.01	13.74	59.4	21.4	49.0	21.2
	ORE	JB1	A	N	Y	1415-301	18.9	0.8	3.2	189.4	606.1	21.59	9.25	12.34	49.0	56.1	74.8	29.7
	ORE	FW	A	N	Y	1370-M1	22.0	1	3.2	274.5	878.4	13.28	4.27	9.01	31.0	37.5	79.1	27.2
	ORE	FW	A	N	Y	1340-420	10.2	0.8	3.2	102.4	327.7	27.44	5.09	22.35	86.7	16.7	73.2	28.4
1412-10	ORE	FW	A	N	N		83.4	0.8	3.2	833.7	2,667.8	27.44	5.09	22.35	86.7	135.8	596.3	231.3
1412-10A	ORE	FW	A	Y	N		4.2	0.8	3.2	41.6	133.1	27.44	5.09	22.35	86.7	6.8	29.8	11.5
Totals and Averages for Section:				1412					3.2	1,553	4,970	23.67	5.52	18.15	70.3	274	902	349

SECTION: 1425 Pre-mining, In-situ, Undiluted, Sulphide mineralization above 8% Pb+Zn, Only "A" or "proven plus probable" mineralization, both thin (< 2.2m. true) and thick ore

INVENTORY BLOCK	MATERIAL TYPE	ORE ZONE	CLASSIF. A=PROB+PROV B+POSSIBLE	THIN BLOCK ? (Y=<2.2m.)	MINING STATUS (Y=MINED)	MINING AREA NAME	BLOCK AREA IN SECTION (sq. m.)	STRIKE ADJUSTMENT (x12.5 m.)	IN-SITU DENSITY (tns/cu.m)	BLOCK VOLUME (cu. m.)	BLOCK TONNAGE (tonnes)	Pb+Zn GRADE (wt. %)	LEAD GRADE (wt. %)	ZINC GRADE (wt. %)	SILVER GRADE (gm/tn)	LEAD METAL (tonnes)	ZINC METAL (tonnes)	SILVER METAL (kg)
	ORE	JB1	A	N	Y	1415-100	46.2	1	3.2	576.9	1,846.0	20.99	6.46	14.53	28.0	119.2	268.2	51.7
	ORE	JB1	A	N	Y	1415-301	16.5	0.8	3.2	164.8	527.4	8.45	3.52	4.93	16.0	18.6	26.0	8.5
	ORE	JB1	A	N	Y	1415-300	44.8	1	3.2	560.0	1,792.0	20.99	6.46	14.53	28.0	115.7	260.3	50.2
	ORE	M1	A	N	Y	1340-202	10.8	0.8	3.2	108.0	345.6	12.86	5.39	7.47	23.7	18.6	25.8	8.2
	ORE	FW	A	N	Y	1340-FWS	40.0	0.9	3.2	450.2	1,440.7	24.50	4.58	19.92	121.3	66.0	287.0	174.7
	ORE	JB1	A	N	Y	1405	6.9	1	3.2	85.6	274.0	8.33	3.64	4.69	20.7	10.0	12.9	5.7
1425-2	ORE	UNKN	A	Y	N		23.4	1	3.2	292.5	936.0	12.59	3.25	9.34	17.2	30.4	87.4	16.1
1425-4	ORE	JB1	A	N	N		38.1	1	3.2	476.5	1,524.8	20.99	6.46	14.53	28.0	98.5	221.5	42.7
1425-5	ORE	M1	A	N	N		53.3	0.8	3.2	533.2	1,706.2	12.86	5.39	7.47	23.7	92.0	127.5	40.5
1425-5A	ORE	M1	A	N	N		12.6	0.8	3.2	126.2	403.8	12.86	5.39	7.47	23.7	21.8	30.2	9.6
1425-6	ORE	FW	A	N	N		122.8	0.9	3.2	1,381.6	4,421.2	18.55	5.71	12.84	42.4	252.5	567.9	187.2
1425-7	ORE	JB1-L	A	N	N		56.2	0.9	3.2	631.8	2,021.8	17.65	7.48	10.18	39.0	151.2	205.8	78.8
1425-8	ORE	JB1	A	N	N		46.7	1	3.2	584.3	1,869.6	19.57	7.68	11.89	33.9	143.6	222.3	63.3
1425-10	ORE	FW	A	Y	N		86.0	1	3.2	1,074.5	3,438.4	13.82	3.83	9.99	81.3	131.7	343.4	279.5
1425-13	ORE	JB1	A	Y	N		4.2	1	3.2	52.3	167.2	8.33	3.64	4.69	20.7	6.1	7.8	3.5
1425-15	ORE	JB1	A	N	N		87.7	0.8	3.2	877.3	2,807.4	8.45	3.52	4.93	16.0	98.9	138.3	45.0
1425-23	ORE	FW	A	N	N		88.4	0.9	3.2	994.5	3,182.4	24.50	4.58	19.92	121.3	145.8	633.9	385.9
1425-23A	ORE	FW	A	N	N		4.4	0.9	3.2	49.6	158.8	24.50	4.58	19.92	121.3	7.3	31.6	19.3
1425-25	ORE	JB1-L	A	N	N		41.4	1	3.2	518.0	1,657.6	19.02	8.13	10.89	42.5	134.8	180.4	70.5
Totals and Averages for Section:				1425					3.2	9,538	30,521	17.50	5.45	12.05	50.5	1,662	3,678	1,541

SECTION: 1437 Pre-mining, In-situ, Undiluted, Sulphide mineralization above 8% Pb+Zn, Only "A" or "proven plus probable" mineralization, both thin (< 2.2m. true) and thick ore

INVENTORY BLOCK NAME	MATERIAL TYPE	ORE ZONE NAME	CLASSIF. A=PROB+PROV B+POSSIBLE	THIN BLOCK ? (Y=<2.2m.)	MINING STATUS (Y=MINED)	MINING AREA NAME	BLOCK AREA IN SECTION (sq. m.)	STRIKE ADJUSTMENT (x12.5 m.)	IN-SITU DENSITY (tns/cu.m)	BLOCK VOLUME (cu. m.)	BLOCK TONNAGE (tonnes)	Pb+Zn GRADE (wt. %)	LEAD GRADE (wt. %)	ZINC GRADE (wt. %)	SILVER GRADE (gm/tn)	LEAD METAL (tonnes)	ZINC METAL (tonnes)	SILVER METAL (kg)
	ORE	JB1	A	N	Y	1415-100	24.5	1	3.2	306.5	980.8	13.52	5.24	8.27	40.8	51.4	81.1	40.0
	ORE	JB1	A	N	Y	1415-300	23.8	1	3.2	297.8	952.8	13.52	5.24	8.27	40.8	50.0	78.8	38.9
	ORE	FW	A	N	Y	1370-M1	39.8	1	3.2	498.0	1,593.6	21.71	5.04	16.67	104.9	80.2	265.7	167.1
	ORE	M2	A	N	Y	1340202A	3.0	1	3.2	37.3	119.2	11.46	3.93	7.53	26.8	4.7	9.0	3.2
	ORE	M2	A	N	Y	1340-202	3.5	1	3.2	43.6	139.6	15.66	5.07	10.59	25.5	7.1	14.8	3.6
	ORE	M2	A	N	Y	1340-202	17.2	1	3.2	214.4	686.0	18.44	7.80	10.64	37.8	53.5	73.0	25.9
	ORE	JB1	A	N	Y	1415-LOOP	10.0	1	3.2	124.4	398.0	15.07	6.09	8.97	25.4	24.3	35.7	10.1
	ORE	M2	A	N	Y	1340-202	28.9	1	3.2	361.4	1,156.4	18.44	7.80	10.64	37.8	90.2	123.0	43.7
	ORE	JB2-W	A	N	Y	1340202B	5.5	1	3.2	68.5	219.2	12.60	5.49	7.11	21.6	12.0	15.6	4.7
	ORE	M1	A	N	Y	1340202A	3.5	0.7	3.2	30.6	98.0	17.21	7.08	10.12	32.1	6.9	9.9	3.1
	ORE	M2	A	N	Y	1340202A	11.8	1	3.2	147.8	472.8	11.46	3.93	7.53	26.8	18.6	35.6	12.7
	ORE	FW	A	N	Y	1340-FWN	21.7	1	3.2	271.4	868.4	21.71	5.04	16.67	104.9	43.7	144.8	91.1
	ORE	M2	A	N	Y	1340-202	14.1	1	3.2	176.3	564.0	10.34	3.16	7.18	19.0	17.8	40.5	10.7
1437-1	ORE	JB1	A	N	N		71.4	1	3.2	892.3	2,855.2	13.52	5.24	8.27	40.8	149.7	236.2	116.4
1437-1A	ORE	JB1	A	N	N		69.2	1	3.2	865.5	2,769.6	13.52	5.24	8.27	40.8	145.3	229.1	112.9
1437-2	ORE	JB1	A	Y	N		42.9	1	3.2	536.4	1,716.4	21.39	8.48	12.91	35.0	145.6	221.6	60.0
1437-4	ORE	FW	A	N	N		210.8	1	3.2	2,635.4	8,433.2	21.71	5.04	16.67	104.9	424.7	1,406.1	884.3
1437-4A	ORE	FW	A	N	N		27.6	1	3.2	344.5	1,102.4	21.71	5.04	16.67	104.9	55.5	183.8	115.6
1437-8	ORE	M2	A	N	N		157.4	0.7	3.2	1,377.5	4,408.0	8.21	3.86	4.35	131.9	170.2	191.6	581.4
1437-10	ORE	JB1	A	N	N		27.8	1	3.2	347.0	1,110.4	15.07	6.09	8.97	25.4	67.7	99.6	28.2
1437-11	ORE	JB1-L	A	N	N		102.2	0.7	3.2	894.3	2,861.9	12.44	4.72	7.72	21.9	135.1	220.8	62.8
1437-14	ORE	M2	A	N	N		22.1	1	3.2	275.8	882.4	11.46	3.93	7.53	26.8	34.7	66.5	23.7
1437-14	ORE	M2	A	N	N		4.1	1	3.2	50.9	162.8	11.46	3.93	7.53	26.8	6.4	12.3	4.4
1437-15	ORE	M1	A	N	N		124.5	0.7	3.2	1,089.6	3,486.8	17.21	7.08	10.12	32.1	246.9	353.0	112.1
1437-17	ORE	M2	A	N	N		1.4	1	3.2	17.4	55.6	10.34	3.16	7.18	19.0	1.8	4.0	1.1
1437-18	ORE	FW	A	N	N		110.5	1	3.2	1,381.1	4,419.6	21.70	8.88	12.82	34.4	392.5	566.7	152.0
1437-22	ORE	JB2-W	A	Y	N		3.7	1	3.2	46.4	148.4	12.60	5.49	7.11	21.6	8.1	10.5	3.2

SECTION: 1437 Pre-mining, In-situ, Undiluted, Sulphide mineralization above 8% Pb+Zn, Only "A" or "proven plus probable" mineralization, both thin (< 2.2m. true) and thick ore

INVENTORY BLOCK NAME	MATERIAL TYPE	ORE ZONE NAME	CLASSIF. A=PROB+PROV B+POSSIBLE	THIN BLOCK ? (Y=<2.2m.)	MINING STATUS (Y=MINED)	MINING AREA NAME	BLOCK AREA IN SECTION (sq. m.)	STRIKE ADJUSTMENT (x12.5 m.)	IN-SITU DENSITY (tns/cu.m)	BLOCK VOLUME (cu. m.)	BLOCK TONNAGE (tonnes)	Pb+Zn GRADE (wt. %)	LEAD GRADE (wt. %)	ZINC GRADE (wt. %)	SILVER GRADE (gm/tn)	LEAD METAL (tonnes)	ZINC METAL (tonnes)	SILVER METAL (kg)
1437-22A	ORE	JB2-W	A	Y	N		3.3	1	3.2	41.5	132.8	12.60	5.49	7.11	21.6	7.3	9.4	2.9
1437-28	ORE	M2	A	N	N		41.1	1	3.2	514.3	1,645.6	15.66	5.07	10.59	25.5	83.4	174.3	42.0
1437-29	ORE	M2	A	N	N		14.9	1	3.2	186.1	595.6	15.66	5.07	10.59	25.5	30.2	63.1	15.2
1437-29A	ORE	M2	A	N	N		1.4	1	3.2	18.0	57.6	15.66	5.07	10.59	25.5	2.9	6.1	1.5
Totals and Averages for Section:					1437				3.2	14,092	45,093	16.74	5.70	11.05	61.5	2,568	4,982	2,774

SECTION: 1450 Pre-mining, In-situ, Undiluted, Sulphide mineralization above 8% Pb+Zn, Only "A" or "proven plus probable" mineralization, both thin (< 2.2m. true) and thick ore

INVENTORY BLOCK	MATERIAL TYPE	ORE ZONE	CLASSIF. A=PROB+PROV B+POSSIBLE	THIN BLOCK ? (Y=<2.2m.)	MINING STATUS (Y=MINED)	MINING AREA NAME	BLOCK AREA IN SECTION (sq. m.)	STRIKE ADJUSTMENT (x12.5 m.)	IN-SITU DENSITY (tns/cu.m)	BLOCK VOLUME (cu. m.)	BLOCK TONNAGE (tonnes)	Pb+Zn GRADE (wt. %)	LEAD GRADE (wt. %)	ZINC GRADE (wt. %)	SILVER GRADE (gm/tn)	LEAD METAL (tonnes)	ZINC METAL (tonnes)	SILVER METAL (kg)
	ORE	JB1	A	N	Y	1415-100	25.7	0.9	3.2	288.8	924.1	20.16	8.59	11.58	43.1	79.3	107.0	39.9
	ORE	JB1	A	N	Y	1415-200	17.5	0.9	3.2	196.9	630.0	20.16	8.59	11.58	43.1	54.1	72.9	27.2
	ORE	JB2-W	A	N	Y	1340-202	65.9	0.8	3.2	658.8	2,108.2	19.07	6.27	12.80	36.3	132.2	269.8	76.5
	ORE	JB1	A	N	Y	1415-LOOP	13.7	0.8	3.2	136.7	437.4	20.16	8.59	11.58	43.1	37.6	50.6	18.9
	ORE	JB1	A	N	Y	1415-200	5.6	0.8	3.2	56.1	179.5	20.16	8.59	11.58	43.1	15.4	20.8	7.7
	ORE	JB1	A	N	Y	1415-300	25.0	0.8	3.2	249.8	799.4	20.16	8.59	11.58	43.1	68.6	92.5	34.5
	ORE	FW	A	N	Y	1370 VENT	16.3	1	3.2	203.9	652.4	17.48	6.46	11.03	28.9	42.1	71.9	18.9
	ORE	JB1	A	N	Y	1415-202	25.5	0.8	3.2	255.1	816.3	20.16	8.59	11.58	43.1	70.1	94.5	35.2
1450-1	ORE	JB1	A	N	N		26.8	0.8	3.2	268.4	858.9	20.16	8.59	11.58	43.1	73.7	99.4	37.1
1450-1A	ORE	JB1	A	N	N		2.6	0.9	3.2	29.0	92.9	20.16	8.59	11.58	43.1	8.0	10.8	4.0
1450-1B	ORE	JB1	A	N	N		22.2	0.9	3.2	249.3	797.8	20.16	8.59	11.58	43.1	68.5	92.4	34.4
1450-1C	ORE	JB1	A	N	N		10.1	0.9	3.2	113.6	363.6	20.16	8.59	11.58	43.1	31.2	42.1	15.7
1450-1D	ORE	JB1	A	Y	N		8.7	0.9	3.2	97.5	312.1	20.16	8.59	11.58	43.1	26.8	36.1	13.5
1450-1E	ORE	JB1	A	N	N		3.2	0.9	3.2	35.4	113.4	20.16	8.59	11.58	43.1	9.7	13.1	4.9
1450-1F	ORE	JB1	A	N	N		31.4	0.6	3.2	235.5	753.6	20.16	8.59	11.58	43.1	64.7	87.3	32.5
1450-2	ORE	JB1-L	A	N	N		89.7	1	3.2	1,121.1	3,587.6	26.63	11.67	14.96	49.8	418.7	536.6	178.8
1450-3	ORE	FW	A	N	N		67.5	1	3.2	843.4	2,698.8	17.48	6.46	11.03	28.9	174.3	297.6	78.0
1450-4	ORE	FW	A	N	N		63.2	1	3.2	790.4	2,529.2	21.28	8.94	12.34	42.2	226.2	312.1	106.7
1450-5	ORE	FW	A	N	N		119.5	1	3.2	1,493.5	4,779.2	18.64	7.90	10.74	82.7	377.5	513.2	395.4
1450-12	ORE	JB2-W	A	Y	N		17.3	0.8	3.2	173.0	553.6	19.07	6.27	12.80	36.3	34.7	70.8	20.1
1450-12A	ORE	JB2-W	A	N	N		0.1	0.8	3.2	0.5	1.6	19.07	6.27	12.80	36.3	0.1	0.2	0.1
1450-24	ORE	JB2-W	A	N	N		5.4	1	3.2	67.9	217.2	19.07	6.27	12.80	36.3	13.6	27.8	7.9

Totals and Averages for Section: 1450 3.2 7,565 24,207 20.44 8.37 12.06 49.1 2,027 2,920 1,188

SECTION: 1462 Pre-mining, In-situ, Undiluted, Sulphide mineralization above 8% Pb+Zn, Only "A" or "proven plus probable" mineralization, both thin (< 2.2m. true) and thick ore

INVENTORY MATERIAL BLOCK NAME	ORE TYPE NAME	CLASSIF. A=PROB+PROV B+POSSIBLE	THIN BLOCK ? (Y=<2.2m.)	MINING STATUS (Y=MINED)	MINING AREA NAME	BLOCK AREA IN SECTION (sq. m.)	STRIKE ADJUSTMENT (x12.5 m.)	IN-SITU DENSITY (tns/cu.m)	BLOCK VOLUME (cu. m.)	BLOCK TONNAGE (tonnes)	Pb+Zn GRADE (wt. %)	LEAD GRADE (wt. %)	ZINC GRADE (wt. %)	SILVER GRADE (gm/tn)	LEAD METAL (tonnes)	ZINC METAL (tonnes)	SILVER METAL (kg)	
	ORE	JB2-W	A	N	Y	1340-202	69.5	1	3.2	869.1	2,781.2	25.06	10.33	14.73	48.6	287.3	409.7	135.1
	ORE	JB2-W	A	N	Y	1340-202	29.1	1	3.2	363.1	1,162.0	25.06	10.33	14.73	48.6	120.1	171.2	56.5
	ORE	FW	A	N	Y	1370-LOOP	39.2	1	3.2	489.5	1,566.4	17.75	8.22	9.53	14.0	128.7	149.2	21.9
1462-2	ORE	JB1-L	A	N	N		190.2	0.9	3.2	2,139.3	6,845.8	23.28	9.91	13.37	57.3	678.4	915.0	392.1
1462-4	ORE	JB1-L	A	N	N		68.9	1	3.2	861.5	2,756.8	23.41	11.14	12.28	41.8	307.0	338.5	115.1
1462-6	ORE	JB2-W	A	N	N		16.5	1	3.2	206.1	659.6	25.06	10.33	14.73	48.6	68.1	97.2	32.1
1462-6A	ORE	JB2-W	A	N	N		8.1	1	3.2	101.4	324.4	25.06	10.33	14.73	48.6	33.5	47.8	15.8
Totals and Averages for Section:			1462						3.2	5,030	16,096	23.31	10.08	13.22	47.7	1,623	2,128	769

SECTION: 1475 Pre-mining, In-situ, Undiluted, Sulphide mineralization above 8% Pb+Zn, Only "A" or "proven plus probable" mineralization, both thin (< 2.2m. true) and thick ore

INVENTORY BLOCK NAME	MATERIAL TYPE	ORE ZONE NAME	CLASSIF. A=PROB+PROV B+POSSIBLE	THIN BLOCK ? (Y=<2.2m.)	MINING STATUS (Y=MINED)	MINING AREA NAME	BLOCK AREA IN SECTION (sq. m.)	STRIKE ADJUSTMENT (x12.5 m.)	IN-SITU DENSITY (tns/cu.m)	BLOCK VOLUME (cu. m.)	BLOCK TONNAGE (tonnes)	Pb+Zn GRADE (wt. %)	LEAD GRADE (wt. %)	ZINC GRADE (wt. %)	SILVER GRADE (gm/tn)	LEAD METAL (tonnes)	ZINC METAL (tonnes)	SILVER METAL (kg)
	ORE	JB1	A	N	Y	1415-LP	19.9	0.9	3.2	223.9	716.4	12.51	5.31	7.20	24.5	38.0	51.6	17.6
	ORE	JB2-W	A	N	Y	1340-202	295.5	0.7	3.2	2,585.9	8,274.8	25.84	10.11	15.73	55.4	836.9	1,301.4	458.5
	ORE	JB1	A	N	Y	R1417	80.6	0.9	3.2	906.2	2,899.8	12.51	5.31	7.20	24.5	154.0	208.7	71.2
	ORE	FW	A	N	Y	1370 VENT	8.6	1	3.2	107.6	344.4	21.48	8.29	13.20	129.0	28.5	45.4	44.4
1475-2	ORE	JB1-L	A	N	N		134.5	0.8	3.2	1,344.9	4,303.7	19.17	7.93	11.23	34.1	341.4	483.4	146.6
1475-3	ORE	UNKN	A	Y	N		15.2	1	3.2	190.3	608.8	17.57	7.43	10.14	40.1	45.2	61.7	24.4
1475-9	ORE	JB2-W	A	N	N		99.7	0.7	3.2	871.9	2,790.2	25.84	10.11	15.73	55.4	282.2	438.8	154.6
1475-9A	ORE	JB2-W	A	N	N		63.0	0.9	3.2	709.2	2,269.4	25.84	10.11	15.73	55.4	229.5	356.9	125.8
1475-9B	ORE	JB2-W	A	N	N		21.5	1	3.2	268.5	859.2	25.84	10.11	15.73	55.4	86.9	135.1	47.6
1475-11	ORE	JB1	A	N	N		175.6	0.8	3.2	1,756.4	5,620.5	12.51	5.31	7.20	24.5	298.5	404.4	138.0
1475-11B	ORE	JB1	A	N	N		4.0	0.9	3.2	45.3	145.1	12.51	5.31	7.20	24.5	7.7	10.4	3.6
1475-11C	ORE	JB1	A	N	N		8.7	0.9	3.2	98.2	314.3	12.51	5.31	7.20	24.5	16.7	22.6	7.7
1475-11D	ORE	JB1	A	N	N			0.9	3.2			12.51	5.31	7.20	24.5			
1475-13	ORE	M1	A	N	N		48.6	1	3.2	607.1	1,942.8	11.17	6.22	4.95	25.1	120.8	96.1	48.7
1475-15	ORE	FW	A	Y	N		37.8	1	3.2	471.9	1,510.0	21.48	8.29	13.20	129.0	125.1	199.3	194.9
1475-15A	ORE	FW	A	N	N		2.8	1	3.2	34.6	110.8	21.48	8.29	13.20	129.0	9.2	14.6	14.3
1475-18	ORE	M1	A	Y	N		14.0	0.7	3.2	122.6	392.3	8.51	3.91	4.60	18.8	15.3	18.1	7.4
1475-25	ORE	FW	A	N	N		28.4	1	3.2	355.4	1,137.2	14.45	6.39	8.06	55.9	72.7	91.7	63.6

Totals and Averages for Section: 1475 3.2 10,700 34,240 19.42 7.91 11.51 45.8 2,709 3,940 1,569

SECTION: 1487 Pre-mining, In-situ, Undiluted, Sulphide mineralization above 8% Pb+Zn, Only "A" or "proven plus probable" mineralization, both thin (< 2.2m. true) and thick ore

INVENTORY BLOCK NAME	MATERIAL TYPE	ORE ZONE NAME	CLASSIF. A=PROB+PROV B+POSSIBLE	THIN BLOCK ? (Y=<2.2m.)	MINING STATUS (Y=MINED)	MINING AREA NAME	BLOCK AREA IN SECTION (sq. m.)	STRIKE ADJUSTMENT (x12.5 m.)	IN-SITU DENSITY (tns/cu.m)	BLOCK VOLUME (cu. m.)	BLOCK TONNAGE (tonnes)	Pb+Zn GRADE (wt. %)	LEAD GRADE (wt. %)	ZINC GRADE (wt. %)	SILVER GRADE (gm/tn)	LEAD METAL (tonnes)	ZINC METAL (tonnes)	SILVER METAL (kg)
	ORE	CHIMNEY	A	N	Y	1340-200	9.1	0.8	3.2	90.5	289.6	18.49	7.81	10.68	35.0	22.6	30.9	10.1
	ORE	JB2-W	A	N	Y	1340-201	109.2	0.9	3.2	1,228.2	3,930.1	34.22	12.33	21.89	63.4	484.6	860.3	249.3
1487-2	ORE	M1	A	N	N		44.6	0.7	3.2	390.6	1,249.9	28.98	11.46	17.51	44.3	143.3	218.9	55.3
1487-5	ORE	CHIMNEY	A	N	N		178.5	0.8	3.2	1,785.0	5,712.0	18.49	7.81	10.68	35.0	446.0	610.1	200.2
1487-9	ORE	CHIMNEY	A	N	N		270.4	1.3	3.2	4,393.4	14,058.7	13.76	5.21	8.55	22.0	732.9	1,202.2	309.5
1487-11	ORE	CHIMNEY	A	N	N		22.9	0.8	3.2	228.6	731.5	8.48	3.99	4.49	16.8	29.2	32.8	12.3
1487-13	ORE	CHIMNEY	A	N	N		46.9	0.8	3.2	469.3	1,501.8	10.65	3.88	6.77	20.0	58.3	101.7	30.1
1487-16	ORE	JB2-W	A	N	N		117.6	0.9	3.2	1,322.4	4,231.8	34.22	12.33	21.89	63.4	521.8	926.4	268.5
1487-22	ORE	AB	A	N	N		161.3	1	3.2	2,015.6	6,450.0	27.70	9.59	18.10	50.5	618.8	1,167.8	325.8
1487-33	ORE	M1	A	N	N		36.3	0.7	3.2	317.5	1,015.8	9.63	4.79	4.84	14.8	48.7	49.2	15.0
Totals and Averages for Section:				1487					3.2	12,241	39,171	21.21	7.93	13.28	37.7	3,106	5,200	1,476

SECTION: 1500 Pre-mining, In-situ, Undiluted, Sulphide mineralization above 8% Pb+Zn, Only "A" or "proven plus probable" mineralization, both thin (< 2.2m. true) and thick ore

INVENTORY BLOCK NAME	MATERIAL TYPE	ORE ZONE	CLASSIF. A=PROB+PROV B+POSSIBLE	THIN BLOCK ? (Y=<2.2m.)	MINING STATUS (Y=MINED)	MINING AREA NAME	BLOCK AREA IN SECTION (sq. m.)	STRIKE ADJUSTMENT (x12.5 m.)	IN-SITU DENSITY (tns/cu.m)	BLOCK VOLUME (cu. m.)	BLOCK TONNAGE (tonnes)	Pb+Zn GRADE (wt. %)	LEAD GRADE (wt. %)	ZINC GRADE (wt. %)	SILVER GRADE (gm/tn)	LEAD METAL (tonnes)	ZINC METAL (tonnes)	SILVER METAL (kg)
	ORE	JB2-W	A	N	Y	1350CHIMNE	112.1	1	3.2	1,401.3	4,484.0	28.77	10.97	17.80	66.7	491.7	798.2	299.0
	ORE	CHIMNEY	A	N	Y	CHIMNEY	1,300.6	0.9	3.2	14,631.6	46,821.2	26.30	10.69	15.61	66.7	5,005.6	7,308.7	3,121.7
	ORE	JB2-E	A	N	Y	13702E-200	12.9	1	3.2	160.6	514.0	20.83	8.12	12.71	76.9	41.7	65.3	39.5
	ORE	CHIMNEY	A	N	Y	CHIMNEY	7.1	0.9	3.2	80.2	256.7	26.30	10.69	15.61	66.7	27.4	40.1	17.1
	ORE	JB1	A	N	Y	1422-100	64.8	1	3.2	810.4	2,593.2	12.94	5.76	7.18	32.0	149.4	186.2	83.0
	ORE	CHIMNEY	A	N	Y	CHIMNEY	680.1	1	3.2	8,501.6	27,205.2	26.30	10.69	15.61	66.7	2,908.5	4,246.7	1,813.8
	ORE	JB2-E	A	N	Y	13702E-200	5.5	0.5	3.2	34.3	109.8	20.83	8.12	12.71	76.9	8.9	14.0	8.4
	ORE	JB2-W	A	N	Y	13402W-101	51.6	1	3.2	644.4	2,062.0	25.15	7.49	17.66	43.9	154.4	364.2	90.5
	ORE	JB2-W	A	N	Y	1350CHIMNE	88.5	1	3.2	1,106.3	3,540.0	28.77	10.97	17.80	66.7	388.2	630.2	236.1
	ORE	JB2-W	A	N	Y	13402W-101	1.3	1	3.2	16.6	53.2	25.15	7.49	17.66	43.9	4.0	9.4	2.3
1500-2	ORE	CHIMNEY	A	N	N		181.6	0.9	3.2	2,042.4	6,535.8	26.30	10.69	15.61	66.7	698.7	1,020.2	435.8
1500-2B	ORE	CHIMNEY	A	N	N		9.3	0.9	3.2	104.7	335.2	26.30	10.69	15.61	66.7	35.8	52.3	22.3
1500-2C	ORE	CHIMNEY	A	N	N		25.9	0.9	3.2	290.9	931.0	26.30	10.69	15.61	66.7	99.5	145.3	62.1
1500-2D	ORE	CHIMNEY	A	N	N		20.5	0.9	3.2	230.1	736.2	26.30	10.69	15.61	66.7	78.7	114.9	49.1
1500-2E	ORE	CHIMNEY	A	N	N		2.1	0.9	3.2	23.9	76.3	26.30	10.69	15.61	66.7	8.2	11.9	5.1
1500-2F	ORE	CHIMNEY	A	N	N		4.2	0.9	3.2	46.9	150.1	26.30	10.69	15.61	66.7	16.0	23.4	10.0
1500-2G	ORE	CHIMNEY	A	N	N		7.5	0.9	3.2	84.6	270.7	26.30	10.69	15.61	66.7	28.9	42.3	18.0
1500-8	ORE	JB2-E	A	N	N		4.3	1	3.2	54.3	173.6	10.18	4.95	5.24	242.7	8.6	9.1	42.1
1500-9	ORE	JB2-W	A	N	N		75.2	1	3.2	940.1	3,008.4	25.15	7.49	17.66	43.9	225.2	531.3	132.0
1500-17	ORE	JB2-E	A	N	N		111.2	0.8	3.2	1,111.7	3,557.4	28.38	10.47	17.92	87.9	372.4	637.3	312.8
1500-18	ORE	M1	A	N	N		21.9	1	3.2	273.6	875.6	13.50	4.88	8.62	25.0	42.7	75.5	21.9
1500-20	ORE	JB2-W	A	N	N		91.1	1	3.2	1,138.6	3,643.6	28.77	10.97	17.80	66.7	399.5	648.6	243.0
1500-20A	ORE	JB2-W	A	N	N		13.7	1	3.2	171.6	549.2	28.77	10.97	17.80	66.7	60.2	97.8	36.6
1500-37	ORE	JB2-E	A	N	N		315.9	0.5	3.2	1,974.3	6,317.6	20.83	8.12	12.71	76.9	513.1	803.0	485.8
1500-39	ORE	CHIMNEY	A	N	N		54.3	0.9	3.2	611.2	1,955.9	15.50	7.39	8.11	30.0	144.6	158.6	58.6
1500-41	ORE	JB2-E	A	N	N		27.5	1	3.2	343.5	1,099.2	20.83	8.12	12.71	76.9	89.3	139.7	84.5
1500-44	ORE	JB2-W	A	N	N		11.2	1	3.2	140.4	449.2	25.15	7.49	17.66	43.9	33.6	79.3	19.7

SECTION: 1500 Pre-mining, In-situ, Undiluted, Sulphide mineralization above 8% Pb+Zn, Only "A" or "proven plus probable" mineralization, both thin (< 2.2m. true) and thick ore

INVENTORY BLOCK NAME	MATERIAL TYPE	ORE ZONE NAME	CLASSIF. A=PROB+PROV B+POSSIBLE	THIN BLOCK ? (Y=<2.2m.)	MINING STATUS (Y=MINED)	MINING AREA NAME	BLOCK AREA IN SECTION (sq. m.)	STRIKE ADJUSTMENT (x12.5 m.)	IN-SITU DENSITY (tns/cu.m)	BLOCK VOLUME (cu. m.)	BLOCK TONNAGE (tonnes)	Pb+Zn GRADE (wt. %)	LEAD GRADE (wt. %)	ZINC GRADE (wt. %)	SILVER GRADE (gm/tn)	LEAD METAL (tonnes)	ZINC METAL (tonnes)	SILVER METAL (kg)
1500-46	ORE	JB2-W	A	N	N		0.6	1	3.2	7.1	22.8	25.15	7.49	17.66	43.9	1.7	4.0	1.0
Totals and Averages for Section:				1500					3.2	36,977	118,327	25.60	10.17	15.43	65.5	12,037	18,258	7,752

SECTION: 1512 Pre-mining, In-situ, Undiluted, Sulphide mineralization above 8% Pb+Zn, Only "A" or "proven plus probable" mineralization, both thin (< 2.2m. true) and thick ore

INVENTORY BLOCK NAME	MATERIAL TYPE ZONE	ORE NAME	CLASSIF. A=PROB+PROV B+POSSIBLE	THIN BLOCK ? (Y=<2.2m.)	MINING STATUS (Y=MINED)	MINING AREA NAME	BLOCK AREA IN SECTION (sq. m.)	STRIKE ADJUSTMENT (x12.5 m.)	IN-SITU DENSITY (tns/cu.m)	BLOCK VOLUME (cu. m.)	BLOCK TONNAGE (tonnes)	Pb+Zn GRADE (wt. %)	LEAD GRADE (wt. %)	ZINC GRADE (wt. %)	SILVER GRADE (gm/tn)	LEAD METAL (tonnes)	ZINC METAL (tonnes)	SILVER METAL (kg)
	ORE	JB2-W	A	N	Y	13402W-100	136.8	0.7	3.2	1,196.6	3,829.3	17.94	6.24	11.70	35.4	239.0	447.9	135.6
	ORE	JB2-E	A	N	Y	13802E-100	4.2	0.9	3.2	46.8	149.8	20.74	7.94	12.80	55.2	11.9	19.2	8.3
	ORE	JB2-W	A	N	Y	1350VENT A	7.1	0.9	3.2	79.8	255.2	23.76	7.63	16.13	71.6	19.5	41.2	18.3
	ORE	JB2-E	A	N	Y	13802E-100	154.0	0.9	3.2	1,731.9	5,542.2	20.74	7.94	12.80	55.2	440.2	709.3	306.1
	ORE	JB2-E	A	N	Y	13702E-200	19.7	0.9	3.2	222.1	710.6	20.74	7.94	12.80	55.2	56.5	91.0	39.3
	ORE	JB2-W	A	N	Y	1360VENT A	169.1	0.9	3.2	1,902.5	6,088.0	23.76	7.63	16.13	71.6	464.8	981.9	436.0
	ORE	JB2-E	A	N	Y	DP-3	17.5	0.9	3.2	196.9	630.0	20.74	7.94	12.80	55.2	50.0	80.6	34.8
	ORE	JB2-E	A	N	Y	13702E-100	21.8	0.9	3.2	244.7	783.0	20.74	7.94	12.80	55.2	62.2	100.2	43.2
	ORE	JB2-W	A	N	Y	1340-ACCES	51.8	0.7	3.2	453.2	1,450.4	17.94	6.24	11.70	35.4	90.5	169.7	51.4
	ORE	JB2-W	A	N	Y	DP-2	25.2	0.9	3.2	283.6	907.6	23.76	7.63	16.13	71.6	69.3	146.4	65.0
	ORE	JB2-W	A	N	Y	1330-402A	2.5	0.7	3.2	21.8	69.7	20.64	5.67	14.97	54.4	4.0	10.4	3.8
	ORE	JB2-W	A	N	Y	1330-402	17.5	0.7	3.2	153.0	489.7	20.64	5.67	14.97	54.4	27.8	73.3	26.6
	ORE	JB2-W	A	N	Y	1350VENT A	214.5	0.9	3.2	2,413.5	7,723.1	23.76	7.63	16.13	71.6	589.6	1,245.6	553.1
	ORE	JB1	A	N	Y	R1421	12.9	0.9	3.2	144.6	462.6	21.94	8.12	13.81	40.1	37.6	63.9	18.6
	ORE	JB2-W	A	N	Y	13402W-400	88.1	0.7	3.2	770.4	2,465.4	17.94	6.24	11.70	35.4	153.9	288.4	87.3
	ORE	JB1	A	N	Y	1422CHIMNE	89.0	0.9	3.2	1,001.3	3,204.0	21.94	8.12	13.81	40.1	260.3	442.6	128.6
	ORE	JB2-W	A	N	Y	DP	52.5	0.9	3.2	590.1	1,888.2	23.76	7.63	16.13	71.6	144.1	304.5	135.2
1512-1	ORE	JB1	A	N	N		380.3	0.9	3.2	4,277.9	13,689.4	21.94	8.12	13.81	40.1	1,112.0	1,890.9	549.4
1512-3	ORE	JB2-E	A	N	N		147.4	0.9	3.2	1,658.1	5,306.0	20.74	7.94	12.80	55.2	421.5	679.1	293.1
1512-3B	ORE	JB2-E	A	N	N		466.1	0.9	3.2	5,243.1	16,777.8	20.74	7.94	12.80	55.2	1,332.8	2,147.3	926.7
1512-4	ORE	JB2-W	A	N	N		577.6	0.9	3.2	6,498.2	20,794.3	23.76	7.63	16.13	71.6	1,587.5	3,353.7	1,489.3
1512-4A	ORE	JB2-W	A	N	N		4.8	0.9	3.2	54.2	173.5	23.76	7.63	16.13	71.6	13.2	28.0	12.4
1512-4B	ORE	JB2-W	A	N	N		6.6	0.9	3.2	74.3	237.6	23.76	7.63	16.13	71.6	18.1	38.3	17.0
1512-4C	ORE	JB2-W	A	N	N		60.1	0.5	3.2	375.6	1,202.0	23.76	7.63	16.13	71.6	91.8	193.9	86.1
1512-7	ORE	JB2-L	A	N	N		84.4	1	3.2	1,054.8	3,375.2	13.01	3.44	9.57	60.8	116.2	322.9	205.3
1512-24	ORE	JB2-W	A	N	N		12.2	1	3.2	152.8	488.8	23.76	7.63	16.13	71.6	37.3	78.8	35.0
1512-34	ORE	JB2-W	A	N	N		349.9	0.7	3.2	3,061.6	9,797.2	17.94	6.24	11.70	35.4	611.4	1,146.0	347.0

SECTION: 1512 Pre-mining, In-situ, Undiluted, Sulphide mineralization above 8% Pb+Zn, Only "A" or "proven plus probable" mineralization, both thin (< 2.2m. true) and thick ore

INVENTORY MATERIAL BLOCK	MATERIAL TYPE	ORE ZONE	CLASSIF. A=PROB+PROV B+POSSIBLE	THIN BLOCK ? (Y=<2.2m.)	MINING STATUS (Y=MINED)	MINING AREA NAME	BLOCK AREA IN SECTION (sq. m.)	STRIKE ADJUSTMENT (x12.5 m.)	IN-SITU DENSITY (tns/cu.m)	BLOCK VOLUME (cu. m.)	BLOCK TONNAGE (tonnes)	Pb+Zn GRADE (wt. %)	LEAD GRADE (wt. %)	ZINC GRADE (wt. %)	SILVER GRADE (gm/tn)	LEAD METAL (tonnes)	ZINC METAL (tonnes)	SILVER METAL (kg)
1512-34A	ORE	JB2-W	A	N	N		24.0	0.7	3.2	210.3	672.8	17.94	6.24	11.70	35.4	42.0	78.7	23.8
1512-34B	ORE	JB2-W	A	N	N		82.0	0.7	3.2	717.1	2,294.9	17.94	6.24	11.70	35.4	143.2	268.4	81.3
1512-3A	ORE	JB2-E	A	N	N		6.7	1	3.2	84.1	269.2	20.74	7.94	12.80	55.2	21.4	34.5	14.9
Totals and Averages for Section:				1512					3.2	34,915	111,728	21.25	7.40	13.85	55.2	8,269	15,476	6,173

SECTION: 1525 Pre-mining, In-situ, Undiluted, Sulphide mineralization above 8% Pb+Zn, Only "A" or "proven plus probable" mineralization, both thin (< 2.2m. true) and thick ore

INVENTORY BLOCK NAME	MATERIAL TYPE	ORE ZONE NAME	CLASSIF. A=PROB+PROV B+POSSIBLE	THIN BLOCK ? (Y=<2.2m.)	MINING STATUS (Y=MINED)	MINING AREA NAME	BLOCK AREA IN SECTION (sq. m.)	STRIKE ADJUSTMENT (x12.5 m.)	IN-SITU DENSITY (tns/cu.m)	BLOCK VOLUME (cu. m.)	BLOCK TONNAGE (tonnes)	Pb+Zn GRADE (wt. %)	LEAD GRADE (wt. %)	ZINC GRADE (wt. %)	SILVER GRADE (gm/tn)	LEAD METAL (tonnes)	ZINC METAL (tonnes)	SILVER METAL (kg)
	ORE	JB2-E	A	N	Y	13802E-100	63.1	1	3.2	788.3	2,522.4	16.67	7.07	9.60	62.2	178.4	242.2	156.9
	ORE	JB2-W	A	N	Y	1335-401	40.2	0.7	3.2	351.6	1,125.0	35.62	13.61	22.01	93.4	153.1	247.7	105.0
	ORE	JB1	A	N	Y	1422-100	22.6	0.7	3.2	197.9	633.4	17.11	6.73	10.38	36.7	42.6	65.7	23.3
	ORE	JB1	A	N	Y	R1423	18.7	1	3.2	233.4	746.8	16.57	6.41	10.16	33.5	47.9	75.9	25.0
	ORE	JB2-E	A	N	Y	13702E-198	40.5	1	3.2	506.0	1,619.2	13.80	5.88	7.92	26.5	95.2	128.3	42.9
	ORE	JB2-W	A	N	Y	1350VENT	12.2	0.7	3.2	106.7	341.3	35.62	13.61	22.01	93.4	46.4	75.1	31.9
	ORE	JB1	A	N	Y	1422CHIMNE	137.1	0.9	3.2	1,542.8	4,937.0	19.79	6.22	13.57	39.1	307.1	669.9	193.2
	ORE	JB2-L	A	N	Y	1335-401	186.4	1	3.2	2,329.5	7,454.4	19.81	6.28	13.53	40.3	468.3	1,008.5	300.1
	ORE	JB2-E	A	N	Y	13802E-100	105.4	1	3.2	1,317.9	4,217.2	16.41	8.52	7.89	317.9	359.3	332.8	1,340.7
	ORE	JB2-W	A	N	Y	DP-23	2.0	0.8	3.2	20.3	65.0	14.69	3.68	11.01	47.1	2.4	7.2	3.1
	ORE	JB2-W	A	N	Y	REFUGE STA	37.7	1	3.2	471.4	1,508.4	18.34	6.44	11.89	31.2	97.2	179.4	47.1
	ORE	JB2-L	A	N	Y	1335-401	4.3	1	3.2	54.1	173.2	19.81	6.28	13.53	40.3	10.9	23.4	7.0
	ORE	JB1	A	N	Y	1422CHIMNE	42.8	0.9	3.2	481.7	1,541.5	19.79	6.22	13.57	39.1	95.9	209.2	60.3
	ORE	JB2-W	A	N	Y	13402W-400	102.9	0.7	3.2	900.3	2,880.9	35.62	13.61	22.01	93.4	392.0	634.2	269.0
	ORE	JB2-L	A	N	Y	1335-401	1.1	1	3.2	14.0	44.8	19.81	6.28	13.53	40.3	2.8	6.1	1.8
1525-5	ORE	JB1	A	N	N		148.0	0.7	3.2	1,294.6	4,142.6	17.11	6.73	10.38	36.7	278.9	429.9	152.2
1525-8	ORE	JB1	A	N	N		46.6	0.9	3.2	523.7	1,675.8	19.79	6.22	13.57	39.1	104.2	227.4	65.6
1525-9	ORE	JB1	A	N	N		26.7	1	3.2	333.9	1,068.4	16.57	6.41	10.16	33.5	68.5	108.5	35.8
1525-9A	ORE	JB1	A	N	N		0.1	1	3.2	1.0	3.2	16.57	6.41	10.16	33.5	0.2	0.3	0.1
1525-14	ORE	JB2-E	A	N	N		198.5	1	3.2	2,481.3	7,940.0	16.67	7.07	9.60	62.2	561.5	762.4	493.8
1525-14A	ORE	JB2-E	A	N	N		15.7	1	3.2	196.8	629.6	16.67	7.07	9.60	62.2	44.5	60.5	39.2
1525-15	ORE	JB2-E	A	N	N		94.6	1	3.2	1,182.3	3,783.2	16.41	8.52	7.89	317.9	322.3	298.5	1,202.7
1525-19	ORE	JB2-E	A	N	N		25.3	0.8	3.2	252.5	808.0	20.63	11.32	9.30	152.2	91.5	75.2	123.0
1525-22	ORE	JB2-E	A	N	N		22.6	1	3.2	282.8	904.8	13.80	5.88	7.92	26.5	53.2	71.7	24.0
1525-22A	ORE	JB2-E	A	N	N		4.0	1	3.2	49.4	158.0	13.80	5.88	7.92	26.5	9.3	12.5	4.2
1525-23	ORE	JB2-E	A	N	N		13.6	1	3.2	170.3	544.8	15.16	5.60	9.56	29.8	30.5	52.1	16.2
1525-26	ORE	JB2-E	A	N	N		365.7	0.7	3.2	3,200.1	10,240.4	20.28	6.94	13.34	50.5	710.5	1,366.1	517.1

SECTION: 1525 Pre-mining, In-situ, Undiluted, Sulphide mineralization above 8% Pb+Zn, Only "A" or "proven plus probable" mineralization, both thin (< 2.2m. true) and thick ore

INVENTORY BLOCK	MATERIAL TYPE	ORE ZONE	CLASSIF. A=PROB+PROV B+POSSIBLE	THIN BLOCK ? (Y=<2.2m.)	MINING STATUS (Y=MINED)	MINING AREA NAME	BLOCK AREA IN SECTION (sq. m.)	STRIKE ADJUSTMENT (x12.5 m.)	IN-SITU DENSITY (tns/cu.m)	BLOCK VOLUME (cu. m.)	BLOCK TONNAGE (tonnes)	Pb+Zn GRADE (wt. %)	LEAD GRADE (wt. %)	ZINC GRADE (wt. %)	SILVER GRADE (gm/tn)	LEAD METAL (tonnes)	ZINC METAL (tonnes)	SILVER METAL (kg)
1525-30	ORE	JB2-W	A	N	N		358.8	0.7	3.2	3,139.8	10,047.2	35.62	13.61	22.01	93.4	1,367.0	2,211.8	938.0
1525-34	ORE	JB2-W	A	N	N		283.2	1	3.2	3,540.4	11,329.2	18.34	6.44	11.89	31.2	730.0	1,347.3	353.6
1525-34A	ORE	JB2-W	A	N	N		9.0	1	3.2	112.3	359.2	18.34	6.44	11.89	31.2	23.1	42.7	11.2
1525-35	ORE	JB2-L	A	N	N		67.1	1	3.2	839.0	2,684.8	19.81	6.28	13.53	40.3	168.7	363.2	108.1
1525-35A	ORE	JB2-L	A	N	N		26.2	1	3.2	327.0	1,046.4	19.81	6.28	13.53	40.3	65.7	141.6	42.1
1525-44	ORE	JB2-L	A	N	N		0.3	1	3.2	4.1	13.2	19.81	6.28	13.53	40.3	0.8	1.8	0.5
1525-45	ORE	JB1	A	N	N		0.1	1	3.2	1.5	4.8	9.44	2.93	6.51	16.1	0.1	0.3	0.1
Totals and Averages for Section:				1525					3.2	27,248	87,194	21.11	7.95	13.17	77.2	6,930	11,479	6,735

SECTION: 1537 Pre-mining, In-situ, Undiluted, Sulphide mineralization above 8% Pb+Zn, Only "A" or "proven plus probable" mineralization, both thin (< 2.2m. true) and thick ore

INVENTORY BLOCK	MATERIAL TYPE	ORE ZONE	CLASSIF. A=PROB+PROV B+POSSIBLE	THIN BLOCK ? (Y=<2.2m.)	MINING STATUS (Y=MINED)	MINING AREA NAME	BLOCK AREA IN SECTION (sq. m.)	STRIKE ADJUSTMENT (x12.5 m.)	IN-SITU DENSITY (tns/cu.m)	BLOCK VOLUME (cu. m.)	BLOCK TONNAGE (tonnes)	Pb+Zn GRADE (wt. %)	LEAD GRADE (wt. %)	ZINC GRADE (wt. %)	SILVER GRADE (gm/tn)	LEAD METAL (tonnes)	ZINC METAL (tonnes)	SILVER METAL (kg)
	ORE	JB2-E	A	N	Y	1380-103-B	18.3	0.9	3.2	206.2	659.9	13.04	5.83	7.20	76.2	38.5	47.5	50.3
	ORE	JB2-E	A	N	Y	CHIM-TTA	70.2	0.9	3.2	789.4	2,526.1	20.95	7.70	13.25	62.3	194.6	334.7	157.3
	ORE	JB2-E	A	N	Y	13702EACCE	3.5	0.9	3.2	39.5	126.4	19.36	8.21	11.15	40.8	10.4	14.1	5.2
	ORE	JB1	A	N	Y	VENT RAISE	9.9	1	3.2	123.1	394.0	9.48	3.34	6.14	16.8	13.2	24.2	6.6
	ORE	JB2-W	A	N	Y	1330-401	4.4	1	3.2	54.8	175.2	17.75	6.17	11.58	35.4	10.8	20.3	6.2
	ORE	JB2-W	A	N	Y	1335-403-B	58.4	0.9	3.2	657.3	2,103.5	35.86	12.74	23.11	93.3	268.1	486.2	196.3
	ORE	JB1	A	N	Y	1422-ACCES	27.9	1	3.2	348.8	1,116.0	9.48	3.34	6.14	16.8	37.3	68.5	18.7
	ORE	JB2-E	A	N	Y	1380-103-B	14.7	0.9	3.2	165.2	528.5	19.36	8.21	11.15	40.8	43.4	58.9	21.6
	ORE	JB2-W	A	N	Y	1335-403-A	54.0	0.9	3.2	607.7	1,944.7	35.86	12.74	23.11	93.3	247.8	449.5	181.5
1537-6	ORE	JB2-E	A	N	N		55.4	0.9	3.2	623.5	1,995.1	13.04	5.83	7.20	76.2	116.4	143.7	152.1
1537-6A	ORE	JB2-E	A	N	N		13.3	0.9	3.2	149.4	478.1	13.04	5.83	7.20	76.2	27.9	34.4	36.4
1537-7	ORE	JB2-E	A	N	N		17.7	0.9	3.2	198.8	636.1	19.36	8.21	11.15	40.8	52.2	71.0	26.0
1537-7A	ORE	JB2-E	A	N	N		13.5	0.9	3.2	151.9	486.0	19.36	8.21	11.15	40.8	39.9	54.2	19.8
1537-7B	ORE	JB2-E	A	N	N		1.0	0.9	3.2	11.0	35.3	19.36	8.21	11.15	40.8	2.9	3.9	1.4
1537-8	ORE	JB2-E	A	N	N		335.0	0.9	3.2	3,769.2	12,061.4	20.95	7.70	13.25	62.3	929.2	1,598.1	750.9
1537-10	ORE	JB2-W	A	N	N		338.1	0.9	3.2	3,803.2	12,170.2	35.86	12.74	23.11	93.3	1,550.9	2,812.8	1,135.8
1537-30	ORE	JB2-E	A	N	N		34.5	0.9	3.2	388.2	1,242.4	13.67	4.78	8.90	27.5	59.4	110.5	34.1
1537-31	ORE	JB1	A	Y	N		71.7	1	3.2	895.8	2,866.4	9.21	2.91	6.29	17.8	83.5	180.4	50.9

Totals and Averages for Section: 1537

3.2 12,983 41,545 24.65 8.97 15.68 68.6 3,726 6,513 2,851

SECTION: 1550 Pre-mining, In-situ, Undiluted, Sulphide mineralization above 8% Pb+Zn, Only "A" or "proven plus probable" mineralization, both thin (< 2.2m. true) and thick ore

INVENTORY MATERIAL BLOCK NAME	ORE TYPE	ORE ZONE	CLASSIF. A=PROB+PROV B+POSSIBLE	THIN BLOCK ? (Y=<2.2m.)	MINING STATUS (Y=MINED)	MINING AREA NAME	BLOCK AREA IN SECTION (sq. m.)	STRIKE ADJUSTMENT (x12.5 m.)	IN-SITU DENSITY (tns/cu.m)	BLOCK VOLUME (cu. m.)	BLOCK TONNAGE (tonnes)	Pb+Zn GRADE (wt. %)	LEAD GRADE (wt. %)	ZINC GRADE (wt. %)	SILVER GRADE (gm/tn)	LEAD METAL (tonnes)	ZINC METAL (tonnes)	SILVER METAL (kg)
	ORE	POD	A	N	Y	1422-POD	124.2	0.7	3.2	1,086.9	3,478.2	21.27	8.83	12.44	47.3	307.2	432.8	164.4
	ORE	JB2-E	A	N	Y	1370-2E	5.2	0.7	3.2	45.4	145.3	22.65	8.34	14.31	50.4	12.1	20.8	7.3
	ORE	JB1	A	N	Y	1422-201	207.8	0.8	3.2	2,077.9	6,649.3	21.83	9.40	12.43	48.3	625.0	826.6	321.1
	ORE	POD	A	N	Y	NORTH DRIF	20.3	0.7	3.2	177.4	567.6	21.27	8.83	12.44	47.3	50.1	70.6	26.8
	ORE	POD	A	N	Y	1422-POD-1	18.9	0.7	3.2	165.6	529.8	21.27	8.83	12.44	47.3	46.8	65.9	25.0
	ORE	JB2-E	A	N	Y	1370-2E	38.6	0.7	3.2	337.8	1,081.1	22.65	8.34	14.31	50.4	90.2	154.7	54.5
	ORE	JB2-E	A	N	Y	1370-2E	58.7	0.7	3.2	513.2	1,642.2	22.65	8.34	14.31	50.4	137.0	234.9	82.8
	ORE	JB2-E	A	N	Y	1370-2E	100.2	0.7	3.2	877.1	2,806.7	22.65	8.34	14.31	50.4	234.2	401.6	141.5
	ORE	JB2-W	A	N	Y	1340-200	27.9	1	3.2	348.8	1,116.0	22.85	7.76	15.10	126.0	86.6	168.5	140.6
1550-1	ORE	JB1	A	N	N		68.2	0.8	3.2	682.0	2,182.4	21.83	9.40	12.43	48.3	205.1	271.3	105.4
1550-1A	ORE	JB1	A	N	N		12.0	0.8	3.2	119.9	383.7	21.83	9.40	12.43	48.3	36.1	47.7	18.5
1550-2	ORE	JB1	A	N	N		101.1	0.8	3.2	1,010.9	3,234.9	25.16	7.91	17.26	44.4	255.8	558.2	143.8
1550-3	ORE	JB1	A	N	N		70.9	0.8	3.2	708.5	2,267.2	13.92	4.89	9.04	27.8	110.8	204.9	63.1
1550-4	ORE	POD	A	N	N		465.3	0.9	3.2	5,234.6	16,750.8	21.27	8.83	12.44	47.3	1,479.3	2,084.4	791.8
1550-4A	ORE	POD	A	N	N		10.7	0.7	3.2	93.6	299.6	21.27	8.83	12.44	47.3	26.5	37.3	14.2
1550-4B	ORE	POD	A	N	N		53.5	0.7	3.2	468.1	1,498.0	21.27	8.83	12.44	47.3	132.3	186.4	70.8
1550-5	ORE	JB2-E	A	N	N		523.0	0.7	3.2	4,576.3	14,644.3	22.65	8.34	14.31	50.4	1,221.9	2,095.1	738.5
1550-9	ORE	JB2-W	A	N	N		142.1	1	3.2	1,776.4	5,684.4	22.85	7.76	15.10	126.0	441.0	858.2	716.3

Totals and Averages for Section: 1550 3.2 20,300 64,961 21.89 8.46 13.42 55.8 5,498 8,720 3,627

SECTION: 1562 Pre-mining, In-situ, Undiluted, Sulphide mineralization above 8% Pb+Zn, Only "A" or "proven plus probable" mineralization, both thin (< 2.2m. true) and thick ore

INVENTORY BLOCK NAME	MATERIAL TYPE	ORE ZONE NAME	CLASSIF. A=PROB+PROV B+POSSIBLE	THIN BLOCK ? (Y=<2.2m.)	MINING STATUS (Y=MINED)	MINING AREA NAME	BLOCK AREA IN SECTION (sq. m.)	STRIKE ADJUSTMENT (x12.5 m.)	IN-SITU DENSITY (tns/cu.m)	BLOCK VOLUME (cu. m.)	BLOCK TONNAGE (tonnes)	Pb+Zn GRADE (wt. %)	LEAD GRADE (wt. %)	ZINC GRADE (wt. %)	SILVER GRADE (gm/tn)	LEAD METAL (tonnes)	ZINC METAL (tonnes)	SILVER METAL (kg)
	ORE	POD	A	N	Y	1422-POD	210.2	0.8	3.2	2,102.0	6,726.4	26.98	12.75	14.23	162.2	857.8	957.1	1,091.2
	ORE	POD	A	N	Y	1422-POD	112.4	0.8	3.2	1,123.9	3,596.5	26.98	12.75	14.23	162.2	458.6	511.7	583.5
	ORE	JB2-E	A	N	Y	1380-100	0.5	0.7	3.2	4.4	14.0	25.40	10.48	14.92	98.1	1.5	2.1	1.4
	ORE	POD	A	N	Y	NORTH DRIF	12.4	0.8	3.2	124.1	397.1	26.98	12.75	14.23	162.2	50.6	56.5	64.4
	ORE	JB2-E	A	N	Y	1369-2E AC	16.0	0.7	3.2	140.0	448.0	25.40	10.48	14.92	98.1	47.0	66.8	44.0
	ORE	JB2-E	A	N	Y	1380-100	105.9	0.7	3.2	926.6	2,965.2	25.40	10.48	14.92	98.1	310.8	442.3	291.0
	ORE	JB2-E	A	N	Y	1380-100	0.1	0.7	3.2	0.8	2.5	25.40	10.48	14.92	98.1	0.3	0.4	0.2
1562-2	ORE	POD	A	N	N		351.2	0.8	3.2	3,511.5	11,236.8	26.98	12.75	14.23	162.2	1,433.0	1,598.9	1,823.0
1562-2A	ORE	POD	A	N	N		325.7	0.8	3.2	3,257.3	10,423.4	26.98	12.75	14.23	162.2	1,329.2	1,483.2	1,691.0
1562-3	ORE	JB2-E	A	N	N		897.2	0.7	3.2	7,850.8	25,122.7	25.40	10.48	14.92	98.1	2,633.0	3,747.6	2,465.3
1562-3A	ORE	JB2-E	A	N	N		2.4	0.7	3.2	20.6	65.8	25.40	10.48	14.92	98.1	6.9	9.8	6.5
1562-4	ORE	JB2-E	A	N	N		141.9	0.5	3.2	887.1	2,838.8	14.16	4.67	9.49	33.0	132.7	269.3	93.6
1562-20	ORE	POD	A	N	N		0.3	1	3.2	4.1	13.2	26.98	12.75	14.23	162.2	1.7	1.9	2.1
Totals and Averages for Section:				1562					3.2	19,953	63,850	25.70	11.37	14.33	127.8	7,263	9,148	8,157

SECTION: 1575 Pre-mining, In-situ, Undiluted, Sulphide mineralization above 8% Pb+Zn, Only "A" or "proven plus probable" mineralization, both thin (< 2.2m. true) and thick ore

INVENTORY BLOCK NAME	MATERIAL TYPE	ORE ZONE NAME	CLASSIF. A=PROB+PROV B+POSSIBLE	THIN BLOCK ? (Y=<2.2m.)	MINING STATUS (Y=MINED)	MINING AREA NAME	BLOCK AREA IN SECTION (sq. m.)	STRIKE ADJUSTMENT (x12.5 m.)	IN-SITU DENSITY (tns/cu.m)	BLOCK VOLUME (cu. m.)	BLOCK TONNAGE (tonnes)	Pb+Zn GRADE (wt. %)	LEAD GRADE (wt. %)	ZINC GRADE (wt. %)	SILVER GRADE (gm/tn)	LEAD METAL (tonnes)	ZINC METAL (tonnes)	SILVER METAL (kg)
	ORE	POD	A	N	Y	1422-POD-1	50.3	1	3.2	628.1	2,010.0	25.19	10.14	15.06	58.4	203.7	302.7	117.4
	ORE	POD	A	N	Y	1422-POD	284.6	1	3.2	3,557.6	11,384.4	25.19	10.14	15.06	58.4	1,153.9	1,714.4	664.9
	ORE	POD	A	N	Y	1422-POD-1	0.3	1	3.2	3.8	12.0	25.19	10.14	15.06	58.4	1.2	1.8	0.7
	ORE	POD	A	N	Y	NORTH DRIF	15.1	1	3.2	188.9	604.4	25.19	10.14	15.06	58.4	61.3	91.0	35.3
1575-1	ORE	JB1	A	N	N		128.9	0.7	3.2	1,127.5	3,608.1	18.36	6.78	11.58	38.4	244.7	417.8	138.6
1575-4	ORE	POD	A	N	N		584.5	1	3.2	7,306.8	23,381.6	25.19	10.14	15.06	58.4	2,369.8	3,521.0	1,365.5
1575-4A	ORE	POD	A	N	N		1.6	1	3.2	20.1	64.4	25.19	10.14	15.06	58.4	6.5	9.7	3.8
1575-4B	ORE	POD	A	N	N		55.2	1	3.2	689.5	2,206.4	25.19	10.14	15.06	58.4	223.6	332.3	128.9
Totals and Averages for Section:				1575					3.2	13,522	43,271	24.62	9.86	14.77	56.7	4,265	6,391	2,455

SECTION: 1587 Pre-mining, In-situ, Undiluted, Sulphide mineralization above 8% Pb+Zn, Only "A" or "proven plus probable" mineralization, both thin (< 2.2m. true) and thick ore

INVENTORY BLOCK NAME	MATERIAL TYPE	ORE ZONE NAME	CLASSIF. A=PROB+PROV B+POSSIBLE	THIN BLOCK ? (Y=<2.2m.)	MINING STATUS (Y=MINED)	MINING AREA NAME	BLOCK AREA IN SECTION (sq. m.)	STRIKE ADJUSTMENT (x12.5 m.)	IN-SITU DENSITY (tns/cu.m)	BLOCK VOLUME (cu. m.)	BLOCK TONNAGE (tonnes)	Pb+Zn GRADE (wt. %)	LEAD GRADE (wt. %)	ZINC GRADE (wt. %)	SILVER GRADE (gm/tn)	LEAD METAL (tonnes)	ZINC METAL (tonnes)	SILVER METAL (kg)
	ORE	POD	A	N	Y	1422-POD	59.6	0.9	3.2	670.7	2,146.3	25.54	10.78	14.76	61.3	231.5	316.7	131.7
	ORE	POD	A	N	Y	NORTH DRIF	7.5	0.9	3.2	84.2	269.3	25.54	10.78	14.76	61.3	29.0	39.7	16.5
	ORE	POD	A	N	Y	NORTH DRIF	2.9	0.9	3.2	32.9	105.1	25.54	10.78	14.76	61.3	11.3	15.5	6.4
1587-3A	ORE	POD	A	N	N		207.8	0.9	3.2	2,337.9	7,481.2	25.54	10.78	14.76	61.3	806.8	1,104.0	458.9
1587-5	ORE	POD	A	N	N		84.6	0.9	3.2	951.3	3,044.2	11.70	4.12	7.58	23.1	125.5	230.8	70.5
1587-6	ORE	JB2-E	A	N	N		92.9	1	3.2	1,161.5	3,716.8	16.37	3.18	13.18	78.0	118.3	490.0	289.8
1587-21	ORE	POD	A	N	N		38.2	1	3.2	477.9	1,529.2	14.52	5.96	8.56	33.8	91.2	130.8	51.7
Totals and Averages for Section:				1587					3.2	5,716	18,292	20.45	7.73	12.72	56.1	1,414	2,328	1,025

SECTION: 1600 Pre-mining, In-situ, Undiluted, Sulphide mineralization above 8% Pb+Zn, Only "A" or "proven plus probable" mineralization, both thin (< 2.2m. true) and thick ore

INVENTORY BLOCK NAME	MATERIAL TYPE	ORE ZONE NAME	CLASSIF. A=PROB+PROV B+POSSIBLE	THIN BLOCK ? (Y=<2.2m.)	MINING STATUS (Y=MINED)	MINING AREA NAME	BLOCK AREA IN SECTION (sq. m.)	STRIKE ADJUSTMENT (x12.5 m.)	IN-SITU DENSITY (tns/cu.m)	BLOCK VOLUME (cu. m.)	BLOCK TONNAGE (tonnes)	Pb+Zn GRADE (wt. %)	LEAD GRADE (wt. %)	ZINC GRADE (wt. %)	SILVER GRADE (gm/tn)	LEAD METAL (tonnes)	ZINC METAL (tonnes)	SILVER METAL (kg)
	ORE	POD	A	N	Y	NORTH DRIF	14.2	1	3.2	176.9	566.0	23.97	10.27	13.70	51.5	58.1	77.6	29.2
	ORE	POD	A	N	Y	1422-POD	70.6	1	3.2	882.5	2,824.0	23.97	10.27	13.70	51.5	290.0	387.0	145.5
	ORE	JB2-E	A	N	Y	1369-2E AC	3.9	1	3.2	48.1	154.0	17.91	6.90	11.01	67.7	10.6	17.0	10.4
1600-2	ORE	POD	A	N	N		357.2	0.8	3.2	3,572.3	11,431.4	23.97	10.27	13.70	51.5	1,174.0	1,566.6	589.0
1600-5	ORE	UNKN	A	N	N		98.2	1	3.2	1,227.5	3,928.0	15.54	3.87	11.67	65.4	151.9	458.3	256.9
1600-13	ORE	POD	A	Y	N		33.7	1	3.2	420.9	1,346.8	13.90	4.62	9.28	22.3	62.2	125.0	30.1
Totals and Averages for Section:				1600					3.2	6,328	20,250	21.62	8.63	12.99	52.4	1,747	2,631	1,061

 SECTION: 1612 Pre-mining, In-situ, Undiluted, Sulphide mineralization above 8% Pb+Zn, Only "A" or "proven plus probable" mineralization, both thin (< 2.2m. true) and thick ore

INVENTORY MATERIAL	ORE	CLASSIF.	THIN	MINING	MINING	BLOCK AREA	STRIKE	IN-SITU	BLOCK	BLOCK	Pb+Zn	LEAD	ZINC	SILVER	LEAD	ZINC	SILVER	
BLOCK	TYPE	ZONE	A=PROB+PROV	BLOCK ?	STATUS	AREA	IN SECTION	ADJUSTMENT	DENSITY	VOLUME	TONNAGE	GRADE	GRADE	GRADE	GRADE	METAL	METAL	METAL
NAME	NAME	B+POSSIBLE	(Y=<2.2m.)	(Y=MINED)	NAME	(sq. m.)	(x12.5 m.)	(tns/cu.m)	(cu. m.)	(tonnes)	(wt. %)	(wt. %)	(wt. %)	(gm/tn)	(tonnes)	(tonnes)	(kg)	

 Totals and Averages for Section: 1612 ERR ERR ERR ERR ERR

 SECTION: 1625 Pre-mining, In-situ, Undiluted, Sulphide mineralization above 8% Pb+Zn, Only "A" or "proven plus probable" mineralization, both thin (< 2.2m. true) and thick ore

INVENTORY MATERIAL	ORE	CLASSIF.	THIN	MINING	MINING	BLOCK AREA	STRIKE	IN-SITU	BLOCK	BLOCK	Pb+Zn	LEAD	ZINC	SILVER	LEAD	ZINC	SILVER	
BLOCK	TYPE	ZONE	A=PROB+PROV	BLOCK ?	STATUS	AREA	IN SECTION	ADJUSTMENT	DENSITY	VOLUME	TONNAGE	GRADE	GRADE	GRADE	GRADE	METAL	METAL	METAL
NAME	NAME	B+POSSIBLE	(Y=<2.2m.)	(Y=MINED)	NAME	(sq. m.)	(x12.5 m.)	(tns/cu.m)	(cu. m.)	(tonnes)	(wt. %)	(wt. %)	(wt. %)	(gm/tn)	(tonnes)	(tonnes)	(kg)	

 Totals and Averages for Section: 1625 ERR ERR ERR ERR ERR

APPENDIX P

**DETAILS OF INVENTORY CALCULATION FOR TOTAL
IN-SITU "PROVEN+PROBABLE" SULPHIDE MINERALIZATION
(CLASS "A") IN THICK BLOCKS ONLY.**

APPENDIX P-1

SUMMARY BY EACH SECTION FOR EACH ZONE

JEWELBOX HILL IN-SITU, PRE-MINING, MINERAL INVENTORY -- SUMMARY BY ZONE & SECTION

"A" Class of mineralization only (i.e., "proven + probable"), sulphides only, thick (>2.2m. true) zones only

SECTION	ZONE	VOLUME (cu.m.)	TONNAGE (tonnes)	Pb+Zn (wt.%)	Pb (wt.%)	Zn (wt.%)	Ag (g/t)	LEAD (tonnes)	ZINC (tonnes)	SILVER (kg.)
1237	JB1	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1250	JB1	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1275	JB1	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1300	JB1	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1312	JB1	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1325	JB1	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1337	JB1	1,490	4,767	17.94	6.78	11.16	36.4	323.2	531.8	173.4
1350	JB1	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1362	JB1	3,111	9,954	25.49	9.73	15.76	42.8	968.3	1,568.6	425.9
1375	JB1	1,657	5,303	15.74	7.36	8.38	37.9	390.1	444.5	200.9
1387	JB1	1,576	5,044	17.08	7.14	9.94	31.2	360.2	501.3	157.5
1400	JB1	911	2,915	19.40	8.18	11.22	28.4	238.5	327.0	82.8
1412	JB1	189	606	21.59	9.25	12.34	49.0	56.1	74.8	29.7
1425	JB1	3,325	10,641	16.48	5.68	10.80	25.1	604.4	1,149.5	267.1
1437	JB1	2,833	9,067	13.78	5.39	8.39	38.2	488.3	760.7	346.6
1450	JB1	2,115	6,767	20.16	8.59	11.58	43.1	581.0	783.5	291.9
1462	JB1	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1475	JB1	3,030	9,696	12.51	5.31	7.20	24.5	514.9	697.7	238.0
1487	JB1	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1500	JB1	810	2,593	12.94	5.76	7.18	32.0	149.4	186.2	83.0
1512	JB1	5,424	17,356	21.94	8.12	13.81	40.1	1,409.8	2,397.4	696.5
1525	JB1	4,610	14,754	18.52	6.41	12.11	37.7	945.5	1,787.1	555.6
1537	JB1	472	1,510	9.48	3.34	6.14	16.8	50.4	92.7	25.3
1550	JB1	4,599	14,717	21.34	8.38	12.97	44.3	1,232.7	1,908.7	651.9
1562	JB1	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1575	JB1	1,128	3,608	18.36	6.78	11.58	38.4	244.7	417.8	138.6
1587	JB1	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1600	JB1	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1612	JB1	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1625	JB1	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
TOTAL/AVERAGE		37,281	119,298	18.60	7.17	11.42	36.6	8,558	13,629	4,365

JEWELBOX HILL IN-SITU, PRE-MINING, MINERAL INVENTORY -- SUMMARY BY ZONE & SECTION

"A" Class of mineralization only (i.e., "proven + probable"), sulphides only, thick (>2.2m. true) zones only

SECTION	ZONE	VOLUME (cu.m.)	TONNAGE (tonnes)	Pb+Zn (wt.%)	Pb (wt.%)	Zn (wt.%)	Ag (g/t)	LEAD (tonnes)	ZINC (tonnes)	SILVER (kg.)
1237	J1	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1250	J1	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1275	J1	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1300	J1	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1312	J1	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1325	J1	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1337	J1	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1350	J1	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1362	J1	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1375	J1	823	2,634	16.44	8.62	7.82	48.5	227.1	206.0	127.7
1387	J1	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1400	J1	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1412	J1	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1425	J1	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1437	J1	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1450	J1	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1462	J1	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1475	J1	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1487	J1	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1500	J1	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1512	J1	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1525	J1	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1537	J1	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1550	J1	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1562	J1	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1575	J1	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1587	J1	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1600	J1	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1612	J1	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1625	J1	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
TOTAL/AVERAGE		823	2,634	16.44	8.62	7.82	48.5	227	206	128

JEWELBOX HILL IN-SITU, PRE-MINING, MINERAL INVENTORY -- SUMMARY BY ZONE & SECTION

"A" Class of mineralization only (i.e., "proven + probable"), sulphides only, thick (>2.2m. true) zones only

SECTION	ZONE	VOLUME (cu.m.)	TONNAGE (tonnes)	Pb+Zn (wt.%)	Pb (wt.%)	Zn (wt.%)	Ag (g/t)	LEAD (tonnes)	ZINC (tonnes)	SILVER (kg.)
1237	JB1-L	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1250	JB1-L	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1275	JB1-L	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1300	JB1-L	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1312	JB1-L	399	1,275	15.14	6.21	8.92	31.7	79.2	113.8	40.4
1325	JB1-L	453	1,448	17.42	7.73	9.70	37.4	111.9	140.4	54.2
1337	JB1-L	1,149	3,678	20.95	8.27	12.67	44.2	304.2	466.1	162.6
1350	JB1-L	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1362	JB1-L	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1375	JB1-L	1,422	4,549	23.51	9.38	14.13	46.4	426.7	642.7	211.0
1387	JB1-L	246	788	17.05	6.94	10.12	38.1	54.6	79.7	30.0
1400	JB1-L	1,707	5,461	14.58	6.47	8.11	28.7	353.4	442.8	156.9
1412	JB1-L	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1425	JB1-L	1,150	3,679	18.27	7.77	10.50	40.6	286.0	386.2	149.3
1437	JB1-L	894	2,862	12.44	4.72	7.72	21.9	135.1	220.8	62.8
1450	JB1-L	1,121	3,588	26.63	11.67	14.96	49.8	418.7	536.6	178.8
1462	JB1-L	3,001	9,603	23.32	10.26	13.05	52.8	985.4	1,253.5	507.2
1475	JB1-L	1,345	4,304	19.17	7.93	11.23	34.1	341.4	483.4	146.6
1487	JB1-L	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1500	JB1-L	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1512	JB1-L	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1525	JB1-L	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1537	JB1-L	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1550	JB1-L	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1562	JB1-L	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1575	JB1-L	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1587	JB1-L	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1600	JB1-L	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1612	JB1-L	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1625	JB1-L	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
TOTAL/AVERAGE		12,886	41,235	20.04	8.48	11.56	41.2	3,497	4,766	1,700

JEWELBOX HILL IN-SITU, PRE-MINING, MINERAL INVENTORY -- SUMMARY BY ZONE & SECTION

"A" Class of mineralization only (i.e., "proven + probable"), sulphides only, thick (>2.2m. true) zones only

SECTION	ZONE	VOLUME (cu.m.)	TONNAGE (tonnes)	Pb+Zn (wt.%)	Pb (wt.%)	Zn (wt.%)	Ag (g/t)	LEAD (tonnes)	ZINC (tonnes)	SILVER (kg.)
1237	POD	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1250	POD	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1275	POD	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1300	POD	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1312	POD	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1325	POD	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1337	POD	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1350	POD	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1362	POD	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1375	POD	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1387	POD	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1400	POD	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1412	POD	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1425	POD	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1437	POD	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1450	POD	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1462	POD	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1475	POD	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1487	POD	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1500	POD	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1512	POD	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1525	POD	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1537	POD	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1550	POD	7,226	23,124	21.27	8.83	12.44	47.3	2,042.2	2,877.4	1,093.0
1562	POD	10,123	32,393	26.98	12.75	14.23	162.2	4,130.9	4,609.3	5,255.2
1575	POD	12,395	39,663	25.19	10.14	15.06	58.4	4,020.0	5,972.9	2,316.4
1587	POD	4,555	14,575	21.49	8.89	12.61	50.5	1,295.3	1,837.5	735.7
1600	POD	4,632	14,821	23.97	10.27	13.70	51.5	1,522.2	2,031.2	763.7
1612	POD	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1625	POD	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
TOTAL/AVERAGE		38,930	124,577	24.35	10.44	13.91	81.6	13,011	17,328	10,164

JEWELBOX HILL IN-SITU, PRE-MINING, MINERAL INVENTORY -- SUMMARY BY ZONE & SECTION

"A" Class of mineralization only (i.e., "proven + probable"), sulphides only, thick (>2.2m. true) zones only

SECTION	ZONE	VOLUME (cu.m.)	TONNAGE (tonnes)	Pb+Zn (wt.%)	Pb (wt.%)	Zn (wt.%)	Ag (g/t)	LEAD (tonnes)	ZINC (tonnes)	SILVER (kg.)
1237	CHIMNEY	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1250	CHIMNEY	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1275	CHIMNEY	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1300	CHIMNEY	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1312	CHIMNEY	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1325	CHIMNEY	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1337	CHIMNEY	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1350	CHIMNEY	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1362	CHIMNEY	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1375	CHIMNEY	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1387	CHIMNEY	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1400	CHIMNEY	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1412	CHIMNEY	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1425	CHIMNEY	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1437	CHIMNEY	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1450	CHIMNEY	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1462	CHIMNEY	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1475	CHIMNEY	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1487	CHIMNEY	6,967	22,294	14.65	5.78	8.87	25.2	1,289.1	1,977.8	562.1
1500	CHIMNEY	26,648	85,274	26.05	10.62	15.44	65.8	9,052.0	13,164.4	5,613.6
1512	CHIMNEY	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1525	CHIMNEY	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1537	CHIMNEY	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1550	CHIMNEY	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1562	CHIMNEY	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1575	CHIMNEY	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1587	CHIMNEY	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1600	CHIMNEY	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1612	CHIMNEY	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1625	CHIMNEY	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
TOTAL/AVERAGE		33,615	107,568	23.69	9.61	14.08	57.4	10,341	15,142	6,176

JEWELBOX HILL IN-SITU, PRE-MINING, MINERAL INVENTORY -- SUMMARY BY ZONE & SECTION

"A" Class of mineralization only (i.e., "proven + probable"), sulphides only, thick (>2.2m. true) zones only

SECTION	ZONE	VOLUME (cu.m.)	TONNAGE (tonnes)	Pb+Zn (wt.%)	Pb (wt.%)	Zn (wt.%)	Ag (g/t)	LEAD (tonnes)	ZINC (tonnes)	SILVER (kg.)
1237 M1		0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1250 M1		0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1275 M1		0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1300 M1		0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1312 M1		0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1325 M1		0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1337 M1		0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1350 M1		0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1362 M1		304	972	16.59	6.73	9.87	33.2	65.4	95.9	32.3
1375 M1		0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1387 M1		0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1400 M1		0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1412 M1		0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1425 M1		767	2,456	12.86	5.39	7.47	23.7	132.3	183.5	58.3
1437 M1		1,120	3,585	17.21	7.08	10.12	32.1	253.9	362.9	115.2
1450 M1		0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1462 M1		0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1475 M1		607	1,943	11.17	6.22	4.95	25.1	120.8	96.1	48.7
1487 M1		708	2,266	20.30	8.47	11.83	31.0	192.0	268.1	70.4
1500 M1		274	876	13.50	4.88	8.62	25.0	42.7	75.5	21.9
1512 M1		0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1525 M1		0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1537 M1		0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1550 M1		0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1562 M1		0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1575 M1		0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1587 M1		0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1600 M1		0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1612 M1		0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1625 M1		0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
TOTAL/AVERAGE		3,780	12,097	15.62	6.67	8.94	28.7	807	1,082	347

JEWELBOX HILL IN-SITU, PRE-MINING, MINERAL INVENTORY -- SUMMARY BY ZONE & SECTION

"A" Class of mineralization only (i.e., "proven + probable"), sulphides only, thick (>2.2m. true) zones only

SECTION	ZONE	VOLUME (cu.m.)	TONNAGE (tonnes)	Pb+Zn (wt.%)	Pb (wt.%)	Zn (wt.%)	Ag (g/t)	LEAD (tonnes)	ZINC (tonnes)	SILVER (kg.)
1237 M2		0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1250 M2		0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1275 M2		0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1300 M2		0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1312 M2		0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1325 M2		0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1337 M2		0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1350 M2		0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1362 M2		0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1375 M2		0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1387 M2		0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1400 M2		0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1412 M2		0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1425 M2		0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1437 M2		3,421	10,946	12.20	4.76	7.43	70.3	521.3	813.7	769.1
1450 M2		0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1462 M2		0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1475 M2		0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1487 M2		0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1500 M2		0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1512 M2		0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1525 M2		0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1537 M2		0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1550 M2		0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1562 M2		0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1575 M2		0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1587 M2		0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1600 M2		0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1612 M2		0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1625 M2		0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
TOTAL/AVERAGE		3,421	10,946	12.20	4.76	7.43	70.3	521	814	769

JEWELBOX HILL IN-SITU, PRE-MINING, MINERAL INVENTORY -- SUMMARY BY ZONE & SECTION

"A" Class of mineralization only (i.e., "proven + probable"), sulphides only, thick (>2.2m. true) zones only

SECTION	ZONE	VOLUME (cu.m.)	TONNAGE (tonnes)	Pb+Zn (wt.%)	Pb (wt.%)	Zn (wt.%)	Ag (g/t)	LEAD (tonnes)	ZINC (tonnes)	SILVER (kg.)
1237	JB2-E	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1250	JB2-E	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1275	JB2-E	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1300	JB2-E	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1312	JB2-E	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1325	JB2-E	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1337	JB2-E	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1350	JB2-E	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1362	JB2-E	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1375	JB2-E	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1387	JB2-E	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1400	JB2-E	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1412	JB2-E	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1425	JB2-E	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1437	JB2-E	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1450	JB2-E	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1462	JB2-E	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1475	JB2-E	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1487	JB2-E	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1500	JB2-E	3,679	11,772	22.96	8.78	14.17	82.7	1,034.1	1,668.5	973.2
1512	JB2-E	9,428	30,169	20.74	7.94	12.80	55.2	2,396.5	3,861.1	1,666.4
1525	JB2-E	10,427	33,368	17.56	7.36	10.20	118.7	2,456.1	3,402.3	3,960.5
1537	JB2-E	6,492	20,775	19.19	7.29	11.89	60.4	1,514.6	2,471.1	1,255.1
1550	JB2-E	6,350	20,320	22.65	8.34	14.31	50.4	1,695.4	2,907.1	1,024.6
1562	JB2-E	9,830	31,457	24.38	9.96	14.43	92.2	3,132.1	4,538.4	2,901.8
1575	JB2-E	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1587	JB2-E	1,162	3,717	16.37	3.18	13.18	78.0	118.3	490.0	289.8
1600	JB2-E	48	154	17.91	6.90	11.01	67.7	10.6	17.0	10.4
1612	JB2-E	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1625	JB2-E	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
TOTAL/AVERAGE		47,416	151,731	20.90	8.14	12.76	79.6	12,358	19,355	12,082

JEWELBOX HILL IN-SITU, PRE-MINING, MINERAL INVENTORY -- SUMMARY BY ZONE & SECTION

"A" Class of mineralization only (i.e., "proven + probable"), sulphides only, thick (>2.2m. true) zones only

SECTION	ZONE	VOLUME (cu.m.)	TONNAGE (tonnes)	Pb+Zn (wt.%)	Pb (wt.%)	Zn (wt.%)	Ag (g/t)	LEAD (tonnes)	ZINC (tonnes)	SILVER (kg.)
1237	JB2-L	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1250	JB2-L	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1275	JB2-L	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1300	JB2-L	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1312	JB2-L	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1325	JB2-L	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1337	JB2-L	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1350	JB2-L	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1362	JB2-L	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1375	JB2-L	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1387	JB2-L	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1400	JB2-L	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1412	JB2-L	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1425	JB2-L	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1437	JB2-L	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1450	JB2-L	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1462	JB2-L	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1475	JB2-L	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1487	JB2-L	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1500	JB2-L	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1512	JB2-L	1,055	3,375	13.01	3.44	9.57	60.8	116.2	322.9	205.3
1525	JB2-L	3,568	11,417	19.81	6.28	13.53	40.3	717.2	1,544.6	459.7
1537	JB2-L	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1550	JB2-L	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1562	JB2-L	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1575	JB2-L	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1587	JB2-L	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1600	JB2-L	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1612	JB2-L	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1625	JB2-L	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
TOTAL/AVERAGE		4,623	14,792	18.26	5.63	12.62	45.0	833	1,867	665

JEWELBOX HILL IN-SITU, PRE-MINING, MINERAL INVENTORY -- SUMMARY BY ZONE & SECTION

"A" Class of mineralization only (i.e., "proven + probable"), sulphides only, thick (>2.2m. true) zones only

SECTION	ZONE	VOLUME (cu.m.)	TONNAGE (tonnes)	Pb+Zn (wt.%)	Pb (wt.%)	Zn (wt.%)	Ag (g/t)	LEAD (tonnes)	ZINC (tonnes)	SILVER (kg.)
1237	JB2-W	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1250	JB2-W	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1275	JB2-W	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1300	JB2-W	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1312	JB2-W	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1325	JB2-W	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1337	JB2-W	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1350	JB2-W	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1362	JB2-W	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1375	JB2-W	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1387	JB2-W	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1400	JB2-W	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1412	JB2-W	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1425	JB2-W	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1437	JB2-W	69	219	12.60	5.49	7.11	21.6	12.0	15.6	4.7
1450	JB2-W	727	2,327	19.07	6.27	12.80	36.3	145.9	297.8	84.4
1462	JB2-W	1,540	4,927	25.06	10.33	14.73	48.6	509.1	725.7	239.4
1475	JB2-W	4,436	14,194	25.84	10.11	15.73	55.4	1,435.5	2,232.2	786.5
1487	JB2-W	2,551	8,162	34.22	12.33	21.89	63.4	1,006.5	1,786.7	517.8
1500	JB2-W	5,566	17,812	27.63	9.87	17.76	59.5	1,758.5	3,163.1	1,060.2
1512	JB2-W	19,009	60,828	21.77	7.15	14.62	59.3	4,346.9	8,895.1	3,604.3
1525	JB2-W	8,643	27,656	27.32	10.16	17.16	63.6	2,811.3	4,745.3	1,758.8
1537	JB2-W	5,123	16,394	35.66	12.67	22.99	92.7	2,077.6	3,768.7	1,519.8
1550	JB2-W	2,125	6,800	22.85	7.76	15.10	126.0	527.6	1,026.6	857.0
1562	JB2-W	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1575	JB2-W	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1587	JB2-W	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1600	JB2-W	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1612	JB2-W	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1625	JB2-W	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
TOTAL/AVERAGE		49,787	159,319	25.92	9.18	16.73	65.5	14,631	26,657	10,433

JEWELBOX HILL IN-SITU, PRE-MINING, MINERAL INVENTORY -- SUMMARY BY ZONE & SECTION

"A" Class of mineralization only (i.e., "proven + probable"), sulphides only, thick (>2.2m. true) zones only

SECTION	ZONE	VOLUME (cu.m.)	TONNAGE (tonnes)	Pb+Zn (wt.%)	Pb (wt.%)	Zn (wt.%)	Ag (g/t)	LEAD (tonnes)	ZINC (tonnes)	SILVER (kg.)
1237	FW	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1250	FW	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1275	FW	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1300	FW	7,215	23,089	18.71	4.82	13.89	72.5	1,113.4	3,207.7	1,673.8
1312	FW	186	595	14.84	5.33	9.51	129.6	31.7	56.6	77.2
1325	FW	2,630	8,417	14.27	3.73	10.54	45.3	314.3	886.9	381.4
1337	FW	2,290	7,327	17.92	5.43	12.48	52.9	398.1	914.7	387.9
1350	FW	819	2,622	17.15	5.03	12.11	64.8	132.0	317.6	169.8
1362	FW	1,442	4,615	14.77	6.47	8.30	35.7	298.5	383.1	164.9
1375	FW	5,058	16,184	14.15	5.22	8.94	89.6	844.0	1,446.1	1,449.9
1387	FW	230	734	14.54	6.37	8.17	43.7	46.7	60.0	32.1
1400	FW	5,364	17,164	16.57	5.65	10.92	278.1	970.5	1,874.1	4,772.6
1412	FW	1,322	4,231	23.85	5.00	18.85	72.8	211.4	797.7	308.1
1425	FW	2,876	9,203	21.64	5.12	16.52	83.4	471.5	1,520.3	767.2
1437	FW	5,130	16,417	21.71	6.07	15.64	85.9	996.7	2,567.1	1,410.1
1450	FW	3,331	10,660	18.90	7.69	11.21	56.2	820.1	1,194.8	599.0
1462	FW	490	1,566	17.75	8.22	9.53	14.0	128.7	149.2	21.9
1475	FW	498	1,592	16.46	6.93	9.53	76.8	110.4	151.7	122.4
1487	FW	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1500	FW	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1512	FW	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1525	FW	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1537	FW	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1550	FW	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1562	FW	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1575	FW	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1587	FW	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1600	FW	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1612	FW	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1625	FW	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
TOTAL/AVERAGE		38,880	124,417	18.02	5.54	12.48	99.2	6,888	15,528	12,338

JEWELBOX HILL IN-SITU, PRE-MINING, MINERAL INVENTORY -- SUMMARY BY ZONE & SECTION

"A" Class of mineralization only (i.e., "proven + probable"), sulphides only, thick (>2.2m. true) zones only

SECTION	ZONE	VOLUME (cu.m.)	TONNAGE (tonnes)	Pb+Zn (wt.%)	Pb (wt.%)	Zn (wt.%)	Ag (g/t)	LEAD (tonnes)	ZINC (tonnes)	SILVER (kg.)
1237	AB	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1250	AB	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1275	AB	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1300	AB	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1312	AB	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1325	AB	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1337	AB	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1350	AB	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1362	AB	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1375	AB	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1387	AB	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1400	AB	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1412	AB	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1425	AB	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1437	AB	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1450	AB	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1462	AB	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1475	AB	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1487	AB	2,016	6,450	27.70	9.59	18.10	50.5	618.8	1,167.8	325.8
1500	AB	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1512	AB	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1525	AB	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1537	AB	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1550	AB	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1562	AB	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1575	AB	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1587	AB	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1600	AB	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1612	AB	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1625	AB	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
TOTAL/AVERAGE		2,016	6,450	27.70	9.59	18.10	50.5	619	1,168	326

JEWELBOX HILL IN-SITU, PRE-MINING, MINERAL INVENTORY -- SUMMARY BY ZONE & SECTION

"A" Class of mineralization only (i.e., "proven + probable"), sulphides only, thick (>2.2m. true) zones only

SECTION	ZONE	VOLUME (cu.m.)	TONNAGE (tonnes)	Pb+Zn (wt.%)	Pb (wt.%)	Zn (wt.%)	Ag (g/t)	LEAD (tonnes)	ZINC (tonnes)	SILVER (kg.)
1237	UNKN	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1250	UNKN	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1275	UNKN	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1300	UNKN	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1312	UNKN	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1325	UNKN	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1337	UNKN	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1350	UNKN	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1362	UNKN	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1375	UNKN	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1387	UNKN	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1400	UNKN	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1412	UNKN	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1425	UNKN	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1437	UNKN	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1450	UNKN	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1462	UNKN	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1475	UNKN	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1487	UNKN	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1500	UNKN	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1512	UNKN	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1525	UNKN	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1537	UNKN	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1550	UNKN	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1562	UNKN	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1575	UNKN	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1587	UNKN	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1600	UNKN	1,228	3,928	15.54	3.87	11.67	65.4	151.9	458.3	256.9
1612	UNKN	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1625	UNKN	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
TOTAL/AVERAGE		1,228	3,928	15.54	3.87	11.67	65.4	152	458	257

APPENDIX P-2

SUMMARY BY EACH ZONE FOR EACH SECTION

JEWELBOX HILL IN-SITU, PRE-MINING, MINERAL INVENTORY -- SUMMARY BY ZONE & SECTION

"A" Class of mineralization only (i.e., "proven + probable"), sulphides only, thick (>2.2m. true) zones only

SECTION	ZONE	VOLUME (cu.m.)	TONNAGE (tonnes)	Pb+Zn (wt.%)	Pb (wt.%)	Zn (wt.%)	Ag (g/t)	LEAD (tonnes)	ZINC (tonnes)	SILVER (kg.)
1237	J1	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1237	JB1	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1237	JB1-L	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1237	POD	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1237	CHIMNEY	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1237	M1	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1237	M2	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1237	JB2-E	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1237	JB2-L	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1237	JB2-W	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1237	FW	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1237	AB	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1237	UNKN	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
TOTAL/AVERAGE		0	0	ERR	ERR	ERR	ERR	0	0	0

JEWELBOX HILL IN-SITU, PRE-MINING, MINERAL INVENTORY -- SUMMARY BY ZONE & SECTION

"A" Class of mineralization only (i.e., "proven + probable"), sulphides only, thick (>2.2m. true) zones only

SECTION	ZONE	VOLUME (cu.m.)	TONNAGE (tonnes)	Pb+Zn (wt.%)	Pb (wt.%)	Zn (wt.%)	Ag (g/t)	LEAD (tonnes)	ZINC (tonnes)	SILVER (kg.)
1250	J1	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1250	JB1	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1250	JB1-L	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1250	POD	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1250	CHIMNEY	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1250	M1	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1250	M2	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1250	JB2-E	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1250	JB2-L	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1250	JB2-W	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1250	FW	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1250	AB	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1250	UNKN	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
TOTAL/AVERAGE		0	0	ERR	ERR	ERR	ERR	0	0	0

JEWELBOX HILL IN-SITU, PRE-MINING, MINERAL INVENTORY -- SUMMARY BY ZONE & SECTION

"A" Class of mineralization only (i.e., "proven + probable"), sulphides only, thick (>2.2m. true) zones only

SECTION	ZONE	VOLUME (cu.m.)	TONNAGE (tonnes)	Pb+Zn (wt.%)	Pb (wt.%)	Zn (wt.%)	Ag (g/t)	LEAD (tonnes)	ZINC (tonnes)	SILVER (kg.)
1275	J1	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1275	JB1	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1275	JB1-L	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1275	POD	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1275	CHIMNEY	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1275	M1	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1275	M2	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1275	JB2-E	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1275	JB2-L	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1275	JB2-W	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1275	FW	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1275	AB	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1275	UNKN	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
TOTAL/AVERAGE		0	0	ERR	ERR	ERR	ERR	0	0	0

JEWELBOX HILL IN-SITU, PRE-MINING, MINERAL INVENTORY -- SUMMARY BY ZONE & SECTION

"A" Class of mineralization only (i.e., "proven + probable"), sulphides only, thick (>2.2m. true) zones only

SECTION	ZONE	VOLUME (cu.m.)	TONNAGE (tonnes)	Pb+Zn (wt.%)	Pb (wt.%)	Zn (wt.%)	Ag (g/t)	LEAD (tonnes)	ZINC (tonnes)	SILVER (kg.)
1300	J1	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1300	JB1	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1300	JB1-L	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1300	POD	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1300	CHIMNEY	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1300	M1	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1300	M2	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1300	JB2-E	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1300	JB2-L	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1300	JB2-W	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1300	FW	7,215	23,089	18.71	4.82	13.89	72.5	1,113.4	3,207.7	1,673.8
1300	AB	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1300	UNKN	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
TOTAL/AVERAGE		7,215	23,089	18.71	4.82	13.89	72.5	1,113	3,208	1,674

JEWELBOX HILL IN-SITU, PRE-MINING, MINERAL INVENTORY -- SUMMARY BY ZONE & SECTION

"A" Class of mineralization only (i.e., "proven + probable"), sulphides only, thick (>2.2m. true) zones only

SECTION	ZONE	VOLUME (cu.m.)	TONNAGE (tonnes)	Pb+Zn (wt.%)	Pb (wt.%)	Zn (wt.%)	Ag (g/t)	LEAD (tonnes)	ZINC (tonnes)	SILVER (kg.)
1312	J1	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1312	JB1	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1312	JB1-L	399	1,275	15.14	6.21	8.92	31.7	79.2	113.8	40.4
1312	POD	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1312	CHIMNEY	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1312	M1	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1312	M2	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1312	JB2-E	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1312	JB2-L	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1312	JB2-W	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1312	FW	186	595	14.84	5.33	9.51	129.6	31.7	56.6	77.2
1312	AB	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1312	UNKN	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
TOTAL/AVERAGE		585	1,871	15.04	5.93	9.11	62.9	111	170	118

JEWELBOX HILL IN-SITU, PRE-MINING, MINERAL INVENTORY -- SUMMARY BY ZONE & SECTION

"A" Class of mineralization only (i.e., "proven + probable"), sulphides only, thick (>2.2m. true) zones only

SECTION	ZONE	VOLUME (cu.m.)	TONNAGE (tonnes)	Pb+Zn (wt.%)	Pb (wt.%)	Zn (wt.%)	Ag (g/t)	LEAD (tonnes)	ZINC (tonnes)	SILVER (kg.)
1325	J1	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1325	JB1	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1325	JB1-L	453	1,448	17.42	7.73	9.70	37.4	111.9	140.4	54.2
1325	POD	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1325	CHIMNEY	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1325	M1	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1325	M2	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1325	JB2-E	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1325	JB2-L	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1325	JB2-W	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1325	FW	2,630	8,417	14.27	3.73	10.54	45.3	314.3	886.9	381.4
1325	AB	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1325	UNKN	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
TOTAL/AVERAGE		3,083	9,866	14.73	4.32	10.41	44.1	426	1,027	436

JEWELBOX HILL IN-SITU, PRE-MINING, MINERAL INVENTORY -- SUMMARY BY ZONE & SECTION

"A" Class of mineralization only (i.e., "proven + probable"), sulphides only, thick (>2.2m. true) zones only

SECTION	ZONE	VOLUME (cu.m.)	TONNAGE (tonnes)	Pb+Zn (wt.%)	Pb (wt.%)	Zn (wt.%)	Ag (g/t)	LEAD (tonnes)	ZINC (tonnes)	SILVER (kg.)
1337	J1	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1337	JB1	1,490	4,767	17.94	6.78	11.16	36.4	323.2	531.8	173.4
1337	JB1-L	1,149	3,678	20.95	8.27	12.67	44.2	304.2	466.1	162.6
1337	POD	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1337	CHIMNEY	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1337	M1	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1337	M2	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1337	JB2-E	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1337	JB2-L	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1337	JB2-W	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1337	FW	2,290	7,327	17.92	5.43	12.48	52.9	398.1	914.7	387.9
1337	AB	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1337	UNKN	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
TOTAL/AVERAGE		4,929	15,772	18.63	6.50	12.13	45.9	1,026	1,913	724

JEWELBOX HILL IN-SITU, PRE-MINING, MINERAL INVENTORY -- SUMMARY BY ZONE & SECTION

"A" Class of mineralization only (i.e., "proven + probable"), sulphides only, thick (>2.2m. true) zones only

SECTION	ZONE	VOLUME (cu.m.)	TONNAGE (tonnes)	Pb+Zn (wt.%)	Pb (wt.%)	Zn (wt.%)	Ag (g/t)	LEAD (tonnes)	ZINC (tonnes)	SILVER (kg.)
1350	J1	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1350	JB1	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1350	JB1-L	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1350	POD	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1350	CHIMNEY	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1350	M1	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1350	M2	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1350	JB2-E	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1350	JB2-L	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1350	JB2-W	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1350	FW	819	2,622	17.15	5.03	12.11	64.8	132.0	317.6	169.8
1350	AB	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1350	UNKN	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
TOTAL/AVERAGE		819	2,622	17.15	5.03	12.11	64.8	132	318	170

JEWELBOX HILL IN-SITU, PRE-MINING, MINERAL INVENTORY -- SUMMARY BY ZONE & SECTION

"A" Class of mineralization only (i.e., "proven + probable"), sulphides only, thick (>2.2m. true) zones only

SECTION	ZONE	VOLUME (cu.m.)	TONNAGE (tonnes)	Pb+Zn (wt.%)	Pb (wt.%)	Zn (wt.%)	Ag (g/t)	LEAD (tonnes)	ZINC (tonnes)	SILVER (kg.)
1362	J1	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1362	JB1	3,111	9,954	25.49	9.73	15.76	42.8	968.3	1,568.6	425.9
1362	JB1-L	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1362	POD	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1362	CHIMNEY	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1362	M1	304	972	16.59	6.73	9.87	33.2	65.4	95.9	32.3
1362	M2	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1362	JB2-E	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1362	JB2-L	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1362	JB2-W	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1362	FW	1,442	4,615	14.77	6.47	8.30	35.7	298.5	383.1	164.9
1362	AB	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1362	UNKN	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
TOTAL/AVERAGE		4,856	15,541	21.75	8.57	13.18	40.1	1,332	2,048	623

JEWELBOX HILL IN-SITU, PRE-MINING, MINERAL INVENTORY -- SUMMARY BY ZONE & SECTION

"A" Class of mineralization only (i.e., "proven + probable"), sulphides only, thick (>2.2m. true) zones only

SECTION	ZONE	VOLUME (cu.m.)	TONNAGE (tonnes)	Pb+Zn (wt.%)	Pb (wt.%)	Zn (wt.%)	Ag (g/t)	LEAD (tonnes)	ZINC (tonnes)	SILVER (kg.)
1375	J1	823	2,634	16.44	8.62	7.82	48.5	227.1	206.0	127.7
1375	JB1	1,657	5,303	15.74	7.36	8.38	37.9	390.1	444.5	200.9
1375	JB1-L	1,422	4,549	23.51	9.38	14.13	46.4	426.7	642.7	211.0
1375	POD	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1375	CHIMNEY	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1375	M1	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1375	M2	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1375	JB2-E	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1375	JB2-L	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1375	JB2-W	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1375	FW	5,058	16,184	14.15	5.22	8.94	89.6	844.0	1,446.1	1,449.9
1375	AB	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1375	UNKN	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
TOTAL/AVERAGE		8,960	28,670	16.14	6.58	9.55	69.4	1,888	2,739	1,990

JEWELBOX HILL IN-SITU, PRE-MINING, MINERAL INVENTORY -- SUMMARY BY ZONE & SECTION

"A" Class of mineralization only (i.e., "proven + probable"), sulphides only, thick (>2.2m. true) zones only

SECTION	ZONE	VOLUME (cu.m.)	TONNAGE (tonnes)	Pb+Zn (wt.%)	Pb (wt.%)	Zn (wt.%)	Ag (g/t)	LEAD (tonnes)	ZINC (tonnes)	SILVER (kg.)
1387	J1	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1387	JB1	1,576	5,044	17.08	7.14	9.94	31.2	360.2	501.3	157.5
1387	JB1-L	246	788	17.05	6.94	10.12	38.1	54.6	79.7	30.0
1387	POD	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1387	CHIMNEY	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1387	M1	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1387	M2	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1387	JB2-E	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1387	JB2-L	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1387	JB2-W	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1387	FW	230	734	14.54	6.37	8.17	43.7	46.7	60.0	32.1
1387	AB	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1387	UNKN	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
TOTAL/AVERAGE		2,052	6,566	16.79	7.03	9.76	33.4	462	641	220

JEWELBOX HILL IN-SITU, PRE-MINING, MINERAL INVENTORY -- SUMMARY BY ZONE & SECTION

"A" Class of mineralization only (i.e., "proven + probable"), sulphides only, thick (>2.2m. true) zones only

SECTION	ZONE	VOLUME (cu.m.)	TONNAGE (tonnes)	Pb+Zn (wt.%)	Pb (wt.%)	Zn (wt.%)	Ag (g/t)	LEAD (tonnes)	ZINC (tonnes)	SILVER (kg.)
1400	J1	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1400	JB1	911	2,915	19.40	8.18	11.22	28.4	238.5	327.0	82.8
1400	JB1-L	1,707	5,461	14.58	6.47	8.11	28.7	353.4	442.8	156.9
1400	POD	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1400	CHIMNEY	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1400	M1	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1400	M2	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1400	JB2-E	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1400	JB2-L	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1400	JB2-W	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1400	FW	5,364	17,164	16.57	5.65	10.92	49.8	970.5	1,874.1	854.8
1400	AB	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1400	UNKN	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
TOTAL/AVERAGE		7,981	25,540	16.47	6.12	10.35	42.9	1,563	2,644	1,095

JEWELBOX HILL IN-SITU, PRE-MINING, MINERAL INVENTORY -- SUMMARY BY ZONE & SECTION

"A" Class of mineralization only (i.e., "proven + probable"), sulphides only, thick (>2.2m. true) zones only

SECTION	ZONE	VOLUME (cu.m.)	TONNAGE (tonnes)	Pb+Zn (wt.%)	Pb (wt.%)	Zn (wt.%)	Ag (g/t)	LEAD (tonnes)	ZINC (tonnes)	SILVER (kg.)
1412	J1	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1412	JB1	189	606	21.59	9.25	12.34	49.0	56.1	74.8	29.7
1412	JB1-L	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1412	POD	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1412	CHIMNEY	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1412	M1	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1412	M2	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1412	JB2-E	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1412	JB2-L	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1412	JB2-W	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1412	FW	1,322	4,231	23.85	5.00	18.85	72.8	211.4	797.7	308.1
1412	AB	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1412	UNKN	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
TOTAL/AVERAGE		1,512	4,837	23.57	5.53	18.04	69.8	267	872	338

JEWELBOX HILL IN-SITU, PRE-MINING, MINERAL INVENTORY -- SUMMARY BY ZONE & SECTION

"A" Class of mineralization only (i.e., "proven + probable"), sulphides only, thick (>2.2m. true) zones only

SECTION	ZONE	VOLUME (cu.m.)	TONNAGE (tonnes)	Pb+Zn (wt.%)	Pb (wt.%)	Zn (wt.%)	Ag (g/t)	LEAD (tonnes)	ZINC (tonnes)	SILVER (kg.)
1425	J1	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1425	JB1	3,325	10,641	16.48	5.68	10.80	25.1	604.4	1,149.5	267.1
1425	JB1-L	1,150	3,679	18.27	7.77	10.50	40.6	286.0	386.2	149.3
1425	POD	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1425	CHIMNEY	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1425	M1	767	2,456	12.86	5.39	7.47	23.7	132.3	183.5	58.3
1425	M2	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1425	JB2-E	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1425	JB2-L	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1425	JB2-W	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1425	FW	2,876	9,203	21.64	5.12	16.52	83.4	471.5	1,520.3	767.2
1425	AB	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1425	UNKN	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
TOTAL/AVERAGE		8,119	25,979	18.22	5.75	12.47	47.8	1,494	3,239	1,242

JEWELBOX HILL IN-SITU, PRE-MINING, MINERAL INVENTORY -- SUMMARY BY ZONE & SECTION

"A" Class of mineralization only (i.e., "proven + probable"), sulphides only, thick (>2.2m. true) zones only

SECTION	ZONE	VOLUME (cu.m.)	TONNAGE (tonnes)	Pb+Zn (wt.%)	Pb (wt.%)	Zn (wt.%)	Ag (g/t)	LEAD (tonnes)	ZINC (tonnes)	SILVER (kg.)
1437	J1	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1437	JB1	2,833	9,067	13.78	5.39	8.39	38.2	488.3	760.7	346.6
1437	JB1-L	894	2,862	12.44	4.72	7.72	21.9	135.1	220.8	62.8
1437	POD	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1437	CHIMNEY	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1437	M1	1,120	3,585	17.21	7.08	10.12	32.1	253.9	362.9	115.2
1437	M2	3,421	10,946	12.20	4.76	7.43	70.3	521.3	813.7	769.1
1437	JB2-E	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1437	JB2-L	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1437	JB2-W	69	219	12.60	5.49	7.11	21.6	12.0	15.6	4.7
1437	FW	5,130	16,417	21.71	6.07	15.64	85.9	996.7	2,567.1	1,410.1
1437	AB	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1437	UNKN	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
TOTAL/AVERAGE		13,467	43,096	16.59	5.59	11.00	62.8	2,407	4,741	2,708

JEWELBOX HILL IN-SITU, PRE-MINING, MINERAL INVENTORY -- SUMMARY BY ZONE & SECTION

"A" Class of mineralization only (i.e., "proven + probable"), sulphides only, thick (>2.2m. true) zones only

SECTION	ZONE	VOLUME (cu.m.)	TONNAGE (tonnes)	Pb+Zn (wt.%)	Pb (wt.%)	Zn (wt.%)	Ag (g/t)	LEAD (tonnes)	ZINC (tonnes)	SILVER (kg.)
1450	J1	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1450	JB1	2,115	6,767	20.16	8.59	11.58	43.1	581.0	783.5	291.9
1450	JB1-L	1,121	3,588	26.63	11.67	14.96	49.8	418.7	536.6	178.8
1450	POD	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1450	CHIMNEY	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1450	M1	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1450	M2	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1450	JB2-E	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1450	JB2-L	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1450	JB2-W	727	2,327	19.07	6.27	12.80	36.3	145.9	297.8	84.4
1450	FW	3,331	10,660	18.90	7.69	11.21	56.2	820.1	1,194.8	599.0
1450	AB	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1450	UNKN	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
TOTAL/AVERAGE		7,294	23,341	20.47	8.42	12.05	49.4	1,966	2,813	1,154

JEWELBOX HILL IN-SITU, PRE-MINING, MINERAL INVENTORY -- SUMMARY BY ZONE & SECTION

"A" Class of mineralization only (i.e., "proven + probable"), sulphides only, thick (>2.2m. true) zones only

SECTION	ZONE	VOLUME (cu.m.)	TONNAGE (tonnes)	Pb+Zn (wt.%)	Pb (wt.%)	Zn (wt.%)	Ag (g/t)	LEAD (tonnes)	ZINC (tonnes)	SILVER (kg.)
1462	J1	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1462	JB1	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1462	JB1-L	3,001	9,603	23.32	10.26	13.05	52.8	985.4	1,253.5	507.2
1462	POD	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1462	CHIMNEY	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1462	M1	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1462	M2	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1462	JB2-E	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1462	JB2-L	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1462	JB2-W	1,540	4,927	25.06	10.33	14.73	48.6	509.1	725.7	239.4
1462	FW	490	1,566	17.75	8.22	9.53	14.0	128.7	149.2	21.9
1462	AB	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1462	UNKN	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
TOTAL/AVERAGE		5,030	16,096	23.31	10.08	13.22	47.7	1,623	2,128	769

JEWELBOX HILL IN-SITU, PRE-MINING, MINERAL INVENTORY -- SUMMARY BY ZONE & SECTION

"A" Class of mineralization only (i.e., "proven + probable"), sulphides only, thick (>2.2m. true) zones only

SECTION	ZONE	VOLUME (cu.m.)	TONNAGE (tonnes)	Pb+Zn (wt.%)	Pb (wt.%)	Zn (wt.%)	Ag (g/t)	LEAD (tonnes)	ZINC (tonnes)	SILVER (kg.)
1475	J1	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1475	JB1	3,030	9,696	12.51	5.31	7.20	24.5	514.9	697.7	238.0
1475	JB1-L	1,345	4,304	19.17	7.93	11.23	34.1	341.4	483.4	146.6
1475	POD	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1475	CHIMNEY	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1475	M1	607	1,943	11.17	6.22	4.95	25.1	120.8	96.1	48.7
1475	M2	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1475	JB2-E	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1475	JB2-L	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1475	JB2-W	4,436	14,194	25.84	10.11	15.73	55.4	1,435.5	2,232.2	786.5
1475	FW	498	1,592	16.46	6.93	9.53	76.8	110.4	151.7	122.4
1475	AB	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1475	UNKN	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
TOTAL/AVERAGE		9,915	31,729	19.49	7.95	11.54	42.3	2,523	3,661	1,342

JEWELBOX HILL IN-SITU, PRE-MINING, MINERAL INVENTORY -- SUMMARY BY ZONE & SECTION

"A" Class of mineralization only (i.e., "proven + probable"), sulphides only, thick (>2.2m. true) zones only

SECTION	ZONE	VOLUME (cu.m.)	TONNAGE (tonnes)	Pb+Zn (wt.%)	Pb (wt.%)	Zn (wt.%)	Ag (g/t)	LEAD (tonnes)	ZINC (tonnes)	SILVER (kg.)
1487	J1	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1487	JB1	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1487	JB1-L	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1487	POD	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1487	CHIMNEY	6,967	22,294	14.65	5.78	8.87	25.2	1,289.1	1,977.8	562.1
1487	M1	708	2,266	20.30	8.47	11.83	31.0	192.0	268.1	70.4
1487	M2	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1487	JB2-E	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1487	JB2-L	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1487	JB2-W	2,551	8,162	34.22	12.33	21.89	63.4	1,006.5	1,786.7	517.8
1487	FW	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1487	AB	2,016	6,450	27.70	9.59	18.10	50.5	618.8	1,167.8	325.8
1487	UNKN	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
TOTAL/AVERAGE		12,241	39,171	21.21	7.93	13.28	37.7	3,106	5,200	1,476

JEWELBOX HILL IN-SITU, PRE-MINING, MINERAL INVENTORY -- SUMMARY BY ZONE & SECTION

"A" Class of mineralization only (i.e., "proven + probable"), sulphides only, thick (>2.2m. true) zones only

SECTION	ZONE	VOLUME (cu.m.)	TONNAGE (tonnes)	Pb+Zn (wt.%)	Pb (wt.%)	Zn (wt.%)	Ag (g/t)	LEAD (tonnes)	ZINC (tonnes)	SILVER (kg.)
1500	J1	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1500	JB1	810	2,593	12.94	5.76	7.18	32.0	149.4	186.2	83.0
1500	JB1-L	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1500	POD	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1500	CHIMNEY	26,648	85,274	26.05	10.62	15.44	65.8	9,052.0	13,164.4	5,613.6
1500	M1	274	876	13.50	4.88	8.62	25.0	42.7	75.5	21.9
1500	M2	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1500	JB2-E	3,679	11,772	22.96	8.78	14.17	82.7	1,034.1	1,668.5	973.2
1500	JB2-L	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1500	JB2-W	5,566	17,812	27.63	9.87	17.76	59.5	1,758.5	3,163.1	1,060.2
1500	FW	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1500	AB	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1500	UNKN	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
TOTAL/AVERAGE		36,977	118,327	25.60	10.17	15.43	65.5	12,037	18,258	7,752

JEWELBOX HILL IN-SITU, PRE-MINING, MINERAL INVENTORY -- SUMMARY BY ZONE & SECTION

"A" Class of mineralization only (i.e., "proven + probable"), sulphides only, thick (>2.2m. true) zones only

SECTION	ZONE	VOLUME (cu.m.)	TONNAGE (tonnes)	Pb+Zn (wt.%)	Pb (wt.%)	Zn (wt.%)	Ag (g/t)	LEAD (tonnes)	ZINC (tonnes)	SILVER (kg.)
1512	J1	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1512	JB1	5,424	17,356	21.94	8.12	13.81	40.1	1,409.8	2,397.4	696.5
1512	JB1-L	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1512	POD	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1512	CHIMNEY	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1512	M1	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1512	M2	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1512	JB2-E	9,428	30,169	20.74	7.94	12.80	55.2	2,396.5	3,861.1	1,666.4
1512	JB2-L	1,055	3,375	13.01	3.44	9.57	60.8	116.2	322.9	205.3
1512	JB2-W	19,009	60,828	21.77	7.15	14.62	59.3	4,346.9	8,895.1	3,604.3
1512	FW	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1512	AB	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1512	UNKN	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
TOTAL/AVERAGE		34,915	111,728	21.25	7.40	13.85	55.2	8,269	15,476	6,173

JEWELBOX HILL IN-SITU, PRE-MINING, MINERAL INVENTORY -- SUMMARY BY ZONE & SECTION

"A" Class of mineralization only (i.e., "proven + probable"), sulphides only, thick (>2.2m. true) zones only

SECTION	ZONE	VOLUME (cu.m.)	TONNAGE (tonnes)	Pb+Zn (wt.%)	Pb (wt.%)	Zn (wt.%)	Ag (g/t)	LEAD (tonnes)	ZINC (tonnes)	SILVER (kg.)
1525	J1	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1525	JB1	4,610	14,754	18.52	6.41	12.11	37.7	945.5	1,787.1	555.6
1525	JB1-L	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1525	POD	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1525	CHIMNEY	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1525	M1	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1525	M2	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1525	JB2-E	10,427	33,368	17.56	7.36	10.20	118.7	2,456.1	3,402.3	3,960.5
1525	JB2-L	3,568	11,417	19.81	6.28	13.53	40.3	717.2	1,544.6	459.7
1525	JB2-W	8,643	27,656	27.32	10.16	17.16	63.6	2,811.3	4,745.3	1,758.8
1525	FW	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1525	AB	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1525	UNKN	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
TOTAL/AVERAGE		27,248	87,194	21.11	7.95	13.17	77.2	6,930	11,479	6,735

JEWELBOX HILL IN-SITU, PRE-MINING, MINERAL INVENTORY -- SUMMARY BY ZONE & SECTION

"A" Class of mineralization only (i.e., "proven + probable"), sulphides only, thick (>2.2m. true) zones only

SECTION	ZONE	VOLUME (cu.m.)	TONNAGE (tonnes)	Pb+Zn (wt.%)	Pb (wt.%)	Zn (wt.%)	Ag (g/t)	LEAD (tonnes)	ZINC (tonnes)	SILVER (kg.)
1537	J1	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1537	JB1	472	1,510	9.48	3.34	6.14	16.8	50.4	92.7	25.3
1537	JB1-L	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1537	POD	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1537	CHIMNEY	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1537	M1	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1537	M2	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1537	JB2-E	6,492	20,775	19.19	7.29	11.89	60.4	1,514.6	2,471.1	1,255.1
1537	JB2-L	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1537	JB2-W	5,123	16,394	35.66	12.67	22.99	92.7	2,077.6	3,768.7	1,519.8
1537	FW	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1537	AB	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1537	UNKN	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
TOTAL/AVERAGE		12,087	38,679	25.79	9.42	16.37	72.4	3,643	6,332	2,800

JEWELBOX HILL IN-SITU, PRE-MINING, MINERAL INVENTORY -- SUMMARY BY ZONE & SECTION

"A" Class of mineralization only (i.e., "proven + probable"), sulphides only, thick (>2.2m. true) zones only

SECTION	ZONE	VOLUME (cu.m.)	TONNAGE (tonnes)	Pb+Zn (wt.%)	Pb (wt.%)	Zn (wt.%)	Ag (g/t)	LEAD (tonnes)	ZINC (tonnes)	SILVER (kg.)
1550 J1		0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1550 JB1		4,599	14,717	21.34	8.38	12.97	44.3	1,232.7	1,908.7	651.9
1550 JB1-L		0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1550 POD		7,226	23,124	21.27	8.83	12.44	47.3	2,042.2	2,877.4	1,093.0
1550 CHIMNEY		0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1550 M1		0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1550 M2		0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1550 JB2-E		6,350	20,320	22.65	8.34	14.31	50.4	1,695.4	2,907.1	1,024.6
1550 JB2-L		0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1550 JB2-W		2,125	6,800	22.85	7.76	15.10	126.0	527.6	1,026.6	857.0
1550 FW		0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1550 AB		0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1550 UNKN		0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
TOTAL/AVERAGE		20,300	64,961	21.89	8.46	13.42	55.8	5,498	8,720	3,627

JEWELBOX HILL IN-SITU, PRE-MINING, MINERAL INVENTORY -- SUMMARY BY ZONE & SECTION

"A" Class of mineralization only (i.e., "proven + probable"), sulphides only, thick (>2.2m. true) zones only

SECTION	ZONE	VOLUME (cu.m.)	TONNAGE (tonnes)	Pb+Zn (wt.%)	Pb (wt.%)	Zn (wt.%)	Ag (g/t)	LEAD (tonnes)	ZINC (tonnes)	SILVER (kg.)
1562	J1	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1562	JB1	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1562	JB1-L	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1562	POD	10,123	32,393	26.98	12.75	14.23	162.2	4,130.9	4,609.3	5,255.2
1562	CHIMNEY	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1562	M1	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1562	M2	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1562	JB2-E	9,830	31,457	24.38	9.96	14.43	92.2	3,132.1	4,538.4	2,901.8
1562	JB2-L	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1562	JB2-W	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1562	FW	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1562	AB	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1562	UNKN	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
TOTAL/AVERAGE		19,953	63,850	25.70	11.37	14.33	127.8	7,263	9,148	8,157

JEWELBOX HILL IN-SITU, PRE-MINING, MINERAL INVENTORY -- SUMMARY BY ZONE & SECTION

"A" Class of mineralization only (i.e., "proven + probable"), sulphides only, thick (>2.2m. true) zones only

SECTION	ZONE	VOLUME (cu.m.)	TONNAGE (tonnes)	Pb+Zn (wt.%)	Pb (wt.%)	Zn (wt.%)	Ag (g/t)	LEAD (tonnes)	ZINC (tonnes)	SILVER (kg.)
1575	J1	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1575	JB1	1,128	3,608	18.36	6.78	11.58	38.4	244.7	417.8	138.6
1575	JB1-L	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1575	POD	12,395	39,663	25.19	10.14	15.06	58.4	4,020.0	5,972.9	2,316.4
1575	CHIMNEY	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1575	M1	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1575	M2	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1575	JB2-E	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1575	JB2-L	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1575	JB2-W	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1575	FW	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1575	AB	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1575	UNKN	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
TOTAL/AVERAGE		13,522	43,271	24.62	9.86	14.77	56.7	4,265	6,391	2,455

JEWELBOX HILL IN-SITU, PRE-MINING, MINERAL INVENTORY -- SUMMARY BY ZONE & SECTION

"A" Class of mineralization only (i.e., "proven + probable"), sulphides only, thick (>2.2m. true) zones only

SECTION	ZONE	VOLUME (cu.m.)	TONNAGE (tonnes)	Pb+Zn (wt.%)	Pb (wt.%)	Zn (wt.%)	Ag (g/t)	LEAD (tonnes)	ZINC (tonnes)	SILVER (kg.)
1587	J1	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1587	JB1	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1587	JB1-L	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1587	POD	4,555	14,575	21.49	8.89	12.61	50.5	1,295.3	1,837.5	735.7
1587	CHIMNEY	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1587	M1	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1587	M2	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1587	JB2-E	1,162	3,717	16.37	3.18	13.18	78.0	118.3	490.0	289.8
1587	JB2-L	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1587	JB2-W	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1587	FW	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1587	AB	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1587	UNKN	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
TOTAL/AVERAGE		5,716	18,292	20.45	7.73	12.72	56.1	1,414	2,328	1,025

JEWELBOX HILL IN-SITU, PRE-MINING, MINERAL INVENTORY -- SUMMARY BY ZONE & SECTION

"A" Class of mineralization only (i.e., "proven + probable"), sulphides only, thick (>2.2m. true) zones only

SECTION	ZONE	VOLUME (cu.m.)	TONNAGE (tonnes)	Pb+Zn (wt.%)	Pb (wt.%)	Zn (wt.%)	Ag (g/t)	LEAD (tonnes)	ZINC (tonnes)	SILVER (kg.)
1600	J1	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1600	JB1	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1600	JB1-L	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1600	POD	4,632	14,821	23.97	10.27	13.70	51.5	1,522.2	2,031.2	763.7
1600	CHIMNEY	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1600	M1	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1600	M2	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1600	JB2-E	48	154	17.91	6.90	11.01	67.7	10.6	17.0	10.4
1600	JB2-L	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1600	JB2-W	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1600	FW	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1600	AB	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1600	UNKN	1,228	3,928	15.54	3.87	11.67	65.4	151.9	458.3	256.9
TOTAL/AVERAGE		5,907	18,903	22.17	8.91	13.26	54.5	1,685	2,506	1,031

JEWELBOX HILL IN-SITU, PRE-MINING, MINERAL INVENTORY -- SUMMARY BY ZONE & SECTION

"A" Class of mineralization only (i.e., "proven + probable"), sulphides only, thick (>2.2m. true) zones only

SECTION	ZONE	VOLUME (cu.m.)	TONNAGE (tonnes)	Pb+Zn (wt.%)	Pb (wt.%)	Zn (wt.%)	Ag (g/t)	LEAD (tonnes)	ZINC (tonnes)	SILVER (kg.)
1612	J1	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1612	JB1	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1612	JB1-L	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1612	POD	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1612	CHIMNEY	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1612	M1	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1612	M2	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1612	JB2-E	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1612	JB2-L	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1612	JB2-W	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1612	FW	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1612	AB	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1612	UNKN	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
TOTAL/AVERAGE		0	0	ERR	ERR	ERR	ERR	0	0	0

JEWELBOX HILL IN-SITU, PRE-MINING, MINERAL INVENTORY -- SUMMARY BY ZONE & SECTION

"A" Class of mineralization only (i.e., "proven + probable"), sulphides only, thick (>2.2m. true) zones only

SECTION	ZONE	VOLUME (cu.m.)	TONNAGE (tonnes)	Pb+Zn (wt.%)	Pb (wt.%)	Zn (wt.%)	Ag (g/t)	LEAD (tonnes)	ZINC (tonnes)	SILVER (kg.)
1625	J1	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1625	JB1	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1625	JB1-L	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1625	POD	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1625	CHIMNEY	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1625	M1	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1625	M2	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1625	JB2-E	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1625	JB2-L	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1625	JB2-W	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1625	FW	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1625	AB	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
1625	UNKN	0	0	0.00	0.00	0.00	0.0	0.0	0.0	0.0
TOTAL/AVERAGE		0	0	ERR	ERR	ERR	ERR	0	0	0

APPENDIX P-3

LISTING OF BLOCKS BY SECTION

 SECTION: 1237 Pre-mining, In-situ, Undiluted, Sulphide mineralization above 8% Pb+Zn, Only "A" or "proven plus probable" mineralization, Only thick (>2.2m. true) ore

INVENTORY MATERIAL	ORE	CLASSIF.	THIN	MINING	MINING	BLOCK AREA	STRIKE	IN-SITU	BLOCK	BLOCK	Pb+Zn	LEAD	ZINC	SILVER	LEAD	ZINC	SILVER	
BLOCK	TYPE	ZONE	A=PROB+PROV	BLOCK ?	STATUS	AREA	IN SECTION	ADJUSTMENT	DENSITY	VOLUME	TONNAGE	GRADE	GRADE	GRADE	GRADE	METAL	METAL	METAL
NAME	NAME	B+POSSIBLE	(Y=<2.2m.)	(Y=MINED)	NAME	(sq. m.)	(x12.5 m.)	(tns/cu.m)	(cu. m.)	(tonnes)	(wt. %)	(wt. %)	(wt. %)	(gm/tn)	(tonnes)	(tonnes)	(kg)	

 Totals and Averages for Section: 1237 ERR ERR ERR ERR ERR

 SECTION: 1250 Pre-mining, In-situ, Undiluted, Sulphide mineralization above 8% Pb+Zn, Only "A" or "proven plus probable" mineralization, Only thick (>2.2m. true) ore

INVENTORY MATERIAL	ORE	CLASSIF.	THIN	MINING	MINING	BLOCK AREA	STRIKE	IN-SITU	BLOCK	BLOCK	Pb+Zn	LEAD	ZINC	SILVER	LEAD	ZINC	SILVER	
BLOCK	TYPE	ZONE	A=PROB+PROV	BLOCK ?	STATUS	AREA	IN SECTION	ADJUSTMENT	DENSITY	VOLUME	TONNAGE	GRADE	GRADE	GRADE	GRADE	METAL	METAL	METAL
NAME	NAME	B+POSSIBLE	(Y=<2.2m.)	(Y=MINED)	NAME	(sq. m.)	(x12.5 m.)	(tns/cu.m)	(cu. m.)	(tonnes)	(wt. %)	(wt. %)	(wt. %)	(gm/tn)	(tonnes)	(tonnes)	(kg)	

 Totals and Averages for Section: 1250 ERR ERR ERR ERR ERR

 SECTION: 1275 Pre-mining, In-situ, Undiluted, Sulphide mineralization above 8% Pb+Zn, Only "A" or "proven plus probable" mineralization, Only thick (>2.2m. true) ore

INVENTORY MATERIAL	ORE	CLASSIF.	THIN	MINING	MINING	BLOCK AREA	STRIKE	IN-SITU	BLOCK	BLOCK	Pb+Zn	LEAD	ZINC	SILVER	LEAD	ZINC	SILVER
BLOCK	TYPE	ZONE	A=PROB+PROV	BLOCK ?	STATUS	AREA	IN SECTION	ADJUSTMENT	DENSITY	VOLUME	TONNAGE	GRADE	GRADE	GRADE	METAL	METAL	METAL
NAME	NAME	B+POSSIBLE	(Y=<2.2m.)	(Y=MINED)	NAME	(sq. m.)	(x12.5 m.)	(tns/cu.m)	(cu. m.)	(tonnes)	(wt. %)	(wt. %)	(wt. %)	(gm/tn)	(tonnes)	(tonnes)	(kg)

 Totals and Averages for Section: 1275 ERR ERR ERR ERR ERR

SECTION: 1300 Pre-mining, In-situ, Undiluted, Sulphide mineralization above 8% Pb+Zn, Only "A" or "proven plus probable" mineralization, Only thick (>2.2m. true) ore

INVENTORY BLOCK NAME	MATERIAL TYPE	ORE ZONE NAME	CLASSIF. A=PROB+PROV B+POSSIBLE	THIN BLOCK ? (Y=<2.2m.)	MINING STATUS (Y=MINED)	MINING AREA NAME	BLOCK AREA IN SECTION (sq. m.)	STRIKE ADJUSTMENT (x12.5 m.)	IN-SITU DENSITY (tns/cu.m)	BLOCK VOLUME (cu. m.)	BLOCK TONNAGE (tonnes)	Pb+Zn GRADE (wt. %)	LEAD GRADE (wt. %)	ZINC GRADE (wt. %)	SILVER GRADE (gm/tn)	LEAD METAL (tonnes)	ZINC METAL (tonnes)	SILVER METAL (kg)
	ORE	FW	A	N	Y	1370-3795	4.4	1.4	3.2	76.8	245.8	17.11	4.76	12.35	41.5	11.7	30.4	10.2
	ORE	FW	A	N	Y	1340-420	0.0	1.3	3.2	0.3	1.0	19.85	4.87	14.98	94.3	0.1	0.2	0.1
	ORE	FW	A	N	Y	1370-3795	12.5	1.4	3.2	219.4	702.2	17.11	4.76	12.35	41.5	33.4	86.8	29.1
	ORE	FW	A	N	Y	1340-420	78.4	1.3	3.2	1,273.8	4,076.3	19.85	4.87	14.98	94.3	198.5	610.5	384.6
	ORE	FW	A	N	Y	1370-M1	2.2	1.5	3.2	40.3	129.0	17.11	4.76	12.35	41.5	6.1	15.9	5.4
1300-7	ORE	FW	A	N	N		134.4	1.4	3.2	2,352.7	7,528.6	17.11	4.76	12.35	41.5	358.1	930.1	312.3
1300-7A	ORE	FW	A	N	N		16.8	1.4	3.2	293.1	938.0	17.11	4.76	12.35	41.5	44.6	115.9	38.9
1300-14	ORE	FW	A	N	N		181.9	1.3	3.2	2,956.4	9,460.4	19.85	4.87	14.98	94.3	460.6	1,416.9	892.5
1300-14A	ORE	FW	A	N	N		0.2	1.3	3.2	2.4	7.8	19.85	4.87	14.98	94.3	0.4	1.2	0.7
Totals and Averages for Section:				1300					3.2	7,215	23,089	18.71	4.82	13.89	72.5	1,113	3,208	1,674

SECTION: 1312 Pre-mining, In-situ, Undiluted, Sulphide mineralization above 8% Pb+Zn, Only "A" or "proven plus probable" mineralization, Only thick (>2.2m. true) ore

INVENTORY BLOCK NAME	MATERIAL TYPE	ORE ZONE NAME	CLASSIF. A=PROB+PROV B+POSSIBLE	THIN BLOCK ? (Y=<2.2m.)	MINING STATUS (Y=MINED)	MINING AREA NAME	BLOCK AREA IN SECTION (sq. m.)	STRIKE ADJUSTMENT (x12.5 m.)	IN-SITU DENSITY (tns/cu.m)	BLOCK VOLUME (cu. m.)	BLOCK TONNAGE (tonnes)	Pb+Zn GRADE (wt. %)	LEAD GRADE (wt. %)	ZINC GRADE (wt. %)	SILVER GRADE (gm/tn)	LEAD METAL (tonnes)	ZINC METAL (tonnes)	SILVER METAL (kg)
	ORE	FW	A	N	Y	1340-420	7.8	0.9	3.2	87.2	279.0	14.84	5.33	9.51	129.6	14.9	26.5	36.2
1312-3A	ORE	FW	A	N	N		8.8	0.9	3.2	98.9	316.4	14.84	5.33	9.51	129.6	16.9	30.1	41.0
1312-1	ORE	JB1-L	A	N	N		31.9	1	3.2	398.5	1,275.2	15.14	6.21	8.92	31.7	79.2	113.8	40.4
Totals and Averages for Section:				1312					3.2	585	1,871	15.04	5.93	9.11	62.9	111	170	118

SECTION: 1325 Pre-mining, In-situ, Undiluted, Sulphide mineralization above 8% Pb+Zn, Only "A" or "proven plus probable" mineralization, Only thick (>2.2m. true) ore

INVENTORY BLOCK	MATERIAL TYPE	ORE ZONE	CLASSIF. A=PROB+PROV B+POSSIBLE	THIN BLOCK ? (Y=<2.2m.)	MINING STATUS (Y=MINED)	MINING AREA NAME	BLOCK AREA IN SECTION (sq. m.)	STRIKE ADJUSTMENT (x12.5 m.)	IN-SITU DENSITY (tns/cu.m)	BLOCK VOLUME (cu. m.)	BLOCK TONNAGE (tonnes)	Pb+Zn GRADE (wt. %)	LEAD GRADE (wt. %)	ZINC GRADE (wt. %)	SILVER GRADE (gm/tn)	LEAD METAL (tonnes)	ZINC METAL (tonnes)	SILVER METAL (kg)
	ORE	JB1-L	A	N	Y	1370-M1	19.0	1	3.2	238.0	761.6	17.42	7.73	9.70	37.4	58.8	73.8	28.5
	ORE	FW	A	N	Y	1340-420	2.3	1	3.2	28.2	90.4	8.26	2.35	5.92	27.3	2.1	5.4	2.5
	ORE	FW	A	N	Y	1370-M1-50	26.7	1	3.2	333.5	1,067.2	15.51	3.91	11.60	44.2	41.7	123.8	47.2
	ORE	FW	A	N	Y	1370-3795	28.5	0.9	3.2	320.9	1,026.7	11.39	2.85	8.55	42.2	29.2	87.7	43.3
1325-2	ORE	JB1-L	A	N	N		17.2	1	3.2	214.6	686.8	17.42	7.73	9.70	37.4	53.1	66.6	25.7
1325-6	ORE	FW	A	N	N		74.8	1	3.2	935.4	2,993.2	15.51	3.91	11.60	44.2	116.9	347.3	132.4
1325-7	ORE	FW	A	N	N		24.6	0.9	3.2	276.8	885.6	11.39	2.85	8.55	42.2	25.2	75.7	37.4
1325-10	ORE	FW	A	N	N		58.9	1	3.2	735.6	2,354.0	14.70	4.21	10.49	50.4	99.1	247.0	118.6
Totals and Averages for Section:				1325					3.2	3,083	9,866	14.73	4.32	10.41	44.1	426	1,027	436

SECTION: 1337 Pre-mining, In-situ, Undiluted, Sulphide mineralization above 8% Pb+Zn, Only "A" or "proven plus probable" mineralization, Only thick (>2m. true) ore

INVENTORY BLOCK NAME	MATERIAL TYPE	ORE ZONE	CLASSIF. A=PROB+PROV B+POSSIBLE	THIN BLOCK ? (Y=<2.2m.)	MINING STATUS (Y=MINED)	MINING AREA NAME	BLOCK AREA IN SECTION (sq. m.)	STRIKE ADJUSTMENT (x12.5 m.)	IN-SITU DENSITY (tns/cu.m)	BLOCK VOLUME (cu. m.)	BLOCK TONNAGE (tonnes)	Pb+Zn GRADE (wt. %)	LEAD GRADE (wt. %)	ZINC GRADE (wt. %)	SILVER GRADE (gm/tn)	LEAD METAL (tonnes)	ZINC METAL (tonnes)	SILVER METAL (kg)
	ORE	FW	A	N	Y	1370M1-6	10.8	1	3.2	135.0	432.0	15.50	3.31	12.19	58.3	14.3	52.7	25.2
	ORE	FW	A	N	Y	1370-M1-1	10.9	1	3.2	135.9	434.8	15.50	3.31	12.19	58.3	14.4	53.0	25.3
1337-4	ORE	JB1	A	N	N		119.2	1	3.2	1,489.6	4,766.8	17.94	6.78	11.16	36.4	323.2	531.8	173.4
1337-5	ORE	JB1-L	A	N	N		92.0	1	3.2	1,149.4	3,678.0	20.95	8.27	12.67	44.2	304.2	466.1	162.6
1337-11	ORE	FW	A	N	N		65.7	1.1	3.2	903.0	2,889.5	21.63	8.69	12.93	44.7	251.2	373.7	129.3
1337-23	ORE	FW	A	N	N		56.3	1	3.2	704.3	2,253.6	15.50	3.31	12.19	58.3	74.6	274.7	131.3
1337-23A	ORE	FW	A	N	N		32.9	1	3.2	411.8	1,317.6	15.50	3.31	12.19	58.3	43.6	160.6	76.8
Totals and Averages for Section:				1337					3.2	4,929	15,772	18.63	6.50	12.13	45.9	1,026	1,913	724

SECTION: 1350 Pre-mining, In-situ, Undiluted, Sulphide mineralization above 8% Pb+Zn, Only "A" or "proven plus probable" mineralization, Only thick (>2.2m. true) ore

INVENTORY MATERIAL BLOCK	ORE TYPE	ZONE	CLASSIF. A=PROB+PROV B+POSSIBLE	THIN BLOCK ? (Y=<2.2m.)	MINING STATUS (Y=MINED)	MINING AREA NAME	BLOCK AREA IN SECTION (sq. m.)	STRIKE ADJUSTMENT (x12.5 m.)	IN-SITU DENSITY (tns/cu.m)	BLOCK VOLUME (cu. m.)	BLOCK TONNAGE (tonnes)	Pb+Zn GRADE (wt. %)	LEAD GRADE (wt. %)	ZINC GRADE (wt. %)	SILVER GRADE (gm/tn)	LEAD METAL (tonnes)	ZINC METAL (tonnes)	SILVER METAL (kg)
	ORE	FW	A	N	Y	1370M1-4	52.0	0.7	3.2	454.7	1,455.2	16.40	4.92	11.48	50.1	71.6	167.0	72.9
	ORE	FW	A	N	Y	1370-M1-6	7.0	1	3.2	87.1	278.8	18.08	5.17	12.91	83.0	14.4	36.0	23.1
1350-21	ORE	FW	A	N	N		22.2	1	3.2	277.5	888.0	18.08	5.17	12.91	83.0	45.9	114.6	73.7
Totals and Averages for Section:				1350					3.2	819	2,622	17.15	5.03	12.11	64.8	132	318	170

SECTION: 1362 Pre-mining, In-situ, Undiluted, Sulphide mineralization above 8% Pb+Zn, Only "A" or "proven plus probable" mineralization, Only thick (>2.2m. true) ore

INVENTORY MATERIAL BLOCK NAME	ORE ZONE NAME	CLASSIF. A=PROB+PROV B+POSSIBLE	THIN BLOCK ? (Y=<2.2m.)	MINING STATUS (Y=MINED)	MINING AREA NAME	BLOCK AREA IN SECTION (sq. m.)	STRIKE ADJUSTMENT (x12.5 m.)	IN-SITU DENSITY (tns/cu.m)	BLOCK VOLUME (cu. m.)	BLOCK TONNAGE (tonnes)	Pb+Zn GRADE (wt. %)	LEAD GRADE (wt. %)	ZINC GRADE (wt. %)	SILVER GRADE (gm/tn)	LEAD METAL (tonnes)	ZINC METAL (tonnes)	SILVER METAL (kg)
ORE	FW	A	N	Y	1370-M1	6.9	0.8	3.2	69.1	221.1	12.12	2.11	10.02	63.6	4.7	22.1	14.1
ORE	FW	A	N	Y	1340-420	3.3	0.8	3.2	33.1	105.9	22.07	11.20	10.87	61.9	11.9	11.5	6.6
ORE	JB1	A	N	Y	1415-301	5.5	1	3.2	69.0	220.8	25.49	9.73	15.76	42.8	21.5	34.8	9.4
ORE	JB1	A	N	Y	1410-310	48.9	1	3.2	611.8	1,957.6	25.49	9.73	15.76	42.8	190.4	308.5	83.8
ORE	JB1	A	N	Y	1415-301	53.6	1	3.2	669.9	2,143.6	25.49	9.73	15.76	42.8	208.5	337.8	91.7
1362-5 ORE	JB1	A	N	N		113.4	1	3.2	1,417.4	4,535.6	25.49	9.73	15.76	42.8	441.2	714.7	194.1
1362-5A ORE	JB1	A	N	N		6.5	1	3.2	80.9	258.8	25.49	9.73	15.76	42.8	25.2	40.8	11.1
1362-5B ORE	JB1	A	N	N		4.4	1	3.2	54.9	175.6	25.49	9.73	15.76	42.8	17.1	27.7	7.5
1362-5C ORE	JB1	A	N	N		16.4	1	3.2	205.4	657.2	25.49	9.73	15.76	42.8	63.9	103.6	28.1
1362-5E ORE	JB1	A	N	N		0.1	1	3.2	1.5	4.8	25.49	9.73	15.76	42.8	0.5	0.8	0.2
1362-8 ORE	M1	A	N	N		24.3	1	3.2	303.8	972.0	16.59	6.73	9.87	33.2	65.4	95.9	32.3
1362-9 ORE	FW	A	N	N		84.4	1	3.2	1,054.5	3,374.4	15.23	7.11	8.13	33.2	239.8	274.2	112.2
1362-21 ORE	FW	A	N	N		38.1	0.6	3.2	285.4	913.2	12.86	4.62	8.24	35.1	42.2	75.2	32.1

Totals and Averages for Section: 1362 3.2 4,856 15,541 21.75 8.57 13.18 40.1 1,332 2,048 623

SECTION: 1375 Pre-mining, In-situ, Undiluted, Sulphide mineralization above 8% Pb+Zn, Only "A" or "proven plus probable" mineralization, Only thick (>2.2m. true) ore

INVENTORY MATERIAL BLOCK	MATERIAL TYPE	ORE ZONE	CLASSIF. A=PROB+PROV B+POSSIBLE	THIN BLOCK ? (Y=<2.2m.)	MINING STATUS (Y=MINED)	MINING AREA NAME	BLOCK AREA IN SECTION (sq. m.)	STRIKE ADJUSTMENT (x12.5 m.)	IN-SITU DENSITY (tns/cu.m)	BLOCK VOLUME (cu. m.)	BLOCK TONNAGE (tonnes)	Pb+Zn GRADE (wt. %)	LEAD GRADE (wt. %)	ZINC GRADE (wt. %)	SILVER GRADE (gm/tn)	LEAD METAL (tonnes)	ZINC METAL (tonnes)	SILVER METAL (kg)
	ORE	FW	A	N	Y	1370-M1	27.3	1	3.2	341.3	1,092.0	12.66	5.20	7.46	68.0	56.8	81.4	74.3
	ORE	JB1	A	N	Y	1405	2.8	1	3.2	35.1	112.4	15.74	7.36	8.38	37.9	8.3	9.4	4.3
	ORE	JB1	A	N	Y	1415-300	9.9	1	3.2	123.4	394.8	15.74	7.36	8.38	37.9	29.0	33.1	15.0
	ORE	JB1-L	A	N	Y	1410-3795	32.8	1	3.2	410.4	1,313.2	23.51	9.38	14.13	46.4	123.2	185.5	60.9
	ORE	JB1	A	N	Y	1415-306	18.6	1	3.2	232.9	745.2	15.74	7.36	8.38	37.9	54.8	62.5	28.2
	ORE	FW	A	N	Y	1340-420	20.8	1	3.2	259.6	830.8	11.59	3.70	7.90	91.7	30.7	65.6	76.2
	ORE	JB1	A	N	Y	1405	20.1	1	3.2	251.1	803.6	15.74	7.36	8.38	37.9	59.1	67.4	30.4
1375-1	ORE	J1	A	N	N		65.9	1	3.2	823.3	2,634.4	16.44	8.62	7.82	48.5	227.1	206.0	127.7
1375-3A	ORE	JB1	A	N	N		14.6	1	3.2	182.4	583.6	15.74	7.36	8.38	37.9	42.9	48.9	22.1
1375-3B	ORE	JB1	A	N	N		55.5	1	3.2	693.1	2,218.0	15.74	7.36	8.38	37.9	163.2	185.9	84.0
1375-3C	ORE	JB1	A	N	N		11.1	1	3.2	139.1	445.2	15.74	7.36	8.38	37.9	32.8	37.3	16.9
1375-4	ORE	JB1-L	A	N	N		77.1	1	3.2	964.3	3,085.6	23.51	9.38	14.13	46.4	289.4	435.9	143.1
1375-4A	ORE	JB1-L	A	N	N		3.8	1	3.2	47.0	150.4	23.51	9.38	14.13	46.4	14.1	21.2	7.0
1375-5	ORE	FW	A	N	N		88.2	1	3.2	1,102.9	3,529.2	19.95	7.54	12.41	59.9	266.2	437.9	211.2
1375-5A	ORE	FW	A	N	N		35.7	1	3.2	445.6	1,426.0	19.95	7.54	12.41	59.9	107.5	176.9	85.4
1375-6	ORE	FW	A	N	N		38.4	1	3.2	479.9	1,535.6	12.66	5.20	7.46	68.0	79.9	114.5	104.4
1375-8	ORE	FW	A	N	N		147.8	1	3.2	1,847.5	5,912.0	11.59	3.70	7.90	91.7	218.5	466.9	542.0
1375-18	ORE	FW	A	N	N		46.5	1	3.2	580.8	1,858.4	10.08	4.54	5.54	191.8	84.3	102.9	356.4

Totals and Averages for Section: 1375 3.2 8,960 28,670 16.14 6.58 9.55 69.4 1,888 2,739 1,990

SECTION: 1387 Pre-mining, In-situ, Undiluted, Sulphide mineralization above 8% Pb+Zn, Only "A" or "proven plus probable" mineralization, Only thick (>2.2m. true) ore

INVENTORY BLOCK NAME	MATERIAL TYPE	ORE ZONE	CLASSIF. A=PROB+PROV B+POSSIBLE	THIN BLOCK ? (Y=<2.2m.)	MINING STATUS (Y=MINED)	MINING AREA NAME	BLOCK AREA IN SECTION (sq. m.)	STRIKE ADJUSTMENT (x12.5 m.)	IN-SITU DENSITY (tns/cu.m)	BLOCK VOLUME (cu. m.)	BLOCK TONNAGE (tonnes)	Pb+Zn GRADE (wt. %)	LEAD GRADE (wt. %)	ZINC GRADE (wt. %)	SILVER GRADE (gm/tn)	LEAD METAL (tonnes)	ZINC METAL (tonnes)	SILVER METAL (kg)
	ORE	FW	A	N	Y	1370-M1	18.9	0.8	3.2	189.1	605.1	14.54	6.37	8.17	43.7	38.5	49.4	26.4
	ORE	JB1	A	N	Y	1405	2.3	1	3.2	28.2	90.4	17.32	7.68	9.64	33.5	6.9	8.7	3.0
	ORE	JB1-L	A	N	Y	1405	19.7	1	3.2	246.1	787.6	17.05	6.94	10.12	38.1	54.6	79.7	30.0
	ORE	JB1	A	N	Y	1415-300	21.6	1	3.2	270.0	864.0	17.32	7.68	9.64	33.5	66.4	83.3	29.0
	ORE	JB1	A	N	Y	1415-306	44.0	1	3.2	550.4	1,761.2	17.32	7.68	9.64	33.5	135.3	169.7	59.0
	ORE	JB1	A	N	Y	1415-301	13.2	1	3.2	165.5	529.6	16.79	6.51	10.29	28.6	34.5	54.5	15.1
	ORE	FW	A	N	Y	1340-420	4.0	0.8	3.2	40.4	129.3	14.54	6.37	8.17	43.7	8.2	10.6	5.6
1387-6	ORE	JB1	A	N	N		45.0	1	3.2	562.3	1,799.2	16.79	6.51	10.29	28.6	117.1	185.1	51.4
Totals and Averages for Section:				1387					3.2	2,052	6,566	16.79	7.03	9.76	33.4	462	641	220

SECTION: 1400 Pre-mining, In-situ, Undiluted, Sulphide mineralization above 8% Pb+Zn, Both A or "proven plus probable" and B or "possible" mineralization, both thin (< 2.2m. true) and thick ore

INVENTORY MATERIAL BLOCK NAME	ORE TYPE ZONE	CLASSIF. A=PROB+PROV B+POSSIBLE	THIN BLOCK ? (Y=<2.2m.)	MINING STATUS (Y=MINED)	MINING AREA NAME	BLOCK AREA IN SECTION (sq. m.)	STRIKE ADJUSTMENT (x12.5 m.)	IN-SITU DENSITY (tns/cu.m)	BLOCK VOLUME (cu. m.)	BLOCK TONNAGE (tonnes)	Pb+Zn GRADE (wt. %)	LEAD GRADE (wt. %)	ZINC GRADE (wt. %)	SILVER GRADE (gm/tn)	LEAD METAL (tonnes)	ZINC METAL (tonnes)	SILVER METAL (kg)
0 ORE	JB1-L	A	N	Y	1405	3.4	1.1	3.2	46.2	147.8	14.58	6.47	8.11	28.7	9.6	12.0	4.2
0 ORE	FW	A	N	Y	1340-FWS	52.2	0.8	3.2	521.9	1,670.1	16.92	6.18	10.74	43.0	103.2	179.4	71.8
0 ORE	JB1-L	A	N	Y	1415-301	13.0	1.1	3.2	178.9	572.4	14.58	6.47	8.11	28.7	37.0	46.4	16.4
0 ORE	JB1-L	A	N	Y	1415-301	0.2	1.1	3.2	2.1	6.6	14.58	6.47	8.11	28.7	0.4	0.5	0.2
0 ORE	FW	A	N	Y	1370-M1	44.6	0.8	3.2	446.0	1,427.2	16.92	6.18	10.74	43.0	88.2	153.3	61.3
0 ORE	JB1	A	N	Y	1405	4.5	1	3.2	56.1	179.6	11.07	5.39	5.68	19.9	9.7	10.2	3.6
0 ORE	JB1	A	N	Y	1415-300	22.9	0.8	3.2	228.9	732.5	19.95	8.37	11.58	29.0	61.3	84.8	21.2
0 ORE	JB1	A	N	Y	1415-306	12.0	0.8	3.2	119.7	383.0	19.95	8.37	11.58	29.0	32.0	44.4	11.1
1400-1 ORE	JB1	A	N	N	0	50.6	0.8	3.2	506.3	1,620.2	19.95	8.37	11.58	29.0	135.5	187.6	46.9
1400-7 ORE	JB1-L	A	N	N	0	107.6	1.1	3.2	1,479.5	4,734.4	14.58	6.47	8.11	28.7	306.4	383.9	136.0
1400-9 ORE	FW	A	N	N	0	151.3	0.7	3.2	1,323.7	4,235.8	13.96	4.01	9.95	68.4	169.7	421.7	289.6
1400-11 ORE	FW	A	N	N	0	228.7	0.8	3.2	2,287.3	7,319.4	16.92	6.18	10.74	43.0	452.3	786.2	314.6
1400-15 ORE	FW	A	N	N	0	78.5	0.8	3.2	784.8	2,511.4	19.54	6.26	13.28	46.8	157.2	333.5	117.5
Totals and Averages for Section:			1400					3.2	5,843	18,697	16.88	5.72	11.16	48.8	1,070	2,086	913

SECTION: 1412 Pre-mining, In-situ, Undiluted, Sulphide mineralization above 8% Pb+Zn, Only "A" or "proven plus probable" mineralization, Only thick (>2.2m. true) ore

INVENTORY MATERIAL BLOCK	MATERIAL TYPE	ORE ZONE	CLASSIF. A=PROB+PROV B+POSSIBLE	THIN BLOCK ? (Y=<2.2m.)	MINING STATUS (Y=MINED)	MINING AREA NAME	BLOCK AREA IN SECTION (sq. m.)	STRIKE ADJUSTMENT (x12.5 m.)	IN-SITU DENSITY (tns/cu.m)	BLOCK VOLUME (cu. m.)	BLOCK TONNAGE (tonnes)	Pb+Zn GRADE (wt. %)	LEAD GRADE (wt. %)	ZINC GRADE (wt. %)	SILVER GRADE (gm/tn)	LEAD METAL (tonnes)	ZINC METAL (tonnes)	SILVER METAL (kg)
	ORE	FW	A	N	Y	1340-FWS	11.2	0.8	3.2	111.5	356.8	19.75	6.01	13.74	59.4	21.4	49.0	21.2
	ORE	JB1	A	N	Y	1415-301	18.9	0.8	3.2	189.4	606.1	21.59	9.25	12.34	49.0	56.1	74.8	29.7
	ORE	FW	A	N	Y	1370-M1	22.0	1	3.2	274.5	878.4	13.28	4.27	9.01	31.0	37.5	79.1	27.2
	ORE	FW	A	N	Y	1340-420	10.2	0.8	3.2	102.4	327.7	27.44	5.09	22.35	86.7	16.7	73.2	28.4
1412-10	ORE	FW	A	N	N		83.4	0.8	3.2	833.7	2,667.8	27.44	5.09	22.35	86.7	135.8	596.3	231.3
Totals and Averages for Section:				1412					3.2	1,512	4,837	23.57	5.53	18.04	69.8	267	872	338

SECTION: 1425 Pre-mining, In-situ, Undiluted, Sulphide mineralization above 8% Pb+Zn, Only "A" or "proven plus probable" mineralization, Only thick (>2m. true) ore

INVENTORY BLOCK	MATERIAL TYPE	ORE ZONE	CLASSIF. A=PROB+PROV B+POSSIBLE	THIN BLOCK ? (Y=<2.2m.)	MINING STATUS (Y=MINED)	MINING AREA NAME	BLOCK AREA IN SECTION (sq. m.)	STRIKE ADJUSTMENT (x12.5 m.)	IN-SITU DENSITY (tns/cu.m)	BLOCK VOLUME (cu. m.)	BLOCK TONNAGE (tonnes)	Pb+Zn GRADE (wt. %)	LEAD GRADE (wt. %)	ZINC GRADE (wt. %)	SILVER GRADE (gm/tn)	LEAD METAL (tonnes)	ZINC METAL (tonnes)	SILVER METAL (kg)
	ORE	JB1	A	N	Y	1415-100	46.2	1	3.2	576.9	1,846.0	20.99	6.46	14.53	28.0	119.2	268.2	51.7
	ORE	JB1	A	N	Y	1415-301	16.5	0.8	3.2	164.8	527.4	8.45	3.52	4.93	16.0	18.6	26.0	8.5
	ORE	JB1	A	N	Y	1415-300	44.8	1	3.2	560.0	1,792.0	20.99	6.46	14.53	28.0	115.7	260.3	50.2
	ORE	M1	A	N	Y	1340-202	10.8	0.8	3.2	108.0	345.6	12.86	5.39	7.47	23.7	18.6	25.8	8.2
	ORE	FW	A	N	Y	1340-FWS	40.0	0.9	3.2	450.2	1,440.7	24.50	4.58	19.92	121.3	66.0	287.0	174.7
	ORE	JB1	A	N	Y	1405	6.9	1	3.2	85.6	274.0	8.33	3.64	4.69	20.7	10.0	12.9	5.7
1425-4	ORE	JB1	A	N	N		38.1	1	3.2	476.5	1,524.8	20.99	6.46	14.53	28.0	98.5	221.5	42.7
1425-5	ORE	M1	A	N	N		53.3	0.8	3.2	533.2	1,706.2	12.86	5.39	7.47	23.7	92.0	127.5	40.5
1425-5A	ORE	M1	A	N	N		12.6	0.8	3.2	126.2	403.8	12.86	5.39	7.47	23.7	21.8	30.2	9.6
1425-6	ORE	FW	A	N	N		122.8	0.9	3.2	1,381.6	4,421.2	18.55	5.71	12.84	42.4	252.5	567.9	187.2
1425-7	ORE	JB1-L	A	N	N		56.2	0.9	3.2	631.8	2,021.8	17.65	7.48	10.18	39.0	151.2	205.8	78.8
1425-8	ORE	JB1	A	N	N		46.7	1	3.2	584.3	1,869.6	19.57	7.68	11.89	33.9	143.6	222.3	63.3
1425-15	ORE	JB1	A	N	N		87.7	0.8	3.2	877.3	2,807.4	8.45	3.52	4.93	16.0	98.9	138.3	45.0
1425-23	ORE	FW	A	N	N		88.4	0.9	3.2	994.5	3,182.4	24.50	4.58	19.92	121.3	145.8	633.9	385.9
1425-23A	ORE	FW	A	N	N		4.4	0.9	3.2	49.6	158.8	24.50	4.58	19.92	121.3	7.3	31.6	19.3
1425-25	ORE	JB1-L	A	N	N		41.4	1	3.2	518.0	1,657.6	19.02	8.13	10.89	42.5	134.8	180.4	70.5

Totals and Averages for Section: 1425 3.2 8,119 25,979 18.22 5.75 12.47 47.8 1,494 3,239 1,242

SECTION: 1437 Pre-mining, In-situ, Undiluted, Sulphide mineralization above 8% Pb+Zn, Only "A" or "proven plus probable" mineralization, Only thick (>2.2m. true) ore

INVENTORY BLOCK NAME	MATERIAL TYPE	ORE ZONE NAME	CLASSIF. A=PROB+PROV B+POSSIBLE	THIN BLOCK ? (Y=<2.2m.)	MINING STATUS (Y=MINED)	MINING AREA NAME	BLOCK AREA IN SECTION (sq. m.)	STRIKE ADJUSTMENT (x12.5 m.)	IN-SITU DENSITY (tns/cu.m)	BLOCK VOLUME (cu. m.)	BLOCK TONNAGE (tonnes)	Pb+Zn GRADE (wt. %)	LEAD GRADE (wt. %)	ZINC GRADE (wt. %)	SILVER GRADE (gm/tn)	LEAD METAL (tonnes)	ZINC METAL (tonnes)	SILVER METAL (kg)
	ORE	JB1	A	N	Y	1415-100	24.5	1	3.2	306.5	980.8	13.52	5.24	8.27	40.8	51.4	81.1	40.0
	ORE	JB1	A	N	Y	1415-300	23.8	1	3.2	297.8	952.8	13.52	5.24	8.27	40.8	50.0	78.8	38.9
	ORE	FW	A	N	Y	1370-M1	39.8	1	3.2	498.0	1,593.6	21.71	5.04	16.67	104.9	80.2	265.7	167.1
	ORE	M2	A	N	Y	1340202A	3.0	1	3.2	37.3	119.2	11.46	3.93	7.53	26.8	4.7	9.0	3.2
	ORE	M2	A	N	Y	1340-202	3.5	1	3.2	43.6	139.6	15.66	5.07	10.59	25.5	7.1	14.8	3.6
	ORE	M2	A	N	Y	1340-202	17.2	1	3.2	214.4	686.0	18.44	7.80	10.64	37.8	53.5	73.0	25.9
	ORE	JB1	A	N	Y	1415-LOOP	10.0	1	3.2	124.4	398.0	15.07	6.09	8.97	25.4	24.3	35.7	10.1
	ORE	M2	A	N	Y	1340-202	28.9	1	3.2	361.4	1,156.4	18.44	7.80	10.64	37.8	90.2	123.0	43.7
	ORE	JB2-W	A	N	Y	1340202B	5.5	1	3.2	68.5	219.2	12.60	5.49	7.11	21.6	12.0	15.6	4.7
	ORE	M1	A	N	Y	1340202A	3.5	0.7	3.2	30.6	98.0	17.21	7.08	10.12	32.1	6.9	9.9	3.1
	ORE	M2	A	N	Y	1340202A	11.8	1	3.2	147.8	472.8	11.46	3.93	7.53	26.8	18.6	35.6	12.7
	ORE	FW	A	N	Y	1340-FWN	21.7	1	3.2	271.4	868.4	21.71	5.04	16.67	104.9	43.7	144.8	91.1
	ORE	M2	A	N	Y	1340-202	14.1	1	3.2	176.3	564.0	10.34	3.16	7.18	19.0	17.8	40.5	10.7
1437-1	ORE	JB1	A	N	N		71.4	1	3.2	892.3	2,855.2	13.52	5.24	8.27	40.8	149.7	236.2	116.4
1437-1A	ORE	JB1	A	N	N		69.2	1	3.2	865.5	2,769.6	13.52	5.24	8.27	40.8	145.3	229.1	112.9
1437-4	ORE	FW	A	N	N		210.8	1	3.2	2,635.4	8,433.2	21.71	5.04	16.67	104.9	424.7	1,406.1	884.3
1437-4A	ORE	FW	A	N	N		27.6	1	3.2	344.5	1,102.4	21.71	5.04	16.67	104.9	55.5	183.8	115.6
1437-8	ORE	M2	A	N	N		157.4	0.7	3.2	1,377.5	4,408.0	8.21	3.86	4.35	131.9	170.2	191.6	581.4
1437-10	ORE	JB1	A	N	N		27.8	1	3.2	347.0	1,110.4	15.07	6.09	8.97	25.4	67.7	99.6	28.2
1437-11	ORE	JB1-L	A	N	N		102.2	0.7	3.2	894.3	2,861.9	12.44	4.72	7.72	21.9	135.1	220.8	62.8
1437-14	ORE	M2	A	N	N		22.1	1	3.2	275.8	882.4	11.46	3.93	7.53	26.8	34.7	66.5	23.7
1437-14	ORE	M2	A	N	N		4.1	1	3.2	50.9	162.8	11.46	3.93	7.53	26.8	6.4	12.3	4.4
1437-15	ORE	M1	A	N	N		124.5	0.7	3.2	1,089.6	3,486.8	17.21	7.08	10.12	32.1	246.9	353.0	112.1
1437-17	ORE	M2	A	N	N		1.4	1	3.2	17.4	55.6	10.34	3.16	7.18	19.0	1.8	4.0	1.1
1437-18	ORE	FW	A	N	N		110.5	1	3.2	1,381.1	4,419.6	21.70	8.88	12.82	34.4	392.5	566.7	152.0
1437-28	ORE	M2	A	N	N		41.1	1	3.2	514.3	1,645.6	15.66	5.07	10.59	25.5	83.4	174.3	42.0
1437-29	ORE	M2	A	N	N		14.9	1	3.2	186.1	595.6	15.66	5.07	10.59	25.5	30.2	63.1	15.2

SECTION: 1437 Pre-mining, In-situ, Undiluted, Sulphide mineralization above 8% Pb+Zn, Only "A" or "proven plus probable" mineralization, Only thick (>2.2m. true) ore

INVENTORY MATERIAL BLOCK	MATERIAL TYPE	ORE ZONE	CLASSIF. A=PROB+PROV B+POSSIBLE	THIN BLOCK ? (Y=<2.2m.)	MINING STATUS (Y=MINED)	MINING AREA NAME	BLOCK AREA IN SECTION (sq. m.)	STRIKE ADJUSTMENT (x12.5 m.)	IN-SITU DENSITY (tns/cu.m)	BLOCK VOLUME (cu. m.)	BLOCK TONNAGE (tonnes)	Pb+Zn GRADE (wt. %)	LEAD GRADE (wt. %)	ZINC GRADE (wt. %)	SILVER GRADE (gm/tn)	LEAD METAL (tonnes)	ZINC METAL (tonnes)	SILVER METAL (kg)
1437-29A	ORE	M2	A	N	N		1.4	1	3.2	18.0	57.6	15.66	5.07	10.59	25.5	2.9	6.1	1.5
Totals and Averages for Section:				1437					3.2	13,467	43,096	16.59	5.59	11.00	62.8	2,407	4,741	2,708

SECTION: 1450 Pre-mining, In-situ, Undiluted, Sulphide mineralization above 8% Pb+Zn, Only "A" or "proven plus probable" mineralization, Only thick (>2.2m. true) ore

INVENTORY BLOCK NAME	MATERIAL TYPE	ORE ZONE NAME	CLASSIF. A=PROB+PROV B+POSSIBLE	THIN BLOCK ? (Y=<2.2m.)	MINING STATUS (Y=MINED)	MINING AREA NAME	BLOCK AREA IN SECTION (sq. m.)	STRIKE ADJUSTMENT (x12.5 m.)	IN-SITU DENSITY (tns/cu.m)	BLOCK VOLUME (cu. m.)	BLOCK TONNAGE (tonnes)	Pb+Zn GRADE (wt. %)	LEAD GRADE (wt. %)	ZINC GRADE (wt. %)	SILVER GRADE (gm/tn)	LEAD METAL (tonnes)	ZINC METAL (tonnes)	SILVER METAL (kg)
	ORE	JB1	A	N	Y	1415-100	25.7	0.9	3.2	288.8	924.1	20.16	8.59	11.58	43.1	79.3	107.0	39.9
	ORE	JB1	A	N	Y	1415-200	17.5	0.9	3.2	196.9	630.0	20.16	8.59	11.58	43.1	54.1	72.9	27.2
	ORE	JB2-W	A	N	Y	1340-202	65.9	0.8	3.2	658.8	2,108.2	19.07	6.27	12.80	36.3	132.2	269.8	76.5
	ORE	JB1	A	N	Y	1415-LOOP	13.7	0.8	3.2	136.7	437.4	20.16	8.59	11.58	43.1	37.6	50.6	18.9
	ORE	JB1	A	N	Y	1415-200	5.6	0.8	3.2	56.1	179.5	20.16	8.59	11.58	43.1	15.4	20.8	7.7
	ORE	JB1	A	N	Y	1415-300	25.0	0.8	3.2	249.8	799.4	20.16	8.59	11.58	43.1	68.6	92.5	34.5
	ORE	FW	A	N	Y	1370 VENT	16.3	1	3.2	203.9	652.4	17.48	6.46	11.03	28.9	42.1	71.9	18.9
	ORE	JB1	A	N	Y	1415-202	25.5	0.8	3.2	255.1	816.3	20.16	8.59	11.58	43.1	70.1	94.5	35.2
1450-1	ORE	JB1	A	N	N		26.8	0.8	3.2	268.4	858.9	20.16	8.59	11.58	43.1	73.7	99.4	37.1
1450-1A	ORE	JB1	A	N	N		2.6	0.9	3.2	29.0	92.9	20.16	8.59	11.58	43.1	8.0	10.8	4.0
1450-1B	ORE	JB1	A	N	N		22.2	0.9	3.2	249.3	797.8	20.16	8.59	11.58	43.1	68.5	92.4	34.4
1450-1C	ORE	JB1	A	N	N		10.1	0.9	3.2	113.6	363.6	20.16	8.59	11.58	43.1	31.2	42.1	15.7
1450-1E	ORE	JB1	A	N	N		3.2	0.9	3.2	35.4	113.4	20.16	8.59	11.58	43.1	9.7	13.1	4.9
1450-1F	ORE	JB1	A	N	N		31.4	0.6	3.2	235.5	753.6	20.16	8.59	11.58	43.1	64.7	87.3	32.5
1450-2	ORE	JB1-L	A	N	N		89.7	1	3.2	1,121.1	3,587.6	26.63	11.67	14.96	49.8	418.7	536.6	178.8
1450-3	ORE	FW	A	N	N		67.5	1	3.2	843.4	2,698.8	17.48	6.46	11.03	28.9	174.3	297.6	78.0
1450-4	ORE	FW	A	N	N		63.2	1	3.2	790.4	2,529.2	21.28	8.94	12.34	42.2	226.2	312.1	106.7
1450-5	ORE	FW	A	N	N		119.5	1	3.2	1,493.5	4,779.2	18.64	7.90	10.74	82.7	377.5	513.2	395.4
1450-12A	ORE	JB2-W	A	N	N		0.1	0.8	3.2	0.5	1.6	19.07	6.27	12.80	36.3	0.1	0.2	0.1
1450-24	ORE	JB2-W	A	N	N		5.4	1	3.2	67.9	217.2	19.07	6.27	12.80	36.3	13.6	27.8	7.9

Totals and Averages for Section: 1450 3.2 7,294 23,341 20.47 8.42 12.05 49.4 1,966 2,813 1,154

SECTION: 1462 Pre-mining, In-situ, Undiluted, Sulphide mineralization above 8% Pb+Zn, Only "A" or "proven plus probable" mineralization, Only thick (>2.2m. true) ore

INVENTORY MATERIAL BLOCK	MATERIAL TYPE	ORE ZONE	CLASSIF. A=PROB+PROV B+POSSIBLE	THIN BLOCK ? (Y=<2.2m.)	MINING STATUS (Y=MINED)	MINING AREA NAME	BLOCK AREA IN SECTION (sq. m.)	STRIKE ADJUSTMENT (x12.5 m.)	IN-SITU DENSITY (tns/cu.m)	BLOCK VOLUME (cu. m.)	BLOCK TONNAGE (tonnes)	Pb+Zn GRADE (wt. %)	LEAD GRADE (wt. %)	ZINC GRADE (wt. %)	SILVER GRADE (gm/tn)	LEAD METAL (tonnes)	ZINC METAL (tonnes)	SILVER METAL (kg)
	ORE	JB2-W	A	N	Y	1340-202	69.5	1	3.2	869.1	2,781.2	25.06	10.33	14.73	48.6	287.3	409.7	135.1
	ORE	JB2-W	A	N	Y	1340-202	29.1	1	3.2	363.1	1,162.0	25.06	10.33	14.73	48.6	120.1	171.2	56.5
	ORE	FW	A	N	Y	1370-LOOP	39.2	1	3.2	489.5	1,566.4	17.75	8.22	9.53	14.0	128.7	149.2	21.9
1462-2	ORE	JB1-L	A	N	N		190.2	0.9	3.2	2,139.3	6,845.8	23.28	9.91	13.37	57.3	678.4	915.0	392.1
1462-4	ORE	JB1-L	A	N	N		68.9	1	3.2	861.5	2,756.8	23.41	11.14	12.28	41.8	307.0	338.5	115.1
1462-6	ORE	JB2-W	A	N	N		16.5	1	3.2	206.1	659.6	25.06	10.33	14.73	48.6	68.1	97.2	32.1
1462-6A	ORE	JB2-W	A	N	N		8.1	1	3.2	101.4	324.4	25.06	10.33	14.73	48.6	33.5	47.8	15.8
Totals and Averages for Section:				1462					3.2	5,030	16,096	23.31	10.08	13.22	47.7	1,623	2,128	769

SECTION: 1475 Pre-mining, In-situ, Undiluted, Sulphide mineralization above 8% Pb+Zn, Only "A" or "proven plus probable" mineralization, Only thick (>2.2m. true) ore

INVENTORY MATERIAL	ORE	CLASSIF.	THIN	MINING	MINING	BLOCK AREA	STRIKE	IN-SITU	BLOCK	BLOCK	Pb+Zn	LEAD	ZINC	SILVER	LEAD	ZINC	SILVER	
BLOCK	TYPE	ZONE	A=PROB+PROV	BLOCK ?	STATUS	AREA	ADJUSTMENT	DENSITY	VOLUME	TONNAGE	GRADE	GRADE	GRADE	GRADE	METAL	METAL	METAL	
NAME	NAME	B+POSSIBLE	(Y=<2.2m.)	(Y=MINED)	NAME	(sq. m.)	(x12.5 m.)	(tns/cu.m)	(cu. m.)	(tonnes)	(wt. %)	(wt. %)	(wt. %)	(gm/tn)	(tonnes)	(tonnes)	(kg)	
	ORE	JB1	A	N	Y	1415-LP	19.9	0.9	3.2	223.9	716.4	12.51	5.31	7.20	24.5	38.0	51.6	17.6
	ORE	JB2-W	A	N	Y	1340-202	295.5	0.7	3.2	2,585.9	8,274.8	25.84	10.11	15.73	55.4	836.9	1,301.4	458.5
	ORE	JB1	A	N	Y	R1417	80.6	0.9	3.2	906.2	2,899.8	12.51	5.31	7.20	24.5	154.0	208.7	71.2
	ORE	FW	A	N	Y	1370 VENT	8.6	1	3.2	107.6	344.4	21.48	8.29	13.20	129.0	28.5	45.4	44.4
1475-2	ORE	JB1-L	A	N	N		134.5	0.8	3.2	1,344.9	4,303.7	19.17	7.93	11.23	34.1	341.4	483.4	146.6
1475-9	ORE	JB2-W	A	N	N		99.7	0.7	3.2	871.9	2,790.2	25.84	10.11	15.73	55.4	282.2	438.8	154.6
1475-9A	ORE	JB2-W	A	N	N		63.0	0.9	3.2	709.2	2,269.4	25.84	10.11	15.73	55.4	229.5	356.9	125.8
1475-9B	ORE	JB2-W	A	N	N		21.5	1	3.2	268.5	859.2	25.84	10.11	15.73	55.4	86.9	135.1	47.6
1475-11	ORE	JB1	A	N	N		175.6	0.8	3.2	1,756.4	5,620.5	12.51	5.31	7.20	24.5	298.5	404.4	138.0
1475-11B	ORE	JB1	A	N	N		4.0	0.9	3.2	45.3	145.1	12.51	5.31	7.20	24.5	7.7	10.4	3.6
1475-11C	ORE	JB1	A	N	N		8.7	0.9	3.2	98.2	314.3	12.51	5.31	7.20	24.5	16.7	22.6	7.7
1475-11D	ORE	JB1	A	N	N			0.9	3.2			12.51	5.31	7.20	24.5			
1475-13	ORE	M1	A	N	N		48.6	1	3.2	607.1	1,942.8	11.17	6.22	4.95	25.1	120.8	96.1	48.7
1475-15A	ORE	FW	A	N	N		2.8	1	3.2	34.6	110.8	21.48	8.29	13.20	129.0	9.2	14.6	14.3
1475-25	ORE	FW	A	N	N		28.4	1	3.2	355.4	1,137.2	14.45	6.39	8.06	55.9	72.7	91.7	63.6

Totals and Averages for Section: 1475 3.2 9,915 31,729 19.49 7.95 11.54 42.3 2,523 3,661 1,342

SECTION: 1487 Pre-mining, In-situ, Undiluted, Sulphide mineralization above 8% Pb+Zn, Only "A" or "proven plus probable" mineralization, Only thick (>2.2m. true) ore

INVENTORY BLOCK NAME	MATERIAL TYPE	ORE ZONE NAME	CLASSIF. A=PROB+PROV B+POSSIBLE	THIN BLOCK ? (Y=<2.2m.)	MINING STATUS (Y=MINED)	MINING AREA NAME	BLOCK AREA IN SECTION (sq. m.)	STRIKE ADJUSTMENT (x12.5 m.)	IN-SITU DENSITY (tns/cu.m)	BLOCK VOLUME (cu. m.)	BLOCK TONNAGE (tonnes)	Pb+Zn GRADE (wt. %)	LEAD GRADE (wt. %)	ZINC GRADE (wt. %)	SILVER GRADE (gm/tn)	LEAD METAL (tonnes)	ZINC METAL (tonnes)	SILVER METAL (kg)
	ORE	CHIMNEY	A	N	Y	1340-200	9.1	0.8	3.2	90.5	289.6	18.49	7.81	10.68	35.0	22.6	30.9	10.1
	ORE	JB2-W	A	N	Y	1340-201	109.2	0.9	3.2	1,228.2	3,930.1	34.22	12.33	21.89	63.4	484.6	860.3	249.3
1487-2	ORE	M1	A	N	N		44.6	0.7	3.2	390.6	1,249.9	28.98	11.46	17.51	44.3	143.3	218.9	55.3
1487-5	ORE	CHIMNEY	A	N	N		178.5	0.8	3.2	1,785.0	5,712.0	18.49	7.81	10.68	35.0	446.0	610.1	200.2
1487-9	ORE	CHIMNEY	A	N	N		270.4	1.3	3.2	4,393.4	14,058.7	13.76	5.21	8.55	22.0	732.9	1,202.2	309.5
1487-11	ORE	CHIMNEY	A	N	N		22.9	0.8	3.2	228.6	731.5	8.48	3.99	4.49	16.8	29.2	32.8	12.3
1487-13	ORE	CHIMNEY	A	N	N		46.9	0.8	3.2	469.3	1,501.8	10.65	3.88	6.77	20.0	58.3	101.7	30.1
1487-16	ORE	JB2-W	A	N	N		117.6	0.9	3.2	1,322.4	4,231.8	34.22	12.33	21.89	63.4	521.8	926.4	268.5
1487-22	ORE	AB	A	N	N		161.3	1	3.2	2,015.6	6,450.0	27.70	9.59	18.10	50.5	618.8	1,167.8	325.8
1487-33	ORE	M1	A	N	N		36.3	0.7	3.2	317.5	1,015.8	9.63	4.79	4.84	14.8	48.7	49.2	15.0

Totals and Averages for Section: 1487 3.2 12,241 39,171 21.21 7.93 13.28 37.7 3,106 5,200 1,476

SECTION: 1500 Pre-mining, In-situ, Undiluted, Sulphide mineralization above 8% Pb+Zn, Only "A" or "proven plus probable" mineralization, Only thick (>2.2m. true) ore

INVENTORY BLOCK NAME	MATERIAL TYPE	ORE ZONE NAME	CLASSIF. A=PROB+PROV B=POSSIBLE	THIN BLOCK ? (Y=<2.2m.)	MINING STATUS (Y=MINED)	MINING AREA NAME	BLOCK AREA IN SECTION (sq. m.)	STRIKE ADJUSTMENT (x12.5 m.)	IN-SITU DENSITY (tns/cu.m)	BLOCK VOLUME (cu. m.)	BLOCK TONNAGE (tonnes)	Pb+Zn GRADE (wt. %)	LEAD GRADE (wt. %)	ZINC GRADE (wt. %)	SILVER GRADE (gm/tn)	LEAD METAL (tonnes)	ZINC METAL (tonnes)	SILVER METAL (kg)
	ORE	JB2-W	A	N	Y	1350CHIMNE	112.1	1	3.2	1,401.3	4,484.0	28.77	10.97	17.80	66.7	491.7	798.2	299.0
	ORE	CHIMNEY	A	N	Y	CHIMNEY	1,300.6	0.9	3.2	14,631.6	46,821.2	26.30	10.69	15.61	66.7	5,005.6	7,308.7	3,121.7
	ORE	JB2-E	A	N	Y	13702E-200	12.9	1	3.2	160.6	514.0	20.83	8.12	12.71	76.9	41.7	65.3	39.5
	ORE	CHIMNEY	A	N	Y	CHIMNEY	7.1	0.9	3.2	80.2	256.7	26.30	10.69	15.61	66.7	27.4	40.1	17.1
	ORE	JB1	A	N	Y	1422-100	64.8	1	3.2	810.4	2,593.2	12.94	5.76	7.18	32.0	149.4	186.2	83.0
	ORE	CHIMNEY	A	N	Y	CHIMNEY	680.1	1	3.2	8,501.6	27,205.2	26.30	10.69	15.61	66.7	2,908.5	4,246.7	1,813.8
	ORE	JB2-E	A	N	Y	13702E-200	5.5	0.5	3.2	34.3	109.8	20.83	8.12	12.71	76.9	8.9	14.0	8.4
	ORE	JB2-W	A	N	Y	13402W-101	51.6	1	3.2	644.4	2,062.0	25.15	7.49	17.66	43.9	154.4	364.2	90.5
	ORE	JB2-W	A	N	Y	1350CHIMNE	88.5	1	3.2	1,106.3	3,540.0	28.77	10.97	17.80	66.7	388.2	630.2	236.1
	ORE	JB2-W	A	N	Y	13402W-101	1.3	1	3.2	16.6	53.2	25.15	7.49	17.66	43.9	4.0	9.4	2.3
1500-2	ORE	CHIMNEY	A	N	N		181.6	0.9	3.2	2,042.4	6,535.8	26.30	10.69	15.61	66.7	698.7	1,020.2	435.8
1500-2B	ORE	CHIMNEY	A	N	N		9.3	0.9	3.2	104.7	335.2	26.30	10.69	15.61	66.7	35.8	52.3	22.3
1500-2C	ORE	CHIMNEY	A	N	N		25.9	0.9	3.2	290.9	931.0	26.30	10.69	15.61	66.7	99.5	145.3	62.1
1500-2D	ORE	CHIMNEY	A	N	N		20.5	0.9	3.2	230.1	736.2	26.30	10.69	15.61	66.7	78.7	114.9	49.1
1500-2E	ORE	CHIMNEY	A	N	N		2.1	0.9	3.2	23.9	76.3	26.30	10.69	15.61	66.7	8.2	11.9	5.1
1500-2F	ORE	CHIMNEY	A	N	N		4.2	0.9	3.2	46.9	150.1	26.30	10.69	15.61	66.7	16.0	23.4	10.0
1500-2G	ORE	CHIMNEY	A	N	N		7.5	0.9	3.2	84.6	270.7	26.30	10.69	15.61	66.7	28.9	42.3	18.0
1500-8	ORE	JB2-E	A	N	N		4.3	1	3.2	54.3	173.6	10.18	4.95	5.24	242.7	8.6	9.1	42.1
1500-9	ORE	JB2-W	A	N	N		75.2	1	3.2	940.1	3,008.4	25.15	7.49	17.66	43.9	225.2	531.3	132.0
1500-17	ORE	JB2-E	A	N	N		111.2	0.8	3.2	1,111.7	3,557.4	28.38	10.47	17.92	87.9	372.4	637.3	312.8
1500-18	ORE	M1	A	N	N		21.9	1	3.2	273.6	875.6	13.50	4.88	8.62	25.0	42.7	75.5	21.9
1500-20	ORE	JB2-W	A	N	N		91.1	1	3.2	1,138.6	3,643.6	28.77	10.97	17.80	66.7	399.5	648.6	243.0
1500-20A	ORE	JB2-W	A	N	N		13.7	1	3.2	171.6	549.2	28.77	10.97	17.80	66.7	60.2	97.8	36.6
1500-37	ORE	JB2-E	A	N	N		315.9	0.5	3.2	1,974.3	6,317.6	20.83	8.12	12.71	76.9	513.1	803.0	485.8
1500-39	ORE	CHIMNEY	A	N	N		54.3	0.9	3.2	611.2	1,955.9	15.50	7.39	8.11	30.0	144.6	158.6	58.6
1500-41	ORE	JB2-E	A	N	N		27.5	1	3.2	343.5	1,099.2	20.83	8.12	12.71	76.9	89.3	139.7	84.5
1500-44	ORE	JB2-W	A	N	N		11.2	1	3.2	140.4	449.2	25.15	7.49	17.66	43.9	33.6	79.3	19.7

SECTION: 1500 Pre-mining, In-situ, Undiluted, Sulphide mineralization above 8% Pb+Zn, Only "A" or "proven plus probable" mineralization, Only thick (>2.2m. true) ore

INVENTORY BLOCK NAME	MATERIAL TYPE	ORE ZONE NAME	CLASSIF. A=PROB+PROV B+POSSIBLE	THIN BLOCK ? (Y=<2.2m.)	MINING STATUS (Y=MINED)	MINING AREA NAME	BLOCK IN SECTION (sq. m.)	STRIKE ADJUSTMENT (x12.5 m.)	IN-SITU DENSITY (tns/cu.m)	BLOCK VOLUME (cu. m.)	BLOCK TONNAGE (tonnes)	Pb+Zn GRADE (wt. %)	LEAD GRADE (wt. %)	ZINC GRADE (wt. %)	SILVER GRADE (gm/tn)	LEAD METAL (tonnes)	ZINC METAL (tonnes)	SILVER METAL (kg)
1500-46	ORE	JB2-W	A	N	N		0.6	1	3.2	7.1	22.8	25.15	7.49	17.66	43.9	1.7	4.0	1.0
Totals and Averages for Section:				1500					3.2	36,977	118,327	25.60	10.17	15.43	65.5	12,037	18,258	7,752

SECTION: 1512 Pre-mining, In-situ, Undiluted, Sulphide mineralization above 8% Pb+Zn, Only "A" or "proven plus probable" mineralization, Only thick (>2.2m. true) ore

INVENTORY BLOCK NAME	MATERIAL TYPE	ORE ZONE NAME	CLASSIF. A=PROB+PROV B+POSSIBLE	THIN BLOCK ? (Y=<2.2m.)	MINING STATUS (Y=MINED)	MINING AREA NAME	BLOCK AREA IN SECTION (sq. m.)	STRIKE ADJUSTMENT (x12.5 m.)	IN-SITU DENSITY (tns/cu.m)	BLOCK VOLUME (cu. m.)	BLOCK TONNAGE (tonnes)	Pb+Zn GRADE (wt. %)	LEAD GRADE (wt. %)	ZINC GRADE (wt. %)	SILVER GRADE (gm/tn)	LEAD METAL (tonnes)	ZINC METAL (tonnes)	SILVER METAL (kg)
	ORE	JB2-W	A	N	Y	13402W-100	136.8	0.7	3.2	1,196.6	3,829.3	17.94	6.24	11.70	35.4	239.0	447.9	135.6
	ORE	JB2-E	A	N	Y	13802E-100	4.2	0.9	3.2	46.8	149.8	20.74	7.94	12.80	55.2	11.9	19.2	8.3
	ORE	JB2-W	A	N	Y	1350VENT A	7.1	0.9	3.2	79.8	255.2	23.76	7.63	16.13	71.6	19.5	41.2	18.3
	ORE	JB2-E	A	N	Y	13802E-100	154.0	0.9	3.2	1,731.9	5,542.2	20.74	7.94	12.80	55.2	440.2	709.3	306.1
	ORE	JB2-E	A	N	Y	13702E-200	19.7	0.9	3.2	222.1	710.6	20.74	7.94	12.80	55.2	56.5	91.0	39.3
	ORE	JB2-W	A	N	Y	1360VENT A	169.1	0.9	3.2	1,902.5	6,088.0	23.76	7.63	16.13	71.6	464.8	981.9	436.0
	ORE	JB2-E	A	N	Y	DP-3	17.5	0.9	3.2	196.9	630.0	20.74	7.94	12.80	55.2	50.0	80.6	34.8
	ORE	JB2-E	A	N	Y	13702E-100	21.8	0.9	3.2	244.7	783.0	20.74	7.94	12.80	55.2	62.2	100.2	43.2
	ORE	JB2-W	A	N	Y	1340-ACCES	51.8	0.7	3.2	453.2	1,450.4	17.94	6.24	11.70	35.4	90.5	169.7	51.4
	ORE	JB2-W	A	N	Y	DP-2	25.2	0.9	3.2	283.6	907.6	23.76	7.63	16.13	71.6	69.3	146.4	65.0
	ORE	JB2-W	A	N	Y	1330-402A	2.5	0.7	3.2	21.8	69.7	20.64	5.67	14.97	54.4	4.0	10.4	3.8
	ORE	JB2-W	A	N	Y	1330-402	17.5	0.7	3.2	153.0	489.7	20.64	5.67	14.97	54.4	27.8	73.3	26.6
	ORE	JB2-W	A	N	Y	1350VENT A	214.5	0.9	3.2	2,413.5	7,723.1	23.76	7.63	16.13	71.6	589.6	1,245.6	553.1
	ORE	JB1	A	N	Y	R1421	12.9	0.9	3.2	144.6	462.6	21.94	8.12	13.81	40.1	37.6	63.9	18.6
	ORE	JB2-W	A	N	Y	13402W-400	88.1	0.7	3.2	770.4	2,465.4	17.94	6.24	11.70	35.4	153.9	288.4	87.3
	ORE	JB1	A	N	Y	1422CHIMNE	89.0	0.9	3.2	1,001.3	3,204.0	21.94	8.12	13.81	40.1	260.3	442.6	128.6
	ORE	JB2-W	A	N	Y	DP	52.5	0.9	3.2	590.1	1,888.2	23.76	7.63	16.13	71.6	144.1	304.5	135.2
1512-1	ORE	JB1	A	N	N		380.3	0.9	3.2	4,277.9	13,689.4	21.94	8.12	13.81	40.1	1,112.0	1,890.9	549.4
1512-3	ORE	JB2-E	A	N	N		147.4	0.9	3.2	1,658.1	5,306.0	20.74	7.94	12.80	55.2	421.5	679.1	293.1
1512-3B	ORE	JB2-E	A	N	N		466.1	0.9	3.2	5,243.1	16,777.8	20.74	7.94	12.80	55.2	1,332.8	2,147.3	926.7
1512-4	ORE	JB2-W	A	N	N		577.6	0.9	3.2	6,498.2	20,794.3	23.76	7.63	16.13	71.6	1,587.5	3,353.7	1,489.3
1512-4A	ORE	JB2-W	A	N	N		4.8	0.9	3.2	54.2	173.5	23.76	7.63	16.13	71.6	13.2	28.0	12.4
1512-4B	ORE	JB2-W	A	N	N		6.6	0.9	3.2	74.3	237.6	23.76	7.63	16.13	71.6	18.1	38.3	17.0
1512-4C	ORE	JB2-W	A	N	N		60.1	0.5	3.2	375.6	1,202.0	23.76	7.63	16.13	71.6	91.8	193.9	86.1
1512-7	ORE	JB2-L	A	N	N		84.4	1	3.2	1,054.8	3,375.2	13.01	3.44	9.57	60.8	116.2	322.9	205.3
1512-24	ORE	JB2-W	A	N	N		12.2	1	3.2	152.8	488.8	23.76	7.63	16.13	71.6	37.3	78.8	35.0
1512-34	ORE	JB2-W	A	N	N		349.9	0.7	3.2	3,061.6	9,797.2	17.94	6.24	11.70	35.4	611.4	1,146.0	347.0

 SECTION: 1512 Pre-mining, In-situ, Undiluted, Sulphide mineralization above 8% Pb+Zn, Only "A" or "proven plus probable" mineralization, Only thick (>2.2m. true) ore

INVENTORY BLOCK	MATERIAL TYPE	ORE ZONE	CLASSIF. A=PROB+PROV B+POSSIBLE	THIN BLOCK ? (Y=<2.2m.)	MINING STATUS (Y=MINED)	MINING AREA NAME	BLOCK AREA IN SECTION (sq. m.)	STRIKE ADJUSTMENT (x12.5 m.)	IN-SITU DENSITY (tns/cu.m)	BLOCK VOLUME (cu. m.)	BLOCK TONNAGE (tonnes)	Pb+Zn GRADE (wt. %)	LEAD GRADE (wt. %)	ZINC GRADE (wt. %)	SILVER GRADE (gm/tn)	LEAD METAL (tonnes)	ZINC METAL (tonnes)	SILVER METAL (kg)
1512-34A	ORE	JB2-W	A	N	N		24.0	0.7	3.2	210.3	672.8	17.94	6.24	11.70	35.4	42.0	78.7	23.8
1512-34B	ORE	JB2-W	A	N	N		82.0	0.7	3.2	717.1	2,294.9	17.94	6.24	11.70	35.4	143.2	268.4	81.3
1512-3A	ORE	JB2-E	A	N	N		6.7	1	3.2	84.1	269.2	20.74	7.94	12.80	55.2	21.4	34.5	14.9
Totals and Averages for Section:				1512					3.2	34,915	111,728	21.25	7.40	13.85	55.2	8,269	15,476	6,173

SECTION: 1525 Pre-mining, In-situ, Undiluted, Sulphide mineralization above 8% Pb+Zn, Only "A" or "proven plus probable" mineralization, Only thick (>2.2m. true) ore

INVENTORY BLOCK NAME	MATERIAL TYPE	ORE ZONE NAME	CLASSIF. A=PROB+PROV B+POSSIBLE	THIN BLOCK ? (Y=<2.2m.)	MINING STATUS (Y=MINED)	MINING AREA NAME	BLOCK AREA IN SECTION (sq. m.)	STRIKE ADJUSTMENT (x12.5 m.)	IN-SITU DENSITY (tns/cu.m)	BLOCK VOLUME (cu. m.)	BLOCK TONNAGE (tonnes)	Pb+Zn GRADE (wt. %)	LEAD GRADE (wt. %)	ZINC GRADE (wt. %)	SILVER GRADE (gm/tn)	LEAD METAL (tonnes)	ZINC METAL (tonnes)	SILVER METAL (kg)
	ORE	JB2-E	A	N	Y	13802E-100	63.1	1	3.2	788.3	2,522.4	16.67	7.07	9.60	62.2	178.4	242.2	156.9
	ORE	JB2-W	A	N	Y	1335-401	40.2	0.7	3.2	351.6	1,125.0	35.62	13.61	22.01	93.4	153.1	247.7	105.0
	ORE	JB1	A	N	Y	1422-100	22.6	0.7	3.2	197.9	633.4	17.11	6.73	10.38	36.7	42.6	65.7	23.3
	ORE	JB1	A	N	Y	R1423	18.7	1	3.2	233.4	746.8	16.57	6.41	10.16	33.5	47.9	75.9	25.0
	ORE	JB2-E	A	N	Y	13702E-198	40.5	1	3.2	506.0	1,619.2	13.80	5.88	7.92	26.5	95.2	128.3	42.9
	ORE	JB2-W	A	N	Y	1350VENT	12.2	0.7	3.2	106.7	341.3	35.62	13.61	22.01	93.4	46.4	75.1	31.9
	ORE	JB1	A	N	Y	1422CHIMNE	137.1	0.9	3.2	1,542.8	4,937.0	19.79	6.22	13.57	39.1	307.1	669.9	193.2
	ORE	JB2-L	A	N	Y	1335-401	186.4	1	3.2	2,329.5	7,454.4	19.81	6.28	13.53	40.3	468.3	1,008.5	300.1
	ORE	JB2-E	A	N	Y	13802E-100	105.4	1	3.2	1,317.9	4,217.2	16.41	8.52	7.89	317.9	359.3	332.8	1,340.7
	ORE	JB2-W	A	N	Y	DP-23	2.0	0.8	3.2	20.3	65.0	14.69	3.68	11.01	47.1	2.4	7.2	3.1
	ORE	JB2-W	A	N	Y	REFUGE STA	37.7	1	3.2	471.4	1,508.4	18.34	6.44	11.89	31.2	97.2	179.4	47.1
	ORE	JB2-L	A	N	Y	1335-401	4.3	1	3.2	54.1	173.2	19.81	6.28	13.53	40.3	10.9	23.4	7.0
	ORE	JB1	A	N	Y	1422CHIMNE	42.8	0.9	3.2	481.7	1,541.5	19.79	6.22	13.57	39.1	95.9	209.2	60.3
	ORE	JB2-W	A	N	Y	13402W-400	102.9	0.7	3.2	900.3	2,880.9	35.62	13.61	22.01	93.4	392.0	634.2	269.0
	ORE	JB2-L	A	N	Y	1335-401	1.1	1	3.2	14.0	44.8	19.81	6.28	13.53	40.3	2.8	6.1	1.8
1525-5	ORE	JB1	A	N	N		148.0	0.7	3.2	1,294.6	4,142.6	17.11	6.73	10.38	36.7	278.9	429.9	152.2
1525-8	ORE	JB1	A	N	N		46.6	0.9	3.2	523.7	1,675.8	19.79	6.22	13.57	39.1	104.2	227.4	65.6
1525-9	ORE	JB1	A	N	N		26.7	1	3.2	333.9	1,068.4	16.57	6.41	10.16	33.5	68.5	108.5	35.8
1525-9A	ORE	JB1	A	N	N		0.1	1	3.2	1.0	3.2	16.57	6.41	10.16	33.5	0.2	0.3	0.1
1525-14	ORE	JB2-E	A	N	N		198.5	1	3.2	2,481.3	7,940.0	16.67	7.07	9.60	62.2	561.5	762.4	493.8
1525-14A	ORE	JB2-E	A	N	N		15.7	1	3.2	196.8	629.6	16.67	7.07	9.60	62.2	44.5	60.5	39.2
1525-15	ORE	JB2-E	A	N	N		94.6	1	3.2	1,182.3	3,783.2	16.41	8.52	7.89	317.9	322.3	298.5	1,202.7
1525-19	ORE	JB2-E	A	N	N		25.3	0.8	3.2	252.5	808.0	20.63	11.32	9.30	152.2	91.5	75.2	123.0
1525-22	ORE	JB2-E	A	N	N		22.6	1	3.2	282.8	904.8	13.80	5.88	7.92	26.5	53.2	71.7	24.0
1525-22A	ORE	JB2-E	A	N	N		4.0	1	3.2	49.4	158.0	13.80	5.88	7.92	26.5	9.3	12.5	4.2
1525-23	ORE	JB2-E	A	N	N		13.6	1	3.2	170.3	544.8	15.16	5.60	9.56	29.8	30.5	52.1	16.2
1525-26	ORE	JB2-E	A	N	N		365.7	0.7	3.2	3,200.1	10,240.4	20.28	6.94	13.34	50.5	710.5	1,366.1	517.1

SECTION: 1525 Pre-mining, In-situ, Undiluted, Sulphide mineralization above 8% Pb+Zn, Only "A" or "proven plus probable" mineralization, Only thick (>2.2m. true) ore

INVENTORY BLOCK NAME	MATERIAL TYPE	ORE ZONE NAME	CLASSIF. A=PROB+PROV B+POSSIBLE	THIN BLOCK ? (Y=<2.2m.)	MINING STATUS (Y=MINED)	MINING AREA NAME	BLOCK AREA IN SECTION (sq. m.)	STRIKE ADJUSTMENT (x12.5 m.)	IN-SITU DENSITY (tns/cu.m)	BLOCK VOLUME (cu. m.)	BLOCK TONNAGE (tonnes)	Pb+Zn GRADE (wt. %)	LEAD GRADE (wt. %)	ZINC GRADE (wt. %)	SILVER GRADE (gm/tn)	LEAD METAL (tonnes)	ZINC METAL (tonnes)	SILVER METAL (kg)
1525-30	ORE	JB2-W	A	N	N		358.8	0.7	3.2	3,139.8	10,047.2	35.62	13.61	22.01	93.4	1,367.0	2,211.8	938.0
1525-34	ORE	JB2-W	A	N	N		283.2	1	3.2	3,540.4	11,329.2	18.34	6.44	11.89	31.2	730.0	1,347.3	353.6
1525-34A	ORE	JB2-W	A	N	N		9.0	1	3.2	112.3	359.2	18.34	6.44	11.89	31.2	23.1	42.7	11.2
1525-35	ORE	JB2-L	A	N	N		67.1	1	3.2	839.0	2,684.8	19.81	6.28	13.53	40.3	168.7	363.2	108.1
1525-35A	ORE	JB2-L	A	N	N		26.2	1	3.2	327.0	1,046.4	19.81	6.28	13.53	40.3	65.7	141.6	42.1
1525-44	ORE	JB2-L	A	N	N		0.3	1	3.2	4.1	13.2	19.81	6.28	13.53	40.3	0.8	1.8	0.5
1525-45	ORE	JB1	A	N	N		0.1	1	3.2	1.5	4.8	9.44	2.93	6.51	16.1	0.1	0.3	0.1

Totals and Averages for Section: 1525 3.2 27,248 87,194 21.11 7.95 13.17 77.2 6,930 11,479 6,735

SECTION: 1537 Pre-mining, In-situ, Undiluted, Sulphide mineralization above 8% Pb+Zn, Only "A" or "proven plus probable" mineralization, Only thick (>2.2m. true) ore

INVENTORY BLOCK NAME	MATERIAL TYPE	ORE ZONE NAME	CLASSIF. A=PROB+PROV B+POSSIBLE	THIN BLOCK ? (Y=<2.2m.)	MINING STATUS (Y=MINED)	MINING AREA NAME	BLOCK AREA IN SECTION (sq. m.)	STRIKE ADJUSTMENT (x12.5 m.)	IN-SITU DENSITY (tns/cu.m)	BLOCK VOLUME (cu. m.)	BLOCK TONNAGE (tonnes)	Pb+Zn GRADE (wt. %)	LEAD GRADE (wt. %)	ZINC GRADE (wt. %)	SILVER GRADE (gm/tn)	LEAD METAL (tonnes)	ZINC METAL (tonnes)	SILVER METAL (kg)
	ORE	JB2-E	A	N	Y	1380-103-B	18.3	0.9	3.2	206.2	659.9	13.04	5.83	7.20	76.2	38.5	47.5	50.3
	ORE	JB2-E	A	N	Y	CHIM-TTA	70.2	0.9	3.2	789.4	2,526.1	20.95	7.70	13.25	62.3	194.6	334.7	157.3
	ORE	JB2-E	A	N	Y	13702EACCE	3.5	0.9	3.2	39.5	126.4	19.36	8.21	11.15	40.8	10.4	14.1	5.2
	ORE	JB1	A	N	Y	VENT RAISE	9.9	1	3.2	123.1	394.0	9.48	3.34	6.14	16.8	13.2	24.2	6.6
	ORE	JB2-W	A	N	Y	1330-401	4.4	1	3.2	54.8	175.2	17.75	6.17	11.58	35.4	10.8	20.3	6.2
	ORE	JB2-W	A	N	Y	1335-403-B	58.4	0.9	3.2	657.3	2,103.5	35.86	12.74	23.11	93.3	268.1	486.2	196.3
	ORE	JB1	A	N	Y	1422-ACCES	27.9	1	3.2	348.8	1,116.0	9.48	3.34	6.14	16.8	37.3	68.5	18.7
	ORE	JB2-E	A	N	Y	1380-103-B	14.7	0.9	3.2	165.2	528.5	19.36	8.21	11.15	40.8	43.4	58.9	21.6
	ORE	JB2-W	A	N	Y	1335-403-A	54.0	0.9	3.2	607.7	1,944.7	35.86	12.74	23.11	93.3	247.8	449.5	181.5
1537-6	ORE	JB2-E	A	N	N		55.4	0.9	3.2	623.5	1,995.1	13.04	5.83	7.20	76.2	116.4	143.7	152.1
1537-6A	ORE	JB2-E	A	N	N		13.3	0.9	3.2	149.4	478.1	13.04	5.83	7.20	76.2	27.9	34.4	36.4
1537-7	ORE	JB2-E	A	N	N		17.7	0.9	3.2	198.8	636.1	19.36	8.21	11.15	40.8	52.2	71.0	26.0
1537-7A	ORE	JB2-E	A	N	N		13.5	0.9	3.2	151.9	486.0	19.36	8.21	11.15	40.8	39.9	54.2	19.8
1537-7B	ORE	JB2-E	A	N	N		1.0	0.9	3.2	11.0	35.3	19.36	8.21	11.15	40.8	2.9	3.9	1.4
1537-8	ORE	JB2-E	A	N	N		335.0	0.9	3.2	3,769.2	12,061.4	20.95	7.70	13.25	62.3	929.2	1,598.1	750.9
1537-10	ORE	JB2-W	A	N	N		338.1	0.9	3.2	3,803.2	12,170.2	35.86	12.74	23.11	93.3	1,550.9	2,812.8	1,135.8
1537-30	ORE	JB2-E	A	N	N		34.5	0.9	3.2	388.2	1,242.4	13.67	4.78	8.90	27.5	59.4	110.5	34.1

Totals and Averages for Section: 1537 3.2 12,087 38,679 25.79 9.42 16.37 72.4 3,643 6,332 2,800

SECTION: 1550 Pre-mining, In-situ, Undiluted, Sulphide mineralization above 8% Pb+Zn, Only "A" or "proven plus probable" mineralization, Only thick (>2.2m. true) ore

INVENTORY MATERIAL BLOCK NAME	ORE TYPE ZONE	CLASSIF. A=PROB+PROV B+POSSIBLE	THIN BLOCK ? (Y=<2.2m.)	MINING STATUS (Y=MINED)	MINING AREA NAME	BLOCK AREA IN SECTION (sq. m.)	STRIKE ADJUSTMENT (x12.5 m.)	IN-SITU DENSITY (tns/cu.m)	BLOCK VOLUME (cu. m.)	BLOCK TONNAGE (tonnes)	Pb+Zn GRADE (wt. %)	LEAD GRADE (wt. %)	ZINC GRADE (wt. %)	SILVER GRADE (gm/tn)	LEAD METAL (tonnes)	ZINC METAL (tonnes)	SILVER METAL (kg)
ORE	POD	A	N	Y	1422-POD	124.2	0.7	3.2	1,086.9	3,478.2	21.27	8.83	12.44	47.3	307.2	432.8	164.4
ORE	JB2-E	A	N	Y	1370-2E	5.2	0.7	3.2	45.4	145.3	22.65	8.34	14.31	50.4	12.1	20.8	7.3
ORE	JB1	A	N	Y	1422-201	207.8	0.8	3.2	2,077.9	6,649.3	21.83	9.40	12.43	48.3	625.0	826.6	321.1
ORE	POD	A	N	Y	NORTH DRIF	20.3	0.7	3.2	177.4	567.6	21.27	8.83	12.44	47.3	50.1	70.6	26.8
ORE	POD	A	N	Y	1422-POD-1	18.9	0.7	3.2	165.6	529.8	21.27	8.83	12.44	47.3	46.8	65.9	25.0
ORE	JB2-E	A	N	Y	1370-2E	38.6	0.7	3.2	337.8	1,081.1	22.65	8.34	14.31	50.4	90.2	154.7	54.5
ORE	JB2-E	A	N	Y	1370-2E	58.7	0.7	3.2	513.2	1,642.2	22.65	8.34	14.31	50.4	137.0	234.9	82.8
ORE	JB2-E	A	N	Y	1370-2E	100.2	0.7	3.2	877.1	2,806.7	22.65	8.34	14.31	50.4	234.2	401.6	141.5
ORE	JB2-W	A	N	Y	1340-200	27.9	1	3.2	348.8	1,116.0	22.85	7.76	15.10	126.0	86.6	168.5	140.6
1550-1	ORE	JB1	A	N	N	68.2	0.8	3.2	682.0	2,182.4	21.83	9.40	12.43	48.3	205.1	271.3	105.4
1550-1A	ORE	JB1	A	N	N	12.0	0.8	3.2	119.9	383.7	21.83	9.40	12.43	48.3	36.1	47.7	18.5
1550-2	ORE	JB1	A	N	N	101.1	0.8	3.2	1,010.9	3,234.9	25.16	7.91	17.26	44.4	255.8	558.2	143.8
1550-3	ORE	JB1	A	N	N	70.9	0.8	3.2	708.5	2,267.2	13.92	4.89	9.04	27.8	110.8	204.9	63.1
1550-4	ORE	POD	A	N	N	465.3	0.9	3.2	5,234.6	16,750.8	21.27	8.83	12.44	47.3	1,479.3	2,084.4	791.8
1550-4A	ORE	POD	A	N	N	10.7	0.7	3.2	93.6	299.6	21.27	8.83	12.44	47.3	26.5	37.3	14.2
1550-4B	ORE	POD	A	N	N	53.5	0.7	3.2	468.1	1,498.0	21.27	8.83	12.44	47.3	132.3	186.4	70.8
1550-5	ORE	JB2-E	A	N	N	523.0	0.7	3.2	4,576.3	14,644.3	22.65	8.34	14.31	50.4	1,221.9	2,095.1	738.5
1550-9	ORE	JB2-W	A	N	N	142.1	1	3.2	1,776.4	5,684.4	22.85	7.76	15.10	126.0	441.0	858.2	716.3

Totals and Averages for Section: 1550 3.2 20,300 64,961 21.89 8.46 13.42 55.8 5,498 8,720 3,627

SECTION: 1562 Pre-mining, In-situ, Undiluted, Sulphide mineralization above 8% Pb+Zn, Only "A" or "proven plus probable" mineralization, Only thick (>2.2m. true) ore

INVENTORY BLOCK NAME	MATERIAL TYPE	ORE ZONE	CLASSIF. A=PROB+PROV B+POSSIBLE	THIN BLOCK ? (Y=<2.2m.)	MINING STATUS (Y=MINED)	MINING AREA NAME	BLOCK AREA IN SECTION (sq. m.)	STRIKE ADJUSTMENT (x12.5 m.)	IN-SITU DENSITY (tns/cu.m)	BLOCK VOLUME (cu. m.)	BLOCK TONNAGE (tonnes)	Pb+Zn GRADE (wt. %)	LEAD GRADE (wt. %)	ZINC GRADE (wt. %)	SILVER GRADE (gm/tn)	LEAD METAL (tonnes)	ZINC METAL (tonnes)	SILVER METAL (kg)
	ORE	POD	A	N	Y	1422-POD	210.2	0.8	3.2	2,102.0	6,726.4	26.98	12.75	14.23	162.2	857.8	957.1	1,091.2
	ORE	POD	A	N	Y	1422-POD	112.4	0.8	3.2	1,123.9	3,596.5	26.98	12.75	14.23	162.2	458.6	511.7	583.5
	ORE	JB2-E	A	N	Y	1380-100	0.5	0.7	3.2	4.4	14.0	25.40	10.48	14.92	98.1	1.5	2.1	1.4
	ORE	POD	A	N	Y	NORTH DRIF	12.4	0.8	3.2	124.1	397.1	26.98	12.75	14.23	162.2	50.6	56.5	64.4
	ORE	JB2-E	A	N	Y	1369-2E AC	16.0	0.7	3.2	140.0	448.0	25.40	10.48	14.92	98.1	47.0	66.8	44.0
	ORE	JB2-E	A	N	Y	1380-100	105.9	0.7	3.2	926.6	2,965.2	25.40	10.48	14.92	98.1	310.8	442.3	291.0
	ORE	JB2-E	A	N	Y	1380-100	0.1	0.7	3.2	0.8	2.5	25.40	10.48	14.92	98.1	0.3	0.4	0.2
1562-2	ORE	POD	A	N	N		351.2	0.8	3.2	3,511.5	11,236.8	26.98	12.75	14.23	162.2	1,433.0	1,598.9	1,823.0
1562-2A	ORE	POD	A	N	N		325.7	0.8	3.2	3,257.3	10,423.4	26.98	12.75	14.23	162.2	1,329.2	1,483.2	1,691.0
1562-3	ORE	JB2-E	A	N	N		897.2	0.7	3.2	7,850.8	25,122.7	25.40	10.48	14.92	98.1	2,633.0	3,747.6	2,465.3
1562-3A	ORE	JB2-E	A	N	N		2.4	0.7	3.2	20.6	65.8	25.40	10.48	14.92	98.1	6.9	9.8	6.5
1562-4	ORE	JB2-E	A	N	N		141.9	0.5	3.2	887.1	2,838.8	14.16	4.67	9.49	33.0	132.7	269.3	93.6
1562-20	ORE	POD	A	N	N		0.3	1	3.2	4.1	13.2	26.98	12.75	14.23	162.2	1.7	1.9	2.1

Totals and Averages for Section: 1562 3.2 19,953 63,850 25.70 11.37 14.33 127.8 7,263 9,148 8,157

SECTION: 1575 Pre-mining, In-situ, Undiluted, Sulphide mineralization above 8% Pb+Zn, Only "A" or "proven plus probable" mineralization, Only thick (>2.2m. true) ore

INVENTORY BLOCK	MATERIAL TYPE	ORE ZONE	CLASSIF. A=PROB+PROV B+POSSIBLE	THIN BLOCK ? (Y=<2.2m.)	MINING STATUS (Y=MINED)	MINING AREA NAME	BLOCK AREA IN SECTION (sq. m.)	STRIKE ADJUSTMENT (x12.5 m.)	IN-SITU DENSITY (tns/cu.m)	BLOCK VOLUME (cu. m.)	BLOCK TONNAGE (tonnes)	Pb+Zn GRADE (wt. %)	LEAD GRADE (wt. %)	ZINC GRADE (wt. %)	SILVER GRADE (gm/tn)	LEAD METAL (tonnes)	ZINC METAL (tonnes)	SILVER METAL (kg)
	ORE	POD	A	N	Y	1422-POD-1	50.3	1	3.2	628.1	2,010.0	25.19	10.14	15.06	58.4	203.7	302.7	117.4
	ORE	POD	A	N	Y	1422-POD	284.6	1	3.2	3,557.6	11,384.4	25.19	10.14	15.06	58.4	1,153.9	1,714.4	664.9
	ORE	POD	A	N	Y	1422-POD-1	0.3	1	3.2	3.8	12.0	25.19	10.14	15.06	58.4	1.2	1.8	0.7
	ORE	POD	A	N	Y	NORTH DRIF	15.1	1	3.2	188.9	604.4	25.19	10.14	15.06	58.4	61.3	91.0	35.3
1575-1	ORE	JB1	A	N	N		128.9	0.7	3.2	1,127.5	3,608.1	18.36	6.78	11.58	38.4	244.7	417.8	138.6
1575-4	ORE	POD	A	N	N		584.5	1	3.2	7,306.8	23,381.6	25.19	10.14	15.06	58.4	2,369.8	3,521.0	1,365.5
1575-4A	ORE	POD	A	N	N		1.6	1	3.2	20.1	64.4	25.19	10.14	15.06	58.4	6.5	9.7	3.8
1575-4B	ORE	POD	A	N	N		55.2	1	3.2	689.5	2,206.4	25.19	10.14	15.06	58.4	223.6	332.3	128.9
Totals and Averages for Section:				1575					3.2	13,522	43,271	24.62	9.86	14.77	56.7	4,265	6,391	2,455

SECTION: 1587 Pre-mining, In-situ, Undiluted, Sulphide mineralization above 8% Pb+Zn, Only "A" or "proven plus probable" mineralization, Only thick (>2.2m. true) ore

INVENTORY MATERIAL BLOCK NAME	ORE TYPE ZONE	CLASSIF. A=PROB+PROV B+POSSIBLE	THIN BLOCK ? (Y=<2.2m.)	MINING STATUS (Y=MINED)	MINING AREA NAME	BLOCK AREA IN SECTION (sq. m.)	STRIKE ADJUSTMENT (x12.5 m.)	IN-SITU DENSITY (tns/cu.m)	BLOCK VOLUME (cu. m.)	BLOCK TONNAGE (tonnes)	Pb+Zn GRADE (wt. %)	LEAD GRADE (wt. %)	ZINC GRADE (wt. %)	SILVER GRADE (gm/tn)	LEAD METAL (tonnes)	ZINC METAL (tonnes)	SILVER METAL (kg)	
	ORE	POD	A	N	Y	1422-POD	59.6	0.9	3.2	670.7	2,146.3	25.54	10.78	14.76	61.3	231.5	316.7	131.7
	ORE	POD	A	N	Y	NORTH DRIF	7.5	0.9	3.2	84.2	269.3	25.54	10.78	14.76	61.3	29.0	39.7	16.5
	ORE	POD	A	N	Y	NORTH DRIF	2.9	0.9	3.2	32.9	105.1	25.54	10.78	14.76	61.3	11.3	15.5	6.4
1587-3A	ORE	POD	A	N	N		207.8	0.9	3.2	2,337.9	7,481.2	25.54	10.78	14.76	61.3	806.8	1,104.0	458.9
1587-5	ORE	POD	A	N	N		84.6	0.9	3.2	951.3	3,044.2	11.70	4.12	7.58	23.1	125.5	230.8	70.5
1587-6	ORE	JB2-E	A	N	N		92.9	1	3.2	1,161.5	3,716.8	16.37	3.18	13.18	78.0	118.3	490.0	289.8
1587-21	ORE	POD	A	N	N		38.2	1	3.2	477.9	1,529.2	14.52	5.96	8.56	33.8	91.2	130.8	51.7

Totals and Averages for Section: 1587 3.2 5,716 18,292 20.45 7.73 12.72 56.1 1,414 2,328 1,025

SECTION: 1600 Pre-mining, In-situ, Undiluted, Sulphide mineralization above 8% Pb+Zn, Only "A" or "proven plus probable" mineralization, Only thick (>2.2m. true) ore

INVENTORY MATERIAL	ORE	CLASSIF.	THIN	MINING	MINING	BLOCK AREA	STRIKE	IN-SITU	BLOCK	BLOCK	Pb+Zn	LEAD	ZINC	SILVER	LEAD	ZINC	SILVER	
BLOCK	TYPE	ZONE	A=PROB+PROV	BLOCK ?	STATUS	AREA	IN SECTION	ADJUSTMENT	DENSITY	VOLUME	TONNAGE	GRADE	GRADE	GRADE	GRADE	METAL	METAL	METAL
NAME	NAME	NAME	B+POSSIBLE	(Y=<2.2m.)	(Y=MINED)	NAME	(sq. m.)	(x12.5 m.)	(tns/cu.m)	(cu. m.)	(tonnes)	(wt. %)	(wt. %)	(wt. %)	(gm/tn)	(tonnes)	(tonnes)	(kg)
	ORE	POD	A	N	Y	NORTH DRIF	14.2	1	3.2	176.9	566.0	23.97	10.27	13.70	51.5	58.1	77.6	29.2
	ORE	POD	A	N	Y	1422-POD	70.6	1	3.2	882.5	2,824.0	23.97	10.27	13.70	51.5	290.0	387.0	145.5
	ORE	JB2-E	A	N	Y	1369-2E AC	3.9	1	3.2	48.1	154.0	17.91	6.90	11.01	67.7	10.6	17.0	10.4
1600-2	ORE	POD	A	N	N		357.2	0.8	3.2	3,572.3	11,431.4	23.97	10.27	13.70	51.5	1,174.0	1,566.6	589.0
1600-5	ORE	UNKN	A	N	N		98.2	1	3.2	1,227.5	3,928.0	15.54	3.87	11.67	65.4	151.9	458.3	256.9
Totals and Averages for Section:				1600					3.2	5,907	18,903	22.17	8.91	13.26	54.5	1,685	2,506	1,031

 SECTION: 1612 Pre-mining, In-situ, Undiluted, Sulphide mineralization above 8% Pb+Zn, Only "A" or "proven plus probable" mineralization, Only thick (>2.2m. true) ore

INVENTORY MATERIAL	ORE	CLASSIF.	THIN	MINING	MINING	BLOCK AREA	STRIKE	IN-SITU	BLOCK	BLOCK	Pb+Zn	LEAD	ZINC	SILVER	LEAD	ZINC	SILVER	
BLOCK	TYPE	ZONE	A=PROB+PROV	BLOCK ?	STATUS	AREA	IN SECTION	ADJUSTMENT	DENSITY	VOLUME	TONNAGE	GRADE	GRADE	GRADE	GRADE	METAL	METAL	METAL
NAME	NAME	B+POSSIBLE	(Y=<2.2m.)	(Y=MINED)	NAME	(sq. m.)	(x12.5 m.)	(tns/cu.m)	(cu. m.)	(tonnes)	(wt. %)	(wt. %)	(wt. %)	(gm/tn)	(tonnes)	(tonnes)	(kg)	

 Totals and Averages for Section: 1612 ERR ERR ERR ERR ERR

 SECTION: 1625 Pre-mining, In-situ, Undiluted, Sulphide mineralization above 8% Pb+Zn, Only "A" or "proven plus probable" mineralization, Only thick (>2.2m. true) ore

INVENTORY MATERIAL	ORE	CLASSIF.	THIN	MINING	MINING	BLOCK AREA	STRIKE	IN-SITU	BLOCK	BLOCK	Pb+Zn	LEAD	ZINC	SILVER	LEAD	ZINC	SILVER	
BLOCK	TYPE	ZONE	A=PROB+PROV	BLOCK ?	STATUS	AREA	IN SECTION	ADJUSTMENT	DENSITY	VOLUME	TONNAGE	GRADE	GRADE	GRADE	GRADE	METAL	METAL	METAL
NAME	NAME	B+POSSIBLE	(Y=<2.2m.)	(Y=MINED)	NAME	(sq. m.)	(x12.5 m.)	(tns/cu.m)	(cu. m.)	(tonnes)	(wt. %)	(wt. %)	(wt. %)	(gm/tn)	(tonnes)	(tonnes)	(kg)	

 Totals and Averages for Section: 1625 ERR ERR ERR ERR ERR
