



GEOCHEMICAL ANALYSIS CERTIFICATE

900409



Yukon Geology Program PROJECT 206003-080 File # A102766 Page 1  
Economic Dev. (F-3), P.O., Whitehorse YT Y1A 2C6 Submitted by: Daniele Heon

SAMPLE#	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Tl	Hg	Au**
	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	%	%	%	ppm	ppm	ppm	ppb	
01DH-2	11	24	10	26	.3	14	1	26	.42	4	<8	<2	<2	40	.4	<3	<3	167	.04	.042	1	18	.03	2290	<.01	9	.40	.02	.18	<2	<5	<1	14
01DH-3	6	35	11	135	.4	34	4	44	.76	12	<8	<2	<2	69	3.5	<3	<3	118	.26	.168	3	28	.04	2463	<.01	13	.58	.03	.22	3	<5	<1	6
01DH-6	<1	3	<3	7	.4	2	1	29	.05	2	<8	<2	<2	257	.2	<3	<3	1	39.71	.004	<1	<1	.04	76	<.01	<3	.03	.01	.01	<2	<5	<1	<2
01DH-10a	20	14	25	11	<.3	21	<1	6	1.85	25	<8	<2	<2	63	1.2	<3	<3	92	.05	.019	4	12	.07	317	<.01	24	.62	.04	.47	<2	<5	1	5
01DH-10b	22	62	19	317	<.3	70	6	52	5.55	61	8	<2	<2	70	.6	<3	<3	138	.04	.160	<1	28	.03	55	<.01	9	2.44	.04	.21	<2	<5	<1	5
01DH-13	1	5	8	23	<.3	10	1	19	.44	4	<8	<2	<2	920	.3	<3	<3	13	20.87	.027	2	12	.40	305	<.01	4	.12	.01	.04	<2	<5	<1	<2
01DH-14	38	15	14	7	<.3	15	1	28	1.49	23	12	<2	<2	45	.6	<3	<3	52	.06	.021	1	25	.01	770	<.01	6	.19	.03	.24	5	<5	<1	5
01DH-19	2	7	5	40	<.3	46	3	114	.15	4	10	<2	<2	171	.9	3	<3	9	34.70	.009	1	<1	1.58	56	<.01	<3	.13	.01	.03	2	<5	<1	<2
01DH-22	1	2	<3	6	<.3	3	1	133	.15	3	8	<2	<2	166	<.2	3	4	<1	20.28	.013	2	3	9.44	318	<.01	3	.04	.02	.01	2	<5	<1	3
01DH-23	3	19	6	14	<.3	15	7	226	.64	7	<8	<2	<2	123	.2	<3	<3	17	18.41	.046	3	3	9.51	156	<.01	<3	.22	.02	.10	<2	<5	<1	4
01DH-24	62	34	14	15	<.3	8	<1	23	7.23	50	<8	<2	<2	152	<.2	3	<3	123	.12	.066	1	34	.06	148	<.01	3	.37	.19	.66	3	5	<1	5
01DH-26a	3	5	5	26	<.3	11	2	22	.46	2	<8	<2	<2	726	.2	<3	<3	13	18.15	.030	1	11	.27	123	<.01	4	.11	.02	.04	<2	<5	<1	5
01DH-26b	9	10	10	65	.4	25	3	39	1.29	7	<8	<2	2	176	.7	<3	<3	15	2.74	.026	1	17	.11	320	<.01	18	.33	.02	.13	2	<5	1	2
01DH-26c	3	3	<3	21	<.3	11	2	23	.36	4	<8	<2	<2	898	.3	<3	<3	11	24.83	.022	2	11	.24	130	<.01	5	.09	.01	.03	<2	<5	<1	<2
01DH-29	1	6	6	39	.3	15	2	33	.94	4	9	<2	2	495	.2	<3	<3	13	16.11	.046	6	18	1.57	67	<.01	15	.36	.03	.13	<2	<5	<1	6
01DH-32	1	1	4	10	<.3	3	1	38	.14	2	<8	<2	<2	648	.2	<3	3	1	39.94	.010	1	2	.04	29	<.01	<3	.02	.01	<.01	<2	<5	<1	<2
RE 01DH-32	<1	1	4	11	<.3	3	1	38	.13	3	<8	<2	<2	634	.4	<3	<3	1	39.10	.010	2	1	.03	27	<.01	<3	.01	.01	<.01	<2	<5	<1	3
01DH-33b	3	3	3	247	<.3	38	3	83	1.99	2	<8	<2	<2	418	3.3	<3	<3	10	33.07	.019	1	4	.70	159	<.01	<3	.95	.01	.02	<2	<5	<1	3
01DH-34a	20	47	10	71	.7	40	2	25	1.01	9	9	<2	2	183	.9	<3	<3	285	1.72	.828	7	55	.09	1996	<.01	24	1.07	.04	.37	3	<5	<1	<2
01DH-34b	3	19	9	49	.4	20	3	25	.39	5	36	<2	4	1707	4.8	3	<3	112	30.61	13.629	36	26	<.01	4842	<.01	136	1.11	.49	.08	2	<5	<1	<2
01DH-34c	5	40	7	20	.7	21	1	24	.96	7	<8	<2	<2	162	.3	<3	<3	90	.89	.636	5	56	.03	1977	<.01	13	.54	.05	.17	6	<5	1	5
01DH-35a	10	12	29	230	<.3	38	5	322	3.90	15	<8	<2	23	958	.7	<3	<3	35	14.81	.071	87	17	.42	148	<.01	18	.93	.04	.48	<2	<5	<1	6
01DH-35b	<1	8	18	125	<.3	24	10	504	3.47	8	<8	<2	5	730	.5	<3	<3	33	19.19	.144	29	16	.94	584	<.01	15	.88	.02	.45	2	<5	<1	3
01DH-35c	1	15	16	233	<.3	51	7	263	2.58	7	<8	<2	6	831	.8	<3	<3	54	14.06	.066	27	20	.45	381	<.01	21	.95	.03	.47	<2	<5	<1	2
01DH-36	<1	11	16	152	<.3	24	13	626	3.96	9	8	<2	6	671	.8	<3	<3	43	16.70	.172	35	16	.49	545	.01	12	.96	.02	.49	2	5	<1	4
01DH-38b	<1	<1	4	13	<.3	4	1	110	2.56	6	<8	<2	2	261	.5	<3	<3	<1	27.62	.018	3	4	3.49	198	<.01	<3	.08	.01	.03	<2	<5	<1	4
01DH-39-40	1	4	4	22	<.3	2	2	28	.11	3	<8	<2	<2	548	.6	<3	<3	2	36.63	.009	4	1	.03	26	<.01	<3	.03	.01	.01	<2	<5	<1	2
01DH-41	2	8	6	53	<.3	16	3	21	.99	6	<8	<2	2	242	.3	<3	<3	20	8.14	.029	3	22	.72	707	<.01	8	.30	.02	.12	<2	<5	<1	<2
01DH-42b	35	35	13	13	<.3	16	1	17	1.83	16	<8	<2	<2	26	.5	<3	<3	179	.30	.016	1	23	.03	535	<.01	10	.30	.01	.43	2	<5	<1	3
01DH-42c	2	4	3	72	<.3	20	5	98	.17	5	<8	<2	<2	301	8.1	<3	3	11	38.62	.003	1	3	.03	529	<.01	<3	.04	.01	.02	2	<5	<1	<2
01DH-44b	3	7	<3	5	<.3	12	2	133	.37	4	<8	<2	<2	40	.2	<3	<3	9	8.91	.044	6	25	4.95	626	<.01	<3	.08	.01	.03	7	<5	<1	3
01DH-46a	19	4	<3	920	<.3	192	6	164	35.98	<2	26	<2	<2	77	5.6	<3	<3	34	1.31	.106	1	17	.19	491	<.01	<3	1.38	.01	.03	<2	<5	<1	3
01DH-54a	45	314	6	1903	<.3	535	42	625	26.88	9	11	<2	<2	7	10.5	<3	<3	392	.20	.090	<1	19	.04	131	<.01	<3	1.62	<.01	.08	<2	<5	<1	3
01DH-54b	100	296	<3	8737	<.3	1561	310	2288	47.05	3	<8	<2	<2	7	27.8	<3	3	222	.50	.172	3	38	.12	210	<.01	<3	1.39	<.01	.04	<2	<5	1	9
STANDARD C3/AU-R	28	66	39	172	5.6	41	13	868	3.40	60	24	2	19	29	23.8	15	23	86	.66	.105	20	188	.66	162	.10	17	1.97	.04	.19	18	<5	2	474
STANDARD G-2	2	3	3	44	<.3	10	4	589	1.98	<2	<8	<2	4	72	<.2	<3	<3	42	.66	.109	8	81	.63	230	.13	<3	.94	.07	.52	2	<5	<1	-

GROUP 1D - 0.50 GM SAMPLE LEACHED WITH 3 ML 2-2-2 HCL-HNO3-H2O AT 95 DEG. C FOR ONE HOUR, DILUTED TO 10 ML, ANALYSED BY ICP-ES.  
UPPER LIMITS - AG, AU, HG, W = 100 PPM; MO, CO, CD, SB, BI, TH, U & B = 2,000 PPM; CU, PB, ZN, NI, MN, AS, V, LA, CR = 10,000 PPM.  
ASSAY RECOMMENDED FOR ROCK AND CORE SAMPLES IF CU PB ZN AS > 1%, AG > 30 PPM & AU > 1000 PPB  
- SAMPLE TYPE: ROCK R150 60C AU\*\* GROUP 3B - 30.00 GM SAMPLE ANALYSIS BY FA/ICP.  
Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.

DATE RECEIVED: AUG 17 2001 DATE REPORT MAILED: *Aug 29/2001* SIGNED BY: *[Signature]* D. TOYE, C. LEONG, J. WANG; CERTIFIED B.C. ASSAYERS



SAMPLE#	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Tl	Hg	Au**
	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	%	%	%	ppm	ppm	ppm	ppb	
01DH-55	39	83	35	873	.4	82	9	131	1.74	32	10	<2	5	47	22.6	32	<3	1064	.24	.127	23	64	.09	1268	<.01	18	.79	.01	.36	<2	<5	<1	5
01DH-56	42	36	21	516	<.3	62	7	84	1.30	16	<8	<2	4	16	9.5	19	<3	471	.05	.048	12	23	.04	595	<.01	10	.55	.01	.22	<2	<5	<1	<2
01DH-58	2	16	6	189	<.3	51	3	72	.24	6	10	<2	<2	47	4.1	<3	4	16	37.35	.012	2	6	<.01	33	<.01	<3	.13	<.01	.03	<2	<5	<1	<2
01DH-63	<1	2	7	5	<.3	1	1	241	.02	3	8	<2	<2	47	<.2	<3	<3	<1	19.49	.004	1	2	10.12	311	<.01	<3	.01	.01	<.01	<2	<5	<1	2
01DH-65	31	26	8	293	<.3	78	3	33	.53	9	8	<2	<2	64	4.6	7	<3	264	1.64	.042	4	24	.13	228	<.01	6	.20	<.01	.11	3	<5	<1	3
01DH-66	11	10	5	49	<.3	17	2	46	.27	5	<8	<2	<2	1467	1.4	4	<3	90	18.27	.015	7	8	.07	100	<.01	3	.14	.01	.05	<2	<5	<1	<2
01DH-67a	50	35	14	492	.6	112	9	126	1.47	13	15	<2	4	82	5.0	11	<3	334	.71	.069	7	19	.23	374	<.01	10	.41	.01	.23	<2	<5	<1	3
01DH-67b	33	34	29	944	1.1	160	11	356	4.17	35	<8	<2	8	181	6.5	8	<3	103	5.36	.124	23	28	.62	110	<.01	12	.87	.01	.44	<2	<5	<1	3
01DH-67c	13	19	29	386	.4	91	10	296	5.10	54	<8	<2	8	151	2.9	3	<3	58	5.67	.153	22	17	.49	67	<.01	11	.87	.01	.48	<2	<5	<1	4
01DH-69	1	3	5	7	<.3	3	1	170	.14	4	<8	<2	<2	28	<.2	<3	<3	<1	17.82	.039	3	6	9.57	34	<.01	5	.10	.01	.05	<2	<5	<1	<2
01DH-75a	1	2	5	11	<.3	3	1	33	.34	5	<8	<2	<2	1393	.2	<3	<3	3	37.45	.009	1	9	.04	34	<.01	<3	.03	<.01	.01	<2	<5	1	4
01DH-75b	<1	1	3	20	<.3	2	1	33	.48	7	<8	<2	<2	1061	.5	<3	<3	2	35.40	.011	2	11	.23	18	<.01	9	.02	.02	<.01	<2	<5	1	<2
01DH-77a	5	10	13	12	<.3	15	1	45	.76	14	<8	<2	<2	58	<.2	<3	<3	8	.15	.020	2	28	.03	309	<.01	3	.17	<.01	.04	8	<5	<1	8
01DH-77b	2	39	20	233	<.3	53	11	94	4.45	7	<8	<2	3	31	.7	<3	<3	54	.10	.047	3	35	.21	512	<.01	6	1.30	.01	.24	<2	<5	<1	<2
01DH-78b	<1	13	10	46	<.3	8	<1	38	28.06	<2	<8	<2	<2	7	<.2	<3	<3	22	.06	.020	1	10	.07	93	<.01	5	.46	.01	.09	<2	<5	<1	<2
01DH-79	2	27	15	214	<.3	55	13	221	7.36	<2	<8	<2	<2	9	1.9	<3	<3	71	.08	.033	1	20	.14	142	<.01	3	.64	.01	.13	<2	<5	<1	3
01DH-80a	4	7	12	105	<.3	34	7	112	2.93	4	<8	<2	<2	27	<.2	<3	<3	16	.18	.127	1	31	.01	138	<.01	3	.22	.01	.04	10	<5	1	4
01DH-80b	3	14	11	81	<.3	36	4	153	3.03	7	<8	<2	<2	17	.3	<3	<3	13	.04	.064	1	28	.02	70	<.01	<3	.30	<.01	.05	3	<5	1	5
01DH-81	4	14	6	10	<.3	10	<1	32	1.55	10	<8	<2	<2	8	<.2	<3	<3	38	.02	.013	1	36	.01	97	<.01	<3	.21	<.01	.05	5	<5	<1	3
01DH-82	4	28	12	33	<.3	19	<1	39	3.95	6	<8	<2	<2	8	<.2	<3	<3	38	.01	.017	1	37	.09	39	<.01	<3	1.16	<.01	.04	3	<5	1	<2
01DH-83	1	2	5	16	<.3	4	1	32	.25	5	<8	<2	<2	1340	.4	<3	<3	6	35.33	.022	3	21	.16	9	<.01	10	.06	.02	.01	<2	<5	<1	4
01DH-84	1	2	8	21	<.3	5	1	20	.53	7	<8	<2	<2	568	.3	<3	<3	9	31.15	.088	4	21	.22	15	<.01	8	.07	.02	.02	2	<5	<1	<2
RE 01DH-84	1	3	6	21	.3	6	2	21	.53	6	<8	<2	<2	567	<.2	<3	<3	9	31.15	.090	4	21	.22	15	<.01	5	.06	.02	.02	<2	<5	<1	<2
01DH-88	1	2	4	28	.3	6	1	16	.65	19	<8	<2	<2	1041	.3	<3	<3	12	26.71	.145	8	29	.10	46	<.01	5	.15	.01	.04	<2	<5	<1	<2
01DH-89	2	7	12	47	<.3	20	2	32	1.45	<2	<8	<2	2	26	<.2	<3	<3	33	.49	.015	1	53	.32	84	.01	7	.53	.01	.13	3	<5	<1	<2
01DH-90a	2	4	16	24	<.3	3	4	339	2.65	2	<8	<2	54	135	.2	<3	<3	85	.87	.119	195	19	.37	243	.17	<3	.57	.11	.20	2	<5	<1	4
01DH-90b	5	2	93	135	<.3	2	<1	1509	2.10	<2	11	<2	78	16	<.2	<3	3	8	.07	.006	81	10	.14	65	.01	3	.72	.17	.23	4	<5	<1	2
01DH-90c	3	5	30	42	<.3	3	2	859	1.52	3	<8	<2	52	134	<.2	<3	<3	42	2.17	.079	73	16	.29	994	.09	<3	.55	.10	.33	3	<5	<1	2
01DH-91a	3	4	38	49	<.3	5	<1	596	1.52	2	<8	<2	43	80	.2	<3	3	26	.61	.028	223	16	.20	165	.09	5	.61	.09	.33	3	<5	<1	<2
01DH-91b	1	1	56	74	<.3	2	1	782	1.50	<2	17	<2	110	23	<.2	<3	<3	17	.52	.013	289	11	.07	88	.01	<3	.60	.18	.32	2	<5	<1	5
01DH-91c	1	1	63	78	<.3	4	1	584	1.38	<2	12	<2	99	43	<.2	<3	4	15	.90	.017	128	14	.06	101	.03	11	.96	.34	.49	4	<5	<1	3
01DH-92	1	4	39	35	<.3	2	<1	430	2.89	<2	22	<2	167	92	<.2	<3	<3	34	1.18	.005	302	13	.06	115	.08	3	.81	.11	.35	10	<5	<1	<2
01DH-95	2	3	9	10	<.3	7	<1	106	.64	<2	<8	<2	59	8	<.2	<3	<3	3	.19	.001	21	20	.01	8	<.01	4	.21	.12	.16	4	<5	<1	<2
01DH-96a	3	5	32	92	.3	2	1	1058	1.57	2	<8	<2	102	125	.3	<3	4	52	2.16	.013	140	14	.17	105	.11	<3	1.25	.05	.28	4	<5	<1	<2
01DH-97	2	3	26	43	.6	5	1	784	1.20	2	<8	<2	70	125	<.2	<3	3	38	1.14	.022	187	16	.08	81	.13	3	.48	.12	.37	4	<5	<1	2
STANDARD C3/AU-R	28	60	37	154	5.3	36	11	785	3.10	57	17	<2	20	27	21.9	16	21	77	.53	.093	18	169	.59	151	.09	15	1.73	.04	.17	18	<5	2	489
STANDARD G-2	2	2	7	40	<.3	9	4	552	1.88	<2	<8	<2	4	77	<.2	<3	<3	40	.72	.102	7	83	.65	238	.13	<3	1.00	.12	.54	3	<5	<1	-

Sample type: ROCK R150 60C. Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.



SAMPLE#	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Tl	Hg	Au**
	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppb
01DH-99	2	2	17	74	<.3	1	<1	1197	1.65	<2	22	<2	52	111	<.2	<3	<3	18	1.23	.004	274	10	.04	21	.06	19	4.38	3.19	.62	2	<5	1	4
01DH-100	1	4	33	30	<.3	5	<1	645	1.20	3	36	<2	207	202	<.2	<3	<3	19	1.34	.007	136	12	.03	83	.07	<3	.32	.09	.28	5	<5	<1	<2
01DH-101	1	4	28	71	<.3	2	1	848	1.24	2	<8	<2	92	84	.4	<3	3	30	.68	.010	198	11	.11	52	.10	6	.45	.07	.31	4	<5	<1	<2
01DH-102	2	4	21	38	<.3	5	1	650	.94	2	<8	<2	63	88	<.2	<3	<3	30	.50	.006	96	12	.08	37	.06	<3	.30	.08	.26	5	<5	<1	3
01DH-104	2	2	47	105	<.3	2	2	1273	1.47	3	<8	<2	92	121	.3	<3	<3	27	.14	.022	160	10	.16	197	.01	<3	.76	.06	.38	4	<5	<1	3
01DH-105	1	3	36	25	<.3	4	1	222	1.28	<2	<8	<2	69	21	<.2	<3	3	11	.25	.003	89	11	.02	68	<.01	3	.42	.07	.32	7	<5	<1	5
01DH-109	2	5	24	60	<.3	2	1	506	.89	2	<8	<2	59	96	<.2	<3	<3	35	.66	.045	148	10	.11	61	.12	<3	.36	.10	.26	4	<5	<1	<2
01DH-110	4	60	12	10	2.1	24	1	28	.62	9	<8	<2	2	70	.5	<3	<3	91	.09	.327	5	46	.02	1920	<.01	10	.47	.01	.14	5	<5	<1	<2
01DH-111	9	18	6	62	.3	22	3	33	.88	11	<8	<2	<2	61	.2	<3	<3	48	.01	.019	2	12	.02	965	<.01	8	.37	.02	.17	<2	<5	<1	<2
01DH-112	4	59	12	25	1.6	14	1	24	1.23	13	<8	<2	<2	78	.8	<3	<3	93	.05	.285	3	45	.02	1110	<.01	8	.44	.05	.18	4	<5	1	<2
01DH-113	3	9	6	49	.7	17	2	71	.21	4	<8	<2	<2	1087	.8	<3	<3	80	19.77	.109	5	43	4.38	1859	<.01	4	.13	.03	.04	2	<5	<1	<2
01DH-115	1	3	<3	5	.5	5	1	21	.10	<2	<8	<2	<2	375	<.2	<3	<3	3	27.98	.002	1	4	.04	52	<.01	<3	.02	.01	.01	<2	<5	<1	<2
01DH-117	1	2	3	4	.3	2	1	20	.06	3	<8	<2	<2	283	<.2	<3	<3	3	38.91	.002	1	5	.02	122	<.01	<3	.04	.01	.01	<2	<5	1	<2
01DH-118	1	21	9	140	.6	24	6	33	1.33	7	<8	<2	4	69	.4	<3	<3	17	2.06	.047	2	16	.37	225	<.01	7	.50	.02	.22	3	<5	<1	<2
01DH-119	169	71	11	2401	8.1	315	4	38	1.61	56	22	<2	3	474	68.7	30	<3	564	13.26	.082	3	105	.35	93	<.01	20	.40	.02	.14	<2	<5	<1	<2
RE 01DH-119	175	74	14	2466	8.2	323	4	39	1.66	56	21	<2	3	483	71.1	31	<3	579	13.55	.084	3	105	.36	98	<.01	23	.41	.02	.14	<2	<5	<1	<2
01HR-1	3	22	8	138	<.3	53	17	533	1.98	5	<8	<2	3	23	.3	<3	<3	50	.28	.131	5	31	.31	226	<.01	3	.76	.01	.18	5	<5	<1	<2
01HR-2	4	24	10	121	<.3	48	13	496	2.03	13	<8	<2	3	26	.3	<3	<3	56	.25	.172	5	34	.27	392	<.01	3	.74	.01	.18	2	<5	<1	<2
01HR-3	2	21	9	93	.3	45	10	275	1.33	8	<8	<2	2	27	.2	<3	3	52	.28	.159	6	37	.30	200	<.01	4	.68	.01	.16	5	<5	1	<2
01HR-4	2	24	11	103	<.3	40	13	649	2.22	9	<8	<2	3	13	.3	<3	<3	35	.12	.091	4	28	.28	182	<.01	3	.73	.01	.14	2	<5	<1	3
01HR-5	4	21	6	93	<.3	50	11	1111	2.67	14	<8	<2	2	15	<.2	<3	<3	58	.14	.121	4	34	.24	213	<.01	4	.67	.01	.16	5	<5	1	<2
01HR-6	3	20	9	62	<.3	26	6	175	1.88	19	<8	<2	2	20	<.2	<3	<3	47	.09	.101	4	28	.20	270	<.01	<3	.68	.01	.14	2	<5	<1	6
01HR-7	2	20	7	64	<.3	32	6	135	1.48	11	<8	<2	2	18	<.2	3	<3	52	.09	.090	3	34	.21	124	<.01	<3	.62	.01	.14	4	<5	<1	<2
01HR-8	3	7	5	51	.5	11	1	32	.34	2	<8	<2	<2	343	2.0	<3	<3	19	15.96	.168	7	33	.82	51	<.01	<3	.15	.01	.04	2	<5	<1	5
01HR-9	1	2	3	23	<.3	4	1	19	.10	<2	<8	<2	<2	648	.8	<3	<3	5	26.94	.050	5	18	.23	30	<.01	<3	.03	.01	.01	<2	<5	<1	<2
01HR-10b	1	2	4	9	<.3	4	1	20	.03	<2	<8	<2	<2	181	<.2	3	<3	4	38.88	.004	1	3	.01	28	<.01	<3	.01	.01	<.01	<2	<5	<1	5
01HR-11	2	7	10	27	<.3	15	4	107	.97	10	<8	<2	3	11	.2	<3	<3	16	.31	.043	3	20	.05	32	<.01	<3	.27	<.01	.07	5	<5	<1	3
01HR-12	2	12	4	63	.3	38	13	95	1.28	10	<8	<2	2	13	<.2	<3	<3	37	.21	.066	4	28	.17	87	<.01	<3	.57	.01	.11	2	<5	<1	<2
01HR-13	3	21	8	72	<.3	33	7	480	2.05	6	<8	<2	3	17	<.2	<3	<3	66	.16	.126	5	42	.28	162	<.01	3	.70	.01	.18	5	<5	<1	5
01HR-14	5	27	9	124	<.3	48	10	848	3.63	12	<8	<2	2	15	<.2	3	<3	60	.09	.119	3	35	.18	580	<.01	4	.71	.01	.17	3	<5	1	3
01HR-15	3	22	10	90	<.3	47	10	224	1.51	10	<8	<2	2	16	<.2	<3	<3	55	.12	.101	4	37	.21	165	<.01	<3	.66	.01	.17	5	<5	<1	<2
01HR-16	2	22	8	73	<.3	40	10	237	1.85	6	<8	<2	2	15	.2	<3	<3	58	.12	.112	5	34	.23	173	<.01	<3	.81	<.01	.14	2	<5	<1	<2
01HR-17	2	26	11	116	<.3	55	12	676	2.35	9	<8	<2	2	18	<.2	<3	<3	59	.16	.142	5	40	.29	226	<.01	4	.82	.01	.17	5	<5	1	4
01HR-18	3	20	12	60	<.3	22	5	108	1.52	45	<8	<2	2	28	<.2	3	<3	58	.13	.119	6	31	.28	225	<.01	3	.76	.02	.19	<2	<5	<1	2
01HR-19a	39	36	7	386	5.4	119	4	57	1.43	30	<8	<2	3	282	13.1	3	<3	220	17.30	.543	26	224	.16	172	<.01	38	1.41	.05	.28	<2	<5	1	2
STANDARD C3/AU-R	26	62	40	161	6.0	37	12	809	3.20	58	18	3	22	27	22.8	19	22	81	.52	.096	18	175	.61	148	.09	18	1.79	.04	.17	20	<5	1	502
STANDARD G-2	1	4	4	42	<.3	9	4	551	1.87	<2	<8	<2	4	75	<.2	<3	<3	39	.58	.102	7	78	.59	238	.12	<3	.95	.11	.53	4	<5	1	-

Sample type: ROCK R150 60C. Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.



SAMPLE#	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Tl	Hg	Au**
	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	%	%	%	ppm	ppm	ppm	ppm	
01HR-19b	41	26	7	268	1.3	73	3	43	.67	16	<8	<2	3	307	15.5	<3	4	325	18.95	.386	26	257	.14	140	.05	37	1.77	.09	.16	<2	<5	<1	<2
01HR-19c	245	62	10	438	5.7	168	4	47	.75	51	<8	3	3	409	11.7	7	<3	859	18.52	.454	30	747	.19	76	.05	231	2.18	.06	.43	<2	<5	<1	16
01HR-19d	3	4	3	35	.7	11	1	75	.08	4	<8	<2	<2	343	1.5	<3	3	31	41.57	.017	2	17	<.01	50	<.01	<3	.11	.01	.02	<2	<5	<1	2
01HR-19e	16	37	11	356	4.0	109	6	83	1.90	24	<8	<2	4	320	14.7	3	4	225	15.73	1.760	55	224	.25	221	.01	41	1.72	.03	.36	<2	<5	<1	7
01HR-19f	87	52	10	224	7.4	137	3	56	.97	55	10	<2	4	377	32.4	4	<3	1031	17.32	.261	32	462	.15	141	.04	105	3.10	.06	.57	<2	<5	<1	<2
01HR-19g	23	26	3	175	4.3	80	2	60	.82	43	<8	<2	3	264	12.2	9	3	413	21.68	.142	15	153	.10	214	.04	44	2.18	.06	.20	<2	<5	<1	3
01HR-19h	149	97	5	1467	44.9	262	4	47	2.06	<2	13	<2	6	731	3.6	<3	<3	2112	11.27	.854	74	682	.13	456	.15	63	5.06	.09	.17	<2	5	<1	6
01HR-20	2	24	12	99	<.3	47	10	104	3.75	6	<8	<2	3	18	<.2	<3	3	48	.06	.057	3	69	.54	168	<.01	<3	1.87	.03	.16	2	<5	<1	<2
01HR-21	2	45	30	150	<.3	63	13	211	4.47	17	<8	<2	3	13	<.2	<3	<3	45	.02	.060	2	41	.53	286	<.01	<3	2.10	.02	.25	3	<5	<1	4
01HR-22	4	35	15	87	<.3	38	4	99	3.99	9	<8	<2	3	13	<.2	<3	<3	45	.01	.057	3	57	.62	202	<.01	<3	2.31	.03	.20	2	<5	<1	5
01HR-23	<1	2	4	4	.3	3	1	26	.10	5	<8	<2	<2	166	<.2	<3	<3	2	38.73	.006	2	5	.30	132	<.01	<3	.05	.01	.02	<2	<5	<1	<2
01HR-24	52	38	8	267	<.3	102	4	53	.68	21	<8	<2	2	1163	5.4	5	<3	1164	12.20	.139	30	67	.28	305	<.01	15	.36	.01	.11	<2	<5	<1	3
01HR-25	9	8	<3	73	.3	29	1	33	.19	6	<8	<2	<2	860	1.9	3	<3	305	30.72	.031	17	50	.13	322	<.01	<3	.09	.01	.02	2	<5	<1	<2
01HR-26a	2	28	15	167	<.3	65	13	556	6.11	4	<8	<2	3	13	<.2	<3	<3	55	.19	.084	3	55	.59	455	<.01	<3	2.18	.02	.18	3	<5	<1	<2
01HR-26b	1	20	9	132	<.3	67	11	170	4.28	2	<8	<2	4	20	<.2	<3	<3	55	.12	.079	3	70	.79	1705	<.01	4	2.46	.02	.16	3	<5	<1	3
01HR-27	4	5	7	20	<.3	10	1	29	1.34	10	<8	<2	2	29	<.2	<3	<3	20	.04	.064	3	83	.05	74	<.01	<3	.35	.01	.01	2	<5	<1	5
01HR-28	7	5	9	13	<.3	12	1	13	.33	5	<8	<2	<2	17	<.2	<3	<3	46	.01	.003	1	33	.02	1158	<.01	7	.41	.01	.15	<2	<5	<1	7
01HR-29	12	12	12	31	<.3	10	1	22	.88	22	<8	<2	<2	68	<.2	<3	3	38	.03	.018	1	20	.04	884	<.01	8	.57	.05	.24	<2	<5	<1	6
01HR-30	3	2	<3	46	.3	11	1	20	.05	4	<8	<2	<2	712	.7	3	<3	73	37.59	.054	9	10	.09	258	<.01	<3	.02	.01	.01	<2	<5	<1	<2
RE 01HR-30	3	4	3	47	.3	13	1	21	.05	3	<8	<2	<2	730	.8	<3	3	74	38.91	.055	10	10	.09	259	<.01	3	.02	.01	.01	<2	<5	<1	<2
01HR-31	67	31	9	119	.5	37	12	417	2.29	51	<8	<2	<2	55	.3	7	<3	170	.06	.034	1	72	.02	1366	<.01	5	.37	.02	.12	3	<5	<1	7
01HR-32	1	2	5	19	<.3	4	2	39	.05	4	<8	<2	<2	650	.4	<3	<3	60	38.17	.014	4	9	.07	2843	<.01	<3	.02	.01	.01	<2	<5	<1	2
01HR-33a	6	18	4	174	<.3	34	4	106	.95	6	<8	<2	5	1481	1.3	3	<3	75	17.18	.060	18	32	1.20	129	<.01	9	.56	.02	.22	3	<5	<1	5
01HR-33b	1	7	5	30	<.3	12	1	80	.38	4	<8	<2	<2	2451	.2	<3	<3	31	30.88	.036	16	15	.61	55	<.01	3	.14	.02	.05	<2	<5	<1	<2
01HR-33c	<1	2	<3	12	<.3	3	1	153	.12	3	<8	<2	<2	1022	<.2	<3	<3	3	37.26	.047	5	5	.27	22	<.01	<3	.06	.02	.02	<2	<5	<1	4
01HR-33d	1	10	13	126	<.3	31	4	218	2.21	5	<8	<2	5	1933	.5	<3	<3	34	17.10	.067	17	23	.92	107	<.01	12	.60	.03	.21	2	<5	<1	<2
01HR-34	10	11	5	119	<.3	27	1	29	.15	6	<8	<2	<2	942	2.0	4	<3	267	27.64	.040	8	30	.15	564	<.01	<3	.06	.01	.02	3	<5	<1	<2
01HR-35a	4	8	6	80	<.3	25	3	120	.49	5	<8	<2	<2	1143	.7	3	3	90	31.10	.066	8	14	.55	148	<.01	8	.27	.02	.09	2	<5	<1	6
01HR-35b	<1	2	<3	7	<.3	5	1	28	.03	2	<8	<2	<2	867	.2	<3	3	22	21.15	.029	1	9	6.60	46	<.01	<3	.03	.01	<.01	<2	<5	<1	<2
01HR-36	17	23	9	231	.7	37	3	54	.42	11	<8	<2	2	2700	6.2	4	<3	374	23.30	.060	20	47	.60	733	<.01	6	.22	.02	.08	<2	<5	<1	4
01HR-37b	1	4	<3	23	<.3	11	1	74	.06	4	<8	<2	<2	1753	.6	<3	4	34	33.58	.044	6	5	.10	144	<.01	<3	.04	.01	.01	<2	<5	<1	8
01HR-39b	28	6	7	13	.4	19	1	22	.33	6	<8	<2	<2	20	.2	3	<3	170	.10	.004	<1	55	.03	357	<.01	5	.23	.01	.11	2	<5	<1	2
01HR-40	7	8	11	7	<.3	5	1	16	.53	5	<8	<2	<2	36	<.2	<3	3	49	.17	.004	1	32	.03	742	<.01	3	.32	.02	.17	<2	<5	<1	13
01HR-41	1	1	3	2	<.3	2	1	46	.05	2	<8	<2	<2	51	<.2	<3	3	<1	19.68	.004	1	5	9.48	31	<.01	<3	.04	.02	.01	<2	<5	<1	3
01HR-42	<1	1	4	3	<.3	1	1	67	.03	<2	<8	<2	<2	71	<.2	<3	<3	<1	20.04	.004	<1	4	10.08	8	<.01	<3	.03	.02	.01	<2	<5	<1	10
STANDARD C3/AU-R	26	62	38	161	5.7	38	12	803	3.18	56	20	3	21	27	22.2	16	21	80	.58	.095	18	176	.54	147	.08	16	1.86	.04	.17	17	<5	1	488
STANDARD G-2	2	4	6	46	<.3	10	5	592	2.00	3	<8	<2	4	71	<.2	<3	<3	43	.51	.109	8	87	.56	233	.13	<3	.99	.08	.52	4	<5	<1	-

Sample type: ROCK R150 60C. Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.



SAMPLE#	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Tl	Hg	Au**
	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	%	%	%	%	ppm	ppm	ppm	ppb
01HR-43	6	8	8	5	.5	8	<1	10	.21	<2	<8	<2	<2	19	<.2	4	<3	110	.06	.007	1	19	.06	997<.01	6	.35	.01	.16	<2	<5	<1	3	
01HR-44	10	27	20	59	<.3	13	<1	4	3.94	29	<8	<2	<2	17	<.2	<3	3	60	.02	.049	2	14	.05	774<.01	10	.72	.02	.32	<2	<5	<1	<2	
01HR-45	9	7	10	5	<.3	10	1	12	.31	<2	<8	<2	<2	21	<.2	3	<3	127	.01	.002	1	20	.03	1140<.01	7	.39	.01	.17	<2	<5	<1	5	
01HR-46	39	43	13	5	<.3	17	<1	18	.53	7	<8	<2	<2	41	<.2	4	<3	192	.02	.015	1	16	.02	280<.01	<3	.22<.01	.09	<2	<5	<1	<2		
01HR-47	9	7	5	142	.3	33	2	19	.14	6	12	<2	<2	909	1.6	4	<3	169	36.08	.025	14	16	.27	189<.01	<3	.06	.01	.02	3	<5	<1	<2	
01HR-100	4	38	20	143	<.3	54	8	157	4.87	14	<8	<2	2	11	<.2	<3	<3	49	.09	.059	1	68	.61	194<.01	<3	1.90	.02	.16	3	<5	<1	<2	
01HR-101a	2	19	6	220	<.3	94	23	938	3.98	<2	<8	<2	3	9	.7	<3	<3	47	.10	.051	3	72	.78	212<.01	<3	1.96	.02	.13	<2	<5	<1	<2	
01HR-101b	2	14	6	89	<.3	56	6	6513	25.17	3	<8	<2	4	44	1.9	<3	<3	53	.68	.149	3	29	3.60	314<.01	<3	2.02	.01	.04	2	<5	<1	<2	
01HR-101c	2	58	19	247	<.3	89	22	356	4.48	8	<8	<2	3	11	.7	<3	4	50	.04	.055	1	46	.85	275<.01	<3	2.30	.02	.23	<2	<5	1	<2	
01HR-102	4	8	7	43	<.3	21	5	226	2.15	4	<8	<2	<2	46	<.2	<3	<3	18	1.46	.025	1	87	.57	673<.01	<3	.34	.01	.07	2	<5	<1	<2	
01HR-103	2	38	27	86	.4	31	4	40	2.57	11	<8	<2	3	17	.2	3	<3	49	.01	.032	2	35	.36	213<.01	<3	1.23	.02	.26	2	<5	1	<2	
01HR-104a	28	19	6	231	<.3	68	3	52	.39	14	<8	<2	2	1832	4.6	5	<3	719	22.45	.056	25	39	.10	308<.01	8	.18	.01	.06	<2	<5	<1	<2	
01HR-104b	39	25	10	244	<.3	95	3	49	.53	16	<8	<2	2	1369	4.7	6	<3	834	17.75	.078	26	46	.21	249<.01	8	.22	.02	.07	<2	<5	<1	6	
01HR-104c	33	19	4	246	<.3	71	3	52	.59	15	<8	<2	2	1583	4.0	5	<3	690	20.68	.074	20	36	.19	1334<.01	8	.18	.01	.06	<2	<5	<1	2	
01HR-105	11	7	4	44	<.3	20	1	31	.26	2	<8	<2	<2	735	1.0	3	<3	183	18.59	.011	12	65	.18	261<.01	<3	.06	.01	.01	3	<5	<1	<2	
01HR-106	4	53	25	192	<.3	77	13	1122	8.60	10	<8	<2	4	15	<.2	<3	<3	67	.13	.090	2	48	.74	295<.01	<3	2.81	.02	.23	4	<5	<1	6	
RE 01HR-106	3	51	21	192	<.3	77	13	1114	8.55	11	<8	<2	3	14	.2	<3	3	67	.12	.088	1	50	.74	288<.01	<3	2.79	.02	.23	3	<5	1	3	
01HR-204a	<1	3	7	6	<.3	4	1	53	.18	4	<8	<2	<2	498	<.2	3	<3	4	37.44	.007	1	2	.20	246<.01	<3	.06	.01	.02	<2	<5	<1	<2	
01HR-204b	5	8	3	1984	<.3	768	60	295	2.80	<2	13	<2	<2	599	3.4	<3	<3	56	19.06	.128	15	14	<.01	99<.01	<3	6.17<.01	.02	<2	<5	<1	2		
01HR-204c	21	15	6	7378	<.3	945	147	1465	14.58	14	13	<2	<2	329	1.9	<3	<3	74	12.67	.079	13	8	.01	70<.01	<3	2.82	.01	.04	<2	<5	<1	2	
01HR-204d	52	48	14	371	.4	159	3	58	.88	20	<8	<2	2	769	6.1	9	<3	600	21.44	.046	19	46	.30	473<.01	12	.34	.02	.12	<2	<5	<1	<2	
01HR-204e	31	29	5	41	<.3	32	1	33	.74	7	<8	<2	<2	19	.9	3	<3	123	.26	.011	1	97	.02	408<.01	<3	.16	.01	.06	3	<5	<1	5	
01HR-204f	46	39	9	349	.3	101	7	100	1.29	13	8	<2	<2	104	1.3	3	<3	135	3.78	.033	1	69	.15	406<.01	8	.50	.01	.22	<2	<5	<1	<2	
01HR-204g	78	66	9	441	<.3	206	11	84	1.97	25	16	<2	2	180	1.6	4	<3	207	1.44	.116	2	56	.12	504<.01	9	1.55	.01	.28	<2	<5	<1	4	
01HR-205	23	21	8	369	.4	66	4	127	.93	12	<8	<2	3	2214	4.6	4	<3	271	27.11	.045	18	38	.64	592<.01	13	.34	.03	.14	<2	<5	<1	<2	
01HR-206	11	20	4	207	<.3	58	3	114	.59	7	<8	<2	2	2444	4.6	3	<3	291	28.46	.078	21	36	.17	934<.01	7	.30	.02	.10	<2	<5	<1	5	
01HR-207	14	24	11	291	.7	81	3	73	.81	22	<8	<2	2	2424	6.2	5	<3	430	24.66	.090	24	47	.13	727<.01	9	.33	.02	.12	<2	<5	<1	3	
01HR-209	11	13	6	160	.3	41	2	86	.42	7	<8	<2	<2	2617	3.5	4	<3	282	27.62	.058	18	30	.40	604<.01	5	.20	.02	.07	4	<5	<1	<2	
01HR-210a	1	2	<3	16	<.3	7	1	31	.07	3	<8	<2	<2	446	<.2	<3	<3	6	34.64	.007	1	7	.64	251<.01	<3	.01	.01<.01	<2	<5	<1	4		
01HR-210b	28	31	8	69	.3	51	2	53	1.01	6	<8	<2	<2	29	2.8	<3	<3	76	.17	.023	<1	134	.03	244<.01	3	.14	.01	.06	5	<5	<1	<2	
01HR-210c	19	8	<3	6	<.3	13	1	36	.44	<2	<8	<2	<2	7	<.2	<3	<3	32	.09	.002	<1	100	.01	265<.01	<3	.06	.01	.03	4	<5	<1	4	
01HR-211	1	3	4	<1	<.3	3	1	100	.20	2	<8	<2	<2	81	<.2	<3	<3	6	20.25	.018	5	6	9.15	20<.01	<3	.08	.02	.04	<2	<5	<1	<2	
01HR-212a	15	16	<3	112	<.3	42	3	55	.20	9	<8	<2	<2	777	1.5	7	<3	100	31.78	.033	11	9	.56	400<.01	<3	.04	.01	.01	3	<5	<1	<2	
01HR-212b	20	30	<3	391	.3	91	1	28	.30	13	<8	<2	<2	918	6.5	6	<3	720	32.77	.055	35	42	.34	296<.01	4	.19	.02	.08	<2	<5	<1	2	
STANDARD C3/AU-R	26	62	41	163	5.7	40	12	813	3.22	57	19	3	21	29	22.4	17	23	82	.55	.097	18	176	.62	152	.09	16	1.81	.04	.17	19	<5	1	481
STANDARD G-2	1	3	<3	42	<.3	9	4	561	1.93	<2	<8	<2	4	68	<.2	<3	<3	41	.60	.103	8	79	.60	221	.13	<3	.88	.08	.50	3	<5	<1	-

Sample type: ROCK R150 60C. Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.



SAMPLE#	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Tl	Hg	Au**
	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	ppm	ppb
01KS-1	14	37	9	206	.5	50	3	146	3.75	26	8	<2	<2	169	1.5	<3	<3	190	1.26	.353	5	43	.13	549<.01	21	.97	.06	.26	4	<5	<1	5	
01KS-4	14	36	<3	164	<.3	82	19	620	2.28	18	<8	<2	<2	243	1.8	<3	<3	57	16.83	.037	3	13	.25	972<.01	7	.65	.03	.14	4	<5	<1	9	
01KS-5	6	16	5	176	.3	49	7	238	1.65	13	<8	<2	<2	265	1.6	<3	<3	41	15.87	.076	3	18	.17	732<.01	13	.46	.02	.10	3	<5	<1	3	
01KS-6	4	4	<3	30	<.3	16	1	39	.39	3	<8	<2	<2	475	.4	<3	<3	9	9.91	.037	1	23	.36	236<.01	7	.13	.01	.04	3	<5	<1	<2	
01KS-8	<1	3	5	44	<.3	20	2	159	3.87	6	10	<2	<2	738	.4	<3	<3	10	22.28	.105	9	12	2.51	58<.01	5	.54	.02	.07	<2	<5	<1	4	
01KS-10	1	1	<3	3	<.3	1	<1	48	.39	2	<8	<2	<2	1786	<.2	<3	<3	1	38.03	.002	<1	4	.01	12<.01	<3	.01	<.01	<.01	<2	<5	<1	5	
01KS-16	5	3	<3	33	<.3	11	1	142	.19	4	9	<2	<2	351	.4	<3	<3	41	33.67	.014	6	3	.15	44<.01	<3	.08	.01	.04	<2	<5	<1	<2	
01KS-17	1	2	<3	20	<.3	6	1	36	.09	3	<8	<2	<2	246	.2	<3	<3	6	37.20	.002	1	3	<.01	46<.01	<3	.03	.01	.01	<2	<5	<1	6	
01KS-20	1	<1	<3	2	.4	1	1	52	.03	3	<8	<2	<2	133	<.2	<3	<3	<1	20.62	.004	1	3	9.73	35<.01	<3	.02	.02	<.01	<2	<5	<1	6	
01KS-21	156	51	35	118	<.3	307	63	723	47.14	2813	17	<2	4	9	<.2	107	<3	66	.55	.116	7	15	.37	111<.01	<3	.31	.01	.09	5	<5	<1	12	
01KS-26	3	6	<3	41	<.3	10	1	33	1.02	15	<8	<2	<2	4	<.2	<3	<3	23	.05	.013	1	22	.03	34<.01	3	.13	.01	.06	2	<5	<1	5	
01KS-27	4	12	7	36	<.3	27	7	104	1.12	11	<8	<2	3	13	<.2	<3	<3	30	.14	.086	3	23	.18	88<.01	4	.54	.01	.10	<2	<5	<1	10	
RE 01KS-27	3	12	7	36	<.3	26	7	103	1.10	12	<8	<2	3	13	<.2	<3	3	31	.14	.085	3	25	.18	86<.01	<3	.53	.01	.10	<2	<5	<1	4	
01KS-28	5	8	<3	4	.3	15	<1	43	1.29	8	<8	<2	<2	7	<.2	<3	<3	15	.03	.014	1	30	.02	132<.01	<3	.15	.01	.05	9	<5	<1	2	
01KS-29	3	8	4	51	<.3	17	2	38	1.54	11	<8	<2	2	9	<.2	<3	<3	24	.13	.018	1	23	.05	60<.01	4	.30	.01	.09	2	<5	1	3	
01KS-30	2	8	8	67	<.3	19	3	72	1.85	19	<8	<2	3	227	.3	<3	<3	54	10.90	.017	5	34	.15	50<.01	<3	.62	.01	.08	3	<5	<1	14	
01KS-54	2	10	9	50	<.3	28	8	232	1.58	<2	<8	<2	<2	52	<.2	<3	<3	75	1.32	.023	2	63	.68	51	.23	<3	1.43	.20	.15	3	<5	<1	5
01KS-55	2	5	<3	18	<.3	7	2	105	.16	4	8	<2	<2	943	.3	<3	<3	49	20.73	.034	3	22	6.63	1914<.01	<3	.09	.03	.01	<2	<5	<1	7	
01KS-58	12	39	5	17	.3	18	1	9	.37	4	8	<2	<2	55	<.2	4	<3	214	.31	.044	1	11	.11	1425<.01	7	.39	.02	.15	<2	<5	<1	14	
STANDARD C3/AU-R	28	64	28	168	5.8	40	11	792	3.34	56	22	<2	21	29	23.7	16	20	77	.69	.087	18	166	.66	147	.10	18	1.86	.04	.16	18	<5	1	496
STANDARD G-2	2	3	<3	45	<.3	9	4	558	2.07	<2	11	<2	4	70	<.2	<3	<3	40	.55	.094	7	78	.58	229	.15	<3	.93	.08	.47	3	<5	1	-

Sample type: ROCK R150 60C. Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.