

SYNOPTIC LOG
NORDAC RESOURCES LTD.

Property: ARM

Hole: ARM97-02 Section:

Page 1 of 1

Easting: 425,302.03 Northing: 6,823,635.16 Elevation: 1,369.34 Depth: 153.01 Logger: A. Bourget/L. Pigage
Drilling Dates: Sept 8-11, 1997

Depth	0.00	153.01			
Azimuth	220	220			
Dip	-50	-54			
Method	Brunton	Acid			

From (m)	To (m)	Interval (m)	*	Unit	Comments	From (m)	To (m)	Interval (m)	Sample No.	REC %	Cu (ppm)	Pb (ppm)	Zn (ppm)	Ag (ppm)	Au (ppb)
0.00	6.10	6.10		CSDH	casing										
6.10	9.60	3.50		OBDH	overburden										
9.60	29.26	19.66		GPPH	black phyllite rubble										
29.26	46.40	17.14		MSSL	siltstone interbedded with black phyllite										
46.40	65.15	18.75		MSSL	grey siltstone with 5-10% interbedded black phyllite										
65.15	84.00	18.85		MSSL	siltstone breccia with black graphitic matrix										
84.00	85.65	1.65		GPPH	black phyllite										
85.65	85.95	0.30		MSSL	siltstone breccia										
85.95	91.30	5.35		MSSL	siltstone										
91.30	94.34	3.04		GPPH	black phyllite breccia										
94.34	98.75	4.41		MSSL	siltstone breccia										
98.75	116.45	17.70		MSSL	siltstone interbedded with black phyllite										
116.45	118.90	2.45		MSSL	grey siltstone										
118.90	121.70	2.80		GPPH	black phyllite										
121.70	125.75	4.05		GPPH	phyllite breccia										
125.75	133.00	7.25		GPPH	black phyllite										
133.00	135.05	2.05		GPPH	black phyllite breccia										
135.05	137.20	2.15		MSSL	siltstone interbedded with black phyllite										
137.20	140.75	3.55		MSSL	siltstone interbedded with black phyllite										
140.75	144.95	4.20		MSSL	grey siltstone										
144.95	153.01	8.06		MSSL	siltstone interbedded with black phyllite										
					EOH										

*S-strong weathering, T-transitional weathering, F-fresh