

# GEOTECHNICAL LOG

HOLE: ARN-10-02

From (m)	To (m)	Interval (m)	Recovery (m)	Recovery (%)	RQD (m)	RQD (%)	Hardness	Weathering		Comments
0.00	2.43	2.43	0.40	16	0	0	W	SW		
2.43	5.48	3.05	0.86	28	1.00	33	MS	SW		
5.48	8.53	3.05	2.90	95	2.71	89	MS	SW		
8.53	11.58	3.05	3.02	99	2.96	97	S	SW		
11.58	14.63	3.05	2.83	93	2.50	82	S	FR		
14.63	17.67	3.04	3.04	100	3.00	99	VS	FR		
17.67	20.72	3.05	3.02	99	2.96	97	ES	FR		
20.72	23.77	3.05	2.96	97	2.80	92	S	FR		
23.77	26.82	3.05	3.06	100	3.06	100	S	FR		
26.82	29.87	3.05	3.04	100	2.95	97	S	FR		
29.87	32.91	3.04	2.90	95	2.80	92	S	FR		
32.91	35.96	3.05	2.85	93	2.85	93	S	FR		
35.96	39.01	3.05	3.05	100	3.00	98	VS	FR		
39.01	42.06	3.05	2.85	93	1.95	64	VS	MW		
42.06	45.11	3.05	2.95	97	2.95	97	VS	FR		
45.11	48.20	3.09	3.04	98	2.80	91	VS	FR		
48.20	51.20	3.00	3.03	101	2.62	87	VS	SW		
51.20	54.30	3.10	3.00	97	2.31	75	VS	FR		
54.30	57.30	3.00	3.03	101	2.48	83	S	FR		
57.30	60.40	3.10	3.00	97	2.27	73	VS	FR		
60.40	63.40	3.00	3.03	101	2.75	92	ES	FR		
63.40	66.40	3.00	3.01	100	2.27	76	VS	FR		
66.40	69.50	3.10	2.95	95	2.12	68	ES	SW		
69.50	72.50	3.00	3.02	101	2.82	94	VS	FR		
72.50	75.60	3.10	3.08	99	2.73	88	S	SW		
75.60	78.63	3.03	3.03	100	2.70	89	S	FR		
78.63	81.70	3.07	3.02	98	2.64	86	VS	FR		
81.70	84.70	3.00	3.03	101	2.89	96	VS	FR		
84.70	87.70	3.00	3.02	101	2.96	99	VS	FR		
87.70	90.83	3.13	3.10	99	2.93	94	VS	SW		
90.83	93.87	3.04	2.89	95	2.32	76	VS	FR		
93.87	96.92	3.05	3.04	100	1.99	65	S	FR		
96.92	99.97	3.05	3.05	100	2.59	85	MS	FR		
99.97	103.02	3.05	2.94	96	2.81	92	MS	FR		
103.02	106.07	3.05	3.06	100	2.95	97	MS	FR		
106.07	109.12	3.05	3.06	100	2.48	81	MS	MW		
109.12	112.12	3.00	3.06	102	2.54	85	MS	FR		
112.12	115.21	3.09	2.90	94	2.64	85	MS	SW		
115.21	118.26	3.05	2.99	98	2.38	78	MS	SW		
118.26	121.31	3.05	3.07	101	2.59	85	MS	SW		
121.31	124.36	3.05	2.76	90	2.09	69	MS	SW		
124.36	127.41	3.05	3.09	101	2.95	97	MS	FR		