

MAGNETIC SUSCEPTIBILITY LOG

HOLE: ARN-10-03

Depth (m)	Unit	Modifier	Magnetic Susceptibility	Comments
1.00			0.00	
2.00			0.00	
3.00			0.31	
4.00			1.93	
5.00			46.10	
6.00			46.80	
7.00			70.80	
8.00			12.00	
9.00			31.90	
10.00			82.50	
11.00			91.90	
12.00			48.20	
13.00			81.10	
14.00			93.70	
15.00			42.20	
16.00			34.90	
17.00			45.00	
18.00			33.10	
19.00			31.80	
20.00			17.30	
21.00			0.97	
22.00			53.90	
23.00			18.10	
24.00			0.63	
25.00			47.70	
26.00			9.39	
27.00			1.93	
28.00			35.30	
29.00			52.70	
30.00			28.90	
31.00			37.40	
32.00			34.90	
33.00			47.50	
34.00			39.90	
35.00			42.50	
36.00			45.00	
37.00			25.50	
38.00			19.30	
39.00			66.20	
40.00			0.85	
41.00			38.40	
42.00			41.90	
43.00			38.60	
44.00			44.40	

MAGNETIC SUSCEPTIBILITY LOG

Depth (m)	Unit	Modifier	Magnetic Susceptibility	Comments
45.00			52.20	
46.00			45.30	
47.00			11.70	
48.00			20.80	
49.00			7.91	
50.00			0.35	
51.00			0.53	
52.00			17.30	
53.00			23.90	
54.00			27.70	
55.00			15.10	
56.00			1.19	
57.00			21.10	
58.00			69.70	
59.00			20.20	
60.00			0.70	
61.00			4.67	
62.00			13.20	
63.00			29.00	
64.00			32.10	
65.00			20.30	
66.00			7.59	
67.00			0.48	
68.00			15.10	
69.00			4.60	
70.00			22.50	
71.00			40.30	
72.00			20.60	
73.00			32.70	
74.00			24.80	
75.00			10.40	
76.00			30.70	
77.00			10.90	
78.00			32.10	
79.00			40.10	
80.00			39.90	
81.00			18.60	
82.00			29.30	
83.00			50.70	
84.00			0.50	
85.00			14.60	
86.00			0.67	
87.00			9.13	
88.00			43.60	
89.00			47.30	
90.00			5.99	

MAGNETIC SUSCEPTIBILITY LOG

Depth (m)	Unit	Modifier	Magnetic Susceptibility	Comments
91.00			32.00	
92.00			8.03	
93.00			41.10	
94.00			6.75	
95.00			2.08	
96.00			0.65	
97.00			10.30	
98.00			16.80	
99.00			25.10	
100.00			9.92	
101.00			16.70	
102.00			50.10	
103.00			10.10	
104.00			0.90	
105.00			1.52	
106.00			1.19	
107.00			1.89	
108.00			0.48	
109.00			0.97	
110.00			1.24	
111.00			1.29	
112.00			1.15	
113.00			1.41	
114.00			0.95	
115.00			2.41	
116.00			0.55	
117.00			3.17	
118.00			0.63	
119.00			0.62	
120.00			0.25	
121.00			5.29	
122.00			1.20	
123.00			0.35	
124.00			6.46	
125.00			4.41	
126.00			35.00	
127.00			105.00	
128.00			15.90	
129.00			9.35	
130.00			13.70	
131.00			17.50	
132.00			5.12	
133.00			1.82	
134.00			3.73	
135.00			0.59	
136.00			1.68	

MAGNETIC SUSCEPTIBILITY LOG

[illegible]

MAGNETIC SUSCEPTIBILITY LOG

Depth (m)	Unit	Modifier	Magnetic Susceptibility	Comments