



# Keg - Silver Range

Archer, Cathro  
& Associates (1981) Limited

Grid East	Grid North	Easting	Northing	Elevation	Depth (m)
		599724	6912611	1857	218.54

ZONE: SNAP

SECTION:

HOLE: SNP-12-004

CLAIM: YD118171

Contractor: Beaudoin

Drill: 2

Core Size: BTW

Casing Depth: 3.12m, Out

Drilling Dates: Jul 28 - Aug 03, 2012

Geology Logged By: H. Friday

SURVEY			
Depth (m)	Azimuth	Dip	Method
0	90	-45	Compass
200	90	-45	Compass

TARGET:

SUMMARY			
From (m)	To (m)	Interval (m)	Rock Type
0	3.12	3.12	CAS
3.12	58.86	55.74	GRN
58.86	59.27	0.41	VEN
59.27	60.27	1	GRN
60.27	65.8	5.53	VEN
65.8	86.02	20.22	GRN
86.02	87.55	1.53	VEN
87.55	109.74	22.19	GRN
109.74	110.51	0.77	VEN
110.51	117.45	6.94	GRN
117.45	117.81	0.36	BXA
117.81	119.74	1.93	GRN
119.74	120.08	0.34	VEN
120.08	218.54	98.46	GRN

SAMPLES	
Numbers:	K979215 to K979342, K979344 to K979346, K979348 to K979390
Total:	175
Batch:	026, 027, 028, 029, 030
Certificates:	WH12186477, WH12186478, WH12189032, WH12189033, WH12189034

COMMENTS
Hole stopped at 218.54 due to technical problems.



Box Number	From (m)	To (m)
1	3.12	8.03
2	8.03	12.53
3	12.53	17.79
4	17.79	23.12
5	23.12	27.45
6	27.45	32.73
7	32.73	38.36
8	38.36	43.89
9	43.89	49.26
10	49.26	55.15
11	55.15	60.08
12	60.08	65.41
13	65.41	70.77
14	70.77	76.15
15	76.15	81.47
16	81.47	87.08
17	87.08	92.56
18	92.56	98.22
19	98.22	103.69
20	103.69	109.28
21	109.28	114.5
22	114.5	119.34
23	119.34	124.9
24	124.9	130.46
25	130.46	135.98
26	135.98	141.46
27	141.46	147
28	147	152.49
29	152.49	158.14
30	158.14	163.67

Box Number	From (m)	To (m)
31	163.67	169.35
32	169.35	174.76
33	174.76	180.45
34	180.45	185.95
35	185.95	191.67
36	191.67	197.2
37	197.2	202.3
38	202.3	207.74
39	207.74	213.17
40	213.17	218.54

Box Number	From (m)	To (m)
---------------	----------	--------

From (m)	To (m)	Interval (m)	Rock Type	Grain Size	Description	Shade	Colour	Texture	Alteration	Intensity	Mineral	Conc.
0.00	3.12	3.12	CAS	-	Casing.							
						--	--	---	---	--	--	0
3.12	12.35	9.23	GRN	MG	Light to medium grey to brown phaneritic granite with localized weak argillic alteration. Oxidation seen on fracture surfaces throughout and locally pervasive altering whole core. Segments of moderate argillic alteration where core is grit to rubble. 1-3cm thick pegmetite veins seen throughout.							
						MD	BN		ARG	2I		
						LT	GY	PH	OXI	1I	--	0
12.35	15.01	2.66	GRN	MG	Light tan to grey moderately argillic altered granite. Oxidation pervasive throughout, and more pervasive on fracture surfaces. Majority of interval rubble to grit.							
						LT	TN	PH	OXI	2I	--	0
						--	GY	RB	ARG	3I		
15.01	20.70	5.69	GRN	MG	Medium grey to brown phaneritic granite with weak local argillic alteration. Oxidation seen on majority of fracture surfaces and locally altering whole core, and manganese oxide seen on select fracture surfaces. 1-6cm thick pegmetite veins seen throughout.							
						MD	GY	PH	MNO	1I	--	0
						--	BN		OXI	2I		
									ARG	1I		
20.70	23.40	2.70	GRN	MG	Medium grey phaneritic granite. Localized oxidation throughout and manganese oxide seen on all fracture surfaces and as stringers throughout. Manganese oxide also envelopes select fracture surfaces 4mm on either side.							
						MD	GY	PH	MNO	2I	--	0
									OXI	2I		
23.40	29.98	6.58	GRN	MG	Light tan to grey moderately to strongly argillic altered granite. Oxidation locally altering whole core and seen on all fracture surfaces. Large segments (up to 1.5m) of rubble to grit. A few 5mm - 2cm thick quartz veins throughout with blebby sulphides - unknown sulfosalt - cant tell type, grey/silvery and blebby.							

From (m)	To (m)	Interval (m)	Rock Type	Grain Size	Description	Shade	Colour	Texture	Alteration	Intensity	Mineral	Conc.
						LT	TN	PH	ARG	3I	Un	0.01
						--	GY	RB	OXI	2I		
29.98	41.48	11.50	GRN	MG	Light tan to green to brown phaneritic granite. Moderate to strong argillic and phyllic alteration throughout. Oxidation pervasive and locally altering whole core. Small 15cm segments of rubble to grit. Small 2-8mm thick quartz veinlets throughout locally generating minor stockwork texture.							
						LT	TN	PH	OXI	2I	--	0
						--	BN	RB	ARG	3I		
						--	GN		PHC	3I		
41.48	57.23	15.75	GRN	MG	Light to medium tan-green to grey phaneritic granite with localized moderate to strong argillic and phyllic alteration. Oxidation localized throughout and altering whole core, and seen on majority of fracture surfaces. Segments of rubble to grit throughout up to 2m. Pegmatite veins 2-10cm. 1-2cm quartz veins throughout with no visible sulphides.							
						MD	GY	RB	PHC	3I		
						LT	TN	PH	ARG	3I	--	0
						--	GN		OXI	2I		
57.23	58.86	1.63	GRN	MG	Light tan to green phaneritic granite with pervasive moderate argillic and phyllic alteration. Oxidation seen on fracture surfaces and locally altering whole core. 1mm - 1cm thick quartz veinlets/veins throughout generating stockwork texture locally.							
						LT	TN	PH	ARG	2I	--	0
						--	GN		PHC	2I		
									OXI	1I		
58.86	59.27	0.41	VEN	CG	medium to light grey to tan brecciated quartz vein with blebs of pyrite and sphalerite throughout. Locally vuggy with oxidation on vug surfaces.							
						MD	GY		SIL	5I	Py	0.1
						LT	TN	BX	OXI	1I	Sp	0.01
59.27	60.27	1.00	GRN	MG	Light grey to tan phaneritic granite with moderate argillic and phyllic alteration and moderate silicification throughout. Core locally vuggy in more intensely silicified areas. Trace blebby pyrite seen in quartz veins throughout.							

From (m)	To (m)	Interval (m)	Rock Type	Grain Size	Description	Shade	Colour	Texture	Alteration	Intensity	Mineral	Conc.
						LT	GY	PH	SIL	3I	Py	0.01
						--	TN		ARG	2I		
									PHC	2I		
60.27	65.80	5.53	VEN	CG	Light to medium grey siliceous breccia-quartz vein with small 30cm segments of granite throughout. Quartz vein is locally oxidized around vuggs and seamlets throughout. Blebby pyrite and sphalerite seen. Small segments of granite are moderately phyllic and argillic altered with moderate to strong oxidation. Interval competent to rubble.							
						MD	BN	RB	ARG	2I	Sp	0.1
						LT	GY	BX	SIL	5I	Py	0.1
									PHC	2I		
									OXI	3I		
65.80	69.32	3.52	GRN	MG	Light green to brown phyllic altered granite. Stockwork quartz veinlets and veins throughout - with no visible sulphides. Pervasive oxidation seen in areas with no quartz veins/veinlets, altering whole core locally. Oxidation also seen on all fracture surfaces.							
						LT	GN	PH	SIL	2I	--	0
						--	BN		PHC	3I		
									OXI	3I		
69.32	70.18	0.86	GRN	MG	Light green to grey moderately phyllic altered and strongly silicified granite. 5mm - 2cm thick quartz veins throughout with disseminated arsenopyrite and pyrite and potentially light green scoderite (?) seen in seamlets around the quartz veins. Silicification appears to be halos around the veins.							
						LT	GN	PH	SIL	4I	Py	0.01
						--	GY		PHC	2I	As	0.1
70.18	70.77	0.59	GRN	MG	Same as 65.80 - 69.32 m							
						LT	GY	PH	SIL	2I	--	0
						--	BN		PHC	3I		
									OXI	3I		
70.77	72.85	2.08	GRN	MG	Light grey to medium brown phaneritic granite. Localized quartz-pyrite veins throughout with silicification halos. Segments with veining have no oxidation and are moderately phyllic altered. Segments without veins are pervasively oxidized.							

From (m)	To (m)	Interval (m)	Rock Type	Grain Size	Description	Shade	Colour	Texture	Alteration	Intensity	Mineral	Conc.
						MD	BN		OXI	3I		
						LT	GY	PH	SIL	2I	Py	0.01
									PHC	2I		
72.85	73.85	1.00	GRN	MG	Light grey to green phaneritic granite with quartz sulphide veins 5mm - 4cm thick throughout. Silicification seen around veins - approx 5mm. Oxidation seen locally on fracture surfaces and altering select veinlets (formerly carbonate?). Pyrite blebs also seen disseminated locally throughout the granite.							
						LT	GY	PH	SIL	3I	Gn	0.01
						--	GN		PHC	2I	Sp	0.1
									OXI	2I	As	0.01
											Py	1
73.85	74.59	0.74	GRN	MG	Medium brown strongly oxidized moderately phyllic altered granite.							
						MD	BN	PH	OXI	3I	--	0
									PHC	2I		
74.59	77.00	2.41	GRN	MG	Light to medium grey-green phaneritic granite. 5mm - 4cm thick quartz-sulphide veins throughout at random orientations generating mild breccia. Sulphides are blebby and throughout vein - pyrite and sphalerite. Silicification halos seen locally around the veins. Additional 2cm vuggy quartz veins throughout with no sulphide mineralization, and oxidation seen throughout. Oxidation seen throughout interval locally.							
						MD	GN	PH	PHC	2I	Sp	0.01
						LT	GY	BX	OXI	2I	Py	0.01
									SIL	2I		
77.00	79.22	2.22	GRN	MG	Same as 73.85 - 74.59m with a few small 2-3mm quartz veinlets throughout hosting blebby pyrite.							
						MD	BN	PH	OXI	3I	Py	0.01
									PHC	2I		

From (m)	To (m)	Interval (m)	Rock Type	Grain Size	Description	Shade	Colour	Texture	Alteration	Intensity	Mineral	Conc.
79.22	80.24	1.02	GRN	MG	Light to medium grey to green phaneritic granite with moderate phyllic alteration throughout. Quartz-sulphide veins throughout 5mm - 2cm thick hosting pyrite, sphalerite and arsenopyrite mineralization. Silicification halos surrounding these veins. Weak arsenic oxide seen on fracture surfaces proximal to arsenopyrite mineralization. Oxidation also seen on select fracture surfaces.							
						MD	--		OXI	2I	Sp	0.01
						LT	GY	PH	PHC	2I	Py	0.1
									SIL	2I	As	0.1
									ASO	1I		
80.24	86.02	5.78	GRN	MG	Light grey to medium brown phyllic altered granite with localized moderate oxidation throughout. Quartz veins hosting pyrite mineralization. Alteration less pervasive around quartz veins. Few quartz stringers throughout with mild silicification seen around them. Oxidation stringers also seen throughout.							
						MD	BN		PHC	2I		
						LT	GY	PH	OXI	3I	Py	0.01
									SIL	1I		
86.02	87.55	1.53	GRN	CG	Medium grey-green to brown brecciated quartz veins with small 20cm segments of silicified oxidized granite. Blebs of pyrite and sphalerite seen throughout. Select clasts in breccia oxidized and oxidation seen on majority of fracture surfaces. Locally vuggy.							
						MD	GY	BX	OXI	3I	Py	1
						--	BN	PH	SIL	5I	Sp	0.1
						--	GN					
87.55	92.18	4.63	GRN	MG	Light grey to mid brown phaneritic granite with localized moderate phyllic alteration, weak argillic alteration and moderate oxidation. Quartz-sulphide veins throughout 3mm - 4cm thick hosting galena, sphalerite and pyrite mineralization. Silicification halos seen around these, and no oxidation and very weak phyllic alteration. Majority of all alteration in segments with no veins throughout. Pink carbonate veins throughout - up to 30cm thick, often with angular granite clasts throughout.							
						MD	BN		PHC	2I	Sp	1

From (m)	To (m)	Interval (m)	Rock Type	Grain Size	Description	Shade	Colour	Texture	Alteration	Intensity	Mineral	Conc.
						LT	GY	PH	OXI	3I	Gn	0.01
									SIL	2I	Py	2
									ARG	1I		
92.18	109.74	17.56	GRN	MG	Light grey-tan to brown phaneritic granite with localized phyllic and argillic alteration. Pervasive oxidation seen throughout interval. 1-2cm quartz veins with sphalerite and pyrite seen throughout surrounded by non-oxidized silicified halos. Quartz veins locally vuggy. 10-20cm peach carbonate veins also seen, often with granite clasts throughout.							
						LT	GY	PH	PHC	2I	Sp	0.01
						--	TN		OXI	3I	Py	0.01
						--	BN		SIL	1I		
									ARG	1I		
109.74	110.51	0.77	VEN	MG	Light grey to tan brecciated quartz vein. Pyrite and sphalerite seen throughout. Oxidation stringers throughout vein and seen on select fracture surfaces. Vein locally vuggy.							
						LT	GY	BX	OXI	2I	Py	0.01
						--	TN		SIL	5I	Sp	0.01
110.51	117.45	6.94	GRN	MG	light tan to grey phaneritic granite with pervasive moderate argillic alteration and localized moderate phyllic alteration. Oxidation seen pervasive throughout. Segments of interval rubble - upto 1m. Small 2-5mm thick quartz veinlets hosting trace pyrite and sphalerite mineralization. Small 2-4mm peach carbonate veinlets also seen throughout.							
						LT	TN	PH	OXI	2I	Py	0.01
						--	GY	RB	ARG	3I	Sp	0.01
									PHC	2I		
117.45	117.81	0.36	BXA	CG	Medium grey to tan breccia with quartz and peach carbonate infill. Galena, sphalerite, pyrite, arsenopyrite and chalcopryrite seen semi-massive throughout the matrix. Clasts in breccia are silicified phyllic granite, and edges of clasts are not well defined into matrix.							
						MD	GY	BX	OXI	1I	Gn	5
						--	TN		PHC	2I	Sp	5
									SIL	2I	Py	10
											Cp	0.01
											As	0.05



From (m)	To (m)	Interval (m)	Rock Type	Grain Size	Description	Shade	Colour	Texture	Alteration	Intensity	Mineral	Conc.
117.81	119.74	1.93	GRN	MG	Light tan to grey locally argillic and phyllic granite. Quartz veinlets and veins throughout 1mm - 1cm thick. Select veins/veinlets hosting sulphide mineralization - galena, pyrite and sphalerite. Weak silicification halos seen around select quartz veins. A few oxidized stringers seen throughout.							
						LT	TN	PH	SIL	2I	Gn	0.1
						--	GY		PHC	2I	Py	0.1
									ARG	1I	Sp	0.01
									OXI	1I		
119.74	120.08	0.34	VEN	CG	semi-massive sulphide-quartz vein with a few granite clasts throughout. Sulphides seen are sphalerite, galena and pyrite. Quartz ranges from light tan to grey and showcases multiple infill stages. Granite clasts throughout weakly argillic. A few small oxidized stringers seen throughout.							
						DK	GY	SM	OXI	1I	Sp	5
						--	BN		ARG	1I	Gn	5
											Py	10
120.08	165.20	45.12	GRN	MG	light tan to green-grey phaneritic to porphyritic granite with localized moderate to strong phyllic and argillic alteration. Porphyritic texture local throughout and generated from 5mm - 1.5cm feldspar phenocrysts - often rectangular. Phyllic alteration more pervasive surrounding veins. Silicification halos also seen around larger veins/veinlet series. Quartz-carbonate-sulphide veins and veinlets seen throughout hosting pyrite, sphalerite, arsenopyrite and galena. Oxidation seen locally - often more pervasive in argillic altered zones. No unaltered granite in this interval.							
						LT	TN	PH	ARG	3I	Py	0.05
						--	GY	PO	PHC	3I	Sp	0.05
						--	GN		OXI	2I	As	0.01
									SIL	1I	Gn	0.01

From (m)	To (m)	Interval (m)	Rock Type	Grain Size	Description	Shade	Colour	Texture	Alteration	Intensity	Mineral	Conc.
165.20	198.00	32.80	GRN	MG	Light grey-green to tan locally strongly phyllic and argillic altered phaneritic granite. No fresh granite through interval, and small 10cm segments of strongly argillic granite that are rubble to grit. Quartz-carbonate veins and veinlets seen throughout hosting sulphide mineralization - pyrite, sphalerite, arsenopyrite and galena. Locally veinlets generating stockwork texture. Weak oxidation locally throughout - typically in more intensely argillic altered zones.							
						LT	GY	PH	PHC	3I	Py	0.05
						--	TN		OXI	1I	Gn	0.01
						--	GN		ARG	3I	Sp	0.01
									SIL	1I	As	0.01
198.00	199.50	1.50	GRN	MG	Light tan to strongly argillic altered granite. Interval rubble to grit. Weakly to moderately oxidized.							
						LT	TN	RB	ARG	3I	--	0
									PHC	1I		
									OXI	2I		
199.50	202.54	3.04	GRN	MG	Light grey to tan strongly argillic and weakly phyllic altered granite. Weak oxidation throughout. Quartz-carbonate stringers throughout hosting sulphide mineralization - pyrite, arsenopyrite and sphalerite. Muscovite-rich bands seen throughout.							
						LT	GY	PH	ARG	3I	Py	0.01
						--	TN		PHC	1I	As	0.01
									OXI	2I	Sp	0.01
202.54	218.54	16.00	GRN	MG	light tan to green-grey moderately to strongly argillic and phyllic altered granite - localized alteration, with no fresh granite. Stockwork quartz-sulphide veinlets locally throughout in addition to quartz-carbonate-sulphide veins hosting sphalerite, arsenopyrite, pyrite and galena. These veins locally vuggy. Local silicification around veinlets/veins. Pyrite blebs seen throughout granite - overprinting select grains. Weak oxidation locally throughout.							
						LT	TN	PH	ARG	3I	Sp	0.01
						--	GY		OXI	2I	Py	1
						--	GN		PHC	2I	As	0.01
									SIL	1I	Gn	0.01



From (m)	To (m)	Interval (m)	Rock Type	Recovery (m)	Recovery %	Sample Number	BatchName	Batch Class	Standard	Blank	1/4 Dup	Coarse Dup
0.00	0.00	0.00	-QC-	0.00	0	K979292	12-028	Core	ME8	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
0.00	0.00	0.00	-QC-	0.00	0	K979387	12-030	Core	ME8	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
0.00	0.00	0.00	-QC-	0.00	0	K979381	12-030	Core		<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
0.00	0.00	0.00	-QC-	0.00	0	K979362	12-030	Core		<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
0.00	0.00	0.00	-QC-	0.00	0	K979358	12-030	Core	ME8	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
0.00	0.00	0.00	-QC-	0.00	0	K979341	12-029	Core	ME8	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
0.00	0.00	0.00	-QC-	0.00	0	K979336	12-029	Core		<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
0.00	0.00	0.00	-QC-	0.00	0	K979327	12-029	Core		<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
0.00	0.00	0.00	-QC-	0.00	0	K979322	12-029	Core	ME8	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
0.00	0.00	0.00	-QC-	0.00	0	K979218	12-026	Core		<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
0.00	0.00	0.00	-QC-	0.00	0	K979303	12-028	Core		<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
0.00	0.00	0.00	-QC-	0.00	0	K979284	12-028	Core		<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
0.00	0.00	0.00	-QC-	0.00	0	K979272	12-027	Core		<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
0.00	0.00	0.00	-QC-	0.00	0	K979267	12-027	Core	ME8	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
0.00	0.00	0.00	-QC-	0.00	0	K979254	12-027	Core		<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
0.00	0.00	0.00	-QC-	0.00	0	K979251	12-027	Core	ME8	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
0.00	0.00	0.00	-QC-	0.00	0	K979241	12-026	Core		<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
0.00	0.00	0.00	-QC-	0.00	0	K979233	12-026	Core	ME8	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
0.00	0.00	0.00	-QC-	0.00	0	K979221	12-026	Core	ME8	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
0.00	0.00	0.00	-QC-	0.00	0	K979309	12-028	Core	ME8	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
12.60	15.00	2.40	GRN	2.30	96	K979215	12-026	Core		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
15.00	18.00	3.00	GRN	3.00	100	K979216	12-026	Core		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
18.00	20.70	2.70	GRN	2.70	100	K979217	12-026	Core		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
20.70	23.40	2.70	GRN	2.70	100	K979219	12-026	Core		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
23.40	25.00	1.60	GRN	1.47	92	K979220	12-026	Core		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
25.00	28.00	3.00	GRN	2.90	97	K979222	12-026	Core		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
28.00	31.00	3.00	GRN	3.00	100	K979223	12-026	Core		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Coarse Dup	1/4 Dup	Blank	Standard	Batch Class	BatchName	Sample Number	Recovery %	Recovery (m)	Rock Type	Interval (m)	To (m)	From (m)
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		Core	12-026	K979224	100	3.00	GRN	3.00	34.00	31.00
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		Core	12-026	K979225	96	2.87	GRN	3.00	37.00	34.00
<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>		Core	12-026	K979226	96	2.87	GRN	3.00	37.00	34.00
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		Core	12-026	K979227	97	2.90	GRN	3.00	40.00	37.00
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		Core	12-026	K979228	87	2.60	GRN	3.00	43.00	40.00
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		Core	12-026	K979229	100	2.00	GRN	2.00	45.00	43.00
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		Core	12-026	K979230	97	2.90	GRN	3.00	48.00	45.00
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		Core	12-026	K979231	100	3.00	GRN	3.00	51.00	48.00
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		Core	12-026	K979232	88	2.65	GRN	3.00	54.00	51.00
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		Core	12-026	K979234	100	2.00	GRN	2.00	56.00	54.00
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		Core	12-026	K979235	100	1.20	GRN	1.20	57.20	56.00
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		Core	12-026	K979236	96	1.63	GRN	1.70	58.90	57.20
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		Core	12-026	K979237	100	0.50	VEN	0.50	59.40	58.90
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		Core	12-026	K979238	100	0.50	VEN	0.50	59.40	58.90
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		Core	12-026	K979239	96	1.35	GRN	1.40	60.80	59.40
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		Core	12-026	K979240	97	1.16	VEN	1.20	62.00	60.80
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		Core	12-026	K979242	100	1.00	VEN	1.00	63.00	62.00
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		Core	12-026	K979243	100	1.00	VEN	1.00	64.00	63.00
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		Core	12-026	K979244	85	0.85	VEN	1.00	65.00	64.00
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		Core	12-027	K979245	88	0.70	VEN	0.80	65.80	65.00
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		Core	12-027	K979246	100	2.20	VEN, GRN	2.20	68.00	65.80
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		Core	12-027	K979247	100	1.00	GRN	1.00	69.00	68.00
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		Core	12-027	K979248	99	1.19	GRN	1.20	70.20	69.00
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		Core	12-027	K979249	100	0.60	GRN	0.60	70.80	70.20
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		Core	12-027	K979250	99	0.69	GRN	0.70	71.50	70.80
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		Core	12-027	K979252	100	1.30	GRN	1.30	72.80	71.50
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		Core	12-027	K979253	93	0.56	GRN	0.60	73.40	72.80
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		Core	12-027	K979255	100	1.20	GRN	1.20	74.60	73.40

Coarse Dup	1/4 Dup	Blank	Standard	Batch Class	BatchName	Sample Number	Recovery %	Recovery (m)	Rock Type	Interval (m)	To (m)	From (m)
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		Core	12-027	K979256	93	0.65	GRN	0.70	75.30	74.60
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		Core	12-027	K979257	94	0.66	GRN	0.70	76.00	75.30
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		Core	12-027	K979258	95	0.95	GRN	1.00	77.00	76.00
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		Core	12-027	K979259	100	2.00	GRN	2.00	79.00	77.00
<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>		Core	12-027	K979260	100	2.00	GRN	2.00	79.00	77.00
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		Core	12-027	K979261	100	0.60	GRN	0.60	79.60	79.00
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		Core	12-027	K979262	100	0.50	GRN	0.50	80.10	79.60
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		Core	12-027	K979263	100	0.50	GRN	0.50	80.60	80.10
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		Core	12-027	K979264	98	1.37	GRN	1.40	82.00	80.60
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		Core	12-027	K979265	95	1.90	GRN	2.00	84.00	82.00
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		Core	12-027	K979266	100	1.50	GRN	1.50	85.50	84.00
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		Core	12-027	K979268	100	0.50	GRN	0.50	86.00	85.50
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		Core	12-027	K979269	100	0.60	GRN	0.60	86.60	86.00
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		Core	12-027	K979270	98	1.37	VEN	1.40	88.00	86.60
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		Core	12-027	K979271	97	0.97	GRN	1.00	89.00	88.00
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		Core	12-027	K979273	100	1.00	GRN	1.00	90.00	89.00
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		Core	12-027	K979274	100	0.70	GRN	0.70	90.70	90.00
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		Core	12-027	K979275	100	0.60	GRN	0.60	91.30	90.70
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		Core	12-027	K979276	100	0.70	GRN	0.70	92.00	91.30
<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>		Core	12-027	K979277	100	0.70	GRN	0.70	92.00	91.30
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		Core	12-027	K979278	100	0.50	GRN	0.50	92.50	92.00
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		Core	12-027	K979279	84	0.76	GRN	0.90	93.40	92.50
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		Core	12-027	K979280	100	0.80	GRN	0.80	94.20	93.40
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		Core	12-028	K979281	100	0.50	GRN	0.50	94.70	94.20
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		Core	12-028	K979282	100	1.00	GRN	1.00	95.70	94.70
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		Core	12-028	K979283	94	1.22	GRN	1.30	97.00	95.70
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		Core	12-028	K979285	100	3.00	GRN	3.00	100.00	97.00
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		Core	12-028	K979286	99	2.98	GRN	3.00	103.00	100.00
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		Core	12-028	K979287	99	1.97	GRN	2.00	105.00	103.00

From (m)	To (m)	Interval (m)	Rock Type	Recovery (m)	Recovery %	Sample Number	BatchName	Batch Class	Standard	Blank	1/4 Dup	Coarse Dup
105.00	106.20	1.20	GRN	1.17	98	K979288	12-028	Core		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
106.20	107.20	1.00	GRN	1.00	100	K979289	12-028	Core		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
107.20	108.30	1.10	GRN	1.10	100	K979290	12-028	Core		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
108.30	109.30	1.00	GRN	0.99	99	K979291	12-028	Core		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
109.30	109.80	0.50	GRN	0.50	100	K979293	12-028	Core		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
109.80	110.50	0.70	VEN	0.68	97	K979294	12-028	Core		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
110.50	111.00	0.50	VEN	0.50	100	K979295	12-028	Core		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
111.00	113.00	2.00	GRN	1.97	99	K979296	12-028	Core		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
111.00	113.00	2.00	GRN	1.97	99	K979297	12-028	Core		<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
113.00	114.00	1.00	GRN	1.00	100	K979298	12-028	Core		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
114.00	116.60	2.60	GRN	2.33	90	K979299	12-028	Core		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
116.60	117.40	0.80	GRN	0.80	100	K979300	12-028	Core		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
117.40	117.90	0.50	GRN	0.50	100	K979301	12-028	Core		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
117.90	119.00	1.10	GRN	1.10	100	K979302	12-028	Core		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
119.00	119.60	0.60	GRN	0.60	100	K979304	12-028	Core		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
119.60	120.10	0.50	GRN	0.42	84	K979305	12-028	Core		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
120.10	121.00	0.90	GRN	0.90	100	K979306	12-028	Core		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
121.00	124.00	3.00	GRN	3.00	100	K979307	12-028	Core		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
124.00	126.10	2.10	GRN	2.10	100	K979308	12-028	Core		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
126.10	126.70	0.60	GRN	0.60	100	K979310	12-028	Core		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
126.70	128.00	1.30	GRN	1.30	100	K979311	12-028	Core		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
128.00	128.50	0.50	GRN	0.50	100	K979312	12-028	Core		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
128.00	128.50	0.50	GRN	0.50	100	K979313	12-028	Core		<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
128.50	129.60	1.10	GRN	1.09	99	K979314	12-028	Core		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
129.60	131.00	1.40	GRN	1.34	96	K979315	12-028	Core		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
131.00	133.00	2.00	GRN	1.96	98	K979316	12-028	Core		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
133.00	135.20	2.20	GRN	2.20	100	K979317	12-029	Core		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
135.20	137.40	2.20	GRN	2.15	98	K979318	12-029	Core		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
137.40	138.00	0.60	GRN	0.60	100	K979319	12-029	Core		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Coarse Dup	1/4 Dup	Blank	Standard	Batch Class	BatchName	Sample Number	Recovery %	Recovery (m)	Rock Type	Interval (m)	To (m)	From (m)
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		Core	12-029	K979320	100	2.00	GRN	2.00	140.00	138.00
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		Core	12-029	K979321	100	0.50	GRN	0.50	140.50	140.00
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		Core	12-029	K979323	98	0.98	GRN	1.00	141.50	140.50
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		Core	12-029	K979324	100	0.70	GRN	0.70	142.20	141.50
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		Core	12-029	K979325	98	1.76	GRN	1.80	144.00	142.20
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		Core	12-029	K979326	100	2.00	GRN	2.00	146.00	144.00
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		Core	12-029	K979328	100	1.00	GRN	1.00	147.00	146.00
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		Core	12-029	K979329	98	0.98	GRN	1.00	148.00	147.00
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		Core	12-029	K979330	98	1.08	GRN	1.10	149.10	148.00
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		Core	12-029	K979331	98	1.08	GRN	1.10	149.10	148.00
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		Core	12-029	K979332	94	0.85	GRN	0.90	150.00	149.10
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		Core	12-029	K979333	100	1.00	GRN	1.00	151.00	150.00
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		Core	12-029	K979334	100	1.00	GRN	1.00	152.00	151.00
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		Core	12-029	K979335	94	0.47	GRN	0.50	152.50	152.00
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		Core	12-029	K979337	100	1.50	GRN	1.50	154.00	152.50
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		Core	12-029	K979338	100	1.20	GRN	1.20	155.20	154.00
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		Core	12-029	K979339	98	0.59	GRN	0.60	155.80	155.20
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		Core	12-029	K979340	100	0.40	GRN	0.40	156.20	155.80
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		Core	12-029	K979342	99	1.88	GRN	1.90	158.10	156.20
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		Core	12-029	K979344	100	2.90	GRN	2.90	161.00	158.10
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		Core	12-029	K979345	100	3.00	GRN	3.00	164.00	161.00
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		Core	12-029	K979346	100	1.20	GRN	1.20	165.20	164.00
<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>		Core	12-029	K979348	100	1.20	GRN	1.20	165.20	164.00
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		Core	12-029	K979349	100	1.80	GRN	1.80	167.00	165.20
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		Core	12-029	K979350	100	3.00	GRN	3.00	170.00	167.00
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		Core	12-029	K979351	100	1.90	GRN	1.90	171.90	170.00
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		Core	12-029	K979352	92	0.55	GRN	0.60	172.50	171.90
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		Core	12-029	K979353	100	1.00	GRN	1.00	173.50	172.50
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		Core	12-029	K979354	96	0.77	GRN	0.80	174.30	173.50

From (m)	To (m)	Interval (m)	Rock Type	Recovery (m)	Recovery %	Sample Number	BatchName	Batch Class	Standard	Blank	1/4 Dup	Coarse Dup
174.30	177.00	2.70	GRN	2.50	93	K979355	12-030	Core		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
177.00	180.00	3.00	GRN	2.90	97	K979356	12-030	Core		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
180.00	183.00	3.00	GRN	3.00	100	K979357	12-030	Core		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
183.00	185.00	2.00	GRN	1.85	93	K979359	12-030	Core		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
185.00	187.00	2.00	GRN	1.86	93	K979360	12-030	Core		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
187.00	187.40	0.40	GRN	0.40	100	K979361	12-030	Core		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
187.40	188.20	0.80	GRN	0.80	100	K979363	12-030	Core		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
188.20	189.40	1.20	GRN	1.20	100	K979364	12-030	Core		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
189.40	190.50	1.10	GRN	1.05	95	K979365	12-030	Core		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
190.50	192.70	2.20	GRN	2.20	100	K979366	12-030	Core		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
192.70	193.10	0.40	GRN	0.37	93	K979367	12-030	Core		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
193.10	194.15	1.05	GRN	1.05	100	K979368	12-030	Core		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
194.15	195.90	1.75	GRN	1.71	98	K979369	12-030	Core		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
194.15	195.90	1.75	GRN	1.71	98	K979370	12-030	Core		<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
195.90	197.00	1.10	GRN	1.10	100	K979371	12-030	Core		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
197.00	198.00	1.00	GRN	1.00	100	K979372	12-030	Core		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
198.00	199.50	1.50	GRN	1.41	94	K979373	12-030	Core		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
199.50	202.00	2.50	GRN	2.50	100	K979374	12-030	Core		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
202.00	203.00	1.00	GRN	1.00	100	K979375	12-030	Core		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
203.00	204.00	1.00	GRN	0.98	98	K979376	12-030	Core		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
203.00	204.00	1.00	GRN	0.98	98	K979377	12-030	Core		<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
204.00	204.50	0.50	GRN	0.50	100	K979378	12-030	Core		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
204.50	205.30	0.80	GRN	0.78	98	K979379	12-030	Core		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
205.30	205.90	0.60	GRN	0.60	100	K979380	12-030	Core		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
205.90	207.40	1.50	GRN	1.40	93	K979382	12-030	Core		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
207.40	209.00	1.60	GRN	1.60	100	K979383	12-030	Core		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
209.00	210.00	1.00	GRN	1.00	100	K979384	12-030	Core		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
210.00	211.10	1.10	GRN	1.05	95	K979385	12-030	Core		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
211.10	211.50	0.40	GRN	0.40	100	K979386	12-030	Core		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>



Coarse Dup	<input type="checkbox"/>
1/4 Dup	<input type="checkbox"/>
Blank	<input type="checkbox"/>
Standard	
Batch Class	Core
BatchName	12-030
Sample Number	K979388
Recovery %	98
Recovery (m)	2.45
Rock Type	GRN
Interval (m)	2.50
To (m)	214.00
From (m)	211.50

<input type="checkbox"/>
<input type="checkbox"/>
<input type="checkbox"/>

<input type="checkbox"/>
<input type="checkbox"/>
<input type="checkbox"/>

From (m)	To (m)	Interval (m)	Recovery (m)	Recovery %	RQD	RQD %	Reactivity	Hardness	Weathering	Comments
0.00	3.12	3.12	0	0	0.00	0	OR	--	--	OVB
3.12	5.18	2.06	1.99	97	1.33	65	OR	4H	1W	
5.18	8.22	3.04	2.89	95	0.82	27	OR	3H	2W	
8.22	11.27	3.05	2.96	97	0.96	31	OR	3H	3W	
11.27	14.32	3.05	2.65	87	1.35	44	OR	2H	3W	
14.32	17.37	3.05	3.05	100	2.53	83	OR	3H	2W	
17.37	20.42	3.05	3.05	100	2.51	82	OR	4H	1W	
20.42	23.47	3.05	3	98	2.02	66	OR	4H	1W	
23.47	26.51	3.04	3.04	100	0.88	29	OR	3H	2W	
26.51	29.57	3.06	2.69	88	0.77	25	OR	3H	4W	
29.57	32.61	3.04	3.04	100	1.35	44	OR	4H	2W	
32.61	35.66	3.05	3.05	100	1.65	54	OR	4H	2W	
35.66	38.70	3.04	2.85	94	2.09	69	OR	4H	2W	
38.70	41.75	3.05	3.05	100	0.73	24	OR	4H	3W	
41.75	44.80	3.05	2.56	84	0.95	31	OR	3H	4W	
44.80	47.85	3.05	2.93	96	1.53	50	OR	4H	3W	
47.85	50.90	3.05	2.58	85	0.65	21	OR	4H	3W	
50.90	53.94	3.04	2.48	82	1.26	41	OR	4H	2W	
53.94	56.99	3.05	3.05	100	2.20	72	OR	4H	3W	
56.99	60.04	3.05	3.05	100	1.91	63	OR	4H	2W	
60.04	63.09	3.05	3.05	100	1.12	37	OR	3H	4W	
63.09	66.14	3.05	3.05	100	0.73	24	OR	3H	4W	
66.14	69.18	3.04	3.04	100	2.47	81	OR	4H	2W	
69.18	72.23	3.05	3.05	100	1.99	65	OR	4H	2W	
72.23	75.28	3.05	3.05	100	2.53	83	OR	4H	2W	
75.28	78.33	3.05	3.05	100	2.82	92	OR	4H	2W	
78.33	81.38	3.05	3.05	100	2.55	84	OR	4H	2W	
81.38	84.42	3.04	2.93	96	2.17	71	OR	4H	2W	
84.42	87.47	3.05	3.05	100	2.52	83	OR	4H	2W	

From (m)	To (m)	Interval (m)	Recovery (m)	Recovery %	RQD	RQD %	Reactivity	Hardness	Weathering	Comments
87.47	90.52	3.05	2.85	93	2.63	86	0R	4H	3W	
90.52	93.57	3.05	2.99	98	2.19	72	0R	4H	3W	
93.57	96.62	3.05	3	98	2.73	90	0R	4H	2W	
96.62	99.66	3.04	3.04	100	2.76	91	0R	3H	2W	
99.66	102.71	3.05	3.05	100	2.62	86	0R	3H	2W	
102.71	105.76	3.05	3.05	100	2.93	96	0R	3H	2W	
105.76	108.81	3.05	3.05	100	2.62	86	0R	4H	2W	
108.81	111.86	3.05	3.05	100	2.33	76	0R	3H	2W	
111.86	114.90	3.04	3.04	100	2.45	81	0R	2H	2W	
114.90	117.95	3.05	2.65	87	1.55	51	0R	3H	3W	
117.95	121.00	3.05	3.05	100	2.90	95	0R	3H	2W	
121.00	124.05	3.05	3.05	100	3.05	100	0R	3H	1W	
124.05	127.10	3.05	3.05	100	2.95	97	0R	4H	1W	
127.10	130.14	3.04	3.04	100	2.95	97	0R	4H	1W	
130.14	133.19	3.05	3.05	100	3.00	98	0R	4H	1W	
133.19	136.24	3.05	3	98	3.00	98	0R	4H	1W	
136.24	139.29	3.05	3.02	99	2.72	89	0R	4H	2W	
139.29	142.34	3.05	3.05	100	3.05	100	0R	4H	1W	
142.34	145.39	3.05	3.01	99	2.95	97	0R	4H	1W	
145.39	148.43	3.04	3.04	100	2.40	79	0R	4H	1W	
148.43	151.48	3.05	3.05	100	2.95	97	0R	4H	2W	
151.48	154.53	3.05	3.05	100	2.96	97	0R	4H	1W	
154.53	157.58	3.05	3.05	100	3.05	100	0R	4H	1W	
157.58	160.62	3.04	3.02	99	3.02	99	0R	4H	1W	
160.62	163.67	3.05	3.05	100	2.70	89	0R	3H	1W	
163.67	166.72	3.05	3.03	99	2.66	87	0R	3H	1W	
166.72	169.77	3.05	3.05	100	3.00	98	0R	4H	1W	
169.77	172.82	3.05	3.03	99	2.85	93	0R	4H	1W	
172.82	175.86	3.04	2.72	89	2.42	80	0R	3H	1W	
175.86	178.91	3.05	2.95	97	2.55	84	0R	3H	1W	
178.91	181.96	3.05	3.05	100	2.80	92	0R	3H	1W	

From (m)	To (m)	Interval (m)	Recovery (m)	Recovery %	RQD	RQD %	Reactivity	Hardness	Weathering	Comments
181.96	185.01	3.05	3.05	100	2.83	93	OR	3H	1W	
185.01	188.06	3.05	3.05	100	3.05	100	OR	4H	1W	
188.06	191.10	3.04	3.04	100	2.90	95	OR	4H	1W	
191.10	194.15	3.05	3.05	100	2.30	75	OR	4H	1W	
194.15	197.20	3.05	3.04	100	3.02	99	OR	4H	1W	
197.20	200.25	3.05	2.91	95	1.46	48	OR	2H	2W	
200.25	203.30	3.05	3.02	99	3.02	99	OR	4H	1W	
203.30	206.34	3.04	3.04	100	2.69	88	OR	4H	1W	
206.34	209.39	3.05	3	98	2.78	91	OR	3H	1W	
209.39	212.44	3.05	3.03	99	2.84	93	OR	4H	1W	
212.44	215.49	3.05	3.05	100	3.05	100	OR	4H	1W	
215.49	218.54	3.05	2.99	98	2.87	94	OR	4H	1W	

Depth (m)	Magnetic Susceptibility	Rock Type	Comments
1	0	CAS	ovb
2	0	CAS	ovb
3	0.03	CAS	
4	0.03	GRN	
5	0.2	GRN	
6	0.14	GRN	
7	0.03	GRN	
8	0.03	GRN	
9	0.16	GRN	
10	0.04	GRN	
11	0.13	GRN	
12	0.02	GRN	
13	0.18	GRN	
14	0.04	GRN	
15	0.13	GRN	
16	0.02	GRN	
17	0.05	GRN	
18	0.14	GRN	
19	0.13	GRN	
20	0.28	GRN	
21	0.03	GRN	
22	0.12	GRN	
23	0.11	GRN	
24	0.03	GRN	
25	0.02	GRN	
26	0.09	GRN	
27	0.03	GRN	
28	0.06	GRN	
29	0.11	GRN	

Depth (m)	Magnetic Susceptibility	Unit	Comments
30	0.12	GRN	
31	0.12	GRN	
32	0.03	GRN	
33	0.02	GRN	
34	0.03	GRN	
35	0.03	GRN	
36	0.02	GRN	
37	0.03	GRN	
38	0.13	GRN	
39	0.13	GRN	
44	0.13	GRN	
46	0.18	GRN	
47	0.05	GRN	
49	0.11	GRN	
52	0.14	GRN	
53	0.06	GRN	
54	0.17	GRN	
55	0.16	GRN	
56	0.11	GRN	
57	0.12	GRN	
58	0.05	GRN	
59	0.03	VEN	
61	0.06	VEN	
62	0.16	VEN	
63	0.43	VEN	
66	0.15	GRN	
67	0.05	GRN	
68	0.04	GRN	
69	0.06	GRN	

Depth (m)	Magnetic Susceptibility	Rock Type	Comments
70	0.04	GRN	
71	0.05	GRN	
72	0.32	GRN	
73	0.74	GRN	
74	0.24	GRN	
75	0.18	GRN	
76	0.04	GRN	
77	0.05	GRN	
79	0.16	GRN	
80	0.02	GRN	
82	0.04	GRN	
83	0.04	GRN	
84	0.03	GRN	
85	0.14	GRN	
86	0.04	GRN	
87	0.03	VEN	
88	0.07	GRN	
89	0.06	GRN	
90	0.11	GRN	
91	0.03	GRN	
92	0.05	GRN	
93	0.24	GRN	
95	0.05	GRN	
96	0.06	GRN	
97	0.12	GRN	
98	0.04	GRN	
99	0.24	GRN	
100	0.11	GRN	
101	0.16	GRN	
102	0.05	GRN	
103	0.19	GRN	

Depth (m)	Magnetic Susceptibility	Unit	Comments
104	0.05	GRN	
105	0.04	GRN	
106	0.12	GRN	
107	0.13	GRN	
108	0.23	GRN	
109	0.06	GRN	
110	0.03	VEN	
111	0.13	GRN	
112	0.13	GRN	
114	0.04	GRN	
115	0.11	GRN	
117	0.14	GRN	
118	0.26	GRN	
119	0.19	GRN	
120	26.56	VEN	
121	0.12	GRN	
122	0.06	GRN	
123	0.03	GRN	
124	0.11	GRN	
125	0.03	GRN	
126	0.04	GRN	
127	0.12	GRN	
128	0.04	GRN	
129	0.31	GRN	
130	0.13	GRN	
131	0.14	GRN	
132	0.03	GRN	
134	0.14	GRN	
135	0.07	GRN	
136	0.19	GRN	
137	0.3	GRN	

Depth (m)	Magnetic Susceptibility	Rock Type	Comments
138	0.36	GRN	
139	0.11	GRN	
140	0.36	GRN	
141	0.33	GRN	
142	0.12	GRN	
143	0.24	GRN	
144	0.28	GRN	
145	0.12	GRN	
146	0.22	GRN	
147	0.17	GRN	
148	0.6	GRN	
149	0.17	GRN	
150	0.13	GRN	
151	0.05	GRN	
152	0.28	GRN	
153	0.19	GRN	
154	0.11	GRN	
155	0.13	GRN	
156	0.72	GRN	
157	0.25	GRN	
158	0.17	GRN	
159	0.12	GRN	
160	0.17	GRN	
161	0.14	GRN	
162	0.16	GRN	
163	0.14	GRN	
164	0.21	GRN	
165	0.16	GRN	
166	0.17	GRN	
167	0.16	GRN	
168	0.13	GRN	

Depth (m)	Magnetic Susceptibility	Unit	Comments
169	0.12	GRN	
170	0.01	GRN	
171	0.05	GRN	
172	2.88	GRN	
173	0.13	GRN	
174	0.28	GRN	
175	0.14	GRN	
177	0.33	GRN	
178	0.17	GRN	
179	0.04	GRN	
180	0.07	GRN	
181	0.06	GRN	
182	0.05	GRN	
183	0.03	GRN	
184	0.2	GRN	
185	0.03	GRN	
186	0.06	GRN	
187	0.11	GRN	
188	0.05	GRN	
189	0.17	GRN	
190	0.03	GRN	
191	0.2	GRN	
192	0.15	GRN	
193	0.05	GRN	
194	0.07	GRN	
195	0.16	GRN	
196	3	GRN	
197	0.12	GRN	
200	0.22	GRN	
201	0.09	GRN	
202	0.01	GRN	

Depth (m)	Magnetic Susceptibility	Rock Type	Comments
203	0.23	GRN	
204	0.16	GRN	
205	0.05	GRN	
206	0.25	GRN	
207	0.16	GRN	
208	0.12	GRN	
209	0.11	GRN	
210	0.12	GRN	
211	0.22	GRN	
212	0.13	GRN	
213	0.14	GRN	
214	0.04	GRN	
215	0.04	GRN	
216	0.15	GRN	
217	0.03	GRN	
218	0.02	GRN	EOH

Depth (m)	Magnetic Susceptibility	Unit	Comments
-----------	-------------------------	------	----------





Hole Name	From (m)	Length (m)	Core Size	Rock Type	Weight in Air (g)	Weight in Water (g)	Density (g/cm3)	Specific Gravity	Comments
SNP-12-004									
	15	15	BTW	GRN	540.4	338	2.6	2.7	Granite.
	42.9	14.8	BTW	GRN	517.2	320	2.6	2.6	Oxidized granite.
	86.3	15.1	BTW	VEN	549.9	344	2.7	2.7	Mineralised granite and quartz.
	117	14.7	BTW	GRN	510	299	2.5	2.4	Oxidized granite with sulphide bearing
	119.9	15	BTW	VEN	713.6	509.8	3.5	3.5	Laminated quartz-sulphide vein with 40% pyrite and 10% granite wallrock intercalation. Other sulphides including pyrrhotite also present.
	159	14.8	BTW	GRN	530.5	324.6	2.6	2.6	Granite.
	188.9	14.6	BTW	GRN	538.2	336	2.7	2.7	Granite with sulphide carrying quartz veinlets.
	210.5	14.9	BTW	GRN	575.3	377	2.8	2.9	Granite with stockwork quartz-sulphide veining.