



# Keg - Silver Range

Archer, Cathro  
& Associates (1981) Limited

Grid East	Grid North	Easting	Northing	Elevation	Depth (m)
		599724	6912611	1842	230.73

ZONE: SNAP

SECTION:

SURVEY			
Depth (m)	Azimuth	Dip	Method
0	270	-60	Compass
200	270	-60	Compass

TARGET:

SUMMARY			
From (m)	To (m)	Interval (m)	Rock Type
0	2.93	2.93	OVb
2.93	230.73	227.8	GRN

HOLE: SNP-12-005

CLAIM: YD118171

Contractor: Beaudoin

Drill: 2

Core Size: BTW

Casing Depth:

Drilling Dates: Aug 04 - Aug 06, 2012

Geology Logged By: R. Avram

SAMPLES	
Numbers:	K979391 to K979400, M653151 to M653181
Total:	48
Batch:	031, 032
Certificates:	WH12193370, WH12193371

COMMENTS



Box Number	From (m)	To (m)
1	2.93	7.93
2	7.93	13.37
3	13.37	18.64
4	18.64	24.15
5	24.15	29.68
6	29.68	35.47
7	35.47	41.04
8	41.04	46.65
9	46.65	52.25
10	52.25	57.88
11	57.88	63.62
12	63.62	69.29
13	69.29	75.13
14	75.13	80.66
15	80.66	86.34
16	86.34	91.98
17	91.98	97.92
18	97.92	103.63
19	103.63	109.29
20	109.29	115.53
21	115.53	120.8
22	120.8	126.21
23	126.21	131.37
24	131.37	137.23
25	137.23	142.34
26	142.34	147.7
27	147.7	152.69
28	152.69	158.37
29	158.37	163.94
30	163.94	169.5

Box Number	From (m)	To (m)
31	169.5	174.89
32	174.89	180.37
33	180.37	185.89
34	185.89	191.23
35	191.23	196.22
36	196.22	201.35
37	201.35	206.34
38	206.34	211.35
39	211.35	216.01
40	216.01	221.58
41	221.58	227.46
42	227.46	230.73

Box Number	From (m)	To (m)
---------------	----------	--------

From (m)	To (m)	Interval (m)	Rock Type	Grain Size	Description	Shade	Colour	Texture	Alteration	Intensity	Mineral	Conc.
0.00	2.93	2.93	OVB	-	Casing							
						--	--	---	---	--	--	0
2.93	115.40	112.47	GRN	MG	Fresh granite with 2 micas (Biotite > Muscovite). Occasional trace oxide on fractures.							
						MD	GY	PH	---	--	--	0
115.40	115.60	0.20	GRN	MG	Strongly oxidized and argillic altered granite. Sandy/crumbly							
						MD	OR	EA	OXI	4I	--	0
						MD	BK		ARG	4I		
115.60	137.60	22.00	GRN	MG	Fresh granite with 2 micas (Biotite > Muscovite). Occasional trace oxide on fractures.							
						MD	GY	PH	OXI	1I	--	0
						LT	GY		ARG	1I		
137.60	137.82	0.22	GRN	MG	Strongly oxidized and argillic altered granite. Sandy/crumbly							
						MD	OR	EA	OXI	4I	--	0
						MD	BK		ARG	4I		
137.82	139.15	1.33	GRN	MG	Fresh granite with 2 micas (Biotite > Muscovite). Occasional trace oxide on fractures.							
						MD	GY	PH	---	--	--	0
						LT	GY					
139.15	139.64	0.49	GRN	MG	Strongly oxidized and argillic altered granite. Sandy/crumbly							
						MD	OR	EA	OXI	4I	--	0
						MD	BK		ARG	4I		
139.64	144.50	4.86	GRN	MG	Fresh granite with 2 micas (Biotite > Muscovite). Occasional trace oxide on fractures.							
						MD	GY	PH	---	--	--	0
						LT	GY					
144.50	145.12	0.62	GRN	MG	Strongly oxidized and argillic altered granite. Sandy/crumbly. Manganese staining throughout the rock.							

Conc.	Mineral	Intensity	Alteration	Texture	Colour	Shade	Description	Grain Size	Rock Type	Interval (m)	To (m)	From (m)
0	-	4I	OXI	EA	OR	MD						
		4I	ARG		BK	MD						
		4I	MNO									
							Fresh granite with 2 micas (Biotite > Muscovite). Occasional trace oxide on fractures.	MG	GRN	3.51	148.63	145.12
0	--	--	---	PH	GY	MD						
					GY	LT						
							Strongly oxidized and argillic altered granite. Sandy/crumbly. Manganese staining on fractures.	MG	GRN	5.37	154.00	148.63
0	--	4I	OXI	EA	OR	MD						
		3I	ARG		BK	MD						
		3I	MNO									
							Fresh granite with 2 micas (Biotite > Muscovite). Occasional trace oxide on fractures.	MG	GRN	9.52	163.52	154.00
0	--	--	---	PH	GY	MD						
					GY	LT						
							Strongly oxidized granite with Manganese staining on fractures.	MG	GRN	4.48	168.00	163.52
0.1	Gn	4I	OXI	EA	OR	MD						
		3I	SIL									
		2I	MNO									
							Thick undulating strongly oxidized and manganese altered quartz vein with trace galena.	MG	VEN	0.30	168.30	168.00
0.1	Gn	4I	OXI	LA	GY	MD						
		4I	MNO		OR	MD						
							Strongly oxidized granite with Manganese staining on fractures.	MG	GRN	1.70	170.00	168.30
0	--	4I	OXI	EA	OR	MD						
		3I	SIL		BK	MD						
		2I	MNO									

From (m)	To (m)	Interval (m)	Rock Type	Grain Size	Description	Shade	Colour	Texture	Alteration	Intensity	Mineral	Conc.
170.00	171.00	1.00	VEN	MG	Intensely oxidized, laminated and vuggy quartz vein.							
						MD	OR	LA	OXI	5I	--	0
									MNO	3I		
171.00	174.60	3.60	GRN	MG	Strongly oxidized granite with Manganese staining on fractures.							
						MD	OR	EA	OXI	4I	--	0
						MD	BK		SIL	3I		
									MNO	2I		
174.60	178.90	4.30	GRN	MG	Stockwork style in bleached siliceous granite with up to 2 mm veinlets filled with 90% pyrite and 3% galena and quartz.							
						MD	GY	SW	BLE	3I	Py	2
									SIL	3I	Gn	0.5
178.90	182.30	3.40	GRN	MG	Strongly oxidized granite with megacrysts.							
						MD	OR	PH	OXI	4I	--	0
182.30	183.25	0.95	GRN	MG	Stock work semi-massive sulphide veins (~ 15% py and 5% Gn). Vein abundance is 5 per metre and up to 2 cm.							
						MD	GY	SW	BLE	3I	Py	15
									OXI	1I	Gn	5
183.25	183.70	0.45	VEN	--	Laminated quartz vein with semi massive sulphides (20 cm zone - 60% Pyrite and 15% Galena)							
						MD	GY	---	---	--	Py	30
											Gn	10
183.70	191.50	7.80	GRN	MG	Fresh granite with 2 micas (Biotite > Muscovite). Occasional trace oxide on fractures. Oxidized along fractures.							
						LT	OR	PH	---	--	--	0
						LT	GY					
191.50	192.00	0.50	GRN	MG	Strongly oxidized and argillic altered granite. Sandy/crumbly.							
						MD	OR	EA	OXI	4I	--	0

From (m)	To (m)	Interval (m)	Rock Type	Grain Size	Description	Shade	Colour	Texture	Alteration	Intensity	Mineral	Conc.
192.00	195.00	3.00	GRN	MG	Fresh granite with 2 micas (Biotite > Muscovite). Occasional trace oxide on fractures.							
						MD	GY	PH	---	--	--	0
						LT	GY					
195.00	199.00	4.00	GRN	MG	Strongly oxidized and argillic altered granite. Sandy/crumbly.							
						MD	OR	PH	OXI	3I	--	0
199.00	210.50	11.50	GRN	MG	Alternating and up to 4 m of fresh granite sections with < 1.5 m of crumbled and strongly oxidized zones.							
						MD	OR	PH				
						MD	GY	EA	OXI	1I	--	0
210.50	211.30	0.80	VEN	--	Sheeted quartz vein hosting pyrite and galena (30% pyrite and 5% galena). Galena occurs as local fine grained aggregate. Sulphides in dark grey powder within quartz matrix and semi-massive bands of alternating pyrite (1-3 mm) and quartz (1-2 mm).							
						MD	GY	VT	---	--	Py	30
											Gn	5
211.30	230.73	19.43	GRN	MG	Alternating and up to 4 m of fresh granite sections with < 1.5 m of crumbled and strongly oxidized zones.							
						MD	GY	PH				
						MD	OR	EA	---	--	--	0



From (m)	To (m)	Interval (m)	Rock Type	Recovery (m)	Recovery %	Sample Number	BatchName	Batch Class	Standard	Blank	1/4 Dup	Coarse Dup
0.00	0.00	0.00	-QC-	0.00	0	K979399	12-031	Core		<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
0.00	0.00	0.00	-QC-	0.00	0	M653168	12-031	Core	ME8	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
0.00	0.00	0.00	-QC-	0.00	0	M653173	12-031	Core		<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
0.00	0.00	0.00	-QC-	0.00	0	K979394	12-031	Core	ME8	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
138.70	140.00	1.30	GRN	1.17	90	K979391	12-031	Core		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
144.40	145.10	0.70	GRN	0.70	100	K979392	12-031	Core		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
148.00	150.00	2.00	GRN	1.78	89	K979393	12-031	Core		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
150.00	152.00	2.00	GRN	2.00	100	K979395	12-031	Core		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
152.00	154.00	2.00	GRN	2.00	100	K979396	12-031	Core		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
163.50	166.50	3.00	GRN	2.84	95	K979397	12-031	Core		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
166.50	167.30	0.80	GRN	0.80	100	K979398	12-031	Core		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
167.30	168.50	1.20	GRN	1.17	98	K979400	12-031	Core		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
168.50	169.60	1.10	GRN	1.10	100	M653151	12-031	Core		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
169.60	171.50	1.90	GRN	1.75	92	M653152	12-031	Core		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
171.50	174.00	2.50	GRN	2.50	100	M653153	12-031	Core		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
174.00	174.90	0.90	GRN	0.90	100	M653154	12-031	Core		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
174.90	177.00	2.10	GRN	2.10	100	M653155	12-031	Core		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
174.90	177.00	2.10	GRN	2.10	100	M653156	12-031	Core		<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
177.00	178.00	1.00	GRN	1.00	100	M653157	12-031	Core		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
178.00	179.00	1.00	GRN	1.00	100	M653158	12-031	Core		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
179.00	181.00	2.00	GRN	1.87	94	M653159	12-031	Core		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
181.00	182.30	1.30	GRN	1.30	100	M653160	12-031	Core		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
182.30	183.10	0.80	GRN	0.76	95	M653161	12-031	Core		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
183.10	183.80	0.70	GRN	0.70	100	M653162	12-031	Core		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
183.10	183.80	0.70	GRN	0.70	100	M653163	12-031	Core		<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
183.80	184.80	1.00	GRN	1.00	100	M653164	12-031	Core		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
184.80	187.00	2.20	GRN	2.20	100	M653165	12-031	Core		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Coarse Dup	1/4 Dup	Blank	Standard	Batch Class	BatchName	Sample Number	Recovery %	Recovery (m)	Rock Type	Interval (m)	To (m)	From (m)
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		Core	12-031	M653166	100	2.00	GRN	2.00	189.00	187.00
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		Core	12-031	M653167	100	1.00	GRN	1.00	190.00	189.00
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		Core	12-031	M653169	100	3.00	GRN	3.00	193.00	190.00
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		Core	12-031	M653170	99	1.98	GRN	2.00	195.00	193.00
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		Core	12-031	M653171	98	2.95	GRN	3.00	198.00	195.00
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		Core	12-031	M653172	92	2.75	GRN	3.00	201.00	198.00
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		Core	12-031	M653174	94	1.50	GRN	1.60	202.60	201.00
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		Core	12-031	M653175	100	2.40	GRN	2.40	205.00	202.60
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		Core	12-031	M653176	99	2.96	GRN	3.00	208.00	205.00
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		Core	12-032	M653177	97	2.32	GRN	2.40	210.40	208.00
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		Core	12-032	M653178	100	1.10	GRN	1.10	211.50	210.40
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		Core	12-032	M653179	98	1.76	GRN	1.80	213.30	211.50
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		Core	12-032	M653180	100	1.20	GRN	1.20	219.00	217.80
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		Core	12-032	M653181	100	1.50	GRN	1.50	225.50	224.00





From (m)	To (m)	Interval (m)	Recovery (m)	Recovery %	RQD	RQD %	Reactivity	Hardness	Weathering	Comments
0.00	2.93	2.93	0	0	0.00	0	OR	--	--	OVB
2.93	5.18	2.25	2.25	100	1.34	60	OR	4H	1W	
5.18	8.23	3.05	3.05	100	2.65	87	OR	4H	2W	
8.23	11.28	3.05	3.05	100	2.55	84	OR	4H	1W	
11.28	14.33	3.05	3.05	100	2.79	91	OR	4H	1W	
14.33	17.37	3.04	2.96	97	2.40	79	OR	4H	1W	
17.37	20.42	3.05	3.05	100	2.17	71	OR	4H	1W	
20.42	23.47	3.05	3.05	100	2.21	72	OR	4H	1W	
23.47	26.52	3.05	3	98	2.37	78	OR	4H	1W	
26.52	29.57	3.05	3.05	100	3.00	98	OR	4H	1W	
29.57	32.61	3.04	2.93	96	2.73	90	OR	4H	1W	
32.61	35.66	3.05	3.05	100	3.05	100	OR	4H	1W	
35.66	38.71	3.05	2.95	97	2.22	73	OR	4H	1W	
38.71	41.76	3.05	3.05	100	2.87	94	OR	4H	1W	
41.76	44.81	3.05	2.99	98	2.91	95	OR	4H	1W	
44.81	47.85	3.04	3.04	100	2.92	96	OR	4H	1W	
47.85	50.90	3.05	3	98	2.64	87	OR	4H	1W	
50.90	53.95	3.05	3	98	3.00	98	OR	4H	1W	
53.95	57.00	3.05	3.01	99	2.49	82	OR	4H	1W	
57.00	60.05	3.05	3.05	100	2.40	79	OR	4H	1W	
60.05	63.09	3.04	2.95	97	2.51	83	OR	4H	1W	
63.09	66.14	3.05	3.05	100	2.70	89	OR	4H	1W	
66.14	69.19	3.05	3.05	100	3.05	100	OR	4H	1W	
69.19	72.24	3.05	3.05	100	2.66	87	OR	4H	1W	
72.24	75.29	3.05	3.05	100	2.96	97	OR	4H	1W	
75.29	78.33	3.04	3	99	2.93	96	OR	4H	1W	
78.33	81.38	3.05	2.97	97	2.51	82	OR	4H	1W	
81.38	84.42	3.04	3.04	100	3.00	99	OR	4H	1W	
84.42	87.47	3.05	3.05	100	3.05	100	OR	4H	1W	

From (m)	To (m)	Interval (m)	Recovery (m)	Recovery %	RQD	RQD %	Reactivity	Hardness	Weathering	Comments
87.47	90.52	3.05	3.05	100	3.00	98	OR	4H	1W	
90.52	93.57	3.05	2.89	95	2.48	81	OR	4H	1W	
93.57	96.62	3.05	3.05	100	2.94	96	OR	4H	1W	
96.62	99.66	3.04	3.04	100	2.63	87	OR	4H	1W	
99.66	102.71	3.05	3.05	100	2.93	96	OR	4H	1W	
102.71	105.76	3.05	3.05	100	2.96	97	OR	4H	1W	
105.76	108.81	3.05	3.05	100	2.77	91	OR	4H	1W	
108.81	111.86	3.05	2.29	75	1.62	53	OR	4H	1W	
111.86	114.90	3.04	3.04	100	3.00	99	OR	4H	1W	
114.90	117.95	3.05	2.96	97	2.12	70	OR	4H	2W	
117.95	121.00	3.05	3.05	100	3.05	100	OR	4H	1W	
121.00	124.05	3.05	3.05	100	2.60	85	OR	4H	1W	
124.05	127.10	3.05	3.05	100	2.69	88	OR	4H	1W	
127.10	130.14	3.04	2.82	93	2.22	73	OR	4H	1W	
130.14	133.19	3.05	3.05	100	2.87	94	OR	4H	1W	
133.19	136.24	3.05	3.05	100	2.87	94	OR	4H	1W	
136.24	139.29	3.05	2.88	94	2.06	68	OR	3H	3W	
139.29	142.34	3.05	2.78	91	2.49	82	OR	4H	2W	
142.34	145.38	3.04	2.88	95	2.43	80	OR	4H	2W	
145.38	148.43	3.05	3.05	100	2.67	88	OR	4H	1W	
148.43	151.48	3.05	2.42	79	1.21	40	OR	3H	3W	
151.48	154.53	3.05	2.87	94	1.94	64	OR	4H	3W	
154.53	157.58	3.05	2.94	96	2.71	89	OR	4H	1W	
157.58	160.62	3.04	3	99	2.29	75	OR	4H	1W	
160.62	163.67	3.05	3.05	100	2.70	89	OR	4H	1W	
163.67	166.72	3.05	2.83	93	1.96	64	OR	4H	2W	
166.72	169.77	3.05	3.05	100	2.21	72	OR	3H	3W	
169.77	172.82	3.05	2.81	92	1.55	51	OR	4H	2W	
172.82	175.86	3.04	3.04	100	2.49	82	OR	4H	2W	
175.86	178.91	3.05	3.05	100	2.62	86	OR	4H	2W	
178.91	181.96	3.05	2.87	94	2.62	86	OR	4H	2W	

From (m)	To (m)	Interval (m)	Recovery (m)	Recovery %	RQD	RQD %	Reactivity	Hardness	Weathering	Comments
181.96	185.01	3.05	3.05	100	1.53	50	OR	4H	2W	
185.01	188.06	3.05	3.05	100	2.64	87	OR	4H	2W	
188.06	191.10	3.04	3.04	100	2.40	79	OR	4H	2W	
191.10	194.15	3.05	2.81	92	2.36	77	OR	3H	3W	
194.15	197.20	3.05	2.81	92	2.36	77	OR	3H	3W	
197.20	200.24	3.04	2.77	91	1.03	34	OR	3H	3W	
200.24	203.30	3.06	2.96	97	1.11	36	OR	3H	3W	
203.30	206.34	3.04	3	99	1.81	60	OR	3H	3W	
206.34	209.39	3.05	3.05	100	2.01	66	OR	4H	2W	
209.39	212.44	3.05	3.05	100	1.51	50	OR	3H	3W	
212.44	215.49	3.05	2.87	94	1.52	50	OR	3H	3W	
215.49	218.54	3.05	2.97	97	2.70	89	OR	4H	2W	
218.54	221.58	3.04	2.84	93	2.47	81	OR	4H	2W	
221.58	224.63	3.05	2.84	93	2.19	72	OR	4H	2W	
224.63	227.68	3.05	2.83	93	1.78	58	OR	3H	3W	
227.68	230.73	3.05	3.05	100	2.96	97	OR	4H	1W	

Depth (m)	Magnetic Susceptibility	Rock Type	Comments
1	0	OVB	OVB
2	0	OVB	OVB
3	0	GRN	OVB
4	0.25	GRN	
5	0.08	GRN	
6	0.07	GRN	
8	0.15	GRN	
9	0.15	GRN	
11	0.05	GRN	
12	0.17	GRN	
14	0.14	GRN	
15	0.14	GRN	
16	0.11	GRN	
19	0.14	GRN	
20	0.38	GRN	
22	0.14	GRN	
23	0.05	GRN	
24	0.04	GRN	
25	0.14	GRN	
26	0.02	GRN	
27	0.12	GRN	
28	0.14	GRN	
29	0.13	GRN	
30	0.14	GRN	
31	0.14	GRN	
32	0.14	GRN	
33	0.06	GRN	
35	0.14	GRN	
36	0.12	GRN	

Depth (m)	Magnetic Susceptibility	Unit	Comments
37	0.08	GRN	
38	0.12	GRN	
40	0.12	GRN	
41	0.16	GRN	
42	0.07	GRN	
44	0.14	GRN	
45	0.06	GRN	
46	0.14	GRN	
47	0.06	GRN	
48	0.06	GRN	
50	0.06	GRN	
51	0.07	GRN	
52	0.07	GRN	
53	0.15	GRN	
54	0.12	GRN	
56	0.12	GRN	
59	0.12	GRN	
61	0.15	GRN	
62	0.11	GRN	
63	0.22	GRN	
64	0.06	GRN	
65	0.04	GRN	
66	0.11	GRN	
67	0.1	GRN	
68	0.06	GRN	
69	0.18	GRN	
70	0.14	GRN	
71	0.09	GRN	
72	0.14	GRN	

Depth (m)	Magnetic Susceptibility	Rock Type	Comments
73	0.14	GRN	
74	0.14	GRN	
75	0.15	GRN	
76	0.13	GRN	
77	0.19	GRN	
78	0.13	GRN	
79	0.15	GRN	
81	0.12	GRN	
82	0.14	GRN	
83	0.17	GRN	
84	0.13	GRN	
86	0.17	GRN	
87	0.14	GRN	
89	0.18	GRN	
90	0.13	GRN	
93	0.14	GRN	
94	0.14	GRN	
95	0.12	GRN	
96	0.14	GRN	
97	0.18	GRN	
98	0.14	GRN	
100	0.09	GRN	
101	0.16	GRN	
102	0.15	GRN	
103	0.2	GRN	
104	0.45	GRN	
105	0.09	GRN	
106	0.16	GRN	
108	0.08	GRN	
110	0.1	GRN	
112	0.13	GRN	

Depth (m)	Magnetic Susceptibility	Unit	Comments
113	0.12	GRN	
114	0.1	GRN	
115	0.17	GRN	
116	0.14	GRN	
117	0.16	GRN	
118	0.16	GRN	
119	0.15	GRN	
120	0.17	GRN	
122	0.07	GRN	
123	0.05	GRN	
125	0.02	GRN	
126	0.12	GRN	
127	0.13	GRN	
128	0.17	GRN	
130	0.17	GRN	
131	0.12	GRN	
132	0.15	GRN	
134	0.21	GRN	
135	0.18	GRN	
136	0.5	GRN	
137	0.24	GRN	
140	0.14	GRN	
143	0.15	GRN	
144	0.14	GRN	
146	0.13	GRN	
147	0.14	GRN	
150	0.02	GRN	
151	0.08	GRN	
154	0.26	GRN	
155	0.09	GRN	
156	0.16	GRN	

Depth (m)	Magnetic Susceptibility	Rock Type	Comments
158	0.2	GRN	
159	0.19	GRN	
161	0.14	GRN	
162	0.09	GRN	
163	0.2	GRN	
164	0.17	GRN	
168	0.06	GRN	
172	0.07	GRN	
173	0.06	GRN	
174	0.02	GRN	
176	0.07	GRN	
177	0.12	GRN	
180	0.31	GRN	
181	0.08	GRN	
184	0.05	GRN	
185	0.03	GRN	
186	0.05	GRN	
188	0.18	GRN	
190	0.27	GRN	
191	0.19	GRN	
193	0.16	GRN	
194	0.19	GRN	
196	0.16	GRN	
202	0.17	GRN	
205	0.18	GRN	
207	0.26	GRN	
214	0.23	GRN	
215	0.28	GRN	
216	0.22	GRN	
217	0.19	GRN	
218	0.2	GRN	

Depth (m)	Magnetic Susceptibility	Unit	Comments
219	0.22	GRN	
220	0.17	GRN	
221	0.19	GRN	
222	0.21	GRN	
223	0.32	GRN	
226	0.23	GRN	
228	0.29	GRN	
229	0.23	GRN	
230	0.25	GRN	