



# Chemex Labs Ltd.

Analytical Chemists \* Geochemists \* Registered Assayers  
212 BROOKSBANK AVE., NORTH VANCOUVER,  
BRITISH COLUMBIA, CANADA V7J-2C1  
PHONE (604) 984-0221

## CERTIFICATE OF ANALYSIS A8710.44

To: MARK MANAGEMENT LIMITED

1900 - 999 W. HASTINGS ST.  
VANCOUVER, B.C.  
V6C 2W2

Page No. : 1-A  
Tot. Pages: 1  
Date : 11-FEB-87  
Invoice # : I-8710944  
P.O. # : NONE

Project : ARBOR-TIB

Comments: ATTN: ART TROUP CC: P. GRUNENBERG

SAMPLE DESCRIPTION	PREP CODE	Al %	Ag ppm	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %
37465 G	214 238	2.37	0.2	35	380	0.5	2	0.21	1.5	7	28	38	3.31	< 10	0.42	10	0.38	111	1	0.01
37466 G	214 238	2.28	0.2	15	360	0.5	2	0.18	0.5	10	35	45	3.01	< 10	0.47	10	0.33	116	< 1	0.01
37467 G	214 238	2.94	0.2	< 5	550	0.5	2	0.14	0.5	9	38	18	2.01	< 10	0.57	10	0.31	95	< 1	0.01
37468 G	214 238	2.72	0.2	5	830	0.5	< 2	0.12	< 0.5	9	53	8	0.98	< 10	0.37	10	0.31	71	1	0.01
37469 G	214 238	1.87	0.2	15	650	0.5	2	0.10	< 0.5	7	35	7	1.01	< 10	0.25	10	0.24	79	2	0.01
37470 G	214 238	1.07	0.2	45	160	< 0.5	2	0.13	1.0	5	32	17	1.70	< 10	0.14	10	0.17	93	1	< 0.01
37471 G	214 238	0.45	0.2	5	80	< 0.5	< 2	0.06	< 0.5	< 1	15	< 1	0.89	< 10	0.08	< 10	0.08	67	< 1	< 0.01
37472 G	214 238	0.46	0.2	< 5	110	< 0.5	< 2	0.06	0.5	< 1	14	3	0.85	< 10	0.08	< 10	0.08	64	< 1	< 0.01
37473 G	214 238	0.30	0.2	5	60	< 0.5	< 2	0.04	< 0.5	< 1	13	< 1	0.80	< 10	0.05	< 10	0.05	62	< 1	< 0.01
37474 G	214 238	0.35	0.2	< 5	60	< 0.5	< 2	0.04	< 0.5	5	11	< 1	0.83	< 10	0.07	< 10	0.06	96	< 1	< 0.01
37475 G	214 238	3.58	0.2	20	620	0.5	2	0.68	0.5	16	35	35	2.87	< 10	0.63	20	0.45	138	< 1	0.03
37476 G	214 238	3.56	0.2	5	520	0.5	2	0.72	1.0	16	32	26	2.99	< 10	0.60	20	0.47	127	< 1	0.03
37477 G	214 238	3.93	0.2	5	590	0.5	2	0.78	0.5	16	18	38	5.29	< 10	0.54	10	0.63	140	< 1	0.03
37478 G	214 238	3.00	0.2	5	630	0.5	2	0.54	0.5	13	22	46	4.03	< 10	0.47	10	0.50	158	< 1	0.03
37479 G	214 238	2.27	0.2	15	460	0.5	< 2	0.37	1.5	8	43	66	3.15	< 10	0.40	10	0.44	180	< 1	0.02
37480 G	214 238	3.15	0.2	35	820	1.0	< 2	0.80	1.5	17	35	48	3.15	< 10	0.80	10	0.55	664	2	0.06
37481 G	214 238	2.09	0.2	25	490	0.5	< 2	0.94	1.5	14	23	39	2.63	< 10	0.50	10	0.53	521	1	0.03
37482 G	214 238	1.21	0.2	15	440	< 0.5	2	0.76	2.0	18	46	63	3.32	< 10	0.25	10	0.56	858	5	0.01
37483 G	214 238	1.73	0.2	50	210	< 0.5	2	1.49	1.5	28	336	55	3.71	< 10	0.24	< 10	1.08	456	3	0.01
37484 G	214 238	1.47	0.2	100	890	< 0.5	2	0.59	1.0	8	164	38	2.62	< 10	0.22	< 10	0.46	174	3	0.01
37485 G	214 238	1.62	0.2	70	250	< 0.5	< 2	3.12	1.0	18	116	43	3.63	< 10	0.18	< 10	1.61	537	< 1	0.01
37486 G	214 238	1.02	0.2	30	260	< 0.5	< 2	0.33	0.5	17	64	53	1.85	< 10	0.31	20	0.27	213	< 1	< 0.01
37487 G	214 238	1.10	0.2	10	380	< 0.5	< 2	0.06	< 0.5	5	22	47	1.46	< 10	0.29	10	0.13	63	< 1	< 0.01
37488 G	214 238	0.95	0.2	< 5	210	< 0.5	< 2	0.04	< 0.5	1	18	48	1.24	< 10	0.27	10	0.09	44	< 1	< 0.01
37490 G	214 238	0.60	0.4	65	220	< 0.5	2	0.30	1.5	5	22	113	5.46	< 10	0.22	10	0.08	190	3	< 0.01
37491 G	214 238	0.20	0.2	25	350	< 0.5	< 2	0.08	0.5	4	15	31	1.40	< 10	0.13	< 10	0.02	63	2	< 0.01
37492 G	214 238	0.24	0.2	5	500	< 0.5	< 2	0.04	< 0.5	< 1	19	21	0.94	< 10	0.16	< 10	0.03	54	1	< 0.01
37493 G	214 238	0.23	0.6	40	470	< 0.5	< 2	0.16	< 0.5	1	19	64	1.24	< 10	0.18	< 10	0.03	45	3	< 0.01
37494 G	214 238	0.20	0.2	5	380	< 0.5	< 2	0.07	< 0.5	< 1	15	24	1.03	< 10	0.14	10	0.03	59	2	< 0.01
37495 G	214 238	0.33	0.2	30	190	< 0.5	< 2	0.07	0.5	6	15	69	2.11	< 10	0.12	10	0.05	80	1	< 0.01
37496 G	214 238	1.65	0.2	35	290	< 0.5	2	0.10	1.0	6	35	128	4.21	< 10	0.19	10	0.37	147	< 1	< 0.01
37497 G	214 238	2.27	0.8	40	760	< 0.5	< 2	0.22	3.0	17	62	139	5.33	< 10	0.23	10	0.71	457	< 1	< 0.01
37498 G	214 238	2.70	0.6	45	1140	< 0.5	2	0.20	0.5	12	66	91	4.58	< 10	0.45	10	0.71	209	< 1	< 0.01
37499 G	214 238	2.77	1.2	45	680	< 0.5	< 2	0.32	1.5	14	122	115	5.98	< 10	0.24	< 10	0.76	237	1	< 0.01
37500 G	214 238	0.98	0.2	35	700	< 0.5	< 2	0.15	0.5	4	43	38	2.35	< 10	0.16	< 10	0.22	116	1	< 0.01
37551 G	214 238	1.21	0.2	25	350	< 0.5	< 2	0.19	0.5	8	30	122	3.22	< 10	0.23	10	0.26	127	2	< 0.01
37552 G	214 238	1.40	1.2	45	360	< 0.5	2	0.20	2.5	15	39	150	3.97	< 10	0.20	10	0.27	148	1	< 0.01
37553 G	214 238	0.45	0.4	25	450	< 0.5	< 2	0.08	0.5	3	26	26	1.29	< 10	0.20	< 10	0.06	65	1	< 0.01
37554 G	214 238	0.48	0.4	45	480	< 0.5	< 2	0.13	0.5	3	17	70	1.98	< 10	0.17	10	0.08	58	2	< 0.01
37555 G	214 238	0.64	0.2	40	440	< 0.5	< 2	0.11	0.5	4	15	111	2.82	< 10	0.17	10	0.13	65	3	< 0.01

CERTIFICATION :

*B. C. Culp*





# Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers  
212 BROOKSBANK AVE., NORTH VANCOUVER,  
BRITISH COLUMBIA, CANADA V7J-2C1  
PHONE (604) 984-0221

## CERTIFICATE OF ANALYSIS A8710 14

To: MARK MANAGEMENT LIMITED

1900 - 999 W. HASTINGS ST.  
VANCOUVER, B.C.  
V6C 2W2

Page No. : 1-B  
Tot. Pages: 1  
Date : 11-FEB-87  
Invoice #: I-8710944  
P.O. #: NONE

Project : ARBOR-TIB

Comments: ATTN: ART TROUP CC: P. GRUNENBERG

SAMPLE DESCRIPTION	PREP CODE	Ni ppm	P ppm	Pb ppm	Sb ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm							
37465 G	214 238	44	490	58	< 5	40	< 0.01	< 10	< 10	36	< 5	122							
37466 G	214 238	54	500	38	< 5	39	< 0.01	< 10	< 10	42	< 5	118							
37467 G	214 238	31	360	22	< 5	36	< 0.01	< 10	< 10	44	< 5	86							
37468 G	214 238	34	110	22	< 5	24	0.01	< 10	< 10	56	< 5	88							
37469 G	214 238	30	120	20	< 5	18	0.02	< 10	< 10	38	< 5	80							
37470 G	214 238	25	300	20	< 5	10	0.02	< 10	< 10	18	< 5	82							
37471 G	214 238	9	80	12	< 5	4	0.01	< 10	< 10	4	< 5	28							
37472 G	214 238	8	80	30	< 5	5	0.01	< 10	< 10	4	< 5	42							
37473 G	214 238	7	30	8	< 5	3	0.01	< 10	< 10	3	< 5	22							
37474 G	214 238	8	50	8	< 5	3	0.01	< 10	< 10	4	< 5	18							
37475 G	214 238	44	1290	18	< 5	26	< 0.01	< 10	< 10	73	< 5	108							
37476 G	214 238	38	1380	16	< 5	27	< 0.01	< 10	< 10	74	< 5	104							
37477 G	214 238	39	1440	14	< 5	33	< 0.01	< 10	< 10	79	< 5	136							
37478 G	214 238	47	1090	14	< 5	25	< 0.01	< 10	< 10	43	< 5	122							
37479 G	214 238	79	800	20	< 5	22	< 0.01	< 10	< 10	35	< 5	146							
37480 G	214 238	88	740	26	< 5	62	< 0.01	< 10	< 10	48	< 5	148							
37481 G	214 238	85	840	16	< 5	45	< 0.01	< 10	< 10	27	< 5	130							
37482 G	214 238	158	1110	20	< 5	48	< 0.01	< 10	< 10	28	< 5	194							
37483 G	214 238	411	770	22	< 5	68	< 0.01	< 10	< 10	25	< 5	172							
37484 G	214 238	147	880	10	< 5	62	< 0.01	< 10	< 10	24	< 5	60							
37485 G	214 238	152	1230	6	< 5	106	< 0.01	< 10	< 10	31	< 5	80							
37486 G	214 238	112	240	14	< 5	20	< 0.01	< 10	< 10	21	< 5	102							
37487 G	214 238	15	150	4	< 5	23	< 0.01	< 10	< 10	12	< 5	22							
37488 G	214 238	12	90	4	< 5	14	< 0.01	< 10	< 10	12	< 5	20							
37490 G	214 238	20	460	2	< 5	18	< 0.01	< 10	< 10	30	< 5	84							
37491 G	214 238	8	120	8	< 5	12	< 0.01	< 10	< 10	30	< 5	18							
37492 G	214 238	3	70	14	< 5	8	< 0.01	< 10	< 10	65	< 5	6							
37493 G	214 238	7	170	24	< 5	26	< 0.01	< 10	< 10	36	< 5	10							
37494 G	214 238	9	100	18	< 5	15	< 0.01	< 10	< 10	14	< 5	12							
37495 G	214 238	18	240	12	< 5	10	< 0.01	< 10	< 10	40	< 5	70							
37496 G	214 238	53	320	6	< 5	24	< 0.01	< 10	< 10	27	< 5	208							
37497 G	214 238	121	740	2	< 5	35	< 0.01	< 10	< 10	54	< 5	518							
37498 G	214 238	111	760	8	< 5	40	0.01	< 10	< 10	52	< 5	278							
37499 G	214 238	101	1210	2	< 5	67	0.01	< 10	< 10	81	< 5	320							
37500 G	214 238	20	620	10	< 5	38	< 0.01	< 10	< 10	28	< 5	54							
37551 G	214 238	42	610	28	< 5	59	< 0.01	< 10	< 10	25	< 5	102							
37552 G	214 238	49	780	8	< 5	78	< 0.01	< 10	< 10	38	< 5	118							
37553 G	214 238	9	290	18	< 5	25	< 0.01	< 10	< 10	62	< 5	22							
37554 G	214 238	10	400	26	< 5	45	< 0.01	< 10	< 10	55	< 5	42							
37555 G	214 238	17	370	10	< 5	29	< 0.01	< 10	< 10	36	< 5	66							

CERTIFICATION :

*B. Campbell*





# Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers  
 212 BROOKSBANK AVE., NORTH VANCOUVER,  
 BRITISH COLUMBIA, CANADA V7J-2C1  
 PHONE (604) 984-0221

## CERTIFICATE OF ANALYSIS A8710-46

To: MARK MANAGEMENT LIMITED

1900 - 999 W. HASTINGS ST.  
 VANCOUVER, B.C.  
 V6C 2W2

Page No. : 1-A  
 Tot. Pages: 1  
 Date : 11-FEB-87  
 Invoice #: I-8710946  
 P.O. # : NONE

Project : ARBOR-TIB

Comments: ATTN: ART TROUP CC: P. GRUNENBERG

SAMPLE DESCRIPTION	PREP CODE	Al %	Ag ppm	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %
37556 G	214 238	0.94	0.2	35	930	< 0.5	2	0.18	1.0	5	20	140	2.57	< 10	0.32	10	0.23	83	2	< 0.01
37557 G	214 238	0.56	0.2	30	830	< 0.5	2	0.23	1.5	6	17	93	3.74	< 10	0.24	10	0.36	162	3	< 0.01
37558 G	214 238	0.72	0.2	10	840	< 0.5	< 2	0.11	1.0	3	14	77	2.01	< 10	0.24	10	0.22	73	1	< 0.01
37559 G	214 238	0.52	0.2	20	1000	< 0.5	< 2	0.35	1.5	7	19	68	2.23	< 10	0.20	10	0.25	103	3	< 0.01
37560 G	214 238	0.35	0.4	15	730	< 0.5	< 2	0.16	1.5	5	13	71	2.48	< 10	0.11	< 10	0.25	100	2	< 0.01
37561 G	214 238	0.67	0.8	55	930	< 0.5	2	0.23	2.0	7	30	115	3.86	< 10	0.24	10	0.39	151	1	< 0.01
37562 G	214 238	0.53	0.4	50	890	< 0.5	2	0.20	1.5	5	27	109	4.89	< 10	0.18	10	0.49	166	< 1	< 0.01
37563 G	214 238	1.93	0.2	< 5	530	< 0.5	< 2	< 0.01	< 0.5	193	191	4	2.07	< 10	< 0.01	< 10	0.91	200	< 1	0.19
37564 G	214 238	1.65	0.2	< 5	550	< 0.5	< 2	0.11	1.0	7	25	71	2.26	< 10	0.21	10	0.28	170	1	< 0.01
37565 G	214 238	0.90	0.2	< 5	610	< 0.5	< 2	0.03	< 0.5	4	10	55	1.23	< 10	0.28	20	0.13	57	1	< 0.01
37566 G	214 238	0.66	0.2	< 5	380	< 0.5	2	0.04	< 0.5	< 1	8	43	0.99	< 10	0.22	10	0.09	46	< 1	< 0.01
37567 G	214 238	0.77	0.6	10	470	< 0.5	2	0.06	< 0.5	1	8	36	1.06	< 10	0.23	10	0.11	48	1	< 0.01
37568 G	214 238	1.07	0.2	10	460	< 0.5	< 2	0.10	< 0.5	4	19	31	1.68	< 10	0.19	10	0.27	96	< 1	< 0.01
37569 G	214 238	1.06	0.4	15	590	< 0.5	< 2	0.09	0.5	8	25	42	2.20	< 10	0.15	10	0.32	139	< 1	< 0.01
37570 G	214 238	2.39	0.6	65	460	< 0.5	2	0.14	1.0	14	48	51	3.83	< 10	0.31	10	0.64	206	< 1	< 0.01
37571 G	214 238	2.10	2.6	215	410	< 0.5	< 2	0.55	14.0	31	29	252	15.00	< 10	0.15	10	1.45	910	< 1	0.01
37572 G	214 238	2.10	2.0	120	470	< 0.5	< 2	0.27	6.5	25	19	167	5.81	< 10	0.21	< 10	0.71	469	< 1	< 0.01
37573 G	214 238	1.72	1.8	90	620	< 0.5	< 2	0.21	3.0	25	7	111	4.05	< 10	0.21	< 10	0.54	622	< 1	< 0.01
37574 G	214 238	2.13	1.8	100	380	< 0.5	< 2	0.30	10.5	36	9	150	6.21	< 10	0.21	< 10	0.74	993	< 1	< 0.01
37575 G	214 238	0.69	2.6	160	350	< 0.5	< 2	0.12	7.5	99	9	172	3.20	< 10	0.14	< 10	0.39	1440	< 1	< 0.01
37576 G	214 238	0.55	1.8	55	240	< 0.5	< 2	0.41	5.0	19	8	63	1.94	< 10	0.13	< 10	0.34	1120	< 1	< 0.01
37577 G	214 238	0.47	1.4	50	170	< 0.5	< 2	0.05	10.0	19	7	59	1.59	< 10	0.10	< 10	0.18	648	< 1	< 0.01
37578 G	214 238	0.87	1.8	75	160	< 0.5	< 2	0.28	6.0	13	8	84	2.52	< 10	0.09	< 10	0.36	1350	< 1	< 0.01
37579 G	214 238	0.75	2.0	60	160	< 0.5	< 2	0.34	3.5	8	9	50	1.82	< 10	0.10	< 10	0.24	852	< 1	< 0.01
37580 G	214 238	1.08	2.2	35	220	< 0.5	< 2	1.47	1.5	8	10	37	2.03	< 10	0.14	10	0.65	988	< 1	0.01
37581 G	214 238	1.04	3.2	25	600	< 0.5	2	1.69	9.0	9	8	65	2.65	< 10	0.11	< 10	0.80	1705	< 1	0.01
37582 G	214 238	0.90	1.8	15	260	< 0.5	< 2	4.19	1.0	8	12	54	2.08	< 10	0.15	< 10	2.07	1345	< 1	0.01
37583 G	214 238	0.92	0.8	175	700	< 0.5	< 2	0.16	2.0	50	1445	44	6.01	< 10	< 0.01	< 10	2.53	639	1	< 0.01
37584 G	214 238	0.95	0.2	345	70	< 0.5	< 2	0.13	2.0	90	3280	32	13.30	< 10	< 0.01	< 10	1.12	344	< 1	< 0.01
37585 G	214 238	0.93	0.2	475	290	< 0.5	< 2	0.14	4.5	141	3320	33	14.70	< 10	< 0.01	< 10	2.29	2170	< 1	< 0.01
37586 G	214 238	0.68	0.2	305	230	< 0.5	2	0.16	3.5	121	2380	18	9.94	< 10	< 0.01	< 10	2.72	1865	< 1	< 0.01
37587 G	214 238	0.63	2.8	80	80	< 0.5	< 2	0.09	1.5	90	2000	1	5.60	< 10	< 0.01	< 10	7.47	643	< 1	< 0.01
37588 G	214 238	0.76	0.2	125	20	< 0.5	< 2	0.12	0.5	110	2200	< 1	6.16	< 10	< 0.01	< 10	6.08	511	< 1	< 0.01
37589 G	214 238	0.56	0.2	85	40	< 0.5	< 2	0.07	0.5	77	1855	< 1	5.67	< 10	< 0.01	< 10	6.43	367	< 1	< 0.01
37590 G	214 238	1.72	0.2	525	40	< 0.5	< 2	0.23	2.5	152	7180	55	>15.00	< 10	< 0.01	< 10	1.68	1195	< 1	< 0.01
37591 G	214 238	1.20	0.2	360	170	< 0.5	< 2	0.17	1.0	116	4600	55	13.05	< 10	< 0.01	< 10	3.20	2890	2	< 0.01
37592 G	214 238	0.51	0.2	45	440	< 0.5	< 2	0.38	< 0.5	83	1375	6	3.36	< 10	< 0.01	< 10	7.31	1500	< 1	< 0.01
37593 G	214 238	0.67	0.2	30	130	< 0.5	< 2	0.29	< 0.5	62	1570	< 1	3.70	< 10	< 0.01	< 10	9.03	575	< 1	< 0.01
37594 G	214 238	0.71	0.2	20	50	< 0.5	< 2	0.20	< 0.5	61	1700	< 1	3.59	< 10	< 0.01	< 10	9.07	536	< 1	< 0.01
37595 G	214 238	0.67	0.2	20	140	< 0.5	< 2	0.40	< 0.5	62	1710	< 1	3.40	< 10	< 0.01	< 10	8.87	596	< 1	< 0.01

CERTIFICATION :

*B. Carver*





# Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers  
212 BROOKSBANK AVE., NORTH VANCOUVER,  
BRITISH COLUMBIA, CANADA V7J-2C1  
PHONE (604) 984-0221

## CERTIFICATE OF ANALYSIS A87109 5

To: MARK MANAGEMENT LIMITED

1900 - 999 W. HASTINGS ST.  
VANCOUVER, B.C.  
V6C 2W2

Page No. : 1-B  
Tot. Pages: 1  
Date : 11-FEB-87  
Invoice # : I-8710946  
P.O. # : NONE

Project : ARBOR-TIB

Comments: ATTN: ART TROUP CC: P. GRUNENBERG

SAMPLE DESCRIPTION	PREP CODE	Ni ppm	P ppm	Pb ppm	Sb ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm						
37556 G	214 238	18	560	32	< 5	49	< 0.01	< 10	< 10	50	< 5	76						
37557 G	214 238	22	810	20	< 5	73	< 0.01	< 10	< 10	86	< 5	132						
37558 G	214 238	16	420	22	< 5	40	< 0.01	< 10	< 10	27	< 5	94						
37559 G	214 238	21	1450	24	< 5	199	< 0.01	< 10	< 10	89	< 5	126						
37560 G	214 238	14	600	24	< 5	77	< 0.01	< 10	< 10	32	< 5	84						
37561 G	214 238	21	860	30	< 5	101	< 0.01	< 10	< 10	131	< 5	150						
37562 G	214 238	27	710	22	< 5	140	< 0.01	< 10	< 10	49	< 5	264						
37563 G	214 238	< 1	20	196	< 5	< 1	0.49	< 10	< 10	< 1	< 5	214						
37564 G	214 238	37	330	14	< 5	36	< 0.01	< 10	< 10	20	< 5	186						
37565 G	214 238	10	90	16	< 5	14	< 0.01	< 10	< 10	12	< 5	26						
37566 G	214 238	6	120	12	< 5	28	< 0.01	< 10	< 10	9	< 5	22						
37567 G	214 238	8	200	8	< 5	40	< 0.01	< 10	< 10	12	< 5	34						
37568 G	214 238	19	310	6	< 5	19	< 0.01	< 10	< 10	19	< 5	60						
37569 G	214 238	36	220	4	< 5	14	< 0.01	< 10	< 10	15	< 5	134						
37570 G	214 238	78	510	12	< 5	31	< 0.01	< 10	< 10	35	< 5	248						
37571 G	214 238	211	1850	14	< 5	143	< 0.01	< 10	< 10	59	< 5	882						
37572 G	214 238	164	1000	56	< 5	50	< 0.01	< 10	< 10	44	< 5	640						
37573 G	214 238	143	750	58	< 5	34	< 0.01	< 10	< 10	33	< 5	508						
37574 G	214 238	183	990	24	< 5	47	< 0.01	< 10	< 10	47	< 5	756						
37575 G	214 238	115	360	8	< 5	23	< 0.01	< 10	< 10	12	< 5	356						
37576 G	214 238	80	280	30	< 5	13	< 0.01	< 10	< 10	11	< 5	220						
37577 G	214 238	56	110	48	< 5	7	< 0.01	< 10	< 10	7	< 5	224						
37578 G	214 238	120	900	22	< 5	27	< 0.01	< 10	< 10	12	< 5	500						
37579 G	214 238	87	1310	52	< 5	39	< 0.01	< 10	< 10	6	< 5	392						
37580 G	214 238	74	2730	16	< 5	41	< 0.01	< 10	< 10	10	< 5	226						
37581 G	214 238	60	3240	8	< 5	26	< 0.01	< 10	< 10	16	< 5	226						
37582 G	214 238	42	1040	8	< 5	34	< 0.01	< 10	< 10	9	< 5	100						
37583 G	214 238	983	710	56	< 5	20	< 0.01	< 10	< 10	46	< 5	410						
37584 G	214 238	2410	910	6	10	9	0.01	10	< 10	62	< 5	584						
37585 G	214 238	4150	1110	4	15	10	0.01	40	< 10	58	< 5	660						
37586 G	214 238	2710	660	6	< 5	11	< 0.01	20	< 10	41	< 5	464						
37587 G	214 238	1505	170	< 2	< 5	4	< 0.01	20	< 10	30	< 5	268						
37588 G	214 238	2060	290	2	< 5	3	< 0.01	20	< 10	30	< 5	412						
37589 G	214 238	1680	180	< 2	< 5	3	< 0.01	20	< 10	29	< 5	320						
37590 G	214 238	4640	1290	6	30	4	0.02	50	10	109	< 5	980						
37591 G	214 238	3690	950	6	10	11	0.01	40	< 10	81	< 5	686						
37592 G	214 238	1280	90	2	< 5	21	< 0.01	10	< 10	23	< 5	126						
37593 G	214 238	860	< 10	< 2	< 5	35	< 0.01	10	< 10	27	< 5	30						
37594 G	214 238	780	< 10	< 2	< 5	9	< 0.01	10	< 10	28	< 5	20						
37595 G	214 238	759	< 10	< 2	< 5	25	< 0.01	< 10	< 10	26	< 5	14						

CERTIFICATION : 