



Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers
 212 BROOKSBANK AVE., NORTH VANCOUVER,
 BRITISH COLUMBIA, CANADA V7J-2C1
 PHONE (604) 984-0221

CERTIFICATE OF ANALYSIS A8710.46

To: MARK MANAGEMENT LIMITED

1900 - 999 W. HASTINGS ST.
 VANCOUVER, B.C.
 V6C 2W2

Page No. : 1-A
 Tot. Pages: 1
 Date : 11-FEB-87
 Invoice #: I-8710946
 P.O. # : NONE

Project : ARBOR-TIB

Comments: ATTN: ART TROUP CC: P. GRUNENBERG

SAMPLE DESCRIPTION	PREP CODE	Al %	Ag ppm	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %
37556 G	214 238	0.94	0.2	35	930	< 0.5	2	0.18	1.0	5	20	140	2.57	< 10	0.32	10	0.23	83	2	< 0.01
37557 G	214 238	0.56	0.2	30	830	< 0.5	2	0.23	1.5	6	17	93	3.74	< 10	0.24	10	0.36	162	3	< 0.01
37558 G	214 238	0.72	0.2	10	840	< 0.5	< 2	0.11	1.0	3	14	77	2.01	< 10	0.24	10	0.22	73	1	< 0.01
37559 G	214 238	0.52	0.2	20	1000	< 0.5	< 2	0.35	1.5	7	19	68	2.23	< 10	0.20	10	0.25	103	3	< 0.01
37560 G	214 238	0.35	0.4	15	730	< 0.5	< 2	0.16	1.5	5	13	71	2.48	< 10	0.11	< 10	0.25	100	2	< 0.01
37561 G	214 238	0.67	0.8	55	930	< 0.5	2	0.23	2.0	7	30	115	3.86	< 10	0.24	10	0.39	151	1	< 0.01
37562 G	214 238	0.53	0.4	50	890	< 0.5	2	0.20	1.5	5	27	109	4.89	< 10	0.18	10	0.49	166	< 1	< 0.01
37563 G	214 238	1.93	0.2	< 5	530	< 0.5	< 2	< 0.01	< 0.5	193	191	4	2.07	< 10	< 0.01	< 10	0.91	200	< 1	0.19
37564 G	214 238	1.65	0.2	< 5	550	< 0.5	< 2	0.11	1.0	7	25	71	2.26	< 10	0.21	10	0.28	170	1	< 0.01
37565 G	214 238	0.90	0.2	< 5	610	< 0.5	< 2	0.03	< 0.5	4	10	55	1.23	< 10	0.28	20	0.13	57	1	< 0.01
37566 G	214 238	0.66	0.2	< 5	380	< 0.5	2	0.04	< 0.5	< 1	8	43	0.99	< 10	0.22	10	0.09	46	< 1	< 0.01
37567 G	214 238	0.77	0.6	10	470	< 0.5	2	0.06	< 0.5	1	8	36	1.06	< 10	0.23	10	0.11	48	1	< 0.01
37568 G	214 238	1.07	0.2	10	460	< 0.5	< 2	0.10	< 0.5	4	19	31	1.68	< 10	0.19	10	0.27	96	< 1	< 0.01
37569 G	214 238	1.06	0.4	15	590	< 0.5	< 2	0.09	0.5	8	25	42	2.20	< 10	0.15	10	0.32	139	< 1	< 0.01
37570 G	214 238	2.39	0.6	65	460	< 0.5	2	0.14	1.0	14	48	51	3.83	< 10	0.31	10	0.64	206	< 1	< 0.01
37571 G	214 238	2.10	2.6	215	410	< 0.5	< 2	0.55	14.0	31	29	252	15.00	< 10	0.15	10	1.45	910	< 1	0.01
37572 G	214 238	2.10	2.0	120	470	< 0.5	< 2	0.27	6.5	25	19	167	5.81	< 10	0.21	< 10	0.71	469	< 1	< 0.01
37573 G	214 238	1.72	1.8	90	620	< 0.5	< 2	0.21	3.0	25	7	111	4.05	< 10	0.21	< 10	0.54	622	< 1	< 0.01
37574 G	214 238	2.13	1.8	100	380	< 0.5	< 2	0.30	10.5	36	9	150	6.21	< 10	0.21	< 10	0.74	993	< 1	< 0.01
37575 G	214 238	0.69	2.6	160	350	< 0.5	< 2	0.12	7.5	99	9	172	3.20	< 10	0.14	< 10	0.39	1440	< 1	< 0.01
37576 G	214 238	0.55	1.8	55	240	< 0.5	< 2	0.41	5.0	19	8	63	1.94	< 10	0.13	< 10	0.34	1120	< 1	< 0.01
37577 G	214 238	0.47	1.4	50	170	< 0.5	< 2	0.05	10.0	19	7	59	1.59	< 10	0.10	< 10	0.18	648	< 1	< 0.01
37578 G	214 238	0.87	1.8	75	160	< 0.5	< 2	0.28	6.0	13	8	84	2.52	< 10	0.09	< 10	0.36	1350	< 1	< 0.01
37579 G	214 238	0.75	2.0	60	160	< 0.5	< 2	0.34	3.5	8	9	50	1.82	< 10	0.10	< 10	0.24	852	< 1	< 0.01
37580 G	214 238	1.08	2.2	35	220	< 0.5	< 2	1.47	1.5	8	10	37	2.03	< 10	0.14	10	0.65	988	< 1	0.01
37581 G	214 238	1.04	3.2	25	600	< 0.5	2	1.69	9.0	9	8	65	2.65	< 10	0.11	< 10	0.80	1705	< 1	0.01
37582 G	214 238	0.90	1.8	15	260	< 0.5	< 2	4.19	1.0	8	12	54	2.08	< 10	0.15	< 10	2.07	1345	< 1	0.01
37583 G	214 238	0.92	0.8	175	700	< 0.5	< 2	0.16	2.0	50	1445	44	6.01	< 10	< 0.01	< 10	2.53	639	1	< 0.01
37584 G	214 238	0.95	0.2	345	70	< 0.5	< 2	0.13	2.0	90	3280	32	13.30	< 10	< 0.01	< 10	1.12	344	< 1	< 0.01
37585 G	214 238	0.93	0.2	475	290	< 0.5	< 2	0.14	4.5	141	3320	33	14.70	< 10	< 0.01	< 10	2.29	2170	< 1	< 0.01
37586 G	214 238	0.68	0.2	305	230	< 0.5	2	0.16	3.5	121	2380	18	9.94	< 10	< 0.01	< 10	2.72	1865	< 1	< 0.01
37587 G	214 238	0.63	2.8	80	80	< 0.5	< 2	0.09	1.5	90	2000	1	5.60	< 10	< 0.01	< 10	7.47	643	< 1	< 0.01
37588 G	214 238	0.76	0.2	125	20	< 0.5	< 2	0.12	0.5	110	2200	< 1	6.16	< 10	< 0.01	< 10	6.08	511	< 1	< 0.01
37589 G	214 238	0.56	0.2	85	40	< 0.5	< 2	0.07	0.5	77	1855	< 1	5.67	< 10	< 0.01	< 10	6.43	367	< 1	< 0.01
37590 G	214 238	1.72	0.2	525	40	< 0.5	< 2	0.23	2.5	152	7180	55	>15.00	< 10	< 0.01	< 10	1.68	1195	< 1	< 0.01
37591 G	214 238	1.20	0.2	360	170	< 0.5	< 2	0.17	1.0	116	4600	55	13.05	< 10	< 0.01	< 10	3.20	2890	2	< 0.01
37592 G	214 238	0.51	0.2	45	440	< 0.5	< 2	0.38	< 0.5	83	1375	6	3.36	< 10	< 0.01	< 10	7.31	1500	< 1	< 0.01
37593 G	214 238	0.67	0.2	30	130	< 0.5	< 2	0.29	< 0.5	62	1570	< 1	3.70	< 10	< 0.01	< 10	9.03	575	< 1	< 0.01
37594 G	214 238	0.71	0.2	20	50	< 0.5	< 2	0.20	< 0.5	61	1700	< 1	3.59	< 10	< 0.01	< 10	9.07	536	< 1	< 0.01
37595 G	214 238	0.67	0.2	20	140	< 0.5	< 2	0.40	< 0.5	62	1710	< 1	3.40	< 10	< 0.01	< 10	8.87	596	< 1	< 0.01

CERTIFICATION :

B. Carj



Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers
212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1
PHONE (604) 984-0221

CERTIFICATE OF ANALYSIS A87109 5

To: MARK MANAGEMENT LIMITED


1900 - 999 W. HASTINGS ST.
VANCOUVER, B.C.
V6C 2W2

Page No. : 1-B
Tot. Pages: 1
Date : 11-FEB-87
Invoice # : I-8710946
P.O. # : NONE

Project : ARBOR-TIB

Comments: ATTN: ART TROUP CC: P. GRUNENBERG

SAMPLE DESCRIPTION	PREP CODE	Ni ppm	P ppm	Pb ppm	Sb ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm						
37556 G	214 238	18	560	32	< 5	49	< 0.01	< 10	< 10	50	< 5	76						
37557 G	214 238	22	810	20	< 5	73	< 0.01	< 10	< 10	86	< 5	132						
37558 G	214 238	16	420	22	< 5	40	< 0.01	< 10	< 10	27	< 5	94						
37559 G	214 238	21	1450	24	< 5	199	< 0.01	< 10	< 10	89	< 5	126						
37560 G	214 238	14	600	24	< 5	77	< 0.01	< 10	< 10	32	< 5	84						
37561 G	214 238	21	860	30	< 5	101	< 0.01	< 10	< 10	131	< 5	150						
37562 G	214 238	27	710	22	< 5	140	< 0.01	< 10	< 10	49	< 5	264						
37563 G	214 238	< 1	20	196	< 5	< 1	0.49	< 10	< 10	< 1	< 5	214						
37564 G	214 238	37	330	14	< 5	36	< 0.01	< 10	< 10	20	< 5	186						
37565 G	214 238	10	90	16	< 5	14	< 0.01	< 10	< 10	12	< 5	26						
37566 G	214 238	6	120	12	< 5	28	< 0.01	< 10	< 10	9	< 5	22						
37567 G	214 238	8	200	8	< 5	40	< 0.01	< 10	< 10	12	< 5	34						
37568 G	214 238	19	310	6	< 5	19	< 0.01	< 10	< 10	19	< 5	60						
37569 G	214 238	36	220	4	< 5	14	< 0.01	< 10	< 10	15	< 5	134						
37570 G	214 238	78	510	12	< 5	31	< 0.01	< 10	< 10	35	< 5	248						
37571 G	214 238	211	1850	14	< 5	143	< 0.01	< 10	< 10	59	< 5	882						
37572 G	214 238	164	1000	56	< 5	50	< 0.01	< 10	< 10	44	< 5	640						
37573 G	214 238	143	750	58	< 5	34	< 0.01	< 10	< 10	33	< 5	508						
37574 G	214 238	183	990	24	< 5	47	< 0.01	< 10	< 10	47	< 5	756						
37575 G	214 238	115	360	8	< 5	23	< 0.01	< 10	< 10	12	< 5	356						
37576 G	214 238	80	280	30	< 5	13	< 0.01	< 10	< 10	11	< 5	220						
37577 G	214 238	56	110	48	< 5	7	< 0.01	< 10	< 10	7	< 5	224						
37578 G	214 238	120	900	22	< 5	27	< 0.01	< 10	< 10	12	< 5	500						
37579 G	214 238	87	1310	52	< 5	39	< 0.01	< 10	< 10	6	< 5	392						
37580 G	214 238	74	2730	16	< 5	41	< 0.01	< 10	< 10	10	< 5	226						
37581 G	214 238	60	3240	8	< 5	26	< 0.01	< 10	< 10	16	< 5	226						
37582 G	214 238	42	1040	8	< 5	34	< 0.01	< 10	< 10	9	< 5	100						
37583 G	214 238	983	710	56	< 5	20	< 0.01	< 10	< 10	46	< 5	410						
37584 G	214 238	2410	910	6	10	9	0.01	10	< 10	62	< 5	584						
37585 G	214 238	4150	1110	4	15	10	0.01	40	< 10	58	< 5	660						
37586 G	214 238	2710	660	6	< 5	11	< 0.01	20	< 10	41	< 5	464						
37587 G	214 238	1505	170	< 2	< 5	4	< 0.01	20	< 10	30	< 5	268						
37588 G	214 238	2060	290	2	< 5	3	< 0.01	20	< 10	30	< 5	412						
37589 G	214 238	1680	180	< 2	< 5	3	< 0.01	20	< 10	29	< 5	320						
37590 G	214 238	4640	1290	6	30	4	0.02	50	10	109	< 5	980						
37591 G	214 238	3690	950	6	10	11	0.01	40	< 10	81	< 5	686						
37592 G	214 238	1280	90	2	< 5	21	< 0.01	10	< 10	23	< 5	126						
37593 G	214 238	860	< 10	< 2	< 5	35	< 0.01	10	< 10	27	< 5	30						
37594 G	214 238	780	< 10	< 2	< 5	9	< 0.01	10	< 10	28	< 5	20						
37595 G	214 238	759	< 10	< 2	< 5	25	< 0.01	< 10	< 10	26	< 5	14						

CERTIFICATION : 



Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

CERTIFICATE OF ANALYSIS A87105 3

To: MARK MANAGEMENT LIMITED

1900 - 999 W. HASTINGS ST.
VANCOUVER, B.C.
V6C 2W2

Page No. : 1-A

Tot. Pages: 1

Date : 11-FEB-87

Invoice # : I-8710948

P.O. # : NONE

Project : ARBOR-TIB

Comments: ATTN: ART TROUP CC: P. GRUNENBERG

SAMPLE DESCRIPTION	PREP CODE	Al %	Ag ppm	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %
37596 G	214 238	0.70	0.2	30	10	< 0.5	< 2	0.32	< 0.5	65	1880	< 1	3.62	< 10	< 0.01	< 10	9.80	491	< 1	< 0.01
37597 G	214 238	0.66	0.2	15	< 10	< 0.5	< 2	0.19	< 0.5	58	1555	< 1	3.28	< 10	< 0.01	< 10	8.88	502	< 1	< 0.01
37598 G	214 238	0.69	0.2	20	10	< 0.5	< 2	0.45	< 0.5	51	1635	< 1	3.09	< 10	< 0.01	< 10	8.99	496	< 1	< 0.01
37599 G	214 238	0.62	0.2	< 5	10	< 0.5	< 2	1.05	< 0.5	51	1380	< 1	3.29	< 10	< 0.01	< 10	9.25	721	< 1	< 0.01
37600 G	214 238	0.34	0.2	10	60	< 0.5	< 2	0.47	< 0.5	70	1185	< 1	3.61	< 10	< 0.01	< 10	9.35	733	< 1	< 0.01
37601 G	214 238	0.41	0.2	15	< 10	< 0.5	< 2	0.28	< 0.5	73	1080	< 1	3.33	< 10	< 0.01	< 10	8.55	459	< 1	< 0.01
37602 G	214 238	0.56	0.2	10	< 10	< 0.5	< 2	0.52	< 0.5	72	1195	< 1	3.20	< 10	< 0.01	< 10	8.93	442	< 1	< 0.01
37603 G	214 238	0.44	0.2	10	< 10	< 0.5	< 2	0.34	< 0.5	80	1230	< 1	3.82	< 10	< 0.01	< 10	8.13	384	< 1	< 0.01
37604 G	214 238	0.55	0.2	20	< 10	< 0.5	< 2	0.51	< 0.5	78	1490	< 1	4.51	< 10	< 0.01	< 10	9.78	397	< 1	< 0.01
37605 G	214 238	0.45	0.2	10	< 10	< 0.5	< 2	0.55	< 0.5	79	1320	< 1	3.97	< 10	< 0.01	< 10	10.75	526	< 1	< 0.01
37606 G	214 238	0.60	0.2	10	290	< 0.5	< 2	0.53	< 0.5	72	1465	< 1	3.93	< 10	< 0.01	< 10	11.00	564	< 1	< 0.01
37607 G	214 238	0.75	0.2	< 5	40	< 0.5	< 2	0.63	< 0.5	53	1630	< 1	3.50	< 10	< 0.01	< 10	9.63	708	< 1	< 0.01
37608 G	214 238	0.80	0.2	15	20	< 0.5	< 2	0.15	< 0.5	62	1940	< 1	3.70	< 10	< 0.01	< 10	8.48	486	< 1	< 0.01
37609 G	214 238	0.80	0.2	10	10	< 0.5	< 2	0.25	< 0.5	58	1680	< 1	3.56	< 10	< 0.01	< 10	8.94	521	< 1	< 0.01
37610 G	214 238	0.74	0.2	15	< 10	< 0.5	< 2	0.30	< 0.5	62	1705	< 1	3.57	< 10	< 0.01	< 10	8.51	495	< 1	< 0.01
37611 G	214 238	0.65	0.2	10	< 10	< 0.5	< 2	0.42	< 0.5	59	1525	< 1	3.41	< 10	< 0.01	< 10	9.63	468	< 1	< 0.01
37612 G	214 238	0.63	0.2	5	< 10	< 0.5	< 2	0.32	< 0.5	61	1440	< 1	3.63	< 10	< 0.01	< 10	11.00	549	< 1	< 0.01
37613 G	214 238	0.57	0.2	5	10	< 0.5	< 2	0.66	< 0.5	62	1290	< 1	3.20	< 10	< 0.01	< 10	10.90	480	< 1	< 0.01
37614 G	214 238	0.67	0.2	5	160	< 0.5	< 2	0.82	< 0.5	62	1495	< 1	3.32	< 10	< 0.01	< 10	11.05	414	< 1	< 0.01
37615 G	214 238	1.17	0.2	< 5	40	< 0.5	< 2	4.11	< 0.5	41	1010	< 1	2.38	< 10	< 0.01	< 10	8.98	563	< 1	< 0.01
37616 G	214 238	1.14	0.2	< 5	440	< 0.5	< 2	6.73	0.5	27	670	< 1	1.82	< 10	< 0.01	< 10	7.51	741	< 1	< 0.01
37617 G	214 238	0.53	0.2	5	830	< 0.5	< 2	2.73	< 0.5	58	1565	< 1	3.19	< 10	< 0.01	< 10	9.95	593	< 1	< 0.01
37618 G	214 238	0.16	0.2	10	60	< 0.5	< 2	1.42	< 0.5	73	1530	< 1	3.72	< 10	< 0.01	< 10	10.70	478	< 1	< 0.01
37619 G	214 238	0.13	0.2	10	70	< 0.5	< 2	1.23	< 0.5	72	1375	< 1	3.99	< 10	< 0.01	< 10	9.96	536	< 1	< 0.01
37620 G	214 238	0.06	0.2	15	50	< 0.5	< 2	1.60	< 0.5	72	1280	< 1	4.20	< 10	< 0.01	< 10	9.60	612	< 1	< 0.01
37621 G	214 238	0.09	0.2	15	40	< 0.5	< 2	1.80	< 0.5	73	1170	< 1	3.27	< 10	< 0.01	< 10	9.67	427	< 1	< 0.01
37622 G	214 238	0.11	0.2	15	180	< 0.5	< 2	4.60	< 0.5	73	1865	< 1	3.72	< 10	< 0.01	< 10	10.45	693	< 1	< 0.01
37623 G	214 238	0.09	0.2	5	450	< 0.5	< 2	3.05	< 0.5	65	1360	< 1	3.50	< 10	< 0.01	< 10	12.15	641	< 1	< 0.01
37624 G	214 238	0.06	0.2	10	80	< 0.5	< 2	7.62	< 0.5	62	1380	< 1	3.16	< 10	< 0.01	< 10	11.20	879	< 1	< 0.01
37625 G	214 238	0.10	0.2	30	30	< 0.5	< 2	1.80	< 0.5	77	1325	< 1	3.78	< 10	< 0.01	< 10	10.35	571	< 1	< 0.01
37626 G	214 238	0.14	0.2	40	50	< 0.5	< 2	1.76	< 0.5	79	1280	< 1	3.89	< 10	< 0.01	< 10	10.30	562	< 1	< 0.01
37627 G	214 238	0.16	0.2	50	10	< 0.5	< 2	0.61	< 0.5	83	1420	< 1	4.36	< 10	< 0.01	< 10	12.20	546	< 1	< 0.01
37628 G	214 238	0.14	0.2	45	10	< 0.5	< 2	0.44	< 0.5	84	1510	< 1	3.98	< 10	< 0.01	< 10	12.80	592	< 1	< 0.01
37629 G	214 238	0.06	0.2	40	< 10	< 0.5	< 2	0.47	< 0.5	73	1900	< 1	3.88	< 10	< 0.01	< 10	12.15	570	< 1	< 0.01
37630 G	214 238	0.06	0.2	40	< 10	< 0.5	< 2	0.47	< 0.5	80	1580	< 1	3.87	< 10	< 0.01	< 10	11.55	605	< 1	< 0.01
37631 G	214 238	0.04	0.2	40	10	< 0.5	< 2	0.37	< 0.5	83	1260	< 1	3.97	< 10	< 0.01	< 10	11.40	622	< 1	< 0.01

CERTIFICATION :

B. Campbell



Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

CERTIFICATE OF ANALYSIS A87109 8

To: MARK MANAGEMENT LIMITED

1900 - 999 W. HASTINGS ST.
VANCOUVER, B.C.
V6C 2W2

Page No. :1-B

Tot. Pages:1

Date :11-FEB-87

Invoice # :I-8710948

P.O. # :NONE

Project : ARBOR-TIB

Comments: ATTN: ART TROUP CC: P. GRUNENBERG

SAMPLE DESCRIPTION	PREP CODE	Ni ppm	P ppm	Pb ppm	Sb ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm							
37596 G	214 238	882	< 10	< 2	< 5	17	< 0.01	10	< 10	26	< 5	14							
37597 G	214 238	665	< 10	< 2	< 5	8	< 0.01	10	< 10	25	< 5	14							
37598 G	214 238	660	< 10	< 2	< 5	21	< 0.01	10	< 10	23	< 5	16							
37599 G	214 238	584	< 10	< 2	< 5	66	< 0.01	10	< 10	25	< 5	24							
37600 G	214 238	1075	< 10	< 2	< 5	32	< 0.01	10	< 10	21	< 5	24							
37601 G	214 238	1255	< 10	< 2	< 5	13	< 0.01	20	< 10	22	< 5	16							
37602 G	214 238	1210	< 10	< 2	< 5	24	< 0.01	10	< 10	26	< 5	26							
37603 G	214 238	1580	< 10	< 2	< 5	15	< 0.01	20	< 10	27	< 5	16							
37604 G	214 238	1450	< 10	< 2	< 5	24	< 0.01	20	< 10	33	< 5	16							
37605 G	214 238	1325	< 10	< 2	< 5	18	< 0.01	20	< 10	28	< 5	22							
37606 G	214 238	1285	< 10	< 2	< 5	22	< 0.01	20	< 10	30	< 5	18							
37607 G	214 238	639	< 10	< 2	< 5	36	< 0.01	< 10	< 10	28	< 5	12							
37608 G	214 238	608	< 10	< 2	< 5	7	< 0.01	< 10	< 10	31	< 5	12							
37609 G	214 238	582	< 10	< 2	< 5	10	< 0.01	< 10	< 10	30	< 5	14							
37610 G	214 238	679	< 10	< 2	< 5	16	< 0.01	10	< 10	28	< 5	12							
37611 G	214 238	851	< 10	< 2	< 5	23	< 0.01	10	< 10	28	< 5	14							
37612 G	214 238	941	< 10	< 2	< 5	24	< 0.01	10	< 10	25	< 5	20							
37613 G	214 238	1095	< 10	< 2	< 5	47	< 0.01	20	< 10	21	< 5	26							
37614 G	214 238	1185	< 10	< 2	< 5	52	< 0.01	10	< 10	23	< 5	18							
37615 G	214 238	744	< 10	< 2	< 5	164	< 0.01	10	< 10	11	< 5	14							
37616 G	214 238	407	420	< 2	< 5	197	< 0.01	< 10	< 10	8	< 5	52							
37617 G	214 238	1045	40	< 2	< 5	135	< 0.01	10	< 10	11	< 5	54							
37618 G	214 238	1390	150	< 2	< 5	95	< 0.01	20	< 10	11	< 5	24							
37619 G	214 238	1360	< 10	< 2	< 5	70	< 0.01	20	< 10	13	< 5	78							
37620 G	214 238	1395	10	< 2	< 5	75	< 0.01	20	< 10	10	< 5	32							
37621 G	214 238	1655	< 10	< 2	< 5	85	< 0.01	20	< 10	10	< 5	10							
37622 G	214 238	1320	50	< 2	< 5	245	< 0.01	20	< 10	10	< 5	24							
37623 G	214 238	1190	60	< 2	< 5	207	< 0.01	20	< 10	9	< 5	60							
37624 G	214 238	1030	20	< 2	< 5	383	< 0.01	20	< 10	8	< 5	26							
37625 G	214 238	1215	20	< 2	5	165	< 0.01	10	< 10	10	< 5	8							
37626 G	214 238	1205	20	< 2	5	149	< 0.01	10	< 10	10	< 5	8							
37627 G	214 238	1385	< 10	< 2	5	56	< 0.01	20	< 10	12	< 5	28							
37628 G	214 238	1390	< 10	< 2	5	45	< 0.01	20	< 10	11	< 5	84							
37629 G	214 238	1145	< 10	< 2	5	51	< 0.01	10	< 10	10	< 5	14							
37630 G	214 238	1390	< 10	< 2	5	47	< 0.01	20	< 10	10	< 5	78							
37631 G	214 238	1555	< 10	< 2	10	22	< 0.01	20	< 10	10	< 5	10							

CERTIFICATION :

B. Cough