

0-35.5 CASINO

33.5-45 PALE GREY TO WHITE SILICEOUS "CHERT" WITH VERY LITTLE DISSEMINATED CUBIC PYRITE. FAIRLY WELL FRACTURED WITH LIMONITE ON FRACTURES.

45-142 WHITE SILICEOUS CHERT. BARITE, PYRITE
COPPER FLUORIDE

SCALE
1" = 20'

—

[illegible]

Figure 1

150

120

Box No.

[illegible]

**DRILLING
INTERVAL**

Length

Bearing

Dip —

Lot: 91

Dep. 22

Elev. _____

On Th

Th

Contractor

Core _____

Casino —

Loaded by

Location

110

1

Stored

Date _____

1

2.

films

**J.C. STEPHEN
EXPLORATIONS
LTD.**

80-153

HOLE NO. DC 5440
Project

Claim Bar 4

Page 1 of 1

| SURVEY: | | ANGLE | |
|---------|---------|---------|-----------|
| Footage | Bearing | Reading | Corrected |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |

Purpose
Comment

142' GRAY TO GREENISH GRAY FINE GRAINED CHERT OR ARGILLACEOUS CHERT, BEDDING AT 35°, FAIRLY MASSIVE - WEAK FRACTURING WITH PYRITE

174.5 - 175.6 DARK GRAY CHERTY ARGILLITE

177-237 DARK GRAY ARGILLITE, BEDDING SOMEWHAT VARIABLE 60° AT 180', 45° @ 215' LOCALLY UP TO 75° NEAR 270' OCCASIONAL FRACTURES WITH PYRITE

SECTIONS VARY FROM FINE GRAINED GRITTY ARGILLITE TO IRREGULARLY THIN BEDDED TO MASSIVE.

241-249 NARROW 615' - 815' CORE VEINING AT 15° TO 30°

287' END LOG

| SCALE 1" = 20' | ALTERATION | | | | GEOLOGY | MINERAL | FRACTURING |
|-------------------|------------|--|--|--|---------|---------|------------|
| | | | | | | | |
| 120 | | | | | | | |
| 140 | | | | | | | |
| 160 | | | | | | | |
| 180 | | | | | | | |
| 200 | | | | | | | |
| 220 | | | | | | | |
| 240 | | | | | | | |
| BOC No. | | | | | | | |
| % CORE RECOVERED | | | | | | | |
| DILLING INTERVAL | | | | | | | |

Length _____ Contractor _____
 Bearing _____ Core _____ Stored _____
 Dip _____ Casing _____
 Log _____ Logged by _____ Date _____
 Dep. _____ Location _____
 Elev. _____
 O.B. Thickness _____ Started _____ Finished _____
 B.R. Thickness _____ Started _____ Finished _____
 Hole No. 80 B-3
 Project _____
 Claim _____
 Page _____ of _____

J.C. STEPHEN
EXPLORATIONS
LTD.

[illegible]

Length _____ Contractor _____
 Bearing _____ Core _____ Stored _____
 Dip _____ Casing _____
 Lat. _____ Logged by _____ Date _____
 Dep. _____ Location _____
 Elev _____
 O.B. Thickness _____ Started _____ Finished _____
 B.R. Thickness _____ Started _____ Finished _____

**J.C. STEPHEN
EXPLORATIONS
LTD.**

Hole No. 80 B-3
Project DC SYNDICATE
Claim BAR 4
Page _____ of _____