

MAGNETIC SUSCEPTIBILITY LOG

HOLE: BOLT-10-01

Depth (m)	Unit	Modifier	Magnetic Susceptibility	Comments
1.00			N/A	
2.00			N/A	
3.00			N/A	
4.00			N/A	
5.00			0.36	
6.00			0.4	
7.00			0.62	
8.00			0.62	
9.00			0.87	
10.00			0.54	
11.00			0.65	
12.00			0.58	
13.00			0.56	
14.00			0.56	
15.00			0.6	
16.00			N/A	
17.00			0.67	
18.00			N/A	
19.00			0.84	
20.00			0.73	
21.00			0.6	
22.00			0.96	
23.00			0.38	
24.00			0.62	
25.00			0.4	
26.00			0.6	
27.00			0.69	
28.00			2.34	
29.00			0.49	
30.00			0.56	
31.00			0.38	
32.00			0.29	
33.00			0.09	
34.00			0.03	
35.00			0.36	
36.00			N/A	
37.00			N/A	
38.00			N/A	
39.00			0.47	
40.00			0.09	
41.00			0.43	
42.00			0.45	
43.00			0.65	

MAGNETIC SUSCEPTIBILITY LOG

Depth (m)	Unit	Modifier	Magnetic Susceptibility	Comments
44.00			0.53	
45.00			0.54	
46.00			0.53	
47.00			1.13	
48.00			0.67	
49.00			0.18	
50.00			0.12	
51.00			0.1	
52.00			0.29	
53.00			0.1	
54.00			0.58	
55.00			0.32	
56.00			0.43	
57.00			0.49	
58.00			1.99	
59.00			0.09	
60.00			41.8	
61.00			34.6	
62.00			0.65	
63.00			34.4	
EOH				