

Drill Hole	Sample Number	Rock Type	From (m)	To (m)	Width (m)	Cu (ppm)	Ni (ppm)	Pt (ppm)	Pd (ppm)	Au (ppm)	Au+Pt+Pd (ppm)
DDH05-01	P396851	ANDS	8.30	9.14	0.84	67	176	<0.005	0.003	0.002	0.005
	P396852	PHYL	9.14	11.20	2.06	43	55	<0.005	0.003	0.004	0.007
	P396853	PHYL	11.20	13.70	2.50	8	30	<0.005	0.002	0.002	0.004
	P396854	ANDS	13.70	14.33	0.63	98	130	0.015	0.015	0.002	0.032
	P396855	GABR?	14.33	15.00	0.67	96	110	0.008	0.004	0.260	0.272
	P396856	PHYL	15.00	17.00	2.00	28	25	0.005	0.003	0.001	0.009
	P396857	PHYL	17.00	19.00	2.00	93	50	<0.005	0.002	0.010	0.012
	P396858	GABR	19.00	20.70	1.70	14	159	<0.005	0.001	0.044	0.045
	P396859	GABR	20.70	22.11	1.41	35	305	<0.005	<0.001	0.074	0.074
	P396860	CLPX	22.11	23.73	1.62	8270	3820	0.878	0.580	0.126	1.584
	P396861	CLPX	23.73	25.61	1.88	6090	2510	0.634	0.382	0.133	1.149
	P396862	GABR	25.61	28.14	2.53	4980	2010	0.609	0.312	0.231	1.152
	P396863	GABR	28.14	29.56	1.42	5300	3480	0.205	0.090	0.085	0.380
	P396864	GABR	29.56	31.25	1.69	5090	1865	0.388	0.161	0.145	0.694
	P396865	GABR	31.25	32.76	1.51	4580	1960	0.338	0.162	0.154	0.654
	P396866	CLPX	32.76	34.54	1.78	5950	2170	0.705	0.389	0.140	1.234
	P396867	CLPX	34.54	36.12	1.58	2320	1410	0.200	0.101	0.086	0.387
	P396868	PERD	36.12	37.64	1.52	125	126	0.016	0.010	0.002	0.028
	P396869	PERD	37.64	39.10	1.46	83	61	0.008	0.009	0.001	0.018
	P396870	PERD	39.10	41.10	2.00	265	167	0.013	0.009	0.005	0.027
	P396871	CLPX	41.10	42.50	1.40	180	85	0.006	0.002	0.003	0.011
	P396872	CLPX	42.50	43.97	1.47	374	130	0.015	0.007	0.003	0.025
	P396873	CLPX	43.97	45.47	1.50	1440	779	0.043	0.023	0.021	0.087
	P396874	CLPX	45.47	47.49	2.02	2150	824	0.114	0.062	0.006	0.182
	P396875	GABR	47.49	49.00	1.51	5150	1655	0.645	0.359	0.111	1.115
	P396876	GABR	49.00	50.90	1.90	2900	1020	0.230	0.097	0.018	0.345
	P396878	FLGG	50.90	53.04	2.14	121	87	<0.005	0.003	0.005	0.008
	P396879	PHYL	53.04	55.47	2.43	59	31	<0.005	0.002	0.002	0.004
	P396880	ANDS	55.47	56.35	0.88	64	24	<0.005	0.003	0.005	0.008
	P396881	PHYL	56.35	57.49	1.14	89	46	<0.005	0.005	0.014	0.019
	P396882	ANDS/PHYL	57.49	59.44	1.95	46	17	<0.005	0.001	0.002	0.003
	P396883	ANDS	59.44	61.44	2.00	81	43	<0.005	0.005	0.002	0.007
	P396884	ANDS	61.44	63.97	2.53	98	50	0.008	0.008	0.001	0.017
	P396885	PHYL	63.97	65.17	1.20	21	7	<0.005	<0.001	0.004	0.004
	191652	Check Sample	36.12	37.64	1.52	2644	1461	0.29	0.17	0.11	0.570
	P396877	Blank Sample				80	28	0.005	0.005	0.001	0.011

22.11m to 43.54m:
0.57% Cu, 0.25% Ni,
1.01 g/t Pt+Pd+Au
over 12.4m

19.00m to 50.90m:
0.30% Cu, 0.13% Ni,
0.51 g/t Pt+Pd+Au
over 31.9m

47.49m to 49.00m:
0.51% Cu, 0.17% Ni,
1.11 g/t Au+Pt+Pd
over 1.5m