

**ALS Chemex****EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

**STRATEGIC METALS LTD.****C/O ARCHER, CATHRO & ASSOCIATES (1981)****LIMITED****1016-510 W HASTINGS ST****VANCOUVER BC V6B 1L8**Page: 1
Finalized Date: 23-JUL-2005
Account: MTT**CERTIFICATE VA05058400**

Project: Burwash-DD05-04

P.O. No.:

This report is for 27 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 15-JUL-2005.

The following have access to data associated with this certificate:

AL ARCHER
VANCOUVER OFFICEDOUG EATON
BILL WENGZYNOWSKI

JOAN MARIACHER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-ICP41	34 Element Aqua Regia ICP-AES	ICP-AES
PGM-ICP23	Pt, Pd, Au 30g FA ICP	ICP-AES

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: Burwash-DD05-04

Page: 2 - A
Total # Pages: 2 (A - C)
Finalized Date: 23-JUL-2005
Account: MTT

CERTIFICATE OF ANALYSIS VA05058400

Method Analyte Units LOR	WEI-21 Recvd Wt. kg	PGM-ICP23 Au ppm	PGM-ICP23 Pt ppm	PGM-ICP23 Pd ppm	ME-ICP41 Ag ppm	ME-ICP41 Al %	ME-ICP41 As ppm	ME-ICP41 B ppm	ME-ICP41 Ba ppm	ME-ICP41 Be ppm	ME-ICP41 Bi ppm	ME-ICP41 Ca %	ME-ICP41 Cd ppm	ME-ICP41 Co ppm	ME-ICP41 Cr ppm
Sample Description	0.02	0.001	0.005	0.001	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1
P396967	1.78	0.010	<0.005	<0.001	<0.2	0.45	956	<10	110	0.7	<2	2.16	<0.5	7	6
P396968	3.78	0.114	0.290	0.155	2.7	1.02	2270	10	120	0.5	<2	6.29	<0.5	84	347
P396969	5.46	0.078	0.251	0.182	2.8	2.06	1485	10	120	<0.5	<2	5.33	0.5	89	445
P396970	5.54	0.245	0.278	0.096	3.7	2.12	173	10	150	<0.5	<2	2.65	<0.5	111	423
P396971	3.32	0.019	<0.005	0.004	0.7	0.93	568	10	160	0.6	<2	5.76	2.4	87	227
P396972	5.04	0.011	<0.005	0.002	0.2	0.62	432	10	80	0.5	<2	2.69	1.4	22	16
P396973	6.72	0.008	<0.005	<0.001	<0.2	0.26	79	<10	40	<0.5	<2	2.44	1.0	15	8
P396974	6.20	0.005	<0.005	<0.001	0.4	0.35	100	<10	30	<0.5	<2	3.24	1.9	10	6
P396975	6.08	0.005	<0.005	<0.001	0.4	0.61	98	<10	20	<0.5	<2	2.54	1.9	13	6
P396976	6.96	0.005	<0.005	<0.001	<0.2	1.00	14	<10	80	<0.5	<2	2.94	<0.5	9	7
P396977	9.24	0.006	<0.005	0.001	<0.2	1.07	106	<10	60	<0.5	<2	3.59	0.9	12	16
P396978	7.62	0.007	<0.005	0.002	<0.2	0.89	106	<10	120	<0.5	<2	2.66	<0.5	15	15
P396979	1.74	0.007	<0.005	0.003	<0.2	0.05	10	<10	10	<0.5	<2	19.9	0.5	2	1
P396980	5.52	0.004	<0.005	0.001	<0.2	1.10	68	<10	80	<0.5	<2	2.67	<0.5	17	10
P396981	6.22	0.002	<0.005	<0.001	<0.2	1.25	100	<10	60	<0.5	<2	3.18	<0.5	23	8
P396982	6.70	0.001	<0.005	<0.001	<0.2	0.54	63	<10	50	<0.5	<2	3.22	<0.5	14	10
P396983	6.14	0.006	<0.005	<0.001	0.3	0.29	80	<10	40	<0.5	<2	3.60	0.8	12	8
P396984	4.34	0.002	<0.005	<0.001	<0.2	0.41	35	<10	40	<0.5	<2	3.25	2.6	10	8
P396985	5.90	0.004	<0.005	<0.001	<0.2	0.94	37	<10	30	<0.5	<2	3.36	<0.5	11	30
P396986	5.08	0.003	<0.005	<0.001	<0.2	0.56	34	<10	20	<0.5	<2	4.12	<0.5	7	7
P396987	4.26	0.005	<0.005	<0.001	0.4	0.55	14	<10	20	<0.5	<2	3.14	<0.5	11	8
P396988	6.44	0.007	<0.005	<0.001	<0.2	0.28	49	<10	20	<0.5	<2	2.61	<0.5	6	7
P396989	5.32	0.002	<0.005	<0.001	<0.2	0.34	23	<10	10	<0.5	<2	2.77	<0.5	8	4
P396990	5.54	0.002	<0.005	<0.001	<0.2	0.29	9	<10	30	<0.5	<2	1.62	<0.5	4	9
P396991	3.98	0.002	<0.005	<0.001	<0.2	3.32	24	<10	100	<0.5	<2	4.67	<0.5	24	67
P396992	3.54	0.005	<0.005	<0.001	0.3	0.41	130	<10	130	<0.5	<2	1.40	3.2	21	8
P396993	6.48	0.001	<0.005	<0.001	<0.2	0.78	35	<10	350	<0.5	<2	2.74	<0.5	12	15



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com



STRATEGIC METALS LTD.

C/O ARCHER, CATHRO & ASSOCIATES (1981)

LIMITED

1016-510 W HASTINGS ST

VANCOUVER BC V6B 1L8

Project: Burwash-DD05-04



Page: 2 - B

Total Pages: 2 (A - C)

Finalized Date: 23-JUL-2005

Account: MTT

CERTIFICATE OF ANALYSIS VA05058400

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Cu	Fe	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S
		ppm 1	% 0.01	ppm 10	ppm 1	% 0.01	ppm 10	% 0.01	ppm 5	ppm 1	% 0.01	ppm 1	ppm 10	ppm 2	% 0.01
P396967		33	3.31	<10	<1	0.29	30	0.80	1085	1	0.02	27	350	16	0.04
P396968		2930	6.81	<10	<1	0.14	<10	4.62	1165	<1	0.02	1185	400	13	0.43
P396969		2960	7.47	<10	<1	0.07	<10	5.83	1090	<1	0.02	1290	850	7	0.42
P396970		4720	17.5	<10	<1	0.18	10	2.96	795	2	0.12	2370	490	17	1.12
P396971		1690	5.19	<10	<1	0.13	10	3.29	912	2	0.02	1195	310	31	0.21
P396972		151	3.53	<10	<1	0.28	20	0.82	513	1	0.02	301	1080	54	0.16
P396973		61	0.95	<10	<1	0.15	10	0.08	275	1	0.03	62	250	11	0.23
P396974		40	1.30	<10	<1	0.17	10	0.19	400	2	0.03	28	280	28	0.05
P396975		142	2.31	<10	<1	0.14	10	0.26	337	6	0.02	22	410	59	0.23
P396976		7	2.74	<10	<1	0.10	10	0.48	338	4	0.01	21	420	12	0.08
P396977		20	3.60	<10	<1	0.20	10	0.78	464	4	0.02	44	610	20	0.09
P396978		29	4.21	<10	<1	0.23	10	1.09	502	1	0.05	112	690	10	0.13
P396979		3	0.09	<10	<1	0.01	<10	10.95	110	<1	0.01	<1	350	2	<0.01
P396980		81	4.03	<10	<1	0.17	<10	1.30	653	1	0.05	29	670	6	0.42
P396981		63	5.13	<10	<1	0.15	<10	1.43	599	1	0.04	132	670	5	0.24
P396982		4	3.17	<10	<1	0.13	10	1.05	373	1	0.05	133	460	4	0.04
P396983		4	2.47	<10	<1	0.13	10	0.75	492	1	0.04	153	420	5	0.02
P396984		9	1.84	<10	<1	0.17	10	0.52	622	1	0.02	124	320	68	0.02
P396985		8	2.67	<10	<1	0.13	10	1.08	415	<1	0.04	102	360	2	0.03
P396986		5	1.88	<10	<1	0.15	10	0.33	550	4	0.03	65	350	5	0.10
P396987		1	1.88	<10	<1	0.16	10	0.20	435	2	0.04	46	300	<2	0.25
P396988		4	1.56	<10	<1	0.13	10	0.09	363	2	0.03	25	240	2	0.57
P396989		46	1.88	<10	<1	0.08	<10	0.13	380	3	0.02	33	250	3	0.58
P396990		29	0.85	<10	<1	0.12	10	0.06	215	1	0.04	23	230	<2	0.25
P396991		49	4.60	10	<1	0.07	10	2.75	841	<1	0.04	81	1450	3	0.09
P396992		147	2.36	<10	1	0.16	10	0.28	420	2	0.04	200	300	22	0.13
P396993		27	3.69	<10	<1	0.13	20	0.76	1275	<1	0.05	54	410	10	0.03



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com



STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: Burwash-DD05-04

Page: 2 - C
Total Pages: 2 (A - C)
Finalized Date: 23-JUL-2005
Account: MTT

CERTIFICATE OF ANALYSIS VA05058400

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	
		Sc	Sr	Ti	Ti	U	V	W	
		ppm 1	ppm 1	% 0.01	ppm 10	ppm 10	ppm 1	ppm 10	Zn ppm 2
P396967		2	46	<0.01	<10	<10	4	<10	93
P396968		12	281	<0.01	<10	<10	42	<10	75
P396969		14	192	<0.01	<10	<10	73	<10	112
P396970		10	76	0.01	<10	<10	95	<10	219
P396971		9	120	<0.01	10	<10	43	<10	536
P396972		4	63	<0.01	<10	<10	13	<10	212
P396973		1	46	<0.01	<10	<10	2	<10	144
P396974		2	50	<0.01	<10	<10	3	<10	276
P396975		2	37	<0.01	<10	<10	9	<10	286
P396976		2	47	<0.01	<10	<10	12	<10	29
P396977		5	76	<0.01	<10	<10	26	<10	124
P396978		9	92	<0.01	<10	<10	43	<10	70
P396979		<1	115	<0.01	<10	<10	1	<10	8
P396980		10	84	<0.01	<10	<10	46	<10	29
P396981		11	83	<0.01	<10	<10	46	<10	55
P396982		8	83	<0.01	<10	<10	31	<10	43
P396983		6	62	<0.01	<10	<10	14	<10	134
P396984		3	50	<0.01	<10	<10	6	<10	191
P396985		5	51	<0.01	<10	<10	28	<10	88
P396986		3	68	<0.01	<10	<10	9	<10	36
P396987		2	46	<0.01	<10	<10	7	<10	33
P396988		2	35	<0.01	<10	<10	2	<10	8
P396989		1	39	<0.01	<10	<10	2	<10	3
P396990		1	29	<0.01	<10	<10	2	<10	3
P396991		9	203	0.03	<10	<10	100	<10	76
P396992		3	37	<0.01	<10	<10	6	<10	280
P396993		7	83	<0.01	<10	<10	38	<10	96