



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com



STRATEGIC METALS LTD.

C/O ARCHER, CATHRO & ASSOCIATES (1981)

LIMITED

1016-510 W HASTINGS ST

VANCOUVER BC V6B 1L8

Finalized

Page: 1

Date: 8-AUG-2005

Account: MTT

CERTIFICATE VA05061902

Project: DDH-05-07

P.O. No.:

This report is for 30 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 26-JUL-2005.

The following have access to data associated with this certificate:

AL ARCHER
VANCOUVER OFFICE

DOUG EATON
BILL WENGZYNOWSKI

JOAN MARIACHER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
PUL-31	Pulverize split to 85% <75 um
SPL-21	Split sample - riffle splitter
CRU-31	Fine crushing - 70% <2mm
LOG-22	Sample login - Rcd w/o BarCode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-ICP41	34 Element Aqua Regia ICP-AES	ICP-AES
PGM-ICP23	Pt, Pd, Au 30g FA ICP	ICP-AES

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com



STRATEGIC METALS LTD.

C/O ARCHER, CATHRO & ASSOCIATES (1981)

LIMITED

1016-510 W HASTINGS ST

VANCOUVER BC V6B 1L8

Project: DDH-05-07



Page: 2 - A

Total # Pages: 2 (A - C)

Finalized Date: 8-AUG-2005

Account: MTT

CERTIFICATE OF ANALYSIS VA05061902

Sample Description	Method Analyte Units LOI	WEI-21	PGM-ICP23	PGM-ICP23	PGM-ICP23	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Recvd Wt.	Au	Pt	Pd	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr
		kg	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		0.02	0.001	0.005	0.001	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1
P397064		3.94	0.006	0.012	0.009	<0.2	2.34	59	<10	50	<0.5	<2	4.02	<0.5	32	9
P397065		5.04	0.003	0.010	0.014	<0.2	1.21	15	10	170	<0.5	<2	5.47	<0.5	41	54
P397066		4.96	0.011	0.005	0.006	0.2	0.45	71	10	230	<0.5	<2	4.81	<0.5	14	14
P397067		4.42	0.124	0.468	0.262	4.5	0.62	1300	<10	90	<0.5	<2	5.62	<0.5	113	275
P397068		3.44	0.050	0.140	0.063	10.4	0.35	1740	<10	40	<0.5	<2	5.44	0.9	77	233
P397069		9.16	0.058	0.134	0.047	2.1	1.56	130	10	150	<0.5	<2	1.70	<0.5	133	643
P397070		5.06	0.094	0.388	0.216	2.5	1.84	128	50	50	<0.5	<2	1.95	<0.5	178	631
P397071		3.68	0.117	0.393	0.205	2.5	1.78	55	50	20	<0.5	<2	2.30	<0.5	152	608
P397072		3.76	0.117	0.407	0.208	2.2	1.49	202	40	10	<0.5	<2	3.04	<0.5	145	617
P397073		5.36	0.068	0.586	0.333	2.7	1.58	17	70	20	<0.5	<2	1.96	<0.5	232	599
P397074		5.48	0.243	0.328	0.166	1.9	1.48	304	30	10	<0.5	<2	4.59	<0.5	151	600
P397075		5.38	0.042	0.034	0.019	1.1	2.44	68	10	10	<0.5	<2	3.68	<0.5	115	1125
P397076		4.76	0.114	0.376	0.234	3.7	1.98	14	60	30	<0.5	2	2.19	<0.5	144	731
P397077		5.58	0.099	0.342	0.214	3.6	2.19	8	50	20	<0.5	<2	3.36	1.4	118	853
P397078		5.04	0.078	0.275	0.171	3.9	2.09	8	50	20	<0.5	<2	2.54	3.5	140	742
P397079		3.56	0.079	0.300	0.152	1.7	2.01	5	50	30	<0.5	<2	1.54	<0.5	172	718
P397080		4.52	0.068	0.297	0.160	1.3	1.92	5	60	30	<0.5	<2	1.32	<0.5	170	638
P397081		3.80	0.091	0.409	0.217	2.0	2.05	3	50	30	<0.5	<2	0.84	<0.5	182	782
P397082		3.92	0.007	0.017	0.012	<0.2	4.29	<2	<10	30	<0.5	<2	3.26	<0.5	43	71
P397083		2.08	<0.001	<0.005	0.001	<0.2	0.05	<2	<10	10	<0.5	<2	19.9	<0.5	<1	4
P397084		5.18	0.019	0.014	0.011	0.7	2.43	4	40	20	<0.5	<2	1.46	<0.5	111	680
P397085		6.50	0.053	0.046	0.020	1.3	2.57	3	30	20	<0.5	<2	2.04	<0.5	131	607
P397086		4.76	0.073	0.101	0.049	1.7	2.50	13	30	20	<0.5	<2	3.96	<0.5	119	624
P397087		7.90	0.048	0.128	0.056	2.5	2.76	20	10	20	<0.5	<2	2.81	0.6	123	923
P397088		5.68	0.003	0.006	0.010	0.2	2.45	21	<10	80	<0.5	<2	3.79	<0.5	39	220
P397089		5.78	0.004	0.006	0.005	<0.2	2.93	95	<10	20	<0.5	<2	3.97	<0.5	44	477
P397090		3.20	0.047	0.128	0.061	1.9	1.65	677	<10	100	<0.5	<2	5.56	<0.5	77	758
P397091		4.24	0.004	<0.005	0.003	<0.2	0.48	68	10	80	<0.5	<2	3.95	0.5	15	11
P397092		2.22	<0.001	<0.005	0.001	<0.2	0.07	2	<10	10	<0.5	<2	19.4	<0.5	<1	4
P397093		2.42	<0.001	<0.005	0.005	<0.2	2.71	41	<10	90	<0.5	<2	5.25	<0.5	20	103



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com



STRATEGIC METALS LTD.

C/O ARCHER, CATHRO & ASSOCIATES (1981)

LIMITED

1016-510 W HASTINGS ST

VANCOUVER BC V6B 1L8

Project: DDH-05-07



Page: 2 - B

Total Pages: 2 (A - C)

Finalized Date: 8-AUG-2005

Account: MTT

CERTIFICATE OF ANALYSIS VA05061902

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Cu	Fe	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb
		ppm 1	% 0.01	ppm 10	ppm 1	% 0.01	ppm 10	% 0.01	ppm 5	ppm 1	% 0.01	ppm 1	ppm 10	ppm 2	% 0.01	ppm 2
P397064		133	7.72	10	<1	0.11	10	2.00	1440	<1	0.04	23	770	6	0.09	<2
P397065		129	6.47	<10	<1	0.13	<10	2.41	1210	2	0.05	63	290	2	0.02	2
P397066		51	4.42	<10	<1	0.20	10	1.72	1145	2	0.04	26	390	10	0.01	<2
P397067		3690	7.31	<10	<1	0.13	<10	5.40	1065	<1	0.02	917	250	29	0.71	140
P397068		2110	7.03	<10	<1	0.10	<10	9.08	1155	<1	0.01	810	240	16	0.42	699
P397069		2080	8.40	<10	<1	0.01	<10	10.90	1175	<1	0.01	1115	190	8	0.85	14
P397070		3660	10.25	<10	<1	0.03	<10	10.35	1130	<1	0.01	1830	220	7	0.58	6
P397071		3430	9.64	<10	<1	0.03	<10	10.90	1215	<1	0.01	1450	200	8	0.56	<2
P397072		4000	9.87	<10	<1	0.02	<10	10.75	1250	<1	0.01	1635	180	7	0.36	3
P397073		6030	12.25	<10	<1	0.03	<10	11.40	1220	<1	0.01	2740	200	7	1.02	3
P397074		4220	8.76	<10	<1	0.01	<10	8.56	1320	<1	0.01	1815	220	8	0.64	10
P397075		1640	8.05	<10	<1	0.01	<10	9.45	1135	<1	0.01	1025	390	6	0.22	<2
P397076		3430	9.93	<10	<1	0.05	<10	10.45	1160	<1	0.02	1335	230	11	0.37	<2
P397077		2880	8.87	<10	<1	0.03	<10	10.20	1235	<1	0.01	1065	230	29	0.17	<2
P397078		2800	9.48	<10	<1	0.04	<10	10.60	1300	<1	0.02	1155	240	60	0.39	<2
P397079		3360	10.30	<10	<1	0.08	<10	11.50	1210	<1	0.02	1665	250	6	0.39	<2
P397080		3130	10.55	<10	<1	0.09	<10	11.75	1085	<1	0.02	1560	210	5	0.59	<2
P397081		3780	11.45	<10	<1	0.07	<10	11.85	1085	<1	0.01	1835	230	4	0.41	<2
P397082		259	6.50	10	<1	0.09	10	5.76	1155	<1	0.02	183	1610	4	0.01	<2
P397083		16	0.11	<10	<1	0.01	<10	11.05	108	<1	0.01	1	370	2	<0.01	2
P397084		1520	8.86	<10	<1	0.07	<10	8.94	836	<1	0.01	910	340	4	0.08	<2
P397085		2350	8.74	<10	<1	0.07	<10	8.47	1115	<1	0.01	1165	450	7	0.23	2
P397086		2540	8.67	<10	<1	0.05	<10	8.12	1170	1	0.02	974	340	13	0.27	<2
P397087		2570	7.78	10	<1	0.02	<10	7.48	1145	1	0.01	1090	390	24	0.20	<2
P397088		245	5.56	10	<1	0.10	10	4.22	978	<1	0.04	160	890	3	0.10	<2
P397089		249	6.22	10	<1	0.06	<10	5.89	1040	<1	0.03	204	700	17	0.07	5
P397090		1900	7.59	<10	<1	0.07	<10	7.87	1055	<1	0.02	635	260	10	0.41	64
P397091		91	2.54	<10	<1	0.34	20	0.44	927	<1	0.02	106	410	8	0.03	2
P397092		12	0.10	<10	<1	0.01	<10	10.70	104	<1	0.01	<1	370	<2	<0.01	<2
P397093		32	4.77	10	<1	0.24	10	2.62	1530	<1	0.03	79	440	8	0.02	<2

	Method Analyte Units LOR	ME-ICP41 Sc ppm 1	ME-ICP41 Sr ppm 1	ME-ICP41 Ti % 0.01	ME-ICP41 Ti ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
P397064		25	84	<0.01	<10	<10	191	<10	87
P397065		31	154	<0.01	<10	<10	129	<10	74
P397066		10	151	<0.01	<10	<10	20	<10	71
P397067		9	251	<0.01	<10	<10	33	<10	93
P397068		8	441	<0.01	<10	<10	22	<10	182
P397069		10	59	0.01	<10	<10	50	<10	33
P397070		11	52	0.03	<10	<10	49	<10	60
P397071		11	79	0.04	<10	<10	49	<10	56
P397072		10	105	0.03	<10	<10	45	<10	54
P397073		10	48	0.05	<10	<10	49	<10	67
P397074		8	109	0.01	<10	<10	41	<10	52
P397075		12	76	0.01	<10	<10	72	<10	66
P397076		12	35	0.04	<10	<10	59	<10	95
P397077		12	65	0.05	<10	<10	64	<10	88
P397078		11	71	0.05	<10	<10	61	<10	97
P397079		11	31	0.07	<10	<10	68	<10	68
P397080		10	38	0.07	<10	<10	63	<10	61
P397081		11	22	0.07	<10	<10	66	<10	64
P397082		14	67	0.25	<10	<10	155	<10	69
P397083		<1	120	<0.01	<10	<10	2	<10	6
P397084		7	30	0.06	<10	<10	60	<10	49
P397085		8	47	0.07	<10	<10	74	<10	61
P397086		9	212	0.06	<10	<10	79	<10	58
P397087		11	77	0.04	<10	<10	87	<10	71
P397088		23	114	0.01	<10	<10	140	<10	69
P397089		21	135	0.01	<10	<10	130	<10	108
P397090		13	274	<0.01	<10	<10	68	<10	71
P397091		2	70	<0.01	<10	<10	4	<10	182
P397092		<1	120	<0.01	<10	<10	2	<10	7
P397093		11	212	<0.01	<10	<10	64	<10	90