

SYNOPTIC LOG
NORDAC RESOURCES LTD.
Property: CONVERTHole: CV-97-06 Section: 9,700 N

Easting: Northing: Elevation: Depth: Logger: K. Lesnikoff

344,772.44 6,694,431.71 1,179.35 156.67 Drilling Dates: July 6-9, 1997

Depth	0.00	156.67			
Azimuth	58	58			
Dip	-50	-57			
Method	Brunton	Acid			

From (m)	To (m)	Interval (m)	*	Unit	Comments	From (m)	To (m)	Interval (m)	Sample No.	REC %	Cu (ppm)	Pb (ppm)	Zn (ppm)	Ag (ppm)	Au (ppb)
0.00	4.20	4.20		CSDH	casing										
4.20	6.00	1.80	S	CLSH	weathered chlorite schist										
6.00	8.22	2.22	T	CSSH	chlorite-sericite schist										
8.22	16.40	8.18	F	CLSH	chlorite schist with calcareous porphyroblasts										
						8.22	10.66	2.44	59245		4	38	226	<0.2	n/a
16.40	17.30	0.90	F	CLSH	silica rich chlorite schist										
17.30	39.60	22.30	F	CLSH	chlorite schist with rare porphyroblasts										
					-locally veined with carbonate and quartz veins	21.94	24.38	2.44	59246		22	12	66	0.2	n/a
39.60	44.70	5.10	F	SEPH	graphitic sericite phyllite										
44.70	53.70	9.00	F	CLSH	chlorite schist										
					-pyrite and pyrrhotite lenses at 46.60-48.20	50.29	52.57	2.28	59247		17	8	68	<0.2	n/a
53.70	60.40	6.70	F	SEPH	graphitic sericite phyllite										
60.40	69.79	9.39	F	GSPH	tectonized graphite-sericite phyllite										
69.79	80.00	10.21	F	GSPH	graphite-sericite phyllite										
80.00	92.90	12.90	F	SEPH	sericite phyllite										
92.90	98.60	5.70	F	SEPH	graphitic sericite phyllite										
98.60	105.15	6.55	F	SEPH	sericite phyllite										
105.15	108.20	3.05	F	SEPH	tectonized graphitic sericite phyllite										
108.20	119.48	11.28	F	GSPH	graphite-sericite phyllite										
119.48	120.40	0.92	F	GSPH	gouged graphite-sericite phyllite										
120.40	130.70	10.30	F	GSPH	graphite-sericite phyllite										
130.70	132.25	1.55	F	QZVN	quartz vein										
132.25	138.50	6.25	F	GSPH	graphite-sericite phyllite										
138.50	153.95	15.45	F	SEPH	sericite phyllite										
153.95	156.67	2.72	F	RBCH	ribbon bedded chert										
					EOH										

*S-strong weathering, T-transitional weathering, F-fresh