

001327

PAGE 1 OF 7

COMPANY NAME Area Exploration Company  
PROPERTY NAME Mount Nansen  
DRILLING CONTRACTOR E. Caron Diamond Drilling Ltd.  
ASSAYER Bondar-Clegg & Co. Ltd.  
PURPOSE OF HOLE To test centre of Cu & Mo soil anomaly rings

[illegible]

PAGE 2 OF 7

COMPANY NAME Area Exploration Company  
PROPERTY NAME Mount Nansen  
DRILLING CONTRACTOR \_\_\_\_\_  
ASSAYER \_\_\_\_\_  
PURPOSE OF HOLE \_\_\_\_\_

HOLE NO. CD-16  
CLAIM NAME BIT 6  
COMMENCED \_\_\_\_\_  
FINISHED \_\_\_\_\_  
PROJECT NO. 461

[illegible]

PAGE 3 OF 7

COMPANY NAME Area Exploration Company  
PROPERTY NAME Mount Nansen  
DRILLING CONTRACTOR \_\_\_\_\_  
ASSAYER \_\_\_\_\_  
PURPOSE OF HOLE \_\_\_\_\_

[illegible]

PAGE 4 OF 7

COMPANY NAME Area Exploration Company  
PROPERTY NAME Mount Nansen  
DRILLING CONTRACTOR \_\_\_\_\_  
ASSAYER \_\_\_\_\_  
PURPOSE OF HOLE \_\_\_\_\_

[illegible]

PAGE 5 OF 7

COMPANY NAME Area Exploration Company  
PROPERTY NAME Mount Nansen  
DRILLING CONTRACTOR \_\_\_\_\_  
ASSAYER \_\_\_\_\_  
PURPOSE OF HOLE \_\_\_\_\_

HOLE NO. CD-16  
CLAIM NAME BIT 6  
COMMENCED \_\_\_\_\_  
FINISHED \_\_\_\_\_  
PROJECT NO. 461

[illegible]

# Diamond Drill Record

PAGE 6 OF 7

|                  |  |             |         |     |
|------------------|--|-------------|---------|-----|
| COLLAR:          |  | HOLE SURVEY |         |     |
| NORTH            |  | FOOTAGE     | AZIMUTH | DIP |
| EAST             |  |             |         |     |
| ELEVATION        |  |             |         |     |
| LOGGED BY        |  |             |         |     |
| DATE LOGGED      |  |             |         |     |
| MAP REFERENCE NO |  | METHOD      |         |     |

COMPANY NAME Area Exploration Company  
 PROPERTY NAME Mount Nansen  
 DRILLING CONTRACTOR \_\_\_\_\_  
 ASSAYER \_\_\_\_\_  
 PURPOSE OF HOLE \_\_\_\_\_

|             |              |
|-------------|--------------|
| HOLE NO.    | <u>CD-16</u> |
| CLAIM NAME  | <u>BIT 6</u> |
| COMMENCED   | _____        |
| FINISHED    | _____        |
| PROJECT NO. | <u>461</u>   |

| FROM  | TO    | RECOVY | DESCRIPTION  | SAMPLE |     |       |       | ASSAYS |       |    |      |       |       |
|-------|-------|--------|--|--------|-----|-------|-------|--------|-------|----|------|-------|-------|
|       |       |        |  | FROM   | TO  | WIDTH | NO.   | Cu%    | Mo%   | Au | Ag   | Pb%   | Zn%   |
| 438   | 441   | Nil    |  |        |     |       |       |        |       |    |      |       |       |
| 441   | 448   | 50%    |  |        |     |       |       |        |       |    |      |       |       |
| 448   | 449   | Nil    |  |        |     |       |       |        |       |    |      |       |       |
| 449   | 451   | 50%    |  |        |     |       |       |        |       |    |      |       |       |
| 451   | 452.6 | Nil    |  |        |     |       |       |        |       |    |      |       |       |
| 452.6 | 454.6 | 70%    |  |        |     |       |       |        |       |    |      |       |       |
| 454.6 | 455   |        | Silicified porphyry, as 33-47.                                     |        |     |       |       |        |       |    |      |       |       |
| 455   | 458   |        | Oxide-stained clay   |        |     |       |       |        |       |    |      |       |       |
| 458   | 466   |        | Intensely altered, then silicified porphyry(?), as 288-292.        | 460    | 470 | 10    | 9948  | 0.01   | 0.005 |    |      |       |       |
|       |       |        | Grey silica veins in a cream matrix.                               |        |     |       |       |        |       |    |      |       |       |
| 466   | 468.6 |        | Silicified porphyry, as 33-47                                      |        |     |       |       |        |       |    |      |       |       |
| 468.6 | 476   |        | Intensely altered and silicified, as 458-466.                      | 470    | 480 | 10    | 9949  | 0.01   | 0.004 |    |      |       |       |
|       |       |        | 469.6-472 - sand, 1/4" galena-sphalerite-pyrite veins at 475.6,    |        |     |       |       |        |       |    |      |       |       |
|       |       |        | 476.   |        |     |       |       |        |       |    |      |       |       |
| 476   | 477.6 |        | Oxide-stained, argillized porphyry.                                |        |     |       |       |        |       |    |      |       |       |
| 477.6 | 507   |        | Silicified porphyry, as 33-47. Trace chalcopyrite in quartz-pyrite | 480    | 490 | 10    | 9950  | 0.01   | 0.003 |    |      |       |       |
|       |       |        | vein at 486, 1/10" quartz-pyrite-sphalerite vein at 490.3.         | 500    | 510 | 10    | 24551 | 0.02   | 0.004 | Tr | 0.09 | L0.05 | 0.08  |
| 507   | 514   |        | Intensely altered, and silica veined as 458-466.                   |        |     |       |       |        |       |    |      |       |       |
| 514   | 600   |        | Silicified porphyry, as 33-47. Trace chalcopyrite in quartz-pyrite | 520    | 530 | 10    | 24552 | 0.01   | 0.004 | Tr | 0.05 | L0.05 | L0.05 |
|       |       |        | veins at 516.6, 520.6, 531, 537 (with trace galena), 544, 550,     | 540    | 550 | 10    | 24553 | 0.01   | 0.004 | Tr | 0.05 | L0.05 | L0.05 |
|       |       |        | 552.3 (with trace sphalerite), 554, 556.6, 557.6, 558, 572.6,      | 560    | 570 | 10    | 24554 | 0.01   | 0.004 | Tr | 0.03 | L0.05 | L0.05 |

PAGE 7 OF 7

COMPANY NAME Area Exploration Company  
PROPERTY NAME Mount Nansen  
DRILLING CONTRACTOR \_\_\_\_\_  
ASSAYER \_\_\_\_\_  
PURPOSE OF HOLE \_\_\_\_\_

HOLE NO. CD-16  
CLAIM NAME BIT 6  
COMMENCED \_\_\_\_\_  
FINISHED \_\_\_\_\_  
PROJECT NO. 461

[illegible]