

ASSAY TAG #	D.D.H.	FOOTAGE	Cu	Mo	Au						P.O.
330	CD-8	10- 20	0.02	L0.003	L0.005						
331		20- 30	0.02	L0.003							
332		30- 40	0.02	L0.003							
333		40- 50	0.02	L0.003	L0.005						
334		50- 60	0.02	L0.003							
335		60- 70	0.03	L0.003							
336		70- 80	0.02	L0.003	L0.005						
337		80- 90	0.02	L0.003							
338		90-100	0.03	L0.003							
339		100-110	0.02	L0.003	L0.005						
340		110-120	0.02	L0.003							
341		120-130	0.04	L0.003							
342		130-140	0.05	L0.003	L0.005						
343		140-150	0.03	L0.003							
344		150-160	0.05	L0.003							
345		160-170	0.03	L0.003	L0.005						
346		170-180	0.04	L0.003							
347		180-190	0.05	L0.003							
348		190-200	0.02	L0.003	L0.005						
349		200-210	0.03	L0.003							
350		210-220	0.03	L0.003							
351		220-230	0.01	L0.003	L0.005						
352		230-240	0.02	L0.003							
353		240-250	0.03	L0.003							
354		250-260	0.04	L0.003	L0.005						
355		260-270	0.05	L0.003							
356		270-280	0.04	L0.003							
357		280-290	0.05	L0.003	L0.005						
358		290-300	0.02	L0.003							
359		300-310	0.03	L0.003							
360		310-320	0.06	L0.003	L0.005						
361		320-330	0.03	L0.003							
362		330-340	0.03	L0.003							
363		340-350	0.03	L0.003	L0.005						
364		350-360	0.02	L0.003							
365		360-370	0.02	L0.003							
366		370-380	0.03	L0.003	L0.005						

MOUNT NANSEN

ASSAY AG #	D.D.H.	FOOTAGE	Cu	Mo	Au					P.O.
367	CD-8	380-390	0.02	L0.003						
368		390-400	0.02	L0.003						
369		400-410	0.02	L0.003						
370		410-420	0.09	L0.003	0.005					
371		420-430	0.01	L0.003						
372		430-440	0.02	L0.003						
373		440-450	0.01	L0.003	L0.005					
374		450-460	0.02	L0.003	L0.005					
375		460-470	0.02	L0.003						
4351		470-480	0.03	L0.003						
4352		480-490	0.01	L0.003	L0.005					
4353		490-500	0.01	L0.003						
4354		500-510	0.01	L0.003						
4355		510-520	0.02	L0.003	L0.005					
4356		520-530	0.02	L0.003						
4357		530-540	0.01	L0.003						
4358		540-550	0.01	L0.003	L0.005					
4359		550-560	0.01	L0.003						
4360		560-570	0.06	L0.003						
4361		570-580	0.02	L0.003	L0.005					
4362		580-590	0.03	L0.003						
4363		590-600	0.01	L0.003						
4364		600-610	0.01	L0.003	L0.005					
4365		610-620	0.04	L0.003						
4366		620-630	0.04	L0.003						
4367		630-640	0.03	L0.003	L0.005					
4368		640-650	0.04	L0.003						
4369		650-660	0.04	L0.003						
4370		660-670	0.03	L0.003	L0.005					
4371		670-680	0.02	L0.003						
4372		680-690	0.03	L0.003						
4373		690-700	0.02	L0.003	L0.005					
4374		700-710	0.02	L0.003						
4375		710-720	0.03	L0.003						
4376		720-730	0.02	L0.003	L0.005					
4377		730-740	0.02	L0.003						
4378		740-750	0.01	L0.003						
4379		750-760	0.01	L0.003	L0.005					

ASSAY TAG #	D.D.H.	FOOTAGE	Cu	Mo	Au					P.O.
4380	CD-8	760-770	0.02	L0.003						
4381		770-780	0.01	L0.003						
4382		780-790	0.01	L0.003	L0.005					
4383		790-800	0.01	L0.003						
4384		800-810	0.01	L0.003						
4385		810-820	L0.01	L0.003	L0.005					
4386		820-830	L0.01	L0.003						
4387		830-840	0.02	L0.003						
4388		840-850	0.01	L0.003	L0.005					