



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

o: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 1
Finalized Date: 9-AUG-2007
Account: MTT

CERTIFICATE VA07077533

Project: NIMO-EL

P.O. No.: EL-07-09

This report is for 28 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 17-JUL-2007.

The following have access to data associated with this certificate:

JOAN MARIACHER

SAMPLE PREPARATION

| ALS CODE | DESCRIPTION |
|----------|--------------------------------|
| WEI-21 | Received Sample Weight |
| LOG-22 | Sample login - Rcd w/o BarCode |
| CRU-31 | Fine crushing - 70% <2mm |
| SPL-21 | Split sample - riffle splitter |
| PUL-36 | Pulverize 1.5 kg to 85% <75 um |
| BAG-01 | Bulk Master for Storage |

ANALYTICAL PROCEDURES

| ALS CODE | DESCRIPTION | |
|-----------|-----------------------------|---------|
| ME-MS61 | 48 element four acid ICP-MS | |
| Hg-CV41 | Trace Hg - cold vapor/AAS | FIMS |
| PGM-ICP23 | Pt, Pd, Au 30g FA ICP | ICP-AES |

To: STRATEGIC METALS LTD.
ATTN: JOAN MARIACHER
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Lawrence Ng, Laboratory Manager - Vancouver



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

TO: STRATEGIC METALS LTD.

C/O ARCHER, CATHRO & ASSOCIATES (1981)

LIMITED

1016-510 W HASTINGS ST

VANCOUVER BC V6B 1L8

Project: NIMO-EL

Page: 2 - A

Total Pages: 2 (A - D)

Finalized Date: 9-AUG-2007

Account: MTT

CERTIFICATE OF ANALYSIS VA07077533

| Sample Description | Method Analyte Units LOR | WEI-21 | PGM-ICP23 | PGM-ICP23 | PGM-ICP23 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 |
|--------------------|-----------------------------------|-----------|-----------|-----------|-----------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
| | | Recvd Wt. | Au | Pt | Pd | Ag | Al | As | Ba | Be | Bi | Ca | Cd | Ce | Co | Cr |
| | | kg | ppm | ppm | ppm | ppm | % | ppm | ppm | ppm | ppm | % | ppm | ppm | ppm | ppm |
| | | 0.02 | 0.001 | 0.005 | 0.001 | 0.01 | 0.01 | 0.2 | 10 | 0.05 | 0.01 | 0.01 | 0.02 | 0.01 | 0.1 | 1 |
| C385375 | | 2.52 | 0.004 | <0.005 | 0.005 | 0.99 | 2.24 | 24.9 | 170 | 1.40 | 0.13 | 0.16 | 19.45 | 17.45 | 6.0 | 70 |
| C385376 | | 2.48 | 0.002 | <0.005 | 0.003 | 0.39 | 2.23 | 22.0 | 180 | 1.22 | 0.07 | 0.06 | 7.91 | 15.40 | 5.6 | 46 |
| C385377 | | 2.48 | 0.001 | <0.005 | 0.001 | 0.32 | 2.25 | 19.0 | 190 | 1.08 | 0.07 | 0.04 | 3.36 | 14.85 | 6.1 | 40 |
| C385378 | | 2.68 | 0.001 | <0.005 | 0.003 | 0.33 | 2.31 | 20.3 | 190 | 1.23 | 0.06 | 0.04 | 3.01 | 15.95 | 7.1 | 41 |
| C385379 | | 1.72 | 0.002 | <0.005 | 0.004 | 0.87 | 2.83 | 27.8 | 150 | 1.44 | 0.08 | 0.05 | 14.85 | 18.45 | 9.2 | 60 |
| C385380 | | 1.62 | 0.004 | <0.005 | 0.005 | 1.21 | 2.63 | 31.1 | 190 | 1.44 | 0.08 | 0.06 | 28.00 | 18.00 | 10.0 | 71 |
| C385381 | | 1.80 | 0.001 | <0.005 | 0.002 | 0.73 | 2.50 | 25.5 | 170 | 1.25 | 0.07 | 0.11 | 25.30 | 15.00 | 10.0 | 68 |
| C385382 | | 1.76 | 0.002 | <0.005 | 0.002 | 0.40 | 2.13 | 22.3 | 200 | 1.17 | 0.06 | 0.04 | 5.22 | 15.80 | 7.5 | 45 |
| C385383 | | 0.86 | 0.001 | <0.005 | 0.001 | 0.24 | 1.53 | 19.8 | 200 | 0.93 | 0.05 | 0.03 | 2.56 | 13.25 | 7.3 | 37 |
| C385384 | | 0.56 | <0.001 | <0.005 | <0.001 | 0.16 | 1.49 | 19.3 | 230 | 0.84 | 0.05 | 0.03 | 1.67 | 12.45 | 8.0 | 38 |
| C385385 | | 0.76 | 0.002 | <0.005 | <0.001 | 0.13 | 1.36 | 28.1 | 200 | 0.64 | 0.05 | 0.04 | 1.08 | 10.80 | 7.5 | 37 |
| C385387 | | 0.92 | 0.001 | <0.005 | <0.001 | 0.04 | 0.03 | <5 | 20 | <0.05 | <0.01 | 23.00 | 0.06 | 1.09 | 1.0 | 1 |
| C385388 | | 0.68 | 0.002 | <0.005 | <0.001 | 0.20 | 4.21 | 46 | 100 | 2.65 | 0.10 | 12.70 | 1.61 | 26.50 | 8.6 | 52 |
| C385389 | | 1.20 | <0.001 | <0.005 | 0.001 | 0.04 | 0.59 | <5 | 2460 | 0.52 | <0.01 | 34.00 | 0.78 | 5.46 | 1.6 | 7 |
| C385390 | | 0.98 | 0.002 | <0.005 | 0.003 | 0.54 | 6.52 | 47.1 | 140 | 2.72 | 0.19 | 3.54 | 8.34 | 46.70 | 14.0 | 85 |
| C385391 | | 0.88 | 0.004 | <0.005 | 0.003 | 0.45 | 4.93 | 35.3 | 120 | 2.02 | 0.17 | 4.37 | 9.01 | 39.50 | 10.4 | 85 |
| C385392 | | 0.90 | 0.001 | <0.005 | 0.003 | 0.43 | 6.64 | 39.0 | 120 | 2.58 | 0.24 | 3.23 | 7.69 | 46.80 | 12.6 | 85 |
| C385393 | | 1.74 | 0.004 | <0.005 | 0.002 | 0.49 | 5.40 | 41.2 | 110 | 1.94 | 0.22 | 3.01 | 5.20 | 41.10 | 12.0 | 71 |
| C385394 | | 0.58 | 0.002 | <0.005 | 0.002 | 0.46 | 6.19 | 34.7 | 170 | 2.35 | 0.19 | 1.74 | 2.99 | 42.90 | 13.0 | 76 |
| C385395 | | 0.88 | 0.003 | <0.005 | 0.002 | 0.15 | 1.37 | 40 | 1210 | 0.77 | 0.05 | 16.20 | 1.41 | 20.70 | 4.0 | 25 |
| C385396 | | 1.50 | 0.002 | <0.005 | 0.001 | 0.43 | 2.02 | 21.9 | 740 | 1.03 | 0.10 | 7.21 | 2.94 | 26.80 | 5.0 | 40 |
| C385397 | | 1.76 | 0.001 | <0.005 | <0.001 | 0.34 | 1.31 | 16.5 | 1470 | 0.90 | 0.08 | 6.65 | 2.32 | 21.60 | 4.4 | 33 |
| C385398 | | 2.58 | 0.001 | <0.005 | <0.001 | 0.33 | 1.16 | 14.4 | 1530 | 0.72 | 0.06 | 7.63 | 2.53 | 17.65 | 3.3 | 35 |
| C385399 | | 2.66 | 0.002 | <0.005 | 0.002 | 0.39 | 1.15 | 15.9 | 1460 | 0.74 | 0.06 | 6.81 | 3.01 | 17.60 | 3.3 | 39 |
| C385400 | | 2.70 | <0.001 | <0.005 | 0.002 | 0.39 | 0.98 | 14.4 | 1330 | 0.63 | 0.05 | 7.18 | 3.40 | 15.05 | 2.6 | 44 |
| C385401 | | 0.90 | <0.001 | <0.005 | <0.001 | <0.01 | 0.01 | <5 | 20 | <0.05 | 0.02 | 19.95 | 0.07 | 1.17 | 1.0 | 1 |
| C385402 | | 2.66 | 0.002 | <0.005 | 0.002 | 0.46 | 0.96 | 15.6 | 1350 | 0.67 | 0.14 | 7.28 | 3.77 | 17.20 | 2.8 | 44 |
| C385426 | | 0.20 | 0.001 | <0.005 | 0.001 | 0.16 | 2.06 | 23.6 | 610 | 0.95 | 0.08 | 0.11 | 0.93 | 13.10 | 17.3 | 31 |

Comments: Interference: Ca>10% on ICP-MS As, ICP-AES results shown. REE's may not be totally soluble in MS61 method.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

o: STRATEGIC METALS LTD.

C/O ARCHER, CATHRO & ASSOCIATES (1981)

LIMITED

1016-510 W HASTINGS ST

VANCOUVER BC V6B 1L8

Project: NIMO-EL

Page: 2 - B

Total . . . ages: 2 (A - D)

Finalized Date: 9-AUG-2007

Account: MTT

CERTIFICATE OF ANALYSIS VA07077533

| Sample Description | Method Analyte Units LOR | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | Hg-CV41 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 |
|--------------------|-----------------------------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
| | | Cs | Cu | Fe | Ga | Ge | Hf | Hg | In | K | La | Li | Mg | Mn | Mo |
| | | ppm | ppm | % | ppm | ppm | ppm | ppm | ppm | % | ppm | ppm | % | ppm | ppm |
| | | 0.05 | 0.2 | 0.01 | 0.05 | 0.05 | 0.1 | 0.01 | 0.005 | 0.01 | 0.5 | 0.2 | 0.01 | 5 | 0.05 |
| C385375 | | 2.88 | 66.3 | 1.46 | 6.98 | 0.18 | 0.9 | 0.07 | 0.026 | 0.70 | 11.6 | 12.9 | 0.18 | 72 | 52.60 |
| C385376 | | 2.77 | 46.0 | 1.25 | 6.10 | 0.15 | 0.8 | 0.05 | 0.022 | 0.68 | 9.7 | 16.7 | 0.15 | 59 | 48.90 |
| C385377 | | 2.64 | 37.0 | 1.27 | 5.44 | 0.13 | 0.7 | 0.05 | 0.016 | 0.69 | 9.2 | 15.5 | 0.13 | 53 | 50.60 |
| C385378 | | 2.80 | 35.4 | 1.42 | 5.69 | 0.14 | 0.8 | 0.05 | 0.018 | 0.72 | 9.9 | 16.0 | 0.13 | 64 | 64.80 |
| C385379 | | 3.41 | 59.4 | 1.54 | 8.06 | 0.18 | 1.0 | 0.08 | 0.024 | 0.86 | 11.5 | 18.9 | 0.17 | 65 | 57.80 |
| C385380 | | 3.06 | 72.9 | 1.54 | 7.99 | 0.22 | 1.0 | 0.09 | 0.030 | 0.76 | 11.9 | 24.5 | 0.16 | 67 | 48.70 |
| C385381 | | 2.69 | 56.0 | 1.70 | 6.91 | 0.19 | 0.9 | 0.09 | 0.022 | 0.64 | 9.6 | 32.4 | 0.15 | 74 | 56.20 |
| C385382 | | 2.95 | 49.5 | 1.54 | 5.86 | 0.17 | 0.8 | 0.08 | 0.017 | 0.65 | 10.1 | 14.3 | 0.13 | 60 | 60.90 |
| C385383 | | 2.28 | 36.7 | 1.80 | 4.79 | 0.15 | 0.7 | 0.08 | 0.015 | 0.50 | 8.5 | 13.1 | 0.09 | 86 | 56.20 |
| C385384 | | 1.93 | 34.7 | 1.98 | 4.07 | 0.18 | 0.7 | 0.08 | 0.014 | 0.46 | 8.0 | 13.9 | 0.08 | 102 | 65.00 |
| C385385 | | 1.71 | 32.9 | 2.01 | 4.27 | 0.19 | 0.6 | 0.10 | 0.010 | 0.42 | 6.8 | 15.1 | 0.07 | 104 | 62.30 |
| C385387 | | 0.11 | 1.6 | 0.50 | 0.26 | 0.07 | <0.1 | <0.01 | <0.005 | 0.02 | 0.5 | 0.8 | 14.40 | 242 | 0.34 |
| C385388 | | 6.67 | 30.3 | 2.19 | 14.60 | 0.30 | 1.1 | 0.12 | 0.026 | 1.31 | 16.8 | 14.6 | 6.34 | 351 | 54.80 |
| C385389 | | 0.98 | 4.8 | 0.26 | 1.92 | 0.09 | 0.1 | 0.02 | <0.005 | 0.19 | 4.2 | 1.9 | 2.80 | 236 | 4.11 |
| C385390 | | 10.85 | 53.8 | 3.20 | 18.90 | 0.22 | 2.1 | 0.23 | 0.058 | 2.17 | 28.4 | 14.9 | 0.53 | 127 | 61.80 |
| C385391 | | 7.37 | 49.1 | 2.74 | 13.45 | 0.20 | 1.6 | 0.19 | 0.049 | 1.76 | 25.0 | 10.6 | 0.56 | 131 | 72.80 |
| C385392 | | 9.66 | 47.4 | 3.18 | 17.55 | 0.21 | 2.1 | 0.20 | 0.063 | 2.15 | 28.2 | 12.8 | 0.65 | 146 | 53.90 |
| C385393 | | 7.90 | 45.6 | 2.98 | 14.45 | 0.23 | 1.9 | 0.23 | 0.053 | 1.83 | 23.3 | 10.8 | 0.56 | 127 | 57.50 |
| C385394 | | 8.66 | 49.1 | 3.15 | 16.00 | 0.21 | 2.6 | 0.22 | 0.049 | 2.14 | 22.8 | 11.9 | 0.50 | 141 | 44.60 |
| C385395 | | 1.31 | 15.0 | 1.37 | 2.57 | 0.10 | 0.7 | 0.09 | 0.013 | 0.42 | 17.9 | 8.3 | 0.52 | 131 | 38.10 |
| C385396 | | 2.76 | 37.5 | 1.65 | 5.16 | 0.16 | 1.3 | 0.13 | 0.023 | 0.67 | 20.6 | 7.3 | 0.30 | 85 | 52.20 |
| C385397 | | 2.03 | 28.0 | 1.15 | 4.02 | 0.13 | 0.8 | 0.09 | 0.016 | 0.36 | 18.0 | 6.3 | 0.16 | 62 | 44.70 |
| C385398 | | 1.47 | 32.0 | 1.14 | 2.84 | 0.12 | 0.6 | 0.08 | 0.012 | 0.34 | 16.2 | 6.3 | 0.22 | 59 | 46.20 |
| C385399 | | 1.55 | 36.9 | 1.23 | 3.15 | 0.12 | 0.6 | 0.10 | 0.012 | 0.34 | 16.4 | 5.9 | 0.19 | 60 | 45.50 |
| C385400 | | 1.32 | 34.8 | 1.03 | 2.74 | 0.10 | 0.6 | 0.10 | 0.012 | 0.29 | 15.0 | 6.6 | 0.19 | 53 | 40.10 |
| C385401 | | 0.12 | 2.9 | 0.43 | 0.21 | 0.09 | <0.1 | <0.01 | <0.005 | 0.02 | 0.6 | 0.9 | 12.10 | 186 | 0.31 |
| C385402 | | 1.40 | 39.7 | 1.01 | 3.00 | 0.12 | 0.6 | 0.11 | 0.020 | 0.28 | 17.2 | 7.1 | 0.22 | 51 | 43.60 |
| C385426 | | 1.83 | 32.4 | 1.60 | 3.50 | 0.14 | 0.8 | 0.14 | 0.008 | 0.51 | 11.2 | 37.6 | 0.09 | 56 | 78.40 |

Comments: Interference: Ca>10% on ICP-MS As,ICP-AES results shown. REE's may not be totally soluble in MS61 method.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

o: STRATEGIC METALS LTD.

C/O ARCHER, CATHRO & ASSOCIATES (1981)

LIMITED

1016-510 W HASTINGS ST

VANCOUVER BC V6B 1L8

Project: NIMO-EL

Page: 2 - C

Total Pages: 2 (A - D)

Finalized Date: 9-AUG-2007

Account: MTT

CERTIFICATE OF ANALYSIS VA07077533

| Sample Description | Method Analyte Units LOR | ME-MS61 Nb ppm 0.1 | ME-MS61 Ni ppm 0.2 | ME-MS61 P ppm 10 | ME-MS61 Pb ppm 0.5 | ME-MS61 Rb ppm 0.1 | ME-MS61 Re ppm 0.002 | ME-MS61 S % 0.01 | ME-MS61 Sb ppm 0.05 | ME-MS61 Sc ppm 0.1 | ME-MS61 Se ppm 1 | ME-MS61 Sn ppm 0.2 | ME-MS61 Sr ppm 0.2 | ME-MS61 Ta ppm 0.05 | ME-MS61 Te ppm 0.05 | ME-MS61 Th ppm 0.2 |
|--------------------|-----------------------------------|-----------------------------|-----------------------------|---------------------------|-----------------------------|-----------------------------|-------------------------------|---------------------------|------------------------------|-----------------------------|---------------------------|-----------------------------|-----------------------------|------------------------------|------------------------------|-----------------------------|
| C385375 | | 3.7 | 149.5 | 410 | 9.0 | 39.8 | 0.043 | 1.26 | 24.20 | 4.9 | 20 | 0.9 | 65.5 | 0.26 | 0.16 | 2.6 |
| C385376 | | 3.5 | 145.0 | 210 | 5.8 | 38.1 | 0.039 | 1.15 | 16.10 | 4.6 | 14 | 1.0 | 68.2 | 0.22 | 0.13 | 2.4 |
| C385377 | | 3.2 | 151.0 | 220 | 6.3 | 37.1 | 0.034 | 1.22 | 13.30 | 4.6 | 11 | 0.8 | 72.6 | 0.21 | 0.09 | 2.5 |
| C385378 | | 3.5 | 181.5 | 220 | 5.9 | 40.0 | 0.048 | 1.40 | 13.80 | 4.7 | 12 | 0.8 | 71.8 | 0.23 | 0.11 | 2.5 |
| C385379 | | 4.1 | 202.0 | 350 | 7.2 | 48.3 | 0.065 | 1.56 | 23.10 | 6.0 | 22 | 1.1 | 99.3 | 0.30 | 0.17 | 3.0 |
| C385380 | | 3.8 | 203.0 | 400 | 7.4 | 43.1 | 0.071 | 1.67 | 25.90 | 5.8 | 30 | 1.2 | 118.5 | 0.27 | 0.19 | 2.7 |
| C385381 | | 3.5 | 192.0 | 420 | 5.9 | 37.2 | 0.078 | 1.61 | 18.65 | 6.0 | 23 | 1.0 | 151.5 | 0.25 | 0.17 | 2.4 |
| C385382 | | 3.5 | 193.5 | 270 | 6.0 | 37.9 | 0.071 | 1.40 | 14.95 | 5.0 | 17 | 0.8 | 109.0 | 0.23 | 0.13 | 2.3 |
| C385383 | | 3.0 | 164.0 | 180 | 5.1 | 28.7 | 0.066 | 1.10 | 9.76 | 3.7 | 15 | 0.9 | 77.8 | 0.19 | 0.12 | 1.9 |
| C385384 | | 2.9 | 189.0 | 190 | 5.2 | 24.4 | 0.064 | 1.11 | 7.64 | 3.4 | 16 | 0.7 | 83.2 | 0.18 | 0.12 | 1.8 |
| C385385 | | 2.6 | 179.5 | 220 | 4.6 | 22.1 | 0.057 | 1.22 | 7.01 | 2.8 | 27 | 0.6 | 58.4 | 0.16 | 0.14 | 1.4 |
| C385387 | | 0.1 | 1.8 | 180 | 1.8 | 1.0 | <0.002 | 0.02 | 0.06 | 0.3 | 2 | <0.2 | 50.9 | <0.05 | <0.05 | <0.2 |
| C385388 | | 5.5 | 133.5 | 360 | 8.2 | 81.4 | 0.287 | 2.46 | 12.70 | 7.0 | 57 | 1.2 | 895.0 | 0.36 | 0.23 | 4.0 |
| C385389 | | 0.8 | 14.7 | 290 | 1.4 | 12.9 | 0.006 | 0.39 | 1.75 | 1.9 | 5 | 0.2 | 996.0 | 0.05 | <0.05 | 0.6 |
| C385390 | | 8.9 | 235.0 | 300 | 15.2 | 140.5 | 0.090 | 3.59 | 16.85 | 12.4 | 26 | 2.4 | 104.5 | 0.64 | 0.15 | 7.0 |
| C385391 | | 6.7 | 251.0 | 360 | 12.7 | 101.5 | 0.092 | 3.05 | 12.60 | 10.2 | 21 | 1.9 | 132.5 | 0.48 | 0.14 | 5.5 |
| C385392 | | 9.0 | 188.5 | 310 | 14.1 | 134.5 | 0.063 | 3.54 | 13.95 | 12.6 | 23 | 2.3 | 111.5 | 0.65 | 0.12 | 7.2 |
| C385393 | | 7.7 | 242.0 | 370 | 13.4 | 108.5 | 0.087 | 3.31 | 10.70 | 10.3 | 24 | 1.9 | 119.5 | 0.56 | 0.15 | 6.1 |
| C385394 | | 10.4 | 192.5 | 250 | 15.4 | 122.5 | 0.051 | 3.30 | 7.80 | 10.9 | 23 | 2.2 | 86.8 | 0.68 | 0.13 | 7.8 |
| C385395 | | 2.1 | 350.0 | 1260 | 3.4 | 20.6 | 0.117 | 1.40 | 3.99 | 3.2 | 12 | 0.5 | 417.0 | 0.11 | 0.06 | 1.4 |
| C385396 | | 4.2 | 189.5 | 320 | 6.9 | 40.6 | 0.091 | 1.71 | 5.60 | 4.3 | 14 | 0.8 | 253.0 | 0.32 | 0.11 | 2.7 |
| C385397 | | 3.0 | 135.0 | 230 | 5.6 | 31.0 | 0.061 | 1.03 | 4.76 | 3.6 | 11 | 0.7 | 245.0 | 0.17 | 0.11 | 2.2 |
| C385398 | | 2.1 | 145.0 | 340 | 4.4 | 21.3 | 0.056 | 1.03 | 4.73 | 3.0 | 10 | 0.7 | 269.0 | 0.13 | 0.09 | 1.7 |
| C385399 | | 2.3 | 136.5 | 300 | 4.4 | 21.0 | 0.049 | 1.01 | 5.81 | 3.0 | 11 | 0.5 | 244.0 | 0.14 | 0.09 | 1.7 |
| C385400 | | 1.9 | 122.5 | 220 | 4.1 | 17.7 | 0.045 | 0.89 | 5.97 | 2.6 | 10 | 0.4 | 255.0 | 0.12 | 0.10 | 1.4 |
| C385401 | | 0.2 | 2.9 | 160 | 1.6 | 0.9 | <0.002 | 0.02 | <0.05 | 0.3 | 2 | <0.2 | 49.1 | <0.05 | <0.05 | <0.2 |
| C385402 | | 2.2 | 129.0 | 230 | 4.7 | 18.9 | 0.050 | 0.84 | 6.73 | 2.9 | 12 | 0.5 | 243.0 | 0.13 | 0.08 | 1.5 |
| C385426 | | 2.8 | 332.0 | 510 | 5.8 | 28.0 | 0.065 | 1.51 | 7.06 | 3.4 | 19 | 0.6 | 124.0 | 0.29 | 0.10 | 2.2 |

Comments: Interference: Ca>10% on ICP-MS As,ICP-AES results shown. REE's may not be totally soluble in MS61 method.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

o: STRATEGIC METALS LTD.

C/O ARCHER, CATHRO & ASSOCIATES (1981)

LIMITED

1016-510 W HASTINGS ST

VANCOUVER BC V6B 1L8

Project: NIMO-EL

Page: 2 - D

Total Pages: 2 (A - D)

Finalized Date: 9-AUG-2007

Account: MTT

CERTIFICATE OF ANALYSIS VA07077533

| Sample Description | Method Analyte Units LOR | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 |
|--------------------|-----------------------------------|---------|---------|---------|---------|---------|---------|---------|
| | | Ti | Ti | U | V | W | Y | Zn |
| | | % | ppm | ppm | ppm | ppm | ppm | ppm |
| | | 0.005 | 0.02 | 0.1 | 1 | 0.1 | 0.1 | 2 |
| | | | | | | | | 0.5 |
| C385375 | | 0.106 | 3.22 | 9.5 | 1130 | 0.5 | 16.7 | 1320 |
| C385376 | | 0.099 | 3.34 | 7.8 | 993 | 0.5 | 11.0 | 862 |
| C385377 | | 0.094 | 3.51 | 8.8 | 738 | 0.6 | 11.5 | 459 |
| C385378 | | 0.101 | 3.62 | 11.1 | 675 | 0.6 | 11.4 | 471 |
| C385379 | | 0.128 | 4.06 | 11.3 | 1280 | 0.5 | 14.1 | 1350 |
| C385380 | | 0.118 | 3.72 | 11.2 | 1360 | 0.5 | 14.1 | 2460 |
| C385381 | | 0.103 | 4.00 | 13.7 | 984 | 0.5 | 10.3 | 2920 |
| C385382 | | 0.097 | 4.00 | 13.9 | 902 | 0.5 | 15.6 | 754 |
| C385383 | | 0.075 | 3.54 | 12.4 | 505 | 0.4 | 12.2 | 383 |
| C385384 | | 0.073 | 3.87 | 13.0 | 360 | 0.4 | 13.1 | 467 |
| C385385 | | 0.067 | 5.13 | 10.9 | 252 | 0.4 | 11.5 | 283 |
| C385387 | | <0.005 | <0.02 | 0.5 | 5 | 0.1 | 0.8 | 17 |
| C385388 | | 0.157 | 9.25 | 8.4 | 637 | 0.7 | 26.4 | 288 |
| C385389 | | 0.024 | 0.81 | 1.6 | 114 | 0.1 | 5.4 | 70 |
| C385390 | | 0.276 | 8.94 | 11.4 | 1380 | 1.2 | 23.7 | 678 |
| C385391 | | 0.217 | 9.20 | 11.7 | 1380 | 0.9 | 24.3 | 777 |
| C385392 | | 0.289 | 8.09 | 9.1 | 1250 | 1.2 | 22.3 | 644 |
| C385393 | | 0.240 | 9.67 | 9.8 | 937 | 1.0 | 20.7 | 495 |
| C385394 | | 0.313 | 7.99 | 8.5 | 942 | 1.2 | 17.5 | 318 |
| C385395 | | 0.058 | 3.65 | 8.7 | 395 | 0.3 | 30.8 | 248 |
| C385396 | | 0.095 | 5.19 | 10.9 | 693 | 0.5 | 21.1 | 330 |
| C385397 | | 0.057 | 3.96 | 8.7 | 474 | 0.4 | 19.0 | 186 |
| C385398 | | 0.059 | 3.56 | 7.3 | 680 | 0.5 | 19.0 | 291 |
| C385399 | | 0.061 | 3.65 | 7.5 | 866 | 0.4 | 17.9 | 340 |
| C385400 | | 0.055 | 3.55 | 6.4 | 838 | 0.8 | 17.0 | 347 |
| C385401 | | <0.005 | 0.02 | 0.6 | 3 | 0.1 | 0.9 | 14 |
| C385402 | | 0.055 | 3.96 | 6.5 | 825 | 0.8 | 18.2 | 360 |
| C385426 | | 0.065 | 4.82 | 14.0 | 328 | 0.5 | 13.2 | 785 |

Comments: Interference: Ca>10% on ICP-MS As,ICP-AES results shown. REE's may not be totally soluble in MS61 method.