



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.

C/O ARCHER, CATHRO & ASSOCIATES (1981)

LIMITED

1016-510 W HASTINGS ST

VANCOUVER BC V6B 1L8

Page: 1

Finalized L. 12-AUG-2007

Account: MTT

CERTIFICATE VA07077064

Project: NIMO-EL

P.O. No.: EL07-11

This report is for 17 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 17-JUL-2007.

The following have access to data associated with this certificate:

JOAN MARIACHER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-36	Pulverize 1.5 kg to 85% <75 um
BAG-01	Bulk Master for Storage
PUL-QC	Pulverizing QC Test

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	
ME-MS61	48 element four acid ICP-MS	
Hg-CV41	Trace Hg - cold vapor/AAS	FIMS
PGM-ICP23	Pt, Pd, Au 30g FA ICP	ICP-AES

To: STRATEGIC METALS LTD.
ATTN: JOAN MARIACHER
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Lawrence Ng, Laboratory Manager - Vancouver



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.

C/O ARCHER, CATHRO & ASSOCIATES (1981)

LIMITED

1016-510 W HASTINGS ST

VANCOUVER BC V6B 1L8

Project: NIMO-EL

Page: 2 - A

Total Pages: 2 (A - D)

Finalized Date: 12-AUG-2007

Account: MTT

CERTIFICATE OF ANALYSIS VA07077064

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	PGM-ICP23 Au ppm 0.001	PGM-ICP23 Pt ppm 0.005	PGM-ICP23 Pd ppm 0.001	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1
C385427		0.86	0.009	<0.005	0.006	3.54	4.31	66.0	520	2.00	0.24	0.15	15.15	31.40	11.2	72
C385428		0.12	0.015	0.022	0.016	5.12	7.35	144.0	350	4.21	0.36	1.45	21.40	74.80	23.5	124
C385429		0.50	0.001	<0.005	0.002	0.86	1.36	17	210	1.38	0.05	29.90	8.53	26.80	4.1	27
C385430		2.54	0.003	<0.005	0.005	0.91	2.10	25.6	310	1.06	0.09	0.31	13.30	16.40	6.1	61
C385431		2.42	0.002	<0.005	0.002	0.29	1.84	18.9	330	0.94	0.07	0.28	4.21	14.25	3.7	44
C385432		0.82	0.002	<0.005	0.002	0.18	1.52	19.7	410	0.75	0.08	0.49	1.73	14.20	5.2	45
C385433		0.82	0.001	<0.005	<0.001	0.12	1.32	22.4	580	0.49	0.07	0.19	1.11	12.85	3.3	41
C385434		0.54	0.004	<0.005	0.004	0.15	2.14	67.2	180	0.74	0.12	1.37	2.10	15.40	8.8	48
C385436		0.82	<0.001	<0.005	<0.001	0.01	0.06	5	40	0.05	0.02	21.50	0.08	1.47	1.3	2
C385437		0.40	0.006	<0.005	0.002	0.42	8.43	99.5	290	4.05	0.26	1.47	3.70	47.70	17.3	100
C385438		1.94	0.001	<0.005	0.001	0.06	0.98	9	1800	0.89	0.03	28.00	1.19	12.35	2.6	11
C385439		1.66	0.002	<0.005	0.002	0.50	6.56	46.3	530	2.35	0.22	2.73	8.26	46.80	12.7	78
C385440		1.80	0.003	<0.005	0.002	0.38	5.92	38.1	170	2.00	0.20	2.76	6.93	42.40	11.3	78
C385441		3.18	0.003	<0.005	0.001	0.42	5.62	38.3	420	1.84	0.20	4.14	4.51	44.50	11.4	72
C385442		0.74	0.005	0.011	0.003	0.39	3.77	61.6	330	1.24	0.17	1.95	4.64	35.10	9.3	65
C385443		2.60	0.002	<0.005	0.002	0.36	1.80	21.0	390	0.87	0.08	9.64	2.64	25.40	4.6	43
C385522		2.64	0.003	<0.005	0.001	0.31	1.61	18.5	660	0.78	0.08	8.36	2.88	21.70	3.8	47

Comments: Interference: Ca>10% on ICP-MS As,ICP-AES results shown. REE's may not be totally soluble in MS61 method.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

TO: STRATEGIC METALS LTD.

C/O ARCHER, CATHRO & ASSOCIATES (1981)

LIMITED

1016-510 W HASTINGS ST

VANCOUVER BC V6B 1L8

Project: NIMO-EL

Page: 2 - B

Total Pages: 2 (A - D)

Finalized Date: 12-AUG-2007

Account: MTT

CERTIFICATE OF ANALYSIS VA07077064

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	Hg-CV41	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.1	0.01	0.005	0.01	0.5	0.2	0.01	5	0.05
C385427		5.63	99.7	3.27	13.10	0.21	2.0	0.2	0.045	1.49	14.9	9.1	0.29	102	103.00
C385428		11.15	142.0	8.03	23.90	0.52	3.1	0.2	0.096	2.39	34.8	15.1	0.47	140	257.00
C385429		1.92	25.0	0.75	4.11	0.09	0.4	0.04	0.021	0.42	21.5	3.1	0.36	186	19.25
C385430		2.80	57.6	1.48	6.09	0.12	0.7	0.09	0.021	0.70	11.0	7.5	0.16	70	49.60
C385431		2.60	41.1	1.26	4.37	0.08	0.5	0.08	0.014	0.61	9.3	7.0	0.16	57	53.30
C385432		2.00	37.0	1.97	4.08	0.11	0.5	0.09	0.012	0.50	9.8	8.0	0.09	99	64.70
C385433		1.61	31.9	1.39	3.27	0.11	0.4	0.08	0.009	0.39	8.6	8.4	0.07	65	59.60
C385434		2.22	54.0	2.86	7.04	0.30	0.7	0.15	0.017	0.72	8.8	11.2	0.12	129	98.30
C385436		0.15	2.8	0.43	0.21	<0.05	<0.1	0.01	<0.005	0.02	0.7	0.9	12.55	203	0.83
C385437		14.70	71.4	3.94	35.40	0.53	2.4	0.20	0.056	2.76	27.4	16.7	0.67	135	97.30
C385438		1.50	8.4	0.41	2.98	0.06	0.1	0.04	0.007	0.30	11.0	4.5	1.89	232	6.95
C385439		10.35	56.8	3.04	18.15	0.19	1.9	0.20	0.055	2.24	28.8	12.8	0.49	123	66.90
C385440		9.15	45.9	2.70	15.15	0.17	1.7	0.17	0.050	2.03	25.5	11.4	0.50	119	51.20
C385441		7.99	44.2	2.79	13.60	0.16	1.8	0.20	0.048	1.96	27.3	10.4	0.57	142	47.90
C385442		5.22	48.5	2.32	9.42	0.18	1.8	0.18	0.049	1.38	21.3	8.5	0.27	89	83.90
C385443		2.26	34.0	1.35	4.52	0.10	0.8	0.10	0.019	0.62	20.2	6.6	0.27	89	45.30
C385522		2.08	34.0	1.13	3.86	0.08	0.5	0.08	0.015	0.51	18.6	7.4	0.30	64	45.40

Comments: Interference: Ca>10% on ICP-MS As, ICP-AES results shown. REE's may not be totally soluble in MS61 method.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

TO: STRATEGIC METALS LTD.

C/O ARCHER, CATHRO & ASSOCIATES (1981)

LIMITED

1016-510 W HASTINGS ST

VANCOUVER BC V6B 1L8

Project: NIMO-EL

Page: 2 - C

Total Pages: 2 (A - D)

Finalized Date: 12-AUG-2007

Account: MTT

CERTIFICATE OF ANALYSIS VA07077064

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.1	0.2	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05
C385427		8.8	252.0	340	17.4	74.6	0.115	3.86	61.00	9.0	41	1.5	45.4	0.67	0.35
C385428		15.8	1150.0	6980	24.2	132.5	1.290	9.71	114.50	17.2	86	2.8	132.0	1.71	0.83
C385429		3.0	104.5	430	4.1	24.8	0.069	1.08	13.00	7.8	14	0.5	570.0	0.17	0.09
C385430		4.0	151.0	440	6.4	39.1	0.073	1.18	20.40	4.7	24	0.7	47.1	0.25	0.15
C385431		3.3	142.5	210	5.3	32.9	0.063	1.10	10.80	3.7	15	0.6	44.5	0.20	0.11
C385432		3.4	151.5	240	5.1	26.2	0.066	1.05	7.89	4.2	17	0.6	50.5	0.19	0.10
C385433		2.6	141.5	190	4.9	20.1	0.055	0.97	5.97	2.9	20	0.5	38.2	0.16	0.10
C385434		4.6	579.0	190	7.2	33.8	0.203	1.98	11.35	4.4	68	0.8	106.0	0.25	0.24
C385436		0.2	4.1	160	1.8	1.0	<0.002	0.03	0.13	0.5	4	<0.2	48.7	<0.05	<0.05
C385437		13.0	501.0	510	18.4	176.5	0.474	4.40	23.90	16.1	121	2.4	66.8	0.80	0.55
C385438		1.5	30.3	280	2.3	21.1	0.010	0.55	2.26	3.5	9	0.4	520.0	0.09	<0.05
C385439		9.7	236.0	340	14.7	133.5	0.079	3.47	14.35	12.8	26	2.2	104.0	0.63	0.11
C385440		8.9	182.0	320	13.4	120.0	0.061	3.15	11.40	11.8	21	2.0	99.6	0.58	0.11
C385441		9.1	201.0	350	13.6	108.0	0.066	3.23	9.25	11.1	21	1.7	132.5	0.56	0.11
C385442		7.7	653.0	390	10.1	72.0	0.213	2.65	7.34	7.1	24	1.5	90.2	0.42	0.17
C385443		3.7	160.0	310	6.1	33.3	0.072	1.40	4.92	4.6	13	0.7	262.0	0.27	0.09
C385522		3.0	149.5	550	5.9	28.4	0.062	1.26	4.92	4.1	12	0.6	248.0	0.16	0.10

Comments: Interference: Ca>10% on ICP-MS As,ICP-AES results shown. REE's may not be totally soluble in MS61 method.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.

C/O ARCHER, CATHRO & ASSOCIATES (1981)

LIMITED

1016-510 W HASTINGS ST

VANCOUVER BC V6B 1L8

Project: NIMO-EL

Page: 2 - D

Total Pages: 2 (A - D)

Finalized Date: 12-AUG-2007

Account: MTT

CERTIFICATE OF ANALYSIS VA07077064

Sample Description	Method Analyte Units LOR	ME-MS61 Ti %	ME-MS61 Ti ppm	ME-MS61 U ppm	ME-MS61 V ppm	ME-MS61 W ppm	ME-MS61 Y ppm	ME-MS61 Zn ppm	ME-MS61 Zr ppm
		0.005	0.02	0.1	1	0.1	0.1	2	0.5
C385427		0.239	7.11	23.1	1235	1.1	16.0	1060	66.5
C385428		0.387	22.50	54.9	1730	2.2	73.8	1250	101.5
C385429		0.061	2.40	6.5	378	0.3	38.1	433	29.9
C385430		0.106	3.72	9.9	849	0.5	16.6	922	31.7
C385431		0.088	3.41	11.7	644	0.4	13.7	460	27.0
C385432		0.077	3.60	12.3	347	0.4	13.7	211	24.4
C385433		0.064	3.96	11.1	219	0.4	10.7	163	21.6
C385434		0.111	10.95	14.6	371	0.6	13.3	429	33.4
C385436		<0.005	0.03	0.6	6	0.1	1.2	16	0.5
C385437		0.358	18.25	15.5	1390	1.4	26.5	577	79.1
C385438		0.037	1.24	1.8	189	0.2	11.8	96	19.7
C385439		0.290	8.87	10.3	1400	1.1	22.3	661	67.7
C385440		0.263	7.86	8.1	1100	1.0	20.8	548	62.7
C385441		0.265	8.17	8.2	835	0.9	23.1	405	67.3
C385442		0.191	9.22	12.1	892	0.8	16.4	480	56.1
C385443		0.086	4.36	9.3	615	0.4	20.6	263	32.7
C385522		0.081	3.93	7.2	724	0.4	17.9	283	27.7

Comments: Interference: Ca>10% on ICP-MS As,ICP-AES results shown. REE's may not be totally soluble in MS61 method.