



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.

C/O ARCHER, CATHRO & ASSOCIATES (1981)

LIMITED

1016-510 W HASTINGS ST

VANCOUVER BC V6B 1L8

Page: 1
Finalized Date: 12-AUG-2007

Account: MTT

CERTIFICATE VA07077065

Project: NIMO-EL

P.O. No.: EL07-15

This report is for 17 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 17-JUL-2007.

The following have access to data associated with this certificate:

AL ARCHER
VANCOUVER OFFICE

DOUG EATON
BILL WENGZYNOWSKI

JOAN MARIACHER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-36	Pulverize 1.5 kg to 85% <75 um
BAG-01	Bulk Master for Storage

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	
ME-MS61	48 element four acid ICP-MS	
Hg-CV41	Trace Hg - cold vapor/AAS	FIMS
PGM-ICP23	Pt, Pd, Au 30g FA ICP	ICP-AES

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Lawrence Ng, Laboratory Manager - Vancouver



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

TO: STRATEGIC METALS LTD.

C/O ARCHER, CATHRO & ASSOCIATES (1981)

LIMITED

1016-510 W HASTINGS ST

VANCOUVER BC V6B 1L8

Project: NIMO-EL

Page: 2 - A

Total Pages: 2 (A - D)

Finalized Date: 12-AUG-2007

Account: MTT

CERTIFICATE OF ANALYSIS VA07077065

Sample Description	Method Analyte Units LOR	WEI-21	PGM-ICP23	PGM-ICP23	PGM-ICP23	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Recvd Wt.	Au	Pt	Pd	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
		kg	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
		0.02	0.001	0.005	0.001	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1
C385472		2.56	0.002	<0.005	0.001	0.56	2.41	16.2	470	1.27	0.09	0.19	6.11	17.85	4.9	43
C385473		2.64	<0.001	<0.005	<0.001	0.47	2.60	16.6	410	1.28	0.06	0.15	3.38	17.90	6.7	43
C385474		2.74	<0.001	<0.005	0.004	0.81	2.06	14.1	250	1.29	0.04	7.50	16.40	16.90	3.9	44
C385475		1.68	<0.001	<0.005	0.004	0.63	1.84	20.7	240	1.20	0.07	4.86	10.45	16.20	4.2	47
C385476		1.68	<0.001	<0.005	0.004	0.32	1.67	15.8	490	1.01	0.04	0.09	4.20	13.95	4.3	39
C385477		0.86	<0.001	<0.005	0.003	0.17	1.32	15.8	340	0.86	0.04	0.08	1.89	11.50	4.6	40
C385478		0.90	<0.001	<0.005	0.002	0.13	1.19	15.6	470	0.69	0.03	0.10	1.17	9.95	4.4	34
C385480		0.70	<0.001	<0.005	0.002	0.01	0.07	<5	30	0.05	0.01	21.00	0.08	1.29	1.2	2
C385481		0.36	0.003	<0.005	0.005	0.53	7.98	70.3	90	3.35	0.26	0.23	4.97	61.70	16.1	111
C385482		1.48	0.002	<0.005	0.001	0.28	4.58	32.7	280	1.78	0.12	0.46	3.53	7.90	8.7	58
C385483		0.98	0.001	<0.005	0.002	0.34	5.43	32.3	610	2.10	0.15	3.09	3.58	34.20	9.9	63
C385484		0.72	0.002	<0.005	0.004	0.45	6.98	31.5	660	2.67	0.22	1.65	4.01	39.10	13.0	77
C385485		2.34	<0.001	<0.005	0.002	0.40	3.28	19.7	320	1.15	0.10	1.90	3.20	29.00	7.1	53
C385486		1.78	0.002	<0.005	0.002	0.21	3.71	13	190	1.55	0.07	11.45	1.78	32.00	7.0	44
C385487		2.70	0.001	<0.005	0.002	0.28	2.14	17.7	250	0.91	0.06	4.75	2.53	22.50	5.1	50
C385488		2.60	<0.001	<0.005	<0.001	0.27	1.48	13.7	440	0.79	0.05	5.76	1.92	20.70	3.8	40
C385489		2.84	0.001	<0.005	0.003	0.30	1.52	16.4	550	0.75	0.05	6.45	2.34	19.55	3.8	43

Comments: Interference: Ca>10% on ICP-MS As, ICP-AES results shown. REE's may not be totally soluble in MS61 method.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

TO: STRATEGIC METALS LTD.

C/O ARCHER, CATHRO & ASSOCIATES (1981)

LIMITED

1016-510 W HASTINGS ST

VANCOUVER BC V6B 1L8

Project: NIMO-EL

Page: 2 - B

Total Pages: 2 (A - D)

Finalized Date: 12-AUG-2007

Account: MTT

CERTIFICATE OF ANALYSIS VA07077065

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	Hg-CV41	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.1	0.01	0.005	0.01	0.5	0.2	0.01	5	0.05
C385472		2.96	49.6	1.36	6.53	0.10	0.9	0.08	0.021	0.68	11.6	12.3	0.16	58	55.10
C385473		3.04	43.5	1.67	6.59	0.11	1.0	0.08	0.021	0.70	11.7	10.6	0.17	80	69.10
C385474		2.59	49.0	0.90	6.18	0.13	0.8	0.08	0.022	0.58	11.6	8.8	1.02	179	38.30
C385475		2.38	48.0	1.53	5.43	0.13	0.8	0.08	0.020	0.54	12.1	10.8	0.55	124	51.70
C385476		2.37	38.1	1.26	4.72	0.10	0.7	0.08	0.013	0.46	9.6	8.8	0.11	49	50.30
C385477		1.90	32.7	1.97	3.61	0.09	0.6	0.07	0.013	0.35	7.7	10.3	0.08	107	47.90
C385478		1.44	27.8	1.36	2.83	0.09	0.5	0.12	0.009	0.31	6.4	12.9	0.07	62	52.90
C385480		0.17	2.1	0.43	0.24	<0.05	<0.1	<0.01	<0.005	0.03	0.6	1.0	12.95	202	0.54
C385481		12.90	72.4	3.98	28.80	0.36	3.3	0.52	0.062	2.74	35.6	13.3	0.62	130	96.40
C385482		6.55	32.5	2.38	12.75	0.15	1.8	0.19	0.038	1.40	1.7	7.6	0.38	101	33.90
C385483		7.23	34.4	2.48	13.70	0.16	2.1	0.33	0.045	1.75	15.8	8.9	0.55	138	35.80
C385484		10.15	44.9	3.25	18.15	0.18	2.7	0.39	0.067	2.06	17.6	11.0	0.54	142	43.40
C385485		4.16	37.1	1.76	8.34	0.12	1.5	0.16	0.025	1.01	17.3	9.5	0.35	95	41.90
C385486		4.43	25.4	1.57	9.08	0.12	1.7	0.15	0.031	1.19	18.1	6.4	6.48	329	27.40
C385487		2.66	31.7	1.74	5.79	0.10	0.9	0.14	0.022	0.65	16.1	9.2	0.23	94	38.80
C385488		1.85	30.4	1.14	4.06	0.09	0.6	0.09	0.014	0.44	17.7	10.2	0.23	61	33.20
C385489		1.74	31.8	1.47	4.02	0.10	0.6	0.11	0.016	0.45	16.3	7.7	0.33	80	39.90

Comments: Interference: Ca>10% on ICP-MS As,ICP-AES results shown. REE's may not be totally soluble in MS61 method.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

TO: STRATEGIC METALS LTD.

C/O ARCHER, CATHRO & ASSOCIATES (1981)

LIMITED

1016-510 W HASTINGS ST

VANCOUVER BC V6B 1L8

Project: NIMO-EL

Page: 2 - C

Total Pages: 2 (A - D)

Finalized Date: 12-AUG-2007

Account: MTT

CERTIFICATE OF ANALYSIS VA07077065

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.1	0.2	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05
C385472		3.9	150.0	220	7.1	40.0	0.036	1.41	14.75	5.0	14	0.8	55.6	0.25	0.11
C385473		4.2	189.0	230	6.7	42.7	0.050	1.53	14.40	5.3	13	0.8	55.7	0.25	0.09
C385474		3.5	109.5	520	5.3	35.9	0.052	1.13	17.25	4.5	22	0.7	365.0	0.19	0.12
C385475		3.6	155.0	290	5.6	31.2	0.079	1.29	16.45	3.8	21	0.7	249.0	0.19	0.15
C385476		3.3	152.0	190	5.1	29.1	0.064	1.15	11.00	3.9	14	0.6	47.2	0.19	0.10
C385477		3.2	139.0	180	4.5	22.5	0.056	0.95	6.95	3.2	12	0.7	50.9	0.16	0.10
C385478		2.7	151.0	390	4.2	17.5	0.049	0.93	5.97	3.0	14	0.5	67.7	0.16	0.10
C385480		0.3	3.4	180	1.5	1.3	0.009	0.02	0.11	0.5	4	<0.2	51.3	<0.05	<0.05
C385481		13.7	308.0	670	19.3	164.5	0.271	4.45	22.90	15.5	79	2.5	106.5	0.82	0.31
C385482		7.4	142.5	310	9.1	86.5	0.037	2.45	8.80	8.4	24	1.5	242.0	0.45	0.08
C385483		8.2	149.5	240	12.3	101.5	0.038	2.81	8.09	9.8	20	1.8	184.5	0.52	0.07
C385484		10.8	176.5	340	16.0	135.0	0.043	3.51	9.62	12.8	23	2.4	159.5	0.67	0.11
C385485		5.6	169.5	320	8.0	59.5	0.051	1.88	5.23	7.0	16	1.1	108.0	0.36	0.10
C385486		6.5	95.0	400	7.1	66.8	0.035	1.89	4.09	6.8	12	1.2	636.0	0.39	0.06
C385487		3.6	172.0	250	6.2	37.6	0.066	1.52	4.30	4.7	12	0.8	179.0	0.21	0.10
C385488		2.7	125.5	300	5.6	26.0	0.051	1.12	3.38	3.7	10	0.5	193.0	0.13	0.08
C385489		2.5	163.0	340	5.7	24.8	0.057	1.31	4.02	3.6	11	0.6	209.0	0.12	0.09

Comments: Interference: Ca>10% on ICP-MS As,ICP-AES results shown. REE's may not be totally soluble in MS61 method.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

to: STRATEGIC METALS LTD.

C/O ARCHER, CATHRO & ASSOCIATES (1981)

LIMITED

1016-510 W HASTINGS ST

VANCOUVER BC V6B 1L8

Project: NIMO-EL

Page: 2 - D

Total Pages: 2 (A - D)

Finalized Date: 12-AUG-2007

Account: MTT

CERTIFICATE OF ANALYSIS VA07077065

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Ti	Ti	U	V	W	Y	Zn	Zr
		%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.005	0.02	0.1	1	0.1	0.1	2	0.5
C385472		0.110	3.28	8.5	870	0.7	14.4	640	31.5
C385473		0.115	3.48	12.0	738	0.8	13.7	482	34.5
C385474		0.090	2.34	8.3	911	0.5	27.4	983	34.2
C385475		0.086	3.30	10.1	812	0.5	25.2	766	30.8
C385476		0.080	3.15	11.9	709	0.5	16.4	445	27.1
C385477		0.061	2.74	11.0	409	0.4	10.8	246	26.2
C385478		0.058	3.49	11.0	247	0.4	12.4	206	20.7
C385480		<0.005	<0.02	1.0	6	0.1	0.9	16	0.7
C385481		0.408	16.50	17.5	1330	1.5	28.2	626	95.5
C385482		0.222	6.61	6.6	639	0.7	13.6	316	54.5
C385483		0.254	7.55	6.3	713	0.9	23.7	330	59.7
C385484		0.313	8.98	7.9	849	1.1	19.1	335	76.7
C385485		0.165	5.06	8.6	594	1.5	16.2	236	44.5
C385486		0.183	3.55	5.9	398	0.7	15.3	149	57.5
C385487		0.101	4.30	8.3	613	0.4	13.6	259	29.9
C385488		0.074	3.59	6.1	508	0.4	15.2	187	23.0
C385489		0.074	4.11	7.6	633	0.4	16.5	254	23.4

Comments: Interference: Ca>10% on ICP-MS As,ICP-AES results shown. REE's may not be totally soluble in MS61 method.