

DD-189

SHEET 1 OF 5

ANVIL MINING CORPORATION LIMITED

Whitehorse, Yukon

PROPERTY NAME FARO ZONE No. 1

LOCATION ROSE CREEK, YUKON

DATE DRILLED MAR. 20th. To APRIL 11th, 1966

SCALE OF LOG 1" = 40' LOGGED BY DATE
ORE SEC. 1" = 10' (240-455)

HOLE NO. 66-15 DEPTH 463

COLLAR ELEVATION 4,256.95 CORE SIZE NG INCLINATION TESTS

BEARING (MAG OR TRUE DIP -90°)

CO-ORDINATES 10,199.88 N. 131,400.09 E.

SURFACE OR UNDERGROUND

TOTAL RECOVERY 341.3 = 87.7 %

IN ORE 170.1 = 87.2 %

ROCK TYPES AND ALTERATION	MINERALIZATION AND STRUCTURES	FOOTAGE BLOCKS	% RECOVERY	SAMPLE No.	INTERVAL	
					FROM	TO
0 - 74 OVERBURDEN						
74						
80 PHYLLITE		6 - 0	80	100		
black thinbedded to 93 then becomes increasingly sericitic and lighter coloured grey	74-120 Foliation - 40°	6.6-1.4 1-0 7.7-.3 10-0 2-0 7-1	88 89 97 100 100 100	82.5 100 96.3		
120						
136	120-160 Foliation - 40°	10-0 2.8-.2 5.4-.6 1.4-.6 5.5-2.5	127 130 136 138 138	100 93.3 90 70 68.7		
QUARTZ SCHIST Increasing sericitic down section	Broken core of gg at 145 to 146	3.5-.4 6.0-.8 1.2-.3	146 149 156 157	88.6 92.3 80		
160						
195	160-200 Foliation - 50° dragfolding near faults	9.5-0 2.7-2.3 8.0-1.0 7.0-0 7.0-0	167 172 181 188 195	100 54 88.9 100 100		
200 SERICITIC METAPHYLLITE	FAULT gg 195 to 196	5.3-3.2	195	62.4		
208 somewhat brn. biotitic banded	200-240 Foliation - 60°	9.5-0 10.0-0 1.5-0 1.0-.5 10-0 6-0	203 213 223 224 226 234 240	100 100 100 66.6 100 100		
SERICITIC QUARTZ SCHIST						
240						

ANVIL MINING CORPORATION LIMITED Whitehorse, Yukon

PROPERTY NAME FARO ZONE No. 1..... HOLE NO. 66-15

SCALE OF LOG 1" = 40'
1" = 10' (240 - 455)

ROCK TYPES AND ALTERATION	MINERALIZATION AND STRUCTURES	FOOTAGE BLOCKS	% RECOVERY	SAMPLE		
				NO.	FROM	TO
240						
	10 - 0		100			
250		250				
253						
SERICITE SCHIST	10.1 - .4		95.3			
260				0932	258	263
	Banded and dissem. sulphides from 260 - 276.2	260.5				
	10.1 - 0		100	0933	263	268
270		270		0934	268	273
	3.9 - .1		97.5			
276.2		274		0935	273	278
	MASSIVE SULPHIDES 276.2		100			
280	5.0 - 0	279		0936	278	283
	8.0 - 0		100	0937	283	288
290		287		0938	288	293
	10 - 0		100	0939	293	298
300		297		0940	298	303
	10 - 0		100	0941	303	308
310		307		0942	308	313

ANVIL MINING CORPORATION LIMITED Whitehorse, Yukon

PROPERTY NAME FARO ZONE No. 1

HOLE NO. 66-15

1" = 40'
SCALE OF LOG 1" = 10' From 240 to 455

ROCK TYPES AND ALTERATION	MINERALIZATION AND STRUCTURES	FOOTAGE BLOCKS	% RECOVERY	SAMPLE No.	INTERVAL	
					FROM	TO
310				G		
	MASSIVE SULPHIDES	10.0 - 0	100	0943	313	318
		317		0944	318	323
320						
		10.0 - 0	100	0945	323	328
		327		0946	328	333
330						
		8.0 - 0	100	0947	333	338
		335				
		4.0 - 0	100	0948	338	343
		339				
340						
		4.0 - 0	100	0949	343	348
		1.0 - 0				
		343				
		7.0 - 0	100	0950	348	353
		344				
350						
		0.3 - 0.2	351			
		351.5		0951	353	358
		6.5 - 0				
		358		0952	358	363
360						
		5.5 - 0	100			
		0.7 - 0.3	363.5	0953	363	365
		364.5	70	0954	365	370
		3.7 - 8	82.2			
		369				
370						
		3.0 - .5	85.7	0955	370	375
		372.5				
		4.5 - .5	90	0956	375	380
		0.5 - 0	377.5			
		378	100			
380						

ANVIL MINING CORPORATION LIMITED Whitehorse, Yukon

PROPERTY NAME FARO ZONE No. 1..... HOLE NO. 66-15

1" = 40'
SCALE OF LOG 1" = 10' From 240-455

DO-189

SHEET 4 OF 5

ROCK TYPES AND ALTERATION	MINERALIZATION AND STRUCTURES	FOOTAGE BLOCKS	RECOVERY %	SAMPLE No.	INTERVAL	
					FROM	TO
380						
	2.2-4.8 MASSIVE SULPHIDES	31.4		0957	380	385
	1.0-0	385 386	100	0958	385	390
	3.2-0.8	80				
390		390				
	5.0-0	100		0959	390	395
	1.8-1.7	395 50.4		0960	395	400
400		398.5				
	3.9-0	100		0961	400	405
	4.0-0	402 100		0962	405	410
410		406				
	4.0-0	66.6				
	2.2-0.8	412 73.3		0963	410	415
	1.1-2.9	415 27.5		0964	415	420
420		419				
	1.3-0.7	65				
	0.6-0.4	421 60		0965	420	425
	2.0-1.0	422 66				
	2.8-0.2	425 93.3		0966	425	430
430		428				
	1.0-0	100				
	0.8-0.2	429 80				
	2.2-0	430 100		0967	430	435
	3.5-0	431.5 100				
		435		0968	435	440
440						
	6.0-0	100				
	0.9-1.1	441 45		0969	440	445
	1.5-0	443 100				
	3.8-0.2	444.5 95		0970	445	450
450						
	0.5-0	448.5 100				

PROPERTY NAME FARO. ZONE. N#1

HOLE NO. 66-13

1" = 40'
SCALE OF LOG 1" = 10' FROM 240 to 435

[illegible]