

## DIAMOND DRILL RECORD,

HOLE NO. 66-3

PROPERTY \_\_\_\_\_

DUB 2

SHEET NUMBER 1SECTION FROM 0' TO 86'STARTED October 22, 1966

LATITUDE \_\_\_\_\_

DATUM 7S 11+50ECOMPLETED October 25, 1966.

DEPARTURE \_\_\_\_\_

BEARING \_\_\_\_\_

ULTIMATE DEPTH 233'

ELEVATION \_\_\_\_\_

DIP 90°

PROPOSED DEPTH \_\_\_\_\_

DEPTH FEET	CORE RECOV	DESCRIPTION	CORE SAMPLE NO.	FOOTAGE	CORE ASSAYS				SLUDGE SAMPLE NO.	FOOTAGE	AG.
					AG.	CU.	<del>PP</del> Au.	ZN.			
0 - 46	Nil	Overburden.									
46-53	95%	Banded grey green quartz-chlorite schist. Some disseminated pyrite in siliceous bands. Schistosity at 80° to 90° to core axis.									
53-65	95%	Banded magnetite bearing quartzite. Fine grained and containing up to 15% disseminated sulphides. Magnetite tends to form dark grey bands and comprises about 25 to 30% of rock. Sulphides are pyrite, pyrrhotite, and chalcopyrite (1%).	Y-106	6	0.18	0.48	Tr.				
			Y-107	6	0.16	0.46	0.005				
65-86	100%	Light grey, fine grained quartzite. Similar to above but with less magnetite (10%) and indistinct, possibly relict,	Y-108	5	0.10	0.72	0.005				
			Y 109	5	0.10	0.76	0.005				
			Y 110	5	0.18	1.12	0.01				

## PROPERTY

DUB 2

STARTED October 22, 1966

COMPLETED October 25, 1966

ULTIMATE DEPTH 233'

PROPOSED DEPTH \_\_\_\_\_

[illegible]

**PROPERTY**

DUB 2

STARTED October 22, 1966.

COMPLETED October 25, 1966.

ULTIMATE DEPTH 233'

PROPOSED DEPTH

[illegible]

66 3  
HOLE NO. 66-3

PROPOSED DEPTH\_\_\_\_\_

[illegible]