

## DIAMOND DRILL RECORD,

HOLE NO. 66-5A

PROPERTY \_\_\_\_\_

DUB 2

SHEET NUMBER 1SECTION FROM 0' TO 80'STARTED November 6, 1966

LATITUDE \_\_\_\_\_

DATUM 4n 12ECOMPLETED November 8, 1966

DEPARTURE \_\_\_\_\_

BEARING \_\_\_\_\_

ULTIMATE DEPTH 234'

ELEVATION \_\_\_\_\_

DIP 90°

PROPOSED DEPTH \_\_\_\_\_

DEPTH FEET	CORE RECOV	DESCRIPTION	CORE SAMPLE NO.	FOOTAGE	CORE ASSAYS				SLUDGE SAMPLE NO.	FOOTAGE	AG.
					AG.	CU.	PPX XX Au.	ZN.			
0-53	0%	Overburden.									
53-67	20%	Grey and green banded magnetic quartz-chlorite-magnetite schist with very sparse disseminated sulphides; less than 1%, including a few patches of chalcopyrite.	Y-118	14	.18	Tr.	Tr.				
		Core angel: 45°. (Note: This material resembles that near the bottom of the mineralized horizon in DDH 66-1.)									
67-75	30%	Green chlorite-quartz schist. Core angle 0° from 67' to 70'; contorted from 70' to 75'.									
75-80	50%	Indistinctly banded quartz-chlorite schist with from 1 to 2 percent disseminated	Y-119	5	.20	Tr.	Tr.				

66 57

# DIAMOND DRILL RECORD,

HOLE NO. 66-5A.

**PROPERTY**

DUB 2

2

SHEET NUMBER \_\_\_\_\_

SECTION FROM 80' TO 117'

STARTED November 6, 1966

LATITUDE \_\_\_\_\_

DATUM 4N 12E

COMPLETED November 8, 1966

DEPARTURE \_\_\_\_\_

BEARING \_\_\_\_\_

ULTIMATE DEPTH 234'

ELEVATION \_\_\_\_\_

DIP 90°

PROPOSED DEPTH \_\_\_\_\_

[illegible]

## 66 5A

HOLE NO. 66-5A.

DUB 2

STARTED November 6, 1966

COMPLETED November 8, 1966

ULTIMATE DEPTH 234'

PROPOSED DEPTH \_\_\_\_\_

[illegible]

HOLE NO. 66-5A

DUB 2

PROPOSED DEPTH \_\_\_\_\_

DEPTH FEET	CORE RECOV	DESCRIPTION	CORE SAMPLE NO.	FOOTAGE	CORE ASSAYS				SLUDGE SAMPLE NO.	FOOTAGE	AG.
					AG.	CU.	PP & Au.	ZN.			
135-138	80%	Quartz-chlorite schist with 5% disseminated pyrrhotite and minor amounts of pyrite and chalcopyrite. Quartz content 60% to 70%. Rock is magnetic and core angle is 45° to 50°.	Y-122	3	Tr.	Tr.	Tr.				
138-140	100%	Green chlorite schist. Schistosity at 10° to core axis.									
140-159	90%	Chlorite-quartz-magnetite schist with up to 10% disseminated sulphide; mainly pyrrhotite but possibly 1% chalcopyrite. Sulphides closely related to white quartz bands and/or fragments notably at 148', and from 152' to 153' where they occur on borders of quartz.	Y-123	5	.16	Tr.	Tr.				
			Y 124	5	.18	Tr.	Tr.				
			Y125	5	.10	Tr.	Tr.				
			Y126	4	.08	Tr.	Tr.				

HOLE NO. 66-5A

## PROPERTY

SHEET NUMBER 5

SECTION FROM 159' TO 220'

STARTED November 6, 1966

LATITUDE \_\_\_\_\_

DATUM 4N 12E

COMPLETED November 8, 1966.

DEPARTURE \_\_\_\_\_

BEARING \_\_\_\_\_

ULTIMATE DEPTH 234'

ELEVATION \_\_\_\_\_

DIP 90°

PROPOSED DEPTH \_\_\_\_\_

[illegible]

# DIAMOND DRILL RECORD,

66 5 A

HOLE NO. 66-5A6

66

PROPERTY \_\_\_\_\_ DUB 2

SHEET NUMBER 6

SECTION FROM 220' TO 234'

STARTED November 6, 1966

LATITUDE \_\_\_\_\_

DATUM 4N 12E

COMPLETED November 8, 1966

DEPARTURE \_\_\_\_\_

BEARING \_\_\_\_\_

ULTIMATE DEPTH 234'

ELEVATION \_\_\_\_\_

DIP 90°

PROPOSED DEPTH \_\_\_\_\_

[illegible]