



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.


212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

To: CARLOS, ALLEN
275 ALSEK RD
WHITEHORSE YT Y1A 4T1

Page: 2 - A
Total # Pages: 3 (A - D)
Finalized Date: 12-NOV-2004
Account: TFI

CERTIFICATE OF ANALYSIS VA04077990

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005	ME-MS41 Ag ppm 0.01	ME-MS41 Al % 0.01	ME-MS41 As ppm 0.1	ME-MS41 B ppm 10	ME-MS41 Ba ppm 10	ME-MS41 Be ppm 0.05	ME-MS41 Bi ppm 0.01	ME-MS41 Ca % 0.01	ME-MS41 Cd ppm 0.01	ME-MS41 Ce ppm 0.02	ME-MS41 Co ppm 0.1	ME-MS41 Cr ppm 1	ME-MS41 Cs ppm 0.05
B053812		1.88	<0.005	0.05	2.42	1.3	<10	150	1.22	0.06	4.29	0.28	55.7	29.9	92	0.27
B053813		1.72	<0.005	0.05	2.51	1	<10	70	0.98	0.03	2.78	0.22	64	33.6	108	0.22
B053814		1.70	<0.005	0.04	2.98	2	<10	120	1.21	0.02	3.77	0.35	59.7	29.7	115	0.21
B053815		1.46	<0.005	0.03	2.71	3.5	<10	90	1.26	<0.01	3.92	0.17	51.8	30.2	113	0.09
B053816		1.98	<0.005	0.04	3.04	2.5	<10	100	1.26	<0.01	3.91	0.14	55.5	32	112	0.08
B053817		1.56	<0.005	0.03	2.95	1.4	<10	110	1.1	<0.01	3.98	0.1	51.8	29.3	107	0.05
B053818		1.66	<0.005	0.03	2.35	1.2	<10	80	0.86	<0.01	4.15	0.09	54.3	24.4	100	0.08
B053819		1.40	<0.005	0.04	3.04	0.6	<10	90	1.84	0.01	3.82	0.1	60.8	27.6	86	0.83
B053820		1.76	<0.005	0.04	2.05	0.9	<10	120	1.96	0.01	2.14	0.11	60.4	28.9	90	0.89
B053821	MVK 9	1.94	<0.005	0.03	2.81	1.2	<10	160	1.26	<0.01	3.64	0.08	56.3	29	93	1.21
B053822		1.60	<0.005	0.04	2.38	0.6	<10	170	1.19	0.01	4.97	0.13	61.4	29.8	91	1.2
B053823		2.10	<0.005	0.03	2.72	4.5	<10	110	0.96	<0.01	3.7	0.13	58.6	31.4	111	0.13
B053824		1.86	<0.005	0.04	2.65	8.8	<10	100	0.91	<0.01	4.07	0.17	62.1	33.9	112	0.09
B053825		1.64	<0.005	0.04	3.35	6.4	<10	140	1.32	<0.01	2.53	0.13	66.8	32.9	111	0.18
B053826		1.54	<0.005	0.52	2.59	6.5	<10	90	0.97	<0.01	2.91	0.14	60.3	32.4	93	0.24
B053827		1.42	<0.005	0.18	2.99	5.6	<10	110	1.31	0.01	2.43	0.16	63.6	32.3	89	0.2
B053828		0.94	<0.005	0.04	2.33	17.8	<10	80	1.08	0.02	2.18	0.48	62	29.5	81	0.28
B053829		1.70	<0.005	0.05	2.23	2	<10	160	0.98	0.03	2.96	0.19	57.1	26.8	69	0.39
B053830		1.74	<0.005	0.08	2.89	1.9	10	120	1.34	0.07	1.17	0.29	60.1	26.2	58	0.99
B053831		1.26	<0.005	0.07	2.13	1	<10	100	1.23	0.07	1.31	0.27	59.5	27.2	47	1
B053832		1.86	<0.005	0.07	2.47	1.9	<10	120	1.01	0.06	1.26	0.23	61	34.3	56	0.76
B053833		1.74	<0.005	0.08	2.6	2.6	<10	130	1.37	0.09	1.22	0.28	55.8	27.4	59	1.04
B053834		1.88	<0.005	0.04	2.2	5.8	<10	80	0.88	0.02	2.92	0.19	66	34.5	89	0.26
B053835		1.88	<0.005	0.04	2.16	9.1	<10	90	1	0.03	1.86	0.13	60.4	37.4	80	0.5
B053836	MVK 5	1.54	<0.005	0.04	2.54	4.2	<10	100	0.75	0.02	3.13	0.14	56.6	36.4	83	0.46
B053837		1.34	<0.005	0.08	2.16	4.6	<10	140	0.82	0.07	6.37	0.23	45.7	24.5	43	0.94
B053838		1.16	<0.005	0.11	2.82	4.4	<10	150	1.4	0.08	2.34	0.26	57.8	29.6	61	1.22
B053839		1.34	<0.005	0.03	2.61	0.8	<10	120	0.66	<0.01	4.52	0.04	55.7	31	96	1.1
B053840		1.68	<0.005	0.03	2.7	0.5	<10	110	0.71	<0.01	4.46	0.03	55.1	28.7	93	0.95
B053841		1.68	<0.005	0.03	2.47	0.2	<10	70	0.67	<0.01	5.83	0.03	52.8	27.2	87	0.92
B053842		1.46	<0.005	0.04	2.78	0.4	<10	90	0.83	<0.01	5.39	0.03	56.6	26.5	94	1.54
B053843		1.70	<0.005	0.02	2.63	0.5	<10	90	0.83	<0.01	5	0.04	55	30.6	92	1.26
B053844		1.70	<0.005	0.03	2.81	0.9	<10	110	0.94	<0.01	5.08	0.04	55.2	38.4	94	1.21
B053845		2.24	<0.005	0.03	2.31	1	<10	80	0.7	<0.01	4.22	0.05	52	40.6	92	0.74
B053846	MVK 7	1.70	<0.005	0.02	2.19	1	<10	120	0.69	<0.01	3.84	0.06	49.6	33.2	88	0.08
B053847		1.48	<0.005	0.03	2.19	1.1	<10	100	0.72	<0.01	2.7	0.06	49.9	30.5	92	0.09
B053848		1.62	<0.005	0.03	1.96	1.4	<10	90	0.58	<0.01	2.8	0.09	50.9	30.6	93	0.1
B053849		1.70	<0.005	0.03	2.14	1.5	<10	110	0.66	<0.01	3.39	0.06	50.7	31.6	91	0.07
B053850		1.68	<0.005	0.04	2.39	1.5	<10	100	0.92	<0.01	3.68	0.08	57.1	31.2	86	0.24
B053851		1.50	<0.005	0.04	1.92	3.7	<10	110	0.45	0.04	4.23	0.09	50.4	33.4	86	0.12



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada


Phone: 604 984 0221 Fax: 604 984 0218

To: CARLOS, ALLEN
275 ALSEK RD
WHITEHORSE YT Y1A 4T1

Page: 2 - B
Total # Pages: 3 (A - D)
Finalized Date: 12-NOV-2004
Account: TFI

CERTIFICATE OF ANALYSIS VA04077990

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb
		ppm 0.2	% 0.01	ppm 0.05	ppm 0.05	ppm 0.02	ppm 0.01	ppm 0.005	% 0.01	ppm 0.2	ppm 0.1	% 0.01	ppm 5	ppm 0.05	% 0.01	ppm 0.05
B053812		31.9	6.97	7.79	0.13	0.11	0.05	0.052	0.12	27.5	9.6	2.2	1870	2.82	0.38	0.07
B053813		42.7	7.33	8.77	0.17	0.3	0.05	0.061	0.11	27.9	12.6	1.92	1055	0.85	0.26	0.14
B053814		39	6.83	9.73	0.13	0.19	0.05	0.059	0.15	28.4	10.9	1.86	1200	0.9	0.32	0.12
B053815		35.9	8.01	10.05	0.15	0.18	0.05	0.063	0.08	29.7	10.9	2.18	1455	3.2	0.21	0.1
B053816		36.8	8.2	10.95	0.14	0.27	0.05	0.058	0.11	29.9	9.3	2.18	1495	3.52	0.34	0.17
B053817		40.1	7.09	10.6	0.13	0.33	0.03	0.054	0.11	25.9	9.6	1.86	1310	1.59	0.34	0.21
B053818		33.4	5.47	8.75	0.11	0.33	0.02	0.049	0.06	25.1	8.1	1.58	1160	0.8	0.25	0.21
B053819		31.4	6.32	9.63	0.13	0.38	0.02	0.054	0.07	30.1	10.2	1.9	1245	0.79	0.63	0.28
B053820	MVK 9	35.3	6.46	7.2	0.12	0.07	0.01	0.045	0.09	29.4	7.9	1.93	1090	0.68	0.59	0.33
B053821		31.3	7.16	8.59	0.11	0.3	0.01	0.049	0.08	28.4	4.7	2.44	1380	1.35	0.7	0.14
B053822		37.1	6.44	8.11	0.15	0.19	0.01	0.059	0.06	28.7	6.5	2.1	1525	0.54	0.61	0.12
B053823		41.8	7.32	9.61	0.14	0.17	0.02	0.044	0.09	25.7	8.7	2.37	1380	4.13	0.29	0.08
B053824		47.8	7.25	9.24	0.15	0.21	0.03	0.047	0.1	27.2	10	2.41	1440	6.76	0.23	0.08
B053825		53.1	7.07	10.4	0.15	0.31	0.04	0.055	0.18	30.7	11.6	2.31	960	6.16	0.39	0.1
B053826		40.7	6.81	8.39	0.14	0.26	0.02	0.051	0.1	27.5	10.9	2.42	1410	4.91	0.35	0.07
B053827		38	7.43	9.18	0.14	0.22	0.02	0.058	0.16	32.6	9.5	2.54	1685	6.59	0.49	0.07
B053828		33.6	7.03	8.39	0.13	0.3	0.06	0.059	0.11	33.7	9.7	2.04	1310	55.6	0.38	0.09
B053829		26.9	6.73	6.94	0.12	0.21	0.01	0.045	0.1	25.9	10.2	2.36	1435	5.95	0.44	0.05
B053830		32.8	6.05	7.95	0.13	0.22	0.04	0.053	0.31	25	9	1.68	1120	0.49	0.66	0.05
B053831		35.7	5.71	6.58	0.14	0.24	0.03	0.055	0.2	26.1	8.4	1.61	1115	0.5	0.61	0.05
B053832		36.1	6.16	7.5	0.15	0.21	0.04	0.053	0.22	25.9	7.3	1.77	1220	0.51	0.6	0.05
B053833		35.1	5.95	7.36	0.14	0.21	0.07	0.05	0.29	25	7.8	1.62	1145	0.52	0.58	<0.05
B053834		39.8	5.85	7.52	0.14	0.18	0.1	0.058	0.09	29.7	8.1	2.1	1260	4.66	0.53	0.06
B053835	MVK 5	41.5	6.36	7.63	0.14	0.25	0.12	0.055	0.12	28.1	7.6	2.11	1020	2.58	0.5	0.06
B053836		37.5	6.87	8.25	0.16	0.2	0.05	0.056	0.12	26.7	8.1	2.22	1465	4.95	0.5	0.08
B053837		29	5.37	6.54	0.11	0.23	0.04	0.045	0.16	22.5	11.5	1.5	1350	3.02	0.5	0.05
B053838		34.9	5.36	8.13	0.13	0.21	0.03	0.057	0.21	25	13.2	1.69	1170	3.41	0.7	0.05
B053839		32.9	7.05	9.7	0.21	0.08	0.02	0.036	0.03	27	6.3	2.18	1595	0.59	0.28	0.13
B053840		31.9	7.12	10.1	0.18	0.11	0.03	0.035	0.05	24.8	7.4	2.1	1615	0.61	0.29	0.1
B053841		31.5	7.1	9.74	0.16	0.09	0.02	0.034	0.03	26.8	7	2.13	1830	0.68	0.26	0.1
B053842		38.5	6.72	10.65	0.16	0.11	0.04	0.038	0.04	28.5	7.5	2.21	1745	0.82	0.43	0.07
B053843		29.4	7.25	10.4	0.19	0.08	0.02	0.042	0.03	27	7.5	2.47	1920	0.74	0.38	0.07
B053844		32.8	6.91	10.35	0.16	0.12	0.02	0.047	0.06	28	9	2.29	1775	1.24	0.44	0.07
B053845	MVK 7	32.8	7.09	9.95	0.15	0.08	0.02	0.047	0.04	28	8	2.37	1775	1.19	0.26	0.06
B053846		30.8	8.03	9.38	0.15	0.14	0.03	0.048	0.1	25.6	7.9	2.45	2260	0.97	0.14	0.08
B053847		33.6	7.85	9.4	0.16	0.14	0.03	0.054	0.09	26.5	8.5	2.38	1990	0.86	0.16	0.08
B053848		31.4	7.21	8.54	0.16	0.1	0.03	0.05	0.07	26.1	7.4	2.17	1770	0.9	0.14	0.07
B053849		33.1	7.42	8.59	0.17	0.14	0.02	0.053	0.11	26.9	7.6	2.17	1925	1.06	0.2	0.08
B053850		33.6	7.01	8.46	0.14	0.21	0.02	0.054	0.13	24.4	7	2.03	1730	0.96	0.16	0.07
B053851		48.1	5.94	7.63	0.14	0.18	0.04	0.052	0.13	25.2	4.8	1.5	1585	2.75	0.26	0.12



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY


ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

To: CARLOS, ALLEN
275 ELSEK RD
WHITEHORSE YT Y1A 4T1

Page: 2 - C
Total # Pages: 3 (A - D)
Finalized Date: 12-NOV-2004
Account: TFI

CERTIFICATE OF ANALYSIS VA04077990

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti
		ppm 0.2	ppm 10	ppm 0.2	ppm 0.1	ppm 0.001	% 0.01	ppm 0.05	ppm 0.1	ppm 0.2	ppm 0.2	ppm 0.2	ppm 0.01	ppm 0.01	ppm 0.2	% 0.005
B053812		61.6	2930	7.3	6.4	<0.001	0.05	0.15	10.8	0.6	1.2	211	<0.01	<0.01	4.2	0.016
B053813		72.3	2850	3.3	6.5	<0.001	0.06	0.12	12	0.6	1.4	123	<0.01	<0.01	4.5	0.042
B053814		61.5	3210	2.3	5.9	<0.001	0.07	0.15	10.8	0.7	1.6	190.5	<0.01	<0.01	3.8	0.049
B053815		70.9	2870	1	2.7	0.002	0.33	0.13	10	0.8	1.2	155.5	<0.01	<0.01	3.5	0.031
B053816		77.8	2820	1.2	3.3	0.001	0.33	0.14	11.2	0.6	1.3	185	0.01	<0.01	3.5	0.091
B053817		70	2700	1.3	2.6	<0.001	0.13	0.09	11.4	0.6	1.4	203	<0.01	<0.01	3.5	0.172
B053818		52.9	2620	0.7	1.4	<0.001	0.09	0.08	10	0.5	1.3	193.5	<0.01	<0.01	3.4	0.17
B053819		56.4	2760	0.9	2.6	<0.001	0.06	0.05	10.6	0.5	1.3	247	<0.01	<0.01	3.4	0.18
B053820	MVK 9	58.8	2920	0.9	4.8	<0.001	0.04	0.06	8.4	0.5	1.2	140	0.01	<0.01	2.9	0.172
B053821		55.3	2810	1.1	2.8	0.001	0.1	0.06	7.6	0.5	1.3	238	0.01	<0.01	2.5	0.048
B053822		63.5	2730	0.8	2.6	<0.001	0.09	<0.05	10.2	0.6	1.1	223	<0.01	<0.01	3.2	0.029
B053823		68	3050	0.8	2.6	0.001	0.33	0.11	7.9	1.6	1.2	172.5	<0.01	<0.01	3.5	0.026
B053824		64.6	2950	1.2	4.3	0.001	0.46	0.16	10.1	3.9	1.2	180.5	<0.01	<0.01	3.7	0.03
B053825		66.8	3150	1.5	8.7	0.001	0.4	0.15	11.2	3.8	1.4	208	<0.01	<0.01	4.4	0.049
B053826		67.2	2650	1.3	5.5	0.001	0.36	0.12	9.2	2	1.2	180.5	<0.01	<0.01	4.2	0.02
B053827		65.2	2910	1.9	8.1	0.002	0.58	0.1	9.6	1.4	1.3	214	<0.01	<0.01	4.3	0.017
B053828		74.4	2920	2.5	5.7	0.012	1.26	0.33	8	2.7	1.3	187.5	<0.01	<0.01	4.1	0.01
B053829		58.3	2620	2.3	6.2	0.001	0.25	0.08	8.3	0.6	1.1	183	0.01	<0.01	3.9	0.007
B053830		51.8	1510	4.5	19.4	<0.001	0.03	0.09	10	0.6	1.4	151	0.01	0.01	5.5	0.014
B053831		50.7	1770	3.4	13.6	<0.001	0.03	0.07	9.2	0.5	1.3	134.5	0.01	<0.01	5.2	0.009
B053832		59.8	2010	3.7	14.2	<0.001	0.03	0.07	9.3	0.6	1.3	134	0.01	<0.01	4.9	0.013
B053833		52.4	1420	4.4	19.2	<0.001	0.03	0.07	9.5	0.6	1.3	129	<0.01	0.01	5.5	0.013
B053834	MVK 5	74.8	3190	2.8	5.1	0.001	0.21	0.13	8.9	0.8	1.3	160	0.01	<0.01	4.7	0.009
B053835		81.3	2580	2.9	8.5	0.001	0.35	0.14	9.1	0.8	1.2	138.5	0.01	0.01	4.7	0.008
B053836		72.7	2750	2.7	6.4	<0.001	0.13	0.14	9	0.6	1.4	197	0.01	<0.01	4.7	0.012
B053837		50.1	1560	5.9	11	0.001	0.09	0.18	7.5	0.6	1.1	304	<0.01	<0.01	4.8	0.008
B053838		57.3	1900	6.2	13.6	0.001	0.1	0.2	9.6	0.7	1.5	181.5	0.01	<0.01	5.7	0.01
B053839		58.3	2610	0.8	0.8	<0.001	0.01	<0.05	6.2	0.5	1.2	227	0.01	<0.01	3.5	0.023
B053840		55.7	2460	0.8	1.2	<0.001	0.02	<0.05	6.3	0.4	1	282	0.01	<0.01	3.6	0.025
B053841		59.4	2370	0.5	0.6	<0.001	0.02	<0.05	6.7	0.5	0.9	356	0.01	<0.01	3.4	0.025
B053842		57.5	2540	0.7	0.9	<0.001	0.02	<0.05	6.6	0.5	0.9	284	<0.01	<0.01	3.6	0.033
B053843		92.6	2570	0.6	0.7	<0.001	0.03	<0.05	7.2	0.4	1	207	<0.01	<0.01	3.9	0.011
B053844		113	2580	0.9	1.2	<0.001	0.06	<0.05	7.1	0.6	1.2	284	<0.01	<0.01	3.9	0.019
B053845	MVK 7	115.5	2570	0.9	0.8	<0.001	0.05	<0.05	6.4	0.6	1.1	227	<0.01	<0.01	3.8	0.012
B053846		81.2	2430	1	1.9	<0.001	0.08	<0.05	6.9	1.1	1.1	174.5	<0.01	<0.01	3.5	0.021
B053847		67.6	2150	1	1.7	<0.001	0.06	<0.05	7.3	0.9	1.2	131.5	<0.01	<0.01	3.7	0.019
B053848		63.4	2440	1	1.4	<0.001	0.08	0.05	6.4	1	1.1	113.5	<0.01	<0.01	3.9	0.013
B053849		64	2460	1.1	2.1	<0.001	0.08	0.05	6.9	0.9	1.2	155.5	<0.01	<0.01	3.8	0.023
B053850		61.4	2450	1.3	6	<0.001	0.08	0.05	8.4	1.7	1.2	170	<0.01	<0.01	4	0.017
B053851		62.8	2350	1.6	3.6	<0.001	0.37	0.1	6.6	5	1.3	191.5	<0.01	<0.01	3.6	0.027



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

To: CARLOS, ALLEN
275 ALSEK RD
WHITEHORSE YT Y1A 4T1

Page: 2 - D
Total # Pages: 3 (A - D)
Finalized Date: 12-NOV-2004
Account: TFI

CERTIFICATE OF ANALYSIS VA04077990

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-XRF10
		Ti	U	V	W	Y	Zn	Zr	W
		ppm 0.02	ppm 0.05	ppm 1	ppm 0.05	ppm 0.05	ppm 2	ppm 0.5	% 0.01
B053812		0.08	1.07	105	<0.05	18.45	62	3.4	
B053813		0.07	0.7	124	<0.05	18.05	79	6.6	
B053814		0.06	0.85	133	<0.05	18.15	63	5.7	
B053815		0.07	0.71	144	<0.05	16.25	68	5.4	
B053816		0.05	0.67	143	<0.05	17.95	76	8.2	
B053817		0.03	0.66	152	<0.05	15.5	66	9.4	
B053818		0.04	0.51	131	0.05	15.55	56	8	
B053819		0.02	0.58	118	<0.05	16.95	73	10.4	
B053820		<0.02	0.56	120	<0.05	17.1	83	4.3	
B053821	MVK 9	<0.02	0.58	137	<0.05	17.5	61	6.5	
B053822		0.02	0.45	127	<0.05	18.2	48	5.4	
B053823		0.04	1.14	223	<0.05	16.8	65	4.8	
B053824		0.03	1.07	218	<0.05	18.4	69	4.7	
B053825		0.03	1.23	224	<0.05	20.2	76	7	
B053826		0.03	1.16	162	0.13	17.3	80	5.5	
B053827		0.04	1.12	162	0.07	19.45	79	4.9	
B053828		0.22	1.88	141	<0.05	18.25	66	6	
B053829		0.03	0.97	103	<0.05	17.8	70	4	
B053830		0.05	0.67	77	<0.05	19.55	80	4.5	
B053831		<0.02	0.6	67	<0.05	20.5	81	4.7	
B053832		0.04	0.66	83	<0.05	20.7	93	4.1	
B053833		0.05	0.94	87	<0.05	17.7	82	4.3	
B053834	MVK 5	0.03	1.37	116	<0.05	21.6	75	4.3	
B053835		0.05	1.67	109	<0.05	19.05	82	5	
B053836		0.03	1.4	112	<0.05	18.55	70	5.6	
B053837		0.05	0.68	65	<0.05	15.3	77	4.5	
B053838		0.05	0.88	89	<0.05	18.6	87	4.4	
B053839		<0.02	0.6	122	<0.05	16.05	68	2.4	
B053840		<0.02	0.7	116	<0.05	15.75	61	4.1	
B053841		<0.02	0.71	113	<0.05	16	66	2.9	
B053842		<0.02	0.8	116	<0.05	16.55	73	3.9	
B053843		<0.02	0.93	122	<0.05	15.8	59	2.5	
B053844		<0.02	0.95	122	<0.05	15.45	62	4	
B053845	MVK 7	<0.02	0.93	121	<0.05	14.5	56	3	
B053846		<0.02	0.9	125	<0.05	14.15	55	5.1	
B053847		<0.02	0.71	127	<0.05	13.8	58	5.6	
B053848		<0.02	0.71	129	<0.05	14.2	50	3.7	
B053849		<0.02	0.76	129	<0.05	14.65	52	5.4	
B053850		<0.02	1	136	<0.05	16.5	73	4.7	
B053851		<0.02	0.92	171	<0.05	14.6	55	6.7	