



Keg - Silver Range

Archer, Cathro
& Associates (1981) Limited

Grid East	Grid North	Easting	Northing	Elevation	Depth (m)
09+935 NE	09+720 NW	595532	6918142	1631.07	15.62

ZONE: Hammer

SECTION: 9+720

SURVEY			
Depth (m)	Azimuth	Dip	Method
0	80	-45	Compass
10	80	-45	Compass

TARGET:

SUMMARY			
From (m)	To (m)	Interval (m)	Rock Type
0	5.5	5.5	CAS
5.5	15.62	10.12	GRN

HOLE: HAM-12-001

CLAIM: YD155446

Contractor: Platinum

Drill: 1

Core Size: NQ

Casing Depth: 5.5m, Out

Drilling Dates: Jun 09 - Jun 10, 2012

Geology Logged By: R. Avram

SAMPLES	
Numbers:	
Total:	1
Batch:	
Certificates:	

COMMENTS
Hole was abandoned, lost in fault zone.



Box Number	From (m)	To (m)
1	5.5	10.94
2	10.94	15.62

Box Number	From (m)	To (m)

Box Number	From (m)	To (m)



From (m)	To (m)	Interval (m)	Rock Type	Grain Size	Description	Shade	Colour	Texture	Alteration	Intensity	Mineral	Conc.
0.00	5.50	5.50	CAS	-	Casing							
						-	-	--	--	-	-	0
5.50	15.62	10.12	GRN	MG	Medium grained, medium grey, tracely oxidized phaneritic granite with 2 mica.							
						MD	GY	PH	OXI	1I	-	0



From (m)	To (m)	Interval (m)	Recovery (m)	Recovery %	RQD	RQD %	Reactivity	Hardness	Weathering	Comments
0.00	5.50	5.50	0	0	0.00	0	OR	--	--	casing, no recovery
5.50	8.23	2.73	2.63	96	1.22	45	OR	4H	1W	
8.23	11.28	3.05	2.98	98	2.28	75	OR	4H	1W	
11.28	14.33	3.05	3.05	100	2.96	97	OR	4H	1W	
14.33	15.62	1.29	1.29	100	0.97	75	OR	4H	1W	EOH



Depth (m)	Magnetic Susceptibility	Rock Type	Comments
0	0	CAS	casing
1	0	CAS	casing
2	0	CAS	casing
3	0	CAS	casing
4	0	CAS	casing
5	0	CAS	casing
6	0.04	GRN	
7	0.1	GRN	
8	0.1	GRN	
9	0.1	GRN	
10	0.11	GRN	
11	0.11	GRN	
12	0.13	GRN	
13	0.09	GRN	
14	0.12	GRN	
15	0.03	GRN	EOH

Depth (m)	Magnetic Susceptibility	Unit	Comments
-----------	----------------------------	------	----------