

LOCATION MAP SCALE 1:2500



LEGEND

- HELIKIAN**
- ▲ ▲ Iron-Rich Breccia (HB4): high but variable concentrations of euhedral to massive magnetite, hematite with associated barite, pyrite, chalcopyrite & carbonates, both in matrix & replacing breccia fragments
 - ● Chloritic Breccia (HB3): dark green chloritic matrix & fragments often hematitic, associated with HB4 & fault zones
 - △ △ Red-Brown Breccia (HB1): heterolithic breccia with carbonate, chlorite & hematite matrix containing altered, subround to fragments. Pink to red brown > grey to light green fragments. Breccia varies from matrix to fragment supported. Rarely foliated
 - ○ Light Green Breccia (HB2): strongly foliated, silvery-grey to red-brown weathering breccia consisting of light green to pink phylites, white to pink quartzite & tan limy to phyllite fragments in a tan to pink carbonate matrix. Breccia is always fragment supported. Weathers recessively compared to HB1
- HELIKIAN, APHEBIAN?**
- ■ Quartet Group (Hs): grey to black shale, slate & phyllite interbedded with quartzites & siltstones exhibiting turbidite structures
 - ■ Altered Quartet Group (Hs): bleached, hematized & carbonized equivalent of Hs, pale green phyllites, brown weathering grey siltstones and white-pink quartzites, occasionally limy
- fault
- ppm U
- ppm Cu
- ppm Co





FIGURE WJY 80-148


ARCHER, CATHRO & ASSOCIATES LTD

SECTION HOLE 801013

090756

IGOR PROPERTY

WERNECKE JOINT VENTURE



JAN 23 1981

To accompany report dated 09/07/80