

H.B. HICKS
CONSULTING GEOLOGIST
WHITEHORSE YUKON TERRITORY

Property <u>TACOPOT</u>	Claim No. _____	Strike _____	Lot _____	Hole No. <u>73-1</u>
Date <u>1/24</u> 19 <u>73</u>	Section No. _____	Dip _____	Dep. _____	Total Depth <u>417</u>
Logged by <u>G. CARLSON</u>	Plan No. _____	Level _____	Elev. _____	Page No. <u>10 of 12</u>

FOOTAGE		ROCK CLASSIFICATION <small>EPID. DIOP. GARN. SERP. QTZ/SIL. ACTINO. TREMO. CHLO. CRYSTALLINE. SHEARING. VEINS. FRACTURING. FOLIATION. GRAIN SIZE, TEXTURE</small>	MINERALIZATION		ASSAY DATA							
From	To		TYPE	%	SAMPLE NO.	WIDTH	RECOV.	%CU	%FE	MOLY	AU/AG	INCU
		395-398										
		411.5-417										
417		END OF HOLE										
		<p>Note: RHYOLITE PORPHYRY: This rock is similar to the rhyolite porphyry of DDH 73-2, but the chalky phenocrysts are not evident, except locally near the bottom of the hole, and it is somewhat coarser grained. It can be best described as a fine to medium grained, mafic to granitic rock. Quartz is not abundant but microscopic identification would be required to determine the actual composition. Notes are written less than 5% and appear to consist mainly of chloritic minerals. Locally the mafic content increases and the rock is very similar to the Diorite (probably equivalent).</p>										