

BOX 12

59.26-59.78 m Medium green chloritic schist (metavolcanics) with dark red/ochre hematite (?) stained fractures and minor narrow white quartz veinlets.

59.78- 61.17 m White quartz sericite schist with no visible sulphides. Contacts are conformable with foliation @ 70° TCA.

61.17- 62.48 m Black graphitic schist. Fault zone of rubble and fault gouge @ 61.17- 61.46 m.

62.48- 64.50 m Medium green chloritic schist (metavolcanics) cut by numerous cream/white calcite veinlets with a strong HCl reaction. Core is very broken and 0.13 m core lost @ 64.01- 64.50 m.

BOX 13

64.50- 68.58 m Pale/medium green chloritic schist (metavolcanics) cut by numerous narrow cream/white calcite veinlets. Red ochre hematite (?) stained fracture fillings. Trace very fine grained disseminated pyrite throughout.

END OF HOLE 04 KEL 1

CORE RECOVERY

68.58 m drilled =100.00%

65.41 m recovered = 95.38%

3.17 m lost = 4.62%

ASSAY SAMPLES 04 KEL 1

SAMPLE #	INTERVAL
K 001	0 - 3.05 m
K 002	3.05 - 6.10
K 003	6.10 - 9.14
K 004	9.14 -12.19
K 005	12.19 -15.24
K 006	15.24 -18.29
K 007	18.29 -21.34
K 008	21.34 -24.38
K 009	24.38 -27.43
K 010	27.43 -30.48
K 011	30.48 -33.53
K 012	33.53 -36.58
K 013	36.58 -39.62
K 014	39.62 -42.67

SAMPLE #	INTERVAL
K 015	42.67 -45.72m
K 016	45.72 -48.77
K 017	48.77 -51.82
K 018	51.82 -54.86
K 019	54.86 -57.91
K 020	57.91 -60.96
K 021	60.96 -64.01
K 022	64.01 -67.06
K 023	67.06 -68.58 End of Hole.



GEOCHEM PRECIOUS METALS ANALYSIS


Reed Creek Placers PROJECT Kelli Creek File # A407731 Page 1
Box 309, Cedar BC V9X 1W1 submitted by: Larry Tremblay

SAMPLE#	Au** ppb	Sample kg
SI	4	-
K001	4	1.94
K002	7	3.97
K003	5	4.39
K004	12	4.20
K005	11	4.46
K006	22	4.70
K007	27	4.50
K008	51	4.30
K009	53	4.29
K010	22	4.39
K011	56	4.55
K012	7	5.37
K013	13	3.73
K014	8	3.51
K015	20	3.52
K016	18	2.21
K017	12	3.95
K018	25	4.55
K019	5	2.58
K020	2	3.91
RE K020	2	-
RRE K020	3	-
K021	4	3.80
K022	3	3.00
K023	<2	2.67
K024	14	4.26
K025	11	4.38
K026	11	4.55
K027	6	3.60
K028	5	3.79
K029	3	6.25
K030	5	4.40
K031	<2	4.87
K032	7	5.29
K033	2	4.11
STANDARD AU-R2	589	-

GROUP 3B - FIRE GEOCHEM AU - 30 GM SAMPLE FUSION, DORE DISSOLVED IN AQUA - REGIA, ICP ANALYSIS. UPPER LIMITS = 10 PPM.
- SAMPLE TYPE: CORE R150 60C Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.Data WFA

DATE RECEIVED: DEC 20 2004

DATE REPORT MAILED: Dec 31/04



All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of the analysis only.