

# DIAMOND DRILL RECORD

LOGGED BY GLENN TETU

July 2, 1975

**PROPERTY** WON CLAIM GROUP, FORT SELKIRK

**LATITUDE** 47 + 40 S **BEARING OF HOLE** VERTICAL **STARTED** June 27, 1975

DEPARTURE 9 + 40 W DIP OF HOLE VERTICAL COMPLETED June 29, 1975

**ELEVATION** 2,330 **DIP TESTS** NONE **DEPTH** 276

D.D.H. No. 2 PAGE 1 of 4

CLAIM No. \_\_\_\_\_

CLAIM No. \_\_\_\_\_

DIRECTION AND DISTANCE FROM  
NE. CLAIM POST

[illegible]

[illegible]

[illegible]

[illegible]

| Interval |    | DESCRIPTION  | Sample No | Interval |       | Sample Length | ASSAY |                  |    |
|----------|----|--|-----------|----------|-------|---------------|-------|------------------|----|
| From     | To |  |           | From     | To    |               | Pb    | Zn               | Ag |
|          |    | 213.0 - 215.0 : Intense kaolinization, 10% quartz veining containing 3% molybdenite and 0.5% pyrite            |           |          |       |               | ca    | MoS <sub>2</sub> |    |
|          |    | 215.0 - 217.0 : felsic porphyritic, quartz vein at 80°   |           |          |       |               |       |                  |    |
|          |    | 217.0 - 225.0 : kaolinization, 8% biotite, 5% quartz veining - 2% molybdenite, 0.5% chalcopyrite and 1% pyrite | 4524      | 217.0    | 225.0 | 7.0           | 0.06  | 0.028            |    |
|          |    | 225.0 - 232.5 : Partial kaolinization, 5% biotite, 2% quartz veining containing 0.5% molybdenite and 1% pyrite | 4525      | 225.0    | 232.5 | 7.5           | 0.05  | 0.027            |    |
|          |    | 232.5 - 235.0 : fractured, 1% disseminate pyrite   | 4526      | 232.5    | 235.0 | 2.5           | 0.05  | 0.027            |    |
|          |    | 235.0 - 241.0 : 8% biotite, 15% quartz veining containing 3% molybdenite and 0.1% chalcopyrite and 3% pyrite   | 4527      | 235.0    | 241.0 | 6.0           | 0.06  | 0.309            |    |
|          |    | 241.0 - 247.0 : 5% biotite, 20% quartz veining containing 3% Molybdenite, 4% pyrite and 0.1% chalc             | 4528      | 241.0    | 247.0 | 6.0           | 0.04  | 0.200            |    |
|          |    | 247.0 - 251.0 : 10% biotite, 3% quartz veining containing 3% molybdenite, 1% pyrite                            | 4529      | 247.0    | 251.0 | 4.0           | 0.04  | 0.038            |    |
|          |    | 251.0 - 256.0 : 7% biotite, 4% quartz veining containing 2% moly, 5% pyrite                                    | 4530      | 251.0    | 256.0 | 5.0           | 0.02  | 0.007            |    |
|          |    | 256.0 - 276.0 : Intense kaolinization, 25% core recovery, quartz veins with 1% pyrite and 0.1% molybdenite.    | 4531      | 256.0    | 276.0 | 20.0          | 0.03  | 0.005            |    |
| 276.0    |    | End of Hole  |           |          |       |               |       |                  |    |
|          |    | Drill core stored in Whitehorse, Y.T., Indian + Northern Affairs, Geological Branch D.D. core storage bank.    |           |          |       |               |       |                  |    |