

APPENDIX VI

Drill Core Assay Certificates: Rackla Metals Inc.

Acme Analytical Laboratories (Vancouver) Ltd.
9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA
PHONE (604) 253-3158

Client: **Rackla Metals Inc.**
650-200 Burrard St.
Vancouver BC V6C 3L6 CANADA

Submitted By: Roger Hulstein
Receiving Lab: Canada-Whitehorse
Received: September 20, 2013
Report Date: October 11, 2013
Page: 1 of 6

CERTIFICATE OF ANALYSIS

WHI13000446.1

CLIENT JOB INFORMATION

Project: KSD
Shipment ID: 2013-1
P.O. Number
Number of Samples: 138

SAMPLE DISPOSAL

DISP-PLP Dispose of Pulp After 90 days
DISP-RJT Dispose of Reject After 90 days

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Rackla Metals Inc.
650-200 Burrard St.
Vancouver BC V6C 3L6
CANADA

CC: Simon Ridgway
Dave Clark
Database Backup

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
R200-250	133	Crush, split and pulverize 250 g rock to 200 mesh			WHI
3B	138	Fire assay fusion Au by ICP-ES	30	Completed	VAN
1DX	138	1:1:1 Aqua Regia digestion ICP-MS analysis	0.5	Completed	VAN

ADDITIONAL COMMENTS



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
*** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.

CERTIFICATE OF ANALYSIS

WHI13000446.1

	Method Analyte Unit MDL	WGHT Wgt kg 0.01	3B Au ppb 2	1DX Mo ppm 0.1	1DX Cu ppm 0.1	1DX Pb ppm 0.1	1DX Zn ppm 1	1DX Ag ppm 0.1	1DX Ni ppm 0.1	1DX Co ppm 0.1	1DX Mn ppm 1	1DX Fe % 0.01	1DX As ppm 0.5	1DX Au ppb 0.5	1DX Th ppm 0.1	1DX Sr ppm 1	1DX Cd ppm 0.1	1DX Sb ppm 0.1	1DX Bi ppm 0.1	1DX V ppm 2	1DX Ca % 0.01
1348001	Drill Core	2.77	15	0.7	18.3	7.0	119	0.4	3.9	15.9	932	4.42	27.4	12.1	2.7	65	0.6	0.1	<0.1	82	2.58
1348002	Drill Core	5.56	10	1.8	20.6	7.7	126	0.2	9.1	15.6	814	4.63	23.2	11.3	3.5	60	1.0	0.1	<0.1	77	1.67
1348003	Rock	6.28	7	1.1	24.6	6.8	103	0.1	7.0	15.2	952	4.38	28.5	2.7	3.0	176	1.0	<0.1	<0.1	36	3.78
1348004	Drill Core	1.98	46	1.9	11.3	52.4	348	0.2	1.3	4.8	278	1.84	75.3	20.6	0.7	16	3.9	0.1	<0.1	13	0.31
1348005	Drill Core	1.23	<2	<0.1	1.9	3.1	47	<0.1	3.3	4.2	575	2.04	<0.5	0.5	5.0	57	<0.1	<0.1	<0.1	39	0.49
1348006	Drill Core	5.96	10	1.1	30.7	34.2	1186	0.2	2.0	12.8	1010	4.23	48.9	6.4	3.0	141	22.3	0.1	<0.1	29	3.37
1348007	Drill Core	1.42	124	9.9	44.2	6102	2255	6.9	0.9	2.9	404	1.90	97.6	155.4	0.3	157	37.6	2.4	7.6	4	2.97
1348008	Drill Core	7.98	6	1.0	23.6	12.8	109	0.2	2.0	14.4	918	4.42	25.1	1.3	2.9	110	1.0	<0.1	<0.1	42	3.61
1348009	Drill Core	4.92	9	0.6	16.4	7.0	95	0.1	2.6	13.2	836	4.15	10.0	5.6	2.7	93	0.8	<0.1	<0.1	39	3.66
1348010	Drill Core	6.98	2	0.2	17.6	17.6	133	0.1	1.6	14.7	810	4.14	1.1	<0.5	1.6	57	1.9	0.1	<0.1	43	2.45
1348011	Drill Core	2.05	92	1.6	34.4	35.7	679	0.5	1.7	11.1	783	3.37	42.6	2.9	2.4	73	14.0	0.3	<0.1	22	2.04
1348012	Drill Core	2.08	16	3.1	26.0	12.0	528	0.3	1.8	11.7	852	4.38	55.2	12.9	2.7	49	12.0	0.3	<0.1	54	1.85
1348013	Drill Core	7.25	12	0.9	22.4	9.5	146	0.3	2.2	14.2	909	4.41	24.7	5.3	2.3	107	1.6	0.2	<0.1	48	3.74
1348014	Drill Core	7.13	7	0.5	23.7	5.6	91	0.1	4.5	16.0	831	4.17	16.9	6.3	1.5	73	0.7	0.1	<0.1	50	2.16
1348015	Drill Core	6.35	<2	0.4	19.5	7.3	241	0.1	1.6	14.3	809	4.22	2.6	<0.5	1.7	60	1.5	0.1	<0.1	42	1.99
1348016	Drill Core	3.89	4	0.9	18.1	5.4	86	0.1	2.0	12.7	860	3.79	26.4	0.7	1.9	91	0.8	0.1	<0.1	32	2.38
1348017	Drill Core	3.78	5	0.6	17.7	5.0	93	<0.1	1.8	12.6	903	3.96	22.9	3.6	2.1	93	1.1	<0.1	<0.1	35	2.62
1348018	Drill Core	6.69	4	0.7	20.3	6.2	92	<0.1	2.1	13.8	802	4.29	5.3	1.0	2.4	51	0.4	0.1	<0.1	45	1.58
1348019	Drill Core	6.55	14	2.5	16.8	7.4	118	0.2	2.5	15.8	1144	4.86	33.5	10.4	2.5	136	0.8	0.1	<0.1	60	4.35
1348020	Drill Core	6.78	<2	0.8	14.9	7.1	92	0.1	1.9	13.7	991	4.63	2.9	<0.5	3.3	76	0.1	<0.1	<0.1	45	2.88
1348021	Drill Core	4.29	2	0.6	11.0	6.2	77	<0.1	3.0	14.6	932	4.30	5.7	<0.5	2.4	58	0.2	<0.1	<0.1	47	2.09
1348022	Drill Core	1.93	13	5.2	24.2	22.1	77	0.3	1.4	13.2	834	4.15	37.4	9.6	3.1	51	0.2	0.6	<0.1	27	1.94
1348023	Drill Core	7.88	5	1.1	20.7	2.9	92	0.1	3.6	14.1	717	3.82	13.9	6.6	0.9	41	0.1	0.1	<0.1	47	1.24
1348024	Drill Core	7.51	3	0.7	21.7	2.4	78	<0.1	3.6	17.1	744	4.01	9.0	<0.5	0.7	35	<0.1	0.1	<0.1	57	1.23
1348025	Drill Core	7.19	2	0.7	15.5	2.3	83	<0.1	6.1	18.8	794	4.31	7.9	<0.5	0.9	44	<0.1	<0.1	<0.1	79	1.41
1348026	Drill Core	5.63	5	1.0	14.1	6.4	158	0.1	4.1	15.6	1163	4.69	18.9	0.6	2.8	136	1.4	0.1	<0.1	67	3.51
1348027	Drill Core	2.04	108	4.0	24.1	371.4	663	0.6	1.4	7.0	1037	3.08	155.5	45.2	3.2	133	6.8	0.4	0.3	35	4.16
1348028	Drill Core	7.41	5	0.8	25.6	5.6	80	0.1	3.3	13.2	870	4.08	10.4	2.8	2.2	79	0.1	0.1	<0.1	58	2.18
1348029	Drill Core	7.98	13	1.0	36.0	11.0	95	0.3	4.3	14.3	1146	4.33	36.4	14.0	2.2	96	0.3	0.2	<0.1	61	2.95
1348030	Rock Pulp	0.12	4501	536.4	77.5	980.7	3044	>100	29.6	9.8	336	2.78	77.6	7236	1.5	52	32.4	125.0	1.4	57	0.55

Acme Analytical Laboratories (Vancouver) Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: Rackla Metals Inc.
650-200 Burrard St.
Vancouver BC V6C 3L6 CANADA

Project: KSD
Report Date: October 11, 2013

Page: 2 of 6

Part: 2 of 2

CERTIFICATE OF ANALYSIS

WHI13000446.1

	Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga
	Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1
1348001	Drill Core	0.067	9	13	1.52	36	0.010	<20	2.12	0.044	0.08	0.7	<0.01	<0.1	0.08	8.3	<0.5	9
1348002	Drill Core	0.074	9	14	1.50	64	0.006	<20	2.20	0.034	0.14	0.1	<0.01	<0.1	0.15	5.2	0.8	9
1348003	Rock	0.068	7	11	1.45	71	0.005	<20	2.00	0.010	0.23	<0.1	<0.01	<0.1	0.52	3.9	<0.5	5
1348004	Drill Core	0.017	3	4	0.30	25	0.002	<20	0.46	0.014	0.10	0.1	<0.01	<0.1	0.15	1.1	<0.5	2
1348005	Drill Core	0.078	8	8	0.62	214	0.126	<20	0.98	0.072	0.48	<0.1	0.01	0.3	<0.05	2.2	<0.5	5
1348006	Drill Core	0.071	8	2	1.20	82	0.005	<20	1.78	0.009	0.25	<0.1	<0.01	<0.1	0.48	3.1	<0.5	5
1348007	Drill Core	0.004	2	4	0.07	24	<0.001	<20	0.15	0.003	0.06	0.2	0.04	<0.1	0.27	0.6	1.1	<1
1348008	Drill Core	0.067	7	3	1.14	53	0.005	<20	1.94	0.016	0.22	<0.1	<0.01	<0.1	0.40	3.8	<0.5	6
1348009	Drill Core	0.076	10	3	1.07	77	0.008	<20	1.99	0.019	0.23	<0.1	<0.01	<0.1	0.13	4.6	<0.5	6
1348010	Drill Core	0.075	6	3	1.18	52	0.026	<20	2.03	0.024	0.19	<0.1	<0.01	<0.1	<0.05	4.0	<0.5	6
1348011	Drill Core	0.055	8	6	0.89	105	0.003	<20	1.42	0.009	0.27	<0.1	0.02	<0.1	0.17	2.6	<0.5	4
1348012	Drill Core	0.078	9	2	0.87	69	0.005	<20	1.46	0.018	0.25	<0.1	<0.01	<0.1	0.56	4.2	<0.5	6
1348013	Drill Core	0.070	9	4	1.20	80	0.016	<20	2.11	0.033	0.26	<0.1	0.01	<0.1	0.15	4.9	<0.5	7
1348014	Drill Core	0.073	6	4	1.37	55	0.018	<20	2.17	0.033	0.18	<0.1	<0.01	<0.1	0.06	4.0	<0.5	6
1348015	Drill Core	0.081	7	3	1.23	64	0.016	<20	2.08	0.025	0.20	<0.1	0.01	<0.1	0.15	4.3	<0.5	6
1348016	Drill Core	0.079	7	2	1.11	85	0.016	<20	1.85	0.030	0.22	0.1	<0.01	<0.1	0.24	3.6	<0.5	5
1348017	Drill Core	0.083	8	3	1.15	81	0.016	<20	1.91	0.022	0.22	0.1	<0.01	<0.1	0.21	3.6	<0.5	6
1348018	Drill Core	0.077	9	2	1.11	65	0.015	<20	2.08	0.033	0.23	<0.1	0.01	<0.1	0.07	4.4	<0.5	7
1348019	Drill Core	0.078	10	3	1.06	61	0.003	<20	2.18	0.017	0.21	<0.1	<0.01	<0.1	0.08	6.3	<0.5	7
1348020	Drill Core	0.065	14	2	1.07	68	0.007	<20	2.19	0.029	0.23	<0.1	<0.01	<0.1	0.14	6.9	<0.5	7
1348021	Drill Core	0.072	11	3	1.21	71	0.010	<20	2.14	0.024	0.26	<0.1	<0.01	<0.1	0.07	4.4	<0.5	7
1348022	Drill Core	0.066	10	3	0.93	70	0.015	<20	1.50	0.042	0.16	<0.1	<0.01	<0.1	0.68	3.8	<0.5	5
1348023	Drill Core	0.062	3	5	1.23	76	0.068	<20	1.86	0.054	0.18	<0.1	0.02	<0.1	0.19	2.9	<0.5	6
1348024	Drill Core	0.063	2	5	1.43	129	0.131	<20	2.08	0.063	0.34	<0.1	<0.01	<0.1	0.06	3.3	<0.5	5
1348025	Drill Core	0.064	3	7	1.66	96	0.077	<20	2.33	0.037	0.27	<0.1	<0.01	<0.1	<0.05	4.7	<0.5	7
1348026	Drill Core	0.068	10	13	1.60	58	0.010	<20	2.21	0.028	0.22	<0.1	<0.01	<0.1	0.43	5.5	<0.5	8
1348027	Drill Core	0.055	7	9	0.67	84	0.004	<20	0.87	0.022	0.20	<0.1	<0.01	<0.1	1.82	3.7	2.3	4
1348028	Drill Core	0.066	8	8	1.16	122	0.023	<20	1.76	0.047	0.18	0.2	<0.01	<0.1	0.31	5.0	<0.5	7
1348029	Drill Core	0.074	8	9	1.26	104	0.053	<20	1.93	0.034	0.21	0.1	0.03	<0.1	0.63	4.7	<0.5	8
1348030	Rock Pulp	0.039	6	40	0.46	76	0.073	<20	1.04	0.070	0.15	17.6	2.54	2.7	1.04	3.4	2.3	7

CERTIFICATE OF ANALYSIS

WHI13000446.1

	Method	WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V
	Unit	kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	%
	MDL	0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2
1348031	Drill Core	7.58	5	0.7	15.4	4.7	81	0.2	3.3	10.6	828	3.34	11.3	7.1	1.2	57	0.1	0.2	<0.1	39
1348032	Drill Core	7.99	3	0.7	14.3	2.0	92	<0.1	2.5	11.9	852	3.69	1.4	<0.5	0.9	27	<0.1	<0.1	<0.1	49
1348033	Drill Core	7.70	16	0.8	16.5	3.2	78	0.1	4.6	17.1	893	4.49	20.3	9.9	1.4	57	<0.1	<0.1	<0.1	89
1348034	Drill Core	7.19	9	0.8	16.1	3.1	82	<0.1	4.1	15.5	856	4.35	17.2	6.7	1.5	35	<0.1	<0.1	<0.1	75
1348035	Drill Core	7.79	8	0.6	19.4	3.3	85	0.1	3.7	16.1	886	4.64	17.9	6.0	1.3	35	<0.1	0.1	<0.1	85
1348036	Drill Core	7.68	<2	0.2	18.0	1.7	82	<0.1	2.9	14.4	818	3.94	<0.5	<0.5	1.0	37	<0.1	0.1	<0.1	53
1348037	Drill Core	7.11	<2	0.3	12.5	1.8	88	<0.1	2.4	13.5	912	4.12	<0.5	<0.5	1.3	42	<0.1	<0.1	<0.1	58
1348038	Drill Core	3.13	<2	0.6	11.8	2.6	80	<0.1	1.9	14.4	846	3.69	1.0	<0.5	1.1	70	0.2	<0.1	<0.1	49
1348039	Drill Core	3.59	<2	0.3	7.6	2.6	17	<0.1	1.0	2.9	631	0.95	1.7	1.3	0.2	111	0.2	<0.1	<0.1	9
1348040	Drill Core	6.36	16	1.4	15.2	5.2	92	0.2	2.3	14.7	1008	4.36	43.0	13.1	2.5	95	0.3	0.2	<0.1	64
1348041	Drill Core	1.57	<2	0.1	1.6	3.1	48	<0.1	3.6	4.4	567	2.13	<0.5	1.7	4.5	59	<0.1	<0.1	<0.1	38
1348042	Drill Core	6.92	<2	0.6	35.0	3.0	80	0.1	4.5	17.6	846	4.15	2.5	3.5	1.2	56	0.2	0.1	<0.1	61
1348043	Drill Core	7.26	11	2.1	21.7	12.5	84	0.3	5.6	14.8	983	4.43	34.8	8.5	2.9	84	0.2	0.3	<0.1	67
1348044	Drill Core	3.76	4	1.0	27.5	3.3	74	0.2	17.4	14.2	759	3.78	12.5	1.9	3.6	58	0.3	0.2	<0.1	100
1348045	Drill Core	4.22	11	0.7	25.6	5.0	88	0.2	6.2	16.4	851	4.64	37.1	9.3	3.2	61	0.5	0.2	<0.1	106
1348046	Drill Core	11.40	8	0.7	27.3	3.8	93	0.2	8.1	15.9	820	4.48	18.6	5.1	2.6	61	0.4	0.2	<0.1	110
1348047	Drill Core	2.50	3	1.0	20.2	1.7	93	0.1	5.0	18.1	857	4.52	21.7	1.9	0.8	27	0.3	0.2	<0.1	91
1348048	Drill Core	7.23	<2	1.1	18.6	2.3	86	<0.1	6.5	15.8	733	3.68	2.9	<0.5	0.9	34	0.1	0.1	<0.1	71
1348049	Drill Core	8.23	5	0.8	23.0	1.8	88	0.1	11.1	17.0	686	3.75	18.2	3.7	0.8	32	<0.1	0.2	<0.1	74
1348050	Drill Core	6.89	11	1.0	26.4	4.1	85	0.2	9.9	13.8	807	3.87	29.8	9.5	1.6	60	0.3	0.2	<0.1	62
1348051	Drill Core	3.29	<2	0.7	31.5	2.4	93	0.1	4.5	14.3	712	3.60	0.9	2.3	0.7	40	<0.1	<0.1	<0.1	53
1348052	Drill Core	3.45	<2	0.7	29.9	2.8	95	<0.1	5.3	14.4	695	3.74	1.1	<0.5	0.7	38	<0.1	0.1	<0.1	57
1348053	Drill Core	6.30	10	0.8	10.0	7.4	80	<0.1	1.6	5.8	555	3.00	23.5	9.6	3.7	29	0.1	0.1	<0.1	18
1348054	Drill Core	5.76	<2	0.5	16.8	3.9	102	<0.1	3.1	14.5	861	4.39	<0.5	<0.5	1.2	47	0.2	0.1	<0.1	54
1348055	Drill Core	2.41	3	0.3	3.5	2.5	49	<0.1	2.0	6.0	562	2.30	1.5	<0.5	1.0	35	0.2	<0.1	<0.1	27
1348056	Drill Core	5.17	<2	0.4	15.9	2.3	97	<0.1	4.3	11.3	710	3.83	2.9	<0.5	3.2	22	<0.1	<0.1	<0.1	39
1348057	Rock Pulp	0.12	4783	502.8	75.6	880.6	2958	>100	30.2	9.0	314	2.70	72.8	4892	1.6	55	31.6	119.3	1.6	55
1348058	Drill Core	7.50	3	1.0	21.4	2.7	85	0.2	12.8	12.2	717	3.65	7.3	0.8	2.2	23	<0.1	0.1	<0.1	57
1348059	Drill Core	7.22	5	0.9	24.2	4.2	81	0.1	12.0	13.8	728	3.56	14.7	4.0	2.5	41	0.1	<0.1	<0.1	64
1348060	Drill Core	6.58	8	0.9	24.6	6.9	81	0.2	18.0	18.1	954	4.17	23.7	10.1	3.0	56	0.3	0.2	<0.1	79

Acme Analytical Laboratories (Vancouver) Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: Rackla Metals Inc.
650-200 Burrard St.
Vancouver BC V6C 3L6 CANADA

Project: KSD
Report Date: October 11, 2013

Page: 3 of 6

Part: 2 of 2

CERTIFICATE OF ANALYSIS

WHI13000446.1

	Method	Analyte	Unit	MDL	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX			
					P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te
					%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
					0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2
1348031	Drill Core	0.063	5	7	1.12	125	0.101	<20	1.59	0.052	0.28	<0.1	<0.01	<0.1	0.14	3.1	<0.5	6	<0.2			
1348032	Drill Core	0.065	3	7	1.26	180	0.157	<20	1.78	0.073	0.37	0.3	<0.01	<0.1	0.09	3.8	<0.5	7	<0.2			
1348033	Drill Core	0.065	5	12	1.70	230	0.135	<20	2.29	0.068	0.52	0.2	<0.01	0.1	0.09	5.6	<0.5	8	<0.2			
1348034	Drill Core	0.076	5	12	1.56	139	0.118	<20	2.14	0.053	0.32	<0.1	<0.01	<0.1	<0.05	4.6	<0.5	8	<0.2			
1348035	Drill Core	0.079	5	12	1.70	91	0.108	<20	2.28	0.055	0.23	0.1	<0.01	<0.1	0.09	4.8	<0.5	8	<0.2			
1348036	Drill Core	0.075	4	5	1.43	162	0.137	<20	2.03	0.050	0.42	<0.1	<0.01	<0.1	<0.05	3.7	1.0	6	<0.2			
1348037	Drill Core	0.085	4	6	1.53	135	0.111	<20	2.04	0.050	0.34	0.3	<0.01	<0.1	0.06	4.5	<0.5	8	<0.2			
1348038	Drill Core	0.080	5	5	1.32	117	0.074	<20	1.88	0.042	0.24	0.3	<0.01	<0.1	<0.05	3.6	<0.5	6	<0.2			
1348039	Drill Core	0.015	2	14	0.22	21	0.006	<20	0.32	0.007	0.04	<0.1	<0.01	<0.1	<0.05	1.2	<0.5	1	<0.2			
1348040	Drill Core	0.085	9	5	1.33	67	0.021	<20	2.02	0.031	0.18	<0.1	<0.01	<0.1	0.07	4.3	<0.5	8	<0.2			
1348041	Drill Core	0.073	8	13	0.58	201	0.123	<20	0.97	0.083	0.49	<0.1	<0.01	0.3	<0.05	2.3	<0.5	5	<0.2			
1348042	Drill Core	0.071	4	4	1.55	77	0.044	<20	2.14	0.042	0.17	0.2	0.01	<0.1	0.17	4.2	<0.5	7	<0.2			
1348043	Drill Core	0.071	10	11	1.45	65	0.018	<20	1.95	0.035	0.17	0.1	<0.01	<0.1	0.64	5.9	0.7	7	<0.2			
1348044	Drill Core	0.077	13	32	1.51	92	0.032	<20	1.83	0.051	0.15	<0.1	<0.01	<0.1	0.30	7.3	<0.5	9	<0.2			
1348045	Drill Core	0.080	12	12	1.67	65	0.021	<20	2.05	0.048	0.12	<0.1	0.01	<0.1	0.42	7.0	<0.5	10	<0.2			
1348046	Drill Core	0.073	10	13	1.64	199	0.064	<20	2.07	0.050	0.32	0.1	<0.01	<0.1	0.35	6.4	0.8	9	<0.2			
1348047	Drill Core	0.081	3	9	1.91	362	0.182	<20	2.26	0.051	0.56	<0.1	<0.01	<0.1	0.13	4.6	<0.5	8	<0.2			
1348048	Drill Core	0.093	3	10	1.59	259	0.148	<20	1.96	0.044	0.45	<0.1	<0.01	<0.1	0.14	3.7	<0.5	7	<0.2			
1348049	Drill Core	0.074	3	14	1.68	323	0.154	<20	2.01	0.040	0.62	<0.1	<0.01	0.1	0.28	3.2	0.8	7	<0.2			
1348050	Drill Core	0.076	6	10	1.58	136	0.041	<20	2.00	0.039	0.22	<0.1	<0.01	<0.1	0.25	3.7	0.5	7	<0.2			
1348051	Drill Core	0.074	3	5	1.48	260	0.157	<20	1.91	0.050	0.50	<0.1	<0.01	<0.1	0.09	3.2	<0.5	7	<0.2			
1348052	Drill Core	0.078	3	5	1.51	259	0.164	<20	1.91	0.051	0.53	<0.1	<0.01	0.1	0.09	3.4	<0.5	7	<0.2			
1348053	Drill Core	0.051	15	4	1.10	94	0.019	<20	1.43	0.049	0.17	<0.1	<0.01	<0.1	<0.05	3.7	<0.5	6	0.3			
1348054	Drill Core	0.081	5	7	2.24	137	0.101	<20	2.55	0.052	0.30	<0.1	<0.01	<0.1	<0.05	4.7	<0.5	10	<0.2			
1348055	Drill Core	0.032	4	11	0.94	78	0.027	<20	1.08	0.027	0.24	<0.1	<0.01	<0.1	<0.05	2.8	<0.5	5	<0.2			
1348056	Drill Core	0.065	10	5	2.06	130	0.042	<20	2.25	0.027	0.27	<0.1	<0.01	<0.1	0.07	4.4	<0.5	9	<0.2			
1348057	Rock Pulp	0.037	6	38	0.45	112	0.070	<20	1.00	0.065	0.15	17.9	2.01	2.7	1.02	3.2	1.8	7	0.4			
1348058	Drill Core	0.068	7	17	1.90	154	0.081	<20	2.09	0.039	0.32	<0.1	<0.01	<0.1	0.15	5.0	0.6	8	<0.2			
1348059	Drill Core	0.067	8	16	1.73	123	0.045	<20	1.96	0.038	0.22	<0.1	<0.01	<0.1	0.21	4.3	<0.5	7	<0.2			
1348060	Drill Core	0.059	11	43	2.11	144	0.027	<20	2.39	0.030	0.29	<0.1	0.01	<0.1	0.12	7.0	<0.5	8	<0.2			

CERTIFICATE OF ANALYSIS

WHI13000446.1

	Method Analyte Unit MDL	WGHT Wgt kg 0.01	3B Au ppb 2	1DX Mo ppm 0.1	1DX Cu ppm 0.1	1DX Pb ppm 0.1	1DX Zn ppm 1	1DX Ag ppm 0.1	1DX Ni ppm 0.1	1DX Co ppm 0.1	1DX Mn ppm 1	1DX Fe % 0.01	1DX As ppm 0.5	1DX Au ppb 0.5	1DX Th ppm 0.1	1DX Sr ppm 1	1DX Cd ppm 0.1	1DX Sb ppm 0.1	1DX Bi ppm 0.1	1DX V ppm 2	1DX Ca % 0.01
1348061	Drill Core	4.53	14	1.2	20.6	4.7	81	0.2	8.9	11.3	869	3.65	35.4	13.5	4.4	66	0.1	0.2	<0.1	58	1.63
1348062	Drill Core	5.50	5	1.1	17.3	3.9	81	0.2	13.1	12.8	798	3.50	18.0	5.0	2.9	54	0.2	0.1	<0.1	59	1.19
1348063	Drill Core	3.85	3	1.2	16.6	5.6	65	0.2	8.6	14.1	937	3.32	12.9	6.4	1.5	68	0.2	0.1	<0.1	56	2.21
1348064	Drill Core	2.89	29	3.8	14.4	9.2	69	0.3	15.5	17.9	1390	4.72	111.6	23.3	3.2	148	0.6	0.2	<0.1	80	3.34
1348065	Drill Core	3.79	8	1.6	17.8	5.0	81	0.1	8.0	15.7	1110	4.37	22.4	7.7	3.3	115	0.2	0.1	<0.1	73	2.62
1348066	Drill Core	5.53	10	1.2	24.8	4.8	75	0.2	12.5	15.5	893	3.97	28.5	9.4	3.3	60	0.1	0.1	<0.1	81	1.71
1348067	Drill Core	6.41	8	3.1	19.2	7.3	76	0.2	10.4	14.4	947	4.15	35.5	6.4	4.0	84	0.2	0.1	<0.1	65	1.87
1348068	Rock	1.65	<2	<0.1	1.7	2.7	43	<0.1	3.7	4.1	549	2.01	<0.5	<0.5	5.4	62	<0.1	<0.1	<0.1	39	0.62
1348069	Drill Core	7.41	4	0.5	26.4	4.8	77	0.1	6.9	19.6	913	4.24	5.6	6.0	2.2	56	0.3	0.1	<0.1	73	1.48
1348070	Drill Core	6.38	8	0.5	22.2	5.1	84	0.2	7.1	17.8	988	4.58	27.8	8.8	2.4	67	0.2	0.2	<0.1	117	2.01
1348071	Drill Core	6.66	9	0.6	26.7	4.7	82	0.2	8.1	17.9	893	4.54	26.2	12.0	2.0	61	0.2	0.2	<0.1	127	1.80
1348072	Drill Core	6.72	7	0.9	39.2	5.1	91	0.2	7.0	16.8	1066	4.60	23.5	6.1	2.8	98	0.5	<0.1	<0.1	124	2.34
1348073	Drill Core	4.81	5	0.4	23.3	3.2	80	0.2	5.5	15.9	991	4.19	12.1	4.5	3.0	119	0.4	<0.1	<0.1	88	2.35
1348074	Drill Core	2.59	3	0.6	17.7	2.0	98	0.1	4.3	14.3	822	3.81	10.0	3.5	3.5	85	0.7	<0.1	<0.1	50	1.77
1348075	Drill Core	6.24	7	1.1	29.5	49.0	322	0.2	6.0	16.3	903	4.04	32.2	3.3	3.3	89	2.7	<0.1	0.3	47	1.98
1348076	Drill Core	7.08	16	0.9	28.5	296.5	197	0.8	6.8	16.1	1134	4.13	42.0	10.4	2.5	173	3.0	<0.1	1.3	40	3.15
1348077	Drill Core	8.17	3	0.3	26.8	8.8	80	0.1	8.9	18.6	1150	4.46	8.9	0.7	3.0	142	0.3	<0.1	<0.1	86	2.76
1348078	Drill Core	6.98	2	0.2	24.2	4.0	75	0.1	9.2	16.8	1071	4.15	3.5	1.1	2.6	123	0.1	<0.1	<0.1	97	2.18
1348079	Drill Core	7.15	2	0.2	25.6	4.5	76	0.1	10.2	17.6	845	4.42	1.7	1.1	2.6	97	0.1	<0.1	<0.1	73	1.67
1348080	Drill Core	4.44	2	0.6	18.2	4.6	57	<0.1	1.9	10.6	872	3.00	0.9	<0.5	2.4	94	0.2	<0.1	<0.1	28	2.40
1348081	Drill Core	3.72	6	0.3	23.2	3.4	83	<0.1	2.8	12.4	863	4.26	2.6	<0.5	2.4	69	0.1	<0.1	<0.1	58	1.45
1348082	Drill Core	5.15	4	0.1	76.9	5.6	64	0.2	9.3	19.5	1085	4.47	3.0	2.5	1.7	127	0.2	0.2	<0.1	95	2.86
1348083	Drill Core	1.07	<2	0.2	49.7	3.8	75	0.1	8.9	19.1	871	4.39	<0.5	1.1	2.7	57	<0.1	<0.1	<0.1	113	1.18
1348084	Drill Core	1.13	<2	0.3	47.4	4.0	68	0.1	8.5	18.0	859	4.30	<0.5	1.4	3.4	58	0.1	<0.1	<0.1	114	1.20
1348085	Drill Core	7.38	2	0.3	71.6	4.4	67	0.2	10.4	19.3	855	4.48	2.4	<0.5	2.6	72	<0.1	<0.1	<0.1	104	1.58
1348086	Drill Core	6.80	3	0.4	73.7	4.5	67	0.2	10.4	23.9	921	4.71	4.9	0.6	1.7	95	0.1	<0.1	<0.1	88	2.24
1348087	Drill Core	7.13	7	0.3	49.6	7.0	65	0.2	5.4	16.5	1036	4.03	25.7	3.7	2.1	114	0.1	0.1	<0.1	56	3.00
1348088	Rock Pulp	0.12	4453	511.1	76.0	890.1	2982	>100	30.1	9.9	316	2.71	71.6	4172	1.4	53	31.1	126.7	1.5	55	0.53
1348089	Drill Core	7.10	8	0.8	33.0	7.8	72	0.2	3.4	14.4	914	3.96	22.8	9.2	2.1	62	0.1	0.1	<0.1	61	1.96
1348090	Drill Core	7.32	3	0.5	29.7	5.7	68	0.2	3.0	13.4	945	3.86	6.7	3.1	2.5	70	0.1	<0.1	<0.1	53	1.92

Acme Analytical Laboratories (Vancouver) Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: Rackla Metals Inc.
650-200 Burrard St.
Vancouver BC V6C 3L6 CANADA

Project: KSD
Report Date: October 11, 2013

Page: 4 of 6

Part: 2 of 2

CERTIFICATE OF ANALYSIS

WHI13000446.1

	Method	Analyte	Unit	MDL	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX			
					P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te
					%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
					0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2
1348061	Drill Core	0.061	18	13	1.76	109	0.012	<20	2.07	0.041	0.14	<0.1	0.02	<0.1	0.12	5.7	<0.5	8	<0.2			
1348062	Drill Core	0.065	10	20	1.73	110	0.026	<20	1.98	0.037	0.18	<0.1	<0.01	<0.1	0.07	4.7	<0.5	8	<0.2			
1348063	Drill Core	0.052	6	16	1.55	134	0.024	<20	1.86	0.041	0.16	<0.1	<0.01	<0.1	0.07	4.2	<0.5	7	<0.2			
1348064	Drill Core	0.070	10	39	1.93	134	0.006	<20	2.24	0.018	0.23	0.4	0.01	<0.1	0.34	7.2	1.4	10	0.2			
1348065	Drill Core	0.062	11	14	2.03	100	0.007	<20	2.36	0.034	0.15	<0.1	<0.01	<0.1	0.17	6.4	<0.5	9	<0.2			
1348066	Drill Core	0.064	11	19	1.97	102	0.015	<20	2.21	0.029	0.16	<0.1	<0.01	<0.1	0.14	7.2	<0.5	9	<0.2			
1348067	Drill Core	0.068	13	14	1.73	134	0.008	<20	2.11	0.025	0.20	<0.1	<0.01	<0.1	0.21	5.9	1.0	8	<0.2			
1348068	Rock	0.069	10	10	0.66	219	0.120	<20	0.98	0.087	0.50	0.1	<0.01	0.3	<0.05	2.2	<0.5	5	<0.2			
1348069	Drill Core	0.071	8	13	2.35	137	0.022	<20	2.50	0.026	0.23	<0.1	<0.01	<0.1	0.18	7.0	<0.5	8	<0.2			
1348070	Drill Core	0.056	8	18	2.12	99	0.030	<20	2.37	0.037	0.18	<0.1	0.03	<0.1	0.14	9.2	<0.5	9	0.3			
1348071	Drill Core	0.057	6	21	1.86	218	0.059	<20	2.07	0.042	0.37	<0.1	<0.01	<0.1	0.27	10.7	0.8	10	<0.2			
1348072	Drill Core	0.062	7	19	1.96	44	0.010	<20	2.07	0.050	0.07	0.2	<0.01	<0.1	0.62	9.0	<0.5	11	<0.2			
1348073	Drill Core	0.055	6	12	2.07	54	0.007	<20	2.17	0.047	0.08	<0.1	<0.01	<0.1	0.29	7.5	<0.5	9	0.2			
1348074	Drill Core	0.056	8	6	1.99	131	0.005	<20	2.15	0.019	0.20	<0.1	<0.01	<0.1	0.26	4.6	<0.5	8	<0.2			
1348075	Drill Core	0.048	7	10	1.74	94	0.004	<20	1.85	0.021	0.19	0.1	<0.01	<0.1	0.75	4.0	<0.5	7	<0.2			
1348076	Drill Core	0.044	5	8	1.89	97	0.004	<20	1.89	0.012	0.21	0.2	<0.01	<0.1	1.06	4.5	<0.5	6	<0.2			
1348077	Drill Core	0.057	6	16	2.06	68	0.031	<20	2.03	0.032	0.15	0.2	<0.01	<0.1	0.69	7.6	<0.5	10	<0.2			
1348078	Drill Core	0.063	5	20	2.47	66	0.061	<20	2.20	0.036	0.14	0.5	<0.01	0.1	0.27	9.7	<0.5	10	<0.2			
1348079	Drill Core	0.061	4	15	2.69	188	0.008	<20	2.67	0.016	0.19	<0.1	<0.01	<0.1	0.18	7.8	<0.5	9	<0.2			
1348080	Drill Core	0.078	5	4	1.65	133	0.005	<20	1.82	0.017	0.23	<0.1	<0.01	<0.1	0.21	5.0	<0.5	6	<0.2			
1348081	Drill Core	0.081	7	5	2.16	59	0.012	<20	2.28	0.043	0.10	<0.1	<0.01	<0.1	0.23	9.3	<0.5	9	<0.2			
1348082	Drill Core	0.053	5	7	1.57	70	0.020	<20	1.85	0.038	0.18	0.4	<0.01	<0.1	0.23	6.1	<0.5	7	<0.2			
1348083	Drill Core	0.064	8	8	2.31	50	0.016	<20	2.42	0.041	0.09	<0.1	<0.01	<0.1	0.09	9.1	<0.5	10	<0.2			
1348084	Drill Core	0.058	10	9	2.24	46	0.018	<20	2.34	0.042	0.08	0.1	<0.01	<0.1	0.07	9.1	<0.5	10	<0.2			
1348085	Drill Core	0.057	7	8	2.29	80	0.016	<20	2.50	0.033	0.14	<0.1	<0.01	<0.1	0.18	8.8	<0.5	9	<0.2			
1348086	Drill Core	0.052	5	5	2.37	125	0.009	<20	2.64	0.014	0.21	<0.1	<0.01	<0.1	0.35	7.6	<0.5	8	<0.2			
1348087	Drill Core	0.072	6	4	1.55	130	0.008	<20	1.93	0.031	0.20	<0.1	<0.01	<0.1	0.57	6.5	<0.5	7	<0.2			
1348088	Rock Pulp	0.039	6	37	0.45	96	0.071	<20	1.00	0.064	0.15	18.2	2.10	2.7	1.01	3.1	<0.5	7	0.4			
1348089	Drill Core	0.071	5	5	1.83	73	0.009	<20	2.08	0.036	0.12	<0.1	<0.01	<0.1	0.46	6.5	<0.5	8	<0.2			
1348090	Drill Core	0.080	8	2	1.65	110	0.007	<20	1.97	0.028	0.17	<0.1	<0.01	<0.1	0.42	5.9	<0.5	7	<0.2			

CERTIFICATE OF ANALYSIS

WHI13000446.1

	Method Analyte Unit MDL	WGHT Wgt kg 0.01	3B Au ppb 2	1DX Mo ppm 0.1	1DX Cu ppm 0.1	1DX Pb ppm 0.1	1DX Zn ppm 1	1DX Ag ppm 0.1	1DX Ni ppm 0.1	1DX Co ppm 0.1	1DX Mn ppm 1	1DX Fe % 0.01	1DX As ppm 0.5	1DX Au ppb 0.5	1DX Th ppm 0.1	1DX Sr ppm 1	1DX Cd ppm 0.1	1DX Sb ppm 0.1	1DX Bi ppm 0.1	1DX V ppm 2	1DX Ca % 0.01
1348091	Drill Core	7.00	3	0.3	25.2	11.8	66	0.1	7.0	17.1	1001	3.90	6.9	1.4	2.8	90	0.1	<0.1	<0.1	62	2.55
1348092	Drill Core	6.94	<2	0.4	23.8	6.0	67	<0.1	5.8	15.5	864	3.57	1.2	6.0	3.1	55	<0.1	<0.1	<0.1	44	1.51
1348093	Drill Core	6.11	2	0.6	26.5	26.6	110	0.2	9.6	16.1	812	3.89	5.8	1.6	3.3	51	0.5	<0.1	0.2	55	1.34
1348094	Drill Core	5.80	12	1.5	60.0	21.1	116	0.5	17.5	23.3	1471	4.56	26.6	14.7	1.8	210	0.7	0.3	<0.1	99	5.49
1348095	Drill Core	7.07	4	1.6	42.2	12.6	75	0.2	18.2	19.1	934	3.87	16.0	2.3	3.0	98	0.4	0.1	<0.1	67	3.68
1348096	Drill Core	7.41	6	0.5	54.9	12.4	77	0.2	13.0	21.5	959	4.53	4.0	0.7	1.2	95	0.3	0.1	<0.1	89	3.42
1348097	Drill Core	7.32	2	0.9	55.2	8.3	79	0.2	9.8	21.1	903	4.31	2.8	<0.5	1.1	76	0.3	<0.1	<0.1	67	2.90
1348098	Drill Core	7.21	4	0.5	36.0	7.8	70	0.2	9.2	20.1	992	4.02	5.9	1.5	1.5	104	0.2	0.1	<0.1	52	3.58
1348099	Rock	1.46	<2	<0.1	1.7	3.1	45	<0.1	4.0	4.4	568	2.09	<0.5	1.2	5.2	65	<0.1	<0.1	<0.1	40	0.51
1348100	Drill Core	7.46	<2	1.0	49.7	8.7	82	0.2	11.1	20.2	919	4.30	1.6	1.1	1.2	78	0.2	<0.1	<0.1	70	3.19
1348101	Drill Core	7.56	3	0.1	61.9	5.1	64	0.2	12.5	22.9	1051	4.81	17.5	2.0	1.2	117	0.2	0.1	<0.1	88	3.78
1348102	Drill Core	1.13	7	<0.1	84.1	7.8	72	0.3	14.9	23.4	1063	4.93	1.7	2.1	0.9	79	0.1	<0.1	<0.1	99	3.70
1348103	Drill Core	6.08	4	<0.1	42.5	15.6	90	0.2	7.6	20.8	912	4.93	3.7	2.4	1.8	76	0.2	<0.1	<0.1	68	2.99
1348104	Drill Core	4.61	7	0.2	48.0	12.7	91	0.3	7.4	20.0	879	4.62	7.4	6.3	1.6	83	0.2	0.1	<0.1	74	3.54
1348105	Drill Core	5.04	3	0.5	58.7	5.0	79	0.2	9.1	23.9	789	4.24	1.9	<0.5	0.6	61	0.2	0.2	<0.1	70	2.61
1348106	Drill Core	5.80	<2	0.4	55.7	4.3	72	0.2	9.5	22.4	804	4.20	1.7	<0.5	1.1	63	<0.1	0.1	<0.1	77	2.96
1348107	Drill Core	3.72	<2	0.2	41.5	5.1	84	0.1	14.4	19.6	905	4.25	3.2	<0.5	3.0	62	0.3	0.1	<0.1	58	3.67
1348108	Drill Core	7.00	3	0.3	89.8	6.9	72	0.4	12.1	17.0	808	3.85	5.0	1.0	2.4	69	0.3	0.2	<0.1	71	2.93
1348109	Drill Core	6.44	2	0.6	133.3	4.1	75	0.5	11.2	23.1	635	3.52	2.2	<0.5	0.6	49	0.3	0.1	<0.1	60	1.32
1348110	Drill Core	2.88	<2	1.0	42.1	3.4	82	0.1	13.0	19.2	662	3.22	4.2	0.9	0.8	49	0.3	0.2	<0.1	55	1.59
1348111	Drill Core	2.72	2	1.4	44.2	3.3	77	0.2	13.7	19.7	630	3.11	4.5	<0.5	0.8	44	0.2	0.2	<0.1	52	1.46
1348112	Drill Core	3.01	<2	0.9	30.3	5.0	83	0.2	15.5	21.1	772	3.33	3.4	<0.5	1.3	86	0.3	0.2	<0.1	59	2.31
1348113	Drill Core	3.47	2	0.2	51.6	9.8	79	0.2	12.4	22.0	1046	4.22	3.9	<0.5	1.9	115	0.3	<0.1	<0.1	88	3.52
1348114	Drill Core	1.38	5	0.5	26.5	30.0	125	1.1	4.7	12.7	843	3.25	9.9	3.7	3.2	71	0.3	0.8	<0.1	40	2.74
1348115	Drill Core	4.34	2	0.8	26.4	10.1	83	0.2	6.6	12.8	847	3.33	8.1	<0.5	3.7	60	0.2	0.1	0.1	55	2.33
1348116	Drill Core	3.57	<2	1.2	16.3	8.8	69	0.1	3.0	10.2	910	2.78	6.6	<0.5	4.6	58	0.3	0.1	0.1	30	2.81
1348117	Rock Pulp	0.12	4815	550.5	81.7	983.2	3209	>100	33.1	10.5	356	3.04	85.4	4187	1.8	57	32.2	125.2	1.7	61	0.62
1348118	Drill Core	3.48	2	0.5	19.7	9.7	80	0.1	3.7	13.0	792	3.36	10.0	3.5	5.3	45	0.3	0.1	0.1	53	1.70
1348119	Drill Core	3.79	2	0.8	17.3	13.2	69	0.1	3.2	8.7	786	2.57	6.1	<0.5	5.3	61	0.6	<0.1	0.1	26	2.30
1348120	Drill Core	4.08	<2	0.6	23.2	8.5	76	0.1	4.9	12.7	699	3.12	3.3	<0.5	5.8	50	0.4	0.1	<0.1	44	1.57

Acme Analytical Laboratories (Vancouver) Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: Rackla Metals Inc.
650-200 Burrard St.
Vancouver BC V6C 3L6 CANADA

Project: KSD
Report Date: October 11, 2013

Page: 5 of 6

Part: 2 of 2

CERTIFICATE OF ANALYSIS

WHI13000446.1

	Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga
	Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1
1348091	Drill Core	0.053	7	9	2.02	99	0.005	<20	2.33	0.020	0.17	<0.1	<0.01	<0.1	0.19	7.6	<0.5	8
1348092	Drill Core	0.070	5	6	2.54	121	0.005	<20	2.55	0.019	0.17	<0.1	<0.01	<0.1	0.12	5.4	<0.5	8
1348093	Drill Core	0.074	4	20	2.66	124	0.006	<20	2.62	0.017	0.14	<0.1	<0.01	<0.1	0.27	6.4	<0.5	8
1348094	Drill Core	0.053	5	26	2.48	58	0.006	<20	2.73	0.017	0.10	<0.1	<0.01	<0.1	0.31	10.5	<0.5	9
1348095	Drill Core	0.062	8	23	1.51	92	0.006	<20	2.01	0.018	0.17	<0.1	<0.01	<0.1	0.29	8.1	<0.5	6
1348096	Drill Core	0.062	5	18	2.02	47	0.022	<20	2.52	0.029	0.12	0.1	<0.01	<0.1	0.13	10.2	<0.5	8
1348097	Drill Core	0.071	4	14	1.85	56	0.026	<20	2.34	0.024	0.13	<0.1	<0.01	<0.1	0.23	7.5	<0.5	8
1348098	Drill Core	0.067	5	12	1.66	64	0.026	<20	2.08	0.024	0.18	0.3	<0.01	<0.1	0.30	6.4	<0.5	7
1348099	Rock	0.078	10	11	0.59	220	0.131	<20	1.01	0.083	0.49	<0.1	<0.01	0.3	<0.05	2.3	<0.5	5
1348100	Drill Core	0.073	4	10	1.84	65	0.030	<20	2.38	0.029	0.16	0.1	<0.01	<0.1	0.16	8.1	<0.5	8
1348101	Drill Core	0.052	4	14	1.97	60	0.070	<20	2.51	0.020	0.16	2.7	<0.01	<0.1	0.49	8.6	<0.5	8
1348102	Drill Core	0.053	4	14	2.09	52	0.039	<20	2.75	0.019	0.13	<0.1	<0.01	<0.1	0.14	12.1	<0.5	8
1348103	Drill Core	0.081	6	10	1.68	64	0.050	<20	2.47	0.026	0.15	0.2	<0.01	<0.1	0.51	8.3	<0.5	9
1348104	Drill Core	0.064	5	4	1.25	79	0.043	<20	2.20	0.026	0.19	0.4	0.01	<0.1	0.70	7.5	1.9	7
1348105	Drill Core	0.048	2	4	1.63	75	0.056	<20	2.35	0.036	0.17	0.6	<0.01	<0.1	0.18	5.1	0.9	7
1348106	Drill Core	0.045	4	4	1.46	76	0.061	<20	2.26	0.033	0.19	0.6	<0.01	<0.1	0.16	5.7	<0.5	6
1348107	Drill Core	0.064	8	10	1.15	112	0.034	<20	2.13	0.020	0.21	0.5	<0.01	<0.1	0.25	5.8	<0.5	6
1348108	Drill Core	0.061	9	9	0.97	137	0.008	<20	1.96	0.024	0.26	0.2	<0.01	<0.1	0.38	5.9	<0.5	5
1348109	Drill Core	0.049	2	5	1.52	62	0.064	<20	2.09	0.044	0.15	0.2	<0.01	<0.1	0.26	3.0	<0.5	5
1348110	Drill Core	0.064	3	13	1.45	88	0.069	<20	1.78	0.037	0.13	0.2	<0.01	<0.1	0.27	3.1	<0.5	5
1348111	Drill Core	0.067	3	12	1.42	83	0.062	<20	1.73	0.038	0.13	<0.1	0.02	<0.1	0.27	2.6	<0.5	5
1348112	Drill Core	0.060	4	15	1.47	132	0.066	<20	1.88	0.038	0.14	0.2	<0.01	<0.1	0.20	3.7	<0.5	6
1348113	Drill Core	0.055	8	11	1.77	52	0.013	<20	2.23	0.027	0.15	0.1	<0.01	<0.1	0.22	8.3	<0.5	7
1348114	Drill Core	0.057	10	7	1.08	118	0.011	<20	1.35	0.022	0.16	<0.1	0.01	<0.1	0.47	3.9	<0.5	5
1348115	Drill Core	0.060	11	8	1.26	108	0.017	<20	1.59	0.038	0.19	<0.1	<0.01	<0.1	0.33	5.0	<0.5	5
1348116	Drill Core	0.055	16	4	1.12	103	0.009	<20	1.36	0.032	0.17	<0.1	<0.01	<0.1	0.29	4.2	0.8	5
1348117	Rock Pulp	0.040	7	43	0.49	60	0.079	<20	1.09	0.075	0.16	19.3	2.39	2.8	1.23	3.8	<0.5	8
1348118	Drill Core	0.057	16	5	1.26	117	0.009	<20	1.60	0.039	0.19	<0.1	<0.01	<0.1	0.33	5.6	<0.5	6
1348119	Drill Core	0.051	15	7	0.92	116	0.008	<20	1.14	0.039	0.15	<0.1	<0.01	<0.1	0.29	3.5	<0.5	4
1348120	Drill Core	0.050	15	5	1.21	151	0.008	<20	1.47	0.030	0.21	<0.1	<0.01	<0.1	0.26	5.0	<0.5	5

Acme Analytical Laboratories (Vancouver) Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: Rackla Metals Inc.
650-200 Burrard St.
Vancouver BC V6C 3L6 CANADA

Project: KSD
Report Date: October 11, 2013

Page: 6 of 6

Part: 1 of 2

CERTIFICATE OF ANALYSIS

WHI13000446.1

	Method	WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V
	Unit	kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	%
	MDL	0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2
1348121	Drill Core	2.97	2	0.2	17.5	9.8	72	0.1	5.0	10.4	679	2.81	4.1	<0.5	6.2	32	0.2	<0.1	0.1	27
1348122	Drill Core	3.31	3	0.5	18.9	15.2	76	0.2	4.4	9.5	605	2.55	4.8	<0.5	4.7	39	0.6	0.1	0.1	25
1348123	Drill Core	3.88	<2	0.2	6.6	22.1	85	0.1	2.4	3.8	474	1.36	1.3	<0.5	6.2	48	1.7	<0.1	0.1	6
1348124	Drill Core	3.33	2	1.6	27.6	14.7	97	0.1	6.6	10.7	759	3.23	4.6	0.8	4.3	92	0.8	<0.1	0.1	59
1348125	Drill Core	5.78	8	0.3	35.2	34.8	661	0.2	5.5	16.9	911	4.01	28.7	7.1	2.2	130	9.2	0.1	0.1	59
1348126	Drill Core	8.29	6	0.9	34.1	7.6	120	0.2	4.9	15.6	886	4.34	21.1	1.0	2.6	107	0.5	0.2	<0.1	69
1348127	Drill Core	5.67	4	0.5	21.6	6.7	110	0.1	3.6	15.7	920	4.24	11.4	3.6	2.0	92	0.5	0.1	<0.1	82
1348128	Drill Core	3.83	<2	0.4	18.3	9.3	77	<0.1	5.1	16.9	968	3.75	9.1	1.8	2.0	91	0.3	0.4	<0.1	92
1348129	Drill Core	2.78	2	0.6	29.6	6.9	72	<0.1	5.9	15.0	751	3.44	3.7	<0.5	2.5	61	0.1	0.2	<0.1	53
1348130	Drill Core	3.22	<2	0.1	24.6	7.2	81	<0.1	2.4	15.3	896	3.98	3.4	<0.5	1.6	85	0.3	0.3	<0.1	72
1348131	Drill Core	2.37	<2	<0.1	21.1	5.8	47	<0.1	1.8	11.1	846	2.72	0.9	<0.5	2.2	86	<0.1	0.1	<0.1	44
1348132	Rock	1.15	<2	<0.1	1.2	3.4	46	<0.1	3.5	4.4	572	2.02	<0.5	<0.5	5.3	57	<0.1	<0.1	<0.1	40
1348133	Drill Core	4.05	<2	0.2	17.7	4.1	79	<0.1	5.2	16.1	780	3.30	0.9	4.6	1.2	83	<0.1	0.2	<0.1	53
1348134	Drill Core	3.24	<2	0.5	25.5	3.2	76	<0.1	6.2	14.8	664	3.23	1.2	<0.5	1.2	49	<0.1	0.2	<0.1	44
1348135	Drill Core	3.06	<2	0.3	54.4	4.1	78	0.1	8.4	18.0	820	3.69	1.2	<0.5	0.7	64	<0.1	0.2	<0.1	76
1348136	Drill Core	5.30	3	0.9	32.7	27.0	78	0.1	3.7	14.6	882	4.17	16.5	<0.5	2.2	104	0.2	0.1	0.1	81
1348137	Drill Core	3.85	3	0.9	25.9	9.7	78	0.2	3.8	16.2	1096	4.12	15.3	1.4	1.9	155	0.6	0.2	<0.1	73
1348138	Drill Core	2.86	11	0.2	25.8	1519	1407	0.9	4.7	16.3	1118	4.04	18.3	8.6	2.3	166	22.8	0.4	0.3	53

Acme Analytical Laboratories (Vancouver) Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: Rackla Metals Inc.
650-200 Burrard St.
Vancouver BC V6C 3L6 CANADA

Project: KSD
Report Date: October 11, 2013

Page: 6 of 6

Part: 2 of 2

CERTIFICATE OF ANALYSIS

WHI13000446.1

	Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga
	Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1
1348121	Drill Core	0.041	17	7	1.29	119	0.005	<20	1.71	0.034	0.21	<0.1	<0.01	<0.1	0.16	3.5	<0.5	5
1348122	Drill Core	0.044	13	6	1.13	110	0.003	<20	1.49	0.020	0.21	<0.1	<0.01	<0.1	0.20	3.5	<0.5	4
1348123	Drill Core	0.045	16	4	0.48	135	0.002	<20	0.80	0.020	0.22	<0.1	<0.01	<0.1	0.24	1.6	<0.5	2
1348124	Drill Core	0.055	12	10	1.13	95	0.009	<20	1.52	0.030	0.15	<0.1	<0.01	<0.1	0.40	5.6	0.5	7
1348125	Drill Core	0.064	5	8	1.22	75	0.017	<20	1.61	0.019	0.16	<0.1	<0.01	<0.1	0.79	4.7	<0.5	6
1348126	Drill Core	0.078	10	7	1.20	92	0.014	<20	1.69	0.035	0.18	0.2	<0.01	<0.1	0.50	6.7	<0.5	8
1348127	Drill Core	0.081	7	5	1.39	66	0.109	<20	1.56	0.041	0.25	1.9	<0.01	0.1	0.62	8.9	<0.5	8
1348128	Drill Core	0.075	5	6	1.31	55	0.191	<20	1.36	0.046	0.33	6.0	<0.01	0.2	0.52	9.2	<0.5	7
1348129	Drill Core	0.065	6	9	1.18	91	0.104	<20	1.43	0.047	0.18	1.6	<0.01	<0.1	0.30	7.2	<0.5	6
1348130	Drill Core	0.091	5	2	1.30	70	0.156	<20	1.62	0.051	0.14	2.3	<0.01	<0.1	0.25	7.8	<0.5	7
1348131	Drill Core	0.059	6	4	0.85	91	0.057	<20	1.07	0.044	0.15	0.9	<0.01	<0.1	0.17	4.6	<0.5	4
1348132	Rock	0.076	9	7	0.59	215	0.127	<20	0.98	0.070	0.48	0.4	<0.01	0.3	<0.05	1.9	<0.5	5
1348133	Drill Core	0.072	3	8	1.52	63	0.038	<20	1.81	0.040	0.13	0.5	<0.01	<0.1	0.09	5.0	<0.5	6
1348134	Drill Core	0.070	4	8	1.42	82	0.078	<20	1.71	0.051	0.12	0.4	<0.01	<0.1	0.06	3.5	<0.5	6
1348135	Drill Core	0.062	2	11	1.62	73	0.134	<20	1.87	0.054	0.12	0.5	<0.01	<0.1	0.10	5.4	<0.5	7
1348136	Drill Core	0.082	6	5	1.45	88	0.162	<20	1.60	0.065	0.17	1.6	<0.01	0.1	0.60	8.6	<0.5	8
1348137	Drill Core	0.066	6	8	1.24	88	0.119	<20	1.76	0.038	0.18	1.0	<0.01	<0.1	0.46	7.5	0.9	7
1348138	Drill Core	0.069	4	16	1.40	112	0.116	<20	1.85	0.022	0.20	0.6	<0.01	<0.1	0.57	6.4	<0.5	6

QUALITY CONTROL REPORT

WHI13000446.1

	Method Analyte Unit MDL	WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
		0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2
Pulp Duplicates																					
1348014	Drill Core	7.13	7	0.5	23.7	5.6	91	0.1	4.5	16.0	831	4.17	16.9	6.3	1.5	73	0.7	0.1	<0.1	50	2.16
REP 1348014	QC			0.6	23.3	5.3	91	0.1	3.8	15.9	828	4.25	16.0	6.3	1.5	71	0.8	0.2	<0.1	50	2.20
1348021	Drill Core	4.29	2	0.6	11.0	6.2	77	<0.1	3.0	14.6	932	4.30	5.7	<0.5	2.4	58	0.2	<0.1	<0.1	47	2.09
REP 1348021	QC		<2																		
1348049	Drill Core	8.23	5	0.8	23.0	1.8	88	0.1	11.1	17.0	686	3.75	18.2	3.7	0.8	32	<0.1	0.2	<0.1	74	0.77
REP 1348049	QC			0.8	21.7	1.7	83	0.1	10.6	16.1	672	3.69	18.5	2.0	0.8	31	<0.1	0.2	<0.1	72	0.76
1348055	Drill Core	2.41	3	0.3	3.5	2.5	49	<0.1	2.0	6.0	562	2.30	1.5	<0.5	1.0	35	0.2	<0.1	<0.1	27	1.37
REP 1348055	QC		<2																		
1348084	Drill Core	1.13	<2	0.3	47.4	4.0	68	0.1	8.5	18.0	859	4.30	<0.5	1.4	3.4	58	0.1	<0.1	<0.1	114	1.20
REP 1348084	QC			0.3	50.0	3.9	72	0.1	8.5	17.7	871	4.35	0.5	<0.5	3.7	61	0.1	<0.1	<0.1	116	1.23
1348089	Drill Core	7.10	8	0.8	33.0	7.8	72	0.2	3.4	14.4	914	3.96	22.8	9.2	2.1	62	0.1	0.1	<0.1	61	1.96
REP 1348089	QC		8																		
1348103	Drill Core	6.08	4	<0.1	42.5	15.6	90	0.2	7.6	20.8	912	4.93	3.7	2.4	1.8	76	0.2	<0.1	<0.1	68	2.99
REP 1348103	QC		2																		
1348106	Drill Core	5.80	<2	0.4	55.7	4.3	72	0.2	9.5	22.4	804	4.20	1.7	<0.5	1.1	63	<0.1	0.1	<0.1	77	2.96
REP 1348106	QC			0.3	55.3	4.5	71	0.2	8.6	22.3	803	4.29	1.3	<0.5	1.2	65	0.2	0.1	<0.1	77	3.01
1348115	Drill Core	4.34	2	0.8	26.4	10.1	83	0.2	6.6	12.8	847	3.33	8.1	<0.5	3.7	60	0.2	0.1	0.1	55	2.33
REP 1348115	QC		2																		
Core Reject Duplicates																					
1348007	Drill Core	1.42	124	9.9	44.2	6102	2255	6.9	0.9	2.9	404	1.90	97.6	155.4	0.3	157	37.6	2.4	7.6	4	2.97
DUP 1348007	QC		128	9.5	44.1	5741	2150	6.6	1.2	3.1	393	1.88	98.9	94.8	0.3	153	36.6	2.2	7.6	4	2.84
1348045	Drill Core	4.22	11	0.7	25.6	5.0	88	0.2	6.2	16.4	851	4.64	37.1	9.3	3.2	61	0.5	0.2	<0.1	106	1.55
DUP 1348045	QC		11	1.0	25.3	5.2	85	0.2	6.6	14.2	835	4.56	35.1	10.3	3.1	58	0.4	0.2	<0.1	105	1.53
1348083	Drill Core	1.07	<2	0.2	49.7	3.8	75	0.1	8.9	19.1	871	4.39	<0.5	1.1	2.7	57	<0.1	<0.1	<0.1	113	1.18
DUP 1348083	QC	<0.01	<2	<0.1	58.3	3.8	75	0.1	8.8	19.6	897	4.50	0.6	0.5	2.9	58	<0.1	<0.1	<0.1	112	1.20
1348121	Drill Core	2.97	2	0.2	17.5	9.8	72	0.1	5.0	10.4	679	2.81	4.1	<0.5	6.2	32	0.2	<0.1	0.1	27	1.48
DUP 1348121	QC		<2	0.3	19.9	10.1	75	0.2	5.3	10.0	686	2.86	3.8	<0.5	6.4	33	0.2	<0.1	0.2	27	1.50
Reference Materials																					

QUALITY CONTROL REPORT

WHI13000446.1

Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
MDL	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2
Pulp Duplicates																		
1348014 Drill Core	0.073	6	4	1.37	55	0.018	<20	2.17	0.033	0.18	<0.1	<0.01	<0.1	0.06	4.0	<0.5	6	<0.2
REP 1348014 QC	0.073	6	5	1.36	54	0.018	<20	2.16	0.034	0.18	<0.1	<0.01	<0.1	0.07	4.0	<0.5	6	<0.2
1348021 Drill Core	0.072	11	3	1.21	71	0.010	<20	2.14	0.024	0.26	<0.1	<0.01	<0.1	0.07	4.4	<0.5	7	<0.2
REP 1348021 QC																		
1348049 Drill Core	0.074	3	14	1.68	323	0.154	<20	2.01	0.040	0.62	<0.1	<0.01	0.1	0.28	3.2	0.8	7	<0.2
REP 1348049 QC	0.072	3	15	1.65	311	0.153	<20	1.97	0.038	0.60	<0.1	<0.01	<0.1	0.27	3.7	0.6	7	<0.2
1348055 Drill Core	0.032	4	11	0.94	78	0.027	<20	1.08	0.027	0.24	<0.1	<0.01	<0.1	<0.05	2.8	<0.5	5	<0.2
REP 1348055 QC																		
1348084 Drill Core	0.058	10	9	2.24	46	0.018	<20	2.34	0.042	0.08	0.1	<0.01	<0.1	0.07	9.1	<0.5	10	<0.2
REP 1348084 QC	0.057	10	8	2.26	47	0.017	<20	2.37	0.046	0.08	0.1	<0.01	<0.1	0.07	9.0	<0.5	10	<0.2
1348089 Drill Core	0.071	5	5	1.83	73	0.009	<20	2.08	0.036	0.12	<0.1	<0.01	<0.1	0.46	6.5	<0.5	8	<0.2
REP 1348089 QC																		
1348103 Drill Core	0.081	6	10	1.68	64	0.050	<20	2.47	0.026	0.15	0.2	<0.01	<0.1	0.51	8.3	<0.5	9	<0.2
REP 1348103 QC																		
1348106 Drill Core	0.045	4	4	1.46	76	0.061	<20	2.26	0.033	0.19	0.6	<0.01	<0.1	0.16	5.7	<0.5	6	<0.2
REP 1348106 QC	0.048	4	5	1.47	77	0.061	<20	2.26	0.033	0.19	0.6	<0.01	<0.1	0.15	5.7	<0.5	6	0.4
1348115 Drill Core	0.060	11	8	1.26	108	0.017	<20	1.59	0.038	0.19	<0.1	<0.01	<0.1	0.33	5.0	<0.5	5	<0.2
REP 1348115 QC																		
Core Reject Duplicates																		
1348007 Drill Core	0.004	2	4	0.07	24	<0.001	<20	0.15	0.003	0.06	0.2	0.04	<0.1	0.27	0.6	1.1	<1	0.8
DUP 1348007 QC	0.005	2	4	0.07	24	<0.001	<20	0.15	0.003	0.06	0.2	0.05	<0.1	0.26	0.7	1.0	<1	0.6
1348045 Drill Core	0.080	12	12	1.67	65	0.021	<20	2.05	0.048	0.12	<0.1	0.01	<0.1	0.42	7.0	<0.5	10	<0.2
DUP 1348045 QC	0.080	12	11	1.64	65	0.019	<20	2.01	0.046	0.12	<0.1	0.01	<0.1	0.41	7.0	<0.5	9	<0.2
1348083 Drill Core	0.064	8	8	2.31	50	0.016	<20	2.42	0.041	0.09	<0.1	<0.01	<0.1	0.09	9.1	<0.5	10	<0.2
DUP 1348083 QC	0.066	8	8	2.37	49	0.017	<20	2.49	0.042	0.09	0.1	<0.01	<0.1	0.08	9.5	<0.5	10	<0.2
1348121 Drill Core	0.041	17	7	1.29	119	0.005	<20	1.71	0.034	0.21	<0.1	<0.01	<0.1	0.16	3.5	<0.5	5	<0.2
DUP 1348121 QC	0.042	18	8	1.31	114	0.005	<20	1.71	0.033	0.20	<0.1	<0.01	<0.1	0.17	3.9	1.3	5	<0.2
Reference Materials																		

QUALITY CONTROL REPORT

WHI13000446.1

		WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01
STD DS10	Standard			12.0	151.8	156.3	360	1.9	76.1	12.6	862	2.72	44.2	56.4	7.4	66	2.9	6.7	11.8	44	1.05
STD DS10	Standard			11.9	155.3	154.7	360	1.6	75.3	12.4	837	2.68	42.5	86.2	7.0	63	2.8	6.8	12.1	44	1.02
STD DS10	Standard			13.0	151.9	146.3	336	1.8	71.3	12.1	842	2.66	41.9	78.3	6.6	63	2.5	7.6	11.8	43	1.02
STD DS10	Standard			15.6	167.9	173.8	382	2.2	82.9	13.6	908	3.01	46.4	85.0	8.5	73	2.4	8.6	13.3	47	1.16
STD OREAS45EA	Standard			1.4	676.6	14.9	28	0.3	381.1	52.6	387	23.81	9.4	57.6	10.8	4	0.2	0.2	0.2	304	0.03
STD OREAS45EA	Standard			1.3	662.7	14.4	28	0.2	369.7	52.5	383	23.62	9.5	50.6	10.4	3	<0.1	0.2	0.2	299	0.03
STD OREAS45EA	Standard			1.3	718.6	14.9	33	0.3	398.2	55.2	401	24.57	10.0	59.6	10.8	4	<0.1	0.2	0.3	312	0.04
STD OREAS45EA	Standard			1.5	693.5	15.7	30	0.2	389.1	53.3	402	24.57	10.0	42.8	11.0	4	<0.1	0.1	0.2	309	0.04
STD OXC109	Standard		202																		
STD OXC109	Standard		209																		
STD OXC109	Standard		199																		
STD OXC109	Standard		196																		
STD OXC109	Standard		196																		
STD OXC109	Standard		201																		
STD OXI96	Standard		1770																		
STD OXI96	Standard		1774																		
STD OXI96	Standard		1761																		
STD OXI96	Standard		1746																		
STD OXI96	Standard		1865																		
STD OXC109 Expected			201																		
STD OXI96 Expected			1802																		
STD DS10 Expected				14.69	154.61	150.55	352.9	1.96	74.6	12.9	861	2.7188	43.7	91.9	7.5	67.1	2.48	9.51	11.65	43	1.0355
STD OREAS45EA Expected				1.39	709	14.3	28.9	0.26	381	52	400	23.51	9.1	53	10.7	3.5	0.02	0.2	0.26	303	0.036
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank		<2																		

QUALITY CONTROL REPORT

WHI13000446.1

		1DX P %	1DX La ppm	1DX Cr ppm	1DX Mg %	1DX Ba ppm	1DX Ti %	1DX B ppm	1DX Al %	1DX Na %	1DX K %	1DX W ppm	1DX Hg ppm	1DX Tl ppm	1DX S %	1DX Sc ppm	1DX Se ppm	1DX Ga ppm	1DX Te ppm
		0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2
STD DS10	Standard	0.076	16	56	0.77	388	0.074	<20	1.00	0.064	0.33	3.1	0.29	4.7	0.28	2.7	2.0	4	4.7
STD DS10	Standard	0.070	15	52	0.75	347	0.068	<20	0.96	0.056	0.31	2.5	0.31	4.9	0.28	2.4	2.2	4	4.5
STD DS10	Standard	0.074	15	53	0.75	378	0.071	<20	0.95	0.060	0.32	2.9	0.28	4.8	0.28	2.6	2.1	4	4.6
STD DS10	Standard	0.076	18	60	0.82	437	0.085	<20	1.10	0.067	0.35	2.5	0.30	5.2	0.32	3.0	3.2	5	4.2
STD OREAS45EA	Standard	0.029	7	855	0.10	140	0.091	<20	3.06	0.018	0.05	<0.1	0.01	<0.1	<0.05	74.8	<0.5	12	<0.2
STD OREAS45EA	Standard	0.028	6	813	0.09	138	0.089	<20	2.97	0.019	0.05	<0.1	<0.01	<0.1	<0.05	74.3	1.3	11	<0.2
STD OREAS45EA	Standard	0.030	7	860	0.11	153	0.094	<20	3.26	0.018	0.05	<0.1	0.01	<0.1	<0.05	82.1	<0.5	13	0.2
STD OREAS45EA	Standard	0.028	7	851	0.10	145	0.090	<20	3.12	0.020	0.05	<0.1	0.01	<0.1	<0.05	78.8	1.0	12	<0.2
STD OXC109	Standard																		
STD OXC109	Standard																		
STD OXC109	Standard																		
STD OXC109	Standard																		
STD OXC109	Standard																		
STD OXC109	Standard																		
STD OXI96	Standard																		
STD OXI96	Standard																		
STD OXI96	Standard																		
STD OXI96	Standard																		
STD OXI96	Standard																		
STD OXC109 Expected																			
STD OXI96 Expected																			
STD DS10 Expected		0.073	17.5	54.6	0.7651	349	0.0817		1.0259	0.0638	0.3245	3.34	0.289	4.79	0.2743	2.8	2.3	4.3	4.89
STD OREAS45EA Expected		0.029	6.57	849	0.095	148	0.0875		3.13	0.02	0.053			0.072	0.036	78	0.6	11.7	0.07
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		

QUALITY CONTROL REPORT

WHI13000446.1

		WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01
BLK	Blank		3																		
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank		2																		
BLK	Blank		3																		
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
BLK	Blank			<0.1	<0.1	0.2	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	0.7	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
Prep Wash																					
G1-WHI	Prep Blank		<2	<0.1	2.6	3.4	47	<0.1	2.5	4.2	599	1.98	<0.5	<0.5	4.9	60	<0.1	<0.1	<0.1	39	0.63
G1-WHI	Prep Blank		<2	<0.1	3.7	3.1	44	<0.1	2.4	3.8	563	1.90	<0.5	1.0	4.6	52	<0.1	<0.1	<0.1	38	0.44

QUALITY CONTROL REPORT

WHI13000446.1

		1DX P %	1DX La ppm	1DX Cr ppm	1DX Mg %	1DX Ba ppm	1DX Ti %	1DX B ppm	1DX Al %	1DX Na %	1DX K %	1DX W ppm	1DX Hg ppm	1DX Tl ppm	1DX S %	1DX Sc ppm	1DX Se ppm	1DX Ga ppm	1DX Te ppm
		0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.05	<0.1	<0.5	<1	<0.2
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.05	<0.1	<0.5	<1	<0.2
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.05	<0.1	<0.5	<1	<0.2
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.05	<0.1	<0.5	<1	<0.2
Prep Wash																			
G1-WHI	Prep Blank	0.070	10	6	0.57	170	0.116	<20	0.94	0.074	0.47	<0.1	0.02	0.3	<0.05	2.1	<0.5	4	<0.2
G1-WHI	Prep Blank	0.072	9	6	0.51	163	0.120	<20	0.95	0.081	0.49	<0.1	<0.01	0.3	<0.05	2.1	<0.5	5	<0.2

Acme Analytical Laboratories (Vancouver) Ltd.
9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA
PHONE (604) 253-3158

Client: **Rackla Metals Inc.**
650-200 Burrard St.
Vancouver BC V6C 3L6 CANADA

Submitted By: Roger Hulstein
Receiving Lab: Canada-Whitehorse
Received: September 20, 2013
Report Date: October 07, 2013
Page: 1 of 2

CERTIFICATE OF ANALYSIS

WHI13000447.1

CLIENT JOB INFORMATION

Project: KSD
Shipment ID: 2013-1
P.O. Number
Number of Samples: 12

SAMPLE DISPOSAL

DISP-PLP Dispose of Pulp After 90 days
DISP-RJT Dispose of Reject After 90 days

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.


Invoice To: Rackla Metals Inc.
650-200 Burrard St.
Vancouver BC V6C 3L6
CANADA

CC: Simon Ridgway
Dave Clark
Database Backup

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
R200-250	12	Crush, split and pulverize 250 g rock to 200 mesh			WHI
3B	12	Fire assay fusion Au by ICP-ES	30	Completed	VAN
1DX	12	1:1:1 Aqua Regia digestion ICP-MS analysis	0.5	Completed	VAN

ADDITIONAL COMMENTS



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
*** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.

CERTIFICATE OF ANALYSIS

WHI13000447.1

	Method	WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V
	Unit	kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	%
	MDL	0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2
1348139	Drill Core	4.22	11	0.2	24.8	16.2	82	0.1	2.6	14.4	1035	4.16	9.3	2.9	2.0	100	0.4	0.2	0.1	72
1348140	Drill Core	3.30	7	0.6	40.2	112.3	88	0.3	2.6	8.8	672	2.03	6.5	<0.5	4.4	86	1.0	0.1	0.1	16
1348141	Drill Core	4.36	5	1.3	51.7	15.0	72	0.3	9.7	17.6	939	4.26	5.5	1.6	3.2	112	0.4	0.1	<0.1	136
1348142	Drill Core	3.68	19	0.4	10.3	13.2	58	0.1	1.6	3.7	431	1.25	3.8	2.1	5.9	49	0.4	<0.1	<0.1	11
1348143	Drill Core	3.62	3	0.3	6.4	16.0	78	<0.1	0.5	2.3	247	0.87	5.2	1.2	7.4	33	0.4	<0.1	<0.1	4
1348144	Drill Core	4.94	3	1.3	11.6	9.9	81	<0.1	4.7	6.4	457	1.52	1.2	<0.5	5.2	46	0.3	<0.1	<0.1	7
1348145	Drill Core	1.38	3	1.1	11.6	4.9	78	<0.1	5.6	7.5	619	2.36	0.9	0.7	5.1	39	0.6	<0.1	<0.1	11
1348146	Drill Core	1.55	3	3.7	9.6	5.0	74	<0.1	7.4	7.5	690	2.35	0.8	0.8	5.3	43	0.6	<0.1	<0.1	12
1348147	Drill Core	3.17	2	2.5	12.2	8.3	85	<0.1	6.8	9.9	762	3.09	2.2	0.7	3.2	41	0.3	<0.1	<0.1	21
1348148	Drill Core	2.00	3	0.3	8.4	11.7	69	<0.1	1.4	9.2	903	3.48	2.2	<0.5	1.9	87	0.3	<0.1	<0.1	33
1348149	Drill Core	3.45	4	0.2	8.0	5.8	78	<0.1	2.3	10.2	776	3.25	0.8	<0.5	1.2	103	0.1	<0.1	<0.1	28
1348150	Drill Core	2.35	5	0.2	17.2	6.5	82	0.1	4.1	11.2	823	3.36	0.8	<0.5	2.1	142	0.2	0.2	<0.1	36

Acme Analytical Laboratories (Vancouver) Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: Rackla Metals Inc.
650-200 Burrard St.
Vancouver BC V6C 3L6 CANADA

Project: KSD
Report Date: October 07, 2013

Page: 2 of 2

Part: 2 of 2

CERTIFICATE OF ANALYSIS

WHI13000447.1

	Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga
	Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1
1348139	Drill Core	0.063	6	8	1.45	96	0.029	<20	1.87	0.062	0.11	0.3	<0.01	<0.1	0.40	7.6	<0.5	8
1348140	Drill Core	0.048	8	4	0.82	182	0.017	<20	1.06	0.022	0.22	0.1	<0.01	<0.1	0.29	2.6	<0.5	3
1348141	Drill Core	0.044	8	19	1.72	85	0.014	<20	2.00	0.054	0.10	<0.1	0.01	<0.1	0.45	11.6	<0.5	8
1348142	Drill Core	0.024	12	4	0.39	142	0.002	<20	0.66	0.033	0.18	0.1	0.01	<0.1	0.19	1.7	<0.5	2
1348143	Drill Core	0.017	13	2	0.24	179	0.002	<20	0.48	0.035	0.23	<0.1	<0.01	<0.1	0.23	0.9	<0.5	2
1348144	Drill Core	0.028	7	9	0.98	175	0.002	<20	1.08	0.015	0.18	<0.1	<0.01	<0.1	0.21	1.3	<0.5	3
1348145	Drill Core	0.043	5	5	1.63	125	0.003	<20	1.70	0.018	0.16	<0.1	<0.01	<0.1	0.46	2.1	<0.5	4
1348146	Drill Core	0.045	6	10	1.70	142	0.003	<20	1.78	0.016	0.18	<0.1	<0.01	<0.1	0.35	2.1	<0.5	4
1348147	Drill Core	0.077	10	11	1.94	123	0.014	<20	2.08	0.026	0.16	0.1	<0.01	<0.1	0.26	4.8	<0.5	6
1348148	Drill Core	0.083	10	4	1.27	87	0.026	<20	1.89	0.047	0.16	<0.1	<0.01	<0.1	0.23	6.6	<0.5	7
1348149	Drill Core	0.088	5	4	1.33	71	0.019	<20	1.86	0.043	0.12	<0.1	<0.01	<0.1	<0.05	4.0	<0.5	6
1348150	Drill Core	0.079	9	6	1.33	73	0.009	<20	1.84	0.030	0.14	<0.1	<0.01	<0.1	<0.05	4.2	<0.5	6

QUALITY CONTROL REPORT

WHI13000447.1

	Method	WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
	Unit	kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
	MDL	0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01
Pulp Duplicates																					
1348147	Drill Core	3.17	2	2.5	12.2	8.3	85	<0.1	6.8	9.9	762	3.09	2.2	0.7	3.2	41	0.3	<0.1	<0.1	21	1.93
REP 1348147	QC		2																		
1348150	Drill Core	2.35	5	0.2	17.2	6.5	82	0.1	4.1	11.2	823	3.36	0.8	<0.5	2.1	142	0.2	0.2	<0.1	36	2.23
REP 1348150	QC			0.2	17.4	6.0	80	<0.1	3.7	11.2	821	3.41	0.8	<0.5	2.1	144	0.2	0.3	<0.1	36	2.20
Reference Materials																					
STD DS10	Standard			13.3	160.7	150.5	357	2.0	76.7	13.2	859	2.76	44.4	66.9	7.3	65	2.7	8.1	11.3	46	1.04
STD OREAS45EA	Standard			1.5	675.2	13.7	30	0.3	373.5	51.6	400	24.39	10.3	36.6	9.5	3	<0.1	0.3	0.2	298	0.03
STD OXC109	Standard		201																		
STD OXI96	Standard		1865																		
STD OXC109 Expected			201																		
STD OXI96 Expected			1802																		
STD DS10 Expected				14.69	154.61	150.55	352.9	1.96	74.6	12.9	861	2.7188	43.7	91.9	7.5	67.1	2.48	9.51	11.65	43	1.0355
STD OREAS45EA Expected				1.39	709	14.3	28.9	0.26	381	52	400	23.51	9.1	53	10.7	3.5	0.02	0.2	0.26	303	0.036
BLK	Blank		2																		
BLK	Blank		3																		
BLK	Blank			<0.1	<0.1	0.4	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
Prep Wash																					
G1-WHI	Prep Blank		2	<0.1	3.0	22.2	57	<0.1	2.6	4.0	558	2.01	<0.5	<0.5	6.5	50	0.1	<0.1	1.5	40	0.48
G1-WHI	Prep Blank		2	0.1	3.3	27.3	77	<0.1	3.3	4.3	529	2.03	<0.5	<0.5	5.2	52	0.1	<0.1	<0.1	39	0.49

QUALITY CONTROL REPORT

WHI13000447.1

Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
MDL	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2
Pulp Duplicates																		
1348147 Drill Core	0.077	10	11	1.94	123	0.014	<20	2.08	0.026	0.16	0.1	<0.01	<0.1	0.26	4.8	<0.5	6	<0.2
REP 1348147 QC																		
1348150 Drill Core	0.079	9	6	1.33	73	0.009	<20	1.84	0.030	0.14	<0.1	<0.01	<0.1	<0.05	4.2	<0.5	6	<0.2
REP 1348150 QC	0.079	8	6	1.33	74	0.009	<20	1.83	0.031	0.15	<0.1	<0.01	<0.1	<0.05	4.1	<0.5	6	<0.2
Reference Materials																		
STD DS10 Standard	0.074	16	54	0.76	385	0.071	<20	0.99	0.062	0.32	2.6	0.29	4.8	0.29	2.5	2.3	4	4.9
STD OREAS45EA Standard	0.026	6	882	0.09	140	0.086	<20	3.04	0.024	0.05	<0.1	0.02	<0.1	<0.05	79.9	1.2	12	<0.2
STD OXC109 Standard																		
STD OXI96 Standard																		
STD OXC109 Expected																		
STD OXI96 Expected																		
STD DS10 Expected	0.073	17.5	54.6	0.7651	349	0.0817		1.0259	0.0638	0.3245	3.34	0.289	4.79	0.2743	2.8	2.3	4.3	4.89
STD OREAS45EA Expected	0.029	6.57	849	0.095	148	0.0875		3.13	0.02	0.053			0.072	0.036	78	0.6	11.7	0.07
BLK Blank																		
BLK Blank																		
BLK Blank	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.05	<0.1	<0.5	<1	<0.2
Prep Wash																		
G1-WHI Prep Blank	0.079	12	7	0.49	283	0.117	<20	0.91	0.077	0.47	<0.1	<0.01	0.3	<0.05	2.1	<0.5	4	<0.2
G1-WHI Prep Blank	0.072	9	9	0.53	225	0.119	<20	0.95	0.079	0.48	<0.1	0.01	0.3	<0.05	2.0	<0.5	5	<0.2

Acme Analytical Laboratories (Vancouver) Ltd.
9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA
PHONE (604) 253-3158

Client: **Rackla Metals Inc.**
650-200 Burrard St.
Vancouver BC V6C 3L6 CANADA

Submitted By: Roger Hulstein
Receiving Lab: Canada-Whitehorse
Received: September 23, 2013
Report Date: October 11, 2013
Page: 1 of 2

CERTIFICATE OF ANALYSIS

WHI13000450.1

CLIENT JOB INFORMATION

Project: KSD
Shipment ID: 2013-2
P.O. Number
Number of Samples: 30

SAMPLE DISPOSAL

DISP-PLP Dispose of Pulp After 90 days
DISP-RJT Dispose of Reject After 90 days

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Rackla Metals Inc.
650-200 Burrard St.
Vancouver BC V6C 3L6
CANADA

CC: Simon Ridgway
Dave Clark
Database Backup

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
R200-250	29	Crush, split and pulverize 250 g rock to 200 mesh			WHI
3B	30	Fire assay fusion Au by ICP-ES	30	Completed	VAN
1DX	30	1:1:1 Aqua Regia digestion ICP-MS analysis	0.5	Completed	VAN

ADDITIONAL COMMENTS



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
*** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.

CERTIFICATE OF ANALYSIS

WHI13000450.1

	Method Analyte Unit MDL	WGHT Wgt kg 0.01	3B Au ppb 2	1DX Mo ppm 0.1	1DX Cu ppm 0.1	1DX Pb ppm 0.1	1DX Zn ppm 1	1DX Ag ppm 0.1	1DX Ni ppm 0.1	1DX Co ppm 0.1	1DX Mn ppm 1	1DX Fe % 0.01	1DX As ppm 0.5	1DX Au ppb 0.5	1DX Th ppm 0.1	1DX Sr ppm 1	1DX Cd ppm 0.1	1DX Sb ppm 0.1	1DX Bi ppm 0.1	1DX V ppm 2	1DX Ca % 0.01
1348151	Drill Core	3.30	3	0.3	19.9	3.4	82	0.1	6.1	16.3	756	3.68	0.9	<0.5	1.4	129	0.2	0.2	<0.1	49	1.49
1348152	Drill Core	3.06	3	0.8	24.4	4.9	82	0.1	1.3	10.3	1028	3.79	5.3	2.9	1.9	130	0.3	0.2	<0.1	27	3.29
1348153	Drill Core	2.03	<2	0.2	17.8	4.9	87	<0.1	1.1	9.7	926	3.81	2.1	0.9	2.7	110	0.1	0.1	<0.1	26	2.82
1348154	Drill Core	3.49	<2	2.1	12.1	4.0	71	<0.1	9.0	9.0	712	2.70	0.6	<0.5	4.7	88	0.5	<0.1	<0.1	15	2.98
1348155	Drill Core	2.84	<2	3.9	21.5	4.5	56	<0.1	12.4	11.5	746	2.63	<0.5	<0.5	5.6	95	0.3	<0.1	<0.1	28	3.57
1348156	Drill Core	3.12	<2	0.1	30.6	6.1	53	<0.1	4.8	12.0	741	2.96	1.0	<0.5	4.9	108	0.2	<0.1	0.1	45	3.08
1348157	Drill Core	3.11	5	<0.1	66.5	5.3	79	0.1	10.7	25.8	1264	5.56	1.7	<0.5	1.5	145	0.3	<0.1	<0.1	181	4.84
1348158	Drill Core	2.88	<2	<0.1	77.6	3.9	83	0.2	9.4	25.6	1201	5.26	1.8	1.1	1.1	117	0.1	<0.1	<0.1	158	4.01
1348159	Drill Core	3.04	<2	<0.1	61.3	1.7	83	0.1	11.0	23.3	959	4.96	1.7	<0.5	0.8	60	0.1	0.1	<0.1	129	2.01
1348160	Drill Core	3.38	<2	0.2	65.0	1.8	98	0.1	11.6	23.9	811	4.50	1.0	0.6	0.5	55	0.2	0.1	<0.1	111	1.59
1348161	Drill Core	3.03	<2	0.9	31.4	4.0	101	<0.1	9.8	22.6	876	4.69	3.0	<0.5	1.1	114	0.3	0.2	<0.1	100	2.85
1348162	Rock	1.04	<2	<0.1	1.9	3.0	47	<0.1	3.4	4.5	590	2.07	<0.5	<0.5	9.3	63	<0.1	<0.1	<0.1	42	0.48
1348163	Drill Core	3.21	<2	0.5	20.7	3.7	76	<0.1	6.5	16.7	739	3.83	1.4	<0.5	2.4	86	<0.1	0.2	<0.1	84	2.19
1348164	Drill Core	3.41	<2	0.7	19.0	3.2	66	<0.1	5.1	14.7	647	2.95	1.0	<0.5	1.6	62	<0.1	0.2	<0.1	49	1.90
1348165	Drill Core	3.16	<2	0.3	48.8	4.3	79	0.1	11.5	24.3	1010	4.74	3.1	<0.5	1.1	136	0.3	0.1	<0.1	138	4.11
1348166	Drill Core	3.36	2	1.1	38.8	2.6	91	0.1	17.6	18.1	727	4.13	2.5	6.3	3.4	78	0.2	0.1	<0.1	78	2.14
1348167	Drill Core	2.49	4	0.2	9.7	2.3	144	<0.1	15.7	23.6	870	5.97	<0.5	<0.5	1.1	94	<0.1	<0.1	<0.1	174	2.46
1348168	Drill Core	2.90	<2	0.5	14.5	2.6	111	<0.1	9.6	17.8	842	5.04	0.6	<0.5	0.8	136	0.3	0.1	<0.1	159	3.22
1348169	Drill Core	1.59	<2	0.1	132.1	2.2	95	0.2	2.5	17.0	702	4.28	1.8	<0.5	1.1	65	0.2	0.2	<0.1	64	1.51
1348170	Drill Core	1.70	<2	<0.1	42.0	2.1	91	<0.1	2.5	16.6	676	4.21	2.0	2.5	1.1	54	0.2	0.1	<0.1	65	1.43
1348171	Drill Core	2.88	<2	0.9	19.6	2.8	86	<0.1	6.5	16.8	758	4.19	2.7	<0.5	1.5	85	0.1	0.2	<0.1	83	2.12
1348172	Drill Core	3.52	5	1.4	25.9	3.0	70	<0.1	15.5	16.0	678	3.69	4.7	<0.5	3.5	80	0.2	0.1	<0.1	86	2.13
1348173	Drill Core	2.93	3	0.6	24.2	4.0	76	<0.1	10.1	18.2	959	3.86	1.8	<0.5	2.2	152	0.1	0.2	<0.1	59	4.04
1348174	Rock Pulp	0.13	4898	527.0	82.0	957.8	3137	>100	30.7	10.1	348	2.91	79.9	4972	1.6	57	33.0	128.6	1.5	58	0.61
1348175	Drill Core	3.07	5	2.5	25.9	2.8	87	0.2	16.8	13.2	734	3.22	5.6	2.5	4.5	141	0.5	0.1	<0.1	36	2.56
1348176	Drill Core	3.12	41	2.9	38.7	54.6	123	0.3	6.4	21.4	1104	4.36	73.1	27.9	2.0	233	1.2	0.2	0.1	47	4.92
1348177	Drill Core	3.10	50	0.3	14.2	10.5	82	0.2	3.3	16.2	954	4.11	71.1	13.8	2.4	177	0.4	0.2	<0.1	37	4.23
1348178	Drill Core	3.30	4	<0.1	30.2	5.7	83	0.2	10.7	21.7	1237	5.20	8.8	4.7	1.9	230	0.2	0.2	<0.1	61	5.94
1348179	Drill Core	3.23	13	0.6	25.2	3.3	69	<0.1	5.9	17.7	1006	4.14	11.5	4.8	1.8	137	0.3	0.2	<0.1	48	4.28
1348180	Drill Core	4.02	3	0.6	27.7	3.2	69	0.1	5.3	18.0	1061	4.42	10.4	2.4	2.1	149	0.1	<0.1	<0.1	57	4.69

CERTIFICATE OF ANALYSIS

WHI13000450.1

	Method	Analyte	Unit	MDL	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX			
					P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te
					%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
					0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2
1348151	Drill Core	0.076	4	7	1.72	84	0.032	<20	2.27	0.035	0.15	<0.1	0.02	<0.1	<0.05	4.6	<0.5	7	<0.2			
1348152	Drill Core	0.091	10	2	1.43	106	0.012	<20	2.06	0.020	0.18	<0.1	0.02	<0.1	0.16	4.6	<0.5	6	<0.2			
1348153	Drill Core	0.092	13	1	1.44	73	0.009	<20	2.17	0.033	0.20	<0.1	<0.01	<0.1	0.12	5.8	<0.5	7	<0.2			
1348154	Drill Core	0.070	17	16	1.27	113	0.005	<20	1.76	0.019	0.21	<0.1	<0.01	<0.1	0.16	4.6	<0.5	5	<0.2			
1348155	Drill Core	0.063	12	16	1.50	106	0.004	<20	1.78	0.016	0.19	<0.1	<0.01	<0.1	0.15	4.4	<0.5	5	<0.2			
1348156	Drill Core	0.040	15	4	1.01	115	0.006	<20	1.55	0.025	0.21	<0.1	0.02	<0.1	0.24	5.0	<0.5	5	<0.2			
1348157	Drill Core	0.060	7	6	1.97	23	0.029	<20	2.48	0.035	0.04	<0.1	0.02	<0.1	0.24	16.5	<0.5	10	<0.2			
1348158	Drill Core	0.065	5	8	1.99	29	0.041	<20	2.57	0.028	0.06	<0.1	<0.01	<0.1	0.19	12.4	1.3	9	<0.2			
1348159	Drill Core	0.074	3	9	2.11	35	0.059	<20	2.69	0.053	0.07	<0.1	<0.01	<0.1	0.06	8.9	<0.5	8	<0.2			
1348160	Drill Core	0.077	2	9	2.08	32	0.092	<20	2.60	0.047	0.07	<0.1	0.02	<0.1	0.06	6.2	0.7	8	0.3			
1348161	Drill Core	0.072	5	8	1.81	79	0.053	<20	2.38	0.031	0.14	0.1	<0.01	<0.1	0.23	6.6	<0.5	8	<0.2			
1348162	Rock	0.078	10	10	0.62	220	0.136	<20	1.01	0.077	0.49	<0.1	0.02	0.3	<0.05	2.2	<0.5	5	<0.2			
1348163	Drill Core	0.062	7	9	1.57	48	0.105	<20	1.86	0.042	0.14	0.4	<0.01	<0.1	0.17	7.2	<0.5	7	<0.2			
1348164	Drill Core	0.059	5	13	1.39	67	0.054	<20	1.74	0.037	0.12	0.1	0.01	<0.1	0.07	3.8	<0.5	6	<0.2			
1348165	Drill Core	0.059	5	19	2.08	37	0.132	<20	2.47	0.037	0.10	0.6	0.01	<0.1	0.28	11.6	0.8	10	<0.2			
1348166	Drill Core	0.074	9	22	1.68	115	0.075	<20	2.09	0.026	0.21	<0.1	<0.01	<0.1	0.28	6.9	<0.5	7	<0.2			
1348167	Drill Core	0.037	3	16	2.80	548	0.291	<20	3.21	0.025	1.27	0.2	<0.01	0.3	0.17	4.3	<0.5	11	<0.2			
1348168	Drill Core	0.080	4	14	2.11	439	0.188	<20	2.49	0.039	1.01	0.5	<0.01	0.3	<0.05	5.7	<0.5	11	<0.2			
1348169	Drill Core	0.090	4	4	1.46	97	0.104	<20	1.81	0.050	0.17	0.3	<0.01	0.2	0.22	5.7	<0.5	8	<0.2			
1348170	Drill Core	0.089	4	5	1.40	104	0.096	<20	1.72	0.050	0.20	0.3	<0.01	<0.1	0.21	5.5	<0.5	8	<0.2			
1348171	Drill Core	0.080	5	13	1.65	59	0.100	<20	1.97	0.055	0.12	0.4	<0.01	<0.1	0.22	7.4	0.8	9	<0.2			
1348172	Drill Core	0.063	11	23	1.47	74	0.082	<20	1.83	0.048	0.16	0.3	0.01	<0.1	0.30	8.7	1.7	8	<0.2			
1348173	Drill Core	0.061	7	19	1.48	91	0.040	<20	2.08	0.033	0.17	0.2	<0.01	<0.1	0.17	5.4	0.6	7	<0.2			
1348174	Rock Pulp	0.040	7	40	0.47	84	0.079	<20	1.10	0.080	0.16	19.0	2.21	2.8	1.12	3.3	<0.5	7	0.6			
1348175	Drill Core	0.071	10	15	1.18	125	0.027	<20	1.69	0.023	0.23	0.1	0.02	<0.1	0.40	3.6	1.4	5	<0.2			
1348176	Drill Core	0.064	6	5	1.65	93	0.053	<20	2.02	0.010	0.25	0.5	0.01	<0.1	0.88	4.3	1.4	5	<0.2			
1348177	Drill Core	0.070	7	5	1.53	109	0.051	<20	1.90	0.008	0.26	0.6	0.02	<0.1	0.95	4.4	1.7	5	<0.2			
1348178	Drill Core	0.061	5	10	2.34	50	0.068	<20	2.88	0.011	0.20	0.7	<0.01	<0.1	0.23	6.3	<0.5	6	<0.2			
1348179	Drill Core	0.065	6	4	1.50	63	0.039	<20	2.16	0.015	0.24	0.5	0.01	<0.1	0.21	5.3	<0.5	5	0.2			
1348180	Drill Core	0.062	7	4	1.58	65	0.054	<20	2.27	0.017	0.26	0.5	0.02	<0.1	0.25	6.0	<0.5	6	<0.2			

QUALITY CONTROL REPORT

WHI13000450.1

	Method	WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
	Unit	kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
	MDL	0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01
Pulp Duplicates																					
REP 1348157	QC		2																		
1348167	Drill Core	2.49	4	0.2	9.7	2.3	144	<0.1	15.7	23.6	870	5.97	<0.5	<0.5	1.1	94	<0.1	<0.1	<0.1	174	2.46
REP 1348167	QC			0.2	10.1	2.1	143	<0.1	15.9	23.5	887	6.08	1.1	<0.5	1.1	95	0.1	<0.1	<0.1	175	2.51
Core Reject Duplicates																					
1348157	Drill Core	3.11	5	<0.1	66.5	5.3	79	0.1	10.7	25.8	1264	5.56	1.7	<0.5	1.5	145	0.3	<0.1	<0.1	181	4.84
DUP 1348157	QC		<2	<0.1	64.5	5.2	80	0.2	10.1	25.5	1269	5.56	0.8	<0.5	1.5	144	0.3	<0.1	<0.1	181	4.81
Reference Materials																					
STD DS10	Standard			17.0	173.7	172.5	389	2.0	84.0	14.2	957	2.98	49.2	69.3	8.0	74	2.7	7.4	13.1	48	1.14
STD OREAS45EA	Standard			1.3	714.0	15.1	30	0.3	405.5	54.7	421	25.11	10.3	50.5	10.8	4	<0.1	0.2	0.2	313	0.04
STD OXC109	Standard		208																		
STD OXC109	Standard		201																		
STD OXI96	Standard		1794																		
STD OXI96	Standard		1865																		
STD OXC109 Expected			201																		
STD OXI96 Expected			1802																		
STD DS10 Expected				14.69	154.61	150.55	352.9	1.96	74.6	12.9	861	2.7188	43.7	91.9	7.5	67.1	2.48	9.51	11.65	43	1.0355
STD OREAS45EA Expected				1.39	709	14.3	28.9	0.26	381	52	400	23.51	9.1	53	10.7	3.5	0.02	0.2	0.26	303	0.036
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank		2																		
BLK	Blank		3																		
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
Prep Wash																					
G1-WHI	Prep Blank		<2	<0.1	3.5	3.3	44	<0.1	3.8	4.2	589	2.08	<0.5	2.1	5.1	64	<0.1	<0.1	<0.1	42	0.54
G1-WHI	Prep Blank		<2	<0.1	3.4	3.5	45	<0.1	3.5	4.3	617	2.17	0.8	<0.5	6.5	64	<0.1	<0.1	<0.1	42	0.52

QUALITY CONTROL REPORT

WHI13000450.1

	Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te
	Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	MDL	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2
Pulp Duplicates																			
REP 1348157	QC																		
1348167	Drill Core	0.037	3	16	2.80	548	0.291	<20	3.21	0.025	1.27	0.2	<0.01	0.3	0.17	4.3	<0.5	11	<0.2
REP 1348167	QC	0.039	3	16	2.84	548	0.288	<20	3.26	0.025	1.29	0.3	<0.01	0.4	0.18	4.1	0.5	12	<0.2
Core Reject Duplicates																			
1348157	Drill Core	0.060	7	6	1.97	23	0.029	<20	2.48	0.035	0.04	<0.1	0.02	<0.1	0.24	16.5	<0.5	10	<0.2
DUP 1348157	QC	0.056	7	6	1.97	23	0.030	<20	2.50	0.041	0.04	<0.1	<0.01	<0.1	0.24	16.8	0.7	10	<0.2
Reference Materials																			
STD DS10	Standard	0.081	19	63	0.83	423	0.080	<20	1.13	0.075	0.35	2.7	0.30	5.6	0.31	3.1	2.6	5	6.1
STD OREAS45EA	Standard	0.029	7	908	0.10	145	0.092	<20	3.37	0.026	0.06	<0.1	0.02	<0.1	<0.05	83.5	1.0	13	0.3
STD OXC109	Standard																		
STD OXC109	Standard																		
STD OXI96	Standard																		
STD OXI96	Standard																		
STD OXC109 Expected																			
STD OXI96 Expected																			
STD DS10 Expected		0.073	17.5	54.6	0.7651	349	0.0817		1.0259	0.0638	0.3245	3.34	0.289	4.79	0.2743	2.8	2.3	4.3	4.89
STD OREAS45EA Expected		0.029	6.57	849	0.095	148	0.0875		3.13	0.02	0.053			0.072	0.036	78	0.6	11.7	0.07
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.05	<0.1	<0.5	<1	<0.2
Prep Wash																			
G1-WHI	Prep Blank	0.072	11	8	0.55	179	0.130	<20	0.99	0.094	0.53	<0.1	<0.01	0.3	<0.05	2.6	<0.5	5	<0.2
G1-WHI	Prep Blank	0.077	13	8	0.51	173	0.131	<20	0.97	0.097	0.51	<0.1	0.02	0.3	<0.05	2.3	<0.5	5	<0.2

Acme Analytical Laboratories (Vancouver) Ltd.
9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA
PHONE (604) 253-3158

Client: **Rackla Metals Inc.**
650-200 Burrard St.
Vancouver BC V6C 3L6 CANADA

Submitted By: Roger Hulstein
Receiving Lab: Canada-Whitehorse
Received: September 23, 2013
Report Date: October 11, 2013
Page: 1 of 4

CERTIFICATE OF ANALYSIS

WHI13000451.1

CLIENT JOB INFORMATION

Project: KSD
Shipment ID: 2013-2
P.O. Number
Number of Samples: 90

SAMPLE DISPOSAL

DISP-PLP Dispose of Pulp After 90 days
DISP-RJT Dispose of Reject After 90 days

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Rackla Metals Inc.
650-200 Burrard St.
Vancouver BC V6C 3L6
CANADA

CC: Simon Ridgway
Dave Clark
Database Backup

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
R200-250	87	Crush, split and pulverize 250 g rock to 200 mesh			WHI
3B	90	Fire assay fusion Au by ICP-ES	30	Completed	VAN
1DX	90	1:1:1 Aqua Regia digestion ICP-MS analysis	0.5	Completed	VAN

ADDITIONAL COMMENTS



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
*** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.

CERTIFICATE OF ANALYSIS

WHI13000451.1

	Method	WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V
	Unit	kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	%
	MDL	0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2
1348181	Drill Core	4.04	28	0.9	27.9	809.6	598	0.5	5.5	11.3	1343	3.05	60.1	22.0	1.3	143	4.0	0.3	0.3	34
1348182	Drill Core	3.55	17	0.3	25.5	7.5	76	0.2	8.2	17.5	1267	4.03	78.9	7.0	2.4	122	0.3	0.2	<0.1	31
1348183	Drill Core	1.87	8	0.1	10.6	15.0	36	<0.1	3.0	3.9	512	1.27	32.8	1.6	1.0	54	0.2	0.2	<0.1	10
1348184	Drill Core	3.12	4	0.4	6.5	3.9	17	<0.1	1.5	1.8	260	0.71	7.4	0.7	0.4	29	0.1	0.1	<0.1	5
1348185	Drill Core	3.05	21	<0.1	4.3	1.5	7	<0.1	2.2	2.7	215	0.86	26.2	7.0	0.7	24	0.1	<0.1	<0.1	7
1348186	Drill Core	2.46	26	0.2	30.7	9.1	50	0.3	4.9	10.7	875	3.20	129.4	21.1	4.5	141	0.4	0.2	<0.1	27
1348187	Rock	1.26	3	<0.1	1.2	2.4	42	<0.1	2.7	4.0	531	1.86	<0.5	<0.5	4.1	47	<0.1	<0.1	<0.1	35
1348188	Drill Core	2.83	365	0.4	61.6	9.2	79	0.4	4.2	16.4	977	4.67	503.5	102.5	2.5	175	0.6	0.1	<0.1	46
1348189	Drill Core	3.18	41	0.1	28.1	6.7	90	0.1	5.9	17.1	977	4.87	25.8	9.6	2.3	144	0.2	0.1	<0.1	63
1348190	Drill Core	3.19	3	0.2	27.0	7.8	100	<0.1	2.9	16.2	1027	4.80	5.9	<0.5	2.3	137	0.4	0.2	<0.1	95
1348191	Drill Core	3.17	<2	0.7	12.8	8.5	70	<0.1	1.7	11.4	919	3.79	5.6	2.1	3.1	133	0.3	0.3	<0.1	76
1348192	Drill Core	3.00	3	0.2	19.9	10.2	82	0.1	3.8	14.3	1109	4.40	5.4	<0.5	3.3	122	0.3	0.1	0.1	57
1348193	Drill Core	2.93	3	1.3	36.7	7.6	65	0.1	13.4	14.0	1027	3.85	6.5	<0.5	4.0	104	<0.1	<0.1	0.1	57
1348194	Drill Core	3.25	275	7.5	18.4	9.6	39	<0.1	2.7	5.9	567	1.99	16.7	41.0	4.8	51	0.2	<0.1	0.1	15
1348195	Drill Core	3.25	3	1.5	49.6	7.1	80	0.3	15.7	17.9	882	4.05	10.9	2.3	3.9	121	0.3	<0.1	0.1	67
1348196	Drill Core	2.78	5	2.3	29.4	4.9	60	0.2	18.0	13.8	750	2.74	33.5	<0.5	4.3	84	0.3	<0.1	<0.1	22
1348197	Drill Core	3.18	3	5.0	29.3	4.2	66	0.2	33.8	16.4	1045	3.10	9.8	<0.5	4.4	96	0.2	<0.1	<0.1	51
1348198	Drill Core	1.47	4	6.4	20.1	6.4	64	0.3	37.5	13.5	523	2.57	5.7	<0.5	5.6	87	0.2	<0.1	0.3	31
1348199	Drill Core	1.64	4	8.8	26.5	8.3	70	0.4	40.8	14.8	550	2.76	4.8	<0.5	6.2	91	0.4	<0.1	0.4	33
1348200	Drill Core	2.98	3	2.0	34.0	7.1	74	0.3	15.3	19.1	909	4.44	2.9	<0.5	4.0	109	0.1	<0.1	0.2	91
1348201	Drill Core	3.11	4	0.5	48.3	32.8	95	0.4	14.9	21.4	1574	4.93	12.7	<0.5	1.6	96	0.3	<0.1	0.2	141
1348202	Drill Core	3.31	16	0.9	52.1	9.5	69	0.3	5.5	15.8	1776	4.09	50.5	6.2	2.5	138	0.3	0.1	<0.1	57
1348203	Drill Core	3.81	9	0.7	37.3	18.4	79	0.2	5.8	19.8	1245	4.86	39.6	1.2	2.1	198	0.3	0.1	0.1	64
1348204	Drill Core	1.41	17	0.3	27.7	15.0	42	0.2	6.0	16.2	916	4.22	128.1	1.8	2.1	200	0.2	0.1	<0.1	36
1348205	Drill Core	5.03	4	0.4	32.1	4.3	74	0.3	7.5	14.2	745	3.99	8.8	<0.5	3.4	98	0.2	<0.1	<0.1	52
1348206	Drill Core	4.58	2	1.0	25.7	6.7	77	0.1	11.0	14.7	778	4.14	9.3	<0.5	3.9	76	<0.1	0.2	<0.1	75
1348207	Drill Core	5.03	<2	1.7	13.5	5.2	84	<0.1	13.6	14.6	917	4.05	2.5	<0.5	4.8	57	0.1	<0.1	<0.1	76
1348208	Drill Core	4.79	3	1.9	16.7	9.4	77	0.1	4.3	8.8	768	3.64	3.4	<0.5	4.3	53	0.2	<0.1	<0.1	33
1348209	Drill Core	4.87	3	0.8	30.8	7.0	92	0.2	13.1	15.4	819	4.36	2.3	0.9	3.0	57	0.4	<0.1	<0.1	114
1348210	Rock Pulp	0.13	4822	501.5	72.5	864.0	2884	>100	29.4	9.2	316	2.69	73.8	3532	1.4	49	28.8	122.8	1.6	54

Acme Analytical Laboratories (Vancouver) Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: Rackla Metals Inc.
650-200 Burrard St.
Vancouver BC V6C 3L6 CANADA

Project: KSD
Report Date: October 11, 2013

Page: 2 of 4

Part: 2 of 2

CERTIFICATE OF ANALYSIS

WHI13000451.1

	Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga
	Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1
1348181	Drill Core	0.056	4	7	1.03	89	0.002	<20	1.12	0.007	0.18	<0.1	0.03	<0.1	1.73	4.0	3.1	3
1348182	Drill Core	0.071	6	8	1.48	114	0.010	<20	1.73	0.015	0.18	0.2	0.03	0.1	1.42	4.5	<0.5	4
1348183	Drill Core	0.027	2	6	0.37	80	0.001	<20	0.46	0.004	0.14	<0.1	0.02	<0.1	0.57	1.5	<0.5	1
1348184	Drill Core	0.007	1	6	0.20	26	<0.001	<20	0.20	0.003	0.04	<0.1	0.02	<0.1	0.16	0.9	<0.5	<1
1348185	Drill Core	0.012	2	8	0.16	69	0.001	<20	0.21	0.003	0.10	<0.1	0.01	<0.1	0.38	1.0	<0.5	<1
1348186	Drill Core	0.138	8	5	1.04	111	0.004	<20	1.35	0.021	0.18	0.1	0.03	<0.1	0.87	4.9	<0.5	4
1348187	Rock	0.078	6	7	0.55	201	0.112	<20	0.86	0.061	0.46	<0.1	0.02	0.2	<0.05	1.9	<0.5	4
1348188	Drill Core	0.092	7	3	1.30	96	0.008	<20	1.75	0.022	0.22	0.2	0.02	<0.1	1.43	6.8	1.4	8
1348189	Drill Core	0.102	7	2	1.65	81	0.025	<20	2.22	0.027	0.16	0.2	0.02	<0.1	0.35	7.6	<0.5	9
1348190	Drill Core	0.092	9	2	1.52	35	0.060	<20	1.68	0.040	0.36	0.7	0.02	0.3	0.14	9.8	<0.5	10
1348191	Drill Core	0.077	8	5	1.28	52	0.065	<20	1.46	0.035	0.40	0.8	0.02	0.3	0.06	8.3	<0.5	8
1348192	Drill Core	0.089	9	5	1.69	92	0.013	<20	2.14	0.029	0.18	0.2	0.04	<0.1	0.19	7.3	<0.5	9
1348193	Drill Core	0.077	9	20	1.33	95	0.011	<20	1.80	0.027	0.13	<0.1	0.02	<0.1	0.37	6.6	<0.5	7
1348194	Drill Core	0.035	9	2	0.59	164	0.004	<20	0.90	0.023	0.22	0.1	0.02	<0.1	0.41	2.0	<0.5	3
1348195	Drill Core	0.065	7	19	1.55	137	0.033	<20	2.02	0.021	0.15	0.1	0.01	<0.1	0.31	6.6	0.8	7
1348196	Drill Core	0.043	7	20	1.37	120	0.010	<20	1.63	0.017	0.16	0.2	0.01	<0.1	0.33	3.7	<0.5	3
1348197	Drill Core	0.060	8	49	1.85	135	0.008	<20	1.99	0.015	0.14	<0.1	0.02	<0.1	0.37	5.4	<0.5	5
1348198	Drill Core	0.052	11	74	1.63	145	0.005	<20	1.66	0.014	0.17	<0.1	0.02	0.1	0.14	4.4	<0.5	5
1348199	Drill Core	0.055	11	72	1.79	140	0.006	<20	1.81	0.013	0.18	<0.1	0.02	<0.1	0.18	4.6	<0.5	5
1348200	Drill Core	0.076	6	57	2.42	79	0.011	<20	2.71	0.016	0.12	<0.1	0.03	<0.1	0.27	9.3	<0.5	8
1348201	Drill Core	0.056	4	22	2.42	39	0.033	<20	2.85	0.031	0.07	<0.1	0.02	<0.1	0.35	11.5	<0.5	11
1348202	Drill Core	0.064	5	5	1.35	94	0.028	<20	1.67	0.025	0.18	0.2	0.03	<0.1	1.38	5.1	<0.5	6
1348203	Drill Core	0.089	4	3	1.41	122	0.032	<20	2.00	0.017	0.22	0.2	0.02	<0.1	1.17	5.5	<0.5	7
1348204	Drill Core	0.087	5	4	1.09	111	0.045	<20	1.36	0.012	0.21	0.7	<0.01	<0.1	2.08	3.7	0.8	4
1348205	Drill Core	0.067	7	14	1.64	108	0.027	<20	2.04	0.025	0.17	0.1	0.02	<0.1	0.35	5.4	<0.5	6
1348206	Drill Core	0.062	9	15	1.68	110	0.027	<20	2.14	0.030	0.14	0.1	0.01	<0.1	0.39	7.4	<0.5	8
1348207	Drill Core	0.077	10	64	2.54	108	0.041	<20	2.50	0.021	0.15	<0.1	<0.01	<0.1	0.22	10.4	<0.5	9
1348208	Drill Core	0.073	12	14	1.33	282	0.092	<20	1.74	0.037	0.46	<0.1	<0.01	0.1	0.37	7.7	<0.5	7
1348209	Drill Core	0.072	6	17	2.13	251	0.112	<20	2.37	0.035	0.47	<0.1	<0.01	0.2	0.22	11.7	<0.5	10
1348210	Rock Pulp	0.040	6	37	0.43	113	0.071	<20	0.97	0.070	0.14	18.6	2.13	2.8	1.02	3.1	1.3	7

CERTIFICATE OF ANALYSIS

WHI13000451.1

	Method	WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V
	Unit	kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	%
	MDL	0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2
1348211	Drill Core	3.51	4	2.3	28.8	9.2	103	0.2	15.2	19.4	1016	4.91	7.7	5.7	3.8	78	0.3	0.3	<0.1	133
1348212	Drill Core	3.01	3	1.0	80.6	23.9	105	0.5	28.6	15.4	1044	3.97	6.3	1.2	5.5	84	0.5	<0.1	0.2	67
1348213	Drill Core	4.98	3	1.5	29.5	11.3	91	0.2	24.0	13.9	816	3.69	9.9	2.4	4.8	70	0.3	0.5	<0.1	65
1348214	Drill Core	4.58	4	1.7	31.8	7.8	91	0.1	22.2	14.3	1585	3.87	17.4	2.3	4.9	119	0.3	0.2	<0.1	99
1348215	Drill Core	5.12	3	2.1	25.8	9.7	87	0.2	22.4	15.8	940	3.46	14.2	0.9	4.8	48	0.3	0.1	<0.1	59
1348216	Drill Core	4.62	3	1.6	24.2	7.4	91	0.1	26.4	16.7	902	3.49	13.1	<0.5	5.3	28	0.3	<0.1	<0.1	66
1348217	Drill Core	4.94	3	1.9	28.1	8.3	84	0.1	21.7	14.6	963	3.58	12.2	1.4	4.8	39	0.2	<0.1	<0.1	83
1348218	Drill Core	4.73	3	1.6	24.8	21.0	83	0.4	23.1	13.2	773	3.51	11.8	<0.5	4.8	44	0.3	<0.1	0.2	83
1348219	Rock	1.08	<2	<0.1	1.5	2.8	45	<0.1	3.6	4.3	569	2.03	<0.5	<0.5	5.2	61	<0.1	<0.1	<0.1	40
1348220	Drill Core	4.87	2	2.1	35.6	7.0	90	0.2	33.1	15.8	815	3.71	29.0	<0.5	4.8	61	0.4	<0.1	<0.1	87
1348221	Drill Core	4.36	3	2.0	31.8	6.1	82	0.2	19.0	11.8	833	3.42	15.4	1.9	5.0	71	0.4	0.1	<0.1	80
1348222	Drill Core	5.05	3	1.2	30.6	28.7	82	0.3	26.1	15.5	914	3.61	15.1	<0.5	5.9	88	0.4	<0.1	0.2	86
1348223	Drill Core	5.28	5	1.7	33.2	43.1	92	0.4	28.7	15.2	809	3.23	14.3	<0.5	5.5	82	0.5	<0.1	0.2	63
1348224	Drill Core	4.59	3	1.6	25.4	26.8	74	0.3	17.1	9.4	495	2.48	7.2	<0.5	9.7	33	0.3	<0.1	0.2	35
1348225	Drill Core	4.31	2	1.6	41.8	14.2	75	0.2	19.2	12.2	575	3.17	10.4	<0.5	6.4	56	0.3	<0.1	<0.1	60
1348226	Drill Core	5.18	2	1.4	14.1	10.6	84	0.1	22.7	13.9	555	3.22	16.7	<0.5	6.1	60	0.2	<0.1	<0.1	48
1348227	Drill Core	2.17	3	2.4	27.1	3.5	66	0.1	9.9	7.4	579	2.71	13.8	1.1	7.3	59	0.4	0.1	<0.1	20
1348228	Drill Core	2.19	3	1.6	21.9	7.5	61	0.1	8.1	7.0	520	2.55	16.1	1.4	7.0	50	0.3	0.1	<0.1	18
1348229	Drill Core	4.79	3	2.3	30.5	22.8	73	0.3	26.5	13.0	597	2.83	18.5	<0.5	5.6	81	0.4	<0.1	0.2	35
1348230	Drill Core	5.20	7	1.7	31.1	15.1	66	0.2	18.8	13.6	531	2.85	31.0	3.7	6.5	77	0.4	0.3	0.1	31
1348231	Drill Core	4.38	3	1.4	56.5	9.8	87	0.4	18.6	20.2	839	4.36	22.6	1.7	4.5	113	0.2	<0.1	0.2	90
1348232	Drill Core	4.76	13	1.0	27.2	10.2	77	0.3	15.4	12.2	616	3.04	16.6	8.1	6.5	72	0.3	<0.1	0.1	49
1348233	Drill Core	4.34	5	2.0	49.8	6.7	83	0.2	29.2	20.9	775	3.62	37.2	<0.5	5.3	112	0.4	0.1	<0.1	42
1348234	Drill Core	3.88	15	1.3	45.5	14.7	76	0.2	18.8	12.1	791	3.04	37.9	5.1	7.0	105	0.2	0.2	<0.1	31
1348235	Drill Core	2.88	9	0.1	2.7	1.0	4	<0.1	1.7	1.1	117	0.49	4.0	0.7	0.2	16	<0.1	<0.1	<0.1	2
1348236	Drill Core	5.02	6	1.3	24.6	7.9	98	0.1	17.7	11.4	691	3.19	28.9	1.8	8.8	118	0.6	0.1	<0.1	25
1348237	Drill Core	5.11	3	2.2	17.7	9.1	85	0.2	13.9	13.3	678	2.82	47.3	<0.5	8.2	131	0.4	<0.1	0.2	23
1348238	Rock Pulp	0.13	4728	533.9	79.7	926.7	3112	>100	32.3	10.2	338	2.86	80.8	3630	1.6	55	31.6	125.3	1.6	58
1348239	Drill Core	4.36	3	1.3	13.2	17.7	87	0.1	20.4	11.3	555	2.78	9.7	2.5	7.8	66	0.4	0.3	0.1	41
1348240	Drill Core	4.79	3	1.2	17.2	8.9	93	<0.1	14.5	9.5	563	2.92	7.4	0.6	8.1	59	0.4	<0.1	<0.1	40

Acme Analytical Laboratories (Vancouver) Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: Rackla Metals Inc.
650-200 Burrard St.
Vancouver BC V6C 3L6 CANADA

Project: KSD
Report Date: October 11, 2013

Page: 3 of 4

Part: 2 of 2

CERTIFICATE OF ANALYSIS

WHI13000451.1

	Method Analyte Unit MDL	1DX P %	1DX La ppm	1DX Cr ppm	1DX Mg %	1DX Ba ppm	1DX Ti %	1DX B ppm	1DX Al %	1DX Na %	1DX K %	1DX W ppm	1DX Hg ppm	1DX Tl ppm	1DX S %	1DX Sc ppm	1DX Se ppm	1DX Ga ppm	1DX Te ppm
		0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2
1348211	Drill Core	0.071	8	22	2.31	386	0.148	<20	2.59	0.019	0.70	0.1	0.02	0.3	0.64	12.9	0.6	9	<0.2
1348212	Drill Core	0.101	15	24	1.84	190	0.043	<20	2.29	0.023	0.22	0.2	0.03	<0.1	0.50	6.5	1.6	9	<0.2
1348213	Drill Core	0.082	13	26	1.63	177	0.041	<20	1.79	0.022	0.22	0.1	0.02	0.1	1.06	6.1	<0.5	6	<0.2
1348214	Drill Core	0.084	13	34	1.84	137	0.035	<20	1.85	0.019	0.21	0.3	<0.01	0.1	0.81	7.9	<0.5	9	<0.2
1348215	Drill Core	0.081	12	27	1.83	205	0.034	<20	2.19	0.009	0.18	<0.1	<0.01	<0.1	0.51	5.5	<0.5	7	<0.2
1348216	Drill Core	0.085	14	32	2.26	184	0.029	<20	2.38	0.010	0.17	<0.1	<0.01	<0.1	0.22	6.3	<0.5	8	0.3
1348217	Drill Core	0.076	12	36	2.04	173	0.028	<20	2.22	0.014	0.17	<0.1	0.01	<0.1	0.35	7.2	<0.5	8	0.2
1348218	Drill Core	0.072	13	38	1.87	159	0.027	<20	2.04	0.020	0.17	<0.1	<0.01	<0.1	0.25	8.2	1.1	8	<0.2
1348219	Rock	0.079	9	8	0.65	226	0.125	<20	1.00	0.073	0.49	<0.1	<0.01	0.3	<0.05	2.3	<0.5	5	<0.2
1348220	Drill Core	0.085	10	42	1.68	184	0.035	<20	1.98	0.020	0.17	0.1	0.02	<0.1	0.51	7.2	<0.5	8	<0.2
1348221	Drill Core	0.076	8	33	1.42	121	0.074	<20	1.61	0.037	0.17	0.3	<0.01	<0.1	0.72	8.0	0.7	8	<0.2
1348222	Drill Core	0.059	12	65	1.95	222	0.105	<20	2.15	0.024	0.44	0.2	<0.01	0.2	0.27	9.2	<0.5	8	<0.2
1348223	Drill Core	0.068	12	37	1.77	217	0.060	<20	1.99	0.012	0.38	<0.1	<0.01	0.2	0.18	4.7	<0.5	7	0.3
1348224	Drill Core	0.060	17	19	1.43	235	0.032	<20	1.60	0.021	0.33	<0.1	<0.01	0.1	0.23	3.2	<0.5	5	0.2
1348225	Drill Core	0.066	8	27	2.14	206	0.024	<20	2.08	0.015	0.35	<0.1	<0.01	0.1	0.24	6.2	<0.5	7	<0.2
1348226	Drill Core	0.069	9	35	2.54	194	0.034	<20	2.36	0.010	0.26	<0.1	<0.01	0.1	0.10	5.8	<0.5	7	0.3
1348227	Drill Core	0.063	9	10	1.16	194	0.030	<20	1.19	0.025	0.23	0.3	<0.01	0.1	0.78	3.1	0.8	5	<0.2
1348228	Drill Core	0.060	8	8	1.05	177	0.028	<20	1.10	0.026	0.21	0.2	<0.01	0.1	0.76	2.4	<0.5	5	<0.2
1348229	Drill Core	0.073	8	19	1.24	172	0.036	<20	1.45	0.007	0.38	0.2	<0.01	0.2	0.22	3.0	<0.5	4	0.2
1348230	Drill Core	0.059	11	31	1.15	203	0.021	<20	1.35	0.017	0.29	0.2	<0.01	0.1	0.45	3.4	<0.5	4	0.2
1348231	Drill Core	0.064	7	19	1.69	114	0.037	<20	2.00	0.017	0.24	<0.1	<0.01	0.1	0.35	8.4	0.6	7	0.3
1348232	Drill Core	0.059	9	21	1.40	129	0.009	<20	1.61	0.019	0.17	<0.1	<0.01	<0.1	0.23	4.8	<0.5	6	<0.2
1348233	Drill Core	0.067	9	22	1.74	187	0.015	<20	1.81	0.010	0.24	0.1	<0.01	<0.1	0.74	4.5	<0.5	5	<0.2
1348234	Drill Core	0.060	13	15	1.29	161	0.016	<20	1.36	0.019	0.19	<0.1	0.01	<0.1	1.18	4.0	1.2	5	<0.2
1348235	Drill Core	0.002	<1	5	0.10	14	<0.001	<20	0.10	0.003	0.02	<0.1	<0.01	<0.1	0.09	0.3	<0.5	<1	0.3
1348236	Drill Core	0.115	20	32	1.57	193	0.007	<20	1.60	0.015	0.21	<0.1	0.01	<0.1	0.87	3.6	1.6	4	<0.2
1348237	Drill Core	0.092	16	33	1.32	238	0.018	<20	1.59	0.011	0.24	0.1	<0.01	<0.1	0.34	4.1	<0.5	5	<0.2
1348238	Rock Pulp	0.042	7	41	0.48	72	0.075	<20	1.09	0.071	0.16	17.6	2.18	2.7	1.07	3.4	2.2	7	0.4
1348239	Drill Core	0.076	17	59	1.62	201	0.006	<20	1.74	0.015	0.18	<0.1	0.02	<0.1	0.13	5.7	<0.5	6	<0.2
1348240	Drill Core	0.079	21	51	1.81	233	0.018	<20	1.89	0.015	0.26	<0.1	0.01	<0.1	0.17	7.0	<0.5	7	<0.2

CERTIFICATE OF ANALYSIS

WHI13000451.1

	Method	WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V
	Unit	kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	%
	MDL	0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2
1348241	Drill Core	4.59	3	2.0	20.7	12.4	95	0.2	15.7	8.9	586	2.88	5.4	1.0	8.7	66	0.7	<0.1	0.2	39
1348242	Drill Core	3.78	3	2.4	47.9	11.6	101	0.2	15.9	12.0	693	3.11	8.8	2.8	9.6	75	0.5	<0.1	0.1	44
1348243	Drill Core	5.19	5	1.1	16.9	11.2	93	0.1	14.2	10.4	642	2.94	9.1	<0.5	9.2	68	0.4	<0.1	0.1	40
1348244	Drill Core	4.34	3	1.3	13.0	23.4	89	0.2	15.6	9.7	688	2.89	2.7	2.5	8.3	83	0.1	<0.1	0.2	36
1348245	Drill Core	4.61	3	1.4	19.1	7.6	99	0.1	14.8	11.0	678	3.13	4.8	<0.5	6.5	61	0.2	<0.1	<0.1	37
1348246	Drill Core	4.85	4	0.6	18.8	4.7	77	<0.1	13.1	8.2	575	2.58	7.8	3.1	7.3	41	0.2	<0.1	<0.1	32
1348247	Rock	1.30	3	0.2	1.9	2.9	48	<0.1	4.3	4.8	582	2.14	0.7	3.2	5.4	60	<0.1	<0.1	<0.1	40
1348248	Drill Core	4.51	4	1.1	17.8	6.4	94	0.1	15.5	10.0	638	2.75	4.1	1.7	6.5	70	0.3	0.2	<0.1	39
1348249	Drill Core	1.75	7	1.2	18.9	11.6	78	0.1	11.4	8.9	542	2.48	7.3	8.1	7.5	67	0.5	0.1	0.1	24
1348250	Drill Core	4.61	8	1.7	20.6	10.8	71	0.2	13.8	9.3	562	2.39	10.1	3.6	8.7	100	0.6	<0.1	<0.1	17
1348251	Drill Core	5.03	5	1.3	38.4	45.0	189	0.3	16.7	9.1	634	2.42	6.4	3.8	8.0	96	1.8	0.1	0.2	16
1348252	Drill Core	4.79	5	0.5	27.1	31.4	129	0.3	12.5	9.8	638	2.27	3.7	4.7	7.3	63	0.6	<0.1	0.4	18
1348253	Drill Core	4.69	4	1.5	44.3	9.4	284	0.2	18.2	11.5	562	2.25	6.4	3.1	6.1	45	2.6	<0.1	0.2	17
1348254	Drill Core	5.38	2	<0.1	31.9	1.8	34	<0.1	110.9	17.5	312	1.78	1.0	<0.5	1.2	37	<0.1	0.1	<0.1	34
1348255	Drill Core	1.25	2	0.5	70.8	1.6	12	<0.1	124.2	14.8	190	1.55	<0.5	<0.5	0.3	43	<0.1	<0.1	<0.1	16
1348256	Drill Core	4.85	2	3.6	58.1	1.0	17	<0.1	78.7	17.5	320	1.37	0.7	<0.5	<0.1	42	<0.1	<0.1	<0.1	24
1348257	Drill Core	5.25	4	0.3	215.0	0.9	43	0.4	68.3	33.9	564	3.51	4.3	<0.5	<0.1	37	<0.1	<0.1	<0.1	52
1348258	Drill Core	5.41	2	0.3	85.8	0.5	32	0.1	72.5	17.6	334	1.57	<0.5	2.1	<0.1	29	<0.1	<0.1	<0.1	23
1348259	Drill Core	2.52	3	0.3	118.0	0.5	55	0.1	72.5	26.6	702	3.25	0.9	<0.5	<0.1	38	<0.1	<0.1	<0.1	57
1348260	Drill Core	2.60	3	0.3	103.3	0.8	54	0.1	72.4	28.5	710	3.31	1.5	<0.5	<0.1	40	0.1	<0.1	<0.1	60
1348261	Drill Core	3.30	3	0.7	104.2	0.5	54	0.2	70.7	31.6	756	4.05	1.8	0.7	<0.1	68	<0.1	<0.1	<0.1	93
1348262	Drill Core	2.65	3	1.5	53.3	2.2	73	0.1	69.8	33.1	1141	5.11	2.9	1.2	0.2	84	<0.1	<0.1	<0.1	142
1348263	Drill Core	3.36	3	1.2	65.0	0.7	57	0.2	57.7	34.0	887	4.52	1.3	<0.5	0.1	58	0.1	<0.1	<0.1	106
1348264	Drill Core	3.52	2	1.5	79.0	0.6	30	0.2	78.8	25.0	576	2.74	1.2	<0.5	<0.1	69	<0.1	0.1	<0.1	61
1348265	Drill Core	2.68	3	<0.1	92.1	0.4	31	<0.1	136.5	30.6	402	2.65	0.7	1.6	<0.1	46	<0.1	<0.1	<0.1	49
1348266	Rock Pulp	0.13	5101	511.4	77.0	901.8	3054	>100	31.2	9.7	325	2.81	76.2	3672	1.6	55	31.1	121.4	1.5	57
1348267	Drill Core	3.87	4	0.2	50.0	0.5	41	<0.1	269.2	36.4	701	3.25	0.9	5.4	<0.1	78	<0.1	<0.1	<0.1	76
1348268	Drill Core	1.98	7	0.5	53.7	1.2	33	0.2	167.4	27.6	818	2.84	1.5	3.2	<0.1	101	<0.1	<0.1	<0.1	80
1348269	Drill Core	3.11	4	0.6	73.9	1.6	63	0.2	72.7	33.1	1053	5.06	0.9	11.9	0.2	108	<0.1	<0.1	<0.1	164
1348270	Drill Core	2.96	4	13.4	77.0	2.3	66	0.2	112.4	30.0	1341	4.29	1.0	<0.5	0.9	114	0.1	<0.1	<0.1	111

Acme Analytical Laboratories (Vancouver) Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: Rackla Metals Inc.
650-200 Burrard St.
Vancouver BC V6C 3L6 CANADA

Project: KSD
Report Date: October 11, 2013

Page: 4 of 4

Part: 2 of 2

CERTIFICATE OF ANALYSIS

WHI13000451.1

	Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te
	Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	MDL	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2
1348241	Drill Core	0.078	23	52	1.68	206	0.014	<20	1.77	0.014	0.22	<0.1	0.01	0.1	0.14	6.5	<0.5	6	0.4
1348242	Drill Core	0.091	25	60	1.90	197	0.007	<20	1.95	0.014	0.19	<0.1	<0.01	<0.1	0.18	6.5	0.8	7	<0.2
1348243	Drill Core	0.082	20	51	1.57	247	0.026	<20	1.74	0.020	0.28	<0.1	<0.01	<0.1	0.22	6.0	1.1	7	<0.2
1348244	Drill Core	0.079	20	45	1.55	272	0.029	<20	1.73	0.015	0.30	<0.1	0.03	<0.1	0.27	6.4	1.5	7	0.2
1348245	Drill Core	0.084	14	47	2.00	222	0.045	<20	2.02	0.016	0.28	<0.1	0.02	<0.1	0.39	6.0	0.6	7	<0.2
1348246	Drill Core	0.064	18	43	1.31	206	0.018	<20	1.34	0.030	0.18	<0.1	<0.01	<0.1	0.65	4.9	1.2	5	<0.2
1348247	Rock	0.071	10	9	0.61	231	0.132	<20	1.02	0.078	0.51	<0.1	0.01	0.3	<0.05	2.3	<0.5	5	<0.2
1348248	Drill Core	0.078	16	47	1.60	212	0.024	<20	1.60	0.015	0.21	<0.1	0.02	<0.1	0.48	6.4	0.8	6	<0.2
1348249	Drill Core	0.066	18	29	1.16	228	0.021	<20	1.22	0.016	0.21	<0.1	<0.01	<0.1	0.82	4.1	<0.5	5	<0.2
1348250	Drill Core	0.058	21	20	0.99	261	0.009	<20	1.19	0.016	0.24	<0.1	<0.01	<0.1	0.62	3.1	<0.5	4	<0.2
1348251	Drill Core	0.061	19	26	0.97	242	0.012	<20	1.22	0.013	0.22	<0.1	<0.01	<0.1	0.55	2.9	<0.5	4	<0.2
1348252	Drill Core	0.053	14	39	1.34	221	0.021	<20	1.34	0.011	0.24	0.1	<0.01	<0.1	0.65	3.6	<0.5	4	<0.2
1348253	Drill Core	0.045	12	28	1.11	190	0.052	<20	1.02	0.012	0.22	<0.1	<0.01	<0.1	1.12	3.7	0.6	3	<0.2
1348254	Drill Core	0.038	2	192	1.77	46	0.145	<20	1.46	0.012	0.05	<0.1	<0.01	<0.1	0.15	1.6	<0.5	3	<0.2
1348255	Drill Core	0.114	1	229	1.25	17	0.077	<20	0.97	0.025	0.03	<0.1	<0.01	<0.1	0.77	1.1	0.6	2	<0.2
1348256	Drill Core	0.015	<1	184	1.82	28	0.103	<20	1.45	0.013	0.06	<0.1	<0.01	<0.1	0.07	2.0	<0.5	2	<0.2
1348257	Drill Core	0.050	<1	158	2.56	1	0.206	<20	2.28	0.019	<0.01	<0.1	0.01	<0.1	0.33	2.6	0.7	4	<0.2
1348258	Drill Core	0.019	<1	149	1.83	14	0.094	<20	1.52	0.014	0.04	<0.1	<0.01	<0.1	0.11	2.1	<0.5	2	<0.2
1348259	Drill Core	0.042	<1	157	2.58	15	0.185	<20	2.35	0.021	0.05	<0.1	<0.01	<0.1	0.19	3.0	<0.5	5	<0.2
1348260	Drill Core	0.045	<1	159	2.69	14	0.176	<20	2.41	0.015	0.04	<0.1	<0.01	<0.1	0.18	3.4	<0.5	5	<0.2
1348261	Drill Core	0.075	1	169	3.14	8	0.231	<20	2.68	0.016	0.02	0.1	<0.01	<0.1	0.17	5.1	<0.5	7	<0.2
1348262	Drill Core	0.089	2	178	4.34	20	0.263	<20	3.42	0.009	0.03	0.4	<0.01	<0.1	0.29	10.4	<0.5	10	<0.2
1348263	Drill Core	0.099	1	117	3.34	6	0.246	<20	2.95	0.020	0.02	0.1	<0.01	<0.1	0.23	5.5	<0.5	8	<0.2
1348264	Drill Core	0.039	<1	194	3.25	12	0.134	<20	2.40	0.012	0.03	<0.1	<0.01	<0.1	0.25	5.3	<0.5	5	<0.2
1348265	Drill Core	0.070	<1	262	3.01	4	0.195	<20	2.27	0.008	<0.01	<0.1	<0.01	<0.1	0.33	2.4	<0.5	4	<0.2
1348266	Rock Pulp	0.036	6	39	0.46	94	0.076	<20	1.05	0.071	0.16	17.3	1.91	2.7	1.04	3.2	0.6	7	0.7
1348267	Drill Core	0.041	<1	569	4.34	4	0.120	<20	3.09	0.004	<0.01	<0.1	<0.01	<0.1	0.20	6.6	<0.5	6	<0.2
1348268	Drill Core	0.093	<1	351	3.91	11	0.080	<20	2.88	0.016	0.02	<0.1	0.01	<0.1	0.10	13.1	<0.5	6	<0.2
1348269	Drill Core	0.087	3	185	4.08	7	0.098	<20	3.67	0.011	0.02	0.3	0.01	<0.1	0.16	19.8	<0.5	10	<0.2
1348270	Drill Core	0.077	4	216	3.57	25	0.097	<20	3.20	0.008	0.10	0.4	<0.01	<0.1	0.18	13.8	<0.5	9	<0.2

QUALITY CONTROL REPORT

WHI13000451.1

	Method Analyte Unit MDL	WGHT Wgt kg 0.01	3B Au ppb 2	1DX Mo ppm 0.1	1DX Cu ppm 0.1	1DX Pb ppm 0.1	1DX Zn ppm 1	1DX Ag ppm 0.1	1DX Ni ppm 0.1	1DX Co ppm 0.1	1DX Mn ppm 1	1DX Fe % 0.01	1DX As ppm 0.5	1DX Au ppb 0.5	1DX Th ppm 0.1	1DX Sr ppm 1	1DX Cd ppm 0.1	1DX Sb ppm 0.1	1DX Bi ppm 0.1	1DX V ppm 2	1DX Ca % 0.01
Pulp Duplicates																					
1348195	Drill Core	3.25	3	1.5	49.6	7.1	80	0.3	15.7	17.9	882	4.05	10.9	2.3	3.9	121	0.3	<0.1	0.1	67	2.24
REP 1348195	QC	3																			
1348208	Drill Core	4.79	3	1.9	16.7	9.4	77	0.1	4.3	8.8	768	3.64	3.4	<0.5	4.3	53	0.2	<0.1	<0.1	33	1.20
REP 1348208	QC	2.3		16.3	9.5	76	0.1	3.6	8.9	735	3.49	3.6	<0.5	4.2	51	0.2	<0.1	<0.1	31	1.17	
1348229	Drill Core	4.79	3	2.3	30.5	22.8	73	0.3	26.5	13.0	597	2.83	18.5	<0.5	5.6	81	0.4	<0.1	0.2	35	1.44
REP 1348229	QC	2																			
1348244	Drill Core	4.34	3	1.3	13.0	23.4	89	0.2	15.6	9.7	688	2.89	2.7	2.5	8.3	83	0.1	<0.1	0.2	36	1.77
REP 1348244	QC	1.2		14.0	23.1	90	0.3	14.9	9.3	713	2.93	2.1	4.5	8.4	84	0.4	<0.1	0.2	36	1.78	
1348270	Drill Core	2.96	4	13.4	77.0	2.3	66	0.2	112.4	30.0	1341	4.29	1.0	<0.5	0.9	114	0.1	<0.1	<0.1	111	4.50
REP 1348270	QC	11.3		77.6	2.3	67	0.3	113.9	29.9	1342	4.28	1.6	4.1	0.9	114	0.2	<0.1	<0.1	112	4.52	
Core Reject Duplicates																					
1348207	Drill Core	5.03	<2	1.7	13.5	5.2	84	<0.1	13.6	14.6	917	4.05	2.5	<0.5	4.8	57	0.1	<0.1	<0.1	76	1.36
DUP 1348207	QC	2		1.4	14.4	3.6	85	<0.1	13.3	14.6	946	4.14	3.0	<0.5	4.7	55	0.2	<0.1	<0.1	77	1.40
1348245	Drill Core	4.61	3	1.4	19.1	7.6	99	0.1	14.8	11.0	678	3.13	4.8	<0.5	6.5	61	0.2	<0.1	<0.1	37	1.30
DUP 1348245	QC	3		1.1	19.2	7.0	97	0.1	16.3	11.7	678	3.24	4.5	<0.5	6.5	64	0.3	<0.1	<0.1	38	1.30
Reference Materials																					
STD DS10	Standard			12.2	154.2	148.0	374	1.7	70.0	12.3	851	2.68	44.7	69.7	6.7	65	2.6	7.7	11.9	43	1.03
STD DS10	Standard			16.0	156.0	159.6	342	2.0	74.8	12.9	900	2.76	47.5	64.5	8.1	65	2.7	7.7	12.8	45	1.07
STD DS10	Standard			14.9	158.0	165.0	360	1.9	75.2	13.7	910	2.87	44.6	78.5	7.3	71	2.6	7.7	12.9	46	1.09
STD OREAS45EA	Standard			1.4	651.5	13.7	30	0.2	351.2	49.6	383	22.62	8.9	54.3	10.0	4	<0.1	0.2	0.3	287	0.04
STD OREAS45EA	Standard			1.6	728.4	15.1	32	0.2	409.7	57.3	413	25.33	11.4	62.5	11.1	4	<0.1	0.2	0.2	315	0.04
STD OREAS45EA	Standard			1.7	730.4	15.1	32	0.3	402.6	52.7	402	24.49	10.5	50.8	10.6	4	0.1	0.2	0.2	314	0.05
STD OXC109	Standard	207																			
STD OXC109	Standard	201																			
STD OXC109	Standard	202																			
STD OXI96	Standard	1868																			
STD OXI96	Standard	1844																			
STD OXI96	Standard	1919																			

QUALITY CONTROL REPORT

WHI13000451.1

	Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	
	Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te
	Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	MDL	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2
Pulp Duplicates																			
1348195	Drill Core	0.065	7	19	1.55	137	0.033	<20	2.02	0.021	0.15	0.1	0.01	<0.1	0.31	6.6	0.8	7	<0.2
REP 1348195	QC																		
1348208	Drill Core	0.073	12	14	1.33	282	0.092	<20	1.74	0.037	0.46	<0.1	<0.01	0.1	0.37	7.7	<0.5	7	<0.2
REP 1348208	QC	0.073	12	14	1.27	265	0.091	<20	1.66	0.036	0.45	<0.1	0.02	0.1	0.36	7.3	<0.5	8	<0.2
1348229	Drill Core	0.073	8	19	1.24	172	0.036	<20	1.45	0.007	0.38	0.2	<0.01	0.2	0.22	3.0	<0.5	4	0.2
REP 1348229	QC																		
1348244	Drill Core	0.079	20	45	1.55	272	0.029	<20	1.73	0.015	0.30	<0.1	0.03	<0.1	0.27	6.4	1.5	7	0.2
REP 1348244	QC	0.083	20	45	1.60	269	0.028	<20	1.79	0.016	0.30	<0.1	<0.01	0.1	0.28	6.3	<0.5	7	<0.2
1348270	Drill Core	0.077	4	216	3.57	25	0.097	<20	3.20	0.008	0.10	0.4	<0.01	<0.1	0.18	13.8	<0.5	9	<0.2
REP 1348270	QC	0.080	4	214	3.55	25	0.096	<20	3.18	0.008	0.10	0.3	<0.01	<0.1	0.19	13.6	<0.5	9	<0.2
Core Reject Duplicates																			
1348207	Drill Core	0.077	10	64	2.54	108	0.041	<20	2.50	0.021	0.15	<0.1	<0.01	<0.1	0.22	10.4	<0.5	9	<0.2
DUP 1348207	QC	0.083	11	66	2.60	114	0.040	<20	2.59	0.025	0.16	0.1	0.02	<0.1	0.22	10.6	<0.5	9	<0.2
1348245	Drill Core	0.084	14	47	2.00	222	0.045	<20	2.02	0.016	0.28	<0.1	0.02	<0.1	0.39	6.0	0.6	7	<0.2
DUP 1348245	QC	0.077	14	47	2.01	244	0.045	<20	2.04	0.016	0.30	<0.1	0.02	<0.1	0.41	6.7	0.6	7	<0.2
Reference Materials																			
STD DS10	Standard	0.074	15	52	0.75	387	0.071	<20	0.99	0.064	0.32	3.2	0.30	4.6	0.28	2.7	2.4	4	5.4
STD DS10	Standard	0.075	17	54	0.78	407	0.074	<20	1.05	0.065	0.34	2.8	0.29	5.1	0.28	3.0	2.8	5	4.5
STD DS10	Standard	0.075	17	57	0.80	408	0.078	<20	1.06	0.065	0.35	2.6	0.30	5.0	0.29	2.8	3.3	5	6.1
STD OREAS45EA	Standard	0.030	7	790	0.10	139	0.086	<20	2.88	0.022	0.05	<0.1	0.02	<0.1	<0.05	73.0	<0.5	12	<0.2
STD OREAS45EA	Standard	0.033	7	919	0.11	148	0.097	<20	3.49	0.017	0.05	<0.1	0.02	<0.1	<0.05	86.1	1.2	13	<0.2
STD OREAS45EA	Standard	0.032	7	891	0.11	147	0.096	<20	3.26	0.018	0.05	<0.1	0.01	<0.1	<0.05	81.9	1.1	13	<0.2
STD OXC109	Standard																		
STD OXC109	Standard																		
STD OXC109	Standard																		
STD OXI96	Standard																		
STD OXI96	Standard																		
STD OXI96	Standard																		

QUALITY CONTROL REPORT

WHI13000451.1

		WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01
STD OXC109 Expected		201																			
STD OXI96 Expected		1802																			
STD DS10 Expected				14.69	154.61	150.55	352.9	1.96	74.6	12.9	861	2.7188	43.7	91.9	7.5	67.1	2.48	9.51	11.65	43	1.0355
STD OREAS45EA Expected				1.39	709	14.3	28.9	0.26	381	52	400	23.51	9.1	53	10.7	3.5	0.02	0.2	0.26	303	0.036
BLK	Blank	<2																			
BLK	Blank	2																			
BLK	Blank	2																			
BLK	Blank	2																			
BLK	Blank	<2																			
BLK	Blank	2																			
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	0.2	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
Prep Wash																					
G1-WHI	Prep Blank		2	<0.1	3.2	3.0	48	<0.1	2.2	4.0	584	2.02	<0.5	<0.5	6.8	49	<0.1	<0.1	<0.1	39	0.43
G1-WHI	Prep Blank		<2	0.1	3.2	2.6	40	<0.1	2.1	3.8	530	1.83	<0.5	<0.5	4.7	50	<0.1	<0.1	<0.1	35	0.39

QUALITY CONTROL REPORT

WHI13000451.1

		1DX P %	1DX La ppm	1DX Cr ppm	1DX Mg %	1DX Ba ppm	1DX Ti %	1DX B ppm	1DX Al %	1DX Na %	1DX K %	1DX W ppm	1DX Hg ppm	1DX Tl ppm	1DX S %	1DX Sc ppm	1DX Se ppm	1DX Ga ppm	1DX Te ppm
		0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2
STD OXC109 Expected																			
STD OXI96 Expected																			
STD DS10 Expected		0.073	17.5	54.6	0.7651	349	0.0817		1.0259	0.0638	0.3245	3.34	0.289	4.79	0.2743	2.8	2.3	4.3	4.89
STD OREAS45EA Expected		0.029	6.57	849	0.095	148	0.0875		3.13	0.02	0.053			0.072	0.036	78	0.6	11.7	0.07
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.05	<0.1	<0.5	<1	<0.2
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.05	<0.1	<0.5	<1	0.4
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.05	0.1	<0.5	<1	<0.2
Prep Wash																			
G1-WHI	Prep Blank	0.070	10	6	0.50	162	0.118	<20	0.89	0.074	0.51	<0.1	0.02	0.4	<0.05	2.4	0.6	4	<0.2
G1-WHI	Prep Blank	0.061	9	6	0.45	143	0.101	<20	0.79	0.074	0.45	<0.1	0.02	0.3	<0.05	2.1	<0.5	4	<0.2

Acme Analytical Laboratories (Vancouver) Ltd.
9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA
PHONE (604) 253-3158

Client: **Rackla Metals Inc.**
650-200 Burrard St.
Vancouver BC V6C 3L6 CANADA

Submitted By: Roger Hulstein
Receiving Lab: Canada-Whitehorse
Received: September 25, 2013
Report Date: October 11, 2013
Page: 1 of 3

CERTIFICATE OF ANALYSIS

WHI13000454.1

CLIENT JOB INFORMATION

Project: KSD
Shipment ID: 2013-4
P.O. Number
Number of Samples: 60

SAMPLE DISPOSAL

DISP-PLP Dispose of Pulp After 90 days
DISP-RJT Dispose of Reject After 90 days

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Rackla Metals Inc.
650-200 Burrard St.
Vancouver BC V6C 3L6
CANADA

CC: Simon Ridgway
Dave Clark
Database Backup

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
R200-250	58	Crush, split and pulverize 250 g rock to 200 mesh			WHI
3B	60	Fire assay fusion Au by ICP-ES	30	Completed	VAN
1DX	60	1:1:1 Aqua Regia digestion ICP-MS analysis	0.5	Completed	VAN

ADDITIONAL COMMENTS



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
*** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



A Bureau Veritas Group Company

www.acmelab.com

Acme Analytical Laboratories (Vancouver) Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client:

Rackla Metals Inc.

650-200 Burrard St.

Vancouver BC V6C 3L6 CANADA

Project:

KSD

Report Date:

October 11, 2013

Page:

2 of 3

Part:

1 of 2

CERTIFICATE OF ANALYSIS

WHI13000454.1

	Method	WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V
	Unit	kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	%
	MDL	0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2
1348271	Drill Core	2.06	3	1.0	88.8	2.7	64	0.3	118.9	27.1	1107	4.10	2.2	1.8	1.2	97	0.1	<0.1	<0.1	96
1348272	Drill Core	3.04	3	0.4	35.3	2.2	70	0.2	28.5	36.8	1129	6.97	25.6	<0.5	0.3	138	<0.1	0.2	<0.1	242
1348273	Drill Core	5.30	3	0.2	58.8	2.7	43	0.2	147.3	32.7	999	4.17	10.7	<0.5	0.2	223	0.2	<0.1	<0.1	99
1348274	Drill Core	4.87	3	0.7	59.4	1.1	53	0.1	54.7	27.6	1015	4.46	0.7	15.1	0.2	133	0.1	<0.1	<0.1	148
1348275	Drill Core	4.93	3	0.2	59.2	0.6	66	<0.1	51.3	27.6	822	4.09	0.6	1.4	0.1	64	<0.1	<0.1	<0.1	112
1348276	Drill Core	5.16	2	0.6	76.7	0.9	84	0.1	56.5	30.0	1011	4.56	0.6	<0.5	0.2	83	<0.1	<0.1	<0.1	126
1348277	Drill Core	4.93	2	1.3	77.9	1.3	96	0.2	58.5	31.1	1110	4.90	0.8	<0.5	0.4	110	0.1	<0.1	<0.1	154
1348278	Rock	4.38	19	0.9	136.6	1.7	107	0.4	54.4	31.2	1248	5.18	10.7	<0.5	0.5	166	0.2	<0.1	<0.1	149
1348279	Drill Core	5.46	3	0.9	44.1	0.9	51	<0.1	59.4	32.4	995	5.09	1.9	0.8	0.3	153	<0.1	<0.1	<0.1	155
1348280	Drill Core	5.77	5	<0.1	37.6	0.7	41	<0.1	92.5	28.8	798	3.78	0.9	0.6	0.1	104	<0.1	<0.1	<0.1	121
1348281	Drill Core	1.28	3	<0.1	1.6	3.3	46	<0.1	3.7	4.0	564	2.01	<0.5	<0.5	4.6	56	<0.1	<0.1	<0.1	39
1348282	Drill Core	5.23	3	<0.1	48.7	0.5	24	0.1	50.9	23.1	312	1.95	0.6	<0.5	<0.1	38	<0.1	<0.1	<0.1	53
1348283	Drill Core	5.20	3	<0.1	95.2	0.5	25	<0.1	86.0	21.1	446	2.05	0.7	<0.5	0.2	56	<0.1	<0.1	<0.1	58
1348284	Drill Core	5.01	16	<0.1	55.2	0.7	24	0.2	166.6	24.3	597	2.38	<0.5	3.8	<0.1	98	<0.1	<0.1	<0.1	62
1348285	Drill Core	4.21	5	0.1	34.2	2.0	20	0.1	217.9	30.1	733	2.14	95.1	<0.5	<0.1	185	<0.1	<0.1	<0.1	33
1348286	Drill Core	5.22	2	<0.1	68.0	1.4	27	0.2	202.4	57.6	716	4.38	177.6	<0.5	<0.1	175	0.2	<0.1	<0.1	36
1348287	Drill Core	4.59	2	0.1	415.5	1.0	26	0.8	247.1	38.1	758	3.67	8.8	1.1	<0.1	128	<0.1	<0.1	<0.1	39
1348288	Drill Core	2.56	2	0.3	89.4	0.8	23	0.3	155.0	54.0	628	4.24	2.0	<0.5	<0.1	98	<0.1	<0.1	<0.1	36
1348289	Drill Core	3.53	2	0.7	48.3	2.3	27	0.2	221.2	26.7	948	2.11	2.7	0.5	<0.1	149	<0.1	<0.1	<0.1	34
1348290	Drill Core	3.60	4	0.3	62.0	3.4	36	0.3	184.8	39.5	881	3.91	95.9	<0.5	<0.1	224	0.1	<0.1	<0.1	84
1348291	Drill Core	2.47	3	0.4	48.1	4.1	21	0.1	136.7	30.1	765	2.16	163.7	<0.5	<0.1	310	0.2	<0.1	<0.1	22
1348292	Drill Core	2.42	3	0.3	43.0	3.1	21	0.2	131.8	30.0	739	2.18	165.5	<0.5	<0.1	295	<0.1	<0.1	<0.1	22
1348293	Drill Core	5.11	4	<0.1	73.4	1.2	34	<0.1	83.4	30.8	820	3.68	1.9	1.1	<0.1	145	<0.1	<0.1	<0.1	86
1348294	Drill Core	5.17	3	<0.1	26.3	1.2	28	<0.1	83.8	25.8	792	3.42	0.8	<0.5	<0.1	140	<0.1	<0.1	<0.1	88
1348295	Drill Core	4.68	8	<0.1	63.9	1.1	35	0.1	83.6	29.8	925	4.11	4.9	3.9	<0.1	154	<0.1	<0.1	<0.1	98
1348296	Drill Core	2.76	3	<0.1	33.5	2.1	48	0.2	279.2	54.9	970	4.13	278.8	<0.5	0.2	256	<0.1	<0.1	<0.1	87
1348297	Drill Core	1.79	3	<0.1	1.8	9.8	27	<0.1	201.5	35.1	661	2.07	355.4	<0.5	0.2	382	<0.1	<0.1	<0.1	28
1348298	Rock Pulp	0.13	5588	515.0	79.8	941.8	3066	>100	30.1	9.4	335	2.83	81.1	3233	1.6	54	30.5	115.5	1.6	56
1348299	Drill Core	4.74	18	0.1	11.1	3.7	26	<0.1	263.5	38.4	692	2.51	405.7	14.0	0.2	329	<0.1	<0.1	<0.1	34
1348300	Drill Core	5.14	21	<0.1	23.7	1.9	17	0.1	80.9	20.3	593	1.97	53.4	16.0	<0.1	183	<0.1	<0.1	<0.1	30

Acme Analytical Laboratories (Vancouver) Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: Rackla Metals Inc.
650-200 Burrard St.
Vancouver BC V6C 3L6 CANADA

Project: KSD
Report Date: October 11, 2013

Page: 2 of 3

Part: 2 of 2

CERTIFICATE OF ANALYSIS

WHI13000454.1

	Method	Analyte	Unit	MDL	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX			
					P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te
					%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
					0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2
1348271	Drill Core	0.130	4	184	3.00	35	0.068	<20	2.79	0.008	0.08	0.5	<0.01	<0.1	0.18	9.3	<0.5	9	<0.2			
1348272	Drill Core	0.199	3	36	3.19	13	0.174	<20	3.40	0.012	0.04	0.6	<0.01	<0.1	1.30	16.2	<0.5	10	0.4			
1348273	Drill Core	0.067	2	213	3.85	31	0.058	<20	3.26	0.015	0.07	0.4	<0.01	<0.1	0.41	13.7	<0.5	7	<0.2			
1348274	Drill Core	0.097	2	127	3.09	6	0.072	<20	3.10	0.020	0.02	<0.1	<0.01	<0.1	0.14	18.0	<0.5	11	<0.2			
1348275	Drill Core	0.107	2	105	3.02	3	0.146	<20	2.75	0.029	<0.01	0.1	<0.01	<0.1	<0.05	8.0	1.0	8	0.3			
1348276	Drill Core	0.108	2	130	3.51	9	0.137	<20	3.21	0.024	0.01	<0.1	<0.01	<0.1	<0.05	11.3	<0.5	9	<0.2			
1348277	Drill Core	0.104	3	137	3.39	12	0.076	<20	3.21	0.026	0.02	<0.1	<0.01	<0.1	0.51	17.1	<0.5	10	<0.2			
1348278	Rock	0.109	4	121	3.49	35	0.077	<20	3.28	0.021	0.08	0.4	<0.01	<0.1	0.76	17.2	1.0	10	<0.2			
1348279	Drill Core	0.089	2	155	3.69	22	0.094	<20	3.49	0.022	0.05	0.2	<0.01	<0.1	0.18	17.7	<0.5	11	0.3			
1348280	Drill Core	0.097	2	189	3.64	5	0.118	<20	3.08	0.018	<0.01	0.2	<0.01	<0.1	0.14	15.6	1.0	8	<0.2			
1348281	Drill Core	0.077	9	8	0.59	203	0.120	<20	0.96	0.076	0.46	<0.1	<0.01	0.3	<0.05	2.3	<0.5	5	<0.2			
1348282	Drill Core	0.083	<1	139	2.03	4	0.163	<20	1.64	0.025	<0.01	0.2	<0.01	<0.1	0.32	4.4	0.9	4	<0.2			
1348283	Drill Core	0.088	1	180	2.54	3	0.090	<20	1.99	0.024	<0.01	<0.1	<0.01	<0.1	0.15	6.4	<0.5	4	<0.2			
1348284	Drill Core	0.027	<1	340	3.60	4	0.028	<20	2.90	0.010	0.01	0.2	<0.01	<0.1	0.06	9.8	<0.5	5	<0.2			
1348285	Drill Core	0.011	<1	300	4.07	35	0.014	<20	2.90	0.010	0.11	0.2	<0.01	<0.1	<0.05	6.1	<0.5	4	<0.2			
1348286	Drill Core	0.008	<1	284	3.69	31	0.016	<20	2.87	0.006	0.18	0.1	<0.01	0.1	1.25	6.8	1.1	4	<0.2			
1348287	Drill Core	0.008	<1	395	4.37	13	0.016	<20	3.47	0.008	0.07	0.1	<0.01	<0.1	0.23	9.2	1.1	5	<0.2			
1348288	Drill Core	0.003	<1	315	3.79	7	0.013	<20	3.54	0.008	0.08	<0.1	<0.01	<0.1	0.74	7.9	1.0	5	0.3			
1348289	Drill Core	0.019	<1	504	4.15	14	0.023	<20	2.94	0.015	0.06	0.1	<0.01	<0.1	<0.05	7.9	<0.5	4	<0.2			
1348290	Drill Core	0.015	<1	248	3.86	80	0.059	<20	2.97	0.008	0.34	0.5	<0.01	0.2	0.70	8.1	0.5	6	<0.2			
1348291	Drill Core	0.003	<1	131	2.62	55	0.015	<20	1.65	0.008	0.68	0.1	<0.01	0.4	0.16	5.3	<0.5	2	<0.2			
1348292	Drill Core	0.003	<1	119	2.59	53	0.015	<20	1.66	0.007	0.65	<0.1	<0.01	0.4	0.15	5.1	<0.5	2	<0.2			
1348293	Drill Core	0.035	<1	182	3.21	15	0.043	<20	2.77	0.017	0.13	0.2	0.01	<0.1	0.41	10.0	<0.5	7	<0.2			
1348294	Drill Core	0.035	<1	221	3.19	7	0.037	<20	2.89	0.019	0.08	<0.1	<0.01	<0.1	<0.05	11.7	<0.5	7	0.2			
1348295	Drill Core	0.037	<1	168	3.58	17	0.048	<20	3.19	0.017	0.27	<0.1	<0.01	0.1	0.16	11.2	<0.5	7	0.2			
1348296	Drill Core	0.065	<1	325	5.21	28	0.044	<20	3.79	0.006	0.25	0.1	<0.01	0.1	0.44	13.4	0.7	6	<0.2			
1348297	Drill Core	0.036	1	164	2.51	87	0.036	<20	1.55	0.006	0.62	0.4	<0.01	0.3	0.05	8.4	<0.5	2	0.3			
1348298	Rock Pulp	0.041	6	40	0.45	57	0.070	<20	1.05	0.076	0.15	19.0	2.01	2.8	1.07	3.6	1.7	7	0.7			
1348299	Drill Core	0.028	<1	214	3.15	68	0.041	<20	2.13	0.006	0.67	0.3	<0.01	0.3	0.10	5.6	<0.5	4	<0.2			
1348300	Drill Core	0.010	<1	116	2.59	21	0.031	<20	1.86	0.011	0.35	0.4	<0.01	0.1	0.10	6.0	0.6	3	0.2			

CERTIFICATE OF ANALYSIS

WHI13000454.1

	Method	WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V
	Unit	kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	%
	MDL	0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2
1348301	Drill Core	5.36	4	0.2	39.3	0.7	18	<0.1	83.5	18.0	504	1.93	1.3	8.0	<0.1	95	<0.1	0.1	<0.1	46
1348302	Drill Core	5.98	3	0.6	24.2	0.6	11	<0.1	61.1	13.0	324	1.34	0.6	3.0	<0.1	62	<0.1	<0.1	<0.1	41
1348303	Drill Core	3.98	14	0.4	67.2	0.4	15	<0.1	133.4	20.6	342	1.61	1.4	28.7	0.1	48	<0.1	<0.1	<0.1	36
1348304	Drill Core	5.39	4	0.2	75.7	0.7	16	<0.1	77.8	18.5	265	1.41	0.7	2.0	<0.1	31	<0.1	<0.1	<0.1	22
1348305	Drill Core	6.06	<2	1.2	33.6	0.4	8	<0.1	51.9	10.3	165	0.71	0.5	4.7	<0.1	21	<0.1	<0.1	<0.1	11
1348306	Drill Core	4.86	2	0.2	73.0	0.2	10	<0.1	65.8	16.5	149	0.97	1.0	0.6	<0.1	15	<0.1	<0.1	<0.1	11
1348307	Drill Core	5.43	<2	0.3	33.7	0.5	14	<0.1	62.5	16.9	222	1.32	1.1	<0.5	<0.1	25	<0.1	<0.1	<0.1	14
1348308	Drill Core	5.18	3	<0.1	22.3	0.3	12	<0.1	57.6	17.0	182	1.36	1.9	<0.5	0.1	19	<0.1	<0.1	<0.1	23
1348309	Drill Core	5.45	2	0.1	29.1	0.4	18	0.1	67.3	23.1	234	1.79	1.9	<0.5	<0.1	20	<0.1	<0.1	<0.1	30
1348310	Drill Core	4.11	2	<0.1	26.4	0.4	20	<0.1	74.6	23.6	333	2.15	2.3	<0.5	<0.1	32	<0.1	<0.1	<0.1	42
1348311	Drill Core	5.42	<2	0.2	17.8	0.5	11	<0.1	61.9	22.1	198	1.72	0.8	0.7	<0.1	15	<0.1	<0.1	<0.1	28
1348312	Drill Core	4.53	<2	0.3	11.0	0.2	9	<0.1	70.5	21.9	198	1.72	<0.5	<0.5	<0.1	13	<0.1	<0.1	<0.1	25
1348313	Drill Core	5.78	2	0.2	7.1	0.3	7	<0.1	36.3	15.8	136	1.29	1.1	0.5	<0.1	12	<0.1	<0.1	<0.1	23
1348314	Rock	1.11	<2	<0.1	1.4	3.1	45	<0.1	4.2	4.2	552	1.95	<0.5	<0.5	4.8	58	<0.1	<0.1	<0.1	36
1348315	Drill Core	5.26	<2	0.2	7.9	0.2	9	<0.1	83.9	17.4	204	1.70	0.9	2.5	<0.1	14	<0.1	<0.1	<0.1	30
1348316	Drill Core	4.82	<2	0.2	13.5	0.3	13	<0.1	57.1	20.0	218	1.95	1.1	<0.5	<0.1	16	<0.1	<0.1	<0.1	29
1348317	Drill Core	4.81	<2	0.2	20.2	0.2	12	<0.1	63.2	22.4	194	1.65	1.1	<0.5	<0.1	15	<0.1	<0.1	<0.1	22
1348318	Drill Core	5.24	<2	0.3	23.5	0.3	10	<0.1	48.5	21.7	164	1.52	<0.5	1.7	<0.1	12	<0.1	<0.1	<0.1	20
1348319	Drill Core	5.37	<2	0.4	19.6	0.2	12	<0.1	54.9	20.7	179	1.61	1.0	<0.5	<0.1	15	<0.1	<0.1	<0.1	21
1348320	Drill Core	1.44	<2	0.2	61.1	0.2	10	0.1	45.0	17.8	165	1.53	<0.5	<0.5	<0.1	15	<0.1	<0.1	<0.1	21
1348321	Drill Core	1.66	<2	<0.1	52.6	0.2	9	0.2	45.1	22.2	164	1.61	1.0	2.2	<0.1	11	<0.1	<0.1	<0.1	18
1348322	Drill Core	5.22	<2	0.1	14.8	0.2	10	<0.1	57.4	19.6	194	1.80	1.9	1.7	<0.1	20	<0.1	<0.1	<0.1	25
1348323	Drill Core	4.56	<2	0.2	1.5	0.4	13	<0.1	51.5	13.6	178	1.44	<0.5	1.4	<0.1	13	<0.1	<0.1	<0.1	20
1348324	Drill Core	5.04	<2	<0.1	7.9	0.2	12	<0.1	41.0	14.5	199	1.57	2.5	1.0	<0.1	11	<0.1	<0.1	<0.1	23
1348325	Drill Core	4.78	<2	0.4	50.5	0.2	17	0.3	65.8	22.2	229	1.95	8.6	0.6	<0.1	11	<0.1	<0.1	<0.1	22
1348326	Drill Core	5.66	<2	0.1	29.8	0.6	10	<0.1	38.3	17.3	164	1.39	8.9	<0.5	<0.1	11	<0.1	<0.1	<0.1	19
1348327	Drill Core	5.21	<2	0.2	41.4	0.2	14	<0.1	91.2	23.3	173	1.44	16.7	<0.5	<0.1	13	<0.1	<0.1	<0.1	14
1348328	Drill Core	5.05	2	0.4	96.2	0.2	10	<0.1	93.5	24.0	133	0.87	28.6	0.6	<0.1	8	<0.1	<0.1	<0.1	7
1348329	Drill Core	5.02	8	0.3	76.2	0.2	14	<0.1	92.3	16.5	179	1.29	10.7	2.3	<0.1	10	<0.1	<0.1	<0.1	9
1348330	Rock Pulp	0.13	4844	490.2	77.7	893.7	3024	>100	29.4	9.6	318	2.75	74.3	4237	1.5	47	29.5	120.5	1.5	50

CERTIFICATE OF ANALYSIS

WHI13000454.1

	Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga
	Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1
1348301	Drill Core	0.031	<1	328	2.85	11	0.074	<20	2.38	0.018	0.05	0.1	<0.01	<0.1	<0.05	6.9	<0.5	4
1348302	Drill Core	0.039	<1	195	2.27	3	0.095	<20	1.80	0.021	<0.01	0.2	<0.01	<0.1	<0.05	5.5	0.6	3
1348303	Drill Core	0.029	<1	178	2.70	3	0.097	<20	2.07	0.016	<0.01	<0.1	<0.01	<0.1	0.06	3.7	<0.5	3
1348304	Drill Core	0.019	<1	151	1.88	3	0.129	<20	1.50	0.014	<0.01	<0.1	0.03	<0.1	0.12	2.0	<0.5	2
1348305	Drill Core	0.012	<1	163	1.20	4	0.079	<20	0.95	0.016	<0.01	<0.1	0.01	<0.1	<0.05	1.6	<0.5	1
1348306	Drill Core	0.010	<1	125	1.42	1	0.087	<20	1.16	0.014	<0.01	<0.1	<0.01	<0.1	<0.05	1.3	<0.5	1
1348307	Drill Core	0.024	<1	114	1.53	3	0.097	<20	1.27	0.017	<0.01	<0.1	0.01	<0.1	0.09	1.2	1.4	2
1348308	Drill Core	0.060	<1	114	1.35	1	0.161	<20	1.18	0.018	<0.01	<0.1	<0.01	<0.1	0.12	1.6	0.8	2
1348309	Drill Core	0.044	<1	110	1.72	2	0.183	<20	1.46	0.017	<0.01	<0.1	<0.01	<0.1	0.26	1.6	<0.5	3
1348310	Drill Core	0.048	<1	154	2.27	1	0.174	<20	1.90	0.019	<0.01	0.1	<0.01	<0.1	0.08	3.4	1.0	3
1348311	Drill Core	0.062	<1	109	1.61	6	0.175	<20	1.46	0.016	<0.01	<0.1	<0.01	<0.1	0.09	1.5	<0.5	2
1348312	Drill Core	0.065	<1	113	1.68	8	0.159	<20	1.50	0.019	0.01	<0.1	0.01	<0.1	0.08	1.3	1.5	2
1348313	Drill Core	0.065	<1	80	1.06	2	0.166	<20	0.98	0.019	<0.01	<0.1	<0.01	<0.1	0.11	1.4	<0.5	2
1348314	Rock	0.075	10	8	0.59	219	0.121	<20	0.95	0.067	0.47	<0.1	<0.01	0.2	<0.05	1.9	<0.5	5
1348315	Drill Core	0.056	<1	175	1.75	<1	0.158	<20	1.52	0.013	<0.01	<0.1	<0.01	<0.1	<0.05	1.8	<0.5	3
1348316	Drill Core	0.075	<1	87	1.65	2	0.180	<20	1.54	0.009	<0.01	<0.1	<0.01	<0.1	0.07	1.5	0.7	2
1348317	Drill Core	0.056	<1	82	1.50	<1	0.187	<20	1.37	0.013	<0.01	<0.1	<0.01	<0.1	0.14	1.5	<0.5	2
1348318	Drill Core	0.057	<1	82	1.31	1	0.181	<20	1.20	0.015	<0.01	<0.1	<0.01	<0.1	0.24	1.4	<0.5	2
1348319	Drill Core	0.064	<1	92	1.46	<1	0.210	<20	1.37	0.015	<0.01	<0.1	<0.01	<0.1	0.13	1.6	<0.5	2
1348320	Drill Core	0.045	<1	90	1.41	2	0.193	<20	1.34	0.012	<0.01	<0.1	<0.01	<0.1	<0.05	1.9	<0.5	2
1348321	Drill Core	0.048	<1	67	1.42	1	0.167	<20	1.29	0.012	<0.01	<0.1	0.01	<0.1	0.13	1.3	<0.5	2
1348322	Drill Core	0.058	<1	113	1.54	<1	0.151	<20	1.40	0.013	<0.01	<0.1	0.02	<0.1	0.05	1.6	1.2	2
1348323	Drill Core	0.054	<1	118	1.35	<1	0.143	<20	1.27	0.017	<0.01	<0.1	<0.01	<0.1	<0.05	1.3	<0.5	2
1348324	Drill Core	0.059	<1	75	1.22	1	0.160	<20	1.22	0.033	<0.01	<0.1	<0.01	<0.1	<0.05	1.5	<0.5	2
1348325	Drill Core	0.050	<1	101	1.60	1	0.182	<20	1.51	0.019	<0.01	<0.1	<0.01	<0.1	0.15	1.4	<0.5	2
1348326	Drill Core	0.035	<1	81	1.10	1	0.155	<20	1.07	0.021	<0.01	<0.1	<0.01	<0.1	0.13	1.4	<0.5	2
1348327	Drill Core	0.041	<1	108	1.46	1	0.123	<20	1.28	0.012	<0.01	<0.1	<0.01	<0.1	0.19	1.3	<0.5	1
1348328	Drill Core	0.014	<1	156	1.38	2	0.068	<20	1.18	0.010	<0.01	<0.1	<0.01	<0.1	<0.05	1.3	<0.5	<1
1348329	Drill Core	0.026	<1	138	1.50	<1	0.072	<20	1.27	0.017	<0.01	<0.1	<0.01	<0.1	0.09	1.4	<0.5	1
1348330	Rock Pulp	0.037	5	38	0.44	107	0.064	<20	0.98	0.063	0.14	17.8	2.05	2.7	1.03	3.3	0.6	7

QUALITY CONTROL REPORT

WHI13000454.1

	Method	WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
	Unit	kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
	MDL	0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01
Pulp Duplicates																					
1348281	Drill Core	1.28	3	<0.1	1.6	3.3	46	<0.1	3.7	4.0	564	2.01	<0.5	<0.5	4.6	56	<0.1	<0.1	<0.1	39	0.46
REP 1348281	QC			<0.1	1.7	3.0	45	<0.1	3.2	4.2	551	1.95	<0.5	<0.5	4.5	54	<0.1	<0.1	<0.1	38	0.46
1348290	Drill Core	3.60	4	0.3	62.0	3.4	36	0.3	184.8	39.5	881	3.91	95.9	<0.5	<0.1	224	0.1	<0.1	<0.1	84	7.90
REP 1348290	QC		9																		
1348307	Drill Core	5.43	<2	0.3	33.7	0.5	14	<0.1	62.5	16.9	222	1.32	1.1	<0.5	<0.1	25	<0.1	<0.1	<0.1	14	1.26
REP 1348307	QC			0.2	33.8	0.4	13	<0.1	64.2	17.4	217	1.25	1.7	<0.5	<0.1	25	<0.1	<0.1	<0.1	15	1.27
1348324	Drill Core	5.04	<2	<0.1	7.9	0.2	12	<0.1	41.0	14.5	199	1.57	2.5	1.0	<0.1	11	<0.1	<0.1	<0.1	23	0.60
REP 1348324	QC		2																		
Core Reject Duplicates																					
1348275	Drill Core	4.93	3	0.2	59.2	0.6	66	<0.1	51.3	27.6	822	4.09	0.6	1.4	0.1	64	<0.1	<0.1	<0.1	112	2.15
DUP 1348275	QC		2	0.2	58.4	0.6	65	0.1	49.9	27.2	805	3.98	1.2	2.1	0.1	60	<0.1	<0.1	<0.1	109	2.15
1348313	Drill Core	5.78	2	0.2	7.1	0.3	7	<0.1	36.3	15.8	136	1.29	1.1	0.5	<0.1	12	<0.1	<0.1	<0.1	23	0.61
DUP 1348313	QC		<2	0.3	9.6	0.3	8	<0.1	35.2	15.9	138	1.31	<0.5	<0.5	<0.1	12	<0.1	0.1	<0.1	25	0.65
Reference Materials																					
STD DS10	Standard			13.7	148.0	147.6	336	2.0	73.2	13.8	866	2.76	45.0	50.5	6.7	67	2.4	6.5	12.4	44	1.02
STD DS10	Standard			14.0	147.8	145.4	352	1.7	72.3	12.0	857	2.71	41.6	65.4	7.0	64	1.8	7.3	11.7	42	1.03
STD OREAS45EA	Standard			1.2	680.4	14.7	30	0.3	376.8	50.7	399	23.81	10.8	51.6	10.3	4	<0.1	0.2	0.2	300	0.04
STD OREAS45EA	Standard			1.5	664.0	13.9	29	0.3	366.5	51.4	384	24.10	9.3	50.2	10.1	3	<0.1	0.2	0.2	290	0.04
STD OXC109	Standard		201																		
STD OXC109	Standard		204																		
STD OXC109	Standard		197																		
STD OXC109	Standard		210																		
STD OXI96	Standard		1865																		
STD OXI96	Standard		1834																		
STD OXI96 Expected			1802																		
STD OXC109 Expected			201																		
STD DS10 Expected				14.69	154.61	150.55	352.9	1.96	74.6	12.9	861	2.7188	43.7	91.9	7.5	67.1	2.48	9.51	11.65	43	1.0355
STD OREAS45EA Expected				1.39	709	14.3	28.9	0.26	381	52	400	23.51	9.1	53	10.7	3.5	0.02	0.2	0.26	303	0.036

QUALITY CONTROL REPORT

WHI13000454.1

Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
MDL	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2
Pulp Duplicates																		
1348281 Drill Core	0.077	9	8	0.59	203	0.120	<20	0.96	0.076	0.46	<0.1	<0.01	0.3	<0.05	2.3	<0.5	5	<0.2
REP 1348281 QC	0.077	9	9	0.58	205	0.116	<20	0.95	0.076	0.46	<0.1	<0.01	0.3	<0.05	2.3	0.9	5	<0.2
1348290 Drill Core	0.015	<1	248	3.86	80	0.059	<20	2.97	0.008	0.34	0.5	<0.01	0.2	0.70	8.1	0.5	6	<0.2
REP 1348290 QC																		
1348307 Drill Core	0.024	<1	114	1.53	3	0.097	<20	1.27	0.017	<0.01	<0.1	0.01	<0.1	0.09	1.2	1.4	2	<0.2
REP 1348307 QC	0.025	<1	117	1.57	3	0.100	<20	1.31	0.018	<0.01	<0.1	0.02	<0.1	0.09	1.4	0.8	2	<0.2
1348324 Drill Core	0.059	<1	75	1.22	1	0.160	<20	1.22	0.033	<0.01	<0.1	<0.01	<0.1	<0.05	1.5	<0.5	2	<0.2
REP 1348324 QC																		
Core Reject Duplicates																		
1348275 Drill Core	0.107	2	105	3.02	3	0.146	<20	2.75	0.029	<0.01	0.1	<0.01	<0.1	<0.05	8.0	1.0	8	0.3
DUP 1348275 QC	0.106	1	98	2.95	3	0.146	<20	2.71	0.028	<0.01	0.1	<0.01	<0.1	<0.05	7.6	0.8	8	<0.2
1348313 Drill Core	0.065	<1	80	1.06	2	0.166	<20	0.98	0.019	<0.01	<0.1	<0.01	<0.1	0.11	1.4	<0.5	2	<0.2
DUP 1348313 QC	0.067	<1	73	1.06	1	0.179	<20	1.04	0.021	<0.01	<0.1	<0.01	<0.1	0.12	1.3	<0.5	2	<0.2
Reference Materials																		
STD DS10 Standard	0.077	15	53	0.76	374	0.069	<20	0.97	0.063	0.32	2.7	0.31	4.8	0.29	2.7	2.8	4	5.3
STD DS10 Standard	0.074	15	53	0.75	381	0.072	<20	0.98	0.063	0.33	2.7	0.25	4.5	0.28	2.9	2.7	4	5.5
STD OREAS45EA Standard	0.029	6	847	0.09	138	0.087	<20	3.09	0.024	0.05	<0.1	<0.01	<0.1	<0.05	78.8	0.5	12	0.3
STD OREAS45EA Standard	0.027	7	832	0.10	145	0.089	<20	3.04	0.017	0.05	<0.1	0.01	<0.1	<0.05	74.8	2.8	12	<0.2
STD OXC109 Standard																		
STD OXC109 Standard																		
STD OXC109 Standard																		
STD OXC109 Standard																		
STD OXI96 Standard																		
STD OXI96 Standard																		
STD OXI96 Expected																		
STD OXC109 Expected																		
STD DS10 Expected	0.073	17.5	54.6	0.7651	349	0.0817		1.0259	0.0638	0.3245	3.34	0.289	4.79	0.2743	2.8	2.3	4.3	4.89
STD OREAS45EA Expected	0.029	6.57	849	0.095	148	0.0875		3.13	0.02	0.053			0.072	0.036	78	0.6	11.7	0.07

QUALITY CONTROL REPORT

WHI13000454.1

		WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01
BLK	Blank		2																		
BLK	Blank		3																		
BLK	Blank		2																		
BLK	Blank		2																		
BLK	Blank		<2																		
BLK	Blank		3																		
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
Prep Wash																					
G1-WHI	Prep Blank		2	<0.1	2.7	3.8	45	<0.1	3.0	3.9	561	1.95	<0.5	3.4	5.8	48	<0.1	<0.1	<0.1	38	0.44
G1-WHI	Prep Blank		2	<0.1	2.9	4.2	46	<0.1	2.0	3.7	574	1.94	<0.5	<0.5	6.1	55	<0.1	<0.1	<0.1	39	0.47

QUALITY CONTROL REPORT

WHI13000454.1

		1DX P %	1DX La ppm	1DX Cr ppm	1DX Mg %	1DX Ba ppm	1DX Ti %	1DX B ppm	1DX Al %	1DX Na %	1DX K %	1DX W ppm	1DX Hg ppm	1DX Tl ppm	1DX S %	1DX Sc ppm	1DX Se ppm	1DX Ga ppm	1DX Te ppm
		0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.05	<0.1	0.8	<1	<0.2
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.05	<0.1	0.8	<1	<0.2
Prep Wash																			
G1-WHI	Prep Blank	0.071	12	5	0.51	173	0.118	<20	0.90	0.079	0.52	<0.1	<0.01	0.3	<0.05	2.3	0.8	5	<0.2
G1-WHI	Prep Blank	0.075	11	7	0.50	166	0.116	<20	0.89	0.076	0.48	0.2	<0.01	0.3	<0.05	2.0	0.9	5	<0.2

Acme Analytical Laboratories (Vancouver) Ltd.
9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA
PHONE (604) 253-3158

Client: **Rackla Metals Inc.**
650-200 Burrard St.
Vancouver BC V6C 3L6 CANADA

Submitted By: Roger Hulstein
Receiving Lab: Canada-Whitehorse
Received: September 27, 2013
Report Date: October 10, 2013
Page: 1 of 3

CERTIFICATE OF ANALYSIS

WHI13000461.1

CLIENT JOB INFORMATION

Project: KSD
Shipment ID: 2013-5
P.O. Number
Number of Samples: 60

SAMPLE DISPOSAL

DISP-PLP Dispose of Pulp After 90 days
DISP-RJT Dispose of Reject After 90 days

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Rackla Metals Inc.
650-200 Burrard St.
Vancouver BC V6C 3L6
CANADA

CC: Simon Ridgway
Dave Clark
Database Backup

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
R200-250	58	Crush, split and pulverize 250 g rock to 200 mesh			WHI
3B	60	Fire assay fusion Au by ICP-ES	30	Completed	VAN
1DX	60	1:1:1 Aqua Regia digestion ICP-MS analysis	0.5	Completed	VAN

ADDITIONAL COMMENTS



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
*** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.

CERTIFICATE OF ANALYSIS

WHI13000461.1

	Method	WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V
	Unit	kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	%
	MDL	0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2
1348331	Drill Core	5.76	<2	<0.1	81.4	1.0	8	<0.1	56.0	12.2	143	0.87	9.8	<0.5	<0.1	15	<0.1	<0.1	<0.1	10
1348332	Drill Core	5.02	<2	0.1	89.5	0.3	9	0.2	77.8	17.9	152	0.94	16.1	<0.5	<0.1	18	<0.1	<0.1	<0.1	11
1348333	Drill Core	5.52	<2	0.2	95.9	0.2	15	0.2	149.3	23.0	203	1.32	17.2	<0.5	<0.1	18	<0.1	<0.1	<0.1	11
1348334	Drill Core	4.35	<2	<0.1	74.9	0.8	16	0.2	212.4	29.0	247	1.53	25.5	<0.5	<0.1	26	<0.1	<0.1	<0.1	12
1348335	Drill Core	2.98	<2	0.3	50.4	0.4	15	0.1	163.8	21.9	215	1.24	16.0	<0.5	<0.1	22	<0.1	<0.1	<0.1	13
1348336	Drill Core	3.17	2	0.1	85.0	0.2	25	0.1	439.5	37.0	313	2.18	23.8	3.1	<0.1	31	<0.1	<0.1	<0.1	18
1348337	Drill Core	3.49	<2	0.2	61.7	0.3	13	<0.1	93.3	19.7	190	1.15	14.9	<0.5	<0.1	24	<0.1	<0.1	<0.1	12
1348338	Drill Core	5.40	<2	<0.1	79.2	2.9	64	<0.1	12.7	23.6	912	4.62	<0.5	<0.5	0.9	66	0.1	0.2	<0.1	95
1348339	Drill Core	7.41	<2	<0.1	91.2	3.3	70	0.1	12.9	23.6	880	4.39	0.8	<0.5	0.6	82	<0.1	0.4	<0.1	73
1348340	Drill Core	7.11	<2	<0.1	76.5	7.2	70	0.2	14.5	23.2	932	4.53	1.8	<0.5	1.3	64	<0.1	0.2	<0.1	76
1348341	Drill Core	7.28	6	<0.1	64.0	2.5	67	0.2	25.1	23.4	1136	5.01	1.2	3.5	1.7	107	0.3	0.1	<0.1	125
1348342	Drill Core	8.34	78	<0.1	75.4	3.5	63	0.4	20.8	22.5	1017	4.68	9.9	6.7	1.4	162	0.3	0.2	<0.1	91
1348343	Drill Core	7.90	5	0.2	70.1	5.2	72	0.3	19.4	22.3	1050	4.75	6.6	20.4	1.5	118	0.3	0.1	<0.1	98
1348344	Rock	0.99	<2	<0.1	1.4	3.1	46	0.2	4.0	3.8	606	2.11	<0.5	<0.5	5.5	71	<0.1	<0.1	<0.1	39
1348345	Drill Core	8.18	99	<0.1	71.2	3.7	73	0.2	22.8	28.3	1194	5.05	2.5	<0.5	1.0	143	0.2	0.2	<0.1	76
1348346	Drill Core	6.60	50	<0.1	75.5	3.6	61	0.4	17.6	24.8	1118	4.93	14.9	33.9	1.1	176	0.3	0.3	<0.1	68
1348347	Drill Core	7.06	3	0.2	78.6	3.2	73	0.3	19.0	24.6	1002	4.74	8.1	<0.5	1.2	92	0.3	0.1	<0.1	82
1348348	Drill Core	5.86	15	1.4	81.4	4.5	163	0.7	17.4	26.6	1072	5.12	55.2	4.5	1.4	78	2.5	0.5	<0.1	67
1348349	Drill Core	7.43	9	1.3	71.9	3.6	89	0.6	21.1	22.4	1293	4.93	21.1	<0.5	1.3	80	0.7	0.4	<0.1	107
1348350	Drill Core	5.54	5	1.7	37.6	13.6	264	0.4	9.6	13.4	875	3.56	38.2	1.2	2.0	28	1.7	0.7	<0.1	61
1348351	Drill Core	4.26	5	0.7	53.6	48.1	356	0.8	5.3	18.7	1085	4.61	23.0	<0.5	2.0	59	6.1	0.5	<0.1	75
1348352	Drill Core	0.83	638	7.1	148.4	4341	2137	11.7	3.6	10.1	702	2.77	47.2	24.2	1.1	11	20.1	3.0	0.3	31
1348353	Drill Core	6.58	21	0.6	33.5	27.5	684	0.4	5.8	18.1	1005	4.63	30.3	6.0	1.8	38	12.5	0.7	<0.1	90
1348354	Drill Core	1.87	5	0.8	34.1	15.6	315	0.4	6.4	18.1	873	4.43	36.6	3.0	1.6	35	2.8	0.7	<0.1	90
1348355	Drill Core	1.93	4	1.0	38.8	7.8	342	0.3	6.2	18.6	857	4.37	39.1	1.1	1.7	31	3.2	0.7	<0.1	86
1348356	Drill Core	4.42	7	2.2	36.8	8.5	596	0.4	7.1	19.5	923	4.73	91.2	2.9	1.8	11	2.5	1.6	<0.1	110
1348357	Drill Core	6.88	3	0.6	19.8	4.3	106	0.2	6.4	18.2	1064	4.57	14.2	<0.5	1.7	47	0.7	0.4	<0.1	121
1348358	Drill Core	8.17	4	1.2	39.0	4.2	333	0.3	6.8	18.7	951	4.78	28.6	1.6	1.9	42	1.4	0.4	<0.1	113
1348359	Drill Core	6.86	4	0.4	32.7	7.8	211	0.2	10.0	17.1	1073	4.27	35.7	0.7	1.8	110	1.8	0.4	<0.1	67
1348360	Rock Pulp	0.13	4615	544.6	78.2	941.8	3304	>100	30.6	10.0	352	2.94	81.3	3379	1.7	60	33.6	124.5	1.6	57

Acme Analytical Laboratories (Vancouver) Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: Rackla Metals Inc.
650-200 Burrard St.
Vancouver BC V6C 3L6 CANADA

Project: KSD
Report Date: October 10, 2013

Page: 2 of 3

Part: 2 of 2

CERTIFICATE OF ANALYSIS

WHI13000461.1

	Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga
	Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1
1348331	Drill Core	0.002	<1	104	1.29	5	0.062	<20	1.18	0.035	<0.01	<0.1	<0.01	<0.1	<0.05	2.3	<0.5	<1
1348332	Drill Core	0.005	<1	127	1.48	5	0.087	<20	1.28	0.028	<0.01	<0.1	0.01	<0.1	<0.05	2.2	<0.5	1
1348333	Drill Core	0.009	<1	139	1.98	1	0.073	<20	1.60	0.021	<0.01	<0.1	0.01	<0.1	0.05	2.0	<0.5	1
1348334	Drill Core	0.009	<1	233	2.49	<1	0.056	<20	1.95	0.010	<0.01	<0.1	<0.01	<0.1	<0.05	2.0	<0.5	2
1348335	Drill Core	0.007	<1	195	1.89	1	0.068	<20	1.50	0.017	<0.01	<0.1	<0.01	<0.1	<0.05	2.3	<0.5	1
1348336	Drill Core	0.009	<1	471	3.51	<1	0.054	<20	2.64	<0.001	<0.01	<0.1	<0.01	<0.1	<0.05	2.0	<0.5	2
1348337	Drill Core	0.006	<1	127	1.67	1	0.074	<20	1.39	0.016	<0.01	<0.1	<0.01	<0.1	<0.05	1.8	<0.5	1
1348338	Drill Core	0.057	3	10	2.46	80	0.039	<20	3.15	0.020	0.13	<0.1	<0.01	<0.1	<0.05	9.6	<0.5	9
1348339	Drill Core	0.057	2	8	2.15	115	0.046	<20	2.95	0.031	0.16	0.2	0.01	<0.1	<0.05	7.6	<0.5	7
1348340	Drill Core	0.060	4	8	2.23	86	0.032	<20	3.02	0.013	0.19	0.4	<0.01	<0.1	<0.05	9.0	<0.5	8
1348341	Drill Core	0.054	4	42	3.47	45	0.016	<20	3.74	0.024	0.10	0.2	<0.01	<0.1	<0.05	18.2	<0.5	9
1348342	Drill Core	0.049	3	27	3.20	47	0.033	<20	3.14	0.013	0.20	0.3	<0.01	<0.1	0.12	14.5	<0.5	7
1348343	Drill Core	0.054	4	22	2.62	77	0.006	<20	3.17	0.019	0.16	<0.1	<0.01	<0.1	<0.05	12.9	<0.5	9
1348344	Rock	0.083	10	9	0.62	240	0.127	<20	1.06	0.085	0.49	<0.1	<0.01	0.3	<0.05	2.6	<0.5	5
1348345	Drill Core	0.045	3	21	2.74	66	0.025	<20	3.20	0.012	0.23	0.2	<0.01	0.2	<0.05	13.1	<0.5	7
1348346	Drill Core	0.043	2	15	2.45	79	0.034	<20	2.80	0.009	0.35	0.3	0.02	0.1	0.20	11.9	<0.5	6
1348347	Drill Core	0.045	3	13	2.44	76	0.006	<20	3.05	0.015	0.16	<0.1	<0.01	<0.1	<0.05	12.0	<0.5	7
1348348	Drill Core	0.054	4	11	2.21	92	0.005	<20	2.71	0.009	0.21	<0.1	<0.01	<0.1	0.06	9.4	<0.5	7
1348349	Drill Core	0.053	3	33	3.21	60	0.005	<20	3.31	0.024	0.14	0.1	0.01	<0.1	0.06	12.8	<0.5	9
1348350	Drill Core	0.066	7	14	1.67	64	0.004	<20	2.00	0.034	0.13	0.1	<0.01	<0.1	<0.05	5.8	<0.5	8
1348351	Drill Core	0.060	5	7	2.57	70	0.007	<20	2.75	0.026	0.14	<0.1	<0.01	<0.1	0.11	8.2	<0.5	9
1348352	Drill Core	0.027	3	9	1.35	66	0.003	<20	1.34	0.011	0.12	0.1	0.03	<0.1	0.14	3.7	1.5	4
1348353	Drill Core	0.056	6	7	2.43	68	0.007	<20	2.64	0.031	0.11	0.1	<0.01	<0.1	<0.05	8.6	<0.5	9
1348354	Drill Core	0.055	6	7	2.08	63	0.006	<20	2.36	0.031	0.14	0.3	0.02	<0.1	0.09	7.5	<0.5	9
1348355	Drill Core	0.053	6	6	2.05	75	0.006	<20	2.35	0.033	0.15	0.2	<0.01	<0.1	0.08	7.2	<0.5	9
1348356	Drill Core	0.053	7	8	2.15	38	0.009	<20	2.45	0.040	0.06	0.3	<0.01	<0.1	<0.05	8.4	<0.5	10
1348357	Drill Core	0.057	6	7	2.29	37	0.010	<20	2.55	0.049	0.05	0.1	<0.01	<0.1	<0.05	10.8	<0.5	11
1348358	Drill Core	0.056	5	9	2.59	51	0.011	<20	2.82	0.031	0.08	<0.1	0.02	<0.1	<0.05	11.8	<0.5	11
1348359	Drill Core	0.062	6	13	1.91	93	0.034	<20	2.48	0.024	0.23	0.5	<0.01	<0.1	<0.05	7.6	<0.5	9
1348360	Rock Pulp	0.043	6	40	0.49	126	0.076	<20	1.14	0.075	0.16	20.0	2.21	3.1	1.09	3.5	1.7	7

CERTIFICATE OF ANALYSIS

WHI13000461.1

	Method	WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
	Unit	kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
	MDL	0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01
1348361	Drill Core	7.43	11	0.4	27.7	8.7	191	0.2	9.9	16.2	795	4.22	8.3	<0.5	1.8	49	2.2	0.3	<0.1	76	1.18
1348362	Drill Core	7.29	2	0.5	31.5	9.3	231	0.2	8.1	17.0	1012	3.84	16.7	1.0	1.7	135	3.1	0.3	<0.1	53	3.54
1348363	Drill Core	8.55	29	0.6	43.6	7.5	247	0.4	8.3	18.0	1013	4.10	29.6	14.4	1.7	128	1.8	0.4	<0.1	58	2.61
1348364	Drill Core	4.89	6	0.2	23.7	5.2	92	0.2	5.3	17.1	1123	4.56	14.3	4.6	1.8	130	0.8	0.1	<0.1	82	2.61
1348365	Drill Core	6.11	105	0.8	44.4	16.3	138	0.6	5.4	17.1	1181	4.03	89.0	57.7	1.7	188	2.1	0.1	<0.1	40	3.05
1348366	Drill Core	4.48	753	2.7	122.9	1707	167	45.4	1.3	2.4	115	2.03	135.7	3385	0.4	9	2.4	32.2	0.2	5	0.04
1348367	Drill Core	4.69	52	1.4	60.8	11.0	160	1.2	7.2	18.8	1128	4.31	459.2	18.2	1.9	148	4.1	0.3	<0.1	48	3.03
1348368	Drill Core	5.54	10	1.3	27.4	10.6	98	0.4	6.0	17.5	1080	4.95	26.5	6.8	2.0	116	0.4	0.2	<0.1	104	2.61
1348369	Rock	1.01	<2	<0.1	1.3	3.1	47	<0.1	3.6	4.1	553	2.03	2.0	0.7	5.8	62	<0.1	<0.1	<0.1	40	0.51
1348370	Drill Core	4.01	15	1.4	44.6	20.0	747	0.7	7.3	15.7	1036	4.74	111.9	14.4	1.6	48	7.7	1.1	<0.1	91	1.32
1348371	Drill Core	4.56	4	0.8	53.5	9.6	280	0.3	7.0	15.2	961	4.85	25.9	1.7	1.8	102	3.7	0.3	<0.1	75	3.15
1348372	Drill Core	5.14	135	0.8	39.8	6.9	138	0.5	5.7	15.1	1062	4.01	60.5	50.2	1.4	93	1.5	0.3	<0.1	45	2.97
1348373	Drill Core	4.39	1038	1.0	241.2	1397	377	31.5	7.0	14.5	1361	4.69	156.0	1066	1.6	164	9.9	1.7	<0.1	62	3.68
1348374	Drill Core	5.54	273	0.7	47.3	7.6	243	1.0	7.1	17.4	1098	4.60	330.3	498.4	1.9	136	4.4	0.5	<0.1	51	2.93
1348375	Drill Core	3.53	13	1.1	29.8	7.3	179	0.3	5.5	18.3	1075	4.47	29.2	8.8	1.7	105	1.6	0.2	<0.1	74	2.55
1348376	Drill Core	5.37	7	0.2	26.1	4.4	68	0.3	4.9	17.2	974	4.24	20.9	5.6	1.4	105	0.3	0.1	<0.1	75	2.74
1348377	Drill Core	1.04	92	0.5	69.9	130.9	154	3.7	4.1	13.3	1096	3.29	66.8	49.6	1.3	118	4.6	1.0	<0.1	34	2.61
1348378	Drill Core	4.18	3	0.6	23.2	4.7	138	0.3	6.3	16.3	969	4.10	3.4	0.9	1.6	93	1.3	0.3	<0.1	72	2.50
1348379	Drill Core	2.79	54	0.2	89.3	612.7	277	7.8	5.2	14.6	941	4.06	25.7	22.9	1.8	111	4.3	0.9	<0.1	58	2.90
1348380	Drill Core	0.69	168	0.7	10.4	329.0	185	1.1	7.2	14.8	871	4.03	136.3	114.0	1.6	102	2.9	1.1	<0.1	22	2.32
1348381	Drill Core	7.08	4	<0.1	18.8	3.5	94	0.3	7.6	15.1	779	4.09	3.7	3.7	1.3	55	0.5	0.3	<0.1	67	1.58
1348382	Drill Core	1.95	4	<0.1	30.9	3.3	76	0.2	9.0	14.2	834	4.04	11.2	7.4	0.8	60	0.5	0.3	<0.1	86	1.70
1348383	Drill Core	1.92	8	0.2	38.1	3.2	83	0.2	8.6	15.7	833	4.04	11.8	4.2	0.8	61	1.0	0.3	<0.1	86	1.68
1348384	Drill Core	0.65	220	1.2	60.3	151.4	562	2.5	10.0	17.6	920	6.52	430.8	226.4	1.4	79	6.5	1.5	<0.1	36	1.84
1348385	Drill Core	5.68	4	<0.1	20.4	1.8	72	0.2	10.9	13.8	906	3.82	1.9	2.4	0.8	58	0.5	0.2	<0.1	50	1.86
1348386	Drill Core	4.80	<2	<0.1	26.1	1.6	83	0.2	7.6	16.2	807	3.99	1.8	7.4	0.5	31	0.2	0.3	<0.1	75	1.12
1348387	Drill Core	3.03	<2	0.1	17.6	2.2	94	<0.1	3.8	17.9	759	3.87	2.3	<0.5	0.6	37	0.3	0.5	<0.1	64	1.21
1348388	Drill Core	1.26	24	0.5	124.7	2957	573	28.0	3.3	13.1	787	3.76	79.0	18.2	1.6	74	15.7	8.8	<0.1	57	2.24
1348390	Rock Pulp	0.13	4981	507.7	74.9	907.7	3084	>100	29.3	9.5	321	2.73	77.1	3959	1.6	48	29.8	122.6	1.2	55	0.56
1348391	Drill Core	5.31	7	0.1	21.9	3.7	104	0.2	13.9	16.1	839	3.89	10.9	4.3	0.9	55	1.4	0.4	<0.1	54	1.80

Acme Analytical Laboratories (Vancouver) Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: Rackla Metals Inc.
650-200 Burrard St.
Vancouver BC V6C 3L6 CANADA

Project: KSD
Report Date: October 10, 2013

Page: 3 of 3

Part: 2 of 2

CERTIFICATE OF ANALYSIS

WHI13000461.1

	Method	Analyte	Unit	MDL	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX			
					P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te
					%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
					0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2
1348361	Drill Core	0.055	7	13	1.87	76	0.012	<20	2.71	0.022	0.15	0.2	0.02	<0.1	<0.05	7.6	<0.5	9	<0.2			
1348362	Drill Core	0.057	5	8	1.65	77	0.054	<20	2.14	0.029	0.22	0.6	<0.01	<0.1	<0.05	7.4	<0.5	6	<0.2			
1348363	Drill Core	0.052	5	7	1.90	67	0.053	<20	2.21	0.020	0.22	0.5	<0.01	<0.1	0.10	6.3	1.0	6	<0.2			
1348364	Drill Core	0.047	5	5	2.15	37	0.077	<20	2.35	0.038	0.13	0.4	<0.01	<0.1	0.08	6.8	<0.5	6	<0.2			
1348365	Drill Core	0.038	4	4	1.99	62	0.025	<20	2.01	0.021	0.19	0.3	<0.01	<0.1	0.65	4.0	<0.5	5	<0.2			
1348366	Drill Core	0.006	1	5	0.15	85	0.002	<20	0.23	0.007	0.19	0.2	0.02	<0.1	0.23	0.7	1.3	<1	<0.2			
1348367	Drill Core	0.053	5	5	1.93	75	0.030	<20	2.09	0.022	0.29	0.3	<0.01	<0.1	0.39	4.6	<0.5	5	<0.2			
1348368	Drill Core	0.056	5	6	2.03	54	0.017	<20	2.40	0.034	0.12	0.1	<0.01	<0.1	0.33	8.2	<0.5	8	<0.2			
1348369	Rock	0.076	11	10	0.59	227	0.135	<20	1.00	0.083	0.50	<0.1	<0.01	0.3	<0.05	2.1	<0.5	5	<0.2			
1348370	Drill Core	0.047	6	8	2.00	52	0.007	<20	2.28	0.033	0.13	0.1	<0.01	<0.1	<0.05	7.2	<0.5	8	<0.2			
1348371	Drill Core	0.060	4	4	1.71	59	0.021	<20	2.41	0.021	0.16	<0.1	<0.01	<0.1	0.06	6.6	<0.5	7	<0.2			
1348372	Drill Core	0.048	3	5	1.75	56	0.005	<20	2.00	0.020	0.17	0.1	<0.01	<0.1	0.40	5.5	<0.5	5	<0.2			
1348373	Drill Core	0.065	3	8	2.11	91	0.006	<20	2.24	0.019	0.20	0.2	<0.01	<0.1	0.55	7.2	<0.5	6	<0.2			
1348374	Drill Core	0.053	4	4	2.00	77	0.006	<20	2.20	0.025	0.21	4.6	<0.01	<0.1	0.40	5.3	<0.5	6	<0.2			
1348375	Drill Core	0.047	6	5	2.18	58	0.018	<20	2.41	0.025	0.16	0.2	<0.01	<0.1	0.07	6.5	<0.5	7	<0.2			
1348376	Drill Core	0.047	4	5	1.93	53	0.008	<20	2.21	0.032	0.16	<0.1	<0.01	<0.1	0.42	6.3	<0.5	6	<0.2			
1348377	Drill Core	0.032	3	3	1.41	83	0.021	<20	1.46	0.015	0.23	0.3	<0.01	0.1	0.68	4.4	<0.5	4	<0.2			
1348378	Drill Core	0.050	5	6	1.97	51	0.061	<20	2.24	0.035	0.27	0.4	<0.01	0.1	0.08	7.6	<0.5	7	<0.2			
1348379	Drill Core	0.070	6	5	1.86	53	0.117	<20	2.08	0.020	0.20	1.2	<0.01	<0.1	0.38	6.3	<0.5	5	<0.2			
1348380	Drill Core	0.064	5	4	1.11	82	0.051	<20	1.23	0.011	0.22	1.2	<0.01	<0.1	1.33	4.0	<0.5	3	<0.2			
1348381	Drill Core	0.077	4	8	1.97	47	0.066	<20	2.29	0.034	0.17	0.6	<0.01	<0.1	0.10	5.2	<0.5	7	<0.2			
1348382	Drill Core	0.067	3	14	2.04	37	0.076	<20	2.30	0.045	0.10	0.5	<0.01	<0.1	0.22	6.4	<0.5	7	<0.2			
1348383	Drill Core	0.069	3	13	2.04	40	0.078	<20	2.29	0.037	0.10	0.5	<0.01	<0.1	0.18	5.6	<0.5	7	<0.2			
1348384	Drill Core	0.060	3	6	1.48	69	0.059	<20	1.64	0.013	0.19	1.3	0.02	<0.1	3.26	5.2	<0.5	4	<0.2			
1348385	Drill Core	0.079	3	10	1.92	30	0.052	<20	2.28	0.038	0.10	0.4	<0.01	<0.1	0.10	3.7	<0.5	6	<0.2			
1348386	Drill Core	0.076	2	12	2.25	77	0.070	<20	2.54	0.042	0.13	0.4	<0.01	<0.1	<0.05	4.5	<0.5	7	<0.2			
1348387	Drill Core	0.069	2	4	1.94	67	0.076	<20	2.34	0.040	0.13	0.6	<0.01	<0.1	<0.05	3.2	<0.5	7	<0.2			
1348388	Drill Core	0.058	6	3	1.37	58	0.067	<20	1.80	0.023	0.19	0.9	0.02	<0.1	0.37	5.0	<0.5	5	<0.2			
1348390	Rock Pulp	0.037	6	40	0.45	146	0.070	<20	1.02	0.073	0.16	18.2	2.00	2.7	1.06	3.2	0.8	7	0.3			
1348391	Drill Core	0.077	3	8	1.76	42	0.050	<20	2.19	0.037	0.11	0.3	<0.01	<0.1	0.11	3.9	<0.5	6	<0.2			

QUALITY CONTROL REPORT

WHI13000461.1

	Method	WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
	Unit	kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
	MDL	0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01
Pulp Duplicates																					
1348340	Drill Core	7.11	<2	<0.1	76.5	7.2	70	0.2	14.5	23.2	932	4.53	1.8	<0.5	1.3	64	<0.1	0.2	<0.1	76	2.75
REP 1348340	QC		8																		
1348345	Drill Core	8.18	99	<0.1	71.2	3.7	73	0.2	22.8	28.3	1194	5.05	2.5	<0.5	1.0	143	0.2	0.2	<0.1	76	5.01
REP 1348345	QC			<0.1	69.9	3.7	73	0.2	21.9	26.3	1193	4.99	2.7	<0.5	1.1	143	0.1	0.2	<0.1	75	4.92
1348391	Drill Core	5.31	7	0.1	21.9	3.7	104	0.2	13.9	16.1	839	3.89	10.9	4.3	0.9	55	1.4	0.4	<0.1	54	1.80
REP 1348391	QC			<0.1	20.0	3.8	105	0.2	14.6	15.0	807	3.77	10.5	2.2	0.9	55	1.2	0.4	<0.1	53	1.74
REP 1348374	QC		317																		
Core Reject Duplicates																					
1348356	Drill Core	4.42	7	2.2	36.8	8.5	596	0.4	7.1	19.5	923	4.73	91.2	2.9	1.8	11	2.5	1.6	<0.1	110	0.34
DUP 1348356	QC		8	1.6	35.6	7.7	615	0.3	7.2	19.1	933	4.77	94.0	4.3	1.8	11	2.8	1.7	<0.1	113	0.33
Reference Materials																					
STD DS10	Standard			13.1	139.9	159.2	362	1.8	66.9	12.0	894	2.75	45.0	77.1	7.3	70	2.5	8.3	13.2	43	1.08
STD DS10	Standard			14.5	147.6	161.1	362	1.9	73.0	12.7	877	2.72	46.4	61.2	7.7	63	2.4	7.8	10.1	44	1.07
STD OREAS45EA	Standard			1.4	711.6	14.8	32	0.3	384.1	50.1	412	24.37	10.4	52.3	10.2	4	<0.1	0.2	0.3	329	0.03
STD OREAS45EA	Standard			1.6	709.0	14.9	29	0.3	401.3	50.9	396	24.44	10.6	58.4	10.4	4	<0.1	0.2	0.2	304	0.04
STD OXC109	Standard		197																		
STD OXC109	Standard		200																		
STD OXC109	Standard		198																		
STD OXI96	Standard		1853																		
STD OXI96	Standard		1848																		
STD OXI96 Expected			1802																		
STD DS10 Expected				14.69	154.61	150.55	352.9	1.96	74.6	12.9	861	2.7188	43.7	91.9	7.5	67.1	2.48	9.51	11.65	43	1.0355
STD OREAS45EA Expected				1.39	709	14.3	28.9	0.26	381	52	400	23.51	9.1	53	10.7	3.5	0.02	0.2	0.26	303	0.036
STD OXC109 Expected			201																		
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank		<2																		

QUALITY CONTROL REPORT

WHI13000461.1

Method Analyte Unit MDL		1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	
		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	
		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	
		0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	
Pulp Duplicates																			
1348340	Drill Core	0.060	4	8	2.23	86	0.032	<20	3.02	0.013	0.19	0.4	<0.01	<0.1	<0.05	9.0	<0.5	8	<0.2
REP 1348340	QC																		
1348345	Drill Core	0.045	3	21	2.74	66	0.025	<20	3.20	0.012	0.23	0.2	<0.01	0.2	<0.05	13.1	<0.5	7	<0.2
REP 1348345	QC	0.040	3	22	2.70	67	0.026	<20	3.20	0.012	0.23	0.2	<0.01	<0.1	<0.05	12.7	<0.5	7	<0.2
1348391	Drill Core	0.077	3	8	1.76	42	0.050	<20	2.19	0.037	0.11	0.3	<0.01	<0.1	0.11	3.9	<0.5	6	<0.2
REP 1348391	QC	0.074	3	8	1.69	41	0.049	<20	2.10	0.038	0.11	0.3	<0.01	<0.1	0.11	3.9	<0.5	6	<0.2
REP 1348374	QC																		
Core Reject Duplicates																			
1348356	Drill Core	0.053	7	8	2.15	38	0.009	<20	2.45	0.040	0.06	0.3	<0.01	<0.1	<0.05	8.4	<0.5	10	<0.2
DUP 1348356	QC	0.056	7	9	2.20	40	0.011	<20	2.51	0.045	0.07	0.3	<0.01	<0.1	<0.05	9.1	<0.5	10	0.2
Reference Materials																			
STD DS10	Standard	0.078	17	50	0.78	439	0.072	<20	1.04	0.066	0.34	3.5	0.31	5.3	0.28	3.0	1.7	4	4.7
STD DS10	Standard	0.074	16	53	0.78	422	0.074	<20	1.04	0.066	0.34	2.8	0.32	5.1	0.29	2.8	2.0	4	5.0
STD OREAS45EA	Standard	0.034	7	807	0.11	158	0.090	<20	3.41	0.017	0.06	<0.1	0.01	<0.1	<0.05	85.9	<0.5	13	0.2
STD OREAS45EA	Standard	0.029	7	837	0.10	148	0.094	<20	3.31	0.025	0.06	<0.1	0.01	<0.1	<0.05	81.6	0.8	12	<0.2
STD OXC109	Standard																		
STD OXC109	Standard																		
STD OXC109	Standard																		
STD OXI96	Standard																		
STD OXI96	Standard																		
STD OXI96 Expected																			
STD DS10 Expected		0.073	17.5	54.6	0.7651	349	0.0817		1.0259	0.0638	0.3245	3.34	0.289	4.79	0.2743	2.8	2.3	4.3	4.89
STD OREAS45EA Expected		0.029	6.57	849	0.095	148	0.0875		3.13	0.02	0.053			0.072	0.036	78	0.6	11.7	0.07
STD OXC109 Expected																			
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		

QUALITY CONTROL REPORT

WHI13000461.1

		WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	0.7	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
BLK	Blank		<2																		
Prep Wash																					
G1-WHI	Prep Blank		8	<0.1	2.7	3.2	46	<0.1	2.5	3.6	607	2.09	<0.5	<0.5	5.5	63	<0.1	<0.1	<0.1	39	0.51
G1-WHI	Prep Blank		<2	<0.1	3.1	3.4	45	<0.1	2.4	3.6	616	2.02	0.7	<0.5	5.5	63	<0.1	<0.1	<0.1	37	0.47

QUALITY CONTROL REPORT

WHI13000461.1

		1DX P %	1DX La ppm	1DX Cr ppm	1DX Mg %	1DX Ba ppm	1DX Ti %	1DX B ppm	1DX Al %	1DX Na %	1DX K %	1DX W ppm	1DX Hg ppm	1DX Tl ppm	1DX S %	1DX Sc ppm	1DX Se ppm	1DX Ga ppm	1DX Te ppm
		0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.05	<0.1	<0.5	<1	<0.2
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.05	<0.1	<0.5	<1	<0.2
BLK	Blank																		
Prep Wash																			
G1-WHI	Prep Blank	0.083	12	6	0.51	208	0.119	<20	0.99	0.088	0.51	<0.1	0.01	0.3	<0.05	2.6	<0.5	5	<0.2
G1-WHI	Prep Blank	0.079	14	8	0.52	180	0.116	<20	0.97	0.087	0.50	<0.1	<0.01	0.3	<0.05	2.5	<0.5	5	<0.2

Acme Analytical Laboratories (Vancouver) Ltd.
9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA
PHONE (604) 253-3158

Client: **Rackla Metals Inc.**
650-200 Burrard St.
Vancouver BC V6C 3L6 CANADA

Submitted By: Roger Hulstein
Receiving Lab: Canada-Whitehorse
Received: September 30, 2013
Report Date: October 29, 2013
Page: 1 of 4

CERTIFICATE OF ANALYSIS

WHI13000471.2

CLIENT JOB INFORMATION

Project: KSD
Shipment ID: 2013-6
P.O. Number
Number of Samples: 61

SAMPLE DISPOSAL

DISP-PLP Dispose of Pulp After 90 days
DISP-RJT Dispose of Reject After 90 days

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Rackla Metals Inc.
650-200 Burrard St.
Vancouver BC V6C 3L6
CANADA

CC: Simon Ridgway
Dave Clark
Database Backup

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
R200-250	59	Crush, split and pulverize 250 g rock to 200 mesh			WHI
3B	61	Fire assay fusion Au by ICP-ES	30	Completed	VAN
1DX	61	1:1:1 Aqua Regia digestion ICP-MS analysis	0.5	Completed	VAN

ADDITIONAL COMMENTS

Version 2 : Sample 1348391 removed for it is reported in job WHI13000461.



CERTIFICATE OF ANALYSIS

WHI13000471.2

	Method	WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V
	Unit	kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	%
	MDL	0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2
1348392	Drill Core	3.13	683	5.6	145.8	219.4	1607	3.5	10.9	15.9	834	4.58	381.1	647.2	1.3	38	8.6	2.9	<0.1	50
1348393	Drill Core	6.45	<2	0.2	10.7	2.4	123	<0.1	9.5	14.0	889	3.41	2.8	31.7	0.8	45	0.8	0.3	<0.1	41
1348394	Drill Core	5.40	4	0.3	17.2	2.0	72	<0.1	9.8	12.4	787	3.16	2.4	22.0	0.5	29	<0.1	0.2	<0.1	39
1348395	Drill Core	3.77	6	0.8	29.0	3.3	78	0.5	8.6	14.6	954	3.45	11.2	13.5	1.0	78	0.4	0.2	<0.1	46
1348396	Drill Core	0.62	4890	0.6	27.6	457.6	2380	4.7	7.5	16.4	814	4.13	139.2	3384.0	0.8	79	33.2	0.5	<0.1	33
1348397	Drill Core	5.34	7	0.9	23.4	2.9	184	0.2	12.9	15.7	980	3.72	5.5	2.4	1.2	76	0.7	0.2	<0.1	48
1348398	Drill Core	5.51	7	0.8	33.5	3.0	73	<0.1	11.9	16.5	931	4.19	0.8	1.0	1.0	81	0.1	<0.1	<0.1	90
1348399	Drill Core	5.09	<2	0.4	33.2	2.6	68	0.2	10.4	16.3	921	3.92	0.9	<0.5	1.1	75	0.1	<0.1	<0.1	68
1348400	Drill Core	7.24	3	0.4	32.3	3.1	141	0.1	21.0	17.4	1308	3.87	19.2	1.2	1.1	146	1.0	<0.1	<0.1	49
1348401	Rock	1.06	<2	0.2	2.4	2.2	47	<0.1	4.8	4.5	589	2.22	0.6	<0.5	4.0	49	<0.1	<0.1	<0.1	38
1348402	Drill Core	3.65	70	0.5	39.2	3.0	50	0.5	8.0	14.4	1455	3.32	43.3	416.8	1.4	151	0.2	<0.1	<0.1	24
1348403	Drill Core	4.33	103	0.5	42.1	10.5	55	0.4	8.3	13.9	1297	3.39	384.8	41.5	1.3	188	0.3	0.2	<0.1	26
1348404	Drill Core	1.18	238	2.0	4.8	22.0	180	0.2	14.9	8.9	428	4.45	136.6	82.9	1.2	68	1.2	0.3	<0.1	15
1348405	Drill Core	2.72	1800	0.3	19.3	18.1	85	0.6	12.7	13.6	1834	3.06	1054.9	639.6	1.5	247	0.9	0.1	<0.1	18
1348406	Drill Core	4.47	176	0.6	57.3	848.7	75	7.5	2.5	3.1	67	2.44	114.1	88.8	0.4	19	0.7	2.3	0.4	5
1348407	Drill Core	7.76	90	0.8	34.8	70.6	199	0.6	18.3	22.1	1135	5.03	125.1	98.5	0.8	206	3.3	0.1	<0.1	42
1348408	Drill Core	8.29	4	0.4	40.7	5.8	91	0.3	16.1	20.3	1033	4.49	23.7	1.4	0.9	145	0.4	<0.1	<0.1	91
1348409	Drill Core	8.00	4	0.4	43.8	3.6	76	0.2	11.5	14.3	1311	3.95	53.8	11.0	1.5	83	0.2	0.1	<0.1	34
1348410	Drill Core	2.47	2	0.5	28.5	4.9	113	0.1	7.3	12.6	1406	3.30	6.2	1.1	1.3	75	0.7	0.1	<0.1	22
1348411	Drill Core	2.46	<2	0.5	35.9	4.2	134	0.2	8.8	14.5	1436	3.44	7.8	0.7	1.3	76	1.5	0.1	<0.1	22
1348412	Drill Core	5.58	7	1.0	32.7	3.6	263	0.2	10.4	14.5	1402	4.06	24.2	3.4	1.2	89	3.0	0.2	<0.1	33
1348413	Drill Core	4.48	7	2.0	25.5	6.2	405	0.2	10.1	19.0	1370	3.80	25.0	2.4	1.2	55	4.2	0.4	<0.1	33
1348414	Drill Core	4.09	7	0.5	18.8	3.7	243	<0.1	9.3	14.5	1289	3.37	4.2	<0.5	1.2	70	1.6	0.2	<0.1	27
1348415	Drill Core	6.43	17	0.6	21.7	5.8	290	0.1	11.8	17.9	885	3.52	12.8	1.1	1.4	26	1.4	0.3	<0.1	28
1348416	Drill Core	7.42	3	0.2	21.7	5.6	147	0.2	10.8	15.6	1031	3.74	4.4	4.3	1.3	38	1.4	0.2	<0.1	53
1348417	Drill Core	5.13	41	0.4	56.3	122.2	190	0.7	7.6	17.0	1191	3.75	42.5	22.9	1.3	130	4.5	0.2	<0.1	41
1348418	Drill Core	6.01	2	<0.1	32.1	3.5	63	0.1	8.6	15.9	968	3.72	6.4	1.2	1.3	28	0.1	0.1	<0.1	67
1348419	Drill Core	5.50	3	0.3	26.4	7.4	190	0.1	7.3	17.8	1112	4.35	10.5	1.4	1.1	33	1.1	0.2	<0.1	82
1348420	Rock Pulp	0.13	4913	519.2	80.7	956.1	3115	>100	32.0	9.9	332	2.86	76.1	3209.6	1.2	43	29.2	90.4	1.3	55
1348421	Drill Core	4.91	3	0.2	14.0	4.8	206	<0.1	10.1	18.6	975	4.65	4.9	0.7	1.3	23	1.1	0.2	<0.1	87

Acme Analytical Laboratories (Vancouver) Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: Rackla Metals Inc.
650-200 Burrard St.
Vancouver BC V6C 3L6 CANADA

Project: KSD
Report Date: October 29, 2013

Page: 2 of 4

Part: 2 of 2

CERTIFICATE OF ANALYSIS

WHI13000471.2

	Method	Analyte	Unit	MDL	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX			
					P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te
					%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
					0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2
1348392	Drill Core				0.083	6	9	1.54	71	0.003	<20	1.80	0.020	0.20	0.2	0.01	<0.1	0.30	4.3	1.2	6	<0.2
1348393	Drill Core				0.088	4	10	1.68	69	0.029	<20	1.98	0.033	0.16	0.1	<0.01	<0.1	<0.05	4.4	<0.5	6	<0.2
1348394	Drill Core				0.080	2	9	1.70	74	0.051	<20	2.03	0.036	0.11	0.2	<0.01	<0.1	<0.05	3.4	<0.5	6	<0.2
1348395	Drill Core				0.082	3	8	1.64	82	0.074	<20	2.06	0.020	0.16	1.2	<0.01	<0.1	0.18	5.2	<0.5	6	<0.2
1348396	Drill Core				0.035	2	9	1.48	65	0.058	<20	1.48	0.013	0.25	0.8	0.01	0.1	1.65	5.0	<0.5	3	<0.2
1348397	Drill Core				0.076	3	15	1.83	97	0.044	<20	2.13	0.026	0.27	0.3	<0.01	<0.1	0.10	6.1	<0.5	6	<0.2
1348398	Drill Core				0.062	3	25	2.13	28	0.021	<20	2.53	0.036	0.07	<0.1	<0.01	<0.1	<0.05	9.1	<0.5	9	<0.2
1348399	Drill Core				0.079	3	16	1.87	54	0.031	<20	2.18	0.022	0.21	0.2	<0.01	<0.1	0.06	7.2	<0.5	7	<0.2
1348400	Drill Core				0.070	3	20	2.23	56	0.048	<20	2.31	0.015	0.34	0.4	<0.01	<0.1	<0.05	6.4	<0.5	5	<0.2
1348401	Rock				0.075	8	11	0.63	220	0.113	<20	1.02	0.079	0.47	<0.1	<0.01	0.2	<0.05	2.3	<0.5	5	<0.2
1348402	Drill Core				0.080	4	6	1.61	90	0.065	<20	1.67	0.014	0.58	0.5	<0.01	0.2	0.20	3.6	<0.5	3	<0.2
1348403	Drill Core				0.085	3	5	1.56	131	0.055	<20	1.51	0.018	0.45	0.7	<0.01	0.1	0.93	3.3	0.5	4	<0.2
1348404	Drill Core				0.042	4	3	0.80	136	0.071	<20	0.95	0.007	0.26	0.5	<0.01	<0.1	0.94	2.6	2.4	3	<0.2
1348405	Drill Core				0.065	3	4	1.72	119	0.046	<20	1.64	0.006	0.27	0.9	<0.01	<0.1	0.52	2.8	<0.5	4	<0.2
1348406	Drill Core				0.009	1	5	0.06	138	0.011	<20	0.24	0.004	0.16	0.3	<0.01	<0.1	0.95	0.8	0.7	<1	<0.2
1348407	Drill Core				0.038	2	20	2.46	82	0.045	<20	2.26	0.006	0.21	0.6	<0.01	<0.1	1.85	5.0	<0.5	4	<0.2
1348408	Drill Core				0.050	2	35	2.46	37	0.065	<20	2.76	0.027	0.12	0.6	<0.01	<0.1	0.07	9.6	<0.5	8	<0.2
1348409	Drill Core				0.080	4	12	1.96	41	0.028	<20	2.57	0.010	0.20	0.6	<0.01	<0.1	0.06	4.4	<0.5	5	<0.2
1348410	Drill Core				0.070	4	4	1.86	81	0.014	<20	2.44	0.005	0.24	0.5	<0.01	0.1	<0.05	3.7	<0.5	3	<0.2
1348411	Drill Core				0.077	4	5	1.98	76	0.014	<20	2.61	0.005	0.26	0.6	<0.01	<0.1	<0.05	3.9	<0.5	4	<0.2
1348412	Drill Core				0.072	3	9	2.63	61	0.010	<20	3.20	0.001	0.21	0.3	<0.01	<0.1	0.06	5.4	<0.5	5	<0.2
1348413	Drill Core				0.069	5	6	2.26	74	0.003	<20	2.87	<0.001	0.24	0.2	<0.01	<0.1	0.07	3.5	<0.5	5	<0.2
1348414	Drill Core				0.057	5	7	1.95	80	0.007	<20	2.78	0.004	0.29	0.3	0.01	<0.1	<0.05	3.1	<0.5	4	<0.2
1348415	Drill Core				0.064	6	10	1.64	74	0.006	<20	2.55	0.008	0.27	0.3	0.01	<0.1	<0.05	3.3	<0.5	4	<0.2
1348416	Drill Core				0.063	4	12	1.72	78	0.038	<20	2.64	0.020	0.17	0.7	0.01	<0.1	<0.05	5.6	<0.5	6	<0.2
1348417	Drill Core				0.055	3	7	1.82	78	0.024	<20	2.24	0.011	0.18	0.6	<0.01	<0.1	0.35	5.7	<0.5	5	<0.2
1348418	Drill Core				0.052	2	8	1.81	86	0.027	<20	2.55	0.027	0.19	0.6	<0.01	<0.1	<0.05	6.3	<0.5	7	<0.2
1348419	Drill Core				0.054	4	9	2.34	57	0.035	<20	2.88	0.018	0.12	0.4	<0.01	<0.1	<0.05	7.1	<0.5	8	<0.2
1348420	Rock Pulp				0.039	5	40	0.47	49	0.063	<20	1.05	0.069	0.15	18.3	2.11	2.7	1.04	3.4	0.9	6	0.4
1348421	Drill Core				0.079	4	12	2.51	69	0.050	<20	3.13	0.036	0.14	0.4	<0.01	<0.1	<0.05	8.1	<0.5	9	<0.2

CERTIFICATE OF ANALYSIS

WHI13000471.2

	Method	WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V
	Unit	kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	%
	MDL	0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2
1348422	Drill Core	7.84	3	0.1	21.5	2.0	103	0.1	10.5	15.4	1085	4.17	4.5	<0.5	1.4	38	0.5	0.1	<0.1	70
1348423	Drill Core	8.18	4	1.1	23.8	6.4	192	<0.1	15.8	15.4	969	3.81	12.9	0.7	2.5	53	1.5	0.2	<0.1	57
1348424	Drill Core	8.53	3	1.2	23.1	2.6	83	<0.1	14.7	15.6	925	3.81	9.1	0.5	2.5	46	0.1	0.1	<0.1	75
1348425	Drill Core	5.08	3	1.7	26.7	2.8	75	0.1	20.4	14.1	690	3.41	9.9	5.1	3.6	50	0.2	0.2	<0.1	63
1348426	Drill Core	3.12	12	1.2	22.1	2.2	149	0.1	16.0	15.3	815	3.68	36.8	7.7	2.8	73	1.8	0.2	<0.1	44
1348427	Drill Core	7.44	2	1.2	18.1	1.1	82	<0.1	13.8	17.3	768	3.91	10.2	2.9	2.9	37	0.2	0.1	<0.1	50
1348428	Drill Core	7.73	23	0.6	26.2	2.1	73	<0.1	12.6	18.3	1128	4.28	16.3	20.6	2.1	95	0.1	0.1	<0.1	58
1348429	Rock	1.11	<2	<0.1	2.0	2.8	46	<0.1	3.8	4.4	565	2.05	<0.5	<0.5	4.2	57	<0.1	<0.1	<0.1	36
1348430	Drill Core	8.54	46	1.0	228.8	5.0	62	1.1	7.1	17.4	1126	3.93	53.9	20.4	1.4	118	0.2	0.3	<0.1	43
1348431	Drill Core	7.93	8	0.5	23.9	4.6	54	0.1	5.9	17.8	1121	3.72	516.6	7.4	1.4	127	0.2	0.1	<0.1	48
1348432	Drill Core	7.89	30	0.4	45.8	4.0	54	0.4	7.3	17.8	1280	3.97	2253.0	30.0	1.4	95	<0.1	0.2	<0.1	42
1348433	Drill Core	8.83	8	<0.1	23.7	2.2	48	0.2	5.9	14.4	1238	3.57	640.1	6.6	1.4	109	0.1	<0.1	<0.1	37
1348434	Drill Core	8.39	5	<0.1	23.9	2.8	54	0.2	6.3	14.8	1245	3.56	199.4	3.9	1.4	104	0.1	<0.1	<0.1	39
1348435	Drill Core	7.78	5	0.3	27.5	4.1	71	<0.1	7.1	16.2	1199	3.68	3.2	<0.5	1.5	48	0.2	<0.1	<0.1	49
1348436	Drill Core	8.47	6	<0.1	38.8	6.3	58	<0.1	8.8	17.7	3200	3.85	1.0	<0.5	1.4	57	0.1	<0.1	<0.1	65
1348437	Drill Core	8.85	2	<0.1	35.5	4.3	63	<0.1	13.0	21.9	4539	3.97	1.6	<0.5	1.1	106	0.2	<0.1	<0.1	68
1348438	Drill Core	8.82	6	0.2	37.1	3.5	62	0.1	20.3	21.5	4073	3.67	1.9	2.1	1.3	114	0.1	<0.1	<0.1	49
1348439	Drill Core	8.65	9	1.2	31.1	4.0	65	0.1	13.6	17.1	1793	3.61	4.0	2.8	2.1	103	0.1	<0.1	<0.1	51
1348440	Drill Core	7.79	<2	0.1	18.7	4.0	93	<0.1	13.3	18.6	1226	4.05	3.4	<0.5	2.6	93	0.2	<0.1	<0.1	62
1348441	Drill Core	3.91	4	0.2	15.0	5.5	63	0.1	4.3	10.8	891	3.25	3.3	<0.5	2.2	84	<0.1	<0.1	<0.1	46
1348442	Drill Core	3.88	4	0.5	16.4	6.1	66	0.1	3.4	11.7	953	3.43	7.2	<0.5	2.4	85	<0.1	<0.1	<0.1	38
1348443	Drill Core	6.13	5	0.4	13.1	7.0	80	0.2	2.1	11.1	893	3.51	10.5	<0.5	3.2	97	0.2	0.2	<0.1	31
1348444	Drill Core	6.21	2	0.8	11.9	11.4	71	0.2	1.6	11.9	1002	3.52	9.7	0.9	3.4	115	0.2	0.1	<0.1	25
1348445	Drill Core	2.88	18	0.8	38.4	21.7	278	0.4	2.5	11.8	997	4.01	66.2	34.5	3.2	65	3.0	0.2	<0.1	29
1348446	Drill Core	7.10	33	9.7	13.1	748.3	531	0.8	1.3	1.8	162	1.68	38.8	12.2	0.5	54	12.8	0.6	0.2	4
1348447	Drill Core	8.14	202	0.2	17.9	25.9	100	0.2	1.5	10.5	805	3.56	473.8	68.9	3.2	143	0.6	0.1	0.2	29
1348448	Rock Pulp	0.13	4882	495.3	78.9	915.9	2929	97.6	28.8	10.0	314	2.61	72.2	3471.5	1.2	46	26.1	86.2	1.4	49
1348449	Drill Core	6.16	6	0.4	21.3	10.3	60	0.2	4.9	15.2	900	3.55	47.1	4.7	2.5	93	0.3	<0.1	<0.1	39
1348450	Drill Core	5.64	32	0.5	18.1	3.7	66	0.2	5.2	13.2	816	3.56	18.1	20.8	2.5	81	0.1	<0.1	<0.1	36
1348251	Drill Core	1.11	7	<0.1	21.5	3.6	81	0.2	9.5	13.0	987	3.84	4.1	2.0	1.3	143	0.9	0.1	<0.1	42

Acme Analytical Laboratories (Vancouver) Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: Rackla Metals Inc.
650-200 Burrard St.
Vancouver BC V6C 3L6 CANADA

Project: KSD
Report Date: October 29, 2013

Page: 3 of 4

Part: 2 of 2

CERTIFICATE OF ANALYSIS

WHI13000471.2

	Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga
	Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1
1348422	Drill Core	0.079	4	11	2.29	51	0.051	<20	2.78	0.019	0.10	0.5	<0.01	<0.1	<0.05	6.8	<0.5	8
1348423	Drill Core	0.077	7	17	2.03	77	0.058	<20	2.41	0.024	0.14	0.6	<0.01	<0.1	0.09	6.0	<0.5	7
1348424	Drill Core	0.078	6	17	2.30	86	0.021	<20	2.31	0.024	0.12	0.2	<0.01	<0.1	0.14	6.9	<0.5	7
1348425	Drill Core	0.074	8	27	1.96	62	0.010	<20	1.97	0.040	0.10	<0.1	<0.01	<0.1	0.20	5.9	0.5	6
1348426	Drill Core	0.068	5	19	1.91	56	0.020	<20	1.93	0.019	0.13	0.2	<0.01	<0.1	0.21	5.4	0.7	5
1348427	Drill Core	0.078	7	15	2.08	90	0.040	<20	2.33	0.027	0.18	0.3	<0.01	<0.1	<0.05	5.0	<0.5	6
1348428	Drill Core	0.065	4	11	2.21	82	0.028	<20	2.38	0.013	0.17	0.3	<0.01	<0.1	0.13	6.0	<0.5	6
1348429	Rock	0.073	9	8	0.57	207	0.121	<20	0.99	0.082	0.47	<0.1	<0.01	0.3	<0.05	2.1	<0.5	5
1348430	Drill Core	0.053	3	6	1.88	61	0.016	<20	2.05	0.019	0.22	0.2	0.02	<0.1	0.25	4.6	<0.5	5
1348431	Drill Core	0.051	3	5	1.99	49	0.031	<20	2.09	0.021	0.32	0.2	<0.01	0.1	0.10	5.3	<0.5	6
1348432	Drill Core	0.048	2	6	2.30	45	0.058	<20	2.17	0.013	0.64	0.2	<0.01	0.2	0.21	6.1	<0.5	5
1348433	Drill Core	0.048	2	4	2.30	58	0.056	<20	2.09	0.008	0.58	0.3	<0.01	0.3	0.13	5.3	<0.5	4
1348434	Drill Core	0.050	3	6	2.12	70	0.029	<20	2.19	0.018	0.27	0.2	<0.01	<0.1	0.06	5.2	<0.5	5
1348435	Drill Core	0.052	4	5	2.28	85	0.013	<20	2.44	0.021	0.20	0.1	<0.01	<0.1	<0.05	6.0	<0.5	6
1348436	Drill Core	0.047	4	5	2.27	62	0.023	<20	2.47	0.022	0.22	0.2	<0.01	<0.1	<0.05	7.6	<0.5	7
1348437	Drill Core	0.044	3	5	2.25	63	0.039	<20	2.57	0.031	0.24	0.3	<0.01	<0.1	<0.05	7.8	<0.5	8
1348438	Drill Core	0.047	3	6	1.89	68	0.029	<20	2.13	0.029	0.43	0.2	<0.01	0.1	<0.05	5.4	<0.5	5
1348439	Drill Core	0.053	4	14	2.01	72	0.032	<20	2.07	0.029	0.36	0.2	<0.01	0.1	0.19	6.5	<0.5	6
1348440	Drill Core	0.060	6	22	2.35	81	0.030	<20	2.52	0.026	0.20	0.1	<0.01	<0.1	<0.05	7.8	<0.5	8
1348441	Drill Core	0.058	4	7	1.47	94	0.034	<20	1.75	0.044	0.14	0.2	<0.01	<0.1	<0.05	6.3	<0.5	7
1348442	Drill Core	0.058	4	6	1.50	100	0.029	<20	1.75	0.035	0.16	0.2	<0.01	<0.1	0.29	5.4	<0.5	6
1348443	Drill Core	0.071	5	3	1.41	123	0.049	<20	1.73	0.031	0.20	0.3	<0.01	<0.1	0.24	5.3	<0.5	6
1348444	Drill Core	0.068	6	<1	1.47	140	0.043	<20	1.77	0.035	0.20	0.2	<0.01	<0.1	0.43	4.5	<0.5	5
1348445	Drill Core	0.069	4	4	1.46	109	0.003	<20	1.63	0.024	0.20	0.1	<0.01	<0.1	1.54	2.7	<0.5	6
1348446	Drill Core	0.018	2	16	0.11	85	0.002	<20	0.18	0.015	0.17	0.4	0.02	<0.1	0.32	0.6	1.0	<1
1348447	Drill Core	0.072	6	4	1.17	46	0.031	<20	1.44	0.052	0.13	0.2	<0.01	<0.1	0.91	3.6	0.5	5
1348448	Rock Pulp	0.035	5	36	0.43	48	0.065	<20	0.94	0.060	0.14	17.0	1.95	2.4	0.97	3.1	1.1	7
1348449	Drill Core	0.047	3	8	1.64	64	0.071	<20	1.57	0.033	0.38	0.3	<0.01	0.2	0.64	5.5	<0.5	5
1348450	Drill Core	0.055	3	7	1.72	65	0.092	<20	1.59	0.034	0.71	0.2	<0.01	0.3	0.37	5.7	<0.5	5
1348251	Drill Core	0.076	6	9	1.61	47	0.020	<20	2.08	0.023	0.17	<0.1	<0.01	<0.1	0.11	4.2	<0.5	7

Acme Analytical Laboratories (Vancouver) Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: **Rackla Metals Inc.**
650-200 Burrard St.
Vancouver BC V6C 3L6 CANADA

Project: KSD
Report Date: October 29, 2013

Page: 4 of 4

Part: 1 of 2

CERTIFICATE OF ANALYSIS

WHI13000471.2

	Method Analyte Unit MDL	WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
		0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2
1348389	Drill Core	3.77	4	<0.1	16.4	5.8	77	<0.1	13.3	14.9	771	3.21	0.8	<0.5	0.5	46	0.3	0.1	<0.1	37	1.33

Acme Analytical Laboratories (Vancouver) Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: **Rackla Metals Inc.**
650-200 Burrard St.
Vancouver BC V6C 3L6 CANADA

Project: KSD
Report Date: October 29, 2013

Page: 4 of 4

Part: 2 of 2

CERTIFICATE OF ANALYSIS

WHI13000471.2

Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
MDL	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2
1348389 Drill Core	0.079	2	9	1.58	67	0.052	<20	1.89	0.041	0.12	<0.1	<0.01	<0.1	<0.05	2.7	<0.5	6	<0.2

QUALITY CONTROL REPORT

WHI13000471.2

	Method	WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
	Unit	kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
	MDL	0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01
Pulp Duplicates																					
1348408	Drill Core	8.29	4	0.4	40.7	5.8	91	0.3	16.1	20.3	1033	4.49	23.7	1.4	0.9	145	0.4	<0.1	<0.1	91	3.07
REP 1348408	QC			0.4	36.9	5.4	86	0.3	15.3	20.4	1035	4.39	21.7	6.0	1.0	146	0.4	0.1	<0.1	94	2.99
1348416	Drill Core	7.42	3	0.2	21.7	5.6	147	0.2	10.8	15.6	1031	3.74	4.4	4.3	1.3	38	1.4	0.2	<0.1	53	1.68
REP 1348416	QC		4																		
1348450	Drill Core	5.64	32	0.5	18.1	3.7	66	0.2	5.2	13.2	816	3.56	18.1	20.8	2.5	81	0.1	<0.1	<0.1	36	1.76
REP 1348450	QC		51																		
1348389	Drill Core	3.77	4	<0.1	16.4	5.8	77	<0.1	13.3	14.9	771	3.21	0.8	<0.5	0.5	46	0.3	0.1	<0.1	37	1.33
REP 1348389	QC			<0.1	14.7	5.2	77	<0.1	13.4	14.9	760	3.14	1.2	<0.5	0.5	45	0.3	0.1	<0.1	37	1.32
Core Reject Duplicates																					
1348398	Drill Core	5.51	7	0.8	33.5	3.0	73	<0.1	11.9	16.5	931	4.19	0.8	1.0	1.0	81	0.1	<0.1	<0.1	90	2.68
DUP 1348398	QC		5	0.6	33.0	3.0	70	<0.1	11.8	16.8	937	4.21	0.9	1.1	1.0	84	0.1	<0.1	<0.1	91	2.70
1348436	Drill Core	8.47	6	<0.1	38.8	6.3	58	<0.1	8.8	17.7	3200	3.85	1.0	<0.5	1.4	57	0.1	<0.1	<0.1	65	2.18
DUP 1348436	QC		7	<0.1	38.6	4.7	60	<0.1	8.6	16.8	3175	3.79	0.8	0.8	1.5	54	<0.1	<0.1	<0.1	63	2.13
Reference Materials																					
STD DS10	Standard			13.6	161.6	153.2	367	1.9	78.1	13.3	924	2.76	47.2	67.6	6.0	53	2.4	5.3	9.2	44	1.08
STD DS10	Standard			11.4	153.7	145.4	336	2.2	75.6	13.1	842	2.51	41.3	64.7	5.7	53	2.3	5.4	10.2	38	0.98
STD OREAS45EA	Standard			1.3	719.4	11.1	28	0.2	402.0	51.0	434	23.46	9.7	42.2	7.8	3	<0.1	0.1	0.2	340	0.03
STD OREAS45EA	Standard			1.4	635.0	13.8	26	0.3	352.6	50.3	379	22.23	6.6	51.2	8.7	3	<0.1	0.1	0.2	298	0.03
STD OXC109	Standard		198																		
STD OXC109	Standard		212																		
STD OXI96	Standard		1795																		
STD OXI96	Standard		1791																		
STD OXC109 Expected			201																		
STD OXI96 Expected			1802																		
STD DS10 Expected				14.69	154.61	150.55	352.9	1.96	74.6	12.9	861	2.7188	43.7	91.9	7.5	67.1	2.48	9.51	11.65	43	1.0355
STD OREAS45EA Expected				1.39	709	14.3	28.9	0.26	381	52	400	23.51	9.1	53	10.7	3.5	0.02	0.2	0.26	303	0.036
BLK	Blank		<2																		
BLK	Blank		5																		

QUALITY CONTROL REPORT

WHI13000471.2

Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
MDL	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2
Pulp Duplicates																		
1348408 Drill Core	0.050	2	35	2.46	37	0.065	<20	2.76	0.027	0.12	0.6	<0.01	<0.1	0.07	9.6	<0.5	8	<0.2
REP 1348408 QC	0.054	3	36	2.44	36	0.067	<20	2.68	0.026	0.12	0.6	<0.01	<0.1	0.07	9.1	<0.5	7	<0.2
1348416 Drill Core	0.063	4	12	1.72	78	0.038	<20	2.64	0.020	0.17	0.7	0.01	<0.1	<0.05	5.6	<0.5	6	<0.2
REP 1348416 QC																		
1348450 Drill Core	0.055	3	7	1.72	65	0.092	<20	1.59	0.034	0.71	0.2	<0.01	0.3	0.37	5.7	<0.5	5	<0.2
REP 1348450 QC																		
1348389 Drill Core	0.079	2	9	1.58	67	0.052	<20	1.89	0.041	0.12	<0.1	<0.01	<0.1	<0.05	2.7	<0.5	6	<0.2
REP 1348389 QC	0.085	2	9	1.53	65	0.048	<20	1.88	0.041	0.12	<0.1	<0.01	<0.1	<0.05	2.5	<0.5	6	<0.2
Core Reject Duplicates																		
1348398 Drill Core	0.062	3	25	2.13	28	0.021	<20	2.53	0.036	0.07	<0.1	<0.01	<0.1	<0.05	9.1	<0.5	9	<0.2
DUP 1348398 QC	0.076	3	24	2.12	30	0.023	<20	2.57	0.036	0.07	0.1	<0.01	<0.1	<0.05	9.1	<0.5	9	<0.2
1348436 Drill Core	0.047	4	5	2.27	62	0.023	<20	2.47	0.022	0.22	0.2	<0.01	<0.1	<0.05	7.6	<0.5	7	<0.2
DUP 1348436 QC	0.045	4	6	2.19	66	0.023	<20	2.41	0.024	0.22	0.3	<0.01	<0.1	<0.05	7.5	<0.5	7	<0.2
Reference Materials																		
STD DS10 Standard	0.079	15	57	0.79	393	0.066	<20	1.04	0.064	0.33	2.6	0.33	4.6	0.28	2.8	2.3	4	4.9
STD DS10 Standard	0.063	14	54	0.72	336	0.064	<20	0.92	0.056	0.31	3.0	0.31	4.3	0.26	2.3	2.2	4	4.4
STD OREAS45EA Standard	0.028	6	1060	0.08	141	0.075	<20	3.23	0.017	0.05	<0.1	<0.01	<0.1	<0.05	78.2	<0.5	11	<0.2
STD OREAS45EA Standard	0.024	6	825	0.08	132	0.086	<20	2.95	0.016	0.05	<0.1	<0.01	<0.1	<0.05	66.7	<0.5	11	<0.2
STD OXC109 Standard																		
STD OXC109 Standard																		
STD OXI96 Standard																		
STD OXI96 Standard																		
STD OXC109 Expected																		
STD OXI96 Expected																		
STD DS10 Expected	0.073	17.5	54.6	0.7651	349	0.0817		1.0259	0.0638	0.3245	3.34	0.289	4.79	0.2743	2.8	2.3	4.3	4.89
STD OREAS45EA Expected	0.029	6.57	849	0.095	148	0.0875		3.13	0.02	0.053			0.072	0.036	78	0.6	11.7	0.07
BLK Blank																		
BLK Blank																		

QUALITY CONTROL REPORT

WHI13000471.2

		WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V
		kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
		0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2
BLK	Blank		4																	
BLK	Blank		<2																	
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2
Prep Wash																				
G1-WHI	Prep Blank		<2	0.2	3.5	2.7	46	<0.1	4.4	4.0	592	2.17	<0.5	<0.5	4.9	59	<0.1	<0.1	<0.1	38
G1-WHI	Prep Blank		<2	0.3	3.3	2.9	46	<0.1	3.5	4.0	594	2.02	<0.5	<0.5	3.7	50	<0.1	<0.1	<0.1	36

QUALITY CONTROL REPORT

WHI13000471.2

		1DX P %	1DX La ppm	1DX Cr ppm	1DX Mg %	1DX Ba ppm	1DX Ti %	1DX B ppm	1DX Al %	1DX Na %	1DX K %	1DX W ppm	1DX Hg ppm	1DX Tl ppm	1DX S %	1DX Sc ppm	1DX Se ppm	1DX Ga ppm	1DX Te ppm
		0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2
BLK	Blank																		
BLK	Blank																		
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.05	<0.1	<0.5	<1	<0.2
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.05	<0.1	<0.5	<1	<0.2
Prep Wash																			
G1-WHI	Prep Blank	0.078	11	9	0.65	161	0.103	<20	0.98	0.089	0.47	<0.1	<0.01	0.4	<0.05	2.4	<0.5	5	<0.2
G1-WHI	Prep Blank	0.067	10	6	0.51	167	0.110	<20	0.98	0.096	0.49	<0.1	<0.01	0.3	<0.05	2.5	<0.5	5	<0.2

Acme Analytical Laboratories (Vancouver) Ltd.
9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA
PHONE (604) 253-3158

Client: **Rackla Metals Inc.**
650-200 Burrard St.
Vancouver BC V6C 3L6 CANADA

Submitted By: Roger Hulstein
Receiving Lab: Canada-Whitehorse
Received: October 02, 2013
Report Date: October 30, 2013
Page: 1 of 6

CERTIFICATE OF ANALYSIS

WHI13000472.1

CLIENT JOB INFORMATION

Project: KSD
Shipment ID: 2013-7
P.O. Number
Number of Samples: 138

SAMPLE DISPOSAL

DISP-PLP Dispose of Pulp After 90 days
DISP-RJT Dispose of Reject After 90 days

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Rackla Metals Inc.
650-200 Burrard St.
Vancouver BC V6C 3L6
CANADA

CC: Simon Ridgway
Dave Clark
Database Backup

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
R200-250	134	Crush, split and pulverize 250 g rock to 200 mesh			WHI
3B	138	Fire assay fusion Au by ICP-ES	30	Completed	VAN
1DX	138	1:1:1 Aqua Regia digestion ICP-MS analysis	0.5	Completed	VAN

ADDITIONAL COMMENTS



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
*** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.

CERTIFICATE OF ANALYSIS

WHI13000472.1

	Method Analyte Unit MDL	WGHT Wgt kg 0.01	3B Au ppb 2	1DX Mo ppm 0.1	1DX Cu ppm 0.1	1DX Pb ppm 0.1	1DX Zn ppm 1	1DX Ag ppm 0.1	1DX Ni ppm 0.1	1DX Co ppm 0.1	1DX Mn ppm 1	1DX Fe % 0.01	1DX As ppm 0.5	1DX Au ppb 0.5	1DX Th ppm 0.1	1DX Sr ppm 1	1DX Cd ppm 0.1	1DX Sb ppm 0.1	1DX Bi ppm 0.1	1DX V ppm 2	1DX Ca % 0.01
1348451	Drill Core	5.31	606	0.7	6.7	9.8	112	0.3	2.3	12.1	1175	3.94	32.9	893.0	3.1	176	1.3	0.4	0.1	25	3.45
1348452	Drill Core	6.33	264	0.5	7.8	9.2	78	0.2	1.7	9.0	891	3.81	19.4	217.2	3.4	120	0.8	0.2	0.1	30	2.26
1348453	Drill Core	4.68	14	0.1	12.0	6.0	50	0.1	0.9	7.5	579	2.42	6.2	19.5	2.6	67	0.1	0.1	<0.1	23	1.30
1348454	Drill Core	5.27	75	0.2	13.3	12.7	84	0.2	2.2	9.3	1206	4.11	12.3	125.3	2.1	152	<0.1	<0.1	0.1	29	2.66
1348455	Drill Core	4.84	20	0.1	13.7	9.0	58	0.1	1.5	10.3	802	3.00	12.0	9.4	3.0	104	0.1	<0.1	<0.1	28	1.94
1348456	Drill Core	4.74	299	0.2	30.1	20.1	94	0.3	1.9	12.2	1118	3.64	1306.2	115.0	3.0	189	1.4	0.2	0.1	23	3.08
1348457	Drill Core	3.44	326	0.5	6.0	11.8	28	0.3	1.7	6.2	640	2.32	2398.1	218.3	2.1	121	0.3	0.3	<0.1	10	2.06
1348458	Drill Core	2.91	160	0.6	10.3	22.2	48	0.2	1.4	10.5	762	2.96	1034.8	48.2	3.4	142	0.5	0.3	<0.1	11	2.44
1348459	Drill Core	1.64	895	0.4	3.5	6.0	213	0.1	1.8	8.3	1124	3.18	147.7	262.9	0.3	173	2.7	0.3	<0.1	12	3.20
1348460	Rock	0.89	21	<0.1	2.1	3.0	52	<0.1	3.5	4.5	608	2.15	2.8	5.4	5.4	56	<0.1	<0.1	<0.1	39	0.49
1348461	Drill Core	4.63	171	1.9	37.0	226.4	310	1.1	3.4	19.7	1200	5.00	1030.9	163.2	2.8	148	3.3	0.7	<0.1	33	2.63
1348462	Drill Core	1.02	1081	2.0	2.5	58.9	103	0.4	1.6	8.2	182	3.24	149.8	621.2	1.0	16	1.9	0.2	0.2	6	0.31
1348463	Drill Core	3.15	37	1.0	23.1	20.4	58	0.4	4.2	14.2	1063	3.61	111.9	12.1	2.8	136	0.7	<0.1	<0.1	36	2.55
1348464	Drill Core	2.79	15	0.5	10.9	2.5	67	<0.1	3.6	12.2	962	3.61	219.0	4.9	2.4	98	0.1	0.1	<0.1	34	1.91
1348465	Drill Core	3.34	8	0.5	9.5	2.5	77	<0.1	2.0	11.6	760	3.85	21.8	2.4	3.5	60	0.1	0.1	<0.1	27	1.21
1348466	Drill Core	3.33	4	0.1	12.3	3.8	82	0.1	1.9	10.5	782	3.83	111.1	3.2	3.8	59	<0.1	0.1	<0.1	29	1.09
1348467	Drill Core	3.13	4	0.1	10.3	3.5	76	0.1	1.6	10.8	835	3.88	13.3	3.9	3.5	63	0.1	0.1	<0.1	37	1.18
1348468	Drill Core	2.98	31	0.3	19.1	5.3	70	0.2	1.2	12.6	1264	3.99	2153.6	23.9	3.3	142	0.2	0.4	<0.1	34	2.52
1348469	Drill Core	3.32	24	0.9	15.4	6.3	64	0.2	2.7	12.6	1094	3.89	188.0	19.7	3.4	108	0.2	0.2	<0.1	33	2.34
1348470	Drill Core	1.51	17	<0.1	9.3	5.3	65	0.2	2.0	10.1	881	3.43	272.1	14.8	3.4	83	0.2	0.2	<0.1	31	2.07
1348471	Drill Core	1.63	35	0.2	11.4	5.3	69	0.1	1.5	10.5	887	3.65	126.2	24.5	3.6	83	0.2	0.2	<0.1	30	2.00
1348472	Drill Core	3.86	8	0.5	19.5	10.4	75	0.2	2.0	12.3	1054	3.85	28.6	8.7	3.0	104	0.3	0.2	<0.1	36	2.58
1348473	Drill Core	1.46	10	0.2	16.9	6.8	177	0.1	1.8	9.8	772	2.37	15.3	7.2	1.6	84	1.0	0.1	<0.1	17	2.33
1348474	Drill Core	4.04	4	0.2	24.8	10.4	73	0.2	2.3	12.6	988	3.21	9.8	<0.5	2.9	105	1.5	0.2	0.1	27	2.80
1348475	Drill Core	4.64	16	0.5	24.3	14.7	62	0.3	2.2	12.0	1009	3.30	45.9	5.8	3.5	132	0.5	0.2	0.1	27	3.00
1348476	Drill Core	5.15	4	0.6	9.8	8.2	70	0.1	1.3	10.5	916	3.13	3.8	<0.5	3.4	59	0.3	0.2	0.1	26	2.18
1348477	Drill Core	4.65	4	0.3	10.2	15.1	68	<0.1	2.3	10.8	960	2.96	7.0	0.9	2.7	111	0.6	0.1	0.1	26	2.36
1348478	Drill Core	4.93	5	0.9	15.4	10.2	89	0.1	1.7	11.5	960	3.00	15.4	<0.5	3.1	104	0.6	0.2	0.1	22	2.48
1348479	Drill Core	4.69	6	0.5	13.8	7.0	70	0.1	2.0	11.4	959	3.15	5.4	3.2	3.5	105	0.2	0.2	0.1	22	2.38
1348480	Rock Pulp	0.12	4748	529.5	78.8	968.4	3265	>100	32.5	10.2	345	2.94	80.8	3945.1	1.6	57	34.5	128.9	1.7	56	0.60

Acme Analytical Laboratories (Vancouver) Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: Rackla Metals Inc.
650-200 Burrard St.
Vancouver BC V6C 3L6 CANADA

Project: KSD
Report Date: October 30, 2013

Page: 2 of 6

Part: 2 of 2

CERTIFICATE OF ANALYSIS

WHI13000472.1

	Method	Analyte	Unit	MDL	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX			
					P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te
					%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
					0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2
1348451	Drill Core	0.080	3	2	1.48	60	0.075	<20	1.21	0.037	0.61	0.3	0.01	0.3	1.66	5.8	<0.5	3	<0.2			
1348452	Drill Core	0.081	4	3	1.29	120	0.071	<20	1.35	0.026	0.51	0.4	<0.01	0.2	1.12	5.8	<0.5	4	<0.2			
1348453	Drill Core	0.055	4	<1	0.95	101	0.054	<20	1.04	0.025	0.37	0.3	0.02	0.1	0.15	4.3	<0.5	4	<0.2			
1348454	Drill Core	0.063	3	7	1.70	158	0.051	<20	1.89	0.017	0.32	0.3	0.01	0.1	0.25	4.7	0.6	6	<0.2			
1348455	Drill Core	0.069	4	2	1.19	97	0.058	<20	1.33	0.029	0.40	0.2	0.01	0.1	0.19	4.9	0.8	4	<0.2			
1348456	Drill Core	0.067	3	2	1.46	115	0.040	<20	1.58	0.015	0.33	0.4	<0.01	<0.1	0.65	3.6	0.7	5	<0.2			
1348457	Drill Core	0.045	3	3	0.72	89	0.015	<20	0.79	0.019	0.27	0.9	<0.01	<0.1	1.01	2.0	0.5	2	0.5			
1348458	Drill Core	0.065	4	2	0.88	154	0.012	<20	1.04	0.014	0.31	0.4	<0.01	<0.1	1.57	2.6	1.2	2	<0.2			
1348459	Drill Core	<0.001	<1	5	0.70	48	0.012	<20	0.60	0.002	0.08	0.4	<0.01	<0.1	2.33	2.3	1.2	2	<0.2			
1348460	Rock	0.087	10	10	0.63	230	0.127	<20	1.01	0.066	0.49	<0.1	0.01	0.3	<0.05	2.7	0.8	5	<0.2			
1348461	Drill Core	0.052	4	3	1.86	92	0.016	<20	1.92	0.016	0.24	0.4	<0.01	0.2	1.97	3.0	0.9	5	<0.2			
1348462	Drill Core	0.007	2	8	0.27	54	0.001	<20	0.34	0.011	0.09	0.2	0.01	<0.1	2.89	1.0	<0.5	<1	<0.2			
1348463	Drill Core	0.046	3	4	1.69	77	0.004	<20	1.62	0.023	0.14	0.2	0.01	<0.1	1.04	4.2	<0.5	6	<0.2			
1348464	Drill Core	0.047	5	5	1.91	69	0.034	<20	1.84	0.015	0.24	0.3	<0.01	<0.1	0.13	4.8	<0.5	5	<0.2			
1348465	Drill Core	0.067	5	2	1.87	74	0.083	<20	1.87	0.021	0.44	0.4	<0.01	0.1	0.18	5.3	<0.5	6	<0.2			
1348466	Drill Core	0.075	7	2	1.84	80	0.059	<20	1.92	0.019	0.44	0.2	0.01	0.2	0.05	5.5	<0.5	6	<0.2			
1348467	Drill Core	0.072	6	2	1.73	72	0.040	<20	1.98	0.030	0.17	0.3	<0.01	<0.1	0.11	7.3	0.8	8	<0.2			
1348468	Drill Core	0.086	4	3	1.86	85	0.047	<20	1.95	0.021	0.34	0.3	<0.01	0.1	0.49	7.8	<0.5	7	<0.2			
1348469	Drill Core	0.070	4	2	1.79	71	0.035	<20	1.98	0.023	0.24	0.4	0.02	<0.1	0.49	6.7	<0.5	6	<0.2			
1348470	Drill Core	0.066	5	2	1.40	67	0.026	<20	1.62	0.027	0.20	0.2	0.01	<0.1	0.41	5.0	<0.5	5	<0.2			
1348471	Drill Core	0.069	5	2	1.53	67	0.034	<20	1.73	0.022	0.26	0.3	0.01	0.1	0.38	5.4	<0.5	6	<0.2			
1348472	Drill Core	0.068	4	2	1.63	85	0.012	<20	1.83	0.021	0.21	0.2	0.01	<0.1	0.42	5.5	<0.5	6	<0.2			
1348473	Drill Core	0.042	3	4	1.08	64	0.003	<20	1.13	0.010	0.15	0.2	<0.01	<0.1	0.25	2.8	<0.5	3	<0.2			
1348474	Drill Core	0.062	5	4	1.40	89	0.034	<20	1.57	0.023	0.32	0.4	0.01	<0.1	0.18	5.2	<0.5	5	<0.2			
1348475	Drill Core	0.084	7	2	1.40	94	0.028	<20	1.56	0.017	0.37	0.6	<0.01	0.1	0.56	4.9	<0.5	5	<0.2			
1348476	Drill Core	0.064	9	2	1.36	99	0.018	<20	1.63	0.021	0.23	<0.1	<0.01	<0.1	0.06	4.7	<0.5	6	<0.2			
1348477	Drill Core	0.061	9	1	1.40	101	0.019	<20	1.61	0.019	0.26	0.3	0.01	<0.1	0.14	4.2	<0.5	5	<0.2			
1348478	Drill Core	0.065	10	2	1.30	112	0.019	<20	1.53	0.015	0.27	0.3	<0.01	<0.1	0.19	3.7	<0.5	4	<0.2			
1348479	Drill Core	0.066	9	2	1.35	117	0.008	<20	1.73	0.013	0.22	0.1	<0.01	<0.1	0.07	3.8	<0.5	5	<0.2			
1348480	Rock Pulp	0.043	6	40	0.48	59	0.076	<20	1.12	0.072	0.16	18.3	2.20	2.8	1.04	3.5	0.7	7	0.5			



A Bureau Veritas Group Company

www.acmelab.com

Acme Analytical Laboratories (Vancouver) Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client:

Rackla Metals Inc.

650-200 Burrard St.

Vancouver BC V6C 3L6 CANADA

Project:

KSD

Report Date:

October 30, 2013

Page:

3 of 6

Part:

1 of 2

CERTIFICATE OF ANALYSIS

WHI13000472.1

	Method	WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V
	Unit	kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	%
	MDL	0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2
1348481	Drill Core	4.37	16	0.4	30.1	11.5	110	0.3	3.2	16.1	1212	4.35	83.0	10.8	2.4	159	0.6	0.3	<0.1	40
1348482	Drill Core	2.99	25	0.8	19.4	10.8	109	0.3	2.7	13.1	895	3.74	155.8	16.8	2.8	108	0.7	0.4	<0.1	36
1348483	Drill Core	3.74	41	1.2	22.9	11.5	69	0.6	2.6	12.2	918	3.46	199.3	35.5	3.3	112	0.6	0.3	0.1	35
1348484	Drill Core	2.69	2	0.3	11.4	7.0	70	0.1	1.3	9.4	848	3.16	16.3	3.6	3.0	98	0.3	0.1	<0.1	41
1348485	Drill Core	3.04	3	0.5	13.2	8.0	65	0.2	1.8	9.7	803	3.14	19.6	1.1	2.9	79	0.2	<0.1	0.1	41
1348486	Drill Core	2.47	10	3.8	12.9	58.2	79	0.3	1.6	8.7	799	2.99	124.2	7.1	2.7	73	0.3	0.4	0.1	37
1348487	Drill Core	1.37	4	0.7	8.1	8.6	22	0.2	1.0	4.4	507	1.17	15.0	2.6	0.9	69	0.2	0.1	<0.1	8
1348488	Drill Core	3.37	63	25.0	17.1	9.3	77	0.5	5.8	16.1	1032	4.41	178.5	50.0	2.5	80	0.4	0.6	<0.1	70
1348489	Drill Core	2.06	6	2.2	19.5	5.4	61	0.4	24.5	13.0	854	2.88	33.5	6.1	4.3	96	0.3	0.1	<0.1	44
1348490	Drill Core	2.76	8	4.5	24.0	7.1	84	0.2	25.3	17.6	897	4.05	25.2	7.4	4.5	91	0.3	0.1	<0.1	78
1348491	Drill Core	3.12	8	3.2	63.2	6.8	106	0.5	7.1	24.9	1179	6.81	90.9	7.8	2.0	102	0.2	0.6	<0.1	180
1348492	Drill Core	2.90	13	7.2	47.6	8.8	94	0.4	10.4	25.9	1282	6.68	46.8	29.3	1.5	124	0.2	0.2	<0.1	232
1348493	Rock	0.91	<2	<0.1	1.6	2.5	44	<0.1	3.7	4.2	547	1.95	0.6	1.3	4.8	53	<0.1	<0.1	<0.1	36
1348494	Drill Core	2.98	12	0.5	30.2	8.5	87	0.3	12.9	23.8	1327	6.02	27.0	9.1	1.1	180	0.2	0.2	<0.1	241
1348495	Drill Core	3.35	15	0.3	29.5	10.9	79	0.5	11.9	26.0	1245	5.84	25.8	16.6	1.6	198	0.2	0.3	0.1	136
1348496	Drill Core	3.28	16	1.4	35.0	8.6	77	0.3	10.4	21.9	1149	5.33	18.6	10.6	1.5	137	0.1	0.2	<0.1	138
1348497	Drill Core	3.08	26	8.1	25.6	13.5	84	0.3	9.2	21.1	1327	5.33	62.8	23.7	1.2	145	0.3	0.3	<0.1	125
1348498	Drill Core	2.74	15	2.0	10.8	9.4	46	0.2	1.7	9.6	659	2.91	34.4	13.6	3.6	50	0.1	0.1	<0.1	22
1348499	Drill Core	2.19	<2	<0.1	10.2	5.7	66	0.1	1.1	7.7	698	3.12	2.6	2.3	3.6	45	<0.1	<0.1	<0.1	41
1348500	Drill Core	2.11	<2	<0.1	7.5	5.8	69	<0.1	1.1	7.5	723	3.20	2.6	<0.5	4.1	44	<0.1	0.1	<0.1	42
1349252	Drill Core	5.30	2	<0.1	5.6	8.9	75	0.1	1.5	9.9	685	3.18	7.0	<0.5	3.1	43	0.1	<0.1	0.2	36
1349253	Drill Core	5.04	<2	0.2	7.5	7.8	64	<0.1	1.7	9.6	693	3.24	3.4	1.3	3.1	49	0.3	0.1	<0.1	44
1349254	Drill Core	4.84	2	0.2	11.5	10.2	63	<0.1	2.1	10.2	796	3.33	2.4	<0.5	2.9	59	0.2	<0.1	0.1	61
1349255	Drill Core	4.85	9	0.3	16.8	10.6	60	0.1	12.5	11.5	1222	3.55	22.9	4.4	3.0	87	0.2	<0.1	<0.1	57
1349256	Drill Core	5.36	5	1.1	23.4	9.2	73	0.2	17.4	16.6	939	4.02	7.1	2.2	2.1	78	0.1	<0.1	0.1	59
1349257	Drill Core	5.02	3	0.6	22.0	5.3	63	0.1	4.6	10.2	536	3.06	10.1	1.1	2.5	56	0.1	<0.1	<0.1	27
1349258	Drill Core	4.90	4	0.4	20.8	4.3	74	0.1	6.3	13.2	810	4.02	25.5	1.6	2.2	100	0.1	0.1	<0.1	31
1349259	Drill Core	3.99	4	0.5	38.6	11.7	80	0.2	9.3	17.4	970	4.63	27.5	3.5	2.3	91	0.2	0.1	0.1	45
1349260	Rock Pulp	0.12	4957	432.5	73.5	911.6	2947	98.5	29.4	9.2	301	2.62	74.8	3299.7	1.3	50	30.3	109.5	1.7	49
1349261	Drill Core	4.58	13	0.1	12.9	4.2	66	0.1	9.6	15.0	945	4.03	73.3	8.8	2.8	105	0.1	0.1	<0.1	57

Acme Analytical Laboratories (Vancouver) Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: Rackla Metals Inc.
650-200 Burrard St.
Vancouver BC V6C 3L6 CANADA

Project: KSD
Report Date: October 30, 2013

Page: 3 of 6

Part: 2 of 2

CERTIFICATE OF ANALYSIS

WHI13000472.1

	Method Analyte Unit MDL	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga
		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm
		0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1
1348481	Drill Core	0.074	5	4	1.81	74	0.010	<20	2.06	0.011	0.19	0.2	0.02	<0.1	0.63	5.0	<0.5	6
1348482	Drill Core	0.072	5	3	1.37	45	0.005	<20	1.63	0.024	0.12	0.2	0.02	<0.1	0.65	4.6	<0.5	5
1348483	Drill Core	0.063	6	2	1.20	63	0.008	<20	1.48	0.019	0.13	0.2	0.02	<0.1	0.67	4.0	<0.5	5
1348484	Drill Core	0.071	9	2	1.21	50	0.007	<20	1.58	0.028	0.10	0.1	0.03	<0.1	<0.05	4.8	<0.5	6
1348485	Drill Core	0.058	10	3	1.13	54	0.006	<20	1.56	0.019	0.11	0.2	0.01	<0.1	0.10	4.5	<0.5	7
1348486	Drill Core	0.059	8	2	1.04	60	0.004	<20	1.40	0.023	0.13	0.1	<0.01	<0.1	0.19	3.7	<0.5	6
1348487	Drill Core	0.020	2	6	0.56	41	0.001	<20	0.56	0.002	0.10	<0.1	<0.01	<0.1	0.10	1.2	<0.5	1
1348488	Drill Core	0.061	4	12	1.80	36	0.003	<20	1.86	0.012	0.12	0.2	<0.01	<0.1	1.28	4.9	<0.5	7
1348489	Drill Core	0.055	8	79	1.56	75	0.003	<20	1.53	0.009	0.10	0.5	<0.01	<0.1	0.34	3.4	<0.5	5
1348490	Drill Core	0.055	10	55	1.89	77	0.004	<20	2.00	0.007	0.11	0.2	<0.01	<0.1	0.64	5.5	0.7	8
1348491	Drill Core	0.074	7	3	2.82	11	0.009	<20	3.03	0.011	0.04	0.3	<0.01	0.1	1.01	12.9	<0.5	12
1348492	Drill Core	0.057	5	16	2.90	13	0.010	<20	3.05	0.017	0.05	0.2	<0.01	<0.1	0.87	14.9	<0.5	12
1348493	Rock	0.073	7	9	0.58	215	0.129	<20	0.89	0.050	0.45	<0.1	<0.01	0.3	<0.05	2.1	<0.5	5
1348494	Drill Core	0.049	5	27	2.54	29	0.012	<20	2.74	0.019	0.05	0.6	<0.01	<0.1	0.53	15.8	<0.5	12
1348495	Drill Core	0.061	5	13	2.41	81	0.015	<20	2.58	0.010	0.14	0.5	<0.01	0.1	1.22	12.1	0.6	10
1348496	Drill Core	0.059	4	14	2.12	75	0.028	<20	2.47	0.012	0.19	0.3	<0.01	0.1	0.71	10.9	<0.5	9
1348497	Drill Core	0.064	3	13	2.08	44	0.008	<20	2.19	0.012	0.13	0.2	<0.01	<0.1	1.50	8.0	<0.5	8
1348498	Drill Core	0.059	5	2	1.01	93	0.009	<20	1.27	0.016	0.20	0.2	<0.01	<0.1	0.70	2.3	<0.5	4
1348499	Drill Core	0.061	7	2	1.05	43	0.079	<20	1.39	0.027	0.08	1.3	<0.01	<0.1	0.07	5.7	<0.5	6
1348500	Drill Core	0.067	8	2	1.08	65	0.074	<20	1.48	0.032	0.11	1.2	<0.01	<0.1	0.06	5.3	<0.5	6
1349252	Drill Core	0.059	4	2	1.20	49	0.046	<20	1.52	0.021	0.10	0.9	<0.01	<0.1	0.14	5.3	<0.5	6
1349253	Drill Core	0.056	6	2	1.32	105	0.125	<20	1.50	0.032	0.43	0.9	0.01	0.2	0.06	5.9	<0.5	6
1349254	Drill Core	0.060	6	3	1.36	254	0.180	<20	1.53	0.024	0.87	0.1	<0.01	0.4	0.07	8.6	<0.5	6
1349255	Drill Core	0.060	6	23	1.38	111	0.063	<20	1.52	0.035	0.40	0.2	<0.01	0.2	0.25	6.9	<0.5	7
1349256	Drill Core	0.055	3	28	1.84	92	0.041	<20	1.98	0.008	0.32	<0.1	0.01	0.1	0.31	7.2	<0.5	7
1349257	Drill Core	0.074	4	4	1.37	76	0.024	<20	1.54	0.016	0.20	0.1	<0.01	<0.1	0.18	5.1	<0.5	5
1349258	Drill Core	0.072	3	5	1.92	72	0.053	<20	1.94	0.004	0.45	0.2	<0.01	0.1	0.19	5.3	<0.5	5
1349259	Drill Core	0.067	3	7	2.09	78	0.053	<20	2.03	0.008	0.60	0.1	<0.01	0.2	0.16	6.6	<0.5	6
1349260	Rock Pulp	0.036	5	37	0.42	50	0.065	<20	0.92	0.059	0.13	19.3	1.96	2.7	0.99	3.1	1.1	6
1349261	Drill Core	0.062	4	16	1.78	110	0.071	<20	1.80	0.021	0.47	0.2	<0.01	0.2	0.16	7.6	<0.5	6

CERTIFICATE OF ANALYSIS

WHI13000472.1

	Method	WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V
	Unit	kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	%
	MDL	0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2
1349262	Drill Core	4.81	14	<0.1	16.9	6.9	55	0.1	2.0	9.7	727	3.16	245.3	8.3	2.5	88	0.2	0.1	<0.1	44
1349263	Drill Core	4.79	4	0.5	9.6	17.6	59	0.1	5.3	12.0	769	3.59	13.4	1.9	2.8	75	0.2	0.1	0.1	61
1349264	Drill Core	4.84	26	0.2	31.5	8.4	67	0.2	3.2	12.8	850	3.98	27.7	18.0	3.1	82	0.1	0.1	<0.1	81
1349265	Drill Core	4.88	3	0.5	19.7	4.6	65	0.1	2.2	10.8	689	3.66	4.6	3.9	3.2	55	0.1	0.1	<0.1	87
1349266	Drill Core	4.87	23	0.2	14.6	6.6	52	0.1	2.8	10.9	733	3.51	20.4	10.3	3.0	79	<0.1	0.3	<0.1	73
1349267	Drill Core	4.86	9	0.2	22.3	7.7	66	0.1	6.8	13.2	777	4.08	14.3	6.8	2.8	75	0.2	0.2	<0.1	92
1349268	Drill Core	4.57	18	0.1	30.8	11.8	69	0.3	6.1	16.5	990	4.42	224.8	13.0	2.6	106	0.1	0.4	<0.1	84
1349269	Drill Core	5.22	18	0.5	27.4	4.9	54	0.3	6.5	12.1	803	3.66	318.3	13.6	3.0	89	0.3	0.3	<0.1	59
1349270	Drill Core	4.76	6	4.5	28.8	11.2	90	0.2	31.4	14.1	688	2.60	41.8	2.8	5.2	85	0.7	0.2	<0.1	27
1349271	Drill Core	4.54	<2	2.4	25.0	8.9	82	0.2	31.4	11.0	767	2.62	21.8	3.2	5.4	84	0.5	0.2	<0.1	28
1349272	Rock	0.96	<2	<0.1	1.2	2.4	47	<0.1	3.7	3.9	548	1.88	<0.5	<0.5	4.7	47	<0.1	<0.1	<0.1	34
1349273	Drill Core	4.95	9	1.5	24.3	25.5	66	0.4	16.0	13.9	787	2.99	42.6	6.6	3.9	89	0.3	0.3	0.2	33
1349274	Drill Core	4.98	67	1.8	25.5	257.6	83	0.7	13.8	10.5	808	3.20	312.2	14.7	3.8	115	0.7	0.4	0.1	25
1349275	Drill Core	4.67	146	2.5	76.8	693.5	1592	2.9	23.4	13.2	1132	3.53	132.2	51.2	4.5	139	28.2	0.7	0.3	22
1349276	Drill Core	4.81	36	3.0	110.0	137.5	172	1.6	25.8	11.6	870	2.85	33.0	6.1	4.3	113	2.3	0.3	0.2	26
1349277	Drill Core	5.03	3	2.6	32.8	33.3	89	0.2	26.3	12.4	664	2.83	6.8	2.4	4.6	68	0.5	0.2	0.2	39
1349278	Drill Core	4.63	<2	1.5	28.2	13.5	88	0.1	14.7	13.3	681	3.32	3.2	1.1	3.9	40	0.5	0.1	<0.1	54
1349279	Drill Core	5.11	2	0.9	23.4	11.1	84	0.1	6.8	12.3	745	3.61	3.2	12.8	3.4	42	0.3	0.1	<0.1	71
1349280	Drill Core	4.99	16	1.5	24.3	11.1	91	0.1	18.0	13.3	651	3.34	2.9	<0.5	4.4	39	0.5	0.1	<0.1	54
1349281	Drill Core	1.57	<2	1.0	15.3	12.2	84	<0.1	7.9	13.2	863	3.69	5.6	0.8	3.3	52	0.3	0.1	<0.1	66
1349282	Drill Core	1.67	2	1.0	21.0	15.9	88	0.1	9.2	13.2	923	3.74	7.9	0.9	3.5	66	0.3	0.1	0.1	63
1349283	Drill Core	3.49	9	3.1	20.6	8.0	87	0.1	15.2	13.0	914	3.80	8.7	3.6	4.0	67	0.2	0.2	<0.1	60
1349284	Drill Core	3.03	4	0.6	17.0	10.5	89	0.1	9.2	13.9	768	4.13	4.9	0.9	3.0	51	0.2	<0.1	<0.1	84
1349285	Drill Core	3.43	5	<0.1	36.2	5.0	96	0.2	9.3	19.9	879	5.50	1.0	<0.5	2.5	55	<0.1	<0.1	<0.1	187
1349286	Drill Core	2.91	4	0.7	23.0	7.6	69	0.2	9.5	15.9	966	4.26	7.2	3.5	1.9	56	0.1	<0.1	0.1	93
1349287	Drill Core	3.92	<2	0.4	17.7	9.3	73	0.1	4.5	16.4	709	3.67	4.7	<0.5	2.4	53	0.1	<0.1	0.1	65
1349288	Drill Core	2.99	<2	0.3	22.8	7.0	73	0.1	8.4	15.2	798	4.10	4.7	0.6	2.1	61	<0.1	<0.1	<0.1	88
1349289	Drill Core	2.97	<2	0.2	37.2	4.0	84	0.1	9.7	16.7	793	4.89	1.7	0.5	2.5	43	<0.1	<0.1	<0.1	114
1349290	Rock Pulp	0.12	4868	495.8	80.7	926.0	3101	>100	30.7	9.5	320	2.71	77.9	3894.7	1.5	54	31.8	110.6	1.7	50
1349291	Drill Core	3.43	3	0.1	49.4	7.9	100	0.3	14.9	25.2	948	5.67	17.6	2.9	2.0	70	0.3	0.2	0.2	185

CERTIFICATE OF ANALYSIS

WHI13000472.1

	Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga
	Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1
1349262	Drill Core	0.056	4	3	1.21	86	0.053	<20	1.33	0.029	0.34	0.2	<0.01	0.1	0.19	5.1	<0.5	5
1349263	Drill Core	0.049	4	8	1.32	71	0.077	<20	1.45	0.025	0.33	0.4	<0.01	<0.1	0.14	7.2	<0.5	7
1349264	Drill Core	0.061	5	3	1.44	210	0.132	<20	1.66	0.035	0.64	0.2	<0.01	0.2	0.21	8.8	<0.5	8
1349265	Drill Core	0.057	6	4	1.30	268	0.155	<20	1.54	0.034	0.74	0.1	<0.01	0.2	<0.05	10.8	<0.5	8
1349266	Drill Core	0.055	5	4	1.29	77	0.115	<20	1.43	0.037	0.36	0.9	<0.01	0.1	0.09	8.7	<0.5	7
1349267	Drill Core	0.055	5	10	1.56	198	0.164	<20	1.78	0.026	0.73	0.5	<0.01	0.2	0.07	10.8	<0.5	8
1349268	Drill Core	0.056	3	7	1.75	116	0.121	<20	1.85	0.020	0.72	0.5	<0.01	0.3	0.17	8.6	<0.5	7
1349269	Drill Core	0.052	4	12	1.54	65	0.071	<20	1.56	0.020	0.49	0.4	<0.01	0.2	0.23	7.5	<0.5	6
1349270	Drill Core	0.055	5	42	1.38	96	0.039	<20	1.32	0.007	0.39	0.2	<0.01	0.1	0.15	3.7	<0.5	3
1349271	Drill Core	0.054	7	51	1.44	110	0.045	<20	1.44	0.009	0.33	0.2	<0.01	0.1	<0.05	3.9	<0.5	4
1349272	Rock	0.071	8	6	0.57	208	0.122	<20	0.86	0.050	0.44	<0.1	<0.01	0.3	<0.05	1.9	<0.5	5
1349273	Drill Core	0.056	5	28	1.60	86	0.069	<20	1.55	0.010	0.50	0.3	<0.01	0.2	0.09	4.2	<0.5	4
1349274	Drill Core	0.054	4	19	1.46	79	0.045	<20	1.44	0.011	0.31	0.4	<0.01	0.1	0.66	3.6	<0.5	4
1349275	Drill Core	0.057	4	36	1.53	86	0.044	<20	1.51	0.008	0.38	0.5	<0.01	0.1	1.26	4.0	<0.5	4
1349276	Drill Core	0.048	5	31	1.48	84	0.043	<20	1.43	0.007	0.31	0.4	<0.01	0.1	0.24	4.1	0.6	4
1349277	Drill Core	0.053	6	56	1.50	84	0.039	<20	1.52	0.016	0.25	0.2	<0.01	<0.1	0.21	5.7	<0.5	5
1349278	Drill Core	0.060	6	24	1.37	246	0.128	<20	1.57	0.017	0.61	0.6	<0.01	0.3	0.12	7.0	<0.5	6
1349279	Drill Core	0.063	7	10	1.36	490	0.217	<20	1.68	0.033	0.98	0.6	<0.01	0.3	0.14	8.9	<0.5	7
1349280	Drill Core	0.061	7	34	1.43	328	0.157	<20	1.65	0.016	0.69	0.5	<0.01	0.2	0.15	7.5	<0.5	6
1349281	Drill Core	0.067	5	20	1.58	261	0.164	<20	1.81	0.020	0.61	1.0	<0.01	0.2	0.24	8.1	<0.5	7
1349282	Drill Core	0.066	5	23	1.71	218	0.144	<20	1.93	0.016	0.49	1.2	<0.01	0.2	0.28	7.4	<0.5	7
1349283	Drill Core	0.060	5	31	1.70	91	0.089	<20	1.85	0.015	0.44	0.8	<0.01	0.2	0.24	7.1	<0.5	6
1349284	Drill Core	0.067	6	13	1.77	333	0.191	<20	2.06	0.022	0.94	0.4	<0.01	0.3	0.27	11.1	<0.5	7
1349285	Drill Core	0.070	4	9	2.87	296	0.151	<20	3.09	0.013	0.82	<0.1	<0.01	0.2	0.07	15.4	<0.5	12
1349286	Drill Core	0.054	3	17	2.46	97	0.043	<20	2.44	0.013	0.25	<0.1	<0.01	<0.1	0.23	8.9	<0.5	8
1349287	Drill Core	0.058	4	5	1.69	212	0.131	<20	1.88	0.017	0.68	<0.1	<0.01	0.2	0.16	8.6	<0.5	7
1349288	Drill Core	0.060	4	10	2.28	118	0.081	<20	2.37	0.015	0.45	0.1	<0.01	0.1	0.14	10.5	<0.5	8
1349289	Drill Core	0.064	5	13	3.00	62	0.067	<20	3.11	0.010	0.21	0.2	<0.01	<0.1	<0.05	11.7	<0.5	10
1349290	Rock Pulp	0.038	6	38	0.44	47	0.074	<20	1.00	0.066	0.14	19.3	2.15	2.6	0.97	3.3	1.2	7
1349291	Drill Core	0.059	3	15	2.70	158	0.175	<20	2.99	0.012	0.72	0.3	<0.01	0.3	0.29	16.3	<0.5	11

CERTIFICATE OF ANALYSIS

WHI13000472.1

	Method Analyte Unit MDL	WGHT Wgt kg 0.01	3B Au ppb 2	1DX Mo ppm 0.1	1DX Cu ppm 0.1	1DX Pb ppm 0.1	1DX Zn ppm 1	1DX Ag ppm 0.1	1DX Ni ppm 0.1	1DX Co ppm 0.1	1DX Mn ppm 1	1DX Fe % 0.01	1DX As ppm 0.5	1DX Au ppb 0.5	1DX Th ppm 0.1	1DX Sr ppm 1	1DX Cd ppm 0.1	1DX Sb ppm 0.1	1DX Bi ppm 0.1	1DX V ppm 2	1DX Ca % 0.01
1349292	Drill Core	3.13	<2	0.4	41.1	3.7	96	0.2	13.3	20.6	950	5.49	4.3	1.7	2.3	56	<0.1	0.2	<0.1	138	1.07
1349293	Drill Core	3.31	3	0.3	45.3	11.3	73	0.7	10.8	14.5	823	4.32	13.8	3.3	2.8	85	<0.1	0.4	0.2	95	1.56
1349294	Drill Core	0.65	167	<0.1	684.6	5020.6	4916	46.5	7.2	12.2	698	4.25	91.9	94.5	1.1	73	82.3	3.8	0.1	70	1.36
1349295	Drill Core	2.74	7	1.9	34.9	8.8	59	0.5	8.6	12.7	843	3.73	19.9	4.4	2.5	89	0.2	0.4	0.1	65	1.95
1349296	Rock	0.92	<2	<0.1	2.8	11.8	52	0.1	3.2	4.1	572	1.92	<0.5	<0.5	4.5	52	0.2	<0.1	<0.1	34	0.44
1349297	Drill Core	3.25	4	<0.1	37.6	6.3	87	0.3	6.2	15.1	884	4.59	11.6	2.8	2.7	67	0.2	0.3	<0.1	87	1.62
1349298	Drill Core	3.30	3	0.6	28.4	7.2	79	0.1	24.4	19.8	968	4.43	5.1	1.3	2.5	75	0.2	0.2	<0.1	80	2.08
1349299	Drill Core	3.28	3	1.6	55.7	5.0	70	0.2	38.1	21.2	881	3.89	4.1	1.8	3.5	70	0.3	<0.1	<0.1	90	2.01
1349300	Drill Core	3.26	5	<0.1	25.9	8.1	68	0.2	11.4	14.7	915	3.78	4.3	2.2	2.9	89	0.3	<0.1	0.1	58	2.30
1349301	Drill Core	3.27	2	0.6	28.3	4.9	66	0.1	12.3	14.9	771	3.62	3.4	0.9	2.6	58	0.2	<0.1	<0.1	58	1.62
1349302	Drill Core	3.48	<2	1.3	37.0	5.1	75	0.1	42.5	19.6	1298	4.02	1.0	0.5	2.1	108	0.4	<0.1	<0.1	91	3.18
1349303	Drill Core	3.75	3	0.6	33.9	6.0	64	0.2	24.7	18.6	744	3.63	8.6	0.8	3.3	52	0.2	0.1	0.1	60	1.41
1349304	Drill Core	3.15	3	1.4	23.1	9.4	63	0.1	19.1	14.9	819	2.99	4.5	<0.5	4.8	69	0.3	<0.1	0.1	42	2.04
1349305	Drill Core	3.41	<2	1.0	26.0	5.7	71	0.1	13.0	13.8	773	3.58	4.2	1.1	3.9	46	0.1	<0.1	<0.1	49	1.29
1349306	Drill Core	2.84	<2	0.6	27.1	2.9	81	0.1	6.4	15.6	826	4.44	2.6	2.5	3.4	34	0.1	0.1	<0.1	63	0.98
1349307	Drill Core	3.94	<2	1.1	30.1	4.3	77	0.2	5.4	16.1	844	4.54	6.6	2.2	2.7	30	<0.1	0.2	<0.1	54	0.99
1349308	Drill Core	2.88	<2	1.2	25.7	6.6	74	0.1	7.9	12.0	821	4.04	6.4	2.9	3.8	39	0.1	0.2	<0.1	56	1.12
1349309	Drill Core	3.27	76	36.6	31.0	96.4	126	0.8	20.4	15.9	977	3.55	108.9	73.9	2.5	89	1.6	2.0	0.3	80	2.10
1349310	Drill Core	2.82	<2	2.2	121.6	7.9	78	0.6	67.7	22.2	1392	4.29	4.6	<0.5	3.5	120	1.0	0.1	<0.1	98	3.83
1349311	Drill Core	4.73	<2	0.9	48.1	6.9	66	0.3	34.0	16.7	917	3.41	4.6	14.5	3.4	69	0.4	0.2	0.1	42	2.07
1349312	Drill Core	5.18	<2	1.6	80.9	5.6	78	0.4	45.7	19.7	1101	4.06	4.1	1.1	2.9	77	0.7	0.1	<0.1	63	2.75
1349313	Drill Core	2.17	7	0.7	14.0	9.7	61	0.1	6.2	10.6	899	3.10	7.4	3.1	3.2	63	0.2	<0.1	0.2	20	2.32
1349314	Drill Core	2.31	3	0.8	16.2	9.2	57	0.1	6.1	10.8	917	3.10	9.0	1.2	3.1	65	0.2	0.2	0.1	20	2.40
1349315	Drill Core	4.84	<2	0.6	21.6	11.2	79	0.1	4.8	11.9	841	3.67	5.3	0.6	3.4	53	0.2	0.1	0.1	26	1.91
1349316	Drill Core	4.89	2	0.5	30.4	7.6	75	0.1	19.4	14.2	1089	3.93	4.5	0.5	3.1	76	0.3	0.1	0.1	36	2.82
1349317	Drill Core	4.69	2	1.4	36.2	15.2	63	0.2	25.7	15.3	1021	3.56	6.1	0.8	3.2	82	0.4	0.1	0.3	42	2.94
1349318	Drill Core	4.53	<2	1.0	15.5	9.0	81	<0.1	2.8	11.3	926	3.76	7.9	1.1	4.2	51	<0.1	0.1	0.1	30	1.59
1349319	Drill Core	5.05	3	0.9	50.6	12.5	68	0.3	13.2	13.4	1054	3.67	16.9	3.8	3.8	117	0.3	0.1	0.1	25	2.63
1349320	Rock Pulp	0.12	4859	533.9	83.9	941.3	3279	>100	32.8	10.4	341	2.91	80.8	4511.7	1.7	59	33.0	125.2	1.6	56	0.60
1349321	Drill Core	4.90	3	0.3	21.8	5.1	74	0.1	7.3	12.6	843	3.56	17.1	0.9	3.8	104	0.2	0.1	<0.1	25	2.09

Acme Analytical Laboratories (Vancouver) Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: Rackla Metals Inc.
650-200 Burrard St.
Vancouver BC V6C 3L6 CANADA

Project: KSD
Report Date: October 30, 2013

Page: 5 of 6

Part: 2 of 2

CERTIFICATE OF ANALYSIS

WHI13000472.1

	Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga
	Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1
1349292	Drill Core	0.067	4	16	3.11	125	0.123	<20	3.25	0.010	0.63	0.2	<0.01	0.2	<0.05	16.9	<0.5	11
1349293	Drill Core	0.069	5	15	2.13	164	0.155	<20	2.22	0.017	0.74	0.3	<0.01	0.3	0.25	10.9	0.6	8
1349294	Drill Core	0.036	1	9	1.63	62	0.091	<20	1.58	0.006	0.50	0.5	0.02	0.2	1.66	6.3	1.0	5
1349295	Drill Core	0.064	4	10	1.63	69	0.105	<20	1.72	0.017	0.38	0.9	<0.01	0.1	0.46	7.5	<0.5	6
1349296	Rock	0.078	8	9	0.61	213	0.135	<20	0.93	0.057	0.45	<0.1	<0.01	0.3	<0.05	2.2	<0.5	5
1349297	Drill Core	0.075	5	11	2.24	172	0.176	<20	2.40	0.023	0.75	0.4	<0.01	0.3	0.17	12.2	<0.5	9
1349298	Drill Core	0.069	5	72	2.77	222	0.142	<20	2.79	0.011	0.69	0.2	<0.01	0.2	0.21	13.6	<0.5	9
1349299	Drill Core	0.063	8	97	2.68	234	0.128	<20	2.52	0.015	0.77	<0.1	<0.01	0.2	0.39	13.5	<0.5	8
1349300	Drill Core	0.067	7	21	1.96	374	0.161	<20	2.12	0.012	1.14	<0.1	<0.01	0.3	0.44	9.6	0.7	7
1349301	Drill Core	0.069	7	29	2.03	380	0.181	<20	2.04	0.014	1.13	<0.1	<0.01	0.3	0.30	9.5	<0.5	7
1349302	Drill Core	0.045	5	135	3.03	152	0.087	<20	3.05	0.008	0.49	<0.1	<0.01	<0.1	0.07	15.5	<0.5	9
1349303	Drill Core	0.071	6	50	2.05	227	0.120	<20	2.04	0.008	0.61	0.3	<0.01	0.1	0.47	9.6	1.0	7
1349304	Drill Core	0.058	9	38	1.79	177	0.086	<20	1.81	0.012	0.46	0.1	<0.01	0.1	0.25	7.0	<0.5	6
1349305	Drill Core	0.065	8	25	2.16	102	0.063	<20	2.21	0.012	0.23	0.1	<0.01	<0.1	0.14	8.9	<0.5	8
1349306	Drill Core	0.092	9	15	2.56	96	0.071	<20	2.76	0.014	0.17	0.1	0.01	<0.1	0.10	8.6	0.6	9
1349307	Drill Core	0.087	8	10	2.46	92	0.044	<20	2.70	0.019	0.15	<0.1	<0.01	<0.1	0.24	7.0	<0.5	8
1349308	Drill Core	0.060	12	13	1.98	70	0.013	<20	2.16	0.025	0.12	<0.1	<0.01	<0.1	0.53	6.5	<0.5	8
1349309	Drill Core	0.054	5	50	1.74	36	0.004	<20	1.71	0.018	0.09	0.2	0.01	<0.1	0.85	5.1	0.5	7
1349310	Drill Core	0.056	9	164	3.04	25	0.017	<20	2.75	0.012	0.07	<0.1	<0.01	<0.1	0.15	10.7	<0.5	9
1349311	Drill Core	0.060	8	72	1.87	87	0.058	<20	1.91	0.010	0.25	<0.1	<0.01	0.1	0.30	7.1	0.7	6
1349312	Drill Core	0.052	6	95	2.30	74	0.023	<20	2.46	0.013	0.14	0.1	<0.01	<0.1	0.19	8.2	<0.5	8
1349313	Drill Core	0.057	5	9	1.19	88	0.028	<20	1.43	0.012	0.23	0.2	<0.01	<0.1	0.38	4.0	<0.5	5
1349314	Drill Core	0.061	5	10	1.15	99	0.030	<20	1.42	0.015	0.23	0.2	<0.01	<0.1	0.48	4.1	<0.5	5
1349315	Drill Core	0.071	5	9	1.32	104	0.036	<20	1.74	0.012	0.22	0.1	<0.01	<0.1	0.25	4.4	<0.5	5
1349316	Drill Core	0.059	5	35	1.67	85	0.052	<20	2.01	0.014	0.24	0.3	<0.01	<0.1	0.23	6.0	0.6	6
1349317	Drill Core	0.055	6	34	1.60	66	0.034	<20	1.75	0.013	0.22	0.2	<0.01	0.1	0.17	5.7	<0.5	6
1349318	Drill Core	0.072	6	5	1.40	90	0.047	<20	1.86	0.014	0.22	0.3	<0.01	<0.1	0.16	5.2	0.8	7
1349319	Drill Core	0.072	5	15	1.47	71	0.074	<20	1.68	0.013	0.46	0.5	0.01	0.1	0.25	4.9	<0.5	5
1349320	Rock Pulp	0.044	7	41	0.48	80	0.086	<20	1.09	0.071	0.15	18.3	2.17	2.8	1.05	3.5	1.3	7
1349321	Drill Core	0.062	5	9	1.54	85	0.074	<20	1.56	0.015	0.60	0.3	<0.01	0.2	0.23	4.3	<0.5	5

Acme Analytical Laboratories (Vancouver) Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: Rackla Metals Inc.
650-200 Burrard St.
Vancouver BC V6C 3L6 CANADA

Project: KSD
Report Date: October 30, 2013

Page: 6 of 6

Part: 1 of 2

CERTIFICATE OF ANALYSIS

WHI13000472.1

	Method	WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V
	Unit	kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	%
	MDL	0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2
1349322	Drill Core	4.88	7	0.4	11.7	14.6	100	0.1	7.5	16.9	1358	4.98	21.6	2.2	3.2	157	0.3	<0.1	<0.1	50
1349323	Drill Core	3.04	291	0.2	6.8	12.1	80	<0.1	8.9	21.3	1436	4.69	54.8	119.7	2.6	199	0.3	<0.1	<0.1	44
1349324	Drill Core	3.71	458	2.8	21.0	8.9	61	0.3	3.0	15.9	1007	3.82	70.2	97.3	2.9	112	0.3	0.2	0.1	43
1349325	Drill Core	2.73	3	0.1	46.1	5.1	92	0.2	3.6	15.3	989	4.72	8.6	3.8	3.2	91	0.1	<0.1	<0.1	58
1349326	Drill Core	2.84	3	0.3	82.3	3.4	73	0.4	2.2	9.5	789	3.47	6.5	1.5	3.9	66	0.3	0.1	<0.1	35
1349327	Drill Core	2.44	150	5.7	8.0	5.9	22	0.1	2.0	3.9	348	1.37	167.7	23.7	1.3	40	0.2	0.3	<0.1	10
1349328	Drill Core	3.02	8	<0.1	2.5	5.1	3	<0.1	1.0	1.2	97	0.41	294.6	3.9	<0.1	10	<0.1	<0.1	<0.1	<2
1349329	Drill Core	3.68	13	0.6	39.0	10.5	44	0.2	5.3	9.3	696	2.37	369.9	7.3	2.9	106	0.3	0.4	<0.1	12
1349330	Drill Core	3.05	31	1.0	13.7	5.5	82	<0.1	16.9	14.6	760	3.68	495.1	3.1	4.2	85	0.3	<0.1	<0.1	35
1349331	Rock	1.08	<2	<0.1	1.5	2.7	50	<0.1	4.4	4.6	606	2.21	1.1	<0.5	5.3	65	<0.1	<0.1	<0.1	38
1349332	Drill Core	3.09	3	2.2	11.3	5.4	82	<0.1	25.5	15.3	783	3.90	64.2	2.3	4.6	81	0.2	<0.1	<0.1	44
1349333	Drill Core	3.39	23	0.8	23.6	29.7	77	0.3	34.1	20.3	1304	4.64	761.2	10.5	3.1	203	0.5	0.1	0.2	47
1349334	Drill Core	3.17	20	3.0	16.1	134.8	218	0.2	18.4	12.6	720	3.31	421.4	6.6	4.6	92	2.7	0.1	<0.1	33
1349335	Drill Core	2.79	45	5.9	22.8	8.5	74	0.2	21.6	15.1	667	3.25	944.2	15.0	4.3	96	0.3	0.1	<0.1	40
1349336	Drill Core	3.89	5	0.8	29.3	6.0	80	0.2	15.8	20.3	1025	4.45	62.7	3.2	2.8	125	0.3	<0.1	<0.1	64
1349337	Drill Core	3.44	240	0.5	24.6	13.8	60	0.2	8.2	16.2	873	3.87	5439.6	256.4	2.3	143	0.3	0.5	<0.1	33
1349338	Drill Core	2.78	62	0.2	55.9	17.2	67	0.3	4.7	16.4	846	3.95	580.5	21.6	2.2	140	0.4	0.4	0.1	56
1349339	Drill Core	3.65	5	0.8	27.3	12.3	81	0.2	2.7	17.6	771	4.52	41.4	2.5	2.8	101	0.3	0.3	<0.1	97

Acme Analytical Laboratories (Vancouver) Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: Rackla Metals Inc.
650-200 Burrard St.
Vancouver BC V6C 3L6 CANADA

Project: KSD
Report Date: October 30, 2013

Page: 6 of 6

Part: 2 of 2

CERTIFICATE OF ANALYSIS

WHI13000472.1

	Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga
	Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1
1349322	Drill Core	0.084	5	11	2.30	73	0.090	<20	2.38	0.013	0.40	0.4	0.01	0.1	0.22	6.5	<0.5	8
1349323	Drill Core	0.106	3	5	1.88	100	0.101	<20	1.96	0.016	0.74	0.5	<0.01	0.3	0.65	4.9	0.7	5
1349324	Drill Core	0.088	6	3	1.17	86	0.036	<20	1.48	0.015	0.32	0.2	<0.01	0.1	1.13	4.4	0.8	6
1349325	Drill Core	0.082	7	4	1.76	61	0.116	<20	2.22	0.023	0.31	0.3	0.01	0.2	0.12	6.8	<0.5	9
1349326	Drill Core	0.066	10	2	1.18	37	0.060	<20	1.52	0.036	0.14	0.2	0.02	<0.1	0.19	5.8	<0.5	7
1349327	Drill Core	0.019	3	4	0.33	55	0.018	<20	0.45	0.014	0.11	0.3	<0.01	<0.1	0.40	1.6	<0.5	2
1349328	Drill Core	0.004	<1	4	0.05	19	0.001	<20	0.07	0.003	0.03	0.4	<0.01	<0.1	<0.05	0.3	<0.5	<1
1349329	Drill Core	0.055	5	4	0.81	113	0.037	<20	0.91	0.023	0.43	0.5	<0.01	0.3	0.57	2.7	1.0	3
1349330	Drill Core	0.079	4	19	1.60	109	0.086	<20	1.68	0.011	0.50	0.4	<0.01	0.2	0.47	4.1	0.8	5
1349331	Rock	0.079	11	8	0.62	228	0.154	<20	1.01	0.075	0.49	<0.1	<0.01	0.3	<0.05	2.4	<0.5	5
1349332	Drill Core	0.075	5	37	1.86	99	0.096	<20	1.86	0.015	0.65	0.4	<0.01	0.2	0.11	5.2	<0.5	6
1349333	Drill Core	0.047	3	53	2.38	133	0.087	<20	2.09	0.010	0.74	0.4	<0.01	0.2	0.92	5.9	0.6	6
1349334	Drill Core	0.082	4	21	1.49	104	0.071	<20	1.44	0.014	0.47	0.5	<0.01	0.2	0.55	4.0	0.8	4
1349335	Drill Core	0.066	5	22	1.44	136	0.072	<20	1.45	0.017	0.61	0.3	<0.01	0.2	0.25	4.1	<0.5	4
1349336	Drill Core	0.070	4	23	1.91	131	0.141	<20	2.03	0.021	0.91	0.4	<0.01	0.3	0.12	7.9	<0.5	6
1349337	Drill Core	0.066	2	9	1.22	125	0.055	<20	1.42	0.018	0.64	0.5	<0.01	0.2	0.95	5.0	0.6	4
1349338	Drill Core	0.075	3	6	1.35	66	0.091	<20	1.68	0.030	0.28	0.8	<0.01	0.2	0.62	5.8	<0.5	6
1349339	Drill Core	0.081	6	4	1.30	34	0.144	<20	1.79	0.055	0.06	0.7	<0.01	<0.1	0.38	10.4	<0.5	10

QUALITY CONTROL REPORT

WHI13000472.1

	Method	WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
	Unit	kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
	MDL	0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01
Pulp Duplicates																					
1348460	Rock	0.89	21	<0.1	2.1	3.0	52	<0.1	3.5	4.5	608	2.15	2.8	5.4	5.4	56	<0.1	<0.1	<0.1	39	0.49
REP 1348460	QC		<2																		
1348467	Drill Core	3.13	4	0.1	10.3	3.5	76	0.1	1.6	10.8	835	3.88	13.3	3.9	3.5	63	0.1	0.1	<0.1	37	1.18
REP 1348467	QC			<0.1	10.1	3.4	82	0.1	1.7	11.3	853	3.93	14.5	5.8	3.3	64	0.1	0.2	<0.1	38	1.20
1348494	Drill Core	2.98	12	0.5	30.2	8.5	87	0.3	12.9	23.8	1327	6.02	27.0	9.1	1.1	180	0.2	0.2	<0.1	241	3.16
REP 1348494	QC		10																		
1349253	Drill Core	5.04	<2	0.2	7.5	7.8	64	<0.1	1.7	9.6	693	3.24	3.4	1.3	3.1	49	0.3	0.1	<0.1	44	1.00
REP 1349253	QC			0.2	9.0	8.5	70	<0.1	1.8	10.7	757	3.52	3.7	<0.5	3.3	54	0.3	<0.1	<0.1	47	1.09
1349279	Drill Core	5.11	2	0.9	23.4	11.1	84	0.1	6.8	12.3	745	3.61	3.2	12.8	3.4	42	0.3	0.1	<0.1	71	1.06
REP 1349279	QC		5																		
1349288	Drill Core	2.99	<2	0.3	22.8	7.0	73	0.1	8.4	15.2	798	4.10	4.7	0.6	2.1	61	<0.1	<0.1	<0.1	88	1.42
REP 1349288	QC			0.2	23.1	7.2	80	<0.1	7.0	15.4	814	4.19	4.7	<0.5	2.2	63	<0.1	<0.1	<0.1	90	1.44
1349313	Drill Core	2.17	7	0.7	14.0	9.7	61	0.1	6.2	10.6	899	3.10	7.4	3.1	3.2	63	0.2	<0.1	0.2	20	2.32
REP 1349313	QC		6																		
1349318	Drill Core	4.53	<2	1.0	15.5	9.0	81	<0.1	2.8	11.3	926	3.76	7.9	1.1	4.2	51	<0.1	0.1	0.1	30	1.59
REP 1349318	QC			1.0	14.7	9.2	79	<0.1	2.9	11.1	912	3.67	7.6	1.1	4.0	50	0.1	0.1	<0.1	29	1.58
1349338	Drill Core	2.78	62	0.2	55.9	17.2	67	0.3	4.7	16.4	846	3.95	580.5	21.6	2.2	140	0.4	0.4	0.1	56	3.01
REP 1349338	QC			0.2	52.6	17.6	62	0.3	4.6	14.4	846	3.91	584.9	25.7	2.3	136	0.4	0.4	0.1	55	3.01
Core Reject Duplicates																					
1348481	Drill Core	4.37	16	0.4	30.1	11.5	110	0.3	3.2	16.1	1212	4.35	83.0	10.8	2.4	159	0.6	0.3	<0.1	40	3.32
DUP 1348481	QC		17	0.3	30.6	10.9	107	0.4	2.9	17.1	1185	4.29	81.9	11.4	2.3	151	0.5	0.2	<0.1	40	3.22
1349270	Drill Core	4.76	6	4.5	28.8	11.2	90	0.2	31.4	14.1	688	2.60	41.8	2.8	5.2	85	0.7	0.2	<0.1	27	1.97
DUP 1349270	QC		4	4.4	28.0	7.8	84	0.2	33.0	16.7	667	2.53	50.7	4.2	5.1	85	0.8	0.3	<0.1	24	1.96
1349308	Drill Core	2.88	<2	1.2	25.7	6.6	74	0.1	7.9	12.0	821	4.04	6.4	2.9	3.8	39	0.1	0.2	<0.1	56	1.12
DUP 1349308	QC		3	1.5	25.9	6.3	72	0.2	9.0	12.6	821	4.11	7.1	1.9	3.9	40	0.2	0.1	<0.1	56	1.12
Reference Materials																					
STD DS10	Standard			15.8	159.5	163.5	387	2.2	77.1	13.8	908	2.86	47.8	69.1	7.8	69	2.8	7.4	13.4	44	1.10
STD DS10	Standard			14.4	160.1	164.0	374	1.9	76.6	13.2	947	2.98	51.7	63.2	7.2	73	2.5	7.8	12.3	45	1.13

QUALITY CONTROL REPORT

WHI13000472.1

Method		1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
Analyte		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga
Unit		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm
MDL		0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1
Pulp Duplicates																		
1348460	Rock	0.087	10	10	0.63	230	0.127	<20	1.01	0.066	0.49	<0.1	0.01	0.3	<0.05	2.7	0.8	5
REP 1348460	QC																	<0.2
1348467	Drill Core	0.072	6	2	1.73	72	0.040	<20	1.98	0.030	0.17	0.3	<0.01	<0.1	0.11	7.3	0.8	8
REP 1348467	QC	0.073	6	2	1.80	71	0.040	<20	2.09	0.031	0.18	0.2	0.01	<0.1	0.11	7.5	<0.5	8
1348494	Drill Core	0.049	5	27	2.54	29	0.012	<20	2.74	0.019	0.05	0.6	<0.01	<0.1	0.53	15.8	<0.5	12
REP 1348494	QC																	<0.2
1349253	Drill Core	0.056	6	2	1.32	105	0.125	<20	1.50	0.032	0.43	0.9	0.01	0.2	0.06	5.9	<0.5	6
REP 1349253	QC	0.057	7	2	1.43	113	0.128	<20	1.62	0.034	0.46	1.0	<0.01	0.2	0.06	6.8	<0.5	6
1349279	Drill Core	0.063	7	10	1.36	490	0.217	<20	1.68	0.033	0.98	0.6	<0.01	0.3	0.14	8.9	<0.5	7
REP 1349279	QC																	<0.2
1349288	Drill Core	0.060	4	10	2.28	118	0.081	<20	2.37	0.015	0.45	0.1	<0.01	0.1	0.14	10.5	<0.5	8
REP 1349288	QC	0.060	4	9	2.34	119	0.085	<20	2.46	0.014	0.46	<0.1	<0.01	0.1	0.15	10.9	<0.5	8
1349313	Drill Core	0.057	5	9	1.19	88	0.028	<20	1.43	0.012	0.23	0.2	<0.01	<0.1	0.38	4.0	<0.5	5
REP 1349313	QC																	<0.2
1349318	Drill Core	0.072	6	5	1.40	90	0.047	<20	1.86	0.014	0.22	0.3	<0.01	<0.1	0.16	5.2	0.8	7
REP 1349318	QC	0.072	6	5	1.37	88	0.046	<20	1.86	0.013	0.22	0.3	<0.01	<0.1	0.17	5.2	<0.5	7
1349338	Drill Core	0.075	3	6	1.35	66	0.091	<20	1.68	0.030	0.28	0.8	<0.01	0.2	0.62	5.8	<0.5	6
REP 1349338	QC	0.076	3	6	1.35	67	0.090	<20	1.69	0.030	0.28	0.9	<0.01	0.1	0.62	5.5	<0.5	6
Core Reject Duplicates																		
1348481	Drill Core	0.074	5	4	1.81	74	0.010	<20	2.06	0.011	0.19	0.2	0.02	<0.1	0.63	5.0	<0.5	6
DUP 1348481	QC	0.070	5	4	1.82	63	0.010	<20	2.04	0.009	0.17	0.2	0.02	<0.1	0.62	5.4	<0.5	6
1349270	Drill Core	0.055	5	42	1.38	96	0.039	<20	1.32	0.007	0.39	0.2	<0.01	0.1	0.15	3.7	<0.5	3
DUP 1349270	QC	0.052	5	43	1.34	92	0.041	<20	1.28	0.008	0.38	0.3	<0.01	<0.1	0.13	3.7	<0.5	3
1349308	Drill Core	0.060	12	13	1.98	70	0.013	<20	2.16	0.025	0.12	<0.1	<0.01	<0.1	0.53	6.5	<0.5	8
DUP 1349308	QC	0.060	12	14	1.99	73	0.014	<20	2.19	0.027	0.13	<0.1	0.01	<0.1	0.52	6.8	<0.5	8
Reference Materials																		
STD DS10	Standard	0.080	18	57	0.81	401	0.091	<20	1.10	0.069	0.35	3.0	0.31	5.2	0.29	2.7	2.3	5
STD DS10	Standard	0.085	18	58	0.83	393	0.075	<20	1.12	0.071	0.35	2.8	0.35	5.0	0.28	3.2	2.1	5

QUALITY CONTROL REPORT

WHI13000472.1

		WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01
STD DS10	Standard			13.0	159.3	149.9	353	1.9	74.8	12.9	864	2.71	45.7	73.7	6.8	68	2.6	6.4	12.0	41	1.05
STD DS10	Standard			11.4	155.9	150.6	363	1.7	73.5	12.6	863	2.64	40.6	56.5	7.6	62	2.4	6.7	12.3	42	1.02
STD DS10	Standard			14.0	159.9	152.8	352	2.2	72.8	12.4	844	2.65	45.6	129.1	7.0	64	2.4	8.5	10.9	43	1.04
STD OREAS45EA	Standard			1.6	725.8	15.2	33	0.3	411.9	56.8	427	23.27	12.6	68.3	10.7	4	<0.1	0.2	0.3	342	0.04
STD OREAS45EA	Standard			1.2	723.5	14.3	33	0.3	418.3	54.0	425	23.19	11.9	62.9	10.5	4	<0.1	0.2	0.3	340	0.04
STD OREAS45EA	Standard			1.3	663.8	15.2	32	0.2	358.3	53.5	384	22.74	8.3	50.1	10.5	4	<0.1	0.2	0.2	311	0.03
STD OREAS45EA	Standard			1.4	644.1	14.9	29	0.3	357.1	55.4	376	22.63	8.1	57.0	10.3	4	<0.1	0.2	0.2	288	0.03
STD OREAS45EA	Standard			1.4	692.5	14.2	30	0.3	384.2	49.9	397	20.93	10.7	61.3	9.9	4	<0.1	0.3	0.4	295	0.03
STD OXC109	Standard		206																		
STD OXC109	Standard		217																		
STD OXC109	Standard		209																		
STD OXC109	Standard		197																		
STD OXC109	Standard		209																		
STD OXC109	Standard		193																		
STD OXC109	Standard		198																		
STD OXC109	Standard		213																		
STD OXI96	Standard		1772																		
STD OXI96	Standard		1691																		
STD OXI96	Standard		1797																		
STD OXI96	Standard		1836																		
STD OXI96 Expected			1802																		
STD OXC109 Expected			201																		
STD DS10 Expected				14.69	154.61	150.55	352.9	1.96	74.6	12.9	861	2.7188	43.7	91.9	7.5	67.1	2.48	9.51	11.65	43	1.0355
STD OREAS45EA Expected				1.39	709	14.3	28.9	0.26	381	52	400	23.51	9.1	53	10.7	3.5	0.02	0.2	0.26	303	0.036
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank		<2																		

Acme Analytical Laboratories (Vancouver) Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: Rackla Metals Inc.
650-200 Burrard St.
Vancouver BC V6C 3L6 CANADA

Project: KSD
Report Date: October 30, 2013

Page: 2 of 3

Part: 2 of 2

QUALITY CONTROL REPORT

WHI13000472.1

		1DX P %	1DX La ppm	1DX Cr ppm	1DX Mg %	1DX Ba ppm	1DX Ti %	1DX B ppm	1DX Al %	1DX Na %	1DX K %	1DX W ppm	1DX Hg ppm	1DX Tl ppm	1DX S %	1DX Sc ppm	1DX Se ppm	1DX Ga ppm	1DX Te ppm
		0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2
STD DS10	Standard	0.073	17	55	0.77	393	0.077	<20	1.01	0.063	0.33	3.1	0.30	4.9	0.27	2.9	2.7	4	4.8
STD DS10	Standard	0.068	15	52	0.74	357	0.070	<20	0.95	0.059	0.32	3.0	0.29	4.8	0.29	2.6	2.3	4	4.8
STD DS10	Standard	0.074	17	55	0.76	371	0.074	<20	1.02	0.067	0.33	2.6	0.26	4.7	0.27	2.6	1.9	4	4.8
STD OREAS45EA	Standard	0.031	7	842	0.10	155	0.104	<20	3.35	0.016	0.05	<0.1	0.01	<0.1	<0.05	84.5	1.3	13	<0.2
STD OREAS45EA	Standard	0.030	7	871	0.10	144	0.086	<20	3.34	0.017	0.05	<0.1	0.02	<0.1	<0.05	79.7	2.5	12	<0.2
STD OREAS45EA	Standard	0.027	7	783	0.10	158	0.092	<20	3.10	0.017	0.05	<0.1	<0.01	<0.1	<0.05	75.1	<0.5	12	<0.2
STD OREAS45EA	Standard	0.026	7	719	0.10	146	0.100	<20	2.87	0.018	0.05	<0.1	<0.01	<0.1	<0.05	75.5	0.6	12	<0.2
STD OREAS45EA	Standard	0.030	7	892	0.09	146	0.085	<20	3.22	0.020	0.05	<0.1	<0.01	<0.1	<0.05	75.1	1.3	11	<0.2
STD OXC109	Standard																		
STD OXC109	Standard																		
STD OXC109	Standard																		
STD OXC109	Standard																		
STD OXC109	Standard																		
STD OXC109	Standard																		
STD OXC109	Standard																		
STD OXC109	Standard																		
STD OXI96	Standard																		
STD OXI96	Standard																		
STD OXI96	Standard																		
STD OXI96	Standard																		
STD OXI96 Expected																			
STD OXC109 Expected																			
STD DS10 Expected		0.073	17.5	54.6	0.7651	349	0.0817		1.0259	0.0638	0.3245	3.34	0.289	4.79	0.2743	2.8	2.3	4.3	4.89
STD OREAS45EA Expected		0.029	6.57	849	0.095	148	0.0875		3.13	0.02	0.053			0.072	0.036	78	0.6	11.7	0.07
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		

QUALITY CONTROL REPORT

WHI13000472.1

		WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01
BLK	Blank		2																		
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	1.0	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
Prep Wash																					
G1-WHI	Prep Blank		2	0.2	3.0	3.2	43	<0.1	2.5	3.9	576	1.93	<0.5	3.7	5.5	53	<0.1	<0.1	<0.1	37	0.81
G1-WHI	Prep Blank		<2	<0.1	3.4	3.3	47	<0.1	2.4	4.0	613	1.96	<0.5	<0.5	5.6	55	<0.1	<0.1	<0.1	37	0.48

QUALITY CONTROL REPORT

WHI13000472.1

		1DX P %	1DX La ppm	1DX Cr ppm	1DX Mg %	1DX Ba ppm	1DX Ti %	1DX B ppm	1DX Al %	1DX Na %	1DX K %	1DX W ppm	1DX Hg ppm	1DX Tl ppm	1DX S %	1DX Sc ppm	1DX Se ppm	1DX Ga ppm	1DX Te ppm
		0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.05	<0.1	<0.5	<1	<0.2
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.05	<0.1	<0.5	<1	<0.2
BLK	Blank	0.003	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.05	<0.1	<0.5	<1	<0.2
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.05	<0.1	<0.5	<1	<0.2
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.05	0.1	<0.5	<1	<0.2
Prep Wash																			
G1-WHI	Prep Blank	0.074	11	5	0.67	151	0.110	<20	0.88	0.067	0.44	0.1	<0.01	0.3	<0.05	2.3	<0.5	5	<0.2
G1-WHI	Prep Blank	0.078	13	7	0.51	157	0.114	<20	0.90	0.068	0.46	<0.1	<0.01	0.3	<0.05	2.4	0.9	5	<0.2

Acme Analytical Laboratories (Vancouver) Ltd.
9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA
PHONE (604) 253-3158

Client: **Rackla Metals Inc.**
650-200 Burrard St.
Vancouver BC V6C 3L6 CANADA

Submitted By: Roger Hulstein
Receiving Lab: Canada-Whitehorse
Received: October 02, 2013
Report Date: October 21, 2013
Page: 1 of 3

CERTIFICATE OF ANALYSIS

WHI13000473.1

CLIENT JOB INFORMATION

Project: KSD
Shipment ID: 2013-7
P.O. Number
Number of Samples: 41

SAMPLE DISPOSAL

DISP-PLP Dispose of Pulp After 90 days
DISP-RJT Dispose of Reject After 90 days

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Rackla Metals Inc.
650-200 Burrard St.
Vancouver BC V6C 3L6
CANADA

CC: Simon Ridgway
Dave Clark
Database Backup

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
R200-250	39	Crush, split and pulverize 250 g rock to 200 mesh			WHI
3B	41	Fire assay fusion Au by ICP-ES	30	Completed	VAN
1DX	41	1:1:1 Aqua Regia digestion ICP-MS analysis	0.5	Completed	VAN

ADDITIONAL COMMENTS



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
*** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.

CERTIFICATE OF ANALYSIS

WHI13000473.1

	Method	WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V
	Unit	kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	%
	MDL	0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2
1349340	Drill Core	2.94	<2	0.3	23.3	8.5	81	0.1	2.5	15.9	735	4.65	8.6	<0.5	2.5	125	0.2	0.2	<0.1	92
1349341	Drill Core	3.25	4	0.2	20.8	8.3	88	<0.1	2.9	14.7	742	4.33	140.3	<0.5	2.7	116	0.3	0.3	<0.1	69
1349342	Drill Core	3.36	150	5.3	48.9	575.3	1571	1.1	3.0	17.2	693	6.29	733.9	89.2	2.7	89	25.6	1.0	0.2	35
1349343	Rock Pulp	0.12	4947	473.0	77.0	909.9	2895	98.2	29.4	9.4	302	2.61	76.3	4786.1	1.3	45	31.7	118.0	1.5	49
1349344	Drill Core	3.16	20	<0.1	66.2	28.0	124	0.6	2.6	13.4	721	3.63	157.2	11.0	2.8	86	1.4	<0.1	<0.1	35
1349345	Drill Core	3.36	4	0.5	23.2	5.2	63	0.1	3.5	13.5	676	3.77	10.0	0.9	2.4	112	0.1	<0.1	<0.1	63
1349346	Drill Core	3.41	22	1.1	25.2	4.9	72	0.2	7.6	16.7	832	4.32	23.3	8.1	2.4	92	0.1	0.2	<0.1	71
1349347	Drill Core	3.05	<2	0.4	20.7	4.4	75	0.1	2.1	14.1	644	3.55	5.7	12.5	1.3	53	<0.1	0.2	<0.1	50
1349348	Drill Core	1.64	2	0.5	20.7	1.9	93	<0.1	4.1	15.9	715	4.18	7.5	8.1	0.5	19	<0.1	0.1	<0.1	66
1349349	Drill Core	1.60	<2	0.3	18.5	1.7	94	<0.1	4.0	16.5	725	4.08	3.4	5.8	0.5	18	<0.1	<0.1	<0.1	67
1349350	Drill Core	3.33	<2	<0.1	34.6	1.5	74	0.1	3.0	13.6	732	3.41	2.2	4.1	0.6	35	<0.1	<0.1	<0.1	58
1349351	Drill Core	3.44	4	0.5	18.9	1.6	79	<0.1	2.2	14.4	617	3.56	2.9	9.2	0.4	18	<0.1	0.1	<0.1	54
1349352	Drill Core	3.09	115	0.3	28.5	3.2	72	0.1	2.5	14.5	705	3.67	19.5	48.6	1.4	45	0.2	0.1	<0.1	45
1349353	Drill Core	3.29	36	0.6	19.0	3.9	68	<0.1	2.7	12.3	754	3.70	6.4	11.4	1.8	65	<0.1	<0.1	<0.1	51
1349354	Drill Core	3.33	67	1.3	43.0	5.8	66	0.2	3.0	14.5	849	4.02	16.8	21.8	2.4	84	0.1	<0.1	<0.1	45
1349355	Drill Core	3.21	<2	0.3	16.8	1.5	77	<0.1	5.6	15.5	653	3.46	1.5	1.5	0.5	20	<0.1	<0.1	<0.1	56
1349356	Drill Core	3.36	<2	0.3	27.8	1.1	84	<0.1	4.2	15.5	626	3.57	1.3	3.0	0.4	14	<0.1	<0.1	<0.1	48
1349357	Drill Core	3.74	<2	0.5	27.3	0.9	87	0.1	3.4	16.2	664	3.64	1.2	5.0	0.3	13	<0.1	<0.1	<0.1	51
1349358	Drill Core	3.44	<2	0.5	29.4	1.0	83	<0.1	3.9	16.4	702	3.76	1.2	<0.5	0.3	18	<0.1	<0.1	<0.1	54
1349359	Drill Core	3.29	9	0.3	16.6	2.0	79	<0.1	4.5	15.9	704	3.59	0.9	0.5	0.5	23	<0.1	0.1	<0.1	57
1349360	Drill Core	3.33	<2	0.6	37.5	4.1	71	0.1	4.0	14.7	716	3.72	2.1	<0.5	1.0	38	<0.1	0.2	<0.1	64
1349361	Drill Core	3.07	4	1.1	26.6	3.4	82	<0.1	4.2	17.9	934	4.61	6.0	3.0	1.9	86	0.2	<0.1	<0.1	80
1349362	Rock	0.84	<2	0.1	1.7	2.6	47	<0.1	3.6	4.2	552	1.91	<0.5	<0.5	4.8	48	<0.1	<0.1	<0.1	34
1349363	Drill Core	2.80	<2	0.3	21.4	3.6	75	<0.1	4.5	15.7	947	4.26	1.9	<0.5	1.8	90	0.2	<0.1	<0.1	80
1349364	Drill Core	3.42	<2	1.7	18.9	4.3	76	<0.1	3.2	15.4	857	4.28	2.6	<0.5	2.6	94	0.2	0.1	<0.1	80
1349365	Drill Core	3.25	16	0.5	21.4	5.1	96	0.1	4.5	17.7	902	5.18	33.9	2.0	2.5	93	0.3	0.1	<0.1	85
1349366	Drill Core	3.40	90	1.7	42.4	316.5	740	1.3	3.7	13.0	737	3.97	3958.6	62.1	2.2	82	12.9	1.0	0.2	30
1349367	Drill Core	3.31	110	0.3	55.7	27.6	68	0.6	1.5	14.1	737	3.80	2006.3	93.8	2.6	95	0.5	0.6	0.2	41
1349368	Drill Core	3.69	14	0.5	26.5	7.2	81	0.1	4.9	19.6	930	4.93	227.4	13.6	2.3	120	0.3	0.2	<0.1	109
1349369	Drill Core	2.72	19	5.8	23.4	11.7	69	0.2	8.4	16.6	811	3.97	48.7	5.5	2.8	95	0.3	0.1	<0.1	70

Acme Analytical Laboratories (Vancouver) Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: Rackla Metals Inc.
650-200 Burrard St.
Vancouver BC V6C 3L6 CANADA

Project: KSD
Report Date: October 21, 2013

Page: 2 of 3

Part: 2 of 2

CERTIFICATE OF ANALYSIS

WHI13000473.1

	Method	Analyte	Unit	MDL	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX			
					P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te
					%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
					0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2
1349340	Drill Core	0.086	5	4	1.20	29	0.079	<20	1.99	0.089	0.10	0.2	<0.01	<0.1	0.10	10.5	<0.5	10	<0.2			
1349341	Drill Core	0.079	4	4	1.22	41	0.091	<20	1.70	0.042	0.20	0.9	<0.01	0.1	0.30	6.7	<0.5	8	<0.2			
1349342	Drill Core	0.088	4	3	0.88	67	0.064	<20	1.19	0.028	0.20	1.1	0.02	0.3	3.88	3.8	1.4	5	0.2			
1349343	Rock Pulp	0.038	5	37	0.42	62	0.061	<20	0.93	0.059	0.13	16.5	2.00	2.5	0.99	3.1	<0.5	6	0.4			
1349344	Drill Core	0.085	4	4	1.07	50	0.079	<20	1.42	0.019	0.24	1.2	<0.01	0.1	0.46	3.4	<0.5	5	<0.2			
1349345	Drill Core	0.070	5	5	1.15	60	0.082	<20	1.69	0.056	0.25	0.3	0.01	<0.1	0.07	5.6	<0.5	7	<0.2			
1349346	Drill Core	0.077	4	18	1.39	63	0.102	<20	1.87	0.044	0.18	0.8	0.01	<0.1	0.34	7.5	<0.5	7	<0.2			
1349347	Drill Core	0.078	3	3	1.11	96	0.104	<20	1.61	0.067	0.28	0.7	<0.01	0.1	0.14	5.4	<0.5	6	<0.2			
1349348	Drill Core	0.084	1	5	1.41	189	0.153	<20	1.86	0.066	0.49	0.3	<0.01	0.2	0.13	3.9	<0.5	7	<0.2			
1349349	Drill Core	0.086	1	5	1.42	201	0.159	<20	1.91	0.059	0.50	0.2	<0.01	0.1	0.08	4.0	<0.5	7	<0.2			
1349350	Drill Core	0.088	1	3	1.12	306	0.157	<20	1.56	0.077	0.74	0.1	<0.01	0.2	0.15	3.2	<0.5	6	<0.2			
1349351	Drill Core	0.086	1	3	1.23	278	0.166	<20	1.69	0.078	0.65	0.3	<0.01	0.2	0.08	3.2	<0.5	6	<0.2			
1349352	Drill Core	0.086	3	4	1.03	94	0.098	<20	1.55	0.064	0.27	0.5	<0.01	<0.1	0.28	4.2	<0.5	6	<0.2			
1349353	Drill Core	0.079	4	3	1.01	81	0.078	<20	1.70	0.072	0.22	0.3	<0.01	<0.1	0.11	4.9	<0.5	7	<0.2			
1349354	Drill Core	0.083	6	3	1.06	71	0.062	<20	1.68	0.042	0.25	0.3	<0.01	0.1	0.35	4.4	<0.5	6	<0.2			
1349355	Drill Core	0.080	1	8	1.29	186	0.121	<20	1.72	0.048	0.41	0.2	<0.01	<0.1	<0.05	3.0	<0.5	6	<0.2			
1349356	Drill Core	0.090	1	5	1.26	177	0.150	<20	1.73	0.056	0.40	<0.1	<0.01	<0.1	0.07	2.2	<0.5	5	<0.2			
1349357	Drill Core	0.091	<1	4	1.29	283	0.163	<20	1.76	0.058	0.60	0.1	<0.01	0.1	0.08	2.1	<0.5	5	<0.2			
1349358	Drill Core	0.086	1	4	1.34	244	0.162	<20	1.82	0.056	0.54	0.1	<0.01	0.1	0.06	2.5	<0.5	6	<0.2			
1349359	Drill Core	0.080	1	7	1.31	212	0.138	<20	1.79	0.054	0.47	0.2	<0.01	0.2	<0.05	3.6	<0.5	6	<0.2			
1349360	Drill Core	0.081	3	5	1.18	153	0.131	<20	1.68	0.042	0.34	0.2	<0.01	0.1	0.05	4.9	<0.5	7	<0.2			
1349361	Drill Core	0.085	5	5	1.32	131	0.105	<20	2.05	0.060	0.27	0.1	<0.01	<0.1	0.12	8.0	<0.5	8	<0.2			
1349362	Rock	0.082	7	7	0.61	220	0.125	<20	0.93	0.064	0.48	<0.1	<0.01	0.3	<0.05	2.0	<0.5	5	<0.2			
1349363	Drill Core	0.078	5	8	1.26	153	0.119	<20	1.81	0.040	0.31	0.2	<0.01	<0.1	0.08	7.4	<0.5	8	<0.2			
1349364	Drill Core	0.096	7	4	1.24	70	0.101	<20	1.67	0.052	0.21	0.7	<0.01	<0.1	0.07	9.6	<0.5	9	<0.2			
1349365	Drill Core	0.090	5	4	1.48	92	0.090	<20	2.03	0.037	0.12	0.6	<0.01	<0.1	0.25	12.4	<0.5	9	<0.2			
1349366	Drill Core	0.065	3	5	0.96	66	0.059	<20	1.17	0.023	0.15	0.9	0.01	0.1	1.67	3.4	0.5	4	0.3			
1349367	Drill Core	0.108	4	2	0.91	37	0.065	<20	1.14	0.044	0.16	0.9	<0.01	0.2	1.07	6.6	<0.5	5	<0.2			
1349368	Drill Core	0.082	5	5	1.55	41	0.103	<20	1.92	0.062	0.16	0.7	<0.01	<0.1	0.34	11.4	<0.5	9	<0.2			
1349369	Drill Core	0.069	6	12	1.43	50	0.075	<20	1.67	0.032	0.10	0.6	<0.01	<0.1	0.37	6.9	0.6	8	<0.2			

Acme Analytical Laboratories (Vancouver) Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: Rackla Metals Inc.
650-200 Burrard St.
Vancouver BC V6C 3L6 CANADA

Project: KSD
Report Date: October 21, 2013

Page: 3 of 3

Part: 1 of 2

CERTIFICATE OF ANALYSIS

WHI13000473.1

	Method	WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V
	Unit	kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	%
	MDL	0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2
1349370	Drill Core	5.02	3	1.2	29.4	4.8	72	0.2	17.9	14.4	722	3.72	31.4	4.8	4.2	84	0.3	0.1	<0.1	72
1349371	Drill Core	4.74	<2	0.2	23.6	6.0	66	0.2	2.9	14.0	754	3.83	32.0	0.9	2.1	156	0.2	0.2	<0.1	59
1349372	Drill Core	2.50	<2	0.5	21.8	6.0	63	0.1	2.0	13.7	786	3.58	15.7	1.0	1.2	112	0.2	0.1	<0.1	55
1349373	Drill Core	2.37	4	0.5	22.5	5.8	60	<0.1	2.1	13.9	819	3.65	16.5	1.8	1.2	106	0.2	0.2	<0.1	56
1349374	Drill Core	4.62	<2	0.6	20.2	2.6	69	<0.1	2.4	13.8	628	3.09	7.1	3.2	0.5	51	<0.1	0.2	<0.1	47
1349375	Drill Core	5.10	<2	0.7	25.3	1.4	81	<0.1	4.0	17.5	645	3.82	2.3	<0.5	0.3	24	<0.1	<0.1	<0.1	65
1349376	Drill Core	4.91	<2	2.4	28.3	1.5	85	<0.1	5.3	17.7	795	4.06	1.1	<0.5	0.4	26	0.2	<0.1	<0.1	75
1349377	Drill Core	3.41	<2	0.7	25.3	1.2	89	<0.1	6.2	21.2	811	4.32	1.2	<0.5	0.3	20	<0.1	0.1	<0.1	84
1349378	Drill Core	3.41	<2	0.6	13.2	0.8	74	<0.1	8.4	20.7	989	4.48	0.8	<0.5	0.4	30	<0.1	<0.1	<0.1	119
1349379	Rock Pulp	0.12	5232	506.1	77.6	935.5	3053	>100	30.7	9.8	326	2.79	78.0	7006.6	1.4	50	31.3	107.8	1.9	52
1349380	Drill Core	5.13	<2	1.0	46.3	2.0	84	0.1	9.0	23.0	1004	5.13	1.8	<0.5	1.0	40	0.2	<0.1	<0.1	152

Acme Analytical Laboratories (Vancouver) Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: Rackla Metals Inc.
650-200 Burrard St.
Vancouver BC V6C 3L6 CANADA

Project: KSD
Report Date: October 21, 2013

Page: 3 of 3

Part: 2 of 2

CERTIFICATE OF ANALYSIS

WHI13000473.1

	Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga
	Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1
1349370	Drill Core	0.074	7	29	1.52	82	0.062	<20	1.74	0.042	0.16	0.3	<0.01	<0.1	0.35	6.5	<0.5	7
1349371	Drill Core	0.092	5	3	0.98	145	0.084	<20	1.59	0.065	0.29	0.5	<0.01	<0.1	0.31	7.6	<0.5	7
1349372	Drill Core	0.079	3	1	0.98	84	0.101	<20	1.53	0.065	0.24	0.5	<0.01	<0.1	0.41	6.0	<0.5	7
1349373	Drill Core	0.079	3	2	1.00	89	0.106	<20	1.56	0.070	0.27	0.6	<0.01	0.1	0.47	5.8	<0.5	7
1349374	Drill Core	0.083	1	2	1.10	72	0.126	<20	1.55	0.100	0.25	0.2	<0.01	<0.1	0.17	3.0	<0.5	5
1349375	Drill Core	0.079	1	5	1.52	169	0.145	<20	1.98	0.071	0.40	0.2	<0.01	<0.1	<0.05	3.0	<0.5	6
1349376	Drill Core	0.079	1	7	1.65	140	0.126	<20	2.11	0.059	0.32	0.2	<0.01	<0.1	<0.05	3.3	<0.5	6
1349377	Drill Core	0.083	1	9	1.84	233	0.155	<20	2.31	0.057	0.51	0.2	<0.01	0.1	<0.05	3.1	<0.5	6
1349378	Drill Core	0.073	1	12	2.02	303	0.146	<20	2.42	0.074	0.69	0.3	<0.01	0.2	<0.05	6.6	<0.5	7
1349379	Rock Pulp	0.043	6	40	0.46	59	0.065	<20	1.00	0.065	0.15	18.0	2.16	2.7	1.05	3.3	0.9	7
1349380	Drill Core	0.065	3	11	2.28	269	0.169	<20	2.70	0.062	0.63	0.4	0.01	0.2	<0.05	11.0	<0.5	9

QUALITY CONTROL REPORT

WHI13000473.1

	Method	WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
	Unit	kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
	MDL	0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01
Pulp Duplicates																					
1349340	Drill Core	2.94	<2	0.3	23.3	8.5	81	0.1	2.5	15.9	735	4.65	8.6	<0.5	2.5	125	0.2	0.2	<0.1	92	2.79
REP 1349340	QC			0.3	23.8	8.8	83	0.1	2.8	16.1	766	4.75	8.1	<0.5	2.6	128	0.2	0.1	<0.1	94	2.84
1349345	Drill Core	3.36	4	0.5	23.2	5.2	63	0.1	3.5	13.5	676	3.77	10.0	0.9	2.4	112	0.1	<0.1	<0.1	63	2.74
REP 1349345	QC		3																		
1349379	Rock Pulp	0.12	5232	506.1	77.6	935.5	3053	>100	30.7	9.8	326	2.79	78.0	7006.6	1.4	50	31.3	107.8	1.9	52	0.54
REP 1349379	QC		5173																		
Core Reject Duplicates																					
1349359	Drill Core	3.29	9	0.3	16.6	2.0	79	<0.1	4.5	15.9	704	3.59	0.9	0.5	0.5	23	<0.1	0.1	<0.1	57	0.82
DUP 1349359	QC		4	0.2	16.8	2.0	80	<0.1	5.0	16.5	719	3.69	1.0	3.3	0.5	24	<0.1	0.1	<0.1	58	0.86
Reference Materials																					
STD DS10	Standard			12.3	158.0	156.8	357	2.1	75.3	13.3	876	2.72	45.1	130.0	7.1	66	2.6	7.0	12.6	41	1.05
STD DS10	Standard			12.8	155.7	143.2	341	1.8	69.3	12.3	871	2.63	43.1	69.9	6.4	60	2.3	6.6	11.1	41	1.01
STD OREAS45EA	Standard			1.4	641.6	14.5	28	0.3	352.8	50.5	377	23.43	8.4	45.7	10.4	4	<0.1	0.2	0.2	291	0.04
STD OREAS45EA	Standard			1.5	652.7	13.2	28	0.2	363.0	51.8	383	23.80	7.2	48.6	9.4	3	<0.1	0.1	0.2	294	0.04
STD OXC109	Standard		202																		
STD OXC109	Standard		198																		
STD OXC109	Standard		211																		
STD OXI96	Standard		1872																		
STD OXI96	Standard		1857																		
STD DS10 Expected				14.69	154.61	150.55	352.9	1.96	74.6	12.9	861	2.7188	43.7	91.9	7.5	67.1	2.48	9.51	11.65	43	1.0355
STD OREAS45EA Expected				1.39	709	14.3	28.9	0.26	381	52	400	23.51	9.1	53	10.7	3.5	0.02	0.2	0.26	303	0.036
STD OXC109 Expected			201																		
STD OXI96 Expected			1802																		
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01

QUALITY CONTROL REPORT

WHI13000473.1

Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
MDL	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2
Pulp Duplicates																		
1349340 Drill Core	0.086	5	4	1.20	29	0.079	<20	1.99	0.089	0.10	0.2	<0.01	<0.1	0.10	10.5	<0.5	10	<0.2
REP 1349340 QC	0.086	5	4	1.22	30	0.078	<20	2.07	0.090	0.10	0.3	<0.01	<0.1	0.10	10.1	<0.5	10	<0.2
1349345 Drill Core	0.070	5	5	1.15	60	0.082	<20	1.69	0.056	0.25	0.3	0.01	<0.1	0.07	5.6	<0.5	7	<0.2
REP 1349345 QC																		
1349379 Rock Pulp	0.043	6	40	0.46	59	0.065	<20	1.00	0.065	0.15	18.0	2.16	2.7	1.05	3.3	0.9	7	<0.2
REP 1349379 QC																		
Core Reject Duplicates																		
1349359 Drill Core	0.080	1	7	1.31	212	0.138	<20	1.79	0.054	0.47	0.2	<0.01	0.2	<0.05	3.6	<0.5	6	<0.2
DUP 1349359 QC	0.083	2	8	1.34	210	0.143	<20	1.81	0.052	0.47	0.1	<0.01	0.1	<0.05	3.9	<0.5	6	<0.2
Reference Materials																		
STD DS10 Standard	0.080	16	56	0.76	382	0.072	<20	0.98	0.063	0.33	2.5	0.30	4.9	0.29	2.8	2.3	4	4.7
STD DS10 Standard	0.073	14	52	0.74	367	0.066	<20	0.97	0.059	0.32	2.7	0.27	4.6	0.28	2.6	1.9	4	4.5
STD OREAS45EA Standard	0.028	7	852	0.10	149	0.088	<20	2.88	0.018	0.05	<0.1	<0.01	<0.1	<0.05	75.9	<0.5	11	<0.2
STD OREAS45EA Standard	0.029	6	885	0.09	137	0.081	<20	3.01	0.019	0.05	<0.1	<0.01	<0.1	<0.05	71.9	0.5	11	<0.2
STD OXC109 Standard																		
STD OXC109 Standard																		
STD OXC109 Standard																		
STD OXI96 Standard																		
STD OXI96 Standard																		
STD DS10 Expected	0.073	17.5	54.6	0.7651	349	0.0817		1.0259	0.0638	0.3245	3.34	0.289	4.79	0.2743	2.8	2.3	4.3	4.89
STD OREAS45EA Expected	0.029	6.57	849	0.095	148	0.0875		3.13	0.02	0.053			0.072	0.036	78	0.6	11.7	0.07
STD OXC109 Expected																		
STD OXI96 Expected																		
BLK Blank																		
BLK Blank																		
BLK Blank																		
BLK Blank	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.05	<0.1	<0.5	<1	<0.2
BLK Blank	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.05	<0.1	<0.5	<1	<0.2

QUALITY CONTROL REPORT

WHI13000473.1

		WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01
BLK	Blank		<2																		
BLK	Blank		3																		
Prep Wash																					
G1-WHI	Prep Blank		2	<0.1	2.4	3.2	46	<0.1	2.5	3.9	555	1.88	0.5	<0.5	5.6	54	<0.1	<0.1	<0.1	37	0.42
G1-WHI	Prep Blank		<2	<0.1	2.6	3.2	44	<0.1	2.6	3.7	553	1.89	<0.5	<0.5	4.8	49	<0.1	<0.1	<0.1	34	0.44

QUALITY CONTROL REPORT

WHI13000473.1

		1DX P %	1DX La ppm	1DX Cr ppm	1DX Mg %	1DX Ba ppm	1DX Ti %	1DX B ppm	1DX Al %	1DX Na %	1DX K %	1DX W ppm	1DX Hg ppm	1DX Tl ppm	1DX S %	1DX Sc ppm	1DX Se ppm	1DX Ga ppm	1DX Te ppm
		0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2
BLK	Blank																		
BLK	Blank																		
Prep Wash																			
G1-WHI	Prep Blank	0.078	10	5	0.49	171	0.121	<20	0.87	0.073	0.48	<0.1	<0.01	0.3	<0.05	2.2	<0.5	4	<0.2
G1-WHI	Prep Blank	0.073	10	6	0.49	161	0.112	<20	0.86	0.074	0.48	<0.1	<0.01	0.3	<0.05	2.1	<0.5	4	<0.2

Acme Analytical Laboratories (Vancouver) Ltd.
9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA
PHONE (604) 253-3158

Client: **Rackla Metals Inc.**
650-200 Burrard St.
Vancouver BC V6C 3L6 CANADA

Submitted By: Roger Hulstein
Receiving Lab: Canada-Whitehorse
Received: October 03, 2013
Report Date: October 25, 2013
Page: 1 of 3

CERTIFICATE OF ANALYSIS

WHI13000481.1

CLIENT JOB INFORMATION

Project: KSD
Shipment ID: 2013-8
P.O. Number
Number of Samples: 60

SAMPLE DISPOSAL

DISP-PLP Dispose of Pulp After 90 days
DISP-RJT Dispose of Reject After 90 days

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Rackla Metals Inc.
650-200 Burrard St.
Vancouver BC V6C 3L6
CANADA

CC: Simon Ridgway
Dave Clark
Database Backup

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
R200-250	58	Crush, split and pulverize 250 g rock to 200 mesh			WHI
3B	60	Fire assay fusion Au by ICP-ES	30	Completed	VAN
1DX	60	1:1:1 Aqua Regia digestion ICP-MS analysis	0.5	Completed	VAN

ADDITIONAL COMMENTS



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
*** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.

CERTIFICATE OF ANALYSIS

WHI13000481.1

	Method	WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V
	Unit	kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	%
	MDL	0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2
1349381	Drill Core	4.79	9	1.0	21.4	4.2	73	<0.1	5.9	17.5	1025	4.65	2.1	47.0	1.4	72	0.1	0.2	<0.1	111
1349382	Drill Core	5.11	3	1.8	45.4	5.3	83	0.2	5.5	18.1	900	4.33	4.2	3.4	0.9	57	0.1	0.2	<0.1	83
1349383	Drill Core	5.25	3	1.0	8.8	4.5	89	<0.1	6.5	18.3	874	4.55	3.0	0.7	1.0	45	0.2	0.1	<0.1	82
1349384	Drill Core	4.94	<2	0.4	36.3	2.9	73	0.1	46.8	25.4	1111	5.07	1.8	<0.5	1.7	111	0.2	<0.1	<0.1	117
1349385	Drill Core	5.05	3	1.0	28.5	3.7	77	0.2	18.4	19.8	1066	4.92	2.7	0.8	1.7	87	0.2	0.1	<0.1	108
1349386	Drill Core	5.16	3	1.0	11.5	2.4	85	<0.1	1.4	8.7	822	4.21	1.2	<0.5	2.7	17	<0.1	<0.1	<0.1	44
1349387	Drill Core	5.01	2	0.8	7.5	1.7	71	<0.1	0.9	3.9	597	2.57	1.1	<0.5	2.6	21	0.3	<0.1	<0.1	13
1349388	Drill Core	5.55	<2	0.6	6.0	2.6	107	<0.1	1.5	6.5	880	3.46	2.1	<0.5	2.5	26	0.5	<0.1	<0.1	19
1349389	Drill Core	2.96	2	1.1	22.1	1.8	69	0.1	1.1	8.9	647	3.53	3.9	<0.5	3.4	25	<0.1	0.2	<0.1	21
1349390	Drill Core	2.25	<2	3.7	14.7	3.9	84	<0.1	4.6	18.0	852	4.49	8.0	<0.5	2.1	50	<0.1	0.2	<0.1	74
1349391	Rock	0.90	<2	0.1	1.6	2.5	43	<0.1	3.6	4.0	557	1.97	<0.5	<0.5	4.6	52	<0.1	<0.1	<0.1	37
1349392	Drill Core	5.03	5	1.1	22.3	23.1	84	0.2	4.5	18.4	840	5.34	9.1	<0.5	1.7	42	<0.1	0.2	<0.1	83
1349393	Drill Core	4.82	5	2.0	53.3	19.1	102	0.3	5.0	18.3	972	5.08	18.1	1.8	1.2	42	0.7	0.3	<0.1	83
1349394	Drill Core	5.04	67	2.5	57.9	9.5	90	0.3	5.6	16.9	921	4.52	9.9	2.1	1.5	54	0.3	0.3	<0.1	66
1349395	Drill Core	5.34	3	1.5	38.6	7.9	119	0.2	5.0	18.0	1173	4.39	6.7	<0.5	1.5	62	0.8	0.2	<0.1	78
1349396	Drill Core	5.35	3	0.6	25.2	4.9	91	0.1	4.6	17.6	776	4.30	9.9	<0.5	1.8	50	<0.1	0.5	<0.1	66
1349397	Drill Core	4.77	3	0.5	22.8	7.4	114	0.2	5.2	17.5	1284	4.48	8.7	1.2	1.5	76	0.4	0.1	<0.1	98
1349398	Drill Core	4.73	<2	1.0	27.6	5.1	100	0.2	4.3	14.4	944	3.62	7.2	<0.5	1.5	72	0.2	0.3	<0.1	44
1349399	Drill Core	3.09	5	0.3	57.3	10.3	218	0.4	2.4	13.0	964	3.03	27.3	<0.5	1.4	93	3.7	0.2	<0.1	26
1349400	Drill Core	4.95	4	0.9	18.9	3.7	90	0.1	12.6	16.1	1049	3.46	5.2	<0.5	1.4	63	0.2	0.3	<0.1	55
1349401	Drill Core	4.34	<2	0.6	10.3	5.1	104	<0.1	5.2	16.7	1226	5.32	4.5	<0.5	1.5	68	0.2	0.2	<0.1	116
1349402	Drill Core	4.56	5	0.7	27.5	11.1	92	0.2	4.9	16.0	892	4.36	3.9	<0.5	1.6	71	0.3	0.4	<0.1	79
1349403	Drill Core	2.17	97	1.5	10.9	20.3	87	0.3	4.9	17.7	1520	5.25	37.9	15.5	1.8	189	0.1	0.3	<0.1	58
1349404	Drill Core	2.04	13	5.0	23.1	8.4	83	0.4	6.4	17.9	1051	5.17	9.0	15.5	1.7	130	0.2	0.6	<0.1	93
1349405	Drill Core	2.07	14	9.1	29.8	8.1	80	0.4	4.9	17.2	1064	4.69	6.0	4.8	1.4	136	<0.1	0.4	<0.1	88
1349406	Drill Core	5.03	<2	0.8	24.8	3.0	80	<0.1	5.6	17.0	905	4.46	3.0	1.1	0.7	67	<0.1	0.2	<0.1	90
1349407	Drill Core	5.19	<2	0.7	27.2	3.2	83	0.1	4.6	17.8	894	4.42	4.5	<0.5	0.7	61	0.2	0.2	<0.1	82
1349408	Drill Core	5.30	<2	0.6	34.9	3.0	102	0.2	5.3	17.9	843	3.94	1.3	2.7	0.4	34	0.2	1.1	<0.1	64
1349409	Drill Core	5.32	3	1.0	48.5	2.1	89	0.3	5.5	18.3	759	4.24	3.4	0.9	0.3	26	<0.1	0.1	<0.1	67
1349410	Rock Pulp	0.13	1331	1278.2	>10000	8284.1	9271	80.7	246.2	27.1	771	6.10	445.5	859.6	2.1	177	58.4	51.1	8.0	70

Acme Analytical Laboratories (Vancouver) Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: Rackla Metals Inc.
650-200 Burrard St.
Vancouver BC V6C 3L6 CANADA

Project: KSD
Report Date: October 25, 2013

Page: 2 of 3

Part: 2 of 2

CERTIFICATE OF ANALYSIS

WHI13000481.1

	Method	Analyte	Unit	MDL	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX			
					P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te
					%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
					0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2
1349381	Drill Core	0.061	5	8	1.76	70	0.128	<20	2.20	0.033	0.20	0.7	<0.01	<0.1	<0.05	8.1	<0.5	8	<0.2			
1349382	Drill Core	0.074	4	6	1.53	17	0.132	<20	2.07	0.034	0.10	1.0	<0.01	<0.1	<0.05	5.3	<0.5	8	<0.2			
1349383	Drill Core	0.071	4	8	1.74	14	0.081	<20	2.24	0.041	0.05	0.1	<0.01	<0.1	0.07	6.0	<0.5	8	<0.2			
1349384	Drill Core	0.050	5	100	2.53	79	0.079	<20	2.88	0.016	0.16	0.5	<0.01	<0.1	<0.05	14.5	<0.5	9	<0.2			
1349385	Drill Core	0.064	5	32	2.13	52	0.123	<20	2.51	0.027	0.17	0.9	<0.01	<0.1	0.06	12.8	<0.5	9	<0.2			
1349386	Drill Core	0.085	7	4	0.96	31	0.077	<20	1.69	0.053	0.07	0.4	<0.01	<0.1	<0.05	8.0	<0.5	9	<0.2			
1349387	Drill Core	0.081	6	2	0.59	54	0.054	<20	1.06	0.045	0.09	0.3	<0.01	<0.1	<0.05	4.6	0.5	6	<0.2			
1349388	Drill Core	0.084	7	3	0.92	96	0.088	<20	1.55	0.033	0.17	0.3	<0.01	<0.1	<0.05	5.1	<0.5	7	<0.2			
1349389	Drill Core	0.089	11	2	0.87	97	0.070	<20	1.65	0.024	0.16	0.7	<0.01	<0.1	0.11	4.8	<0.5	6	<0.2			
1349390	Drill Core	0.079	9	6	1.27	71	0.051	<20	2.35	0.016	0.21	0.5	<0.01	<0.1	<0.05	6.5	<0.5	8	<0.2			
1349391	Rock	0.074	8	7	0.58	219	0.121	<20	0.92	0.062	0.47	<0.1	<0.01	0.3	<0.05	2.1	<0.5	5	<0.2			
1349392	Drill Core	0.074	8	6	1.30	69	0.093	<20	2.61	0.016	0.20	1.1	<0.01	<0.1	0.18	6.3	0.5	8	<0.2			
1349393	Drill Core	0.068	6	7	1.58	22	0.136	<20	2.58	0.021	0.12	2.9	<0.01	<0.1	0.23	6.5	<0.5	7	<0.2			
1349394	Drill Core	0.072	8	5	1.51	55	0.078	<20	2.44	0.013	0.19	0.8	<0.01	<0.1	0.08	5.0	<0.5	7	<0.2			
1349395	Drill Core	0.070	6	3	2.01	96	0.073	<20	2.80	0.010	0.20	1.2	<0.01	<0.1	<0.05	6.2	<0.5	7	<0.2			
1349396	Drill Core	0.077	7	5	1.41	71	0.073	<20	2.51	0.015	0.23	2.8	<0.01	<0.1	0.07	5.7	<0.5	6	<0.2			
1349397	Drill Core	0.056	7	5	2.32	52	0.025	<20	3.04	0.003	0.15	0.5	<0.01	<0.1	0.13	7.5	0.6	7	<0.2			
1349398	Drill Core	0.080	8	3	1.61	85	0.025	<20	2.41	0.005	0.24	0.5	<0.01	<0.1	<0.05	3.7	0.5	6	<0.2			
1349399	Drill Core	0.054	5	2	1.11	71	0.040	<20	1.59	0.004	0.21	0.8	<0.01	<0.1	0.38	2.1	<0.5	3	<0.2			
1349400	Drill Core	0.061	6	29	1.87	54	0.047	<20	2.44	0.007	0.19	0.8	<0.01	<0.1	<0.05	4.6	<0.5	6	<0.2			
1349401	Drill Core	0.064	9	6	2.07	31	0.034	<20	3.02	0.016	0.09	0.4	<0.01	<0.1	<0.05	9.1	<0.5	10	<0.2			
1349402	Drill Core	0.067	8	6	1.45	46	0.014	<20	2.21	0.020	0.09	0.1	<0.01	<0.1	<0.05	5.2	<0.5	8	<0.2			
1349403	Drill Core	0.049	7	4	2.02	47	0.009	<20	2.40	0.002	0.23	0.3	<0.01	<0.1	0.92	4.5	<0.5	8	<0.2			
1349404	Drill Core	0.067	7	8	1.60	47	0.016	<20	2.09	0.021	0.16	0.3	<0.01	<0.1	0.50	8.2	0.8	9	<0.2			
1349405	Drill Core	0.059	7	7	1.49	36	0.016	<20	1.95	0.017	0.15	0.3	<0.01	<0.1	0.41	7.8	<0.5	9	<0.2			
1349406	Drill Core	0.065	3	8	1.60	77	0.086	<20	2.11	0.031	0.17	0.9	<0.01	<0.1	<0.05	5.3	<0.5	8	<0.2			
1349407	Drill Core	0.071	2	9	1.64	97	0.104	<20	2.11	0.028	0.19	1.1	<0.01	<0.1	0.06	4.7	<0.5	7	<0.2			
1349408	Drill Core	0.073	1	8	1.58	130	0.102	<20	2.03	0.033	0.23	0.2	<0.01	<0.1	<0.05	2.6	0.9	6	<0.2			
1349409	Drill Core	0.072	1	5	1.49	246	0.144	<20	2.02	0.035	0.45	0.1	<0.01	<0.1	0.13	2.3	<0.5	6	<0.2			
1349410	Rock Pulp	0.106	12	64	1.34	50	0.075	<20	1.43	0.083	0.34	12.6	2.26	2.0	3.46	5.6	11.7	6	1.5			

CERTIFICATE OF ANALYSIS

WHI13000481.1

	Method Analyte Unit MDL	WGHT Wgt kg 0.01	3B Au ppb 2	1DX Mo ppm 0.1	1DX Cu ppm 0.1	1DX Pb ppm 0.1	1DX Zn ppm 1	1DX Ag ppm 0.1	1DX Ni ppm 0.1	1DX Co ppm 0.1	1DX Mn ppm 1	1DX Fe % 0.01	1DX As ppm 0.5	1DX Au ppb 0.5	1DX Th ppm 0.1	1DX Sr ppm 1	1DX Cd ppm 0.1	1DX Sb ppm 0.1	1DX Bi ppm 0.1	1DX V ppm 2	1DX Ca % 0.01
1349411	Drill Core	5.06	<2	1.3	12.8	2.4	62	<0.1	12.1	8.6	498	2.72	1.9	<0.5	3.7	38	<0.1	0.1	<0.1	49	0.93
1349412	Drill Core	4.90	<2	0.4	25.5	5.5	86	0.2	5.4	17.0	962	4.79	7.7	1.8	1.2	61	0.1	0.2	<0.1	91	1.72
1349413	Drill Core	5.09	<2	0.3	15.9	3.2	87	<0.1	15.6	11.9	837	3.94	1.9	<0.5	3.3	49	0.3	0.1	<0.1	114	1.90
1349414	Drill Core	5.13	3	3.6	34.9	5.1	59	0.2	17.4	11.1	639	2.87	5.8	<0.5	4.3	51	0.3	0.1	<0.1	47	1.89
1349415	Drill Core	4.79	<2	1.2	24.2	12.9	86	0.2	12.5	14.2	776	3.77	1.6	<0.5	4.3	58	0.5	<0.1	0.1	55	2.12
1349416	Drill Core	4.66	<2	2.1	17.8	13.4	86	0.1	14.7	12.5	697	3.28	4.1	<0.5	5.0	65	0.7	<0.1	<0.1	49	2.53
1349417	Drill Core	4.94	<2	1.6	25.1	25.0	103	0.2	23.9	10.9	593	2.62	13.2	<0.5	6.4	65	0.7	<0.1	<0.1	24	2.34
1349418	Drill Core	5.05	<2	3.6	29.2	9.9	69	0.2	32.1	10.7	517	2.49	28.8	<0.5	5.8	64	0.5	<0.1	<0.1	31	1.95
1349419	Drill Core	5.18	<2	2.3	26.6	11.5	66	0.1	33.1	11.6	593	2.48	47.4	<0.5	5.4	79	0.6	<0.1	<0.1	24	2.38
1349420	Drill Core	5.32	6	5.3	32.0	32.5	74	0.4	33.7	11.6	625	2.49	472.6	1.2	5.1	138	0.8	0.1	<0.1	21	2.20
1349421	Rock	0.89	<2	<0.1	1.8	2.5	44	<0.1	3.1	3.9	538	1.96	1.6	<0.5	4.9	55	<0.1	<0.1	<0.1	35	0.59
1349422	Drill Core	4.84	9	1.8	25.3	10.1	50	0.3	28.3	9.6	557	2.10	262.3	<0.5	4.5	134	0.6	0.1	<0.1	18	2.09
1349423	Drill Core	4.27	128	1.7	20.3	15.4	52	0.5	27.4	10.5	597	2.29	416.3	10.0	4.6	137	0.7	0.2	<0.1	19	2.34
1349424	Drill Core	5.14	24	1.5	25.0	20.3	62	0.3	31.3	11.0	674	2.50	21.1	2.1	4.9	146	0.6	<0.1	<0.1	24	2.58
1349425	Drill Core	4.30	3	1.5	23.1	11.4	65	0.2	30.6	11.3	529	2.55	10.6	<0.5	4.7	91	0.3	<0.1	<0.1	40	1.84
1349426	Drill Core	4.28	4	1.5	29.0	8.4	68	0.2	39.8	13.5	558	2.97	18.6	<0.5	4.9	79	0.2	<0.1	<0.1	52	2.00
1349427	Drill Core	4.77	4	1.3	32.4	4.6	69	0.1	37.6	13.6	518	2.86	14.2	<0.5	5.5	58	0.1	<0.1	<0.1	48	1.59
1349428	Drill Core	5.03	<2	1.9	28.7	5.9	67	0.1	33.1	10.8	567	2.72	12.2	<0.5	5.2	77	0.3	<0.1	<0.1	56	2.01
1349429	Drill Core	4.94	<2	3.8	28.4	17.6	69	0.2	35.8	13.9	604	2.78	15.9	<0.5	5.8	73	0.2	<0.1	<0.1	51	2.01
1349430	Drill Core	4.99	<2	3.1	23.5	13.8	69	0.2	35.0	10.9	692	2.70	8.9	<0.5	5.4	74	0.4	<0.1	<0.1	41	2.15
1349431	Drill Core	4.22	3	1.2	28.0	7.9	64	0.2	3.2	9.3	684	3.79	8.0	<0.5	3.9	42	0.2	<0.1	<0.1	58	1.01
1349432	Drill Core	5.15	3	0.7	40.6	5.7	84	0.3	2.6	11.8	847	4.65	11.1	<0.5	3.4	53	0.3	<0.1	<0.1	54	1.56
1349433	Drill Core	2.26	6	0.7	24.7	6.0	82	0.2	8.7	11.7	839	4.00	6.8	<0.5	4.2	53	0.4	<0.1	<0.1	63	1.72
1349434	Drill Core	2.49	3	1.3	25.7	4.9	77	0.2	8.8	11.9	861	3.87	7.1	<0.5	4.5	60	0.3	<0.1	<0.1	62	1.91
1349435	Drill Core	5.07	4	0.5	27.4	5.0	86	0.2	4.4	15.0	1119	5.32	6.4	<0.5	2.4	40	<0.1	<0.1	0.1	96	1.32
1349436	Drill Core	4.85	5	0.8	20.8	4.6	100	0.2	5.0	14.6	1197	5.46	4.9	<0.5	2.7	43	0.1	<0.1	0.1	100	1.32
1349437	Drill Core	4.68	10	0.5	23.5	7.7	95	0.2	2.4	13.3	1249	5.58	14.3	2.2	2.6	50	0.1	<0.1	0.1	89	1.59
1349438	Drill Core	5.09	15	0.8	24.4	5.6	86	0.3	2.2	13.8	1184	5.38	27.4	8.3	3.0	59	0.2	0.3	<0.1	94	1.49
1349439	Drill Core	4.54	17	1.1	11.4	5.0	93	0.2	2.3	12.7	1130	5.37	24.4	8.0	2.5	67	<0.1	0.2	<0.1	72	1.44
1349440	Rock Pulp	0.12	4873	498.4	74.6	895.8	2937	>100	31.0	8.9	316	2.70	77.3	5658.1	1.5	53	30.0	126.5	1.4	53	0.54

Acme Analytical Laboratories (Vancouver) Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: Rackla Metals Inc.
650-200 Burrard St.
Vancouver BC V6C 3L6 CANADA

Project: KSD
Report Date: October 25, 2013

Page: 3 of 3

Part: 2 of 2

CERTIFICATE OF ANALYSIS

WHI13000481.1

	Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga
	Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1
1349411	Drill Core	0.056	12	15	0.95	98	0.024	<20	1.28	0.028	0.15	0.1	<0.01	<0.1	0.08	3.4	<0.5	7
1349412	Drill Core	0.078	6	9	1.48	182	0.070	<20	2.10	0.029	0.35	0.2	<0.01	<0.1	0.25	6.2	<0.5	8
1349413	Drill Core	0.062	7	100	1.66	432	0.148	<20	1.96	0.035	0.89	0.1	<0.01	0.2	0.09	11.0	<0.5	9
1349414	Drill Core	0.070	9	33	1.18	170	0.062	<20	1.42	0.017	0.30	0.1	<0.01	<0.1	0.27	4.9	<0.5	5
1349415	Drill Core	0.073	9	48	1.64	115	0.045	<20	2.04	0.012	0.17	0.1	<0.01	<0.1	0.07	6.3	<0.5	7
1349416	Drill Core	0.070	15	57	1.48	126	0.010	<20	1.87	0.011	0.15	<0.1	<0.01	<0.1	0.11	6.0	<0.5	6
1349417	Drill Core	0.072	16	75	1.32	171	0.008	<20	1.56	0.006	0.19	<0.1	<0.01	<0.1	0.10	4.4	<0.5	4
1349418	Drill Core	0.056	12	48	1.24	162	0.010	<20	1.47	0.008	0.16	<0.1	<0.01	<0.1	0.17	6.0	0.9	4
1349419	Drill Core	0.053	7	39	1.11	167	0.020	<20	1.35	0.006	0.22	0.1	<0.01	<0.1	0.13	4.1	<0.5	4
1349420	Drill Core	0.048	6	34	1.14	151	0.033	<20	1.24	0.004	0.36	0.3	<0.01	0.2	0.18	3.4	0.5	3
1349421	Rock	0.073	8	7	0.64	201	0.110	<20	0.89	0.062	0.45	<0.1	<0.01	0.3	<0.05	2.0	<0.5	5
1349422	Drill Core	0.060	8	23	0.94	130	0.009	<20	1.03	0.003	0.20	0.1	<0.01	<0.1	0.27	2.8	<0.5	2
1349423	Drill Core	0.049	8	24	0.98	147	0.017	<20	1.04	0.005	0.20	0.2	<0.01	<0.1	0.41	3.2	<0.5	3
1349424	Drill Core	0.057	8	35	1.22	133	0.018	<20	1.26	0.005	0.18	0.1	<0.01	<0.1	0.27	3.6	<0.5	3
1349425	Drill Core	0.050	7	59	1.26	134	0.019	<20	1.34	0.014	0.14	<0.1	<0.01	<0.1	0.19	4.9	<0.5	5
1349426	Drill Core	0.058	8	73	1.41	172	0.007	<20	1.56	0.019	0.17	<0.1	<0.01	<0.1	0.26	6.9	0.5	6
1349427	Drill Core	0.057	13	61	1.39	199	0.032	<20	1.59	0.012	0.27	<0.1	<0.01	<0.1	0.19	7.7	<0.5	5
1349428	Drill Core	0.051	10	65	1.33	168	0.049	<20	1.47	0.020	0.26	<0.1	<0.01	0.1	0.18	7.8	<0.5	6
1349429	Drill Core	0.058	14	62	1.38	251	0.051	<20	1.58	0.015	0.41	<0.1	0.01	0.1	0.15	8.4	<0.5	5
1349430	Drill Core	0.057	8	57	1.32	240	0.055	<20	1.53	0.008	0.35	0.1	<0.01	0.1	0.15	6.8	<0.5	5
1349431	Drill Core	0.067	13	13	1.09	139	0.047	<20	1.59	0.053	0.22	<0.1	<0.01	<0.1	0.32	8.8	<0.5	8
1349432	Drill Core	0.084	10	18	1.45	164	0.079	<20	2.02	0.043	0.24	<0.1	0.01	<0.1	0.53	11.7	0.7	8
1349433	Drill Core	0.066	8	43	1.41	196	0.076	<20	1.90	0.027	0.26	0.3	<0.01	<0.1	0.26	9.3	0.7	8
1349434	Drill Core	0.072	8	50	1.39	212	0.069	<20	1.88	0.022	0.26	0.2	0.01	<0.1	0.23	8.9	<0.5	7
1349435	Drill Core	0.073	6	6	1.69	250	0.132	<20	2.46	0.032	0.36	<0.1	<0.01	0.2	0.29	11.1	<0.5	10
1349436	Drill Core	0.073	9	7	1.79	202	0.098	<20	2.60	0.037	0.26	<0.1	<0.01	<0.1	0.11	11.3	<0.5	11
1349437	Drill Core	0.083	10	3	1.59	235	0.092	<20	2.49	0.044	0.33	0.2	0.01	<0.1	0.24	13.5	<0.5	11
1349438	Drill Core	0.089	11	4	1.52	110	0.048	<20	2.34	0.041	0.17	<0.1	<0.01	<0.1	0.26	11.5	<0.5	11
1349439	Drill Core	0.083	9	2	1.57	151	0.060	<20	2.37	0.038	0.24	<0.1	<0.01	<0.1	0.17	10.5	<0.5	10
1349440	Rock Pulp	0.042	6	37	0.44	119	0.068	<20	0.99	0.065	0.14	18.0	2.10	2.6	1.02	3.6	<0.5	7

QUALITY CONTROL REPORT

WHI13000481.1

	Method	WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
	Unit	kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
	MDL	0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01
Pulp Duplicates																					
1349390	Drill Core	2.25	<2	3.7	14.7	3.9	84	<0.1	4.6	18.0	852	4.49	8.0	<0.5	2.1	50	<0.1	0.2	<0.1	74	1.22
REP 1349390	QC			3.6	14.7	3.8	84	0.1	4.2	17.2	861	4.51	7.7	0.8	2.0	50	<0.1	0.3	<0.1	74	1.21
1349403	Drill Core	2.17	97	1.5	10.9	20.3	87	0.3	4.9	17.7	1520	5.25	37.9	15.5	1.8	189	0.1	0.3	<0.1	58	6.15
REP 1349403	QC		55																		
1349415	Drill Core	4.79	<2	1.2	24.2	12.9	86	0.2	12.5	14.2	776	3.77	1.6	<0.5	4.3	58	0.5	<0.1	0.1	55	2.12
REP 1349415	QC			1.1	23.4	12.2	84	0.2	12.2	13.5	767	3.69	1.5	<0.5	4.4	60	0.7	<0.1	0.1	55	2.09
1349433	Drill Core	2.26	6	0.7	24.7	6.0	82	0.2	8.7	11.7	839	4.00	6.8	<0.5	4.2	53	0.4	<0.1	<0.1	63	1.72
REP 1349433	QC		4																		
REP 1349403	QC		75																		
Core Reject Duplicates																					
1349400	Drill Core	4.95	4	0.9	18.9	3.7	90	0.1	12.6	16.1	1049	3.46	5.2	<0.5	1.4	63	0.2	0.3	<0.1	55	2.53
DUP 1349400	QC		2	0.7	18.3	4.0	92	1.5	13.4	16.7	1048	3.46	4.9	<0.5	1.3	66	0.2	0.4	<0.1	55	2.53
1349438	Drill Core	5.09	15	0.8	24.4	5.6	86	0.3	2.2	13.8	1184	5.38	27.4	8.3	3.0	59	0.2	0.3	<0.1	94	1.49
DUP 1349438	QC		15	0.6	22.9	5.6	83	0.3	1.8	13.1	1168	5.30	25.9	9.6	2.9	58	0.1	0.3	<0.1	92	1.47
Reference Materials																					
STD DS10	Standard			12.4	155.4	155.2	352	2.1	74.7	12.6	883	2.73	43.9	116.5	7.0	64	2.6	7.6	11.9	43	1.04
STD DS10	Standard			14.1	149.0	150.4	370	1.9	71.3	12.3	868	2.69	45.3	59.4	7.1	65	2.7	7.4	11.3	42	1.03
STD OREAS45EA	Standard			1.4	647.0	14.3	28	0.3	354.4	46.5	378	22.86	8.2	45.1	10.1	4	<0.1	0.3	0.2	285	0.04
STD OREAS45EA	Standard			1.4	664.0	14.4	27	0.2	362.4	50.0	390	23.26	8.9	53.6	10.2	4	<0.1	0.2	0.2	290	0.04
STD OXC109	Standard		208																		
STD OXC109	Standard		209																		
STD OXC109	Standard		213																		
STD OXC109	Standard		195																		
STD OXI96	Standard		1914																		
STD OXI96	Standard		1858																		
STD OXI96	Standard		1856																		
STD OXI96	Standard		1781																		
STD DS10 Expected				14.69	154.61	150.55	352.9	1.96	74.6	12.9	861	2.7188	43.7	91.9	7.5	67.1	2.48	9.51	11.65	43	1.0355

QUALITY CONTROL REPORT

WHI13000481.1

Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
MDL	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2
Pulp Duplicates																		
1349390 Drill Core	0.079	9	6	1.27	71	0.051	<20	2.35	0.016	0.21	0.5	<0.01	<0.1	<0.05	6.5	<0.5	8	<0.2
REP 1349390 QC	0.078	9	6	1.26	73	0.052	<20	2.37	0.016	0.21	0.5	<0.01	<0.1	<0.05	6.9	<0.5	8	<0.2
1349403 Drill Core	0.049	7	4	2.02	47	0.009	<20	2.40	0.002	0.23	0.3	<0.01	<0.1	0.92	4.5	<0.5	8	<0.2
REP 1349403 QC																		
1349415 Drill Core	0.073	9	48	1.64	115	0.045	<20	2.04	0.012	0.17	0.1	<0.01	<0.1	0.07	6.3	<0.5	7	<0.2
REP 1349415 QC	0.071	9	50	1.62	114	0.045	<20	2.02	0.012	0.17	<0.1	<0.01	<0.1	0.07	6.1	<0.5	6	<0.2
1349433 Drill Core	0.066	8	43	1.41	196	0.076	<20	1.90	0.027	0.26	0.3	<0.01	<0.1	0.26	9.3	0.7	8	<0.2
REP 1349433 QC																		
REP 1349403 QC																		
Core Reject Duplicates																		
1349400 Drill Core	0.061	6	29	1.87	54	0.047	<20	2.44	0.007	0.19	0.8	<0.01	<0.1	<0.05	4.6	<0.5	6	<0.2
DUP 1349400 QC	0.061	6	30	1.87	56	0.048	<20	2.44	0.007	0.19	0.7	<0.01	<0.1	<0.05	4.0	<0.5	6	<0.2
1349438 Drill Core	0.089	11	4	1.52	110	0.048	<20	2.34	0.041	0.17	<0.1	<0.01	<0.1	0.26	11.5	<0.5	11	<0.2
DUP 1349438 QC	0.084	11	3	1.49	111	0.049	<20	2.31	0.041	0.17	<0.1	<0.01	<0.1	0.25	11.7	<0.5	11	<0.2
Reference Materials																		
STD DS10 Standard	0.068	16	52	0.76	360	0.068	<20	1.01	0.063	0.33	2.3	0.28	4.9	0.28	2.7	2.6	4	5.2
STD DS10 Standard	0.079	16	53	0.75	371	0.072	<20	1.00	0.063	0.32	2.7	0.32	4.9	0.28	2.9	1.1	4	4.9
STD OREAS45EA Standard	0.026	6	781	0.09	143	0.083	<20	2.86	0.017	0.05	<0.1	<0.01	<0.1	<0.05	70.9	0.6	12	<0.2
STD OREAS45EA Standard	0.029	6	824	0.10	145	0.087	<20	2.92	0.018	0.05	<0.1	0.02	<0.1	<0.05	76.4	<0.5	11	<0.2
STD OXC109 Standard																		
STD OXC109 Standard																		
STD OXC109 Standard																		
STD OXC109 Standard																		
STD OXI96 Standard																		
STD OXI96 Standard																		
STD OXI96 Standard																		
STD OXI96 Standard																		
STD DS10 Expected	0.073	17.5	54.6	0.7651	349	0.0817		1.0259	0.0638	0.3245	3.34	0.289	4.79	0.2743	2.8	2.3	4.3	4.89

QUALITY CONTROL REPORT

WHI13000481.1

		WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01
STD OREAS45EA Expected		1.39 709 14.3 28.9 0.26 381 52 400 23.51 9.1 53 10.7 3.5 0.02 0.2 0.26 303 0.036																			
STD OXC109 Expected		201																			
STD OXI96 Expected		1802																			
BLK	Blank	<2																			
BLK	Blank	7																			
BLK	Blank	3																			
BLK	Blank	<2																			
BLK	Blank	<0.1		<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	
BLK	Blank	<0.1		<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	
BLK	Blank	<2																			
BLK	Blank	<2																			
BLK	Blank	<2																			
BLK	Blank	<2																			
BLK	Blank	<2																			
Prep Wash																					
G1-WHI	Prep Blank	<2		<0.1	3.0	3.2	44	<0.1	2.5	3.8	554	1.82	<0.5	<0.5	4.9	52	<0.1	<0.1	<0.1	35	0.46
G1-WHI	Prep Blank	<2		<0.1	2.3	3.4	45	<0.1	2.2	3.6	569	1.99	<0.5	0.8	5.5	53	<0.1	<0.1	<0.1	37	0.46

QUALITY CONTROL REPORT

WHI13000481.1

		1DX P %	1DX La ppm	1DX Cr ppm	1DX Mg %	1DX Ba ppm	1DX Ti %	1DX B ppm	1DX Al %	1DX Na %	1DX K %	1DX W ppm	1DX Hg ppm	1DX Tl ppm	1DX S %	1DX Sc ppm	1DX Se ppm	1DX Ga ppm	1DX Te ppm
		0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2
STD OREAS45EA Expected		0.029	6.57	849	0.095	148	0.0875		3.13	0.02	0.053			0.072	0.036	78	0.6	11.7	0.07
STD OXC109 Expected																			
STD OXI96 Expected																			
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.05	<0.1	<0.5	<1	<0.2
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.05	<0.1	<0.5	<1	<0.2
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
Prep Wash																			
G1-WHI	Prep Blank	0.065	11	5	0.48	155	0.112	<20	0.84	0.071	0.46	<0.1	<0.01	0.3	<0.05	2.1	<0.5	5	<0.2
G1-WHI	Prep Blank	0.070	11	6	0.48	160	0.116	<20	0.89	0.077	0.48	<0.1	<0.01	0.4	<0.05	2.4	<0.5	4	<0.2

Acme Analytical Laboratories (Vancouver) Ltd.
9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA
PHONE (604) 253-3158

Client: **Rackla Metals Inc.**
650-200 Burrard St.
Vancouver BC V6C 3L6 CANADA

Submitted By: Roger Hulstein
Receiving Lab: Canada-Whitehorse
Received: October 08, 2013
Report Date: October 31, 2013
Page: 1 of 4

CERTIFICATE OF ANALYSIS

WHI13000510.1

CLIENT JOB INFORMATION

Project: KSD
Shipment ID: 2013-9
P.O. Number
Number of Samples: 90

SAMPLE DISPOSAL

DISP-PLP Dispose of Pulp After 90 days
DISP-RJT Dispose of Reject After 90 days

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Rackla Metals Inc.
650-200 Burrard St.
Vancouver BC V6C 3L6
CANADA

CC: Simon Ridgway
Dave Clark
Database Backup

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
R200-250	87	Crush, split and pulverize 250 g rock to 200 mesh			WHI
3B	90	Fire assay fusion Au by ICP-ES	30	Completed	VAN
1DX	90	1:1:1 Aqua Regia digestion ICP-MS analysis	0.5	Completed	VAN

ADDITIONAL COMMENTS



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
*** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.

CERTIFICATE OF ANALYSIS

WHI13000510.1

	Method Analyte Unit MDL	WGHT Wgt kg 0.01	3B Au ppb 2	1DX Mo ppm 0.1	1DX Cu ppm 0.1	1DX Pb ppm 0.1	1DX Zn ppm 1	1DX Ag ppm 0.1	1DX Ni ppm 0.1	1DX Co ppm 0.1	1DX Mn ppm 1	1DX Fe % 0.01	1DX As ppm 0.5	1DX Au ppb 0.5	1DX Th ppm 0.1	1DX Sr ppm 1	1DX Cd ppm 0.1	1DX Sb ppm 0.1	1DX Bi ppm 0.1	1DX V ppm 2	1DX Ca % 0.01
1349441	Drill Core	4.80	11	0.8	27.7	6.2	90	0.3	5.0	17.0	1163	5.58	23.7	8.3	2.7	72	0.1	0.1	<0.1	132	1.76
1349442	Drill Core	4.94	<2	0.6	30.1	8.5	83	0.2	5.0	17.6	1095	5.21	1.9	1.3	2.5	84	0.2	<0.1	<0.1	128	2.27
1349443	Drill Core	4.52	<2	0.5	23.8	3.5	85	0.1	5.5	17.5	1043	5.27	<0.5	0.9	2.3	54	0.1	<0.1	<0.1	147	1.87
1349444	Drill Core	4.90	<2	0.4	44.3	7.3	82	0.2	6.4	18.6	1004	5.02	1.8	<0.5	2.2	85	0.1	<0.1	<0.1	118	2.21
1349445	Drill Core	4.83	20	0.9	29.1	22.2	77	0.3	8.4	16.2	890	4.34	6.6	8.0	2.5	103	0.1	<0.1	0.1	72	2.30
1349446	Drill Core	4.84	<2	1.6	36.7	3.9	72	0.2	12.5	15.4	661	3.74	3.1	0.8	3.7	79	0.2	<0.1	<0.1	58	1.79
1349447	Drill Core	4.47	<2	0.9	28.5	6.0	81	0.2	8.6	19.2	831	4.54	1.6	<0.5	2.0	100	0.1	<0.1	<0.1	94	2.78
1349448	Drill Core	4.49	<2	0.2	37.5	5.5	82	0.2	7.6	21.1	995	4.98	0.9	<0.5	1.0	61	<0.1	<0.1	<0.1	128	2.19
1349449	Drill Core	4.95	<2	0.4	38.1	3.5	91	0.3	7.5	22.1	948	4.71	0.5	<0.5	0.4	36	<0.1	<0.1	<0.1	110	1.17
1349450	Rock	0.98	<2	<0.1	1.4	2.7	48	<0.1	3.9	4.5	576	2.02	<0.5	<0.5	4.8	56	<0.1	<0.1	<0.1	39	0.50
1349451	Drill Core	4.75	<2	<0.1	34.8	4.7	90	0.2	6.9	21.1	849	4.29	1.7	<0.5	0.5	35	<0.1	<0.1	<0.1	91	1.05
1349452	Drill Core	4.92	2	0.6	36.3	7.7	75	0.2	5.7	11.9	623	3.19	1.5	<0.5	3.3	45	0.1	<0.1	<0.1	55	1.57
1349453	Drill Core	4.66	2	2.2	11.3	10.2	88	0.1	17.6	10.5	765	2.50	1.2	<0.5	6.8	76	0.4	<0.1	<0.1	23	2.60
1349454	Drill Core	4.51	<2	2.8	21.3	5.7	98	0.1	29.3	11.4	725	2.39	1.7	<0.5	6.1	62	0.5	<0.1	<0.1	30	2.56
1349455	Drill Core	2.99	<2	1.6	32.0	6.2	69	0.2	3.6	8.5	642	3.26	5.6	<0.5	4.6	59	0.2	<0.1	<0.1	26	1.44
1349456	Drill Core	3.83	<2	0.7	48.5	7.5	78	0.3	5.0	14.9	963	4.05	1.1	<0.5	2.8	99	0.1	<0.1	<0.1	41	2.94
1349457	Drill Core	4.48	5	0.1	10.6	7.0	62	<0.1	2.1	4.4	456	2.83	1.4	<0.5	5.6	20	0.1	<0.1	<0.1	9	0.58
1349458	Drill Core	6.61	<2	0.2	19.9	7.4	56	0.2	4.9	8.6	656	2.52	<0.5	2.2	5.3	45	0.2	<0.1	<0.1	21	1.28
1349459	Drill Core	4.25	<2	3.2	22.2	3.8	41	0.2	18.3	11.3	568	2.31	6.1	<0.5	4.8	27	<0.1	<0.1	<0.1	30	1.02
1349460	Drill Core	3.67	<2	1.0	51.5	5.6	76	0.3	10.6	22.8	1061	4.79	13.2	1.1	1.4	44	0.2	<0.1	<0.1	124	1.84
1349461	Drill Core	5.90	6	1.0	30.3	7.3	88	0.2	10.6	25.9	1285	6.13	18.1	3.1	1.6	36	0.2	<0.1	<0.1	181	1.23
1349462	Drill Core	1.36	6	1.2	21.0	14.7	75	0.2	2.9	18.4	1019	4.56	23.3	3.3	3.1	48	0.2	<0.1	<0.1	83	1.96
1349463	Drill Core	1.65	5	1.2	19.5	14.1	74	0.2	2.4	16.6	1169	4.52	23.3	3.6	3.1	58	0.2	<0.1	<0.1	85	2.35
1349464	Drill Core	5.23	15	1.0	28.0	7.2	78	0.2	22.5	17.8	1034	4.75	36.7	26.8	4.3	43	<0.1	0.1	<0.1	107	1.33
1349465	Drill Core	5.65	2	0.7	19.3	7.6	80	0.2	28.1	24.1	1636	5.38	6.4	2.5	1.6	93	0.2	<0.1	<0.1	174	3.27
1349466	Drill Core	2.35	11	2.5	54.3	9.3	87	0.5	10.6	26.2	1084	6.04	15.1	4.9	1.2	94	0.2	0.1	0.1	146	2.05
1349467	Drill Core	3.09	9	1.1	43.0	6.0	99	0.3	78.7	28.7	1637	5.73	32.4	<0.5	1.0	129	0.4	0.1	<0.1	104	3.31
1349468	Drill Core	0.95	24	1.4	11.1	8.9	104	0.2	19.3	11.3	747	3.84	38.2	7.3	6.4	18	0.5	0.2	0.1	21	0.37
1349469	Rock Pulp	0.12	4697	512.0	69.2	974.4	3007	>100	31.9	9.7	330	2.71	66.4	4504.5	1.4	47	27.7	99.8	1.5	58	0.59
1349470	Drill Core	6.57	5	0.6	15.3	9.6	87	0.2	3.1	9.7	931	4.29	5.1	2.1	3.4	55	0.3	0.1	<0.1	49	1.32

Acme Analytical Laboratories (Vancouver) Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: Rackla Metals Inc.
650-200 Burrard St.
Vancouver BC V6C 3L6 CANADA

Project: KSD
Report Date: October 31, 2013

Page: 2 of 4

Part: 2 of 2

CERTIFICATE OF ANALYSIS

WHI13000510.1

	Method	Analyte	Unit	MDL	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX			
					P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te
					%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
					0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2
1349441	Drill Core				0.067	9	9	1.78	127	0.061	<20	2.55	0.056	0.24	<0.1	<0.01	<0.1	0.26	12.0	<0.5	12	<0.2
1349442	Drill Core				0.066	9	8	1.63	200	0.111	<20	2.47	0.074	0.39	0.1	<0.01	0.1	0.10	12.2	<0.5	11	<0.2
1349443	Drill Core				0.068	9	8	1.96	268	0.123	<20	2.75	0.060	0.56	<0.1	<0.01	0.2	<0.05	14.9	<0.5	12	<0.2
1349444	Drill Core				0.062	7	9	1.67	298	0.131	<20	2.49	0.054	0.61	0.1	<0.01	0.2	0.09	10.6	<0.5	10	<0.2
1349445	Drill Core				0.061	7	10	1.48	123	0.040	<20	2.06	0.034	0.20	0.1	<0.01	<0.1	0.44	5.5	<0.5	8	<0.2
1349446	Drill Core				0.061	7	13	1.33	127	0.037	<20	1.87	0.048	0.25	0.1	<0.01	<0.1	0.17	5.7	<0.5	7	<0.2
1349447	Drill Core				0.059	5	12	1.66	59	0.068	<20	2.24	0.062	0.21	0.2	<0.01	<0.1	0.13	7.6	<0.5	9	<0.2
1349448	Drill Core				0.061	3	11	1.63	159	0.146	<20	2.37	0.067	0.39	0.1	<0.01	0.1	0.06	10.6	<0.5	10	<0.2
1349449	Drill Core				0.064	1	9	1.76	268	0.191	<20	2.30	0.061	0.63	1.0	<0.01	0.2	0.07	6.3	<0.5	8	<0.2
1349450	Rock				0.068	9	8	0.59	206	0.115	<20	1.01	0.083	0.48	<0.1	<0.01	0.3	<0.05	2.1	<0.5	5	<0.2
1349451	Drill Core				0.060	1	9	1.68	124	0.173	<20	2.27	0.062	0.35	0.4	<0.01	0.1	0.07	4.9	<0.5	8	<0.2
1349452	Drill Core				0.057	8	16	1.09	111	0.081	<20	1.63	0.083	0.20	0.2	<0.01	<0.1	0.12	5.7	<0.5	7	<0.2
1349453	Drill Core				0.069	18	43	1.06	192	0.012	<20	1.41	0.024	0.23	<0.1	<0.01	<0.1	0.12	3.6	<0.5	4	<0.2
1349454	Drill Core				0.055	15	50	1.07	229	0.034	<20	1.37	0.029	0.33	0.1	<0.01	<0.1	0.16	4.5	<0.5	5	<0.2
1349455	Drill Core				0.046	14	8	0.84	89	0.040	<20	1.39	0.054	0.14	0.2	<0.01	<0.1	0.20	5.5	0.6	7	<0.2
1349456	Drill Core				0.061	10	6	1.26	90	0.016	<20	2.04	0.037	0.21	<0.1	<0.01	<0.1	0.08	5.0	<0.5	7	<0.2
1349457	Drill Core				0.030	17	3	0.56	216	0.066	<20	0.82	0.061	0.55	0.2	<0.01	0.1	0.08	5.3	<0.5	4	<0.2
1349458	Drill Core				0.044	16	<1	0.86	224	0.055	<20	1.15	0.032	0.56	<0.1	<0.01	0.2	0.17	4.6	<0.5	4	<0.2
1349459	Drill Core				0.028	14	28	1.36	156	0.006	<20	1.50	0.025	0.26	<0.1	<0.01	<0.1	<0.05	3.3	<0.5	4	<0.2
1349460	Drill Core				0.048	5	15	2.48	110	0.021	<20	2.80	0.031	0.23	<0.1	<0.01	<0.1	0.16	9.4	<0.5	10	<0.2
1349461	Drill Core				0.056	6	16	2.83	81	0.009	<20	3.26	0.033	0.13	<0.1	<0.01	<0.1	0.07	11.2	<0.5	12	<0.2
1349462	Drill Core				0.066	9	4	1.67	133	0.009	<20	2.30	0.028	0.27	<0.1	<0.01	<0.1	0.12	7.9	<0.5	9	<0.2
1349463	Drill Core				0.063	11	4	1.63	123	0.010	<20	2.29	0.026	0.25	<0.1	<0.01	<0.1	<0.05	7.7	<0.5	9	<0.2
1349464	Drill Core				0.043	13	51	2.30	62	0.006	<20	2.54	0.043	0.11	<0.1	<0.01	<0.1	0.05	10.0	<0.5	10	<0.2
1349465	Drill Core				0.047	5	82	3.09	24	0.009	<20	3.30	0.045	0.05	<0.1	<0.01	<0.1	<0.05	13.0	<0.5	12	<0.2
1349466	Drill Core				0.051	4	12	2.18	78	0.024	<20	2.93	0.034	0.17	<0.1	<0.01	<0.1	<0.05	9.5	<0.5	10	<0.2
1349467	Drill Core				0.044	3	176	2.81	59	0.012	<20	3.38	0.020	0.14	0.1	<0.01	0.1	0.07	13.4	<0.5	9	<0.2
1349468	Drill Core				0.047	17	7	1.17	133	0.008	<20	1.84	0.028	0.20	0.2	<0.01	<0.1	<0.05	5.6	<0.5	6	<0.2
1349469	Rock Pulp				0.034	6	40	0.46	66	0.064	<20	1.06	0.076	0.16	18.7	2.22	2.9	1.07	3.1	1.3	7	0.5
1349470	Drill Core				0.064	11	3	1.25	46	0.015	<20	1.98	0.042	0.09	0.1	<0.01	<0.1	<0.05	8.8	<0.5	8	<0.2

CERTIFICATE OF ANALYSIS

WHI13000510.1

	Method	WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V
	Unit	kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	%
	MDL	0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2
1349471	Drill Core	4.86	52	2.7	35.2	23.0	73	0.5	11.8	11.4	833	4.88	108.4	34.0	3.2	23	0.4	0.2	<0.1	45
1349472	Drill Core	1.51	5	0.4	15.2	6.6	72	0.2	4.8	10.5	949	4.37	5.0	<0.5	3.0	80	0.3	0.1	<0.1	50
1349473	Drill Core	3.15	103	0.7	33.6	6.7	77	0.4	64.2	18.4	1216	4.13	102.7	33.0	3.2	114	1.2	<0.1	<0.1	32
1349474	Drill Core	4.52	18	0.6	30.0	12.7	79	0.4	4.2	6.6	782	3.55	175.1	13.4	3.8	45	2.0	0.2	0.2	16
1349475	Drill Core	6.58	54	0.5	30.2	17.7	251	0.4	6.1	7.5	772	3.35	306.4	42.4	3.4	64	5.1	0.5	0.1	9
1349476	Drill Core	2.85	42	0.9	21.8	390.8	250	0.7	1.9	2.0	197	1.91	330.4	15.8	2.3	24	3.7	1.2	0.2	2
1349477	Drill Core	1.43	37	0.8	341.1	543.8	1566	2.7	4.5	4.2	371	4.07	403.5	34.2	2.6	25	8.9	2.8	0.1	19
1349478	Drill Core	3.11	36	0.6	463.4	318.1	2284	2.6	7.6	5.4	457	4.31	477.9	22.7	2.9	29	9.3	1.0	0.2	16
1349479	Drill Core	5.21	62	0.4	80.1	37.1	151	1.6	2.8	3.3	457	2.04	365.7	26.4	4.1	19	4.0	0.4	0.2	<2
1349480	Drill Core	5.77	10	0.3	51.6	12.9	87	0.5	5.9	4.2	606	2.54	108.3	7.5	4.7	36	0.7	0.2	0.1	4
1349481	Rock	1.09	<2	0.1	3.0	2.8	47	<0.1	3.8	4.2	527	1.93	2.9	<0.5	4.3	51	<0.1	<0.1	<0.1	34
1349482	Drill Core	3.47	9	0.4	16.9	15.7	91	0.2	1.2	4.0	626	3.17	29.1	5.5	5.2	19	0.4	0.2	0.2	3
1349483	Drill Core	6.00	6	0.2	12.8	9.4	72	0.2	1.5	3.4	511	2.81	16.6	2.1	5.3	20	0.2	<0.1	0.1	2
1349484	Drill Core	7.10	13	0.5	13.1	9.4	84	0.1	2.0	5.3	751	3.17	22.2	6.4	5.5	58	0.4	<0.1	0.1	4
1349485	Drill Core	1.17	38	1.1	15.7	13.2	103	0.2	1.9	9.7	394	4.18	85.0	42.8	7.5	22	0.5	0.2	<0.1	13
1349486	Drill Core	2.25	6	0.3	12.4	9.4	77	0.1	1.5	3.8	411	3.17	18.0	3.8	5.3	13	<0.1	0.1	0.1	3
1349487	Drill Core	5.46	4	0.2	9.5	7.1	71	0.1	4.0	5.1	716	3.10	31.6	4.9	5.0	43	0.3	0.1	<0.1	11
1349488	Drill Core	6.78	3	1.0	14.6	11.5	69	0.2	4.8	5.6	615	2.89	17.8	<0.5	5.1	50	0.2	0.2	0.1	5
1349489	Drill Core	2.97	6	0.2	20.7	12.4	61	0.2	30.9	10.3	935	2.87	137.0	0.8	3.8	122	0.3	0.3	0.1	10
1349490	Drill Core	3.47	8	0.1	17.8	11.6	62	0.2	30.1	10.2	894	2.84	110.9	0.9	3.7	109	0.3	0.3	0.1	10
1349491	Drill Core	7.25	82	0.2	19.4	16.8	74	0.4	1.8	3.8	691	2.84	263.9	50.9	4.5	48	0.3	0.2	0.1	2
1349492	Drill Core	6.12	61	0.4	22.9	30.1	112	0.4	1.0	3.3	514	2.74	392.9	24.8	4.8	20	0.8	0.2	0.1	<2
1349493	Drill Core	6.03	5	0.4	14.0	15.6	79	0.2	1.9	4.1	579	3.03	91.3	4.1	5.7	27	0.2	0.1	0.2	3
1349494	Drill Core	6.76	4	0.4	18.4	23.7	85	0.2	1.3	4.0	507	2.95	157.9	3.9	5.7	31	0.2	0.2	0.2	3
1349495	Drill Core	7.16	<2	0.2	11.7	24.5	70	0.2	1.1	3.3	547	2.80	119.0	0.7	5.4	69	0.3	0.1	0.2	<2
1349496	Drill Core	7.19	115	0.8	38.2	20.0	61	0.4	1.1	3.2	393	3.12	692.4	288.8	5.4	38	0.3	0.2	0.1	<2
1349497	Drill Core	6.79	25	0.8	22.0	36.6	77	1.0	3.8	10.8	647	3.52	411.8	58.4	2.4	84	0.5	0.3	0.2	33
1349498	Drill Core	6.51	18	1.5	19.9	8.3	64	0.2	10.2	12.2	744	3.42	172.1	9.2	3.7	106	0.3	0.2	<0.1	19
1349499	Rock Pulp	0.12	4777	486.2	77.3	914.6	2926	>100	30.0	9.8	305	2.64	73.8	3239.3	1.4	44	29.1	121.9	1.3	49
1349500	Drill Core	5.72	3	0.6	24.3	12.2	77	0.2	4.7	14.7	916	3.76	15.1	2.3	3.3	154	0.2	0.3	0.1	32

Acme Analytical Laboratories (Vancouver) Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: Rackla Metals Inc.
650-200 Burrard St.
Vancouver BC V6C 3L6 CANADA

Project: KSD
Report Date: October 31, 2013

Page: 3 of 4

Part: 2 of 2

CERTIFICATE OF ANALYSIS

WHI13000510.1

	Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga
	Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1
1349471	Drill Core	0.058	9	9	1.24	72	0.005	<20	1.86	0.034	0.15	<0.1	<0.01	<0.1	0.06	5.7	<0.5	9
1349472	Drill Core	0.066	10	3	1.35	52	0.023	<20	1.95	0.044	0.13	<0.1	<0.01	<0.1	<0.05	6.7	<0.5	7
1349473	Drill Core	0.037	8	95	1.75	89	0.004	<20	1.98	0.019	0.19	<0.1	<0.01	<0.1	0.10	5.8	<0.5	6
1349474	Drill Core	0.047	8	2	1.01	62	0.007	<20	1.45	0.023	0.12	0.1	<0.01	<0.1	0.07	4.4	<0.5	5
1349475	Drill Core	0.047	8	4	0.78	67	0.011	<20	1.19	0.012	0.15	0.1	<0.01	0.1	0.05	3.6	<0.5	3
1349476	Drill Core	0.014	5	2	0.31	48	0.002	<20	0.62	0.019	0.08	0.2	0.02	<0.1	0.05	1.6	<0.5	2
1349477	Drill Core	0.050	7	2	1.06	72	0.003	<20	1.55	0.014	0.12	0.2	0.02	<0.1	0.09	4.2	<0.5	5
1349478	Drill Core	0.060	7	3	1.12	95	0.003	<20	1.79	0.012	0.17	0.2	0.02	<0.1	0.10	4.0	<0.5	4
1349479	Drill Core	0.030	9	2	0.35	76	0.002	<20	0.70	0.026	0.15	0.1	0.01	<0.1	0.12	2.1	<0.5	2
1349480	Drill Core	0.030	11	8	0.56	67	0.004	<20	1.05	0.029	0.14	<0.1	<0.01	<0.1	0.09	3.8	<0.5	4
1349481	Rock	0.082	7	6	0.59	214	0.112	<20	0.88	0.062	0.46	<0.1	<0.01	0.3	<0.05	2.0	<0.5	5
1349482	Drill Core	0.034	14	2	0.61	75	0.006	<20	1.21	0.039	0.13	<0.1	<0.01	<0.1	<0.05	5.6	<0.5	6
1349483	Drill Core	0.033	12	<1	0.61	86	0.005	<20	1.15	0.022	0.15	<0.1	<0.01	<0.1	<0.05	4.9	<0.5	6
1349484	Drill Core	0.034	16	1	0.53	49	0.013	<20	1.05	0.042	0.10	<0.1	<0.01	<0.1	<0.05	6.6	<0.5	6
1349485	Drill Core	0.042	22	<1	0.40	28	0.003	<20	0.69	0.042	0.06	<0.1	<0.01	<0.1	<0.05	5.6	0.7	4
1349486	Drill Core	0.033	16	1	0.59	49	0.007	<20	1.19	0.036	0.09	<0.1	<0.01	<0.1	<0.05	5.6	<0.5	7
1349487	Drill Core	0.035	16	4	0.85	64	0.007	<20	1.38	0.032	0.12	<0.1	<0.01	<0.1	<0.05	5.5	<0.5	6
1349488	Drill Core	0.035	14	3	0.58	90	0.007	<20	1.16	0.028	0.16	<0.1	<0.01	<0.1	<0.05	4.3	<0.5	5
1349489	Drill Core	0.026	6	33	0.87	101	0.006	<20	1.14	0.021	0.17	<0.1	<0.01	<0.1	0.40	4.3	<0.5	3
1349490	Drill Core	0.027	6	36	0.89	96	0.005	<20	1.18	0.016	0.16	<0.1	<0.01	<0.1	0.27	4.3	<0.5	4
1349491	Drill Core	0.026	8	1	0.56	71	0.003	<20	1.03	0.028	0.12	0.3	0.01	<0.1	0.29	3.5	<0.5	4
1349492	Drill Core	0.036	11	1	0.46	80	0.003	<20	0.86	0.030	0.13	<0.1	<0.01	<0.1	0.09	2.8	<0.5	4
1349493	Drill Core	0.031	16	1	0.52	78	0.004	<20	1.18	0.039	0.13	<0.1	0.01	<0.1	<0.05	3.9	<0.5	5
1349494	Drill Core	0.034	17	<1	0.43	77	0.005	<20	1.10	0.038	0.13	<0.1	<0.01	<0.1	0.07	4.0	<0.5	6
1349495	Drill Core	0.034	15	2	0.38	110	0.005	<20	1.09	0.040	0.19	<0.1	<0.01	<0.1	0.08	3.3	<0.5	5
1349496	Drill Core	0.032	14	1	0.40	106	0.002	<20	0.93	0.039	0.17	<0.1	0.02	<0.1	0.17	2.7	<0.5	4
1349497	Drill Core	0.047	5	8	0.83	79	0.003	<20	1.46	0.021	0.13	<0.1	<0.01	<0.1	0.28	3.5	<0.5	5
1349498	Drill Core	0.070	6	9	1.15	98	0.003	<20	1.72	0.006	0.16	<0.1	<0.01	<0.1	0.17	3.3	<0.5	3
1349499	Rock Pulp	0.040	5	38	0.45	109	0.062	<20	0.95	0.064	0.14	18.7	1.97	2.7	1.00	2.9	1.2	7
1349500	Drill Core	0.099	9	4	1.33	65	0.003	<20	2.16	0.011	0.21	0.2	<0.01	<0.1	0.09	6.0	<0.5	5

CERTIFICATE OF ANALYSIS

WHI13000510.1

	Method	WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V
	Unit	kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	%
	MDL	0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2
1348651	Drill Core	4.75	3	0.5	17.7	6.9	72	0.1	3.7	15.1	966	4.12	4.2	<0.5	2.3	148	0.2	0.4	<0.1	32
1348652	Drill Core	6.62	4	0.3	19.8	4.5	73	0.1	2.8	15.6	1036	4.57	3.4	<0.5	2.6	133	0.1	0.4	<0.1	70
1348653	Drill Core	5.02	4	0.5	16.7	7.0	76	0.1	2.3	14.0	897	4.46	2.5	<0.5	2.6	119	<0.1	0.4	<0.1	64
1348654	Drill Core	6.30	3	0.3	18.5	8.2	61	<0.1	3.3	11.3	911	3.66	2.4	<0.5	2.0	153	0.2	0.3	0.1	40
1348655	Drill Core	4.77	3	0.8	18.3	9.6	74	<0.1	8.3	14.9	859	4.32	2.3	<0.5	2.8	130	0.1	0.5	0.1	52
1348656	Drill Core	3.00	4	0.7	18.9	5.3	70	<0.1	7.7	12.1	917	3.73	2.8	<0.5	2.3	135	0.2	0.3	<0.1	47
1348657	Drill Core	7.75	<2	0.5	29.4	5.5	64	0.1	24.1	18.7	1037	4.01	2.8	<0.5	2.0	179	0.2	0.3	<0.1	59
1348658	Drill Core	2.88	7	0.8	21.0	5.4	66	0.2	8.7	13.4	1003	3.75	8.4	0.7	2.5	147	0.5	0.2	<0.1	30
1348659	Drill Core	6.01	62	0.7	50.7	93.5	262	1.3	11.0	15.6	851	4.45	159.1	70.3	1.7	128	3.3	0.6	<0.1	21
1348660	Rock	1.04	4	0.1	2.1	3.1	48	<0.1	4.3	4.3	589	2.08	1.3	<0.5	5.0	55	<0.1	<0.1	<0.1	39
1348661	Drill Core	7.52	27	1.0	77.3	12.5	77	1.4	3.4	14.4	1127	3.96	630.5	9.9	2.8	149	0.7	0.5	<0.1	23
1348662	Drill Core	7.65	4	1.4	19.8	4.7	71	0.2	3.5	13.2	929	4.06	14.8	<0.5	2.8	128	0.2	0.2	<0.1	35
1348663	Drill Core	6.70	7	0.8	27.8	5.6	65	0.2	4.1	14.0	978	4.22	158.5	2.8	2.8	139	0.2	0.2	<0.1	46
1348664	Drill Core	1.70	3	0.7	22.5	6.3	80	0.2	2.4	13.4	964	4.18	11.3	0.7	2.9	129	<0.1	0.3	<0.1	41
1348665	Drill Core	7.66	3	0.6	25.7	6.0	84	0.2	2.8	13.3	971	4.16	38.6	<0.5	2.8	133	0.4	0.2	<0.1	33
1348666	Drill Core	2.39	83	1.7	31.1	1349.9	1655	5.2	1.8	10.3	627	3.54	237.3	215.9	1.9	86	28.9	0.9	1.3	13
1348667	Drill Core	7.93	10	0.6	53.8	13.9	76	0.5	5.4	16.2	1061	4.06	537.3	8.0	2.2	182	0.8	0.3	<0.1	37
1348668	Drill Core	6.60	2	0.3	77.3	26.9	511	0.5	17.3	23.0	985	6.13	49.1	2.7	1.3	102	4.5	0.3	<0.1	115
1348669	Drill Core	6.82	4	0.3	71.2	9.5	344	0.5	16.2	24.1	1051	5.47	34.9	3.1	1.0	108	2.3	0.3	<0.1	106
1348670	Drill Core	3.93	4	1.0	46.9	12.8	105	0.4	11.6	22.4	940	4.97	23.8	3.7	2.4	107	0.5	0.2	<0.1	74
1348671	Drill Core	2.99	3	0.5	26.8	14.5	96	0.8	7.6	15.3	704	4.19	18.8	2.0	3.1	90	1.0	0.1	<0.1	52
1348672	Drill Core	3.27	4	0.1	34.6	9.1	92	0.3	9.8	18.5	902	5.38	21.7	0.6	3.8	74	0.2	0.2	0.1	58
1348673	Drill Core	3.43	4	<0.1	38.7	9.4	90	0.3	9.7	18.8	915	5.39	20.2	1.8	3.3	75	0.3	0.2	0.2	60
1348674	Drill Core	7.25	4	0.2	48.7	12.8	76	0.4	10.3	19.9	960	4.80	15.7	4.0	2.5	80	0.3	0.2	0.1	70
1348675	Drill Core	2.72	3	0.4	52.2	13.3	77	0.4	8.0	18.3	683	4.74	8.0	2.2	2.8	54	<0.1	0.2	<0.1	56
1348676	Drill Core	8.29	3	0.4	21.0	6.5	67	0.2	6.5	14.9	722	3.89	7.8	<0.5	3.7	59	<0.1	0.2	<0.1	36
1348677	Drill Core	6.29	2	0.2	16.5	6.3	73	<0.1	9.8	16.1	1033	4.33	2.2	<0.5	2.9	126	0.3	<0.1	<0.1	48
1348678	Drill Core	5.45	<2	0.4	21.7	9.8	72	0.2	2.4	14.3	1007	4.32	4.8	<0.5	3.1	154	0.1	0.2	<0.1	42
1348679	Rock Pulp	0.13	4748	516.9	77.3	924.5	3114	>100	30.6	10.0	327	2.77	75.8	4323.3	1.5	51	29.4	116.9	1.5	54
1348680	Drill Core	4.98	<2	0.8	23.3	6.9	68	0.2	1.9	12.5	922	4.05	5.8	3.2	3.1	159	<0.1	<0.1	<0.1	36

Acme Analytical Laboratories (Vancouver) Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: Rackla Metals Inc.
650-200 Burrard St.
Vancouver BC V6C 3L6 CANADA

Project: KSD
Report Date: October 31, 2013

Page: 4 of 4

Part: 2 of 2

CERTIFICATE OF ANALYSIS

WHI13000510.1

	Method	Analyte	Unit	MDL	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX			
					P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te
					%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
					0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2
1348651	Drill Core	0.071	6	3	1.45	77	0.002	<20	2.22	0.008	0.22	0.2	<0.01	<0.1	0.09	5.6	<0.5	5	<0.2			
1348652	Drill Core	0.076	7	5	1.51	64	0.005	<20	2.38	0.019	0.17	0.1	<0.01	<0.1	<0.05	9.2	<0.5	8	<0.2			
1348653	Drill Core	0.082	8	3	1.53	43	0.004	<20	2.41	0.020	0.12	<0.1	<0.01	<0.1	<0.05	8.7	<0.5	7	<0.2			
1348654	Drill Core	0.068	7	2	1.32	50	0.003	<20	1.97	0.015	0.15	0.1	<0.01	<0.1	<0.05	5.5	<0.5	5	<0.2			
1348655	Drill Core	0.076	11	6	1.39	50	0.002	<20	2.36	0.013	0.17	<0.1	<0.01	<0.1	0.08	7.5	<0.5	6	<0.2			
1348656	Drill Core	0.057	10	5	1.30	44	0.002	<20	1.98	0.013	0.14	0.1	<0.01	<0.1	0.14	7.0	<0.5	5	<0.2			
1348657	Drill Core	0.056	5	37	1.89	59	0.005	<20	2.39	0.010	0.15	0.1	<0.01	<0.1	0.13	10.4	<0.5	6	<0.2			
1348658	Drill Core	0.071	5	8	1.32	56	0.003	<20	1.94	0.007	0.17	0.2	<0.01	<0.1	0.16	5.0	<0.5	4	<0.2			
1348659	Drill Core	0.039	2	15	1.09	69	0.002	<20	1.31	0.002	0.15	0.2	0.02	<0.1	2.39	4.4	0.6	3	<0.2			
1348660	Rock	0.075	9	7	0.65	219	0.128	<20	0.98	0.063	0.49	<0.1	<0.01	0.3	<0.05	2.2	<0.5	5	<0.2			
1348661	Drill Core	0.068	4	2	1.24	73	0.003	<20	1.77	0.006	0.19	0.2	0.02	<0.1	0.80	4.6	<0.5	3	<0.2			
1348662	Drill Core	0.075	9	2	1.18	70	0.004	<20	2.02	0.012	0.19	0.2	<0.01	<0.1	0.13	6.1	<0.5	5	<0.2			
1348663	Drill Core	0.072	8	3	1.25	55	0.003	<20	2.19	0.013	0.19	0.1	<0.01	<0.1	0.26	6.3	<0.5	6	<0.2			
1348664	Drill Core	0.071	11	1	1.16	47	0.002	<20	2.29	0.009	0.22	0.3	0.01	<0.1	0.10	8.4	<0.5	5	<0.2			
1348665	Drill Core	0.076	8	2	1.27	68	0.003	<20	2.38	0.007	0.26	0.2	<0.01	<0.1	0.15	6.6	<0.5	5	<0.2			
1348666	Drill Core	0.042	2	<1	0.70	110	0.002	<20	0.95	0.006	0.18	0.6	0.03	<0.1	2.08	2.2	1.1	2	1.5			
1348667	Drill Core	0.065	3	3	1.57	70	0.002	<20	2.42	0.002	0.20	0.2	<0.01	<0.1	0.40	5.6	<0.5	4	<0.2			
1348668	Drill Core	0.047	5	12	2.32	27	0.001	<20	3.89	0.002	0.23	<0.1	0.02	<0.1	0.07	10.5	<0.5	8	<0.2			
1348669	Drill Core	0.042	4	14	2.15	70	0.002	<20	3.43	0.005	0.21	<0.1	<0.01	<0.1	0.19	12.1	<0.5	6	<0.2			
1348670	Drill Core	0.049	5	9	1.91	163	0.001	<20	3.13	0.003	0.22	0.2	0.01	<0.1	0.20	9.3	<0.5	6	<0.2			
1348671	Drill Core	0.056	10	4	1.46	59	0.001	<20	2.69	0.008	0.25	1.3	0.02	<0.1	0.13	6.5	<0.5	4	<0.2			
1348672	Drill Core	0.054	9	9	1.63	60	0.002	<20	3.06	0.014	0.21	<0.1	<0.01	<0.1	0.29	7.4	<0.5	7	<0.2			
1348673	Drill Core	0.059	8	8	1.66	50	0.002	<20	3.11	0.012	0.19	0.1	<0.01	<0.1	0.24	7.5	<0.5	7	<0.2			
1348674	Drill Core	0.053	6	8	1.59	55	0.003	<20	2.78	0.014	0.17	0.1	<0.01	<0.1	0.31	6.9	<0.5	7	<0.2			
1348675	Drill Core	0.065	10	7	1.19	59	0.002	<20	2.43	0.015	0.21	<0.1	<0.01	<0.1	0.50	7.7	<0.5	6	<0.2			
1348676	Drill Core	0.066	9	7	1.22	69	0.003	<20	2.02	0.022	0.20	<0.1	0.01	<0.1	0.65	5.6	<0.5	5	<0.2			
1348677	Drill Core	0.068	10	18	1.61	71	0.004	<20	2.39	0.017	0.19	<0.1	0.01	<0.1	0.22	7.4	<0.5	7	<0.2			
1348678	Drill Core	0.075	12	3	1.35	55	0.005	<20	2.25	0.022	0.22	<0.1	<0.01	<0.1	0.46	7.7	<0.5	6	<0.2			
1348679	Rock Pulp	0.039	6	39	0.46	64	0.071	<20	1.03	0.066	0.15	17.9	2.17	2.7	1.06	3.4	0.6	7	0.5			
1348680	Drill Core	0.072	12	2	1.15	45	0.005	<20	2.05	0.020	0.22	<0.1	<0.01	<0.1	0.33	7.4	<0.5	6	<0.2			

QUALITY CONTROL REPORT

WHI13000510.1

	Method Analyte Unit MDL	WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
		kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
		0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01
Pulp Duplicates																						
1349463	Drill Core	1.65	5	1.2	19.5	14.1	74	0.2	2.4	16.6	1169	4.52	23.3	3.6	3.1	58	0.2	<0.1	<0.1	85	2.35	
REP 1349463	QC	6																				
1349470	Drill Core	6.57	5	0.6	15.3	9.6	87	0.2	3.1	9.7	931	4.29	5.1	2.1	3.4	55	0.3	0.1	<0.1	49	1.32	
REP 1349470	QC			0.5	15.6	9.8	87	0.2	3.1	9.8	942	4.41	4.9	<0.5	3.5	54	0.3	0.1	<0.1	51	1.33	
1349497	Drill Core	6.79	25	0.8	22.0	36.6	77	1.0	3.8	10.8	647	3.52	411.8	58.4	2.4	84	0.5	0.3	0.2	33	1.50	
REP 1349497	QC	29																				
1348655	Drill Core	4.77	3	0.8	18.3	9.6	74	<0.1	8.3	14.9	859	4.32	2.3	<0.5	2.8	130	0.1	0.5	0.1	52	3.17	
REP 1348655	QC			0.9	18.2	9.5	75	<0.1	7.9	14.5	854	4.22	2.6	<0.5	2.8	129	0.1	0.5	<0.1	50	3.11	
1348678	Drill Core	5.45	<2	0.4	21.7	9.8	72	0.2	2.4	14.3	1007	4.32	4.8	<0.5	3.1	154	0.1	0.2	<0.1	42	3.90	
REP 1348678	QC	2																				
Core Reject Duplicates																						
1349451	Drill Core	4.75	<2	<0.1	34.8	4.7	90	0.2	6.9	21.1	849	4.29	1.7	<0.5	0.5	35	<0.1	<0.1	<0.1	91	1.05	
DUP 1349451	QC			<2	<0.1	33.5	4.8	91	0.2	7.0	21.3	858	4.37	1.9	<0.5	0.4	35	<0.1	<0.1	<0.1	91	1.07
1349489	Drill Core	2.97	6	0.2	20.7	12.4	61	0.2	30.9	10.3	935	2.87	137.0	0.8	3.8	122	0.3	0.3	0.1	10	2.41	
DUP 1349489	QC			6	0.2	19.6	12.6	56	0.2	30.7	9.9	918	2.67	104.2	1.6	3.7	121	0.4	0.3	0.1	10	2.36
1348677	Drill Core	6.29	2	0.2	16.5	6.3	73	<0.1	9.8	16.1	1033	4.33	2.2	<0.5	2.9	126	0.3	<0.1	<0.1	48	3.98	
DUP 1348677	QC			3	0.3	18.9	7.3	74	0.1	10.5	16.2	1065	4.48	2.1	<0.5	2.8	126	0.2	<0.1	<0.1	49	4.03
Reference Materials																						
STD DS10	Standard			15.1	143.7	172.7	363	2.2	79.6	13.2	866	2.71	38.7	75.3	7.7	60	2.3	6.6	11.3	46	1.08	
STD DS10	Standard			13.1	153.6	149.7	356	2.1	72.9	12.7	849	2.58	43.6	103.2	6.8	62	2.5	7.3	11.6	42	1.02	
STD DS10	Standard			15.3	161.6	159.7	357	1.8	78.6	13.2	908	2.74	45.5	59.7	7.5	64	2.7	7.2	11.5	43	1.07	
STD OREAS45EA	Standard			1.5	702.1	14.3	29	0.3	377.4	54.1	404	23.77	8.0	51.1	9.8	3	<0.1	0.1	0.2	306	0.04	
STD OREAS45EA	Standard			1.5	602.4	14.0	26	0.3	328.1	49.2	355	22.38	7.6	44.5	9.5	3	<0.1	0.3	0.2	266	0.03	
STD OREAS45EA	Standard			1.4	674.3	14.6	28	0.2	370.0	49.9	382	22.80	9.1	58.3	9.9	3	<0.1	0.2	0.2	292	0.03	
STD OXC109	Standard	207																				
STD OXC109	Standard	212																				
STD OXC109	Standard	199																				
STD OXC109	Standard	204																				

QUALITY CONTROL REPORT

WHI13000510.1

	Method Analyte Unit MDL	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga
		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm
		0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1
Pulp Duplicates																		
1349463	Drill Core	0.063	11	4	1.63	123	0.010	<20	2.29	0.026	0.25	<0.1	<0.01	<0.1	<0.05	7.7	<0.5	9
REP 1349463	QC																	
1349470	Drill Core	0.064	11	3	1.25	46	0.015	<20	1.98	0.042	0.09	0.1	<0.01	<0.1	<0.05	8.8	<0.5	8
REP 1349470	QC	0.064	11	3	1.27	45	0.015	<20	1.97	0.043	0.09	0.1	<0.01	<0.1	<0.05	9.1	<0.5	8
1349497	Drill Core	0.047	5	8	0.83	79	0.003	<20	1.46	0.021	0.13	<0.1	<0.01	<0.1	0.28	3.5	<0.5	5
REP 1349497	QC																	
1348655	Drill Core	0.076	11	6	1.39	50	0.002	<20	2.36	0.013	0.17	<0.1	<0.01	<0.1	0.08	7.5	<0.5	6
REP 1348655	QC	0.071	11	6	1.38	48	0.003	<20	2.38	0.013	0.17	0.1	0.01	<0.1	0.07	7.5	<0.5	6
1348678	Drill Core	0.075	12	3	1.35	55	0.005	<20	2.25	0.022	0.22	<0.1	<0.01	<0.1	0.46	7.7	<0.5	6
REP 1348678	QC																	
Core Reject Duplicates																		
1349451	Drill Core	0.060	1	9	1.68	124	0.173	<20	2.27	0.062	0.35	0.4	<0.01	0.1	0.07	4.9	<0.5	8
DUP 1349451	QC	0.063	1	9	1.70	123	0.155	<20	2.29	0.058	0.36	0.4	<0.01	0.1	0.08	4.8	<0.5	8
1349489	Drill Core	0.026	6	33	0.87	101	0.006	<20	1.14	0.021	0.17	<0.1	<0.01	<0.1	0.40	4.3	<0.5	3
DUP 1349489	QC	0.025	6	32	0.86	91	0.006	<20	1.11	0.017	0.15	<0.1	0.01	<0.1	0.33	4.2	<0.5	3
1348677	Drill Core	0.068	10	18	1.61	71	0.004	<20	2.39	0.017	0.19	<0.1	0.01	<0.1	0.22	7.4	<0.5	7
DUP 1348677	QC	0.070	10	18	1.66	78	0.004	<20	2.50	0.017	0.20	<0.1	<0.01	<0.1	0.25	7.6	<0.5	7
Reference Materials																		
STD DS10	Standard	0.066	17	56	0.77	413	0.067	<20	1.03	0.068	0.34	2.7	0.33	5.4	0.29	2.8	2.5	4
STD DS10	Standard	0.073	15	54	0.74	380	0.071	<20	0.96	0.064	0.32	2.6	0.29	4.8	0.27	2.6	1.8	4
STD DS10	Standard	0.075	16	57	0.79	394	0.074	<20	1.04	0.065	0.34	2.6	0.31	4.9	0.29	2.9	1.8	4
STD OREAS45EA	Standard	0.024	6	1022	0.09	131	0.077	<20	3.22	0.025	0.06	<0.1	<0.01	<0.1	<0.05	75.0	0.6	13
STD OREAS45EA	Standard	0.027	6	814	0.08	141	0.081	<20	2.79	0.019	0.05	<0.1	0.02	<0.1	<0.05	70.0	<0.5	11
STD OREAS45EA	Standard	0.028	6	858	0.09	138	0.087	<20	3.03	0.017	0.05	<0.1	0.02	<0.1	<0.05	72.7	1.0	12
STD OXC109	Standard																	
STD OXC109	Standard																	
STD OXC109	Standard																	
STD OXC109	Standard																	

QUALITY CONTROL REPORT

WHI13000510.1

		WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V
		kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
		0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2
STD OXC109	Standard	197																		
STD OXI96	Standard	1903																		
STD OXI96	Standard	1765																		
STD OXI96	Standard	1858																		
STD OXI96	Standard	1801																		
STD DS10 Expected				14.69	154.61	150.55	352.9	1.96	74.6	12.9	861	2.7188	43.7	91.9	7.5	67.1	2.48	9.51	11.65	43
STD OREAS45EA Expected				1.39	709	14.3	28.9	0.26	381	52	400	23.51	9.1	53	10.7	3.5	0.02	0.2	0.26	303
STD OXC109 Expected		201																		
STD OXI96 Expected		1802																		
BLK	Blank	<2																		
BLK	Blank	<2																		
BLK	Blank	<2																		
BLK	Blank	<2																		
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2
BLK	Blank	4																		
BLK	Blank	<2																		
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2
BLK	Blank	<2																		
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2
BLK	Blank	<2																		
BLK	Blank	<2																		
Prep Wash																				
G1-WHI	Prep Blank			<2	0.1	3.2	3.7	49	<0.1	3.6	4.5	628	2.21	<0.5	1.1	5.5	72	<0.1	<0.1	<0.1
G1-WHI	Prep Blank			<2	0.1	2.8	3.6	43	<0.1	3.2	4.0	554	1.90	<0.5	<0.5	6.1	48	<0.1	<0.1	<0.1

QUALITY CONTROL REPORT

WHI13000510.1

		1DX P %	1DX La ppm	1DX Cr ppm	1DX Mg %	1DX Ba ppm	1DX Ti %	1DX B ppm	1DX Al %	1DX Na %	1DX K %	1DX W ppm	1DX Hg ppm	1DX Tl ppm	1DX S %	1DX Sc ppm	1DX Se ppm	1DX Ga ppm	1DX Te ppm
		0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2
STD OXC109	Standard																		
STD OXI96	Standard																		
STD OXI96	Standard																		
STD OXI96	Standard																		
STD OXI96	Standard																		
STD DS10 Expected		0.073	17.5	54.6	0.7651	349	0.0817		1.0259	0.0638	0.3245	3.34	0.289	4.79	0.2743	2.8	2.3	4.3	4.89
STD OREAS45EA Expected		0.029	6.57	849	0.095	148	0.0875		3.13	0.02	0.053			0.072	0.036	78	0.6	11.7	0.07
STD OXC109 Expected																			
STD OXI96 Expected																			
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.05	<0.1	<0.5	<1	<0.2
BLK	Blank																		
BLK	Blank																		
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.05	<0.1	<0.5	<1	<0.2
BLK	Blank																		
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.05	<0.1	<0.5	<1	<0.2
BLK	Blank																		
BLK	Blank																		
Prep Wash																			
G1-WHI	Prep Blank	0.065	15	7	0.57	170	0.124	<20	1.08	0.125	0.55	<0.1	<0.01	0.4	<0.05	2.5	<0.5	5	<0.2
G1-WHI	Prep Blank	0.060	13	6	0.48	140	0.106	<20	0.93	0.093	0.48	<0.1	<0.01	0.3	<0.05	2.2	<0.5	5	<0.2

Acme Analytical Laboratories (Vancouver) Ltd.
9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA
PHONE (604) 253-3158

Client: **Rackla Metals Inc.**
650-200 Burrard St.
Vancouver BC V6C 3L6 CANADA

Submitted By: Roger Hulstein
Receiving Lab: Canada-Whitehorse
Received: October 09, 2013
Report Date: November 07, 2013
Page: 1 of 6

CERTIFICATE OF ANALYSIS

WHI13000511.1

CLIENT JOB INFORMATION

Project: KSD
Shipment ID: 2013-10
P.O. Number
Number of Samples: 150

SAMPLE DISPOSAL

DISP-PLP Dispose of Pulp After 90 days
DISP-RJT Dispose of Reject After 90 days

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Rackla Metals Inc.
650-200 Burrard St.
Vancouver BC V6C 3L6
CANADA

CC: Simon Ridgway
Dave Clark
Database Backup

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
R200-250	145	Crush, split and pulverize 250 g rock to 200 mesh			WHI
3B	150	Fire assay fusion Au by ICP-ES	30	Completed	VAN
1DX	150	1:1:1 Aqua Regia digestion ICP-MS analysis	0.5	Completed	VAN

ADDITIONAL COMMENTS



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
*** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.

CERTIFICATE OF ANALYSIS

WHI13000511.1

	Method Analyte Unit MDL	WGHT Wgt kg 0.01	3B Au ppb 2	1DX Mo ppm 0.1	1DX Cu ppm 0.1	1DX Pb ppm 0.1	1DX Zn ppm 1	1DX Ag ppm 0.1	1DX Ni ppm 0.1	1DX Co ppm 0.1	1DX Mn ppm 1	1DX Fe % 0.01	1DX As ppm 0.5	1DX Au ppb 0.5	1DX Th ppm 0.1	1DX Sr ppm 1	1DX Cd ppm 0.1	1DX Sb ppm 0.1	1DX Bi ppm 0.1	1DX V ppm 2	1DX Ca % 0.01
1348681	Drill Core	5.38	<2	0.6	18.5	7.3	71	<0.1	2.2	13.5	1014	4.40	2.9	<0.5	2.9	164	<0.1	<0.1	<0.1	46	3.81
1348682	Drill Core	4.36	5	0.4	13.5	9.7	60	0.3	1.5	13.1	1225	3.99	36.1	3.8	2.6	224	<0.1	0.4	<0.1	40	6.17
1348683	Drill Core	6.24	7	0.6	9.9	9.7	73	0.2	1.7	13.4	895	4.51	42.1	4.2	2.5	100	0.2	0.6	<0.1	43	3.22
1348684	Drill Core	4.62	7	1.3	14.6	5.1	79	0.1	5.8	11.3	786	3.70	12.3	1.3	3.1	68	0.2	0.1	<0.1	40	2.20
1348685	Drill Core	5.01	2	1.0	12.8	9.3	82	0.2	1.5	8.8	676	3.98	18.4	<0.5	4.5	38	<0.1	0.3	<0.1	31	0.96
1348686	Drill Core	6.51	10	0.6	12.6	8.9	79	0.2	0.7	6.0	727	3.63	38.9	4.6	4.9	63	0.2	0.2	<0.1	22	1.82
1348687	Drill Core	4.25	6	0.5	11.7	4.7	65	0.1	1.7	10.4	945	3.80	35.4	4.2	3.0	98	<0.1	0.5	<0.1	39	3.05
1348688	Drill Core	3.33	7	0.6	13.4	9.5	69	0.2	2.3	13.3	821	4.47	38.4	3.0	2.7	76	0.2	0.6	<0.1	44	2.10
1348689	Drill Core	4.85	6	0.8	15.8	7.6	70	0.2	1.9	13.2	1052	4.23	3.3	<0.5	2.7	185	0.2	0.3	<0.1	52	3.58
1348690	Rock	0.98	<2	<0.1	1.9	2.6	48	<0.1	3.5	4.4	539	1.87	<0.5	<0.5	4.3	41	<0.1	<0.1	<0.1	34	0.42
1348691	Drill Core	4.55	10	2.5	10.1	9.2	77	0.3	2.7	16.1	903	4.60	51.2	6.0	2.7	89	0.2	0.7	<0.1	51	2.73
1348692	Drill Core	5.23	7	1.2	8.3	9.2	78	0.2	3.7	17.5	1196	4.84	23.3	3.9	2.5	186	0.2	0.4	<0.1	81	4.99
1348693	Drill Core	3.63	6	1.1	26.5	8.1	79	0.2	4.2	17.1	949	4.90	14.9	3.8	2.7	97	0.2	0.2	<0.1	83	3.20
1348694	Drill Core	5.02	7	0.8	13.1	6.5	63	0.1	3.9	16.1	1101	4.29	33.0	2.6	2.2	142	0.1	0.2	<0.1	62	4.78
1348695	Drill Core	5.22	6	0.8	20.8	7.5	82	0.2	4.5	18.3	925	5.04	28.7	6.4	2.6	81	0.1	0.2	<0.1	95	2.49
1348696	Drill Core	3.59	6	0.7	17.5	8.0	80	0.2	3.9	18.0	992	4.91	20.1	1.3	2.6	101	0.2	0.1	<0.1	98	2.59
1348697	Drill Core	4.50	16	0.5	19.9	6.0	63	0.2	3.1	15.6	1062	4.68	776.6	11.4	2.4	147	0.2	0.2	<0.1	69	3.26
1348698	Drill Core	3.18	5	0.5	18.6	6.3	76	0.2	2.3	13.9	854	4.81	61.1	3.0	3.0	111	<0.1	<0.1	<0.1	89	2.61
1348699	Drill Core	4.36	5	0.5	14.3	5.8	69	0.1	2.6	14.9	1029	4.72	39.6	<0.5	2.5	105	<0.1	<0.1	<0.1	80	2.81
1348700	Drill Core	4.50	<2	0.8	16.0	7.8	77	0.1	2.5	14.5	978	4.66	14.4	<0.5	2.7	91	0.1	<0.1	<0.1	84	2.46
1348701	Drill Core	5.47	11	1.3	14.3	7.3	79	0.2	2.5	16.3	1188	4.86	44.2	8.9	2.6	132	0.2	0.1	<0.1	89	3.81
1348702	Drill Core	1.96	13	1.3	51.5	7.0	67	0.2	2.0	16.4	1231	4.34	41.1	11.3	2.6	191	<0.1	0.1	<0.1	64	4.75
1348703	Drill Core	4.19	6	1.0	18.5	8.6	74	0.1	2.3	16.1	1019	4.75	16.6	2.2	2.8	125	0.1	0.1	<0.1	82	3.53
1348704	Drill Core	2.60	15	0.5	17.5	7.2	58	0.4	2.2	16.1	1410	4.51	355.4	16.5	2.8	212	0.2	0.2	<0.1	62	4.73
1348705	Drill Core	2.55	22	0.5	17.7	8.4	50	0.5	2.1	16.5	1256	4.42	318.0	19.7	2.6	192	0.1	0.2	<0.1	52	4.04
1348706	Drill Core	4.83	9	0.3	23.2	6.4	84	0.3	6.3	16.5	849	4.78	71.3	6.3	3.0	84	0.2	0.1	<0.1	115	1.73
1348707	Drill Core	5.06	21	0.8	36.6	8.6	58	0.3	2.4	15.9	1176	4.72	160.7	13.7	2.6	173	0.1	0.1	<0.1	84	3.33
1348708	Drill Core	3.84	2	0.2	16.2	7.3	74	0.1	4.1	14.2	1130	3.91	13.3	<0.5	1.8	133	0.2	<0.1	<0.1	65	3.51
1348709	Drill Core	3.48	2	0.5	28.0	9.4	75	0.2	10.3	18.6	1119	4.59	13.8	<0.5	2.4	106	0.2	0.1	<0.1	85	2.54
1348710	Rock Pulp	0.13	5063	510.3	78.6	933.6	3098	>100	30.7	9.5	316	2.73	74.1	3434.9	1.2	41	32.2	109.0	1.2	51	0.52

Acme Analytical Laboratories (Vancouver) Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: Rackla Metals Inc.
650-200 Burrard St.
Vancouver BC V6C 3L6 CANADA

Project: KSD
Report Date: November 07, 2013

Page: 2 of 6

Part: 2 of 2

CERTIFICATE OF ANALYSIS

WHI13000511.1

	Method	Analyte	Unit	MDL	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX			
					P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te
					%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
					0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2
1348681	Drill Core	0.073	12	3	1.33	64	0.007	<20	2.50	0.029	0.27	<0.1	<0.01	<0.1	0.33	9.3	<0.5	7	<0.2			
1348682	Drill Core	0.074	10	1	1.08	76	0.004	<20	1.97	0.014	0.23	0.1	<0.01	<0.1	0.90	6.8	<0.5	5	<0.2			
1348683	Drill Core	0.069	7	2	1.15	63	0.006	<20	2.07	0.020	0.30	0.1	<0.01	<0.1	1.42	5.5	0.5	5	<0.2			
1348684	Drill Core	0.068	8	5	1.17	72	0.008	<20	1.91	0.023	0.20	<0.1	<0.01	<0.1	0.35	5.7	<0.5	6	<0.2			
1348685	Drill Core	0.059	14	2	0.98	96	0.008	<20	1.84	0.035	0.26	<0.1	<0.01	<0.1	0.66	6.0	<0.5	7	<0.2			
1348686	Drill Core	0.051	12	1	0.79	62	0.009	<20	1.57	0.045	0.16	0.1	<0.01	<0.1	0.74	6.5	<0.5	7	<0.2			
1348687	Drill Core	0.073	6	2	1.17	83	0.007	<20	1.89	0.033	0.14	<0.1	<0.01	<0.1	0.86	4.5	<0.5	6	<0.2			
1348688	Drill Core	0.072	8	3	1.38	78	0.006	<20	2.16	0.023	0.23	<0.1	<0.01	<0.1	1.19	6.2	<0.5	6	<0.2			
1348689	Drill Core	0.067	12	4	1.52	104	0.010	<20	2.46	0.021	0.29	<0.1	<0.01	<0.1	0.27	8.6	<0.5	6	<0.2			
1348690	Rock	0.069	7	7	0.55	207	0.100	<20	0.92	0.062	0.44	<0.1	<0.01	0.3	<0.05	2.1	<0.5	5	<0.2			
1348691	Drill Core	0.066	6	6	1.47	87	0.006	<20	2.48	0.019	0.32	<0.1	<0.01	0.1	1.15	6.0	<0.5	7	<0.2			
1348692	Drill Core	0.062	7	12	1.89	64	0.006	<20	3.01	0.024	0.23	<0.1	<0.01	<0.1	0.68	9.9	<0.5	9	<0.2			
1348693	Drill Core	0.060	7	13	1.61	43	0.006	<20	2.91	0.030	0.25	<0.1	<0.01	<0.1	0.40	10.1	<0.5	8	<0.2			
1348694	Drill Core	0.053	5	12	1.52	62	0.006	<20	2.53	0.023	0.23	0.1	<0.01	<0.1	0.47	8.3	<0.5	7	<0.2			
1348695	Drill Core	0.067	6	15	1.56	45	0.010	<20	2.83	0.036	0.19	<0.1	<0.01	<0.1	0.39	10.3	<0.5	10	<0.2			
1348696	Drill Core	0.065	9	13	1.72	47	0.010	<20	2.84	0.030	0.18	<0.1	<0.01	<0.1	0.25	11.1	<0.5	10	<0.2			
1348697	Drill Core	0.062	6	10	1.49	66	0.007	<20	2.46	0.036	0.21	0.1	<0.01	<0.1	0.52	8.1	<0.5	8	<0.2			
1348698	Drill Core	0.074	11	6	1.73	43	0.007	<20	2.63	0.038	0.07	<0.1	<0.01	<0.1	0.36	10.4	<0.5	10	<0.2			
1348699	Drill Core	0.071	7	7	1.69	60	0.007	<20	2.64	0.033	0.14	0.1	<0.01	<0.1	0.38	9.1	<0.5	9	<0.2			
1348700	Drill Core	0.070	8	7	1.60	25	0.005	<20	2.67	0.040	0.18	<0.1	<0.01	<0.1	0.16	9.0	<0.5	10	<0.2			
1348701	Drill Core	0.068	4	4	1.78	55	0.007	<20	2.65	0.024	0.20	<0.1	<0.01	<0.1	0.75	8.1	<0.5	10	<0.2			
1348702	Drill Core	0.071	7	3	1.33	76	0.010	<20	2.34	0.015	0.26	0.1	<0.01	<0.1	0.46	8.3	<0.5	7	<0.2			
1348703	Drill Core	0.062	7	4	1.52	64	0.010	<20	2.47	0.031	0.28	0.1	<0.01	0.1	0.48	10.1	<0.5	8	<0.2			
1348704	Drill Core	0.063	4	3	1.40	93	0.005	<20	2.15	0.019	0.20	0.2	<0.01	<0.1	1.42	6.3	<0.5	7	<0.2			
1348705	Drill Core	0.058	4	4	1.28	100	0.005	<20	1.90	0.020	0.20	0.2	<0.01	<0.1	1.75	5.8	<0.5	6	<0.2			
1348706	Drill Core	0.067	7	10	1.48	57	0.010	<20	2.35	0.045	0.11	0.1	<0.01	<0.1	0.60	12.1	<0.5	10	<0.2			
1348707	Drill Core	0.065	6	5	1.59	63	0.007	<20	2.24	0.024	0.14	0.3	<0.01	<0.1	1.19	7.8	<0.5	8	<0.2			
1348708	Drill Core	0.059	7	<1	1.52	61	0.005	<20	2.18	0.026	0.16	<0.1	<0.01	<0.1	0.28	7.2	<0.5	7	<0.2			
1348709	Drill Core	0.060	9	13	1.73	64	0.007	<20	2.56	0.028	0.17	<0.1	<0.01	<0.1	0.42	9.7	<0.5	8	<0.2			
1348710	Rock Pulp	0.036	5	38	0.44	114	0.052	<20	0.99	0.063	0.14	18.1	2.05	2.6	1.05	3.0	1.0	7	0.4			

CERTIFICATE OF ANALYSIS

WHI13000511.1

	Method Analyte Unit MDL	WGHT Wgt kg 0.01	3B Au ppb 2	1DX Mo ppm 0.1	1DX Cu ppm 0.1	1DX Pb ppm 0.1	1DX Zn ppm 1	1DX Ag ppm 0.1	1DX Ni ppm 0.1	1DX Co ppm 0.1	1DX Mn ppm 1	1DX Fe % 0.01	1DX As ppm 0.5	1DX Au ppb 0.5	1DX Th ppm 0.1	1DX Sr ppm 1	1DX Cd ppm 0.1	1DX Sb ppm 0.1	1DX Bi ppm 0.1	1DX V ppm 2	1DX Ca % 0.01
1348711	Drill Core	1.42	5	0.8	22.6	7.6	93	0.2	5.8	19.2	905	5.01	16.1	2.4	2.8	51	0.2	0.1	<0.1	86	1.26
1348712	Drill Core	5.06	3	0.4	14.5	7.4	85	0.1	6.2	15.1	1016	4.77	10.7	3.5	2.8	165	0.1	<0.1	<0.1	106	2.19
1348713	Drill Core	5.36	4	0.5	18.5	15.8	95	0.2	3.1	16.3	875	5.24	21.0	3.4	2.9	86	0.2	0.2	<0.1	99	1.37
1348714	Drill Core	4.10	12	1.0	20.6	9.8	87	0.2	12.1	16.3	900	4.44	27.6	17.6	3.1	98	0.2	0.2	<0.1	101	2.19
1348715	Drill Core	4.67	27	0.8	37.5	10.7	81	0.3	6.8	14.6	940	4.75	65.6	24.3	2.7	130	0.3	0.2	<0.1	112	2.52
1348716	Drill Core	4.85	13	0.9	29.7	6.5	88	0.2	14.4	14.3	828	4.04	38.9	15.8	3.9	77	0.2	0.2	<0.1	84	1.50
1348717	Drill Core	4.06	3	0.7	20.6	6.2	89	0.2	6.8	15.5	949	4.68	15.4	3.3	3.1	113	0.2	0.2	<0.1	67	1.84
1348718	Drill Core	5.08	<2	0.8	16.1	5.4	83	0.1	3.8	14.0	809	4.22	9.1	2.0	2.9	106	0.1	0.1	<0.1	42	1.65
1348719	Drill Core	4.75	22	0.3	9.9	5.3	45	0.1	2.0	9.3	879	3.04	38.8	11.4	4.5	139	0.3	0.1	<0.1	15	2.34
1348720	Rock	0.94	<2	<0.1	2.1	2.6	50	<0.1	3.9	4.3	566	1.99	<0.5	1.4	5.0	46	<0.1	<0.1	<0.1	37	0.49
1348721	Drill Core	5.04	6	1.1	25.0	5.7	81	0.3	11.0	16.3	1332	4.44	30.3	5.7	2.8	114	0.2	0.2	<0.1	61	2.51
1348722	Drill Core	4.83	<2	0.3	20.1	4.9	71	0.2	4.9	11.7	1012	3.55	16.3	2.0	3.0	110	0.2	0.1	<0.1	41	2.28
1348723	Drill Core	5.46	7	0.8	27.6	245.0	64	0.5	5.5	17.1	1256	3.98	43.2	11.2	2.7	130	0.2	0.2	0.4	38	3.26
1348724	Drill Core	5.14	<2	0.4	14.4	9.1	68	0.1	5.2	15.4	973	4.01	7.8	2.4	2.8	104	0.2	0.2	<0.1	59	2.97
1348725	Drill Core	4.69	<2	0.3	14.3	6.6	69	<0.1	5.0	13.5	909	3.56	1.5	<0.5	2.7	98	0.2	<0.1	<0.1	48	3.29
1348726	Drill Core	5.81	<2	0.4	16.5	7.4	67	<0.1	5.8	16.1	1055	3.83	1.2	<0.5	2.4	87	0.2	0.1	<0.1	54	3.29
1348727	Drill Core	4.30	3	0.7	17.1	10.1	71	<0.1	5.7	16.0	1022	3.85	1.6	1.0	2.6	94	<0.1	0.2	<0.1	53	2.99
1348728	Drill Core	4.94	<2	0.2	18.8	10.4	79	<0.1	6.1	18.3	950	4.38	1.6	<0.5	2.6	67	0.1	0.3	<0.1	73	1.89
1348729	Drill Core	3.92	6	0.1	28.6	8.0	78	<0.1	6.8	18.8	975	4.20	1.2	<0.5	2.5	96	0.1	0.1	<0.1	60	2.39
1348730	Drill Core	3.24	<2	0.3	43.1	4.2	71	0.1	5.3	17.6	864	4.22	2.0	<0.5	2.3	64	<0.1	<0.1	<0.1	62	1.47
1348731	Drill Core	3.25	<2	0.3	34.4	3.5	76	<0.1	4.9	16.4	898	4.32	1.8	1.2	2.2	65	<0.1	<0.1	<0.1	61	1.41
1348732	Drill Core	5.03	<2	0.5	21.3	11.2	71	0.2	2.4	14.4	905	3.89	17.2	<0.5	2.2	38	0.1	0.1	<0.1	37	1.28
1348733	Drill Core	5.24	<2	0.7	31.6	8.8	74	0.2	5.0	16.8	891	4.32	13.3	0.6	2.1	29	<0.1	0.2	<0.1	57	0.95
1348734	Drill Core	4.37	<2	0.6	16.7	4.9	65	0.1	4.5	13.4	938	3.59	9.1	<0.5	2.5	51	<0.1	0.1	<0.1	42	1.58
1348735	Drill Core	5.20	3	0.5	29.5	5.8	80	0.2	4.4	15.8	971	4.19	39.9	1.3	2.4	64	<0.1	0.2	<0.1	55	1.49
1348736	Drill Core	5.70	<2	0.3	55.6	9.7	76	0.4	10.5	23.0	990	5.55	37.7	0.6	2.0	95	0.2	0.2	<0.1	129	1.89
1348737	Drill Core	3.54	3	0.5	50.6	6.2	52	0.3	6.4	19.6	1410	4.22	112.8	1.6	2.4	124	0.2	0.1	<0.1	36	2.92
1348738	Drill Core	1.25	574	0.2	23.9	115.5	69	1.6	19.1	36.7	1142	7.38	577.2	459.3	1.2	100	1.0	1.4	0.4	25	2.26
1348739	Rock Pulp	0.13	4804	522.4	79.6	976.5	3152	>100	31.2	9.9	330	2.83	78.8	3626.7	1.4	47	31.8	105.3	1.3	54	0.57
1348740	Drill Core	4.50	12	0.4	19.8	4.3	35	0.2	4.5	13.7	2082	3.60	2342.5	7.7	2.0	288	0.3	0.2	<0.1	28	5.07

CERTIFICATE OF ANALYSIS

WHI13000511.1

	Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga
	Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1
1348711	Drill Core	0.068	9	9	1.69	73	0.006	<20	2.75	0.029	0.18	<0.1	<0.01	<0.1	0.47	11.1	<0.5	9
1348712	Drill Core	0.066	8	13	1.96	45	0.007	<20	2.68	0.037	0.10	<0.1	<0.01	<0.1	0.34	12.0	<0.5	10
1348713	Drill Core	0.069	7	5	1.51	114	0.016	<20	2.41	0.020	0.26	<0.1	<0.01	<0.1	0.48	11.7	<0.5	10
1348714	Drill Core	0.072	10	17	1.54	109	0.013	<20	2.30	0.030	0.17	0.1	<0.01	<0.1	0.48	9.6	<0.5	9
1348715	Drill Core	0.063	5	14	1.56	49	0.007	<20	2.18	0.042	0.08	<0.1	<0.01	<0.1	1.05	10.0	<0.5	11
1348716	Drill Core	0.063	10	18	1.42	69	0.007	<20	1.90	0.040	0.11	<0.1	<0.01	<0.1	0.75	9.4	<0.5	9
1348717	Drill Core	0.067	9	9	1.77	150	0.007	<20	2.26	0.024	0.18	<0.1	<0.01	0.1	0.58	8.8	<0.5	9
1348718	Drill Core	0.062	6	5	1.93	95	0.003	<20	2.50	0.029	0.18	<0.1	<0.01	<0.1	0.32	6.4	<0.5	8
1348719	Drill Core	0.049	9	2	1.23	152	0.006	<20	1.42	0.022	0.23	<0.1	<0.01	<0.1	0.79	4.4	<0.5	4
1348720	Rock	0.074	9	8	0.61	226	0.109	<20	0.99	0.083	0.49	<0.1	<0.01	0.3	<0.05	2.4	<0.5	6
1348721	Drill Core	0.068	4	22	1.95	75	0.004	<20	2.25	0.021	0.15	<0.1	<0.01	<0.1	0.81	6.7	<0.5	8
1348722	Drill Core	0.042	5	6	1.69	58	0.003	<20	1.96	0.021	0.12	<0.1	<0.01	<0.1	0.44	6.3	<0.5	7
1348723	Drill Core	0.055	5	6	1.91	97	0.004	<20	2.12	0.010	0.21	<0.1	<0.01	<0.1	0.75	5.8	<0.5	6
1348724	Drill Core	0.060	9	9	1.52	76	0.004	<20	2.22	0.021	0.19	<0.1	<0.01	<0.1	0.23	8.8	<0.5	7
1348725	Drill Core	0.061	10	6	1.52	70	0.003	<20	2.03	0.018	0.22	0.1	<0.01	<0.1	<0.05	9.0	<0.5	6
1348726	Drill Core	0.058	11	8	1.51	91	0.005	<20	1.97	0.020	0.25	0.1	<0.01	<0.1	<0.05	9.4	<0.5	6
1348727	Drill Core	0.059	9	8	1.65	192	0.020	<20	2.06	0.018	0.37	0.1	<0.01	0.1	0.07	8.3	<0.5	6
1348728	Drill Core	0.058	10	9	1.90	209	0.035	<20	2.28	0.025	0.49	0.2	<0.01	0.2	<0.05	10.2	<0.5	8
1348729	Drill Core	0.058	10	7	2.01	111	0.006	<20	2.40	0.016	0.25	0.2	<0.01	0.1	0.08	9.6	<0.5	7
1348730	Drill Core	0.068	10	6	2.47	97	0.012	<20	2.54	0.019	0.27	<0.1	<0.01	0.1	0.14	10.5	<0.5	8
1348731	Drill Core	0.069	9	<1	2.60	89	0.012	<20	2.69	0.019	0.24	<0.1	<0.01	0.1	0.12	10.5	<0.5	9
1348732	Drill Core	0.078	8	4	2.07	144	0.008	<20	2.36	0.020	0.29	<0.1	<0.01	<0.1	0.48	7.4	<0.5	7
1348733	Drill Core	0.066	8	7	2.64	91	0.008	<20	2.76	0.024	0.23	<0.1	<0.01	<0.1	0.52	8.3	<0.5	8
1348734	Drill Core	0.059	8	7	2.60	116	0.004	<20	2.54	0.020	0.21	<0.1	<0.01	<0.1	0.48	6.9	<0.5	7
1348735	Drill Core	0.072	6	5	2.61	98	0.003	<20	2.74	0.024	0.21	<0.1	<0.01	0.1	0.85	7.7	<0.5	8
1348736	Drill Core	0.061	5	11	2.03	54	0.006	<20	2.45	0.049	0.14	<0.1	<0.01	0.1	1.36	10.8	<0.5	10
1348737	Drill Core	0.057	4	4	2.17	141	0.004	<20	1.85	0.010	0.23	<0.1	<0.01	0.2	1.85	5.4	<0.5	4
1348738	Drill Core	0.018	2	4	1.52	64	0.002	<20	1.18	0.007	0.10	0.2	<0.01	0.2	6.61	4.2	0.8	3
1348739	Rock Pulp	0.039	6	40	0.48	99	0.061	<20	1.06	0.071	0.16	18.2	2.19	3.0	1.08	3.4	1.4	7
1348740	Drill Core	0.065	4	4	2.07	113	0.012	<20	1.71	0.018	0.20	0.6	<0.01	<0.1	1.11	7.7	<0.5	3

CERTIFICATE OF ANALYSIS

WHI13000511.1

	Method Analyte Unit MDL	WGHT Wgt kg 0.01	3B Au ppb 2	1DX Mo ppm 0.1	1DX Cu ppm 0.1	1DX Pb ppm 0.1	1DX Zn ppm 1	1DX Ag ppm 0.1	1DX Ni ppm 0.1	1DX Co ppm 0.1	1DX Mn ppm 1	1DX Fe % 0.01	1DX As ppm 0.5	1DX Au ppb 0.5	1DX Th ppm 0.1	1DX Sr ppm 1	1DX Cd ppm 0.1	1DX Sb ppm 0.1	1DX Bi ppm 0.1	1DX V ppm 2	1DX Ca % 0.01
1348741	Drill Core	6.03	3	0.3	31.7	8.6	58	0.2	7.7	15.9	1133	3.83	103.4	<0.5	2.1	130	0.1	0.2	<0.1	56	2.67
1348742	Drill Core	5.65	<2	0.2	25.5	8.6	59	0.1	6.5	15.5	1051	3.58	13.6	1.6	2.4	119	<0.1	<0.1	<0.1	42	2.82
1348743	Drill Core	5.02	2	0.1	15.5	4.2	59	<0.1	2.9	12.6	920	3.52	15.8	1.2	2.7	95	<0.1	<0.1	<0.1	34	2.00
1348744	Drill Core	3.42	<2	<0.1	17.7	3.4	70	<0.1	6.3	14.3	763	3.63	2.0	2.4	2.4	46	<0.1	<0.1	<0.1	43	1.09
1348745	Drill Core	2.70	<2	0.1	10.7	2.8	62	<0.1	3.7	10.7	652	3.00	1.3	0.9	3.1	51	<0.1	<0.1	<0.1	26	1.22
1348746	Drill Core	3.15	<2	0.4	21.2	2.6	65	<0.1	8.0	15.4	812	3.67	0.6	<0.5	2.5	40	0.1	<0.1	<0.1	48	0.95
1348747	Drill Core	2.85	<2	0.3	29.6	4.3	73	<0.1	7.7	15.9	761	3.89	1.8	0.7	2.6	40	0.2	<0.1	<0.1	48	0.95
1348748	Drill Core	3.39	4	0.4	56.8	9.5	109	0.4	12.4	19.9	1207	3.80	413.7	1.4	2.0	138	0.9	<0.1	<0.1	49	3.45
1348749	Drill Core	2.98	<2	1.1	85.7	11.4	174	0.3	21.6	21.0	1327	4.15	4.8	<0.5	2.2	82	1.1	<0.1	<0.1	71	3.59
1348750	Rock	0.94	<2	<0.1	7.1	2.7	46	<0.1	23.5	5.6	543	1.88	0.9	1.9	4.7	41	<0.1	<0.1	0.1	34	0.47
1348751	Drill Core	2.76	8	0.3	47.6	13.7	82	0.3	25.0	25.6	1237	4.81	22.6	6.0	1.3	102	0.2	<0.1	<0.1	116	5.00
1348752	Drill Core	3.55	2	0.2	67.0	9.5	63	0.2	25.1	24.7	1175	4.34	2.7	<0.5	1.1	97	0.2	<0.1	<0.1	95	5.15
1348753	Drill Core	3.30	2	0.2	51.4	13.0	87	0.3	19.3	22.0	1148	4.25	5.1	<0.5	1.4	100	0.8	<0.1	<0.1	86	4.69
1348754	Drill Core	2.98	5	<0.1	54.9	15.0	64	0.2	15.2	24.1	1029	4.25	1.1	<0.5	1.3	113	0.3	<0.1	<0.1	94	4.47
1348755	Drill Core	3.32	<2	<0.1	65.6	23.4	74	0.3	19.9	24.4	1103	4.21	0.6	<0.5	1.1	103	0.6	<0.1	<0.1	84	4.79
1348756	Drill Core	2.64	<2	0.2	75.6	17.8	65	0.4	24.2	25.4	1237	4.14	1.2	1.5	1.0	114	0.4	<0.1	<0.1	95	5.71
1348757	Drill Core	2.13	4	0.6	58.0	10.3	93	0.4	21.2	21.6	919	4.07	5.3	<0.5	2.3	79	0.3	<0.1	<0.1	87	3.22
1348758	Drill Core	3.17	4	1.4	27.4	6.0	64	0.3	18.1	13.9	734	2.71	18.6	1.3	3.5	71	0.2	<0.1	<0.1	35	2.78
1348759	Drill Core	1.57	3	2.1	32.8	5.6	96	0.2	20.7	15.1	703	3.11	7.1	<0.5	4.2	51	0.2	1.0	<0.1	36	2.31
1348760	Drill Core	1.42	3	1.9	30.9	5.7	69	0.3	17.9	15.1	781	2.98	7.1	<0.5	3.6	56	0.2	<0.1	<0.1	37	2.70
1348761	Drill Core	3.09	9	1.3	30.2	15.6	69	0.3	19.0	14.7	920	3.12	34.8	4.1	3.7	80	0.4	0.1	<0.1	50	3.77
1348762	Drill Core	3.00	6	0.8	27.9	6.6	74	0.3	21.2	14.5	745	3.32	29.8	5.2	3.9	74	0.1	<0.1	<0.1	67	2.60
1348763	Drill Core	3.29	5	1.8	26.6	7.5	68	0.3	19.5	13.4	887	2.95	24.5	1.9	3.7	93	0.3	<0.1	<0.1	45	3.78
1348764	Drill Core	3.76	<2	2.4	31.5	5.8	73	0.2	20.5	14.9	717	3.06	9.3	0.7	4.3	61	0.1	<0.1	<0.1	40	2.44
1348765	Drill Core	2.54	<2	1.7	32.3	5.2	74	0.2	21.5	16.2	717	3.28	4.9	<0.5	4.3	57	0.2	<0.1	<0.1	45	2.34
1348766	Drill Core	3.21	6	0.6	27.7	6.4	72	0.3	19.3	15.4	955	3.28	17.2	1.3	3.7	83	0.3	<0.1	<0.1	57	3.68
1348767	Drill Core	3.28	3	2.5	29.8	5.2	77	0.2	21.3	14.7	739	3.26	8.3	0.6	4.2	71	0.2	<0.1	<0.1	51	2.66
1348768	Drill Core	4.46	3	2.0	28.5	5.8	75	0.2	19.2	16.6	765	3.32	13.6	<0.5	3.9	80	0.2	<0.1	<0.1	46	2.97
1348769	Rock Pulp	0.12	4653	519.3	77.9	983.0	3168	>100	32.4	10.0	326	2.78	75.5	4347.0	1.4	43	31.1	107.3	1.2	52	0.54
1348770	Drill Core	4.42	31	1.1	56.2	11.5	64	0.6	14.8	24.0	1119	4.53	642.6	98.9	1.9	179	0.3	0.2	<0.1	68	4.84

CERTIFICATE OF ANALYSIS

WHI13000511.1

	Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga
	Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1
1348741	Drill Core	0.059	4	7	1.86	123	0.014	<20	1.93	0.028	0.22	0.2	<0.01	0.1	0.90	7.9	<0.5	6
1348742	Drill Core	0.055	5	6	2.09	128	0.006	<20	2.11	0.021	0.22	0.1	<0.01	0.1	0.44	6.8	<0.5	5
1348743	Drill Core	0.072	5	4	2.27	106	0.006	<20	2.17	0.033	0.17	<0.1	<0.01	<0.1	0.59	6.5	<0.5	6
1348744	Drill Core	0.063	5	10	2.74	94	0.004	<20	2.58	0.025	0.16	<0.1	<0.01	<0.1	0.14	8.0	<0.5	7
1348745	Drill Core	0.079	7	5	2.16	146	0.003	<20	2.13	0.019	0.25	<0.1	<0.01	<0.1	0.13	4.6	<0.5	5
1348746	Drill Core	0.069	8	15	2.97	106	0.004	<20	2.79	0.029	0.17	<0.1	<0.01	<0.1	0.08	8.4	<0.5	8
1348747	Drill Core	0.064	8	11	2.88	112	0.004	<20	2.76	0.023	0.20	<0.1	<0.01	<0.1	0.11	7.5	<0.5	7
1348748	Drill Core	0.057	5	13	2.07	86	0.005	<20	2.21	0.015	0.16	0.2	<0.01	<0.1	0.54	8.8	<0.5	6
1348749	Drill Core	0.050	7	26	1.97	92	0.006	<20	2.51	0.030	0.18	<0.1	<0.01	<0.1	0.19	11.5	<0.5	7
1348750	Rock	0.075	7	26	0.81	204	0.108	<20	0.92	0.063	0.43	<0.1	<0.01	0.4	<0.05	2.1	<0.5	5
1348751	Drill Core	0.047	3	34	2.19	44	0.008	<20	2.42	0.032	0.08	<0.1	<0.01	<0.1	1.44	12.9	<0.5	8
1348752	Drill Core	0.039	4	37	2.29	58	0.008	<20	2.88	0.015	0.12	<0.1	<0.01	<0.1	0.24	12.3	<0.5	8
1348753	Drill Core	0.047	5	26	1.98	54	0.007	<20	2.62	0.023	0.14	<0.1	<0.01	<0.1	0.23	11.5	<0.5	7
1348754	Drill Core	0.045	5	17	1.92	46	0.008	<20	2.57	0.028	0.12	<0.1	<0.01	<0.1	0.09	13.2	<0.5	7
1348755	Drill Core	0.042	5	26	2.28	53	0.008	<20	2.81	0.020	0.14	<0.1	<0.01	<0.1	0.10	12.0	<0.5	7
1348756	Drill Core	0.037	4	30	2.21	53	0.007	<20	2.76	0.023	0.09	0.1	<0.01	<0.1	0.09	14.1	<0.5	7
1348757	Drill Core	0.054	8	26	1.87	80	0.007	<20	2.52	0.025	0.15	<0.1	<0.01	<0.1	0.20	12.8	0.5	7
1348758	Drill Core	0.064	9	16	1.01	113	0.007	<20	1.53	0.020	0.20	<0.1	<0.01	<0.1	0.45	5.0	0.9	4
1348759	Drill Core	0.069	13	17	1.03	121	0.002	<20	1.55	0.013	0.20	<0.1	<0.01	<0.1	0.30	4.8	1.0	5
1348760	Drill Core	0.066	12	15	1.03	107	0.006	<20	1.58	0.018	0.20	<0.1	<0.01	<0.1	0.28	5.4	0.7	5
1348761	Drill Core	0.074	7	21	0.99	103	0.003	<20	1.44	0.022	0.17	<0.1	<0.01	<0.1	1.05	5.4	0.7	5
1348762	Drill Core	0.075	7	23	1.16	114	0.004	<20	1.53	0.019	0.14	<0.1	<0.01	<0.1	0.96	5.7	0.5	6
1348763	Drill Core	0.068	7	18	1.01	146	0.003	<20	1.43	0.013	0.20	<0.1	<0.01	<0.1	0.88	5.1	0.8	5
1348764	Drill Core	0.071	12	17	1.04	162	0.006	<20	1.70	0.024	0.25	<0.1	<0.01	<0.1	0.41	5.2	0.8	5
1348765	Drill Core	0.075	14	19	1.15	158	0.006	<20	1.76	0.022	0.22	<0.1	<0.01	<0.1	0.35	6.1	0.7	6
1348766	Drill Core	0.071	9	22	1.16	119	0.007	<20	1.72	0.030	0.16	<0.1	<0.01	<0.1	0.54	7.0	<0.5	5
1348767	Drill Core	0.070	13	20	1.08	132	0.006	<20	1.75	0.031	0.19	<0.1	<0.01	<0.1	0.33	6.4	0.7	5
1348768	Drill Core	0.070	9	17	1.08	132	0.003	<20	1.87	0.019	0.19	<0.1	<0.01	<0.1	0.45	5.9	0.5	5
1348769	Rock Pulp	0.037	6	38	0.46	129	0.068	<20	1.03	0.066	0.15	19.8	2.16	2.9	1.07	3.0	1.4	7
1348770	Drill Core	0.047	4	10	1.65	88	0.004	<20	2.15	0.013	0.19	0.2	<0.01	<0.1	1.65	6.0	<0.5	6

CERTIFICATE OF ANALYSIS

WHI13000511.1

	Method	WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V
	Unit	kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	%
	MDL	0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2
1348771	Drill Core	2.36	265	0.9	11.1	230.0	848	2.0	3.8	6.8	192	1.86	230.6	212.8	0.2	22	12.5	0.1	1.4	7
1348772	Drill Core	4.74	151	0.4	43.1	9.6	55	0.5	8.1	22.9	1134	4.31	1695.0	38.4	1.5	229	0.3	<0.1	<0.1	44
1348773	Drill Core	3.49	2	0.5	54.6	5.0	65	0.5	9.2	23.9	939	4.67	18.8	<0.5	1.4	117	<0.1	<0.1	<0.1	69
1348774	Drill Core	3.05	2	0.4	62.7	4.6	63	0.4	9.5	24.3	971	4.76	7.0	<0.5	1.3	126	<0.1	<0.1	<0.1	85
1348775	Drill Core	3.20	<2	0.3	42.5	7.4	68	<0.1	6.8	20.2	1990	4.51	1.1	4.8	1.4	187	0.3	<0.1	<0.1	84
1348776	Drill Core	3.12	2	0.1	31.2	9.6	59	<0.1	4.4	13.9	801	3.15	2.1	4.2	3.9	72	0.1	<0.1	<0.1	39
1348777	Drill Core	2.90	<2	0.1	39.3	6.6	69	<0.1	5.7	17.4	961	4.17	0.9	2.9	2.2	77	<0.1	<0.1	<0.1	62
1348778	Drill Core	2.97	7	<0.1	33.7	5.8	68	0.1	8.2	16.9	902	3.59	15.8	3.0	2.4	66	0.2	<0.1	<0.1	52
1348779	Drill Core	2.98	4	0.1	38.2	5.5	63	0.1	7.0	17.0	1027	3.86	8.2	3.0	1.8	80	0.1	<0.1	<0.1	53
1348780	Rock	1.11	<2	0.1	2.1	2.6	51	<0.1	4.3	4.5	588	2.15	0.8	<0.5	4.9	50	<0.1	<0.1	<0.1	38
1348781	Drill Core	2.76	<2	0.4	36.5	7.8	61	0.2	5.3	17.0	971	3.80	1.5	1.0	2.7	80	0.2	<0.1	<0.1	47
1348782	Drill Core	3.42	8	0.1	41.0	6.4	73	0.2	6.5	18.8	870	4.08	1.8	1.1	2.6	73	<0.1	<0.1	<0.1	55
1348783	Drill Core	3.59	3	0.2	31.4	6.7	64	0.2	6.4	16.8	953	3.99	5.2	<0.5	3.0	92	0.1	<0.1	<0.1	54
1348784	Drill Core	3.03	12	0.7	18.4	8.3	61	0.2	7.1	14.4	910	3.89	16.9	6.3	3.1	88	<0.1	<0.1	<0.1	66
1348785	Drill Core	3.03	21	0.3	21.5	6.4	74	0.3	8.5	19.5	850	4.71	31.7	18.5	2.8	94	0.1	<0.1	<0.1	93
1348786	Drill Core	3.14	12	0.5	25.5	9.3	60	0.3	5.9	9.5	648	3.10	20.9	14.2	4.4	62	<0.1	0.1	<0.1	41
1348787	Drill Core	3.23	5	0.7	36.7	9.3	74	0.3	16.9	20.2	1001	4.65	13.0	7.0	2.4	62	0.1	<0.1	0.1	100
1348788	Drill Core	2.76	4	0.8	28.2	10.8	61	0.2	6.8	13.9	862	3.38	8.7	5.7	4.0	64	0.1	<0.1	0.2	49
1348789	Drill Core	2.71	11	0.6	25.6	9.3	78	0.2	9.1	18.2	1569	4.51	17.4	10.9	2.6	126	0.1	<0.1	0.1	85
1348790	Drill Core	2.05	7	0.3	21.6	10.0	74	0.2	6.9	17.1	1067	4.39	11.8	6.7	3.3	75	0.1	<0.1	0.1	78
1348791	Drill Core	1.55	5	0.3	12.7	11.3	68	0.1	6.0	14.6	1098	3.85	11.9	6.3	3.9	85	<0.1	<0.1	<0.1	70
1348792	Drill Core	3.22	3	0.1	25.1	7.1	76	0.2	5.3	16.1	914	4.01	12.0	1.8	3.7	68	0.1	<0.1	<0.1	55
1348793	Drill Core	3.05	7	<0.1	12.1	8.0	33	0.1	2.9	6.9	659	1.88	14.2	15.9	5.3	72	<0.1	<0.1	<0.1	14
1348794	Drill Core	2.24	3	<0.1	16.4	7.3	44	0.2	3.6	7.1	637	2.39	7.8	2.4	5.2	59	<0.1	<0.1	<0.1	24
1348795	Drill Core	3.18	<2	0.1	17.2	6.2	59	0.2	3.8	9.6	620	2.69	5.7	1.7	5.8	49	<0.1	<0.1	<0.1	22
1348796	Drill Core	2.97	8	<0.1	16.8	8.7	58	0.1	4.6	9.9	741	2.55	3.6	1.2	5.0	82	<0.1	<0.1	<0.1	16
1348797	Drill Core	3.02	4	<0.1	3.3	6.4	28	<0.1	2.0	3.8	475	1.32	3.2	<0.5	5.7	61	<0.1	<0.1	<0.1	7
1348798	Drill Core	3.05	<2	<0.1	9.8	5.0	40	<0.1	2.8	6.0	509	1.79	4.7	<0.5	5.5	67	<0.1	<0.1	<0.1	10
1348799	Drill Core	3.37	69	0.3	35.2	39.2	87	0.6	3.9	14.0	881	2.96	369.0	33.9	3.0	111	0.6	<0.1	0.3	17
1348800	Rock Pulp	0.12	4649	530.4	80.4	973.0	3413	>100	32.4	10.1	336	2.87	78.6	4397.8	1.4	45	32.6	112.2	1.3	54

CERTIFICATE OF ANALYSIS

WHI13000511.1

	Method	Analyte	Unit	MDL	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX			
					P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te
					%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
					0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2
1348771	Drill Core	0.003	<1	6	0.17	56	<0.001	<20	0.24	0.004	0.06	<0.1	<0.01	<0.1	1.53	0.7	0.9	<1	0.7			
1348772	Drill Core	0.046	4	4	1.55	98	0.007	<20	2.01	0.009	0.25	0.2	<0.01	<0.1	1.30	4.7	<0.5	4	<0.2			
1348773	Drill Core	0.045	4	4	1.49	55	0.007	<20	2.58	0.026	0.19	<0.1	<0.01	<0.1	0.34	6.9	<0.5	7	<0.2			
1348774	Drill Core	0.044	5	6	1.59	48	0.007	<20	2.72	0.027	0.17	<0.1	<0.01	<0.1	0.25	8.7	<0.5	8	<0.2			
1348775	Drill Core	0.070	6	2	1.78	60	0.006	<20	2.60	0.034	0.13	<0.1	<0.01	<0.1	0.14	11.3	<0.5	8	<0.2			
1348776	Drill Core	0.052	12	4	0.91	101	0.005	<20	1.62	0.039	0.20	<0.1	<0.01	<0.1	0.18	6.5	<0.5	5	<0.2			
1348777	Drill Core	0.063	9	4	1.43	60	0.009	<20	2.27	0.037	0.15	<0.1	<0.01	<0.1	0.14	9.3	<0.5	7	<0.2			
1348778	Drill Core	0.048	8	7	1.41	56	0.007	<20	2.12	0.028	0.16	<0.1	<0.01	<0.1	0.15	7.9	<0.5	6	<0.2			
1348779	Drill Core	0.050	10	7	1.44	81	0.005	<20	2.26	0.026	0.15	<0.1	<0.01	<0.1	0.10	8.8	<0.5	7	<0.2			
1348780	Rock	0.077	8	8	0.62	223	0.124	<20	1.04	0.072	0.49	<0.1	<0.01	0.3	<0.05	2.4	<0.5	5	<0.2			
1348781	Drill Core	0.061	12	4	1.20	116	0.006	<20	2.14	0.029	0.20	<0.1	<0.01	<0.1	0.13	7.8	<0.5	7	<0.2			
1348782	Drill Core	0.059	10	7	1.54	76	0.008	<20	2.38	0.024	0.21	<0.1	<0.01	<0.1	0.08	8.6	<0.5	7	<0.2			
1348783	Drill Core	0.059	9	5	1.45	67	0.007	<20	2.33	0.032	0.18	<0.1	<0.01	<0.1	0.25	7.8	<0.5	7	<0.2			
1348784	Drill Core	0.056	5	9	1.45	62	0.004	<20	1.98	0.026	0.13	<0.1	<0.01	<0.1	1.01	7.3	<0.5	7	<0.2			
1348785	Drill Core	0.056	4	9	1.70	47	0.006	<20	1.98	0.050	0.11	<0.1	<0.01	<0.1	2.32	7.8	1.3	7	<0.2			
1348786	Drill Core	0.049	8	6	1.00	93	0.002	<20	1.36	0.041	0.15	<0.1	<0.01	<0.1	0.94	5.4	<0.5	5	<0.2			
1348787	Drill Core	0.062	5	39	2.15	49	0.006	<20	2.50	0.043	0.08	<0.1	<0.01	0.2	0.78	11.6	<0.5	10	<0.2			
1348788	Drill Core	0.057	5	7	1.16	103	0.003	<20	1.67	0.031	0.19	<0.1	<0.01	<0.1	0.73	6.1	<0.5	6	<0.2			
1348789	Drill Core	0.059	4	12	2.11	68	0.004	<20	2.51	0.028	0.13	<0.1	<0.01	<0.1	0.94	10.2	<0.5	9	<0.2			
1348790	Drill Core	0.056	4	9	1.78	86	0.004	<20	2.30	0.034	0.15	<0.1	<0.01	<0.1	0.77	8.8	<0.5	8	<0.2			
1348791	Drill Core	0.054	5	9	1.75	75	0.004	<20	2.20	0.033	0.12	<0.1	<0.01	<0.1	0.75	7.7	<0.5	8	<0.2			
1348792	Drill Core	0.058	8	6	1.66	133	0.003	<20	2.23	0.029	0.19	<0.1	<0.01	<0.1	0.48	7.5	<0.5	7	<0.2			
1348793	Drill Core	0.030	10	2	0.86	140	0.002	<20	0.98	0.024	0.20	<0.1	<0.01	<0.1	0.50	3.0	<0.5	3	<0.2			
1348794	Drill Core	0.031	9	3	0.94	107	0.002	<20	1.20	0.033	0.17	<0.1	<0.01	<0.1	0.31	4.0	<0.5	4	<0.2			
1348795	Drill Core	0.049	13	4	1.09	133	0.002	<20	1.46	0.026	0.19	<0.1	<0.01	<0.1	0.39	4.3	<0.5	5	<0.2			
1348796	Drill Core	0.050	9	4	1.10	122	0.002	<20	1.38	0.025	0.20	<0.1	<0.01	<0.1	0.29	3.7	<0.5	4	<0.2			
1348797	Drill Core	0.028	9	2	0.57	147	0.002	<20	0.73	0.028	0.23	<0.1	<0.01	<0.1	0.18	1.9	<0.5	3	<0.2			
1348798	Drill Core	0.038	9	3	0.69	128	0.002	<20	0.93	0.020	0.19	<0.1	<0.01	<0.1	0.21	2.2	<0.5	3	<0.2			
1348799	Drill Core	0.048	4	2	1.20	207	0.005	<20	1.32	0.012	0.25	0.1	<0.01	0.1	0.74	3.1	<0.5	3	<0.2			
1348800	Rock Pulp	0.039	6	41	0.48	104	0.062	<20	1.07	0.069	0.15	19.5	2.32	3.0	1.09	3.2	1.2	7	0.4			

CERTIFICATE OF ANALYSIS

WHI13000511.1

	Method Analyte Unit MDL	WGHT Wgt kg 0.01	3B Au ppb 2	1DX Mo ppm 0.1	1DX Cu ppm 0.1	1DX Pb ppm 0.1	1DX Zn ppm 1	1DX Ag ppm 0.1	1DX Ni ppm 0.1	1DX Co ppm 0.1	1DX Mn ppm 1	1DX Fe % 0.01	1DX As ppm 0.5	1DX Au ppb 0.5	1DX Th ppm 0.1	1DX Sr ppm 1	1DX Cd ppm 0.1	1DX Sb ppm 0.1	1DX Bi ppm 0.1	1DX V ppm 2	1DX Ca % 0.01
1348801	Drill Core	4.81	2476	1.7	21.0	6.8	63	0.8	4.1	7.2	605	1.81	636.9	2814.8	3.9	90	0.5	<0.1	<0.1	6	2.08
1348802	Drill Core	1.61	51	0.2	11.3	7.0	27	0.3	2.2	9.2	2262	3.01	817.9	46.9	1.6	311	0.9	<0.1	<0.1	8	7.34
1348803	Drill Core	5.05	53	0.2	50.1	6.1	69	0.4	7.3	20.7	1022	3.96	1058.9	20.0	1.2	139	0.3	0.2	<0.1	40	3.21
1348804	Drill Core	5.14	82	1.1	49.2	7.7	64	0.4	5.0	18.2	1100	3.83	432.2	13.3	1.3	165	0.4	0.1	<0.1	26	3.39
1348805	Drill Core	4.77	205	0.6	31.9	8.5	55	0.3	3.2	15.6	977	3.52	397.7	24.3	1.8	151	0.3	0.2	<0.1	20	3.35
1348806	Drill Core	4.58	4	0.8	33.4	7.2	85	0.2	3.4	16.1	1011	4.04	17.5	4.1	2.8	142	0.2	<0.1	<0.1	31	3.66
1348807	Drill Core	3.51	3	0.2	23.9	5.2	82	0.2	7.6	18.6	1187	4.43	68.5	<0.5	2.0	163	0.2	<0.1	<0.1	38	4.21
1348808	Drill Core	3.22	<2	0.3	17.2	4.4	64	<0.1	3.6	12.2	932	3.50	10.7	<0.5	2.4	127	0.1	<0.1	<0.1	37	3.47
1348809	Drill Core	4.68	3	0.3	11.5	5.2	48	<0.1	4.3	11.2	745	2.70	2.8	6.1	4.4	106	<0.1	<0.1	<0.1	18	3.05
1348810	Rock	0.95	<2	<0.1	2.0	2.9	49	<0.1	4.1	4.5	594	2.17	<0.5	3.0	5.2	56	<0.1	<0.1	<0.1	37	0.50
1348811	Drill Core	4.60	3	0.3	37.5	6.4	65	0.2	8.4	17.6	996	4.07	4.1	7.1	2.9	105	<0.1	<0.1	<0.1	61	3.72
1348812	Drill Core	4.72	2	0.5	20.9	6.3	56	0.1	5.7	13.4	1003	3.50	6.0	4.9	3.7	100	<0.1	<0.1	<0.1	40	3.35
1348813	Drill Core	4.58	6	0.9	21.9	9.1	70	0.2	4.2	15.1	1047	3.87	13.8	7.2	2.2	98	0.2	<0.1	<0.1	57	3.58
1348814	Drill Core	4.86	9	1.8	41.0	6.3	81	0.3	4.8	17.1	1071	4.56	19.9	10.4	1.8	80	0.3	0.2	<0.1	92	3.00
1348815	Drill Core	4.93	5	0.7	30.3	6.2	83	0.2	3.9	15.8	1074	4.51	20.0	7.1	1.9	85	0.1	<0.1	<0.1	78	2.59
1348816	Drill Core	2.15	16	1.9	22.2	6.7	52	0.2	5.1	16.2	1211	4.24	77.8	15.3	1.8	138	0.1	0.1	<0.1	72	3.30
1348817	Drill Core	3.54	47	2.9	23.8	12.0	62	0.3	3.4	17.5	1274	4.75	125.3	46.4	1.7	103	0.3	0.3	0.1	115	3.34
1348818	Drill Core	2.99	25	0.8	35.9	9.5	86	0.3	4.3	18.7	1240	5.38	57.7	30.5	1.6	76	0.3	0.2	<0.1	104	2.77
1348819	Drill Core	1.35	20	0.3	43.8	12.6	58	0.5	7.2	21.5	1555	4.95	91.4	20.9	1.3	144	0.2	0.1	<0.1	82	4.09
1348820	Drill Core	1.47	19	0.2	40.1	11.0	58	0.4	5.0	20.3	1532	4.80	81.4	20.3	1.5	142	0.3	0.1	<0.1	77	3.91
1348821	Drill Core	3.46	4	0.5	46.3	6.6	84	0.2	7.6	19.7	1035	5.24	15.5	4.8	1.4	43	0.2	0.1	<0.1	124	1.48
1348822	Drill Core	2.88	24	1.5	28.9	7.0	71	0.2	4.4	15.9	1084	4.70	63.7	19.1	1.7	89	0.2	0.2	<0.1	105	2.83
1348823	Drill Core	2.78	6	0.5	35.7	4.9	73	0.2	4.9	18.0	1079	4.76	21.1	5.5	1.8	60	<0.1	0.1	<0.1	111	2.33
1348824	Drill Core	3.44	8	<0.1	47.4	7.3	74	0.2	10.4	21.2	1178	5.21	15.9	1.1	1.7	54	0.2	<0.1	<0.1	127	2.41
1348825	Drill Core	2.59	6	0.1	16.6	6.0	68	0.2	1.5	11.5	798	4.24	28.0	0.9	2.2	46	0.2	0.1	<0.1	63	1.94
1348826	Drill Core	3.36	17	0.2	26.3	7.4	42	0.2	3.7	11.8	770	3.18	30.2	6.2	3.6	66	0.3	<0.1	0.1	49	1.94
1348827	Drill Core	3.39	20	0.2	45.1	7.7	110	0.3	9.0	19.1	1108	4.13	8.2	<0.5	1.6	99	0.6	<0.1	<0.1	38	2.79
1348828	Drill Core	3.47	3	0.1	26.9	10.0	97	0.1	4.5	14.5	907	4.24	2.7	<0.5	1.8	56	0.6	<0.1	<0.1	64	1.45
1348829	Drill Core	3.03	9	0.3	42.5	11.0	92	0.2	6.1	18.5	978	4.09	6.9	<0.5	1.6	34	0.6	0.1	<0.1	45	1.37
1348830	Rock Pulp	0.12	4914	515.9	75.5	913.6	3018	>100	31.1	9.6	311	2.68	74.1	3931.9	1.4	41	30.7	126.3	1.5	52	0.49

Acme Analytical Laboratories (Vancouver) Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: Rackla Metals Inc.
650-200 Burrard St.
Vancouver BC V6C 3L6 CANADA

Project: KSD
Report Date: November 07, 2013

Page: 6 of 6

Part: 2 of 2

CERTIFICATE OF ANALYSIS

WHI13000511.1

	Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga
	Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1
1348801	Drill Core	0.045	5	2	0.70	197	0.003	<20	0.75	0.015	0.28	0.1	<0.01	0.1	0.70	1.9	<0.5	2
1348802	Drill Core	0.023	2	2	1.11	116	0.001	<20	0.42	0.022	0.13	<0.1	<0.01	0.2	1.35	3.7	<0.5	1
1348803	Drill Core	0.065	2	4	1.42	99	0.018	<20	1.73	0.019	0.38	0.1	<0.01	0.2	0.57	5.9	<0.5	4
1348804	Drill Core	0.064	2	3	1.31	92	0.018	<20	1.48	0.018	0.48	<0.1	<0.01	0.3	0.41	5.2	<0.5	3
1348805	Drill Core	0.073	4	2	1.12	115	0.015	<20	1.31	0.022	0.36	0.1	<0.01	0.2	0.80	3.9	<0.5	3
1348806	Drill Core	0.059	4	2	1.22	97	0.026	<20	1.87	0.023	0.40	0.1	<0.01	0.2	0.21	4.1	<0.5	5
1348807	Drill Core	0.067	4	7	1.60	139	0.022	<20	2.27	0.027	0.29	0.1	<0.01	0.1	0.13	6.4	<0.5	6
1348808	Drill Core	0.063	5	4	1.15	98	0.014	<20	1.79	0.030	0.24	<0.1	<0.01	<0.1	0.09	5.1	<0.5	5
1348809	Drill Core	0.058	8	3	0.97	117	0.005	<20	1.40	0.025	0.22	<0.1	<0.01	<0.1	0.11	3.5	<0.5	4
1348810	Rock	0.076	9	9	0.60	228	0.113	<20	1.04	0.086	0.49	<0.1	<0.01	0.3	<0.05	2.4	<0.5	5
1348811	Drill Core	0.057	9	9	1.54	75	0.006	<20	2.27	0.041	0.16	<0.1	<0.01	<0.1	0.11	7.3	<0.5	7
1348812	Drill Core	0.057	7	5	1.28	87	0.005	<20	1.76	0.028	0.15	<0.1	<0.01	<0.1	0.21	5.1	<0.5	6
1348813	Drill Core	0.071	5	5	1.29	94	0.006	<20	1.86	0.037	0.14	<0.1	<0.01	<0.1	0.72	6.7	<0.5	7
1348814	Drill Core	0.067	6	2	1.63	47	0.010	<20	2.02	0.043	0.07	<0.1	<0.01	<0.1	0.93	11.7	<0.5	9
1348815	Drill Core	0.075	8	6	1.65	52	0.014	<20	2.17	0.053	0.13	0.2	<0.01	<0.1	0.35	9.7	<0.5	9
1348816	Drill Core	0.067	6	9	1.52	109	0.013	<20	1.95	0.034	0.22	<0.1	<0.01	<0.1	0.95	7.7	<0.5	7
1348817	Drill Core	0.070	4	3	1.65	72	0.007	<20	1.81	0.027	0.17	<0.1	<0.01	0.1	2.27	8.4	0.8	8
1348818	Drill Core	0.078	5	5	1.76	61	0.011	<20	2.16	0.040	0.15	<0.1	<0.01	<0.1	1.67	8.8	0.6	9
1348819	Drill Core	0.064	5	7	1.77	64	0.009	<20	2.24	0.014	0.16	<0.1	<0.01	<0.1	1.28	8.5	<0.5	8
1348820	Drill Core	0.066	6	5	1.75	88	0.012	<20	2.20	0.026	0.20	<0.1	<0.01	<0.1	1.22	8.9	<0.5	8
1348821	Drill Core	0.070	6	8	2.15	86	0.031	<20	2.61	0.073	0.21	<0.1	<0.01	<0.1	0.42	10.3	<0.5	10
1348822	Drill Core	0.071	6	4	1.62	35	0.012	<20	1.85	0.063	0.08	<0.1	<0.01	<0.1	1.60	8.4	<0.5	8
1348823	Drill Core	0.069	6	6	1.78	121	0.030	<20	2.07	0.083	0.21	<0.1	<0.01	<0.1	0.78	10.2	<0.5	8
1348824	Drill Core	0.057	5	15	2.28	61	0.012	<20	2.54	0.059	0.09	<0.1	<0.01	<0.1	0.76	13.7	<0.5	9
1348825	Drill Core	0.081	6	1	1.29	54	0.015	<20	1.54	0.075	0.07	<0.1	<0.01	<0.1	1.40	8.8	<0.5	8
1348826	Drill Core	0.044	5	4	1.01	121	0.005	<20	1.29	0.050	0.18	<0.1	<0.01	<0.1	1.10	5.3	<0.5	5
1348827	Drill Core	0.053	3	4	1.48	127	0.005	<20	1.98	0.017	0.21	<0.1	<0.01	<0.1	0.50	5.7	<0.5	5
1348828	Drill Core	0.071	4	3	2.23	102	0.011	<20	2.44	0.054	0.15	<0.1	<0.01	<0.1	0.34	8.1	<0.5	8
1348829	Drill Core	0.070	4	4	2.32	135	0.007	<20	2.43	0.032	0.20	<0.1	<0.01	<0.1	0.65	5.9	<0.5	7
1348830	Rock Pulp	0.036	5	38	0.46	205	0.066	<20	0.98	0.067	0.15	17.8	1.97	2.6	1.02	3.1	0.9	6

QUALITY CONTROL REPORT

WHI13000511.1

		Method	WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
		Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V
		Unit	kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
		MDL	0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2
																					0.01
Pulp Duplicates																					
1348686	Drill Core	6.51	10	0.6	12.6	8.9	79	0.2	0.7	6.0	727	3.63	38.9	4.6	4.9	63	0.2	0.2	<0.1	22	1.82
REP 1348686	QC		13																		
1348688	Drill Core	3.33	7	0.6	13.4	9.5	69	0.2	2.3	13.3	821	4.47	38.4	3.0	2.7	76	0.2	0.6	<0.1	44	2.10
REP 1348688	QC			0.4	12.4	9.5	75	0.2	1.8	14.0	831	4.51	39.5	<0.5	2.7	80	0.2	0.6	<0.1	45	2.09
1348706	Drill Core	4.83	9	0.3	23.2	6.4	84	0.3	6.3	16.5	849	4.78	71.3	6.3	3.0	84	0.2	0.1	<0.1	115	1.73
REP 1348706	QC			0.3	22.5	6.2	79	0.3	6.2	16.6	833	4.71	77.9	4.8	2.9	82	0.2	0.1	<0.1	113	1.72
1348721	Drill Core	5.04	6	1.1	25.0	5.7	81	0.3	11.0	16.3	1332	4.44	30.3	5.7	2.8	114	0.2	0.2	<0.1	61	2.51
REP 1348721	QC		6																		
1348742	Drill Core	5.65	<2	0.2	25.5	8.6	59	0.1	6.5	15.5	1051	3.58	13.6	1.6	2.4	119	<0.1	<0.1	<0.1	42	2.82
REP 1348742	QC			0.1	26.3	8.6	62	0.1	7.2	16.4	1069	3.68	14.2	1.2	2.4	121	<0.1	<0.1	<0.1	42	2.88
1348755	Drill Core	3.32	<2	<0.1	65.6	23.4	74	0.3	19.9	24.4	1103	4.21	0.6	<0.5	1.1	103	0.6	<0.1	<0.1	84	4.79
REP 1348755	QC		2																		
1348777	Drill Core	2.90	<2	0.1	39.3	6.6	69	<0.1	5.7	17.4	961	4.17	0.9	2.9	2.2	77	<0.1	<0.1	<0.1	62	3.21
REP 1348777	QC			0.3	40.2	6.9	66	<0.1	5.3	17.7	933	4.06	1.2	<0.5	2.2	73	<0.1	<0.1	<0.1	60	3.15
1348789	Drill Core	2.71	11	0.6	25.6	9.3	78	0.2	9.1	18.2	1569	4.51	17.4	10.9	2.6	126	0.1	<0.1	0.1	85	5.08
REP 1348789	QC		10																		
1348812	Drill Core	4.72	2	0.5	20.9	6.3	56	0.1	5.7	13.4	1003	3.50	6.0	4.9	3.7	100	<0.1	<0.1	<0.1	40	3.35
REP 1348812	QC			0.5	20.7	6.3	57	0.1	5.1	13.3	952	3.32	6.1	4.5	3.4	103	0.1	<0.1	<0.1	37	3.24
REP 1348824	QC		9																		
1348827	Drill Core	3.39	20	0.2	45.1	7.7	110	0.3	9.0	19.1	1108	4.13	8.2	<0.5	1.6	99	0.6	<0.1	<0.1	38	2.79
REP 1348827	QC			0.2	45.6	8.0	106	0.3	10.2	18.5	1091	4.11	8.0	<0.5	1.7	99	0.4	<0.1	<0.1	38	2.78
Core Reject Duplicates																					
1348748	Drill Core	3.39	4	0.4	56.8	9.5	109	0.4	12.4	19.9	1207	3.80	413.7	1.4	2.0	138	0.9	<0.1	<0.1	49	3.45
DUP 1348748	QC		4	0.4	55.0	10.0	106	0.4	12.4	20.5	1224	3.87	446.1	0.9	2.0	130	1.1	<0.1	<0.1	49	3.49
1348786	Drill Core	3.14	12	0.5	25.5	9.3	60	0.3	5.9	9.5	648	3.10	20.9	14.2	4.4	62	<0.1	0.1	<0.1	41	2.09
DUP 1348786	QC		15	0.5	26.7	8.7	60	0.3	6.0	9.8	655	3.09	20.6	13.0	4.4	62	0.1	<0.1	<0.1	43	2.08
1348824	Drill Core	3.44	8	<0.1	47.4	7.3	74	0.2	10.4	21.2	1178	5.21	15.9	1.1	1.7	54	0.2	<0.1	<0.1	127	2.41
DUP 1348824	QC		4	<0.1	50.5	7.7	73	0.4	11.2	21.3	1189	5.31	15.6	<0.5	1.7	53	0.1	<0.1	<0.1	128	2.45

Acme Analytical Laboratories (Vancouver) Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: Rackla Metals Inc.
650-200 Burrard St.
Vancouver BC V6C 3L6 CANADA

Project: KSD
Report Date: November 07, 2013

Page: 1 of 3

Part: 2 of 2

QUALITY CONTROL REPORT

WHI13000511.1

	Method Analyte Unit MDL	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga
		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm
		0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1
Pulp Duplicates																		
1348686	Drill Core	0.051	12	1	0.79	62	0.009	<20	1.57	0.045	0.16	0.1	<0.01	<0.1	0.74	6.5	<0.5	7
REP 1348686	QC																	
1348688	Drill Core	0.072	8	3	1.38	78	0.006	<20	2.16	0.023	0.23	<0.1	<0.01	<0.1	1.19	6.2	<0.5	6
REP 1348688	QC	0.072	8	4	1.40	78	0.006	<20	2.18	0.024	0.23	<0.1	<0.01	<0.1	1.19	6.2	<0.5	6
1348706	Drill Core	0.067	7	10	1.48	57	0.010	<20	2.35	0.045	0.11	0.1	<0.01	<0.1	0.60	12.1	<0.5	10
REP 1348706	QC	0.066	7	11	1.46	56	0.011	<20	2.31	0.048	0.11	<0.1	<0.01	<0.1	0.60	12.5	<0.5	10
1348721	Drill Core	0.068	4	22	1.95	75	0.004	<20	2.25	0.021	0.15	<0.1	<0.01	<0.1	0.81	6.7	<0.5	8
REP 1348721	QC																	
1348742	Drill Core	0.055	5	6	2.09	128	0.006	<20	2.11	0.021	0.22	0.1	<0.01	0.1	0.44	6.8	<0.5	5
REP 1348742	QC	0.056	5	6	2.14	136	0.007	<20	2.15	0.023	0.23	0.1	<0.01	0.1	0.47	7.1	<0.5	6
1348755	Drill Core	0.042	5	26	2.28	53	0.008	<20	2.81	0.020	0.14	<0.1	<0.01	<0.1	0.10	12.0	<0.5	7
REP 1348755	QC																	
1348777	Drill Core	0.063	9	4	1.43	60	0.009	<20	2.27	0.037	0.15	<0.1	<0.01	<0.1	0.14	9.3	<0.5	7
REP 1348777	QC	0.060	9	4	1.40	59	0.008	<20	2.22	0.033	0.14	<0.1	<0.01	<0.1	0.15	9.4	<0.5	7
1348789	Drill Core	0.059	4	12	2.11	68	0.004	<20	2.51	0.028	0.13	<0.1	<0.01	<0.1	0.94	10.2	<0.5	9
REP 1348789	QC																	
1348812	Drill Core	0.057	7	5	1.28	87	0.005	<20	1.76	0.028	0.15	<0.1	<0.01	<0.1	0.21	5.1	<0.5	6
REP 1348812	QC	0.056	7	5	1.22	82	0.005	<20	1.71	0.025	0.14	<0.1	<0.01	<0.1	0.21	4.9	<0.5	6
REP 1348824	QC																	
1348827	Drill Core	0.053	3	4	1.48	127	0.005	<20	1.98	0.017	0.21	<0.1	<0.01	<0.1	0.50	5.7	<0.5	5
REP 1348827	QC	0.054	3	6	1.46	127	0.005	<20	1.93	0.016	0.21	<0.1	<0.01	<0.1	0.50	5.4	<0.5	5
Core Reject Duplicates																		
1348748	Drill Core	0.057	5	13	2.07	86	0.005	<20	2.21	0.015	0.16	0.2	<0.01	<0.1	0.54	8.8	<0.5	6
DUP 1348748	QC	0.053	5	14	2.09	93	0.005	<20	2.24	0.017	0.17	0.1	<0.01	<0.1	0.55	9.1	<0.5	6
1348786	Drill Core	0.049	8	6	1.00	93	0.002	<20	1.36	0.041	0.15	<0.1	<0.01	<0.1	0.94	5.4	<0.5	5
DUP 1348786	QC	0.049	8	5	1.02	93	0.002	<20	1.41	0.044	0.17	<0.1	<0.01	<0.1	0.96	5.4	<0.5	6
1348824	Drill Core	0.057	5	15	2.28	61	0.012	<20	2.54	0.059	0.09	<0.1	<0.01	<0.1	0.76	13.7	<0.5	9
DUP 1348824	QC	0.055	6	15	2.33	63	0.013	<20	2.56	0.057	0.09	<0.1	<0.01	<0.1	0.80	13.7	<0.5	9

QUALITY CONTROL REPORT

WHI13000511.1

		WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V
		kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
		0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2
Reference Materials																				
STD DS10	Standard			12.2	142.9	142.3	328	2.1	70.3	12.6	856	2.64	40.3	95.3	6.2	51	2.6	7.8	8.9	42
STD DS10	Standard			13.8	160.4	159.1	363	2.3	77.3	13.4	903	2.78	44.8	63.9	6.7	58	2.7	6.2	9.9	43
STD DS10	Standard			12.5	159.4	146.8	364	2.2	75.6	12.9	877	2.65	45.7	74.7	6.6	54	2.5	6.4	10.4	40
STD DS10	Standard			14.8	155.7	156.0	378	2.1	78.0	13.6	880	2.71	46.3	106.0	6.7	56	2.6	6.2	10.5	41
STD DS10	Standard			12.3	157.7	154.6	360	1.8	74.0	13.0	870	2.64	46.4	58.2	6.0	55	2.5	6.4	10.8	40
STD DS10	Standard			13.5	155.8	162.0	386	2.7	75.8	12.6	897	2.70	45.0	1226.3	6.9	69	2.6	7.3	10.6	43
STD OREAS45EA	Standard			1.4	663.8	14.2	30	0.2	364.9	50.7	380	23.89	9.4	61.8	9.5	3	<0.1	0.2	0.2	291
STD OREAS45EA	Standard			1.4	683.8	12.8	29	0.3	375.5	50.3	386	24.29	9.1	49.4	9.6	3	<0.1	0.2	0.2	294
STD OREAS45EA	Standard			1.4	690.8	14.1	29	0.3	381.7	53.7	398	23.92	9.3	56.6	9.7	3	<0.1	0.1	0.2	319
STD OREAS45EA	Standard			1.9	680.0	14.2	31	0.3	386.7	52.6	416	21.96	8.7	64.2	9.9	4	<0.1	0.1	0.2	322
STD OREAS45EA	Standard			1.4	638.0	12.9	28	0.3	351.7	49.6	378	22.60	8.4	49.0	8.9	3	<0.1	0.2	0.2	299
STD OREAS45EA	Standard			1.4	710.5	14.1	32	0.3	390.0	50.8	417	21.29	10.2	71.1	9.7	4	<0.1	0.2	0.3	325
STD OXC109	Standard		196																	
STD OXC109	Standard		208																	
STD OXC109	Standard		198																	
STD OXC109	Standard		199																	
STD OXC109	Standard		201																	
STD OXC109	Standard		202																	
STD OXC109	Standard		207																	
STD OXI96	Standard		1825																	
STD OXI96	Standard		1859																	
STD OXI96	Standard		1829																	
STD OXI96	Standard		1885																	
STD OXI96	Standard		1775																	
STD OXI96	Standard		1851																	
STD OXC109 Expected			201																	
STD OXI96 Expected			1802																	
STD DS10 Expected				14.69	154.61	150.55	352.9	1.96	74.6	12.9	861	2.7188	43.7	91.9	7.5	67.1	2.48	9.51	11.65	43

QUALITY CONTROL REPORT

WHI13000511.1

		1DX P %	1DX La ppm	1DX Cr ppm	1DX Mg %	1DX Ba ppm	1DX Ti %	1DX B ppm	1DX Al %	1DX Na %	1DX K %	1DX W ppm	1DX Hg ppm	1DX Tl ppm	1DX S %	1DX Sc ppm	1DX Se ppm	1DX Ga ppm	1DX Te ppm
		0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2
Reference Materials																			
STD DS10	Standard	0.075	15	49	0.74	373	0.067	<20	0.97	0.064	0.32	2.5	0.30	4.7	0.28	2.6	2.7	4	4.3
STD DS10	Standard	0.072	16	56	0.79	409	0.062	<20	1.04	0.069	0.34	2.9	0.32	5.3	0.29	2.9	2.7	4	5.0
STD DS10	Standard	0.074	14	54	0.75	380	0.066	<20	0.96	0.059	0.32	3.2	0.33	5.3	0.27	2.6	2.0	4	5.0
STD DS10	Standard	0.070	16	55	0.78	407	0.064	<20	1.01	0.063	0.33	2.5	0.33	5.5	0.28	2.9	2.2	4	5.2
STD DS10	Standard	0.069	13	55	0.75	368	0.055	<20	0.95	0.058	0.31	3.3	0.30	4.8	0.27	2.6	2.3	4	4.7
STD DS10	Standard	0.077	17	55	0.79	401	0.069	<20	1.01	0.065	0.33	2.6	0.36	5.2	0.28	2.8	1.3	4	4.7
STD OREAS45EA	Standard	0.027	6	891	0.09	140	0.088	<20	3.08	0.020	0.05	<0.1	<0.01	<0.1	<0.05	73.7	0.6	11	<0.2
STD OREAS45EA	Standard	0.027	6	1001	0.08	140	0.074	<20	3.22	0.020	0.05	<0.1	<0.01	<0.1	<0.05	75.6	0.7	12	<0.2
STD OREAS45EA	Standard	0.027	6	1045	0.09	141	0.093	<20	3.23	0.016	0.06	<0.1	0.01	<0.1	<0.05	77.7	0.8	12	<0.2
STD OREAS45EA	Standard	0.028	7	1011	0.09	147	0.076	<20	3.20	0.017	0.05	<0.1	0.01	<0.1	<0.05	75.6	0.6	13	<0.2
STD OREAS45EA	Standard	0.025	6	958	0.08	146	0.070	<20	3.01	0.016	0.05	<0.1	<0.01	<0.1	<0.05	70.8	<0.5	11	<0.2
STD OREAS45EA	Standard	0.030	7	855	0.09	142	0.089	<20	3.16	0.016	0.05	<0.1	<0.01	0.2	<0.05	79.0	<0.5	12	<0.2
STD OXC109	Standard																		
STD OXC109	Standard																		
STD OXC109	Standard																		
STD OXC109	Standard																		
STD OXC109	Standard																		
STD OXC109	Standard																		
STD OXC109	Standard																		
STD OXI96	Standard																		
STD OXI96	Standard																		
STD OXI96	Standard																		
STD OXI96	Standard																		
STD OXI96	Standard																		
STD OXI96	Standard																		
STD OXC109 Expected																			
STD OXI96 Expected																			
STD DS10 Expected		0.073	17.5	54.6	0.7651	349	0.0817		1.0259	0.0638	0.3245	3.34	0.289	4.79	0.2743	2.8	2.3	4.3	4.89

QUALITY CONTROL REPORT

WHI13000511.1

		WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V
		kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
		0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2
STD OREAS45EA Expected				1.39	709	14.3	28.9	0.26	381	52	400	23.51	9.1	53	10.7	3.5	0.02	0.2	0.26	303
BLK	Blank		2																	
BLK	Blank		<2																	
BLK	Blank		<2																	
BLK	Blank		<2																	
BLK	Blank		<2																	
BLK	Blank		<2																	
BLK	Blank		<2																	
BLK	Blank		<2																	
BLK	Blank		<2																	
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2
BLK	Blank		<2																	
BLK	Blank		<2																	
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	2	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2
BLK	Blank		<2																	
BLK	Blank		<2																	
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2
Prep Wash																				
G1-WHI	Prep Blank		<2	<0.1	3.5	3.6	52	<0.1	2.8	4.1	608	2.09	<0.5	0.8	6.4	62	<0.1	<0.1	<0.1	40
G1-WHI	Prep Blank		<2	<0.1	3.6	3.7	50	<0.1	3.2	4.4	595	2.07	<0.5	<0.5	6.7	63	<0.1	<0.1	<0.1	38

QUALITY CONTROL REPORT

WHI13000511.1

		1DX P %	1DX La ppm	1DX Cr ppm	1DX Mg %	1DX Ba ppm	1DX Ti %	1DX B ppm	1DX Al %	1DX Na %	1DX K %	1DX W ppm	1DX Hg ppm	1DX Tl ppm	1DX S %	1DX Sc ppm	1DX Se ppm	1DX Ga ppm	1DX Te ppm
		0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2
STD OREAS45EA Expected		0.029	6.57	849	0.095	148	0.0875		3.13	0.02	0.053			0.072	0.036	78	0.6	11.7	0.07
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.05	<0.1	<0.5	<1	<0.2
BLK	Blank	<0.001	<1	1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.05	<0.1	<0.5	<1	<0.2
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.05	<0.1	<0.5	<1	<0.2
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.05	<0.1	<0.5	<1	<0.2
BLK	Blank																		
BLK	Blank																		
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.05	<0.1	<0.5	<1	<0.2
BLK	Blank																		
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.05	<0.1	<0.5	<1	<0.2
Prep Wash																			
G1-WHI	Prep Blank	0.077	15	6	0.53	188	0.137	<20	0.96	0.086	0.52	0.1	<0.01	0.3	<0.05	2.9	<0.5	5	<0.2
G1-WHI	Prep Blank	0.074	14	6	0.52	182	0.135	<20	0.97	0.099	0.51	<0.1	<0.01	0.4	<0.05	2.6	<0.5	5	<0.2

Acme Analytical Laboratories (Vancouver) Ltd.
9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA
PHONE (604) 253-3158

Client: **Rackla Metals Inc.**
650-200 Burrard St.
Vancouver BC V6C 3L6 CANADA

Submitted By: Roger Hulstein
Receiving Lab: Canada-Whitehorse
Received: October 10, 2013
Report Date: October 31, 2013
Page: 1 of 3

CERTIFICATE OF ANALYSIS

WHI13000513.1

CLIENT JOB INFORMATION

Project: KSD
Shipment ID: 2013-11
P.O. Number
Number of Samples: 60

SAMPLE DISPOSAL

DISP-PLP Dispose of Pulp After 90 days
DISP-RJT Dispose of Reject After 90 days

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Rackla Metals Inc.
650-200 Burrard St.
Vancouver BC V6C 3L6
CANADA

CC: Simon Ridgway
Dave Clark
Database Backup

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
R200-250	58	Crush, split and pulverize 250 g rock to 200 mesh			WHI
3B	60	Fire assay fusion Au by ICP-ES	30	Completed	VAN
1DX	60	1:1:1 Aqua Regia digestion ICP-MS analysis	0.5	Completed	VAN

ADDITIONAL COMMENTS



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
*** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.

CERTIFICATE OF ANALYSIS

WHI13000513.1

	Method Analyte Unit MDL	WGHT Wgt kg 0.01	3B Au ppb 2	1DX Mo ppm 0.1	1DX Cu ppm 0.1	1DX Pb ppm 0.1	1DX Zn ppm 1	1DX Ag ppm 0.1	1DX Ni ppm 0.1	1DX Co ppm 0.1	1DX Mn ppm 1	1DX Fe % 0.01	1DX As ppm 0.5	1DX Au ppb 0.5	1DX Th ppm 0.1	1DX Sr ppm 1	1DX Cd ppm 0.1	1DX Sb ppm 0.1	1DX Bi ppm 0.1	1DX V ppm 2	1DX Ca % 0.01
1348831	Drill Core	3.03	3	0.2	29.5	12.0	68	0.1	5.6	13.0	918	3.65	6.2	2.1	1.7	34	0.4	<0.1	0.1	58	1.40
1348832	Drill Core	5.24	14	2.9	29.4	16.6	78	0.3	14.1	17.1	1202	4.60	22.5	13.4	1.8	59	0.3	0.2	0.1	101	2.32
1348833	Drill Core	4.81	4	0.3	33.8	13.8	69	0.2	9.8	13.7	791	3.41	3.3	2.3	3.5	32	0.3	<0.1	<0.1	48	1.37
1348834	Drill Core	4.71	6	1.4	21.6	9.7	82	0.2	14.8	9.5	817	2.60	3.9	2.0	4.9	63	0.5	<0.1	<0.1	21	2.47
1348835	Drill Core	5.08	4	4.1	21.0	5.2	80	0.2	14.4	9.9	810	2.72	6.8	3.7	3.7	61	0.5	<0.1	<0.1	24	2.68
1348836	Drill Core	5.11	<2	0.6	11.5	3.8	72	<0.1	2.5	11.4	836	3.32	1.5	1.6	1.2	43	<0.1	<0.1	<0.1	37	1.63
1348837	Drill Core	4.48	<2	0.1	6.4	2.1	70	<0.1	1.6	12.2	850	3.17	0.5	<0.5	0.5	51	<0.1	<0.1	<0.1	37	1.78
1348838	Drill Core	4.93	<2	<0.1	12.3	4.8	76	<0.1	2.4	13.5	855	4.07	1.3	<0.5	1.7	48	0.1	0.2	<0.1	59	1.72
1348839	Drill Core	4.92	3	<0.1	18.3	3.3	74	<0.1	2.3	13.4	675	3.52	0.9	0.7	1.1	40	<0.1	0.1	<0.1	45	1.54
1348840	Rock	1.08	<2	<0.1	1.7	2.9	47	<0.1	4.0	4.6	599	2.20	<0.5	0.7	5.4	56	<0.1	<0.1	<0.1	37	0.47
1348841	Drill Core	5.09	<2	<0.1	30.0	4.3	65	<0.1	6.7	15.1	818	3.44	0.8	<0.5	1.6	64	<0.1	0.2	<0.1	49	2.83
1348842	Drill Core	4.59	<2	<0.1	16.7	4.1	68	<0.1	2.5	9.7	704	3.22	0.6	1.1	2.0	41	<0.1	0.1	<0.1	24	1.97
1348843	Drill Core	5.51	<2	0.6	42.9	2.8	68	<0.1	14.0	17.1	750	3.29	1.7	<0.5	1.1	55	0.1	0.1	<0.1	46	2.52
1348844	Drill Core	4.69	14	9.3	65.1	10.5	69	1.8	11.1	21.3	972	4.53	48.4	13.0	1.2	135	0.2	0.4	<0.1	75	3.79
1348845	Drill Core	5.09	9	<0.1	54.1	4.3	72	0.3	8.4	22.3	865	4.98	24.0	9.6	1.2	111	0.1	0.1	<0.1	109	3.20
1348846	Drill Core	5.52	<2	0.4	45.2	1.9	68	0.2	13.1	17.9	610	3.37	7.9	4.0	0.9	62	0.1	0.1	<0.1	71	1.62
1348847	Drill Core	1.88	<2	0.4	27.7	1.9	65	0.1	5.1	14.4	556	3.07	6.2	0.7	1.8	44	<0.1	0.1	<0.1	51	1.34
1348848	Drill Core	1.65	<2	0.3	28.6	2.0	69	0.1	5.2	17.5	606	3.31	4.5	0.9	1.6	50	<0.1	<0.1	<0.1	56	1.45
1348849	Drill Core	5.33	4	3.4	38.1	2.9	73	0.2	6.7	20.6	734	3.64	9.9	2.7	0.8	66	0.1	0.2	<0.1	56	2.36
1348850	Drill Core	4.95	<2	0.8	32.5	1.5	67	<0.1	9.1	20.7	839	3.70	2.2	2.2	0.5	74	<0.1	<0.1	<0.1	68	3.20
1348851	Drill Core	3.67	2	2.1	31.5	1.6	61	0.1	6.9	19.4	641	2.96	5.3	<0.5	0.6	66	<0.1	0.2	<0.1	37	2.36
1348852	Drill Core	4.28	<2	0.6	22.4	1.5	76	<0.1	6.4	19.0	629	3.68	1.7	1.4	0.6	35	<0.1	0.1	<0.1	57	1.27
1348853	Drill Core	0.72	2	0.4	16.5	6.5	61	0.2	3.8	18.3	2140	5.36	7.7	2.7	1.7	259	0.5	<0.1	<0.1	75	11.94
1348854	Rock Pulp	0.12	5135	531.7	79.0	970.6	3202	>100	31.7	10.2	338	2.88	80.1	3890.4	1.5	51	31.5	123.3	1.5	54	0.56
1348855	Drill Core	4.59	<2	0.2	26.9	2.4	77	0.1	6.7	18.7	706	4.51	3.8	1.7	1.0	42	<0.1	0.1	<0.1	85	1.48
1348856	Drill Core	5.40	<2	0.5	43.9	1.4	78	0.2	9.4	23.6	729	4.26	5.9	<0.5	0.4	41	<0.1	0.1	<0.1	87	1.35
1348857	Drill Core	4.79	<2	0.9	24.4	1.9	76	0.2	6.8	20.9	638	3.85	8.6	1.8	0.7	61	<0.1	0.1	<0.1	55	1.74
1348858	Drill Core	4.79	<2	0.4	18.0	2.2	75	0.2	6.9	18.8	633	3.60	4.1	3.4	0.7	50	<0.1	<0.1	<0.1	50	1.83
1348859	Drill Core	4.38	2	6.4	20.8	3.5	64	0.3	7.8	21.2	847	5.28	6.0	3.4	1.2	85	0.2	0.1	<0.1	62	3.69
1348860	Drill Core	3.22	3	3.9	28.7	4.5	76	0.3	7.1	24.0	911	4.58	14.4	2.9	1.4	141	0.1	0.1	<0.1	90	3.76

Acme Analytical Laboratories (Vancouver) Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: Rackla Metals Inc.
650-200 Burrard St.
Vancouver BC V6C 3L6 CANADA

Project: KSD
Report Date: October 31, 2013

Page: 2 of 3

Part: 2 of 2

CERTIFICATE OF ANALYSIS

WHI13000513.1

	Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga
	Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1
1348831	Drill Core	0.077	4	6	2.06	85	0.009	<20	2.16	0.034	0.13	<0.1	<0.01	<0.1	0.38	6.8	<0.5	7
1348832	Drill Core	0.062	4	40	2.67	57	0.008	<20	2.60	0.033	0.11	<0.1	<0.01	<0.1	0.99	9.6	<0.5	9
1348833	Drill Core	0.047	7	15	2.04	89	0.006	<20	2.19	0.027	0.21	<0.1	<0.01	<0.1	0.24	6.1	<0.5	7
1348834	Drill Core	0.058	15	28	1.48	159	0.005	<20	1.65	0.015	0.22	<0.1	<0.01	<0.1	0.43	3.9	0.5	4
1348835	Drill Core	0.058	11	29	1.34	173	0.008	<20	1.53	0.023	0.21	<0.1	<0.01	<0.1	0.51	3.9	0.9	4
1348836	Drill Core	0.063	4	4	1.62	113	0.018	<20	1.91	0.037	0.19	<0.1	<0.01	<0.1	0.22	3.2	<0.5	6
1348837	Drill Core	0.070	3	2	1.73	68	0.030	<20	2.00	0.038	0.15	0.3	<0.01	<0.1	0.13	2.8	<0.5	6
1348838	Drill Core	0.074	5	4	1.93	74	0.039	<20	2.38	0.035	0.25	0.1	<0.01	<0.1	0.08	5.7	<0.5	7
1348839	Drill Core	0.073	3	3	1.66	93	0.043	<20	1.97	0.036	0.24	0.1	<0.01	<0.1	0.12	3.9	<0.5	6
1348840	Rock	0.078	9	9	0.60	223	0.133	<20	1.01	0.088	0.50	<0.1	<0.01	0.3	<0.05	2.4	<0.5	5
1348841	Drill Core	0.064	5	9	1.54	77	0.046	<20	1.81	0.033	0.26	0.2	<0.01	<0.1	0.20	4.5	<0.5	5
1348842	Drill Core	0.072	6	4	1.07	96	0.046	<20	1.57	0.044	0.29	0.2	<0.01	<0.1	0.13	4.5	<0.5	4
1348843	Drill Core	0.059	5	30	1.71	93	0.036	<20	1.97	0.023	0.23	<0.1	<0.01	<0.1	0.21	5.1	<0.5	5
1348844	Drill Core	0.070	4	7	1.60	74	0.016	<20	2.28	0.024	0.31	0.1	<0.01	<0.1	0.94	6.0	<0.5	6
1348845	Drill Core	0.064	5	7	1.91	52	0.022	<20	2.49	0.031	0.21	<0.1	<0.01	<0.1	0.56	7.3	<0.5	8
1348846	Drill Core	0.062	3	12	1.44	58	0.038	<20	1.72	0.065	0.12	<0.1	<0.01	<0.1	0.35	4.0	0.6	5
1348847	Drill Core	0.050	4	4	1.39	88	0.028	<20	1.71	0.050	0.17	<0.1	<0.01	<0.1	0.30	3.3	<0.5	5
1348848	Drill Core	0.055	4	6	1.50	99	0.031	<20	1.91	0.055	0.19	<0.1	<0.01	<0.1	0.30	3.7	<0.5	6
1348849	Drill Core	0.064	3	6	1.63	64	0.054	<20	2.08	0.041	0.17	0.3	<0.01	<0.1	0.46	3.7	<0.5	6
1348850	Drill Core	0.060	3	10	1.81	131	0.064	<20	2.25	0.033	0.19	0.2	<0.01	<0.1	0.17	4.2	<0.5	6
1348851	Drill Core	0.063	3	6	1.27	82	0.076	<20	1.76	0.036	0.21	0.1	<0.01	<0.1	0.29	2.5	<0.5	4
1348852	Drill Core	0.076	2	5	1.56	55	0.119	<20	2.00	0.046	0.12	<0.1	<0.01	<0.1	0.15	3.4	<0.5	5
1348853	Drill Core	0.053	13	3	1.32	69	0.004	<20	2.41	0.009	0.15	0.1	<0.01	<0.1	0.60	9.5	<0.5	6
1348854	Rock Pulp	0.042	6	39	0.47	92	0.072	<20	1.04	0.068	0.15	18.5	2.16	2.8	1.07	3.0	0.9	7
1348855	Drill Core	0.072	3	7	1.66	47	0.093	<20	2.15	0.067	0.14	<0.1	<0.01	<0.1	0.36	5.5	<0.5	7
1348856	Drill Core	0.067	2	13	2.12	49	0.110	<20	2.42	0.044	0.10	0.1	<0.01	<0.1	0.37	3.7	<0.5	7
1348857	Drill Core	0.070	3	6	1.88	59	0.110	<20	2.23	0.031	0.15	<0.1	<0.01	<0.1	0.44	3.2	<0.5	6
1348858	Drill Core	0.068	3	8	1.72	91	0.088	<20	2.16	0.031	0.19	0.1	<0.01	<0.1	0.34	3.8	<0.5	6
1348859	Drill Core	0.054	4	11	1.45	68	0.043	<20	1.71	0.045	0.16	<0.1	<0.01	<0.1	3.45	5.7	6.3	6
1348860	Drill Core	0.062	5	7	1.80	58	0.016	<20	2.37	0.036	0.16	<0.1	<0.01	<0.1	1.10	7.6	<0.5	7

CERTIFICATE OF ANALYSIS

WHI13000513.1

	Method	WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V
	Unit	kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	%
	MDL	0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2
1348861	Drill Core	4.74	<2	<0.1	18.7	4.2	58	0.1	4.6	12.5	689	3.37	5.9	4.9	3.7	81	0.1	<0.1	0.1	73
1348862	Drill Core	4.76	<2	<0.1	38.3	5.1	59	0.2	9.1	17.9	772	3.97	3.2	1.5	3.9	97	0.1	<0.1	<0.1	79
1348863	Drill Core	5.00	<2	1.2	25.5	4.6	72	0.2	6.0	18.4	875	4.48	5.0	3.3	1.8	114	0.1	<0.1	<0.1	95
1348864	Drill Core	4.92	7	1.5	19.4	4.8	61	0.1	8.3	19.5	822	4.78	5.8	6.8	1.8	120	0.1	<0.1	<0.1	60
1348865	Drill Core	4.72	3	0.6	27.8	7.2	72	0.1	10.4	16.5	959	4.41	4.3	3.0	1.7	113	0.2	0.1	<0.1	61
1348866	Drill Core	4.81	<2	0.5	23.9	4.0	74	0.1	5.0	17.0	955	4.59	2.7	1.5	1.4	146	0.1	<0.1	<0.1	66
1348867	Drill Core	4.59	<2	0.4	29.2	3.9	77	0.2	6.7	20.3	842	5.02	1.9	0.7	1.1	167	0.1	0.1	<0.1	89
1348868	Drill Core	4.59	<2	0.1	16.5	5.0	72	0.1	7.2	19.1	950	4.80	6.0	1.6	1.1	407	<0.1	0.1	<0.1	90
1348869	Drill Core	4.96	<2	0.4	16.9	11.5	75	0.1	5.7	15.7	900	4.38	10.3	1.7	2.2	497	<0.1	<0.1	<0.1	70
1348870	Rock	1.02	<2	<0.1	1.9	2.7	50	<0.1	3.8	4.2	598	2.17	<0.5	1.1	4.5	63	<0.1	<0.1	<0.1	38
1348871	Drill Core	4.34	<2	0.4	27.3	3.9	77	0.2	6.2	19.4	954	4.76	4.6	0.7	1.7	361	0.2	0.1	<0.1	89
1348872	Drill Core	4.68	<2	0.8	12.4	4.8	71	0.2	5.5	19.7	1013	4.53	9.0	1.4	0.8	340	<0.1	0.2	<0.1	79
1348873	Drill Core	4.81	<2	0.2	22.8	4.7	79	0.2	5.3	17.4	994	5.01	6.7	0.9	1.4	217	0.1	<0.1	<0.1	72
1348874	Drill Core	4.59	<2	0.9	21.5	7.1	76	0.2	5.6	15.2	1168	4.65	19.0	2.9	2.1	180	0.3	0.1	<0.1	50
1348875	Drill Core	4.65	7	1.9	31.9	7.2	74	0.3	9.0	19.0	1608	4.77	45.6	7.8	1.9	138	0.2	0.1	<0.1	81
1348876	Drill Core	4.86	<2	0.8	22.5	4.0	78	0.2	7.2	20.1	1111	4.67	5.1	1.0	0.8	61	<0.1	0.1	<0.1	90
1348877	Drill Core	4.82	<2	0.3	24.8	1.8	77	<0.1	7.8	21.0	883	4.26	1.5	0.9	0.5	47	<0.1	0.1	<0.1	92
1348878	Drill Core	4.66	<2	<0.1	23.1	2.2	76	0.1	6.7	19.6	921	4.29	5.1	2.4	0.9	68	<0.1	0.1	<0.1	82
1348879	Drill Core	2.92	<2	<0.1	16.1	2.5	84	<0.1	6.1	16.2	904	3.93	1.0	1.1	1.1	61	0.1	<0.1	0.1	56
1348880	Drill Core	5.04	2	<0.1	17.6	2.3	94	<0.1	5.7	16.1	798	3.75	3.5	1.6	1.1	53	0.1	<0.1	<0.1	48
1348881	Drill Core	2.44	<2	<0.1	19.5	2.5	76	<0.1	6.7	19.0	846	4.05	4.2	2.3	0.7	60	<0.1	<0.1	<0.1	66
1348882	Drill Core	2.29	<2	<0.1	14.6	2.6	77	0.1	7.1	17.9	857	3.99	3.4	1.2	0.8	57	<0.1	<0.1	<0.1	65
1348883	Drill Core	2.89	<2	<0.1	35.1	1.8	64	0.2	13.6	15.3	973	3.57	0.9	<0.5	2.6	49	0.1	<0.1	<0.1	64
1348884	Drill Core	3.86	<2	<0.1	8.1	1.0	44	<0.1	7.4	8.9	440	2.39	<0.5	0.7	0.2	28	<0.1	<0.1	<0.1	49
1348885	Drill Core	4.08	<2	<0.1	17.5	2.0	67	<0.1	8.2	16.9	762	3.52	0.8	<0.5	0.4	44	0.1	0.1	<0.1	69
1348886	Drill Core	4.63	<2	0.5	23.1	1.7	77	<0.1	8.2	19.6	763	3.64	2.0	<0.5	0.5	45	<0.1	0.1	<0.1	70
1348887	Drill Core	3.57	<2	3.7	19.4	1.7	73	<0.1	7.4	19.3	771	3.58	2.2	0.6	0.5	51	<0.1	0.3	<0.1	68
1348888	Drill Core	3.98	<2	0.2	22.1	2.0	78	0.1	9.1	19.9	798	4.09	1.9	<0.5	0.8	63	<0.1	0.2	<0.1	87
1348889	Rock Pulp	0.14	5050	539.8	77.9	931.2	3144	>100	32.0	9.9	336	2.78	80.7	3985.1	1.5	55	32.6	122.1	1.5	56
1348890	Drill Core	5.43	2	0.3	27.4	1.7	80	<0.1	13.3	19.1	667	3.74	3.3	2.2	0.7	47	<0.1	0.2	<0.1	78

CERTIFICATE OF ANALYSIS

WHI13000513.1

	Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga
	Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1
1348861	Drill Core	0.045	10	4	1.36	90	0.014	<20	1.73	0.036	0.17	<0.1	<0.01	<0.1	0.38	6.6	<0.5	7
1348862	Drill Core	0.042	8	8	1.32	72	0.007	<20	2.12	0.035	0.20	<0.1	<0.01	<0.1	0.26	8.0	<0.5	7
1348863	Drill Core	0.064	6	6	1.59	52	0.006	<20	2.49	0.049	0.20	<0.1	<0.01	<0.1	0.46	9.1	<0.5	9
1348864	Drill Core	0.065	5	12	1.34	74	0.006	<20	2.02	0.044	0.21	<0.1	<0.01	<0.1	1.87	7.0	1.6	6
1348865	Drill Core	0.063	5	5	1.73	90	0.006	<20	2.38	0.028	0.19	<0.1	<0.01	<0.1	0.26	5.9	0.6	7
1348866	Drill Core	0.064	8	4	1.84	119	0.011	<20	2.62	0.018	0.15	<0.1	<0.01	<0.1	0.22	6.1	<0.5	8
1348867	Drill Core	0.068	5	7	2.06	73	0.050	<20	2.85	0.046	0.14	<0.1	<0.01	<0.1	0.35	6.3	<0.5	9
1348868	Drill Core	0.063	6	9	1.91	46	0.017	<20	2.69	0.044	0.16	<0.1	<0.01	<0.1	0.63	6.3	0.5	8
1348869	Drill Core	0.067	8	7	1.49	85	0.010	<20	2.30	0.029	0.19	<0.1	<0.01	<0.1	0.68	5.6	<0.5	7
1348870	Rock	0.080	8	8	0.61	227	0.124	<20	1.02	0.078	0.49	<0.1	<0.01	0.3	<0.05	2.2	<0.5	5
1348871	Drill Core	0.071	7	8	1.93	57	0.024	<20	2.66	0.040	0.16	<0.1	<0.01	<0.1	0.57	6.9	<0.5	8
1348872	Drill Core	0.059	4	7	1.72	35	0.057	<20	2.47	0.042	0.17	0.2	<0.01	<0.1	0.66	5.5	<0.5	7
1348873	Drill Core	0.072	5	5	1.74	95	0.013	<20	2.65	0.030	0.19	<0.1	<0.01	<0.1	0.30	7.2	0.5	8
1348874	Drill Core	0.074	6	9	1.53	115	0.011	<20	2.41	0.018	0.19	<0.1	<0.01	<0.1	0.62	6.9	<0.5	7
1348875	Drill Core	0.058	5	19	1.78	73	0.015	<20	2.55	0.022	0.21	<0.1	<0.01	<0.1	1.13	7.5	<0.5	7
1348876	Drill Core	0.066	4	19	2.67	110	0.059	<20	2.98	0.031	0.16	<0.1	<0.01	<0.1	0.47	7.2	<0.5	8
1348877	Drill Core	0.064	3	21	2.51	70	0.080	<20	2.77	0.035	0.11	<0.1	<0.01	<0.1	0.16	5.2	<0.5	8
1348878	Drill Core	0.074	4	16	2.20	90	0.042	<20	2.60	0.035	0.13	<0.1	<0.01	<0.1	0.21	5.6	<0.5	8
1348879	Drill Core	0.064	4	15	1.86	83	0.055	<20	2.30	0.024	0.16	<0.1	<0.01	<0.1	0.09	5.9	<0.5	7
1348880	Drill Core	0.064	4	14	1.84	93	0.043	<20	2.21	0.024	0.16	<0.1	<0.01	<0.1	0.22	4.7	<0.5	6
1348881	Drill Core	0.064	3	16	2.09	71	0.049	<20	2.44	0.022	0.14	0.1	<0.01	<0.1	0.31	5.0	<0.5	7
1348882	Drill Core	0.062	3	17	2.08	91	0.050	<20	2.48	0.035	0.15	0.1	<0.01	<0.1	0.28	5.2	<0.5	7
1348883	Drill Core	0.062	5	21	2.37	56	0.017	<20	2.49	0.031	0.11	<0.1	<0.01	<0.1	<0.05	6.0	<0.5	7
1348884	Drill Core	0.010	<1	14	1.10	14	0.022	<20	1.23	0.010	0.06	<0.1	<0.01	<0.1	<0.05	2.2	<0.5	4
1348885	Drill Core	0.057	2	19	2.06	48	0.106	<20	2.26	0.024	0.08	0.2	<0.01	<0.1	0.07	4.9	<0.5	7
1348886	Drill Core	0.063	2	21	2.26	72	0.122	<20	2.40	0.017	0.09	0.2	<0.01	<0.1	0.14	4.6	<0.5	7
1348887	Drill Core	0.066	2	19	2.18	48	0.152	<20	2.36	0.034	0.09	<0.1	<0.01	<0.1	0.19	4.6	<0.5	6
1348888	Drill Core	0.066	3	24	2.47	245	0.108	<20	2.64	0.033	0.09	<0.1	<0.01	<0.1	0.32	5.9	<0.5	7
1348889	Rock Pulp	0.043	6	39	0.48	70	0.071	<20	1.07	0.071	0.15	18.4	2.15	2.8	1.07	3.5	0.5	7
1348890	Drill Core	0.068	3	24	2.18	105	0.125	<20	2.30	0.037	0.20	0.1	<0.01	<0.1	0.28	4.5	0.6	7

QUALITY CONTROL REPORT

WHI13000513.1

	Method	WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
	Unit	kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
	MDL	0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01
Pulp Duplicates																					
1348834	Drill Core	4.71	6	1.4	21.6	9.7	82	0.2	14.8	9.5	817	2.60	3.9	2.0	4.9	63	0.5	<0.1	<0.1	21	2.47
REP 1348834	QC		4																		
1348856	Drill Core	5.40	<2	0.5	43.9	1.4	78	0.2	9.4	23.6	729	4.26	5.9	<0.5	0.4	41	<0.1	0.1	<0.1	87	1.35
REP 1348856	QC			0.4	47.4	1.4	79	0.2	9.1	23.9	732	4.23	6.0	2.0	0.5	42	<0.1	0.2	<0.1	88	1.35
1348857	Drill Core	4.79	<2	0.9	24.4	1.9	76	0.2	6.8	20.9	638	3.85	8.6	1.8	0.7	61	<0.1	0.1	<0.1	55	1.74
REP 1348857	QC		<2																		
1348872	Drill Core	4.68	<2	0.8	12.4	4.8	71	0.2	5.5	19.7	1013	4.53	9.0	1.4	0.8	340	<0.1	0.2	<0.1	79	3.25
REP 1348872	QC			0.8	14.1	4.5	74	0.2	6.8	20.1	1027	4.63	9.0	2.0	0.8	349	<0.1	0.1	<0.1	81	3.32
1348890	Drill Core	5.43	2	0.3	27.4	1.7	80	<0.1	13.3	19.1	667	3.74	3.3	2.2	0.7	47	<0.1	0.2	<0.1	78	1.27
REP 1348890	QC		3																		
Core Reject Duplicates																					
1348865	Drill Core	4.72	3	0.6	27.8	7.2	72	0.1	10.4	16.5	959	4.41	4.3	3.0	1.7	113	0.2	0.1	<0.1	61	3.98
DUP 1348865	QC		3	0.5	26.5	7.2	68	0.2	11.0	16.7	953	4.23	4.8	7.2	1.6	108	0.2	<0.1	<0.1	59	3.85
Reference Materials																					
STD DS10	Standard			12.4	155.0	153.2	359	2.1	77.2	13.0	867	2.67	43.4	61.2	6.6	60	2.1	6.8	11.6	40	1.02
STD DS10	Standard			13.4	152.4	155.1	369	2.0	72.8	12.5	916	2.71	47.3	57.9	7.1	67	2.9	7.6	12.4	44	1.08
STD OREAS45EA	Standard			1.4	691.0	15.5	29	0.3	379.3	52.8	402	23.77	10.2	54.5	10.5	3	<0.1	0.3	0.2	317	0.03
STD OREAS45EA	Standard			1.4	686.5	13.5	31	0.2	390.2	49.5	389	23.64	9.3	51.5	9.9	4	<0.1	0.2	0.2	303	0.04
STD OXC109	Standard		196																		
STD OXC109	Standard		193																		
STD OXC109	Standard		206																		
STD OXC109	Standard		202																		
STD OXI96	Standard		1782																		
STD OXI96	Standard		1806																		
STD OXI96	Standard		1775																		
STD DS10 Expected				14.69	154.61	150.55	352.9	1.96	74.6	12.9	861	2.7188	43.7	91.9	7.5	67.1	2.48	9.51	11.65	43	1.0355
STD OREAS45EA Expected				1.39	709	14.3	28.9	0.26	381	52	400	23.51	9.1	53	10.7	3.5	0.02	0.2	0.26	303	0.036
STD OXC109 Expected			201																		

QUALITY CONTROL REPORT

WHI13000513.1

Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
MDL	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2
Pulp Duplicates																		
1348834 Drill Core	0.058	15	28	1.48	159	0.005	<20	1.65	0.015	0.22	<0.1	<0.01	<0.1	0.43	3.9	0.5	4	<0.2
REP 1348834 QC																		
1348856 Drill Core	0.067	2	13	2.12	49	0.110	<20	2.42	0.044	0.10	0.1	<0.01	<0.1	0.37	3.7	<0.5	7	<0.2
REP 1348856 QC	0.067	2	13	2.09	50	0.109	<20	2.40	0.042	0.10	0.1	<0.01	<0.1	0.37	3.8	<0.5	7	<0.2
1348857 Drill Core	0.070	3	6	1.88	59	0.110	<20	2.23	0.031	0.15	<0.1	<0.01	<0.1	0.44	3.2	<0.5	6	<0.2
REP 1348857 QC																		
1348872 Drill Core	0.059	4	7	1.72	35	0.057	<20	2.47	0.042	0.17	0.2	<0.01	<0.1	0.66	5.5	<0.5	7	<0.2
REP 1348872 QC	0.059	4	8	1.75	36	0.058	<20	2.51	0.045	0.17	0.2	<0.01	<0.1	0.67	5.7	<0.5	8	<0.2
1348890 Drill Core	0.068	3	24	2.18	105	0.125	<20	2.30	0.037	0.20	0.1	<0.01	<0.1	0.28	4.5	0.6	7	<0.2
REP 1348890 QC																		
Core Reject Duplicates																		
1348865 Drill Core	0.063	5	5	1.73	90	0.006	<20	2.38	0.028	0.19	<0.1	<0.01	<0.1	0.26	5.9	0.6	7	<0.2
DUP 1348865 QC	0.063	5	5	1.71	86	0.005	<20	2.35	0.023	0.18	<0.1	0.01	<0.1	0.24	5.7	<0.5	7	<0.2
Reference Materials																		
STD DS10 Standard	0.069	15	55	0.75	374	0.069	<20	0.95	0.061	0.32	2.7	0.27	4.6	0.28	2.7	1.7	4	4.9
STD DS10 Standard	0.079	16	53	0.79	402	0.071	<20	1.05	0.068	0.34	2.6	0.28	5.1	0.28	2.8	1.6	4	5.3
STD OREAS45EA Standard	0.029	7	886	0.09	146	0.091	<20	3.23	0.017	0.06	<0.1	<0.01	<0.1	<0.05	77.8	1.0	12	<0.2
STD OREAS45EA Standard	0.029	6	806	0.10	145	0.087	<20	3.19	0.020	0.05	<0.1	<0.01	<0.1	<0.05	78.9	<0.5	12	<0.2
STD OXC109 Standard																		
STD OXC109 Standard																		
STD OXC109 Standard																		
STD OXC109 Standard																		
STD OXI96 Standard																		
STD OXI96 Standard																		
STD OXI96 Standard																		
STD DS10 Expected	0.073	17.5	54.6	0.7651	349	0.0817		1.0259	0.0638	0.3245	3.34	0.289	4.79	0.2743	2.8	2.3	4.3	4.89
STD OREAS45EA Expected	0.029	6.57	849	0.095	148	0.0875		3.13	0.02	0.053			0.072	0.036	78	0.6	11.7	0.07
STD OXC109 Expected																		

QUALITY CONTROL REPORT

WHI13000513.1

		WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V
		kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
		0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2
STD OXI96 Expected		1802																		
BLK	Blank	<2																		
BLK	Blank	<2																		
BLK	Blank	<2																		
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2
BLK	Blank	<2																		
BLK	Blank	<2																		
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2
BLK	Blank	<2																		
BLK	Blank	<2																		
Prep Wash																				
G1-WHI	Prep Blank		3	0.2	2.5	3.4	41	<0.1	2.3	3.5	536	1.81	<0.5	1.0	5.6	53	<0.1	<0.1	<0.1	32
G1-WHI	Prep Blank		<2	0.2	3.3	3.2	42	<0.1	2.3	4.0	562	1.94	<0.5	0.5	5.2	52	<0.1	<0.1	0.1	34

QUALITY CONTROL REPORT

WHI13000513.1

		1DX P %	1DX La ppm	1DX Cr ppm	1DX Mg %	1DX Ba ppm	1DX Ti %	1DX B ppm	1DX Al %	1DX Na %	1DX K %	1DX W ppm	1DX Hg ppm	1DX Tl ppm	1DX S %	1DX Sc ppm	1DX Se ppm	1DX Ga ppm	1DX Te ppm
		0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2
STD OXI96 Expected																			
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.05	<0.1	<0.5	<1	<0.2
BLK	Blank																		
BLK	Blank																		
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.05	<0.1	<0.5	<1	<0.2
BLK	Blank																		
BLK	Blank																		
Prep Wash																			
G1-WHI	Prep Blank	0.066	11	5	0.45	143	0.109	<20	0.87	0.077	0.44	<0.1	<0.01	0.3	<0.05	1.9	<0.5	4	<0.2
G1-WHI	Prep Blank	0.067	10	6	0.50	158	0.120	<20	0.93	0.085	0.48	<0.1	<0.01	0.3	<0.05	2.0	<0.5	4	<0.2

Acme Analytical Laboratories (Vancouver) Ltd.
9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA
PHONE (604) 253-3158

Client: **Rackla Metals Inc.**
650-200 Burrard St.
Vancouver BC V6C 3L6 CANADA

Submitted By: Roger Hulstein
Receiving Lab: Canada-Whitehorse
Received: October 11, 2013
Report Date: November 04, 2013
Page: 1 of 4

CERTIFICATE OF ANALYSIS

WHI13000524.1

CLIENT JOB INFORMATION

Project: KSD
Shipment ID: 2013-12
P.O. Number
Number of Samples: 80

SAMPLE DISPOSAL

DISP-PLP Dispose of Pulp After 90 days
DISP-RJT Dispose of Reject After 90 days

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Rackla Metals Inc.
650-200 Burrard St.
Vancouver BC V6C 3L6
CANADA

CC: Simon Ridgway
Dave Clark
Database Backup

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
R200-250	77	Crush, split and pulverize 250 g rock to 200 mesh			WHI
3B	80	Fire assay fusion Au by ICP-ES	30	Completed	VAN
1DX	80	1:1:1 Aqua Regia digestion ICP-MS analysis	0.5	Completed	VAN

ADDITIONAL COMMENTS



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
*** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.

CERTIFICATE OF ANALYSIS

WHI13000524.1

	Method Analyte Unit MDL	WGHT Wgt kg 0.01	3B Au ppb 2	1DX Mo ppm 0.1	1DX Cu ppm 0.1	1DX Pb ppm 0.1	1DX Zn ppm 1	1DX Ag ppm 0.1	1DX Ni ppm 0.1	1DX Co ppm 0.1	1DX Mn ppm 1	1DX Fe % 0.01	1DX As ppm 0.5	1DX Au ppb 0.5	1DX Th ppm 0.1	1DX Sr ppm 1	1DX Cd ppm 0.1	1DX Sb ppm 0.1	1DX Bi ppm 0.1	1DX V ppm 2	1DX Ca % 0.01
1348891	Drill Core	4.39	5	0.2	24.4	2.7	73	0.2	11.3	23.3	830	4.15	11.0	2.9	0.8	95	<0.1	0.2	<0.1	87	2.48
1348892	Drill Core	5.43	<2	0.2	20.0	1.9	73	0.2	11.3	20.5	769	3.92	1.9	<0.5	0.5	56	<0.1	0.1	<0.1	93	1.97
1348893	Drill Core	2.06	<2	<0.1	29.2	1.0	78	0.3	14.2	22.1	784	4.15	1.8	<0.5	0.5	30	<0.1	0.1	<0.1	96	1.28
1348894	Drill Core	2.45	<2	<0.1	32.5	2.7	80	0.3	12.2	23.0	792	4.10	4.5	<0.5	0.6	38	0.1	0.2	<0.1	91	1.07
1348895	Drill Core	3.47	<2	<0.1	28.4	3.2	74	0.2	11.5	22.8	883	4.18	8.7	0.5	1.0	105	0.1	0.2	<0.1	103	2.71
1348896	Drill Core	2.75	<2	0.3	15.4	2.8	73	0.1	8.8	18.5	760	3.66	4.8	<0.5	1.4	103	0.1	0.1	<0.1	75	2.55
1348897	Drill Core	4.83	<2	0.2	29.9	1.6	77	0.1	14.4	17.3	643	3.22	2.4	<0.5	1.0	46	<0.1	0.1	<0.1	69	1.51
1348898	Drill Core	4.79	<2	<0.1	30.6	2.3	78	0.2	17.4	21.9	904	4.52	1.6	<0.5	1.1	60	<0.1	<0.1	<0.1	120	1.95
1348899	Drill Core	2.64	<2	<0.1	37.9	1.7	83	0.2	15.1	22.6	903	4.63	1.5	<0.5	0.8	43	<0.1	0.1	<0.1	102	1.61
1348900	Rock	0.97	<2	<0.1	1.7	2.5	48	<0.1	4.2	4.8	586	2.13	<0.5	<0.5	4.3	57	<0.1	<0.1	<0.1	40	0.49
1348901	Drill Core	4.90	<2	<0.1	22.2	2.1	90	0.1	19.9	24.8	1032	5.21	1.9	<0.5	0.8	80	<0.1	<0.1	<0.1	137	2.39
1348902	Drill Core	5.15	<2	1.3	23.0	5.6	84	0.1	8.5	18.3	876	3.89	1.3	<0.5	1.4	50	0.2	0.1	<0.1	66	2.26
1348903	Drill Core	5.57	4	1.8	21.7	6.8	102	0.1	10.9	13.7	711	3.35	1.5	<0.5	2.8	45	0.7	<0.1	<0.1	51	1.69
1348904	Drill Core	4.96	4	0.8	22.0	9.5	81	0.1	3.6	14.8	902	4.27	4.0	0.8	2.8	59	0.3	0.1	<0.1	66	1.94
1348905	Drill Core	4.81	<2	1.1	19.5	13.1	96	0.1	13.2	15.1	822	4.16	5.6	<0.5	3.3	83	0.5	<0.1	<0.1	68	2.43
1348906	Drill Core	4.89	4	0.4	12.0	11.4	59	0.1	3.9	12.6	982	3.39	16.3	1.1	4.1	106	0.1	<0.1	<0.1	49	2.79
1348907	Drill Core	4.57	<2	0.6	24.4	10.3	63	0.3	5.5	14.3	992	3.73	5.6	<0.5	4.2	99	0.2	<0.1	<0.1	53	2.63
1348908	Drill Core	5.01	2	0.7	15.2	5.8	59	0.1	4.0	13.8	1016	3.56	10.4	<0.5	2.9	165	0.2	<0.1	<0.1	51	3.63
1348909	Drill Core	1.63	14	0.7	28.0	8.5	38	0.3	4.6	12.8	844	3.04	87.7	11.4	1.9	135	0.1	<0.1	<0.1	32	2.68
1348910	Drill Core	1.61	22	0.6	26.5	8.9	38	0.3	4.6	13.0	849	3.06	97.9	11.5	1.8	139	<0.1	<0.1	<0.1	32	2.70
1348911	Drill Core	4.53	13	0.8	22.8	12.4	49	0.3	5.5	12.4	853	3.61	218.7	4.1	3.7	132	0.2	0.1	<0.1	42	2.53
1348912	Drill Core	4.77	<2	0.3	15.0	10.3	64	0.1	2.7	11.8	741	3.33	8.0	<0.5	3.7	92	0.2	<0.1	<0.1	53	2.24
1348913	Drill Core	5.00	4	2.7	10.4	9.3	39	0.1	4.3	6.8	554	1.79	4.8	<0.5	6.0	57	0.2	<0.1	<0.1	12	1.33
1348914	Drill Core	4.05	<2	0.2	10.0	5.3	59	<0.1	3.7	6.5	581	2.44	8.0	<0.5	5.9	54	0.2	<0.1	<0.1	22	1.12
1348915	Drill Core	4.59	<2	0.2	17.6	4.6	71	0.1	5.4	11.6	768	3.68	3.0	<0.5	3.9	64	<0.1	<0.1	<0.1	53	1.40
1348916	Drill Core	4.93	<2	0.7	20.6	6.6	73	0.1	3.3	13.0	927	4.02	3.2	<0.5	2.9	127	0.1	<0.1	<0.1	56	2.92
1348917	Drill Core	4.75	7	0.8	24.9	6.3	97	0.2	5.6	15.4	1121	5.46	22.8	4.1	2.4	135	0.3	<0.1	<0.1	72	3.33
1348918	Drill Core	4.43	38	2.0	28.2	12.9	81	0.4	1.0	13.7	1346	5.25	929.7	31.6	2.3	226	0.5	0.4	<0.1	33	4.41
1348919	Drill Core	3.58	52	0.8	38.8	11.5	71	0.5	2.0	14.5	1279	4.93	309.4	30.5	2.3	186	0.4	0.1	<0.1	34	4.06
1348920	Rock Pulp	0.14	4979	516.5	72.8	985.3	3539	>100	32.3	10.2	323	2.79	82.9	3883.0	1.4	48	30.6	115.1	1.4	56	0.56

Acme Analytical Laboratories (Vancouver) Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: Rackla Metals Inc.
650-200 Burrard St.
Vancouver BC V6C 3L6 CANADA

Project: KSD
Report Date: November 04, 2013

Page: 2 of 4

Part: 2 of 2

CERTIFICATE OF ANALYSIS

WHI13000524.1

	Method	Analyte	Unit	MDL	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX			
					P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te
					%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
					0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2
1348891	Drill Core	0.062	4	24	2.26	103	0.080	<20	2.46	0.018	0.15	0.2	<0.01	<0.1	0.37	5.4	<0.5	7	<0.2			
1348892	Drill Core	0.052	2	23	2.17	216	0.146	<20	2.27	0.016	0.25	0.8	<0.01	0.1	0.21	4.8	<0.5	7	<0.2			
1348893	Drill Core	0.062	2	28	2.62	124	0.133	<20	2.57	0.020	0.24	0.7	<0.01	<0.1	0.20	4.9	<0.5	8	<0.2			
1348894	Drill Core	0.068	3	25	2.40	80	0.147	<20	2.41	0.023	0.17	1.6	<0.01	<0.1	0.64	4.8	<0.5	7	<0.2			
1348895	Drill Core	0.070	5	26	2.27	59	0.090	<20	2.40	0.014	0.12	0.8	<0.01	<0.1	0.40	7.2	<0.5	8	<0.2			
1348896	Drill Core	0.054	5	20	1.86	112	0.062	<20	2.02	0.030	0.19	0.1	0.01	<0.1	0.60	5.3	<0.5	7	<0.2			
1348897	Drill Core	0.068	3	21	1.72	95	0.098	<20	1.85	0.025	0.18	0.2	<0.01	<0.1	0.26	3.8	<0.5	6	<0.2			
1348898	Drill Core	0.064	4	41	2.75	54	0.049	<20	2.74	0.019	0.08	0.2	<0.01	<0.1	0.30	7.8	<0.5	10	<0.2			
1348899	Drill Core	0.068	3	22	2.98	84	0.095	<20	2.94	0.025	0.15	0.1	<0.01	<0.1	0.22	6.1	<0.5	9	<0.2			
1348900	Rock	0.078	9	9	0.61	230	0.127	<20	1.01	0.075	0.50	<0.1	<0.01	0.3	<0.05	2.3	<0.5	5	<0.2			
1348901	Drill Core	0.065	4	56	2.92	65	0.045	<20	3.05	0.021	0.15	<0.1	<0.01	<0.1	0.24	8.7	<0.5	10	<0.2			
1348902	Drill Core	0.061	6	18	1.98	158	0.045	<20	2.25	0.016	0.37	<0.1	<0.01	0.1	0.20	5.3	<0.5	6	<0.2			
1348903	Drill Core	0.064	7	20	1.89	158	0.018	<20	2.02	0.016	0.20	<0.1	<0.01	<0.1	0.31	4.7	<0.5	6	<0.2			
1348904	Drill Core	0.075	8	5	1.67	68	0.009	<20	1.93	0.032	0.11	<0.1	<0.01	<0.1	1.02	6.8	<0.5	7	<0.2			
1348905	Drill Core	0.070	8	24	1.28	115	0.007	<20	1.72	0.026	0.16	<0.1	<0.01	<0.1	0.80	6.6	<0.5	7	<0.2			
1348906	Drill Core	0.064	7	4	1.00	97	0.005	<20	1.40	0.031	0.16	<0.1	<0.01	<0.1	0.77	4.7	<0.5	6	<0.2			
1348907	Drill Core	0.058	8	8	1.04	130	0.004	<20	1.53	0.037	0.20	<0.1	<0.01	<0.1	0.89	4.9	<0.5	6	<0.2			
1348908	Drill Core	0.059	5	6	1.22	105	0.004	<20	1.62	0.020	0.20	<0.1	<0.01	<0.1	0.50	4.0	<0.5	6	<0.2			
1348909	Drill Core	0.045	5	4	0.98	149	0.007	<20	1.23	0.011	0.22	0.1	<0.01	<0.1	0.95	3.3	<0.5	4	<0.2			
1348910	Drill Core	0.037	5	4	1.00	135	0.006	<20	1.20	0.011	0.21	0.1	<0.01	<0.1	1.01	3.4	<0.5	3	<0.2			
1348911	Drill Core	0.062	6	5	1.04	148	0.009	<20	1.36	0.031	0.19	0.1	<0.01	<0.1	1.17	4.5	<0.5	5	<0.2			
1348912	Drill Core	0.061	9	3	0.96	104	0.019	<20	1.42	0.040	0.14	<0.1	<0.01	<0.1	0.33	6.4	<0.5	7	<0.2			
1348913	Drill Core	0.045	13	5	0.59	217	0.005	<20	0.91	0.029	0.27	<0.1	<0.01	<0.1	0.26	2.4	<0.5	3	<0.2			
1348914	Drill Core	0.050	15	7	0.85	169	0.019	<20	1.11	0.044	0.21	<0.1	<0.01	<0.1	0.36	4.8	<0.5	6	<0.2			
1348915	Drill Core	0.059	9	12	1.54	181	0.034	<20	1.73	0.040	0.27	<0.1	<0.01	<0.1	0.55	8.0	<0.5	8	<0.2			
1348916	Drill Core	0.072	9	3	1.24	124	0.017	<20	1.89	0.036	0.17	<0.1	<0.01	<0.1	0.26	7.6	<0.5	8	<0.2			
1348917	Drill Core	0.101	7	9	1.35	67	0.022	<20	1.94	0.056	0.07	<0.1	<0.01	<0.1	1.19	10.7	<0.5	10	<0.2			
1348918	Drill Core	0.105	5	2	1.09	118	0.009	<20	1.55	0.034	0.18	0.1	<0.01	0.2	2.17	5.9	0.9	7	<0.2			
1348919	Drill Core	0.119	5	2	1.07	111	0.013	<20	1.53	0.029	0.19	0.2	<0.01	<0.1	2.07	4.9	1.0	5	<0.2			
1348920	Rock Pulp	0.040	6	39	0.45	73	0.068	<20	1.03	0.070	0.15	18.5	2.10	2.8	1.06	3.4	1.2	7	0.4			

CERTIFICATE OF ANALYSIS

WHI13000524.1

	Method	WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V
	Unit	kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	%
	MDL	0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2
1348921	Drill Core	4.66	3	0.6	14.2	5.9	65	0.1	2.8	13.2	960	4.21	13.1	1.4	2.1	145	0.1	<0.1	<0.1	72
1348922	Drill Core	4.55	2	0.3	25.9	4.7	76	<0.1	6.5	14.8	1062	4.54	5.3	1.0	2.1	117	0.2	<0.1	<0.1	70
1348923	Drill Core	4.06	10	0.6	41.5	6.6	63	0.1	15.4	21.4	1118	4.57	1.4	2.1	1.8	141	0.2	<0.1	<0.1	104
1348924	Drill Core	2.08	3	0.7	21.2	2.8	25	<0.1	8.9	7.2	567	1.78	<0.5	4.6	0.8	51	0.1	<0.1	<0.1	27
1348925	Drill Core	4.64	3	0.4	44.3	5.2	73	0.1	13.2	23.6	1091	5.17	1.8	2.2	1.5	126	0.1	<0.1	<0.1	108
1348926	Drill Core	5.23	3	0.4	41.9	3.6	65	0.1	16.4	22.5	1048	4.69	<0.5	1.9	1.2	124	0.2	<0.1	<0.1	103
1348927	Drill Core	4.67	<2	0.8	44.2	5.0	59	0.1	12.8	19.2	853	4.11	3.3	2.0	2.0	135	0.1	<0.1	<0.1	73
1348928	Drill Core	4.27	15	0.6	11.0	3.6	35	0.1	8.0	5.3	386	1.81	48.5	7.6	5.2	60	0.2	<0.1	<0.1	16
1348929	Drill Core	4.54	10	1.3	4.0	4.8	25	<0.1	0.7	3.2	244	1.36	20.6	64.8	5.3	36	0.2	<0.1	<0.1	12
1348930	Drill Core	4.35	10	0.9	3.2	5.0	22	<0.1	1.1	2.2	201	1.19	24.8	5.5	6.2	23	0.2	<0.1	<0.1	9
1348931	Drill Core	5.00	2	4.3	8.1	3.5	38	<0.1	6.4	7.4	456	2.13	4.5	2.1	5.1	45	<0.1	<0.1	<0.1	33
1348932	Drill Core	4.71	<2	1.0	39.0	2.7	78	0.2	14.2	19.8	915	4.82	1.7	1.6	2.2	66	<0.1	<0.1	<0.1	101
1348933	Rock	1.23	<2	<0.1	2.0	2.4	44	<0.1	3.8	4.2	549	1.95	<0.5	<0.5	4.4	57	<0.1	<0.1	<0.1	34
1348934	Drill Core	5.26	4	0.5	34.1	3.3	70	0.1	5.5	16.9	794	3.66	3.8	4.2	0.9	92	0.1	<0.1	<0.1	58
1348935	Drill Core	4.71	<2	0.5	21.7	4.5	72	0.1	5.5	16.6	890	4.26	10.7	1.3	1.6	130	0.2	<0.1	<0.1	79
1348936	Drill Core	4.71	<2	0.5	22.0	7.2	75	0.1	3.4	17.4	908	4.37	10.8	<0.5	2.2	142	0.2	<0.1	<0.1	55
1348937	Drill Core	4.54	7	0.5	28.3	5.9	69	0.2	1.7	13.9	785	3.34	19.2	2.5	2.4	135	0.2	<0.1	<0.1	29
1348938	Drill Core	3.56	35	0.9	39.0	13.4	53	0.5	1.5	11.1	865	3.78	986.4	32.6	2.7	159	0.3	0.2	<0.1	21
1348939	Drill Core	3.15	32	0.9	46.6	23.3	64	0.5	0.8	10.6	859	3.41	1204.0	30.0	2.9	162	0.5	0.2	<0.1	18
1348940	Drill Core	1.74	49	8.2	30.2	21.0	54	0.5	5.9	10.7	1059	4.23	359.5	46.0	3.6	227	0.3	0.2	<0.1	18
1348941	Drill Core	1.75	39	4.3	20.7	15.0	57	0.3	7.3	10.5	943	3.90	588.5	30.3	3.9	200	0.4	0.3	<0.1	16
1348942	Drill Core	4.95	5	5.9	17.9	11.4	65	0.4	22.5	13.2	886	2.86	169.8	6.7	5.1	143	0.5	<0.1	0.5	24
1348943	Drill Core	4.86	4	0.5	56.1	9.1	78	0.4	17.0	20.9	858	4.64	18.4	2.7	2.7	121	0.3	<0.1	0.1	129
1348944	Drill Core	4.67	5	0.3	67.8	5.2	74	0.4	18.4	24.7	915	5.50	4.8	2.3	1.5	114	0.2	<0.1	<0.1	212
1348945	Drill Core	5.19	4	2.0	23.6	11.6	57	0.3	28.2	12.9	651	2.44	13.5	3.6	4.8	104	0.3	<0.1	0.3	29
1348946	Drill Core	3.98	4	0.7	19.8	6.3	55	0.2	9.5	9.2	614	2.59	12.0	2.7	5.2	107	0.2	<0.1	0.1	30
1348947	Drill Core	4.66	5	1.5	23.0	6.3	45	0.2	14.9	11.6	684	3.03	22.3	4.8	4.0	122	0.3	0.1	<0.1	26
1348948	Drill Core	4.35	4	1.4	31.1	7.4	74	0.3	18.1	11.9	679	3.28	28.9	3.9	3.6	102	0.3	0.2	<0.1	52
1348949	Drill Core	4.38	3	1.2	32.2	9.5	84	0.3	20.0	13.5	665	3.43	19.4	1.6	3.6	93	0.4	<0.1	<0.1	54
1348950	Rock Pulp	0.12	5229	515.7	74.9	976.5	3200	>100	33.0	10.1	327	2.72	80.0	5011.4	1.3	45	29.1	111.3	1.4	51

CERTIFICATE OF ANALYSIS

WHI13000524.1

	Method	Analyte	Unit	MDL	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX			
					P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te
					%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
					0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2
1348921	Drill Core				0.095	5	5	1.08	89	0.023	<20	1.43	0.050	0.09	0.1	<0.01	<0.1	0.98	7.5	<0.5	7	<0.2
1348922	Drill Core				0.069	7	12	1.43	107	0.028	<20	2.05	0.030	0.16	<0.1	<0.01	<0.1	0.31	9.6	<0.5	8	<0.2
1348923	Drill Core				0.056	6	24	2.15	58	0.011	<20	2.65	0.018	0.12	<0.1	<0.01	<0.1	0.08	11.9	<0.5	8	<0.2
1348924	Drill Core				0.022	4	8	0.76	55	0.005	<20	0.93	0.017	0.09	<0.1	<0.01	<0.1	<0.05	3.7	<0.5	3	<0.2
1348925	Drill Core				0.056	5	17	2.50	60	0.015	<20	2.92	0.026	0.11	<0.1	<0.01	<0.1	0.40	10.4	<0.5	10	<0.2
1348926	Drill Core				0.057	5	32	2.42	56	0.022	<20	2.86	0.025	0.10	<0.1	<0.01	<0.1	0.08	10.7	<0.5	8	<0.2
1348927	Drill Core				0.060	6	14	1.80	110	0.019	<20	2.26	0.031	0.18	<0.1	<0.01	<0.1	0.14	7.3	<0.5	7	<0.2
1348928	Drill Core				0.029	9	5	0.45	153	0.009	<20	0.66	0.062	0.15	<0.1	<0.01	<0.1	0.62	2.8	<0.5	2	<0.2
1348929	Drill Core				0.020	10	<1	0.27	146	0.002	<20	0.40	0.080	0.14	<0.1	<0.01	<0.1	0.88	1.7	<0.5	1	<0.2
1348930	Drill Core				0.018	12	2	0.25	183	0.002	<20	0.44	0.055	0.19	<0.1	<0.01	<0.1	0.60	1.6	<0.5	2	<0.2
1348931	Drill Core				0.033	11	9	0.79	165	0.005	<20	1.01	0.036	0.18	<0.1	<0.01	<0.1	0.26	4.4	<0.5	4	<0.2
1348932	Drill Core				0.072	9	19	2.38	63	0.011	<20	2.81	0.030	0.10	<0.1	<0.01	<0.1	0.12	9.3	<0.5	9	<0.2
1348933	Rock				0.076	9	7	0.61	217	0.117	<20	0.96	0.084	0.46	<0.1	<0.01	0.3	<0.05	2.3	<0.5	5	<0.2
1348934	Drill Core				0.068	4	5	1.41	48	0.068	<20	2.05	0.046	0.12	<0.1	<0.01	<0.1	0.23	4.6	<0.5	6	<0.2
1348935	Drill Core				0.063	5	4	1.40	74	0.027	<20	2.03	0.039	0.14	<0.1	<0.01	<0.1	0.70	7.5	<0.5	7	<0.2
1348936	Drill Core				0.076	8	3	1.17	87	0.013	<20	2.22	0.031	0.19	<0.1	<0.01	<0.1	0.08	6.2	<0.5	7	<0.2
1348937	Drill Core				0.075	7	2	0.92	66	0.038	<20	1.38	0.016	0.32	0.1	<0.01	0.2	0.25	3.8	<0.5	4	<0.2
1348938	Drill Core				0.103	5	1	0.95	123	0.048	<20	1.23	0.026	0.51	0.4	<0.01	0.2	1.63	3.6	<0.5	4	<0.2
1348939	Drill Core				0.093	5	1	0.90	142	0.022	<20	1.27	0.023	0.37	0.2	<0.01	0.1	1.09	3.8	0.6	4	0.2
1348940	Drill Core				0.059	5	17	1.29	153	0.048	<20	1.25	0.034	0.48	0.3	<0.01	0.2	2.07	4.9	0.9	4	<0.2
1348941	Drill Core				0.069	5	10	1.16	145	0.048	<20	1.28	0.024	0.48	0.3	<0.01	0.3	1.71	4.7	<0.5	4	<0.2
1348942	Drill Core				0.069	5	48	1.64	146	0.048	<20	1.42	0.008	0.65	0.2	<0.01	0.2	0.28	3.9	<0.5	4	<0.2
1348943	Drill Core				0.061	4	21	2.85	105	0.055	<20	2.71	0.022	0.40	<0.1	<0.01	0.2	0.22	14.7	<0.5	9	<0.2
1348944	Drill Core				0.056	4	27	3.74	99	0.058	<20	3.52	0.030	0.35	<0.1	<0.01	0.1	0.06	21.6	<0.5	11	<0.2
1348945	Drill Core				0.060	8	40	1.26	212	0.035	<20	1.26	0.012	0.45	<0.1	<0.01	0.2	0.30	5.2	<0.5	4	<0.2
1348946	Drill Core				0.036	8	10	1.31	170	0.048	<20	1.31	0.024	0.53	0.1	<0.01	0.3	0.28	5.3	<0.5	4	<0.2
1348947	Drill Core				0.056	7	10	1.20	130	0.033	<20	1.41	0.014	0.38	0.2	<0.01	0.2	0.34	4.2	0.5	3	<0.2
1348948	Drill Core				0.062	7	18	1.36	128	0.047	<20	1.57	0.021	0.30	0.4	<0.01	0.2	0.51	5.8	0.7	6	<0.2
1348949	Drill Core				0.074	10	22	1.32	158	0.027	<20	1.73	0.023	0.19	0.2	<0.01	<0.1	0.34	5.8	0.6	6	<0.2
1348950	Rock Pulp				0.040	6	41	0.46	68	0.068	<20	1.04	0.068	0.15	19.4	2.40	2.8	1.05	3.4	1.2	6	0.4

CERTIFICATE OF ANALYSIS

WHI13000524.1

	Method	WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V
	Unit	kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	%
	MDL	0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2
1348951	Drill Core	3.28	2	1.5	31.0	6.4	77	0.2	20.2	13.5	679	3.26	10.6	0.6	3.6	72	0.3	<0.1	<0.1	44
1348952	Drill Core	3.17	4	1.6	27.1	8.6	77	0.2	20.7	12.3	674	3.18	15.6	5.5	3.7	97	0.3	<0.1	<0.1	41
1348953	Drill Core	3.07	2	2.0	26.0	4.9	86	0.3	27.6	16.6	771	3.71	12.4	<0.5	3.3	95	0.3	<0.1	<0.1	78
1348954	Drill Core	3.01	5	1.6	40.2	11.4	105	0.3	29.6	17.9	831	4.25	66.3	1.1	4.5	110	0.3	0.1	0.1	71
1348955	Drill Core	3.15	7	2.6	35.2	6.3	98	0.3	31.5	19.5	791	4.08	280.2	6.4	5.9	139	0.5	0.1	<0.1	55
1348956	Drill Core	4.12	2	1.0	29.6	10.9	82	0.3	19.5	12.9	634	3.16	15.1	4.4	3.9	94	0.5	<0.1	<0.1	60
1348957	Drill Core	4.69	<2	1.3	33.0	5.3	78	0.2	22.5	13.9	696	3.24	15.5	<0.5	4.2	45	0.3	<0.1	<0.1	47
1348958	Drill Core	4.80	2	1.6	28.3	3.1	73	0.2	20.7	13.6	762	3.32	16.2	0.5	4.1	40	0.3	<0.1	<0.1	57
1348959	Drill Core	4.49	4	1.5	28.8	7.4	70	0.3	19.6	12.9	715	3.11	16.3	3.0	3.9	50	0.3	<0.1	<0.1	62
1348960	Drill Core	1.22	<2	0.1	1.9	2.3	46	<0.1	3.8	4.2	529	1.86	0.5	0.7	4.2	49	<0.1	<0.1	<0.1	37
1348961	Drill Core	4.93	<2	1.5	25.6	4.5	77	0.2	21.4	14.5	600	3.35	19.6	<0.5	4.1	32	0.2	0.3	<0.1	62
1348962	Drill Core	4.25	<2	2.0	27.0	8.8	80	0.3	26.3	14.9	609	3.23	40.8	1.1	3.7	44	0.3	0.2	0.2	59
1348963	Drill Core	4.10	<2	2.1	28.9	15.7	74	0.4	26.4	13.4	675	3.09	42.8	1.0	3.0	64	0.4	<0.1	0.3	68
1348964	Drill Core	4.35	<2	2.0	37.8	14.9	86	0.4	31.6	14.0	702	3.31	55.6	1.1	3.3	86	0.4	<0.1	0.1	51
1348965	Drill Core	4.19	49	1.5	26.8	12.3	79	0.3	18.0	11.1	632	3.35	112.9	10.0	3.6	69	0.3	0.3	0.1	48
1348966	Drill Core	1.66	<2	1.4	31.2	18.9	73	0.4	24.6	12.8	771	3.34	148.0	0.6	4.7	107	0.2	0.1	0.1	60
1348967	Drill Core	1.55	<2	1.3	34.3	13.9	76	0.2	23.3	14.0	768	3.47	24.8	<0.5	4.8	104	0.2	0.2	<0.1	62
1348968	Drill Core	2.14	<2	1.5	26.8	14.7	80	0.2	21.9	13.9	827	3.36	23.5	<0.5	4.9	114	0.4	0.2	<0.1	51
1348969	Rock Pulp	0.12	4904	482.9	69.0	923.5	2913	>100	29.9	9.4	306	2.63	70.4	5263.5	1.2	44	26.4	107.1	1.3	52
1348970	Drill Core	1.03	388	14.3	170.0	3500.8	550	20.8	2.0	0.6	72	4.20	653.2	238.1	0.6	2	6.9	4.5	5.9	8

Acme Analytical Laboratories (Vancouver) Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: Rackla Metals Inc.
650-200 Burrard St.
Vancouver BC V6C 3L6 CANADA

Project: KSD
Report Date: November 04, 2013

Page: 4 of 4

Part: 2 of 2

CERTIFICATE OF ANALYSIS

WHI13000524.1

	Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga
	Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1
1348951	Drill Core	0.072	10	19	1.46	167	0.019	<20	1.82	0.018	0.21	0.2	<0.01	<0.1	0.25	5.0	0.6	6
1348952	Drill Core	0.075	10	18	1.23	164	0.015	<20	1.65	0.018	0.27	0.1	<0.01	0.1	0.25	4.8	<0.5	5
1348953	Drill Core	0.073	7	87	1.95	260	0.058	<20	2.17	0.013	0.43	0.1	<0.01	0.2	0.26	9.6	0.7	7
1348954	Drill Core	0.081	10	30	2.01	196	0.053	<20	2.32	0.025	0.47	<0.1	<0.01	0.2	0.25	7.9	0.8	7
1348955	Drill Core	0.089	8	25	1.81	204	0.048	<20	1.99	0.014	0.54	0.2	<0.01	0.2	0.50	6.7	0.5	6
1348956	Drill Core	0.070	8	28	1.39	229	0.041	<20	1.71	0.028	0.34	0.1	<0.01	0.1	0.34	7.7	0.8	6
1348957	Drill Core	0.077	9	25	1.93	201	0.030	<20	2.12	0.012	0.27	<0.1	<0.01	<0.1	0.20	6.6	0.6	6
1348958	Drill Core	0.078	8	27	2.02	165	0.046	<20	2.16	0.010	0.25	<0.1	<0.01	<0.1	0.26	7.8	0.6	6
1348959	Drill Core	0.062	9	28	1.56	191	0.051	<20	1.81	0.019	0.23	0.3	<0.01	<0.1	0.23	7.3	0.8	6
1348960	Drill Core	0.071	8	7	0.56	210	0.115	<20	0.91	0.069	0.45	<0.1	<0.01	0.3	<0.05	2.1	<0.5	5
1348961	Drill Core	0.072	8	28	1.74	210	0.031	<20	2.04	0.021	0.27	0.1	<0.01	0.2	0.27	7.4	0.7	7
1348962	Drill Core	0.066	7	28	1.64	171	0.032	<20	1.91	0.010	0.23	0.2	<0.01	0.1	0.23	5.6	0.8	6
1348963	Drill Core	0.065	5	31	1.46	143	0.027	<20	1.76	0.020	0.14	0.2	<0.01	<0.1	0.23	4.9	0.8	6
1348964	Drill Core	0.076	4	28	1.56	137	0.012	<20	1.77	0.010	0.21	<0.1	<0.01	<0.1	0.37	4.3	1.1	5
1348965	Drill Core	0.079	5	18	1.32	142	0.025	<20	1.63	0.019	0.26	0.2	<0.01	0.2	0.29	4.5	0.9	6
1348966	Drill Core	0.058	6	50	1.71	109	0.024	<20	1.87	0.022	0.24	0.1	<0.01	0.1	0.23	5.8	0.6	6
1348967	Drill Core	0.053	6	50	1.82	102	0.028	<20	1.95	0.018	0.24	0.1	<0.01	0.1	0.21	5.9	0.5	6
1348968	Drill Core	0.056	7	33	1.55	120	0.022	<20	1.73	0.017	0.34	<0.1	<0.01	0.2	0.22	4.8	<0.5	5
1348969	Rock Pulp	0.037	5	37	0.43	105	0.064	<20	0.97	0.064	0.15	17.3	2.10	2.6	1.01	3.1	1.1	7
1348970	Drill Core	0.008	2	5	0.02	52	<0.001	<20	0.15	0.004	0.09	0.1	0.03	<0.1	0.16	0.5	3.2	1

QUALITY CONTROL REPORT

WHI13000524.1

	Method	WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
	Unit	kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
	MDL	0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01
Pulp Duplicates																					
1348894	Drill Core	2.45	<2	<0.1	32.5	2.7	80	0.3	12.2	23.0	792	4.10	4.5	<0.5	0.6	38	0.1	0.2	<0.1	91	1.07
REP 1348894	QC		<2																		
1348895	Drill Core	3.47	<2	<0.1	28.4	3.2	74	0.2	11.5	22.8	883	4.18	8.7	0.5	1.0	105	0.1	0.2	<0.1	103	2.71
REP 1348895	QC			<0.1	27.8	3.2	74	0.2	11.9	22.8	880	4.16	8.7	<0.5	1.0	104	<0.1	0.2	<0.1	103	2.70
1348930	Drill Core	4.35	10	0.9	3.2	5.0	22	<0.1	1.1	2.2	201	1.19	24.8	5.5	6.2	23	0.2	<0.1	<0.1	9	0.49
REP 1348930	QC		8																		
1348935	Drill Core	4.71	<2	0.5	21.7	4.5	72	0.1	5.5	16.6	890	4.26	10.7	1.3	1.6	130	0.2	<0.1	<0.1	79	3.04
REP 1348935	QC			0.5	19.9	4.6	72	0.1	5.3	16.1	892	4.18	10.6	2.2	1.5	130	0.2	<0.1	<0.1	78	2.96
1348956	Drill Core	4.12	2	1.0	29.6	10.9	82	0.3	19.5	12.9	634	3.16	15.1	4.4	3.9	94	0.5	<0.1	<0.1	60	1.71
REP 1348956	QC		2																		
1348970	Drill Core	1.03	388	14.3	170.0	3500.8	550	20.8	2.0	0.6	72	4.20	653.2	238.1	0.6	2	6.9	4.5	5.9	8	0.01
REP 1348970	QC			13.6	173.2	3750.1	565	20.0	2.2	0.6	73	4.24	655.0	408.1	0.7	2	6.5	4.5	5.9	8	0.01
Core Reject Duplicates																					
1348896	Drill Core	2.75	<2	0.3	15.4	2.8	73	0.1	8.8	18.5	760	3.66	4.8	<0.5	1.4	103	0.1	0.1	<0.1	75	2.55
DUP 1348896	QC		<2	0.2	14.9	2.7	75	<0.1	9.6	18.8	781	3.77	5.0	<0.5	1.4	110	<0.1	0.1	<0.1	78	2.62
1348934	Drill Core	5.26	4	0.5	34.1	3.3	70	0.1	5.5	16.9	794	3.66	3.8	4.2	0.9	92	0.1	<0.1	<0.1	58	2.48
DUP 1348934	QC		4	0.5	31.8	3.3	68	0.1	5.5	16.5	774	3.61	3.9	3.3	0.9	91	<0.1	<0.1	<0.1	57	2.47
Reference Materials																					
STD DS10	Standard			13.9	142.1	134.0	345	2.2	75.3	12.5	836	2.65	43.6	79.7	6.1	57	2.2	6.8	11.0	42	1.02
STD DS10	Standard			12.7	142.3	134.0	344	2.0	76.4	13.4	865	2.70	45.9	106.9	6.2	58	2.2	6.9	10.7	43	1.03
STD DS10	Standard			11.7	148.3	133.5	354	2.2	76.6	13.2	874	2.63	46.4	84.9	6.2	59	2.5	7.7	11.2	39	1.01
STD OREAS45EA	Standard			1.6	671.0	12.8	29	0.3	376.9	52.6	389	22.85	9.8	59.5	9.2	3	<0.1	0.3	0.2	302	0.04
STD OREAS45EA	Standard			1.5	672.9	12.5	28	0.3	372.1	52.5	383	23.00	9.5	47.9	9.1	3	<0.1	0.2	0.2	292	0.04
STD OREAS45EA	Standard			1.5	670.5	13.1	29	0.3	373.0	53.0	412	22.01	9.1	59.8	9.4	3	<0.1	0.2	0.2	315	0.04
STD OXC109	Standard		204																		
STD OXC109	Standard		197																		
STD OXC109	Standard		195																		
STD OXC109	Standard		205																		

QUALITY CONTROL REPORT

WHI13000524.1

Method		1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
Analyte		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga
Unit		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm
MDL		0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1
Pulp Duplicates																		
1348894	Drill Core	0.068	3	25	2.40	80	0.147	<20	2.41	0.023	0.17	1.6	<0.01	<0.1	0.64	4.8	<0.5	7
REP 1348894	QC																	<0.2
1348895	Drill Core	0.070	5	26	2.27	59	0.090	<20	2.40	0.014	0.12	0.8	<0.01	<0.1	0.40	7.2	<0.5	8
REP 1348895	QC	0.071	5	26	2.26	58	0.088	<20	2.38	0.014	0.12	0.8	<0.01	<0.1	0.40	7.4	<0.5	8
1348930	Drill Core	0.018	12	2	0.25	183	0.002	<20	0.44	0.055	0.19	<0.1	<0.01	<0.1	0.60	1.6	<0.5	2
REP 1348930	QC																	<0.2
1348935	Drill Core	0.063	5	4	1.40	74	0.027	<20	2.03	0.039	0.14	<0.1	<0.01	<0.1	0.70	7.5	<0.5	7
REP 1348935	QC	0.063	5	4	1.38	74	0.027	<20	1.99	0.039	0.14	<0.1	<0.01	<0.1	0.69	7.4	<0.5	7
1348956	Drill Core	0.070	8	28	1.39	229	0.041	<20	1.71	0.028	0.34	0.1	<0.01	0.1	0.34	7.7	0.8	6
REP 1348956	QC																	<0.2
1348970	Drill Core	0.008	2	5	0.02	52	<0.001	<20	0.15	0.004	0.09	0.1	0.03	<0.1	0.16	0.5	3.2	1
REP 1348970	QC	0.008	2	5	0.02	52	0.001	<20	0.16	0.004	0.09	0.2	0.02	<0.1	0.16	0.5	3.0	1
Core Reject Duplicates																		
1348896	Drill Core	0.054	5	20	1.86	112	0.062	<20	2.02	0.030	0.19	0.1	0.01	<0.1	0.60	5.3	<0.5	7
DUP 1348896	QC	0.057	5	21	1.91	122	0.066	<20	2.08	0.032	0.20	0.1	<0.01	<0.1	0.59	5.6	<0.5	7
1348934	Drill Core	0.068	4	5	1.41	48	0.068	<20	2.05	0.046	0.12	<0.1	<0.01	<0.1	0.23	4.6	<0.5	6
DUP 1348934	QC	0.068	4	5	1.36	48	0.066	<20	2.02	0.043	0.12	<0.1	<0.01	<0.1	0.24	4.3	<0.5	6
Reference Materials																		
STD DS10	Standard	0.073	15	55	0.74	381	0.069	<20	0.97	0.062	0.33	2.9	0.27	4.8	0.28	2.6	2.0	4
STD DS10	Standard	0.073	16	54	0.76	402	0.069	<20	0.99	0.063	0.33	3.1	0.29	5.1	0.29	2.8	1.8	4
STD DS10	Standard	0.074	15	55	0.77	403	0.070	<20	0.99	0.062	0.32	3.1	0.32	5.1	0.27	2.7	2.5	4
STD OREAS45EA	Standard	0.028	6	938	0.09	143	0.085	<20	3.10	0.019	0.05	<0.1	0.01	<0.1	<0.05	74.1	0.6	12
STD OREAS45EA	Standard	0.028	6	912	0.09	150	0.083	<20	3.03	0.018	0.05	<0.1	0.02	<0.1	<0.05	74.8	<0.5	12
STD OREAS45EA	Standard	0.029	6	914	0.10	153	0.083	<20	3.08	0.016	0.05	<0.1	0.02	<0.1	<0.05	77.4	<0.5	12
STD OXC109	Standard																	
STD OXC109	Standard																	
STD OXC109	Standard																	
STD OXC109	Standard																	

QUALITY CONTROL REPORT

WHI13000524.1

		WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	
		kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	
		0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	
STD OXI96	Standard	1858																			
STD OXI96	Standard	1839																			
STD OXI96	Standard	1786																			
STD OXI96	Standard	1835																			
STD DS10 Expected				14.69	154.61	150.55	352.9	1.96	74.6	12.9	861	2.7188	43.7	91.9	7.5	67.1	2.48	9.51	11.65	43	1.0355
STD OREAS45EA Expected				1.39	709	14.3	28.9	0.26	381	52	400	23.51	9.1	53	10.7	3.5	0.02	0.2	0.26	303	0.036
STD OXC109 Expected		201																			
STD OXI96 Expected		1802																			
BLK	Blank	<2																			
BLK	Blank	<2																			
BLK	Blank	2																			
BLK	Blank	<2																			
BLK	Blank	<2																			
BLK	Blank	<2																			
BLK	Blank			<0.1	<0.1	0.2	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	0.1	<0.1	<1	<0.01	1.3	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
BLK	Blank	2																			
BLK	Blank	<2																			
Prep Wash																					
G1-WHI	Prep Blank		<2	0.1	8.3	2.8	45	<0.1	6.9	4.0	555	1.99	<0.5	<0.5	4.5	53	<0.1	<0.1	<0.1	37	0.48
G1-WHI	Prep Blank		<2	0.1	4.0	2.8	45	<0.1	3.8	4.0	584	2.10	<0.5	<0.5	5.5	48	<0.1	<0.1	<0.1	39	0.46

QUALITY CONTROL REPORT

WHI13000524.1

		1DX P %	1DX La ppm	1DX Cr ppm	1DX Mg %	1DX Ba ppm	1DX Ti %	1DX B ppm	1DX Al %	1DX Na %	1DX K %	1DX W ppm	1DX Hg ppm	1DX Tl ppm	1DX S %	1DX Sc ppm	1DX Se ppm	1DX Ga ppm	1DX Te ppm
		0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2
STD OXI96	Standard																		
STD OXI96	Standard																		
STD OXI96	Standard																		
STD OXI96	Standard																		
STD DS10 Expected		0.073	17.5	54.6	0.7651	349	0.0817		1.0259	0.0638	0.3245	3.34	0.289	4.79	0.2743	2.8	2.3	4.3	4.89
STD OREAS45EA Expected		0.029	6.57	849	0.095	148	0.0875		3.13	0.02	0.053			0.072	0.036	78	0.6	11.7	0.07
STD OXC109 Expected																			
STD OXI96 Expected																			
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.05	<0.1	<0.5	<1	<0.2
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.05	<0.1	<0.5	<1	<0.2
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.05	<0.1	<0.5	<1	<0.2
BLK	Blank																		
BLK	Blank																		
Prep Wash																			
G1-WHI	Prep Blank	0.067	11	7	0.49	161	0.117	<20	0.95	0.088	0.47	<0.1	<0.01	0.3	<0.05	2.3	<0.5	5	<0.2
G1-WHI	Prep Blank	0.073	13	7	0.49	155	0.116	<20	0.88	0.087	0.48	<0.1	<0.01	0.3	<0.05	2.4	<0.5	5	<0.2