

GEOTECHNICAL LOG

HOLE: LEA-10-01

From (m)	To (m)	Interval (m)	Recovery (m)	Recovery (%)	RQD (m)	RQD (%)	Hardness	Weathering	Comments
0.00	6.10	6.10	0.20	3	0	0		MW	
6.10	7.62	1.52	2.60	171	0.00	0		W	
7.62	9.14	1.52	1.05	69	0.40	26		W	
9.14	10.67	1.53	1.42	93	0.95	62		FR	
10.67	12.19	1.52	1.47	97	1.15	76		FR	
12.19	13.72	1.53	1.38	90	0.64	42		MW	
13.72	15.24	1.52	1.51	99	0.96	63		MW	
15.24	17.06	1.82	1.54	85	0.90	49		F	
17.06	18.59	1.53	1.52	99	1.45	95		F	
18.59	20.11	1.52	1.52	100	1.42	93		F	
20.11	21.64	1.53	1.40	92	1.29	84		F	
21.64	23.16	1.52	1.50	99	1.40	92		F	
23.16	24.69	1.53	1.42	93	1.20	78		F	
24.69	26.21	1.52	1.17	77	1.02	67		F	
26.21	27.73	1.52	1.35	89	1.21	80		SW	
27.73	29.26	1.53	1.40	92	0.94	61		F	
29.26	30.78	1.52	1.43	94	1.03	68		F	
30.78	32.30	1.52	1.52	100	1.30	86		F	End of NTW - Start of BTW
32.30	32.91	0.61	0.40	66	0.00	0		F	
32.91	35.97	3.06	3.02	99	2.96	97		F	
35.97	39.01	3.04	2.83	93	2.26	74		F	
39.01	42.06	3.05	2.60	85	1.00	33		F	
42.06	45.11	3.05	3.06	100	2.89	95		F	
45.11	48.15	3.04	3.04	100	2.95	97		F	
48.15	51.20	3.05	3.04	100	2.99	98		F	
51.20	54.25	3.05	3.05	100	2.94	96		F	
54.25	57.30	3.05	3.00	98	2.94	96		F	
57.30	60.35	3.05	3.06	100	0.15	5		MW	
60.35	63.39	3.04	3.03	100	0.00	0		MW	
63.39	66.45	3.06	2.90	95	0.95	31		SW	
66.45	69.49	3.04	2.85	94	0.45	15		SW	
69.49	72.54	3.05	3.05	100	2.84	93		F	
72.54	75.59	3.05	3.03	99	2.25	74		F	
75.59	78.63	3.04	2.60	86	1.95	64		F	
78.63	81.68	3.05	2.61	86	1.78	58		SW	
81.68	84.73	3.05	3.04	100	2.89	95		FR	
84.73	87.78	3.05	2.96	97	2.80	92		FR	
87.78	90.83	3.05	3.01	99	2.94	96		FR	
90.83	93.88	3.05	2.97	97	2.80	92		FR	
93.88	96.93	3.05	3.07	101	2.99	98		FR	
96.93	99.97	3.04	3.08	101	3.00	99		FR	
99.97	103.02	3.05	3.08	101	2.94	96		FR	
103.02	106.07	3.05	2.85	93	1.26	41		FR	
106.07	109.11	3.04	3.04	100	2.89	95		FR	
109.11	112.17	3.06	3.08	101	2.67	87		FR	
112.17	115.21	3.04	3.07	101	2.84	93		FR	
115.21	118.26	3.05	2.97	97	2.80	92		FR	
118.26	121.31	3.05	3.00	98	2.89	95		FR	
121.31	124.36	3.05	3.02	99	2.78	91		SW	
124.36	127.41	3.05	1.40	46	1.32	43		SW	

GEOTECHNICAL LOG

From (m)	To (m)	Interval (m)	Recovery (m)	Recovery (%)	RQD (m)	RQD (%)	Hardness	Weathering	Comments
127.41	130.45	3.04	2.91	96	1.55	51		MW	
130.45	133.50	3.05	2.80	92	2.20	72		SW	
133.50	136.55	3.05	2.57	84	1.98	65		SW	
136.55	139.60	3.05	3.09	101	2.30	75		FR	
EOH									