

Depth in Metres
from collar

L.C.-3

Moisture
%Ash
%Volatile
Matter
%Fixed
Carbon
%Sulphur
%Calorific
Value
BTU/lb.

40							
42							
44							
46							
48							
50	— 2.1m	35.13 as recvd.	15.41	29.40	20.06	0.21	5,747
52		dry basis	23.75	45.33	30.92	0.33	8,859
54							
56							
58							
60							
62							
64							
66							
68							
70							
72							
74							
76							
78							
80	— 1.2m	35.97	18.36	25.87	19.80	0.26	6,319
82			28.68	40.41	30.91	0.40	8,200
84							
86	0.5m	27.58	47.73	18.90	5.79	0.09	2,641
88			65.91	26.10	7.99	0.13	3,647
90	0.5m	30.41	36.67	21.61	11.31	0.14	3,735
92			52.69	31.05	16.26	0.20	5,367
94							
96	0.5m	26.15	51.37	17.04	5.44	0.07	2,348
98			69.55	23.07	7.38	0.10	3,180
100							
102	0.5m	27.95	41.86	22.25	7.94	0.13	3,286
104			58.10	30.88	11.02	0.18	4,561
106							
108	0.5m	31.06	31.97	24.21	12.76	0.14	4,087
110			46.37	35.11	18.52	0.21	6,016
112							
114	0.5m	37.40	19.95	25.30	17.35	0.17	4,884
116			31.87	40.41	27.72	0.28	7,802
118							
120	0.5m	32.80	33.13	22.49	11.58	0.11	3,766
122			49.30	33.47	17.23	0.17	5,604
124							
126	0.5m	36.70	20.49	25.42	17.39	0.20	4,859
128			32.36	40.16	27.48	0.31	7,676
130							
132	0.5m	41.11	9.78	29.80	19.31	0.18	6,020
134			16.61	50.60	32.79	0.30	10,222
136							
138	0.5m	39.68	10.27	30.41	19.64	0.19	6,124
140			17.03	50.41	32.56	0.32	10,153
142							
144	0.5m	35.06	30.77	19.81	14.36	0.15	3,845
146			47.38	30.50	22.12	0.23	5,921
148							
150	0.5m	39.87	14.92	26.46	18.75	0.16	5,258
152			24.81	44.00	31.19	0.27	8,744
154							
156	0.5m	38.17	15.47	30.18	16.18	0.20	5,376
158			25.03	48.81	26.16	0.32	8,695
160							
162	0.4m	40.53	11.66	27.32	20.49	0.23	5,716
164			19.61	45.94	34.45	0.39	9,611

Figure VI

Placer Development Limited

LIARD COAL-V-162

D.D.H. L.C.-3 graphic log showing coal intersections
and proximate analyses.

May 15, 1978 — Scale 1:500 — I.B. — A.K.