



# Chemex Labs Ltd.

Analytical Chemists \* Geochemists \* Registered Assayers  
212 Brooksbank Ave., North Vancouver  
British Columbia, Canada V7J 2C1  
PHONE: 604-984-0221

ARCHER CATHRO & ASSOC. (1981) LTD.

P.O. BOX 4127  
WHITEHORSE, YT  
Y1A 3S9

Project : L00N-93-1  
Comments:

Page Number : 1-A  
Total Pages : 1  
Certificate Date: 14-JUL-93  
Invoice No. : I9316839  
P.O. Number :  
Account : F

## CERTIFICATE OF ANALYSIS

A9316839

SAMPLE	PREP CODE	Au ppb FA+AA	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
H529501	208 274	< 5	< 0.2	0.69	4	50	< 0.5	< 2	2.67	< 0.5	4	70	96	1.19	< 10	< 1	0.19	10	0.38	365
H529502	208 274	< 5	0.4	2.49	16	60	0.5	< 2	4.09	< 0.5	14	49	38	4.40	10	< 1	0.22	10	1.75	885
H529503	208 274	< 5	< 0.2	1.36	6	50	< 0.5	< 2	5.65	< 0.5	10	57	184	2.58	< 10	< 1	0.19	< 10	1.11	760
H529504	208 274	< 5	< 0.2	1.57	20	60	< 0.5	< 2	0.59	< 0.5	12	53	244	3.41	10	< 1	0.21	20	0.92	365
H529505	208 274	< 5	< 0.2	1.55	12	70	< 0.5	2	0.43	< 0.5	11	48	32	3.34	10	< 1	0.23	20	0.90	330
H529506	208 274	< 5	< 0.2	0.59	2	50	< 0.5	< 2	1.10	< 0.5	4	85	15	1.08	< 10	< 1	0.21	20	0.30	185
H529507	208 274	< 5	< 0.2	3.18	30	30	< 0.5	< 2	5.15	< 0.5	20	224	11	4.57	10	< 1	0.11	< 10	2.96	1020
H529508	208 274	< 5	< 0.2	0.69	2	20	< 0.5	< 2	6.65	< 0.5	4	78	17	1.57	< 10	< 1	0.08	< 10	0.37	890
H529509	208 274	< 5	< 0.2	0.43	4	40	< 0.5	< 2	1.80	< 0.5	3	88	19	0.76	< 10	< 1	0.20	10	0.17	290
H529510	208 274	< 5	< 0.2	0.93	6	70	< 0.5	< 2	3.57	< 0.5	7	82	58	1.70	< 10	< 1	0.26	< 10	0.45	520
H529511	208 274	< 5	< 0.2	1.08	2	50	< 0.5	< 2	3.84	< 0.5	6	86	25	2.01	< 10	< 1	0.22	< 10	0.60	530
H529512	208 274	< 5	< 0.2	0.69	6	100	< 0.5	< 2	5.09	< 0.5	3	110	19	1.09	< 10	< 1	0.17	< 10	0.37	390
H529513	208 274	< 5	2.6	0.62	8	150	< 0.5	< 2	9.91	< 0.5	5	65	88	1.14	< 10	< 1	0.14	< 10	0.40	555
H529514	208 274	< 5	< 0.2	0.22	4	30	< 0.5	< 2	>15.00	< 0.5	6	17	11	0.51	< 10	< 1	0.08	10	0.19	750
H529515	208 274	< 5	< 0.2	0.49	8	30	< 0.5	< 2	>15.00	< 0.5	5	23	15	0.94	< 10	< 1	0.11	< 10	0.33	590
H529516	208 274	< 5	< 0.2	0.52	6	20	< 0.5	< 2	6.80	< 0.5	6	50	18	1.06	< 10	< 1	0.07	< 10	0.30	650
H529517	208 274	< 5	0.2	1.16	6	40	< 0.5	< 2	4.17	< 0.5	11	116	41	1.92	< 10	< 1	0.20	< 10	0.78	690
H529518	208 274	< 5	< 0.2	1.14	16	70	< 0.5	< 2	1.82	< 0.5	19	78	28	1.99	< 10	< 1	0.32	20	0.62	355
H529519	208 274	< 5	< 0.2	1.43	10	60	< 0.5	< 2	1.59	< 0.5	9	83	30	2.73	10	< 1	0.24	20	0.79	365
H529520	208 274	< 5	< 0.2	0.62	< 2	50	< 0.5	< 2	5.75	< 0.5	3	66	28	1.30	< 10	< 1	0.03	< 10	0.43	480
H529521	208 274	< 5	< 0.2	1.74	8	70	< 0.5	< 2	3.51	< 0.5	14	90	37	3.01	< 10	< 1	0.17	< 10	1.26	730
H529522	208 274	< 5	< 0.2	3.39	24	20	< 0.5	< 2	9.10	< 0.5	30	552	70	3.92	< 10	< 1	0.13	< 10	3.52	1085
H529523	208 274	< 5	< 0.2	0.42	4	110	< 0.5	< 2	>15.00	< 0.5	4	47	26	0.72	< 10	< 1	0.10	< 10	0.35	780
H529524	208 274	< 5	2.2	1.34	4	90	< 0.5	< 2	8.37	< 0.5	15	162	68	2.11	< 10	< 1	0.13	< 10	1.35	970

CERTIFICATION:

*Hart Bickler*



# Chemex Labs Ltd.

Analytical Chemists \* Geochemists \* Registered Assayers

212 Brooksbank Ave., North Vancouver

British Columbia, Canada V7J 2C1

PHONE: 604-984-0221

ARCHER CATHRO & ASSOC. (1981) LTD.

P.O. BOX 4127  
WHITEHORSE, YT  
Y1A 3S9

Project : L00N-93-1  
Comments:

Page Number : 1-B  
Total Pages : 1  
Certificate Date: 14-JUL-93  
Invoice No. : I9316839  
P.O. Number :  
Account : F

## CERTIFICATE OF ANALYSIS

A9316839

SAMPLE	PREP CODE	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
H529501	208 274	< 1	0.01	9	270	8	< 2	1	84 < 0.01	< 10	< 10	< 10	7	< 10	42
H529502	208 274	< 1	< 0.01	25	680	8	2	5	204 < 0.01	< 10	< 10	< 10	49	< 10	118
H529503	208 274	< 1	0.01	16	470	2	< 2	4	169 < 0.01	< 10	< 10	< 10	39	< 10	38
H529504	208 274	1	0.01	24	210	4	< 2	1	30 < 0.01	< 10	< 10	< 10	12	< 10	74
H529505	208 274	1	0.01	22	220	4	2	1	30 < 0.01	< 10	< 10	< 10	8	< 10	68
H529506	208 274	< 1	0.01	9	120	4	< 2	< 1	69 < 0.01	< 10	< 10	< 10	3	< 10	24
H529507	208 274	< 1	0.01	40	520	6	4	14	303 < 0.01	< 10	< 10	< 10	119	10	76
H529508	208 274	< 1	0.01	6	1270	14	< 2	1	271 < 0.01	< 10	< 10	< 10	7	< 10	48
H529509	208 274	1	0.01	9	110	6	< 2	< 1	74 < 0.01	< 10	< 10	< 10	2	< 10	30
H529510	208 274	< 1	0.01	17	620	14	< 2	1	234 < 0.01	< 10	< 10	< 10	5	< 10	62
H529511	208 274	< 1	0.01	15	160	14	< 2	1	150 < 0.01	< 10	< 10	< 10	9	< 10	110
H529512	208 274	< 1	0.04	8	150	4	2	2	195 < 0.01	< 10	< 10	< 10	8	< 10	38
H529513	208 274	< 1	0.01	11	200	8	2	2	279 < 0.01	< 10	< 10	< 10	7	10	56
H529514	208 274	< 1	0.01	6	100	8	2	2	21 < 0.01	< 10	< 10	< 10	1	< 10	30
H529515	208 274	< 1	0.01	9	220	12	2	2	605 < 0.01	< 10	< 10	< 10	2	< 10	50
H529516	208 274	< 1	0.04	11	170	8	2	2	321 < 0.01	< 10	< 10	< 10	7	< 10	90
H529517	208 274	1	0.02	19	340	14	< 2	4	89 < 0.01	< 10	< 10	< 10	22	< 10	82
H529518	208 274	2	0.01	30	230	16	2	1	57 < 0.01	< 10	< 10	< 10	7	< 10	64
H529519	208 274	< 1	0.01	19	210	12	< 2	2	66 < 0.01	10	< 10	< 10	10	< 10	38
H529520	208 274	< 1	0.01	9	270	4	2	3	158 < 0.01	< 10	< 10	< 10	13	< 10	26
H529521	208 274	< 1	0.02	21	280	12	< 2	4	72 < 0.01	< 10	< 10	< 10	36	< 10	58
H529522	208 274	< 1	< 0.01	90	340	12	2	23	287 < 0.01	< 10	< 10	< 10	113	30	72
H529523	208 274	< 1	0.01	7	140	14	< 2	2	410 < 0.01	< 10	< 10	< 10	7	10	34
H529524	208 274	< 1	0.03	38	380	24	2	8	211 < 0.01	< 10	< 10	< 10	36	90	80

CERTIFICATION:

*Hart Bickler*