



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221

ARCHER CATHRO & ASSOC. (1981) LTD.

P.O. BOX 4127
WHITEHORSE, YT
Y1A 3S9

Project: LOON-93-2
Comments:

Page No. : 1-A
Total Pages : 1
Certificate Date: 20-JUL-93
Invoice No. : I9316842
P.O. Number :
Account : F

CERTIFICATE OF ANALYSIS

A9316842

| SAMPLE | PREP CODE | Au oz/T FA+AA | Cu % | Ag ppm | Al % | As ppm | Ba ppm | Be ppm | Bi ppm | Ca % | Cd ppm | Co ppm | Cr ppm | Cu ppm | Fe % | Ga ppm | Hg ppm | K % | La ppm | Mg % |
|---------|-----------|------------------|------|--------|------|--------|--------|--------|--------|------|--------|--------|--------|--------|------|--------|--------|------|--------|--------|
| R529525 | 208 274 | 0.0015 | 0.47 | 2.6 | 0.59 | 4 | 30 | < 0.5 | 6 | 0.64 | 2.0 | 5 | 201 | 5100 | 1.85 | < 10 | 2 | 0.19 | 10 | 0.20 |
| R529526 | 208 274 | 0.0015 | 0.69 | 3.8 | 0.44 | 8 | 20 | < 0.5 | 8 | 0.20 | 1.0 | 7 | 182 | 7380 | 2.20 | < 10 | < 1 | 0.11 | 10 | 0.14 |
| R529527 | 208 274 | 0.0025 | 0.98 | 6.4 | 0.62 | 24 | 40 | < 0.5 | 18 | 0.10 | < 0.5 | 4 | 261 | >10000 | 2.77 | 10 | < 1 | 0.18 | 10 | 0.09 |
| R529528 | 208 274 | 0.0010 | 0.11 | 0.6 | 0.44 | < 2 | 30 | < 0.5 | < 2 | 0.07 | 12.0 | 6 | 312 | 1205 | 1.22 | < 10 | 1 | 0.14 | 10 | 0.07 |
| R529529 | 208 274 | <0.0005 | 0.16 | 0.8 | 0.47 | 12 | 20 | < 0.5 | 4 | 0.05 | 2.5 | 4 | 328 | 1685 | 1.33 | < 10 | < 1 | 0.15 | 10 | 0.09 |
| R529530 | 208 274 | <0.0005 | 0.16 | 0.6 | 0.24 | < 2 | 20 | < 0.5 | 2 | 0.13 | 6.5 | 3 | 232 | 1775 | 0.75 | < 10 | < 1 | 0.11 | < 10 | 0.04 |
| R529531 | 208 274 | <0.0005 | 0.16 | 0.6 | 0.18 | 4 | 10 | < 0.5 | < 2 | 0.03 | 1.5 | 3 | 219 | 1680 | 0.67 | < 10 | < 1 | 0.08 | < 10 | 0.02 |
| R529532 | 208 274 | 0.0010 | 0.25 | 1.6 | 0.25 | 8 | 10 | < 0.5 | 2 | 0.02 | 0.5 | 3 | 173 | 2720 | 0.94 | < 10 | < 1 | 0.11 | < 10 | 0.02 |
| R529533 | 208 274 | 0.0110 | 0.44 | 3.6 | 0.13 | 4 | 10 | < 0.5 | 2 | 0.02 | 0.5 | 4 | 241 | 4920 | 1.17 | < 10 | < 1 | 0.09 | < 10 | 0.01 |
| R529534 | 208 274 | 0.0065 | 0.40 | 2.6 | 0.13 | 2 | 10 | < 0.5 | 4 | 0.02 | 0.5 | 3 | 194 | 4210 | 0.97 | < 10 | < 1 | 0.09 | < 10 | 0.01 |
| R529535 | 208 274 | 0.0015 | 0.21 | 1.0 | 0.10 | < 2 | < 10 | < 0.5 | 2 | 0.03 | 1.5 | 3 | 262 | 1870 | 0.69 | < 10 | < 1 | 0.06 | < 10 | 0.01 |
| R529536 | 208 274 | <0.0005 | 0.08 | 0.4 | 0.03 | 2 | 10 | < 0.5 | < 2 | 0.03 | 2.0 | 1 | 165 | 710 | 0.39 | < 10 | < 1 | 0.01 | < 10 | < 0.01 |
| R529537 | 208 274 | <0.0005 | 0.17 | 1.2 | 0.07 | < 2 | < 10 | < 0.5 | < 2 | 0.01 | 0.5 | 2 | 232 | 2160 | 0.55 | < 10 | < 1 | 0.04 | < 10 | 0.01 |
| R529538 | 208 274 | 0.0085 | 0.45 | 2.0 | 0.07 | 6 | < 10 | < 0.5 | 10 | 0.02 | 7.0 | 3 | 181 | 4910 | 0.76 | < 10 | 1 | 0.04 | < 10 | < 0.01 |
| R529539 | 208 274 | 0.0145 | 0.32 | 1.8 | 0.20 | 12 | 20 | < 0.5 | < 2 | 0.02 | 1.0 | 2 | 271 | 3470 | 0.79 | < 10 | < 1 | 0.16 | < 10 | 0.01 |
| R529540 | 208 274 | 0.0125 | 0.41 | 2.2 | 0.08 | 6 | 10 | < 0.5 | 2 | 0.01 | < 0.5 | 2 | 208 | 4470 | 0.73 | < 10 | < 1 | 0.08 | < 10 | < 0.01 |
| R529541 | 208 274 | 0.0205 | 0.70 | 2.6 | 0.11 | 10 | 10 | < 0.5 | 6 | 0.16 | 0.5 | 4 | 190 | 7970 | 0.97 | < 10 | 1 | 0.08 | < 10 | 0.06 |
| R529542 | 208 274 | 0.0140 | 0.65 | 4.0 | 0.13 | 16 | 10 | < 0.5 | 12 | 0.55 | 1.5 | 10 | 202 | 6770 | 1.31 | < 10 | 1 | 0.06 | 10 | 0.23 |
| R529543 | 208 274 | 0.0220 | 1.28 | 5.2 | 0.09 | < 2 | < 10 | < 0.5 | 6 | 0.12 | 1.0 | 10 | 175 | >10000 | 1.55 | < 10 | < 1 | 0.04 | < 10 | 0.04 |
| R529544 | 208 274 | 0.0250 | 3.27 | 14.6 | 0.10 | 20 | < 10 | < 0.5 | 20 | 0.01 | < 0.5 | 11 | 136 | >10000 | 4.20 | < 10 | < 1 | 0.04 | < 10 | 0.01 |
| R529545 | 208 274 | 0.0025 | 0.85 | 2.6 | 0.18 | < 2 | 20 | < 0.5 | 6 | 0.17 | 0.5 | 11 | 193 | 9060 | 1.04 | < 10 | < 1 | 0.10 | < 10 | 0.07 |
| R529546 | 208 274 | <0.0005 | 0.33 | 0.2 | 0.06 | 6 | < 10 | < 0.5 | < 2 | 0.20 | 0.5 | 5 | 240 | 3670 | 0.59 | < 10 | < 1 | 0.02 | < 10 | 0.07 |
| R529547 | 208 274 | <0.0005 | 0.38 | < 0.2 | 0.03 | < 2 | < 10 | < 0.5 | 4 | 0.04 | 0.5 | 3 | 241 | 4160 | 0.41 | < 10 | < 1 | 0.02 | < 10 | 0.01 |
| R529548 | 208 274 | <0.0005 | 0.61 | 0.2 | 0.03 | 2 | < 10 | < 0.5 | 2 | 0.06 | 3.5 | 2 | 242 | 6600 | 0.44 | < 10 | < 1 | 0.01 | < 10 | 0.02 |
| R529549 | 208 274 | <0.0005 | 0.33 | 0.2 | 0.02 | < 2 | < 10 | < 0.5 | 2 | 0.03 | < 0.5 | 1 | 156 | 3550 | 0.44 | < 10 | < 1 | 0.01 | < 10 | 0.01 |
| R529550 | 208 274 | <0.0005 | 0.21 | 0.2 | 0.02 | 2 | < 10 | < 0.5 | 2 | 0.12 | 0.5 | 1 | 138 | 2290 | 0.38 | < 10 | 1 | 0.01 | < 10 | 0.03 |
| R529551 | 208 274 | <0.0005 | 0.24 | 0.4 | 0.06 | 2 | < 10 | < 0.5 | < 2 | 0.03 | 0.5 | 3 | 186 | 2880 | 0.42 | < 10 | < 1 | 0.04 | < 10 | 0.01 |
| R529552 | 208 274 | <0.0005 | 0.04 | < 0.2 | 0.22 | < 2 | 40 | < 0.5 | < 2 | 0.30 | < 0.5 | 4 | 145 | 395 | 0.71 | < 10 | < 1 | 0.02 | < 10 | 0.17 |

CERTIFICATION:

Thai



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221

ARCHER CATHRO & ASSOC. (1981) LTD.

P.O. BOX 4127
WHITEHORSE, YT
Y1A 3S9

Project : LOON-93-2
Comments:

Page Number : 1-B
Total Pages : 1
Certificate Date: 20-JUL-93
Invoice No. : I9316842
P.O. Number :
Account : F

CERTIFICATE OF ANALYSIS

A9316842

| SAMPLE | PREP CODE | Mn ppm | Mo ppm | Na % | Ni ppm | P ppm | Pb ppm | Sb ppm | Sc ppm | Sr ppm | Ti % | Tl ppm | -U ppm | V ppm | W ppm | Zn ppm |
|---------|-----------|--------|--------|------|--------|-------|--------|--------|--------|--------|--------|--------|--------|-------|-------|--------|
| H529525 | 208 274 | 205 | < 1 | 0.03 | 12 | 260 | 1530 | < 2 | 1 | 10 | < 0.01 | 10 | < 10 | 16 | < 10 | 860 |
| H529526 | 208 274 | 110 | < 1 | 0.03 | 16 | 160 | 938 | 2 | 1 | 7 | < 0.01 | 10 | < 10 | 10 | < 10 | 444 |
| H529527 | 208 274 | 75 | 2 | 0.03 | 9 | 200 | 292 | < 2 | 1 | 13 | < 0.01 | 30 | < 10 | 12 | < 10 | 170 |
| H529528 | 208 274 | 65 | 1 | 0.03 | 9 | 110 | 456 | < 2 | < 1 | 8 | < 0.01 | 20 | < 10 | 10 | < 10 | 3860 |
| H529529 | 208 274 | 50 | 1 | 0.03 | 12 | 110 | 66 | < 2 | < 1 | 4 | < 0.01 | 20 | < 10 | 10 | < 10 | 838 |
| H529530 | 208 274 | 80 | < 1 | 0.02 | 6 | 50 | 88 | < 2 | < 1 | 4 | < 0.01 | 20 | < 10 | 4 | < 10 | 1545 |
| H529531 | 208 274 | 60 | < 1 | 0.02 | 8 | 30 | 170 | < 2 | < 1 | 2 | < 0.01 | 20 | < 10 | 2 | < 10 | 714 |
| H529532 | 208 274 | 35 | 1 | 0.02 | 2 | 30 | 336 | < 2 | < 1 | 2 | < 0.01 | 20 | < 10 | 2 | < 10 | 358 |
| H529533 | 208 274 | 30 | 1 | 0.02 | 5 | 40 | 252 | < 2 | < 1 | 2 | < 0.01 | 20 | < 10 | 3 | < 10 | 348 |
| H529534 | 208 274 | 35 | < 1 | 0.02 | 4 | 30 | 180 | < 2 | < 1 | 2 | < 0.01 | 20 | < 10 | 2 | < 10 | 454 |
| H529535 | 208 274 | 30 | 1 | 0.02 | 6 | 20 | 98 | < 2 | < 1 | 1 | < 0.01 | 20 | < 10 | 2 | < 10 | 710 |
| H529536 | 208 274 | 25 | < 1 | 0.02 | 2 | < 10 | 194 | < 2 | < 1 | 1 | < 0.01 | 10 | < 10 | < 1 | < 10 | 768 |
| H529537 | 208 274 | 25 | 1 | 0.02 | 3 | < 10 | 76 | < 2 | < 1 | 1 | < 0.01 | 30 | < 10 | 4 | < 10 | 294 |
| H529538 | 208 274 | 40 | 1 | 0.02 | 4 | 30 | 352 | < 2 | < 1 | 1 | < 0.01 | 20 | < 10 | < 1 | < 10 | 2590 |
| H529539 | 208 274 | 20 | 1 | 0.02 | 6 | 30 | 124 | < 2 | < 1 | 2 | < 0.01 | 20 | < 10 | 4 | < 10 | 576 |
| H529540 | 208 274 | 10 | < 1 | 0.01 | 3 | 20 | 50 | < 2 | < 1 | 1 | < 0.01 | 20 | < 10 | < 1 | < 10 | 96 |
| H529541 | 208 274 | 90 | < 1 | 0.02 | 4 | 40 | 244 | < 2 | < 1 | 5 | < 0.01 | 10 | < 10 | 3 | < 10 | 266 |
| H529542 | 208 274 | 315 | < 1 | 0.01 | 7 | 50 | 4080 | < 2 | 1 | 15 | < 0.01 | 20 | < 10 | 4 | < 10 | 380 |
| H529543 | 208 274 | 175 | 1 | 0.02 | 6 | 50 | 318 | < 2 | < 1 | 4 | < 0.01 | 20 | < 10 | 4 | 20 | 236 |
| H529544 | 208 274 | 45 | 2 | 0.01 | 13 | 100 | 160 | < 2 | 1 | 1 | < 0.01 | < 10 | < 10 | 3 | < 10 | 248 |
| H529545 | 208 274 | 130 | 1 | 0.02 | 7 | 70 | 64 | < 2 | < 1 | 7 | < 0.01 | 20 | < 10 | 8 | < 10 | 164 |
| H529546 | 208 274 | 85 | < 1 | 0.02 | 2 | 20 | 46 | < 2 | < 1 | 7 | < 0.01 | 20 | < 10 | < 1 | < 10 | 176 |
| H529547 | 208 274 | 35 | < 1 | 0.02 | 3 | < 10 | 34 | < 2 | < 1 | 2 | < 0.01 | 10 | < 10 | 1 | < 10 | 138 |
| H529548 | 208 274 | 30 | < 1 | 0.02 | 2 | 20 | 36 | < 2 | < 1 | 2 | < 0.01 | 20 | < 10 | 1 | < 10 | 1220 |
| H529549 | 208 274 | 20 | < 1 | 0.01 | 2 | 10 | 34 | < 2 | < 1 | 1 | < 0.01 | 10 | < 10 | < 1 | < 10 | 118 |
| H529550 | 208 274 | 35 | < 1 | 0.02 | 4 | < 10 | 20 | < 2 | < 1 | 3 | < 0.01 | 10 | < 10 | < 1 | < 10 | 120 |
| H529551 | 208 274 | 20 | < 1 | 0.01 | 3 | 10 | 42 | < 2 | < 1 | 2 | < 0.01 | 20 | < 10 | < 1 | < 10 | 252 |
| H529552 | 208 274 | 80 | < 1 | 0.02 | 7 | 110 | 10 | < 2 | < 1 | 15 | < 0.01 | < 10 | < 10 | 3 | < 10 | 66 |

CERTIFICATION:

Thamre



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221

ARCHER CATHRO & ASSOC. (1981) LTD.

P.O. BOX 4127
WHITEHORSE, YT
Y1A 3S9

Project : LOON-93-2
Comments:

Page Number : 1-A
Total Pages : 1
Certificate Date: 15-JUL-93
Invoice No. : 19316844
P.O. Number :
Account : F

CERTIFICATE OF ANALYSIS

A9316844

| SAMPLE | PREP CODE | | Au ppb FA+AA | Ag ppm | Al % | As ppm | Ba ppm | Be ppm | Bi ppm | Ca % | Cd ppm | Co ppm | Cr ppm | Cu ppm | Fe % | Ga ppm | Hg ppm | K % | La ppm | Mg % | Mn ppm |
|---------|-----------|-----|-----------------|--------|------|--------|--------|--------|--------|------|--------|--------|--------|--------|------|--------|--------|------|--------|------|--------|
| H529553 | 208 | 274 | 15 | < 0.2 | 1.96 | 14 | 80 | < 0.5 | < 2 | 1.53 | 0.5 | 21 | 121 | 67 | 3.47 | < 10 | < 1 | 0.08 | 20 | 1.17 | 350 |
| H529554 | 208 | 274 | < 5 | < 0.2 | 4.11 | < 2 | 270 | 0.5 | < 2 | 2.19 | < 0.5 | 11 | 17 | 56 | 6.44 | 20 | < 1 | 0.18 | 60 | 2.01 | 395 |
| H529555 | 208 | 274 | < 5 | < 0.2 | 2.41 | < 2 | 400 | 0.5 | < 2 | 2.74 | < 0.5 | 13 | 66 | 20 | 3.83 | 10 | < 1 | 0.27 | 20 | 1.40 | 520 |
| H529556 | 208 | 274 | < 5 | < 0.2 | 1.20 | < 2 | 20 | < 0.5 | < 2 | 2.99 | < 0.5 | 8 | 104 | 10 | 2.13 | < 10 | < 1 | 0.03 | < 10 | 1.29 | 635 |
| H529557 | 208 | 274 | < 5 | < 0.2 | 2.42 | < 2 | 40 | 0.5 | < 2 | 1.36 | 0.5 | 20 | 103 | 11 | 3.57 | 10 | < 1 | 0.15 | 10 | 1.90 | 560 |
| H529558 | 208 | 274 | < 5 | 8.2 | 1.42 | < 2 | 70 | < 0.5 | < 2 | 2.45 | 0.5 | 12 | 120 | 54 | 2.20 | < 10 | < 1 | 0.08 | 10 | 1.10 | 510 |
| H529559 | 208 | 274 | < 5 | < 0.2 | 3.48 | < 2 | 810 | 0.5 | < 2 | 4.24 | 0.5 | 13 | 12 | 42 | 4.16 | 10 | < 1 | 0.53 | 70 | 2.05 | 775 |
| H529560 | 208 | 274 | < 5 | < 0.2 | 0.78 | 12 | 100 | < 0.5 | < 2 | 4.29 | < 0.5 | 14 | 81 | 139 | 1.40 | < 10 | < 1 | 0.15 | 10 | 0.75 | 955 |
| H529561 | 208 | 274 | < 5 | < 0.2 | 3.21 | 14 | 900 | 0.5 | < 2 | 2.95 | < 0.5 | 12 | 11 | 65 | 4.27 | 10 | < 1 | 0.56 | 70 | 1.81 | 570 |
| H529562 | 208 | 274 | < 5 | < 0.2 | 1.23 | 12 | 80 | 0.5 | < 2 | 0.78 | < 0.5 | 9 | 136 | 303 | 2.08 | < 10 | < 1 | 0.22 | 10 | 0.85 | 210 |
| H529563 | 208 | 274 | < 5 | 1.4 | 1.51 | < 2 | 130 | 0.5 | < 2 | 1.06 | < 0.5 | 10 | 92 | 99 | 3.42 | < 10 | < 1 | 0.23 | 10 | 0.86 | 320 |
| H529564 | 208 | 274 | < 5 | 1.8 | 1.48 | 6 | 150 | < 0.5 | < 2 | 1.43 | < 0.5 | 14 | 64 | 180 | 3.11 | < 10 | < 1 | 0.21 | 10 | 0.96 | 400 |
| H529565 | 208 | 274 | < 5 | < 0.2 | 1.38 | < 2 | 130 | < 0.5 | < 2 | 0.49 | < 0.5 | 6 | 178 | 22 | 1.53 | < 10 | < 1 | 0.48 | 10 | 0.37 | 140 |
| H529566 | 208 | 274 | < 5 | < 0.2 | 0.90 | < 2 | 110 | < 0.5 | < 2 | 0.76 | < 0.5 | 4 | 149 | 39 | 1.46 | < 10 | < 1 | 0.18 | 10 | 0.45 | 195 |
| H529567 | 208 | 274 | < 5 | < 0.2 | 0.80 | 6 | 20 | < 0.5 | < 2 | 0.36 | < 0.5 | 4 | 81 | 21 | 1.85 | < 10 | < 1 | 0.10 | 10 | 0.42 | 140 |
| H529568 | 208 | 274 | < 5 | 1.2 | 1.24 | < 2 | 50 | < 0.5 | < 2 | 0.39 | < 0.5 | 5 | 106 | 37 | 2.95 | < 10 | < 1 | 0.15 | < 10 | 0.60 | 175 |
| H529569 | 208 | 274 | < 5 | < 0.2 | 0.44 | < 2 | 20 | < 0.5 | < 2 | 0.23 | < 0.5 | 2 | 97 | 25 | 1.13 | < 10 | < 1 | 0.10 | < 10 | 0.22 | 80 |
| H529570 | 208 | 274 | 90 | 0.2 | 0.62 | 8 | 20 | < 0.5 | < 2 | 0.37 | < 0.5 | 14 | 126 | 68 | 2.23 | < 10 | < 1 | 0.12 | < 10 | 0.29 | 105 |
| H529571 | 208 | 274 | < 5 | < 0.2 | 0.76 | 2 | 40 | < 0.5 | < 2 | 0.60 | < 0.5 | 3 | 250 | 46 | 1.61 | < 10 | < 1 | 0.18 | < 10 | 0.33 | 180 |
| H529572 | 208 | 274 | < 5 | < 0.2 | 0.92 | 2 | 20 | < 0.5 | < 2 | 1.32 | 14.0 | 12 | 95 | 184 | 2.93 | < 10 | < 1 | 0.12 | < 10 | 0.74 | 385 |

CERTIFICATION:

Hart Bickler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221

ARCHER CATHRO & ASSOC. (1981) LTD.

P.O. BOX 4127
WHITEHORSE, YT
Y1A 3S9

Project : LOON-93-2
Comments:

Page Number : 1-B
Total Pages : 1
Certificate Date: 15-JUL-93
Invoice No. : I9316844
P.O. Number :
Account : F

CERTIFICATE OF ANALYSIS

A9316844

| SAMPLE | PREP CODE | Mo ppm | Na % | Ni ppm | P ppm | Pb ppm | Sb ppm | Sc ppm | Sr ppm | Ti % | Tl ppm | U ppm | -V ppm | W ppm | Zn ppm |
|---------|--------------|-----------|---------|-----------|----------|-----------|-----------|-----------|-----------|---------|-----------|----------|-----------|----------|-----------|
| H529553 | 208 274 | 3 | 0.04 | 26 | 1010 | 14 | 4 | 6 | 124 | < 0.01 | < 10 | < 10 | 35 | 10 | 82 |
| H529554 | 208 274 | 1 | 0.03 | 17 | 2650 | < 2 | 2 | 10 | 250 | 0.01 | < 10 | < 10 | 73 | 10 | 94 |
| H529555 | 208 274 | < 1 | 0.08 | 13 | 2010 | 12 | 4 | 8 | 164 | 0.11 | < 10 | < 10 | 80 | 10 | 104 |
| H529556 | 208 274 | 1 | 0.01 | 20 | 300 | < 2 | 4 | 3 | 71 | < 0.01 | < 10 | < 10 | 21 | < 10 | 48 |
| H529557 | 208 274 | < 1 | 0.02 | 40 | 340 | 4 | < 2 | 3 | 36 | < 0.01 | < 10 | < 10 | 24 | 10 | 48 |
| H529558 | 208 274 | < 1 | 0.02 | 39 | 510 | 4 | 2 | 2 | 75 | < 0.01 | < 10 | < 10 | 16 | 30 | 34 |
| H529559 | 208 274 | < 1 | 0.09 | 13 | 3060 | 6 | < 2 | 9 | 372 | 0.08 | < 10 | < 10 | 79 | 20 | 62 |
| H529560 | 208 274 | 1 | 0.02 | 14 | 480 | < 2 | 2 | 3 | 118 | < 0.01 | < 10 | < 10 | 12 | < 10 | 42 |
| H529561 | 208 274 | 1 | 0.09 | 12 | 3060 | 14 | 4 | 8 | 337 | 0.10 | < 10 | < 10 | 71 | 10 | 62 |
| H529562 | 208 274 | 1 | 0.01 | 32 | 350 | 14 | < 2 | 5 | 49 | < 0.01 | < 10 | < 10 | 28 | < 10 | 52 |
| H529563 | 208 274 | 1 | 0.02 | 32 | 480 | 1010 | 2 | 2 | 56 | < 0.01 | < 10 | < 10 | 18 | < 10 | 44 |
| H529564 | 208 274 | 1 | 0.02 | 34 | 660 | 20 | 2 | 3 | 71 | 0.01 | < 10 | < 10 | 21 | 10 | 44 |
| H529565 | 208 274 | < 1 | 0.03 | 14 | 150 | 2 | 2 | 1 | 18 | < 0.01 | < 10 | < 10 | 9 | < 10 | 14 |
| H529566 | 208 274 | < 1 | 0.02 | 14 | 330 | 6 | < 2 | 1 | 40 | < 0.01 | < 10 | < 10 | 13 | < 10 | 22 |
| H529567 | 208 274 | 1 | < 0.01 | 17 | 190 | < 2 | < 2 | 1 | 13 | < 0.01 | < 10 | < 10 | 6 | < 10 | 20 |
| H529568 | 208 274 | < 1 | 0.01 | 23 | 250 | < 2 | < 2 | 1 | 22 | < 0.01 | < 10 | < 10 | 10 | < 10 | 34 |
| H529569 | 208 274 | < 1 | 0.01 | 10 | 90 | 4 | < 2 | < 1 | 9 | < 0.01 | < 10 | < 10 | 3 | < 10 | 16 |
| H529570 | 208 274 | < 1 | 0.01 | 16 | 100 | 16 | 2 | < 1 | 15 | < 0.01 | < 10 | < 10 | 4 | < 10 | 20 |
| H529571 | 208 274 | < 1 | 0.04 | 8 | 100 | < 2 | < 2 | 1 | 22 | < 0.01 | < 10 | < 10 | 5 | < 10 | 10 |
| H529572 | 208 274 | 1 | 0.01 | 23 | 260 | 4 | < 2 | 2 | 50 | < 0.01 | < 10 | < 10 | 22 | 20 | 4650 |

CERTIFICATION:

Hart Bickler