



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 1
Finalized Date: 18-MAR-2008
This copy reported on 25-JUN-2008
Account: MTT

CERTIFICATE VA08024409

Project: MICHELLE 07-05

P.O. No.:

This report is for 28 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 28-FEB-2008.

The following have access to data associated with this certificate:

JOAN MARIACHER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
CRU-QC	Crushing QC Test
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Zn-OG46	Ore Grade Zn - Aqua Regia	VARIABLE
ME-ICP41	35 Element Aqua Regia ICP-AES	ICP-AES
ME-OG46	Ore Grade Elements - AquaRegia	ICP-AES

To: STRATEGIC METALS LTD.
ATTN: JOAN MARIACHER
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:


Colin Ramshaw, Vancouver Laboratory Manager



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.

C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED

1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: MICHELLE 07-05

Page: 2 - A

Total # Pages: 2 (A - C)

Finalized Date: 18-MAR-2008

Account: MTT

CERTIFICATE OF ANALYSIS VA08024409

Sample Description	Method Analyte Units LOR	WEI-21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Recvd WL kg	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm
		0.02	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01	10
G086932		3.74	<0.2	0.05	2	<10	60	<0.5	<2	20.3	<0.5	2	1	2	0.08	<10
G086933		0.54	0.2	0.03	2	<10	100	<0.5	<2	19.6	7.6	1	1	2	0.67	<10
G086934		1.12	<0.2	0.04	<2	<10	60	<0.5	<2	21.3	0.5	2	1	1	0.07	<10
G086935		1.12	<0.2	0.03	2	<10	70	<0.5	<2	21.0	0.9	1	1	1	0.10	<10
G086936		2.62	<0.2	0.02	2	<10	70	<0.5	<2	20.9	<0.5	2	1	1	0.05	<10
G086937		1.42	<0.2	0.02	<2	<10	170	<0.5	<2	20.5	6.9	2	1	2	0.64	<10
G086938		1.06	<0.2	0.02	<2	<10	100	<0.5	<2	20.9	1.0	2	<1	1	0.16	<10
G086939		4.60	<0.2	0.02	2	<10	70	<0.5	<2	20.6	<0.5	2	1	1	0.10	<10
G086940		1.76	0.5	0.06	3	<10	120	<0.5	<2	18.2	5.0	1	3	3	1.40	<10
G086941		2.20	<0.2	0.02	5	<10	60	<0.5	<2	19.9	<0.5	5	4	8	0.27	<10
G086942		1.80	0.9	0.06	5	<10	230	<0.5	<2	18.5	20.8	2	2	5	2.86	<10
G086943		0.58	<0.2	0.02	<2	<10	10	<0.5	<2	20.2	<0.5	2	<1	1	0.45	<10
G086944		1.64	<0.2	0.04	<2	<10	100	<0.5	<2	21.7	0.6	1	1	1	0.21	<10
G086945		1.90	<0.2	0.03	3	<10	60	<0.5	<2	21.0	<0.5	1	1	1	0.20	<10
G086946		1.66	0.5	0.03	<2	<10	1030	<0.5	<2	16.9	17.4	2	<1	7	4.81	<10
G086947		1.40	<0.2	0.04	<2	<10	70	<0.5	<2	21.9	<0.5	2	1	1	0.18	<10
G086948		0.54	0.3	0.03	3	<10	120	<0.5	<2	18.6	11.6	2	1	2	0.89	<10
G086949		1.18	0.2	0.03	<2	<10	120	<0.5	<2	19.0	3.6	2	1	2	0.90	<10
G086950		1.98	<0.2	0.03	<2	<10	90	<0.5	<2	20.5	1.3	2	2	1	0.29	<10
G086951		2.42	0.6	0.02	<2	<10	180	<0.5	<2	16.8	6.1	1	1	4	1.24	<10
G086952		0.92	0.3	0.03	4	<10	120	<0.5	<2	18.8	9.2	2	2	4	1.84	<10
G086953		2.10	<0.2	0.02	<2	<10	80	<0.5	<2	20.2	1.1	1	1	1	0.38	<10
G086954		1.80	<0.2	0.04	<2	<10	80	<0.5	<2	19.6	1.4	3	2	2	0.40	<10
G086955		3.18	0.4	0.07	<2	<10	90	<0.5	<2	18.4	3.2	2	3	3	0.89	<10
G086956		3.98	0.6	0.05	3	<10	390	<0.5	<2	17.7	9.9	1	1	32	3.68	<10
G086957		2.02	<0.2	0.02	<2	<10	120	<0.5	<2	19.7	<0.5	2	1	2	1.05	<10
G086958		1.42	0.2	0.02	5	<10	100	<0.5	<2	18.4	0.7	1	1	3	1.07	<10
G086990		1.60	0.6	0.02	4	<10	100	<0.5	<2	18.4	1.5	2	<1	3	1.96	<10



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: MICHELLE 07-05

Page: 2 - B

Total # Pages: 2 (A - C)

Finalized Date: 18-MAR-2008

Account: MTT

CERTIFICATE OF ANALYSIS VA08024409

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte Units LOR	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm
		1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1	20
G086932		<1	0.02	<10	10.55	306	1	0.04	<1	20	17	<0.01	4	<1	179	<20
G086933		<1	0.02	<10	11.60	965	1	0.04	1	30	71	<0.01	3	<1	144	<20
G086934		<1	0.02	<10	10.65	347	<1	0.04	<1	20	11	<0.01	4	<1	194	<20
G086935		1	0.01	<10	10.80	321	<1	0.04	<1	30	14	<0.01	2	<1	180	<20
G086936		<1	0.01	<10	10.75	284	1	0.04	<1	20	10	<0.01	4	<1	194	<20
G086937		<1	0.01	<10	11.25	475	1	0.03	<1	70	57	<0.01	2	<1	164	<20
G086938		<1	0.01	<10	11.00	294	1	0.03	<1	30	20	<0.01	2	<1	176	<20
G086939		1	0.01	<10	10.70	443	1	0.03	1	20	14	<0.01	4	<1	199	<20
G086940		<1	0.03	<10	10.65	1220	1	0.02	1	60	14	<0.01	4	<1	163	<20
G086941		<1	0.01	<10	10.65	1105	2	0.03	5	20	13	<0.01	4	<1	167	<20
G086942		<1	0.04	<10	10.80	2120	1	0.04	<1	60	77	<0.01	5	<1	155	<20
G086943		<1	0.01	<10	12.30	244	<1	0.02	<1	210	2	<0.01	3	<1	51	<20
G086944		<1	0.02	<10	10.95	618	1	0.04	<1	20	9	<0.01	<2	<1	204	<20
G086945		<1	0.01	<10	11.00	544	<1	0.04	<1	30	4	<0.01	2	<1	170	<20
G086946		<1	0.02	<10	9.82	1415	3	0.04	2	70	109	<0.01	5	<1	131	<20
G086947		<1	0.02	<10	11.00	471	<1	0.04	<1	20	7	<0.01	<2	<1	197	<20
G086948		<1	0.02	<10	10.85	1175	1	0.04	1	20	49	<0.01	4	<1	152	<20
G086949		<1	0.02	<10	10.85	735	1	0.03	<1	20	19	<0.01	3	<1	161	<20
G086950		<1	0.02	<10	10.85	690	<1	0.04	<1	30	15	<0.01	5	<1	197	<20
G086951		<1	0.01	<10	9.72	574	1	0.02	<1	30	37	<0.01	3	<1	134	<20
G086952		<1	0.02	<10	10.90	963	1	0.03	<1	30	42	<0.01	5	<1	148	<20
G086953		<1	0.01	<10	10.75	910	1	0.03	<1	20	9	<0.01	2	<1	185	<20
G086954		<1	0.02	<10	10.45	720	1	0.04	<1	20	5	<0.01	2	<1	183	<20
G086955		1	0.04	<10	10.80	649	1	0.03	<1	30	13	<0.01	2	<1	183	<20
G086956		1	0.02	<10	10.65	1390	3	0.02	<1	150	224	<0.01	7	<1	147	<20
G086957		<1	0.01	<10	10.20	2940	<1	0.03	<1	20	11	<0.01	3	<1	151	<20
G086958		<1	0.01	<10	10.50	2410	<1	0.03	<1	20	14	<0.01	2	<1	140	<20
G086990		1	0.01	<10	10.90	2710	1	0.02	<1	30	27	<0.01	4	<1	141	<20



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: MICHELLE 07-05

Page: 2 - C

Total # Pages: 2 (A - C)

Finalized Date: 18-MAR-2008

Account: MTT

CERTIFICATE OF ANALYSIS VA08024409

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	Zn-OG46
		Ti	Ti	U	V	W	Zn	Zn
		% 0.01	ppm 10	ppm 10	ppm 1	ppm 10	ppm 2	% 0.01
G086932		<0.01	<10	<10	4	<10	112	
G086933		<0.01	<10	<10	2	<10	2940	
G086934		<0.01	<10	<10	6	<10	177	
G086935		<0.01	<10	<10	7	<10	459	
G086936		<0.01	<10	<10	4	<10	89	
G086937		<0.01	<10	<10	4	<10	4600	
G086938		<0.01	<10	<10	3	<10	750	
G086939		<0.01	<10	<10	3	<10	194	
G086940		<0.01	<10	<10	11	<10	3820	
G086941		<0.01	<10	<10	3	<10	94	
G086942		<0.01	<10	<10	6	10	>10000	1.54
G086943		<0.01	<10	<10	1	<10	151	
G086944		<0.01	<10	<10	5	<10	512	
G086945		<0.01	<10	<10	3	<10	238	
G086946		<0.01	<10	<10	5	10	>10000	3.87
G086947		<0.01	<10	<10	5	<10	398	
G086948		<0.01	<10	<10	6	<10	3550	
G086949		<0.01	<10	<10	3	<10	2620	
G086950		<0.01	<10	<10	4	<10	782	
G086951		<0.01	<10	<10	5	<10	3510	
G086952		<0.01	<10	<10	6	<10	>10000	1.38
G086953		<0.01	<10	<10	2	<10	1240	
G086954		<0.01	<10	<10	6	<10	1680	
G086955		<0.01	<10	<10	8	<10	3350	
G086956		<0.01	<10	<10	7	<10	3520	
G086957		<0.01	<10	<10	3	<10	646	
G086958		<0.01	<10	<10	3	<10	1640	
G086990		<0.01	<10	<10	3	<10	2960	