



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.

C/O ARCHER, CATHRO & ASSOCIATES (1981)

LIMITED

1016-510 W HASTINGS ST

VANCOUVER BC V6B 1L8

Page:

Finalized Date: 11-JUL-200

Account: MT

CERTIFICATE VA08087882

Project: MICHELLE 07-05

P.O. No.:

This report is for 28 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 27-JUN-2008.

The following have access to data associated with this certificate:

JOAN MARIACHER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
FND-02	Find Sample for Addn Analysis

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION
ME-MS61	48 element four acid ICP-MS

To: STRATEGIC METALS LTD.
ATTN: JOAN MARIACHER
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:


Colin Ramshaw, Vancouver Laboratory Manager



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.

C/O ARCHER, CATHRO & ASSOCIATES (1981)

LIMITED

1016-510 W HASTINGS ST

VANCOUVER BC V6B 1L8

Project: MICHELLE 07-05

Page: 2 - A

Total # Pages: 2 (A - D)

Plus Appendix Pages

Finalized Date: 11-JUL-2008

Account: MTT

CERTIFICATE OF ANALYSIS VA08087882

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte Units LOR	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cs ppm	Cu ppm	Fe %	Ga ppm
		0.01	0.01	5	10	0.05	0.01	0.01	0.02	0.01	0.1	0.05	0.2	0.01	0.05
G086932		0.05	0.11	<5	60	0.09	0.09	18.85	0.1	1.1	0.8	1	0.21	1.7	0.41
G086933		0.21	0.08	<5	100	0.11	0.06	17.8	8.6	1.03	0.7	1	0.22	2	0.48
G086934		0.06	0.11	5	70	0.12	0.04	19.9	0.25	1.24	0.7	2	0.23	1.6	0.44
G086935		0.05	0.07	<5	80	0.08	0.04	20.4	0.81	1.16	0.7	1	0.2	1.7	0.31
G086936		0.04	0.06	<5	70	0.09	0.05	20.2	0.07	0.76	0.8	1	0.21	1.3	0.24
G086937		0.09	0.06	<5	170	0.07	0.04	19.1	7.43	1.11	0.8	1	0.21	2.3	0.4
G086938		0.04	0.02	6	100	0.1	0.04	18.75	1.03	0.58	0.8	<1	0.17	1.5	0.17
G086939		0.06	0.06	9	80	0.07	0.07	19.85	0.26	0.92	0.8	1	0.2	1.4	0.27
G086940		0.38	0.2	<5	200	0.23	0.41	17.6	5.57	3.22	1	5	0.39	3.8	0.83
G086941		0.06	0.07	<5	70	0.08	0.16	19.95	0.16	2.09	1.3	2	0.25	2.4	0.37
G086942		0.73	0.25	<5	260	0.21	0.45	17.1	22.8	2.67	1	3	0.44	4	0.92
G086943		0.05	0.06	<5	20	0.08	0.03	19	0.25	0.93	0.8	5	0.14	1.8	0.21
G086944		0.07	0.12	<5	110	0.14	0.14	20.2	0.58	1.43	0.8	2	0.27	1.5	0.48
G086945		0.06	0.09	<5	60	0.08	0.17	19.5	0.16	1.05	0.7	1	0.2	1.4	0.37
G086946		0.34	0.08	10	1030	0.11	0.15	15.95	19.7	3.75	1	1	0.21	7.9	0.49
G086947		0.09	0.17	6	90	0.09	0.15	20.8	0.37	1.72	0.7	2	0.31	1.3	0.62
G086948		0.28	0.14	<5	140	0.13	0.46	18.3	13.3	1.68	0.8	2	0.31	2.7	0.64
G086949		0.19	0.15	<5	150	0.08	0.25	21.4	3.74	1.34	0.8	2	0.27	1.9	0.5
G086950		0.11	0.13	<5	130	0.11	0.22	20.6	1.32	1.21	0.7	2	0.24	1.4	0.46
G086951		0.66	0.09	6	200	0.12	0.17	16.9	6.81	1.25	0.4	6	0.2	3.8	0.36
G086952		0.18	0.12	5	130	0.07	0.08	18.55	10.35	2.29	0.8	2	0.27	3.9	0.47
G086953		0.11	0.09	6	100	0.09	0.11	20.6	1.07	1.83	0.8	1	0.25	1.9	0.42
G086954		0.13	0.15	<5	100	0.14	0.11	20.4	1.47	2.43	0.8	3	0.34	1.7	0.53
G086955		0.26	0.36	<5	140	0.22	0.14	19.7	3.69	2.56	1	7	0.54	3.2	1.14
G086956		0.55	0.14	7	450	0.12	0.28	17.75	11.65	3.14	0.8	3	0.21	30.1	1.34
G086957		0.16	0.05	<5	140	0.07	0.16	19.85	0.33	1.79	0.8	1	0.23	2.5	0.51
G086958		0.14	0.06	<5	120	0.08	0.12	20	0.67	2.26	0.7	7	0.21	2.8	0.61
G086990		0.52	0.05	7	110	0.08	0.33	18.8	1.9	2.63	0.8	6	0.16	3.1	0.58



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com



To: STRATEGIC METALS LTD.

C/O ARCHER, CATHRO & ASSOCIATES (1981)

LIMITED

1016-510 W HASTINGS ST

VANCOUVER BC V6B 1L8

Project: MICHELLE 07-05

Page: 2 - B

Total # Pages: 2 (A - D)

Plus Appendix Pages

Finalized Date: 11-JUL-2008

Account: MTT

CERTIFICATE OF ANALYSIS VA08087882

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni	P	Pb
	Units LOR	ppm 0.05	ppm 0.1	ppm 0.005	% 0.01	ppm 0.5	ppm 0.2	% 0.01	ppm 5	ppm 0.05	% 0.01	ppm 0.1	ppm 0.2	ppm 10	ppm 0.5
G086932		<0.05	0.1	<0.005	0.04	0.6	1.5	9.69	268	0.93	0.02	0.4	<0.2	10	12.6
G086933		0.05	<0.1	0.007	0.04	0.7	1.3	11	857	1.17	0.02	0.3	<0.2	10	63.5
G086934		<0.05	0.1	<0.005	0.05	0.7	1.7	10.5	324	0.46	0.02	0.5	<0.2	10	8.8
G086935		<0.05	<0.1	<0.005	0.03	0.7	1.2	10.45	296	0.57	0.02	0.3	<0.2	10	9.8
G086936		<0.05	<0.1	<0.005	0.02	<0.5	1.4	10.3	258	0.7	0.02	0.2	<0.2	10	10.2
G086937		<0.05	<0.1	0.006	0.03	0.7	1.3	10.7	429	1.3	0.02	0.2	1.1	50	53.4
G086938		<0.05	<0.1	0.006	0.01	<0.5	1.1	10.4	261	0.94	0.02	0.1	<0.2	20	14.6
G086939		<0.05	<0.1	0.008	0.03	0.6	1.4	10.4	412	0.84	0.02	0.2	<0.2	10	9.6
G086940		0.06	0.1	0.013	0.1	1.9	2.1	10.6	1150	1.58	0.02	0.9	1.9	40	14.5
G086941		0.14	<0.1	0.01	0.04	1.5	1.4	11.15	1140	0.29	0.03	0.3	<0.2	<10	7.6
G086942		0.07	0.1	0.019	0.13	1.7	2.4	10.55	1945	1.3	0.02	0.9	1.8	60	72.1
G086943		0.13	<0.1	0.007	0.03	0.6	1.1	12.4	233	0.11	<0.01	0.2	1.4	170	1.9
G086944		<0.05	0.1	0.005	0.06	0.8	1.7	10.35	557	0.46	0.02	0.4	0.2	10	8.4
G086945		<0.05	<0.1	0.006	0.04	0.6	1.3	10.8	506	0.27	0.02	0.3	0.6	20	3.2
G086946		0.09	<0.1	0.013	0.04	2.5	1.2	9.54	1295	2.96	0.02	0.3	3.8	50	97.3
G086947		<0.05	0.1	0.006	0.09	1	2.3	11.1	451	0.29	0.02	0.6	<0.2	10	5.7
G086948		0.05	0.1	0.013	0.08	1.1	1.9	11.15	1130	0.57	0.02	0.5	0.9	10	46
G086949		<0.05	0.1	0.008	0.08	0.8	1.6	13.1	822	0.76	0.03	0.4	1	20	17.4
G086950		<0.05	0.1	0.009	0.07	0.7	1.5	11.5	698	0.49	0.02	0.4	0.4	10	13.7
G086951		0.13	<0.1	0.013	0.04	0.9	1.7	9.7	556	0.74	0.02	0.3	1.1	30	36.4
G086952		<0.05	0.1	<0.005	0.06	1.4	1.4	11.3	944	0.92	0.02	0.4	1.3	20	38.6
G086953		<0.05	<0.1	0.007	0.04	1.1	1.4	11.3	913	0.35	0.02	0.4	<0.2	20	8.4
G086954		<0.05	0.1	0.009	0.08	1.4	2	11.35	747	0.44	0.03	0.6	1.3	10	6.1
G086955		<0.05	0.2	0.007	0.19	1.4	3.6	11.8	665	0.98	0.03	1.6	1.8	20	13.2
G086956		0.1	0.1	0.022	0.06	2.1	1.3	11.3	1395	3.53	0.02	0.4	3.7	140	198
G086957		0.05	<0.1	0.029	0.02	0.9	1	10.7	2970	0.36	0.02	0.1	0.3	20	11.6
G086958		<0.05	<0.1	0.02	0.03	1.2	1	11.4	2470	0.38	0.02	0.2	<0.2	20	13.8
G086990		0.06	<0.1	0.024	0.03	1.6	0.9	11.65	2750	0.74	0.02	0.1	0.8	20	25.7



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brookbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.

C/O ARCHER, CATHRO & ASSOCIATES (1981)

LIMITED

1016-510 W HASTINGS ST

VANCOUVER BC V6B 1L8

Project: MICHELLE 07-05

Page: 2 - C

Total # Pages: 2 (A - D)

Plus Appendix Pages

Finalized Date: 11-JUL-2008

Account: MTT

CERTIFICATE OF ANALYSIS VA08087882

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V	W
		ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
		0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02	0.1	1	0.1
G086932		<0.002	0.01	0.33	0.4	3	<0.2	150	<0.05	<0.05	<0.2	0.007	0.04	0.7	5	0.2
G086933		<0.002	0.01	0.4	0.4	4	<0.2	128	<0.05	<0.05	<0.2	0.005	0.03	0.4	3	0.1
G086934		<0.002	0.01	0.27	0.5	2	<0.2	170.5	<0.05	<0.05	<0.2	0.008	0.03	1.1	8	0.1
G086935		<0.002	0.01	0.22	0.3	3	<0.2	154	<0.05	<0.05	<0.2	<0.005	0.03	1.1	8	0.1
G086936		<0.002	0.01	0.23	0.3	3	<0.2	168	<0.05	<0.05	<0.2	<0.005	0.02	0.8	4	0.1
G086937		<0.002	0.01	1.48	0.3	4	<0.2	140.5	<0.05	<0.05	<0.2	<0.005	0.04	0.8	4	0.1
G086938		<0.002	0.01	0.47	0.2	3	<0.2	152.5	<0.05	<0.05	<0.2	<0.005	0.02	0.8	4	0.1
G086939		<0.002	0.01	0.35	0.3	3	<0.2	169	<0.05	<0.05	<0.2	<0.005	0.03	0.7	4	0.1
G086940		<0.002	0.01	0.51	0.9	4	0.2	152	0.06	<0.05	0.3	0.017	0.08	1.1	16	0.2
G086941		<0.002	0.01	0.35	0.1	3	<0.2	154.5	<0.05	<0.05	<0.2	<0.005	0.03	0.6	3	0.3
G086942		<0.002	0.02	1.46	0.8	5	<0.2	136.5	0.06	<0.05	0.3	0.016	0.07	1	11	0.2
G086943		<0.002	0.01	0.08	0.3	1	<0.2	45.2	<0.05	<0.05	<0.2	<0.005	<0.02	0.9	4	0.1
G086944		<0.002	0.01	0.47	0.6	3	<0.2	174.5	<0.05	<0.05	<0.2	0.008	0.03	0.7	7	0.1
G086945		<0.002	0.01	0.43	0.4	3	<0.2	149	<0.05	<0.05	<0.2	0.006	0.03	0.7	4	0.1
G086946		<0.002	0.04	1.45	0.6	8	<0.2	119.5	<0.05	<0.05	<0.2	<0.005	0.05	0.9	6	0.1
G086947		<0.002	0.01	0.41	0.6	3	<0.2	179.5	<0.05	<0.05	0.2	0.011	0.03	0.8	8	0.1
G086948		<0.002	0.01	0.76	0.7	4	<0.2	139	<0.05	<0.05	0.2	0.01	0.06	0.5	8	0.2
G086949		<0.002	0.01	0.62	0.5	4	<0.2	164.5	<0.05	<0.05	<0.2	0.01	0.04	0.5	5	0.1
G086950		<0.002	0.01	0.42	0.5	2	<0.2	180	<0.05	<0.05	<0.2	0.009	0.04	0.7	5	0.1
G086951		0.008	0.01	1.05	0.3	2	<0.2	114.5	<0.05	0.05	<0.2	0.005	0.04	0.5	7	0.1
G086952		<0.002	0.01	0.69	0.7	5	<0.2	134.5	<0.05	<0.05	<0.2	0.007	0.04	0.7	7	0.1
G086953		<0.002	0.01	0.42	0.5	3	<0.2	169.5	<0.05	<0.05	<0.2	0.006	0.06	0.8	5	0.1
G086954		<0.002	0.01	0.39	0.8	3	<0.2	173.5	<0.05	<0.05	0.2	0.012	0.07	1	10	0.1
G086955		<0.002	0.01	0.62	1.1	4	<0.2	169.5	0.11	<0.05	0.4	0.031	0.07	0.9	18	0.2
G086956		<0.002	0.03	5.38	0.6	5	<0.2	140	<0.05	<0.05	0.2	0.008	0.05	0.7	9	0.1
G086957		<0.002	0.01	0.57	0.3	3	<0.2	140.5	<0.05	<0.05	<0.2	<0.005	0.04	0.4	4	0.2
G086958		<0.002	0.01	0.53	0.4	3	<0.2	135	<0.05	<0.05	<0.2	<0.005	0.02	0.3	4	0.2
G086990		<0.002	0.01	0.65	0.3	4	<0.2	128.5	<0.05	<0.05	<0.2	<0.005	0.03	0.3	5	0.1



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.

C/O ARCHER, CATHRO & ASSOCIATES (1981)

LIMITED

1016-510 W HASTINGS ST

VANCOUVER BC V6B 1L8

Project: MICHELLE 07-05

Page: 2 - D

Total # Pages: 2 (A - D)

Plus Appendix Pages

Finalized Date: 11-JUL-2008

Account: MTT

CERTIFICATE OF ANALYSIS VA08087882

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61
	Analyte	Y	Zn	Zr
	Units	ppm	ppm	ppm
	LOR	0.1	2	0.5
G086932		0.4	62	1.8
G086933		0.3	3130	1.2
G086934		0.5	164	1.9
G086935		0.5	412	1.2
G086936		0.3	83	0.9
G086937		0.5	4960	1.1
G086938		0.2	674	<0.5
G086939		0.3	185	0.9
G086940		1.2	4380	3.9
G086941		0.4	99	1.3
G086942		0.9	>10000	4.4
G086943		0.7	118	<0.5
G086944		0.5	457	1.9
G086945		0.4	216	1.5
G086946		1.3	>10000	1.7
G086947		0.7	383	2.6
G086948		0.6	4090	2.8
G086949		0.5	3530	2
G086950		0.4	789	1.8
G086951		0.5	4040	1.3
G086952		0.8	>10000	1.8
G086953		0.6	1190	1.3
G086954		0.8	1750	2.4
G086955		0.9	4250	6
G086956		1.1	4300	2.6
G086957		0.5	654	0.7
G086958		0.6	1680	0.8
G086990		0.7	3660	0.9



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.

C/O ARCHER, CATHRO & ASSOCIATES (1981)

LIMITED

1016-510 W HASTINGS ST

VANCOUVER BC V6B 1L8

Project: MICHELLE 07-05

Page: Appendix 1

Total # Appendix Pages: 1

Finalized Date: 11-JUL-2008

Account: MTT

CERTIFICATE OF ANALYSIS VA08087882

Method	CERTIFICATE COMMENTS
ME-MS61 ME-MS61	Interference: Ca>10% on ICP-MS As,ICP-AES results shown. REE's may not be totally soluble in this method.