



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ZINCCORP RESOURCES INC.
C/O ARCHER CATHRO & ASSOCIATES (1981)
LTD.
1016 - 510 W. HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 1
Finalized Date: 4-NOV-2008
Account: ZINRES

CERTIFICATE VA08143960

Project: MICHELLE

P.O. No.: MCH-08-20

This report is for 37 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 8-OCT-2008.

The following have access to data associated with this certificate:

JOAN MARIACHER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
PUL-QC	Pulverizing QC Test
PUL-31	Pulverize split to 85% <75 um
SPL-21	Split sample - riffle splitter
CRU-31	Fine crushing - 70% <2mm
LOG-22	Sample login - Rcd w/o BarCode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Pb-OG62	Ore Grade Pb - Four Acid	VARIABLE
Zn-OG62	Ore Grade Zn - Four Acid	VARIABLE
ME-ICP61a	High Grade Four Acid ICP-AES	ICP-AES
Ag-OG62	Ore Grade Ag - Four Acid	VARIABLE
ME-OG62	Ore Grade Elements - Four Acid	ICP-AES

To: ZINCCORP RESOURCES INC.
ATTN: JOAN MARIACHER
C/O ARCHER CATHRO & ASSOCIATES (1981) LTD.
1016 - 510 W. HASTINGS STREET
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:


Colin Ramshaw, Vancouver Laboratory Manager



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

o: ZINCCORP RESOURCES INC.
C/O ARCHER CATHRO & ASSOCIATES (1981)
LTD.
1016 - 510 W. HASTINGS STREET
VANCOUVER BC V6B 1L8

Project: MICHELLE

Page: 2 - A
Total # pages: 2 (A - C)
Finalized Date: 4-NOV-2008
Account: ZINRES

CERTIFICATE OF ANALYSIS VA08143960

Method Analyte Units LOR	WEI-21 Recvd Wt. kg	ME-ICP61a Ag ppm	ME-ICP61a Al %	ME-ICP61a As ppm	ME-ICP61a Ba ppm	ME-ICP61a Be ppm	ME-ICP61a Bi ppm	ME-ICP61a Ca %	ME-ICP61a Cd ppm	ME-ICP61a Co ppm	ME-ICP61a Cr ppm	ME-ICP61a Cu ppm	ME-ICP61a Fe %	ME-ICP61a Ga ppm	ME-ICP61a K %
Sample Description	0.02	1	0.05	50	50	10	20	0.05	10	10	10	10	0.05	50	0.1
G005847	1.86	<1	0.10	<50	80	<10	<20	23.0	<10	<10	<10	<10	0.23	<50	0.1
G005848	0.52	8	0.27	80	60	<10	<20	7.18	50	<10	<10	280	35.0	<50	0.1
G005849	2.18	2	0.10	<50	80	<10	<20	20.4	30	<10	<10	<10	2.17	<50	<0.1
G005850	0.76	15	0.20	50	<50	<10	<20	0.48	200	<10	<10	420	44.5	<50	0.1
G005851	1.04	10	0.24	60	90	<10	<20	0.26	560	<10	<10	720	31.6	160	0.1
G005852	0.90	7	0.30	280	300	<10	<20	0.08	20	<10	<10	1860	>50	790	<0.1
G005853	0.78	73	0.20	250	140	<10	<20	0.06	30	<10	<10	1280	49.3	760	<0.1
G005854	0.94	52	0.21	350	550	<10	<20	<0.05	20	<10	<10	1840	>50	1070	<0.1
G005855	1.16	66	0.10	340	140	<10	<20	<0.05	10	<10	<10	1500	44.5	660	<0.1
G005856	0.80	13	0.06	470	90	<10	<20	<0.05	10	<10	<10	1090	45.6	650	<0.1
G005857	1.36	84	<0.05	250	310	<10	<20	<0.05	10	<10	<10	300	25.3	<50	<0.1
G005858	1.18	>200	0.05	1150	140	<10	<20	<0.05	10	<10	<10	580	32.9	1100	<0.1
G005859	1.24	59	0.06	1140	160	<10	<20	<0.05	10	<10	<10	1010	42.3	1080	<0.1
G005860	1.34	>200	0.05	940	170	<10	<20	<0.05	20	<10	<10	1030	32.6	1530	<0.1
G005861	1.16	>200	0.06	1520	190	<10	<20	<0.05	20	<10	<10	1840	38.1	2660	<0.1
G005862	1.14	>200	<0.05	70	110	<10	<20	3.24	600	<10	<10	1640	9.40	1670	<0.1
G005863	0.46	1	0.10	<50	<50	<10	<20	21.5	<10	<10	<10	20	0.53	<50	<0.1
G005864	1.04	58	<0.05	<50	70	<10	<20	11.20	770	<10	<10	320	5.29	110	<0.1
G005865	2.12	1	0.06	<50	120	<10	<20	20.7	30	<10	<10	10	1.82	<50	<0.1
G005866	2.86	<1	0.05	<50	140	<10	<20	22.8	10	<10	<10	20	0.71	<50	<0.1
G005867	3.04	<1	0.05	<50	80	<10	<20	21.9	10	<10	<10	10	0.57	<50	<0.1
G005868	4.14	<1	0.06	<50	70	<10	<20	22.5	10	<10	<10	20	0.68	<50	<0.1
G005869	3.26	<1	0.05	<50	80	<10	<20	23.0	<10	<10	<10	10	0.49	<50	<0.1
G005870	3.36	<1	0.05	<50	100	<10	<20	23.1	<10	<10	<10	10	0.31	<50	<0.1
G005871	4.10	<1	0.05	<50	90	<10	<20	23.4	<10	<10	<10	10	0.19	<50	<0.1
G005872	1.18	<1	<0.05	<50	70	<10	<20	21.3	10	<10	<10	10	0.38	<50	<0.1
G005873	0.46	<1	0.09	<50	<50	<10	<20	21.9	<10	<10	<10	10	0.44	<50	<0.1
G005874	2.22	<1	<0.05	<50	50	<10	<20	22.8	10	<10	<10	10	0.15	<50	<0.1
G005875	2.02	2	0.06	<50	60	<10	<20	21.9	20	<10	<10	20	0.27	<50	<0.1
G005876	1.40	4	<0.05	<50	50	<10	<20	12.75	470	<10	<10	30	1.44	<50	<0.1
G005877	1.10	11	<0.05	<50	50	<10	<20	7.04	990	<10	<10	200	2.32	<50	<0.1
G005878	0.90	4	<0.05	<50	<50	<10	<20	9.27	710	<10	<10	60	2.03	<50	<0.1
G005879	0.74	5	<0.05	<50	50	<10	<20	7.84	710	<10	<10	160	3.57	<50	<0.1
G005880	1.22	4	0.07	<50	100	<10	<20	21.3	40	<10	<10	10	1.33	<50	<0.1
G005881	0.68	1	0.12	<50	<50	<10	<20	22.5	<10	<10	<10	10	0.45	<50	<0.1
G005882	2.58	1	0.09	<50	90	<10	<20	22.1	30	<10	<10	20	0.38	<50	<0.1
G005883	1.84	<1	0.06	<50	50	<10	<20	20.7	<10	<10	<10	40	0.15	<50	<0.1



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

O: ZINCCORP RESOURCES INC.
C/O ARCHER CATHRO & ASSOCIATES (1981)
LTD.
1016 - 510 W. HASTINGS STREET
VANCOUVER BC V6B 1L8

Project: MICHELLE

Page: 2 - B
Total # pages: 2 (A - C)
Finalized Date: 4-NOV-2008
Account: ZINRES

CERTIFICATE OF ANALYSIS VA08143960

Sample Description	Method Analyte Units LOR	ME-ICP61a	ME-ICP61a	ME-ICP61a	ME-ICP61a	ME-ICP61a	ME-ICP61a	ME-ICP61a	ME-ICP61a	ME-ICP61a	ME-ICP61a	ME-ICP61a	ME-ICP61a	ME-ICP61a	ME-ICP61a
		La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th	Ti
		ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
		50	0.05	10	10	0.05	10	50	20	0.1	50	10	10	50	0.05
G005847		<50	10.30	550	<10	0.08	<10	<50	40	<0.1	<50	<10	170	<50	<0.05
G005848		<50	3.81	910	<10	0.11	<10	60	14300	<0.1	<50	<10	50	<50	<0.05
G005849		<50	11.05	1280	<10	0.07	<10	<50	410	<0.1	<50	<10	130	<50	<0.05
G005850		<50	0.28	1760	<10	0.12	<10	130	10500	<0.1	<50	<10	10	<50	<0.05
G005851		<50	0.23	3030	<10	0.06	10	130	6470	<0.1	50	<10	10	<50	<0.05
G005852		<50	<0.05	360	<10	0.12	10	150	15200	0.1	290	<10	10	<50	<0.05
G005853		<50	<0.05	410	<10	0.13	<10	150	84400	0.1	240	<10	10	<50	<0.05
G005854		<50	<0.05	260	<10	0.13	<10	210	70300	0.1	280	<10	10	<50	<0.05
G005855		<50	<0.05	190	<10	0.11	<10	90	>100000	0.1	270	<10	10	<50	<0.05
G005856		<50	<0.05	290	<10	0.09	<10	<50	>100000	0.1	280	<10	<10	<50	<0.05
G005857		<50	<0.05	160	<10	<0.05	<10	<50	>100000	0.1	330	<10	10	<50	<0.05
G005858		<50	<0.05	240	<10	0.06	<10	110	>100000	0.1	710	<10	10	<50	<0.05
G005859		<50	<0.05	180	<10	0.09	<10	70	>100000	0.1	600	<10	<10	<50	<0.05
G005860		<50	<0.05	170	<10	0.07	<10	<50	>100000	0.1	870	<10	10	<50	<0.05
G005861		<50	<0.05	240	<10	0.07	<10	<50	>100000	0.1	520	<10	10	<50	<0.05
G005862		<50	1.83	4840	<10	<0.05	<10	<50	>100000	0.8	520	<10	20	<50	<0.05
G005863		<50	11.90	170	<10	0.05	<10	280	1380	<0.1	<50	<10	40	<50	<0.05
G005864		<50	6.24	5210	<10	<0.05	<10	50	12300	0.1	70	<10	60	<50	<0.05
G005865		<50	11.25	2190	<10	0.07	<10	<50	610	<0.1	<50	<10	110	<50	<0.05
G005866		<50	11.35	1110	<10	0.05	<10	<50	620	<0.1	<50	<10	130	<50	<0.05
G005867		<50	11.90	820	<10	0.07	<10	<50	70	<0.1	<50	<10	100	<50	<0.05
G005868		<50	11.40	1090	<10	0.05	<10	<50	80	<0.1	<50	<10	130	<50	<0.05
G005869		<50	11.35	990	<10	0.06	<10	<50	200	<0.1	<50	<10	140	<50	<0.05
G005870		<50	11.35	720	<10	0.07	<10	<50	120	<0.1	<50	<10	140	<50	<0.05
G005871		<50	10.50	790	<10	0.06	<10	<50	<20	<0.1	<50	<10	140	<50	<0.05
G005872		<50	8.17	1110	<10	0.07	<10	<50	70	<0.1	<50	<10	130	<50	<0.05
G005873		<50	11.90	200	<10	0.05	<10	340	<20	<0.1	<50	<10	40	<50	<0.05
G005874		<50	5.70	440	<10	<0.05	<10	<50	40	<0.1	<50	<10	120	<50	<0.05
G005875		<50	11.65	890	<10	0.06	<10	<50	30	<0.1	<50	<10	140	<50	<0.05
G005876		<50	7.59	1780	<10	<0.05	<10	<50	480	<0.1	<50	<10	50	<50	<0.05
G005877		<50	4.19	2290	<10	<0.05	<10	<50	1880	<0.1	<50	<10	50	<50	<0.05
G005878		<50	5.57	2050	<10	<0.05	<10	<50	1100	<0.1	<50	<10	40	<50	<0.05
G005879		<50	4.68	2740	<10	<0.05	<10	<50	1570	<0.1	<50	<10	50	<50	<0.05
G005880		<50	12.90	1430	<10	0.06	<10	<50	60	<0.1	<50	<10	130	<50	<0.05
G005881		<50	13.05	230	<10	<0.05	<10	290	20	<0.1	<50	<10	40	<50	<0.05
G005882		<50	12.10	1030	<10	0.06	<10	<50	70	<0.1	<50	<10	130	<50	<0.05
G005883		<50	10.15	520	<10	0.05	10	<50	30	<0.1	<50	<10	150	<50	<0.05



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

o: ZINCCORP RESOURCES INC.
C/O ARCHER CATHRO & ASSOCIATES (1981)
LTD.
1016 - 510 W. HASTINGS STREET
VANCOUVER BC V6B 1L8

Project: MICHELLE

Page: 2 - C
Total # pages: 2 (A - C)
Finalized Date: 4-NOV-2008
Account: ZINRES

CERTIFICATE OF ANALYSIS VA08143960

Sample Description	Method Analyte Units LOR	ME-ICP61a	ME-ICP61a	ME-ICP61a	ME-ICP61a	Ag-OG62	Pb-OG62	Zn-OG62
		U	V	W	Zn	Ag	Pb	Zn
		ppm 50	ppm 10	ppm 50	ppm 20	ppm 1	% 0.01	% 0.01
G005847		<50	<10	<50	390			
G005848		<50	10	50	37900			
G005849		<50	<10	<50	12900			
G005850		<50	10	<50	>100000			10.55
G005851		<50	10	<50	>100000			22.8
G005852		<50	30	<50	33100			
G005853		<50	20	50	31900			
G005854		<50	30	<50	26400			
G005855		<50	10	<50	17700		16.45	
G005856		<50	<10	<50	17000		17.20	
G005857		<50	<10	<50	14500		>20.0	
G005858		<50	<10	<50	15400	321	>20.0	
G005859		<50	<10	<50	18400		19.25	
G005860		<50	<10	<50	18200	437	>20.0	
G005861		<50	10	<50	23500	336	>20.0	
G005862		<50	<10	<50	>100000	547	19.10	22.3
G005863		<50	<10	<50	160			
G005864		<50	<10	<50	>100000			18.15
G005865		<50	<10	<50	19350			
G005866		<50	<10	<50	7190			
G005867		<50	<10	<50	10400			
G005868		<50	<10	<50	7010			
G005869		<50	<10	<50	5660			
G005870		<50	<10	<50	2460			
G005871		<50	<10	<50	820			
G005872		<50	<10	<50	14700			
G005873		<50	<10	<50	60			
G005874		<50	<10	<50	6420			
G005875		<50	<10	<50	21500			
G005876		<50	<10	<50	>100000			19.75
G005877		<50	<10	<50	>100000			>30.0
G005878		<50	<10	<50	>100000			27.0
G005879		<50	<10	<50	>100000			>30.0
G005880		<50	<10	<50	34000			
G005881		<50	<10	<50	2200			
G005882		<50	<10	<50	15700			
G005883		<50	<10	<50	850			