



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ZINCCORP RESOURCES INC.  
C/O ARCHER CATHRO & ASSOCIATES (1981)  
LTD.  
1016 - 510 W. HASTINGS STREET  
VANCOUVER BC V6B 1L8

Page: 1  
Finalized Date: 14-OCT-2008  
Account: ZINRES

## CERTIFICATE VA08142023

Project: MICHELLE

P.O. No.: MCH-08-22

This report is for 40 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 6-OCT-2008.

The following have access to data associated with this certificate:

JOAN MARIACHER

## SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
CRU-QC	Crushing QC Test
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um


## ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-ICP61a	High Grade Four Acid ICP-AES	ICP-AES

To: ZINCCORP RESOURCES INC.  
ATTN: JOAN MARIACHER  
C/O ARCHER CATHRO & ASSOCIATES (1981) LTD.  
1016 - 510 W. HASTINGS STREET  
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

  
Colin Ramshaw, Vancouver Laboratory Manager



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

to: ZINCCORP RESOURCES INC.  
C/O ARCHER CATHRO & ASSOCIATES (1981)  
LTD.  
1016 - 510 W. HASTINGS STREET  
VANCOUVER BC V6B 1L8

Project: MICHELLE

Page: 2 - A  
Total # Pages: 2 (A - C)  
Finalized Date: 14-OCT-2008  
Account: ZINRES

## CERTIFICATE OF ANALYSIS VA08142023

Method Analyte Units LOR	WEI-21 Recvd Wt. kg	ME-ICP61a Ag ppm	ME-ICP61a Al %	ME-ICP61a As ppm	ME-ICP61a Ba ppm	ME-ICP61a Be ppm	ME-ICP61a Bi ppm	ME-ICP61a Ca %	ME-ICP61a Cd ppm	ME-ICP61a Co ppm	ME-ICP61a Cr ppm	ME-ICP61a Cu ppm	ME-ICP61a Fe %	ME-ICP61a Ga ppm	ME-ICP61a K %
Sample Description	0.02	1	0.05	50	50	10	20	0.05	10	10	10	10	0.05	50	0.1
G005441	0.80	<1	0.15	<50	1950	<10	<20	22.3	<10	<10	<10	<10	0.12	<50	<0.1
G005442	1.60	<1	0.08	<50	390	<10	<20	23.5	<10	<10	<10	<10	0.07	<50	<0.1
G005443	1.32	4	0.07	<50	2040	<10	<20	17.20	10	<10	<10	40	12.20	<50	<0.1
G005444	1.26	5	0.08	<50	1320	<10	<20	19.50	10	<10	<10	10	4.66	<50	<0.1
G005445	1.26	3	0.09	<50	890	<10	<20	20.4	10	<10	<10	<10	1.68	<50	<0.1
G005446	1.44	<1	<0.05	<50	100	<10	<20	1.08	<10	<10	<10	<10	0.27	<50	<0.1
G005447	1.72	2	<0.05	<50	450	<10	<20	21.6	<10	<10	<10	<10	0.33	<50	<0.1
G005448	1.76	<1	0.05	<50	360	<10	<20	21.8	<10	<10	<10	<10	0.20	<50	<0.1
G005449	1.48	<1	0.06	<50	430	<10	<20	21.5	10	<10	10	<10	0.69	<50	<0.1
G005450	1.64	1	0.07	<50	570	<10	<20	20.9	20	<10	10	<10	1.17	<50	<0.1
G005451	1.20	<1	0.09	<50	1060	<10	<20	18.90	50	<10	10	10	5.00	<50	<0.1
G005452	1.38	3	0.16	<50	3110	<10	<20	9.03	40	<10	<10	250	32.0	70	<0.1
G005453	0.50	<1	0.10	<50	<50	<10	<20	21.7	<10	<10	10	<10	0.52	<50	<0.1
G005454	1.52	3	0.08	<50	770	<10	<20	20.8	30	<10	<10	<10	1.92	<50	<0.1
G005455	1.84	<1	0.08	<50	670	<10	<20	21.5	20	<10	<10	<10	0.85	<50	<0.1
G005456	1.50	1	0.11	<50	980	<10	<20	21.0	30	<10	<10	10	1.52	<50	<0.1
G005457	1.44	3	0.13	<50	1990	<10	<20	18.85	40	<10	10	80	6.09	<50	<0.1
G005458	1.48	3	0.12	<50	1670	<10	<20	19.30	40	<10	10	80	5.75	<50	<0.1
G005459	1.16	7	0.10	<50	2020	<10	<20	19.65	20	<10	10	60	3.92	<50	<0.1
G005460	1.56	1	0.08	<50	610	<10	<20	21.9	10	<10	10	<10	0.50	<50	<0.1
G005461	1.72	3	0.07	<50	520	<10	<20	21.8	10	<10	10	10	0.60	<50	<0.1
G005462	1.52	1	0.07	<50	500	<10	<20	21.6	10	<10	10	<10	0.57	<50	<0.1
G005463	1.90	<1	0.05	<50	230	<10	<20	23.1	<10	<10	10	<10	0.05	<50	<0.1
G005464	3.02	<1	0.06	<50	430	<10	<20	24.4	<10	<10	10	<10	0.37	<50	<0.1
G005465	3.66	<1	0.06	<50	390	<10	<20	22.8	<10	<10	<10	<10	0.11	<50	<0.1
G005466	3.44	<1	<0.05	<50	260	<10	<20	22.7	<10	<10	10	<10	0.15	<50	<0.1
G005467	1.62	<1	0.08	<50	1220	<10	<20	22.9	<10	<10	20	<10	0.06	<50	<0.1
G005468	1.78	<1	0.06	<50	260	<10	<20	22.5	<10	<10	20	<10	0.08	<50	<0.1
G005469	1.88	<1	0.06	<50	120	<10	<20	22.7	<10	<10	10	<10	<0.05	<50	<0.1
G005470	1.96	<1	0.05	<50	190	<10	<20	23.6	<10	<10	10	<10	<0.05	<50	<0.1
G005471	1.56	<1	0.05	<50	550	<10	<20	21.5	10	<10	10	<10	0.40	<50	<0.1
G005472	1.80	<1	0.06	<50	2410	<10	<20	19.20	50	<10	10	<10	4.14	<50	<0.1
G005473	0.48	<1	0.11	<50	<50	<10	<20	21.6	<10	<10	10	<10	0.44	<50	<0.1
G005474	2.06	<1	0.09	<50	310	<10	<20	22.8	<10	<10	10	<10	0.14	<50	<0.1
G005475	2.10	<1	0.06	<50	200	<10	<20	23.6	<10	<10	10	<10	<0.05	<50	<0.1
G005476	1.82	<1	0.11	<50	1080	<10	<20	22.2	20	<10	<10	<10	0.76	<50	<0.1
G005477	1.90	2	0.05	<50	450	<10	<20	23.6	10	<10	10	20	0.76	<50	<0.1
G005478	2.82	<1	0.06	<50	250	<10	<20	23.5	<10	<10	20	<10	0.18	<50	<0.1
G005479	1.80	<1	0.05	<50	180	<10	<20	23.5	<10	<10	10	<10	0.07	<50	<0.1
G005480	1.70	<1	0.05	<50	240	<10	<20	23.7	<10	<10	10	<10	<0.05	<50	<0.1



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

TO: ZINCCORP RESOURCES INC.

C/O ARCHER CATHRO & ASSOCIATES (1981)

LTD.

1016 - 510 W. HASTINGS STREET

VANCOUVER BC V6B 1L8

Project: MICHELLE

Page: 2 - B

Total # Pages: 2 (A - C)

Finalized Date: 14-OCT-2008

Account: ZINRES

## CERTIFICATE OF ANALYSIS VA08142023

Sample Description	Method Analyte Units LOR	ME-ICP61a	ME-ICP61a	ME-ICP61a	ME-ICP61a	ME-ICP61a	ME-ICP61a	ME-ICP61a	ME-ICP61a	ME-ICP61a	ME-ICP61a	ME-ICP61a	ME-ICP61a	ME-ICP61a	ME-ICP61a
		La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th	Ti
		ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
		50	0.05	10	10	0.05	10	50	20	0.1	50	10	10	50	0.05
G005441		<50	10.95	240	<10	0.06	<10	390	1750	<0.1	<50	<10	180	<50	<0.05
G005442		<50	11.30	210	<10	0.06	<10	<50	<20	<0.1	<50	<10	110	<50	<0.05
G005443		<50	9.49	360	50	0.05	40	760	340	0.1	<50	<10	100	<50	<0.05
G005444		<50	11.00	350	<10	0.06	<10	260	70	<0.1	<50	<10	90	<50	<0.05
G005445		<50	11.70	350	<10	0.06	<10	110	<20	<0.1	<50	<10	100	<50	<0.05
G005446		<50	0.15	40	<10	<0.05	<10	<50	<20	<0.1	<50	<10	20	<50	<0.05
G005447		<50	11.80	310	<10	0.05	<10	<50	<20	<0.1	<50	<10	110	<50	<0.05
G005448		<50	12.15	340	<10	0.06	<10	<50	<20	<0.1	<50	<10	110	<50	<0.05
G005449		<50	11.50	440	<10	0.08	<10	60	50	<0.1	<50	<10	90	<50	<0.05
G005450		<50	10.85	390	<10	0.08	<10	100	<20	<0.1	<50	<10	90	<50	<0.05
G005451		<50	10.85	770	<10	0.11	<10	370	70	<0.1	<50	<10	100	<50	<0.05
G005452		<50	5.03	370	210	0.09	110	2330	590	0.1	<50	<10	70	<50	<0.05
G005453		<50	10.85	170	<10	0.10	<10	230	<20	<0.1	<50	<10	40	<50	<0.05
G005454		<50	11.30	440	<10	0.09	<10	360	30	<0.1	<50	<10	120	<50	<0.05
G005455		<50	11.30	250	<10	0.08	<10	700	<20	<0.1	<50	<10	110	<50	<0.05
G005456		<50	11.75	320	<10	0.08	<10	330	<20	<0.1	<50	<10	160	<50	<0.05
G005457		<50	10.70	400	10	0.08	<10	450	100	<0.1	<50	<10	90	<50	<0.05
G005458		<50	11.00	350	10	0.11	10	390	90	<0.1	<50	<10	110	<50	<0.05
G005459		<50	11.20	600	<10	0.07	10	450	90	<0.1	<50	<10	110	<50	<0.05
G005460		<50	11.45	200	<10	0.08	<10	110	<20	<0.1	<50	<10	80	<50	<0.05
G005461		<50	11.45	230	<10	0.08	20	50	<20	<0.1	<50	<10	100	<50	<0.05
G005462		<50	11.55	260	<10	0.08	<10	<50	<20	<0.1	<50	<10	90	<50	<0.05
G005463		<50	8.21	110	<10	0.06	<10	<50	<20	<0.1	<50	<10	100	<50	<0.05
G005464		<50	10.50	470	<10	0.09	<10	<50	<20	<0.1	<50	<10	130	<50	<0.05
G005465		<50	10.75	330	<10	0.08	<10	<50	<20	<0.1	<50	<10	90	<50	<0.05
G005466		<50	8.60	240	<10	0.06	<10	<50	<20	<0.1	<50	<10	90	<50	<0.05
G005467		<50	10.60	390	<10	0.07	<10	50	40	<0.1	<50	<10	120	<50	<0.05
G005468		<50	11.35	220	<10	0.08	<10	<50	<20	<0.1	<50	<10	90	<50	<0.05
G005469		<50	8.81	130	<10	0.08	<10	<50	<20	<0.1	<50	<10	110	<50	<0.05
G005470		<50	11.10	190	<10	0.06	<10	<50	<20	<0.1	<50	<10	100	<50	<0.05
G005471		<50	10.60	270	<10	0.06	<10	<50	<20	<0.1	<50	<10	90	<50	<0.05
G005472		<50	10.15	780	<10	0.09	<10	460	80	0.1	<50	<10	80	<50	<0.05
G005473		<50	10.50	170	<10	0.07	<10	240	<20	<0.1	<50	<10	50	<50	<0.05
G005474		<50	11.20	200	<10	0.05	<10	70	<20	<0.1	<50	<10	100	<50	<0.05
G005475		<50	10.00	220	<10	0.06	<10	100	<20	<0.1	<50	<10	110	<50	<0.05
G005476		<50	11.20	310	<10	0.07	<10	610	<20	<0.1	<50	<10	90	<50	<0.05
G005477		<50	8.75	360	<10	0.05	<10	120	<20	<0.1	<50	<10	100	<50	<0.05
G005478		<50	11.10	230	<10	0.07	<10	<50	<20	<0.1	<50	<10	100	<50	<0.05
G005479		<50	9.09	200	<10	0.07	<10	60	<20	<0.1	<50	<10	90	<50	<0.05
G005480		<50	9.67	190	<10	0.06	<10	<50	<20	<0.1	<50	<10	100	<50	<0.05



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ZINCCORP RESOURCES INC.  
C/O ARCHER CATHRO & ASSOCIATES (1981)  
LTD.  
1016 - 510 W. HASTINGS STREET  
VANCOUVER BC V6B 1L8

Project: MICHELLE

Page: 2 - C  
Total # Pages: 2 (A - C)  
Finalized Date: 14-OCT-2008  
Account: ZINRES

## CERTIFICATE OF ANALYSIS VA08142023

Sample Description	Method	ME-ICP61a	ME-ICP61a	ME-ICP61a	ME-ICP61a
	Analyte	U	V	W	Zn
	Units	ppm	ppm	ppm	ppm
	LOR	50	10	50	20
G005441		<50	<10	<50	240
G005442		<50	<10	<50	20
G005443		<50	20	<50	5800
G005444		50	10	<50	3140
G005445		<50	<10	<50	4270
G005446		<50	<10	<50	4560
G005447		<50	<10	<50	830
G005448		<50	<10	<50	540
G005449		<50	<10	<50	2020
G005450		<50	<10	<50	5890
G005451		<50	<10	<50	20200
G005452		<50	20	<50	25300
G005453		<50	<10	<50	470
G005454		<50	<10	<50	6710
G005455		<50	<10	<50	5620
G005456		<50	<10	<50	7620
G005457		<50	10	<50	8110
G005458		<50	10	<50	9380
G005459		<50	10	<50	3160
G005460		<50	<10	<50	1680
G005461		<50	<10	<50	2870
G005462		<50	<10	<50	3720
G005463		<50	<10	<50	130
G005464		<50	<10	<50	1050
G005465		<50	<10	<50	180
G005466		<50	<10	<50	900
G005467		<50	<10	<50	150
G005468		<50	<10	<50	210
G005469		<50	<10	<50	40
G005470		<50	<10	<50	40
G005471		<50	<10	<50	1730
G005472		<50	20	<50	35500
G005473		<50	10	<50	230
G005474		<50	<10	<50	840
G005475		<50	<10	<50	60
G005476		<50	<10	<50	7850
G005477		<50	<10	<50	6930
G005478		<50	<10	<50	990
G005479		<50	<10	<50	350
G005480		<50	<10	<50	130