

MICHELLE PROJECT

PROPERTY: MICHELLE

| | | | |
|----------|-----------|--------|-----------|
| Easting | Northing | Elev. | Depth (m) |
| 368600 m | 7207133 m | 1664 m | 197.21 |

HOLE: MCH-08-24

Contractor: ELITE
Drill: JKS Super

| SURVEY | | | | | | | |
|---------------------|---------|-----|--------|-----------|---------|-----|--------|
| Depth (m) | Azimuth | Dip | Method | Depth (m) | Azimuth | Dip | Method |
| No survey completed | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |

Core size: BTW
Casing depth: 3.66 (m) out

Drilling dates: August 22-23, 2008

Logged by: S. Eaton

Target: North-northeasterly trending structures marked by limonite outcrops at surface

[illegible]

| SAMPLES | |
|------------|-------------------------|
| Numbers: | G005481-G005514 |
| Total: | 34 |
| Date sent: | September/October, 2008 |

| COMMENTS | |
|----------|--|
| | |

| PROPERTY | | Hole: MCH-08-24 | | Zone: Peak | | CLAIM: Michelle 67 | | Page 1 of 4 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|-------|------------------------------------|--------|-------------------------------|-----|----------------------|---|-------------|------|----------|---------|------|----------|------|-----------|-------|------|-------|---------|--------------|-------|-------|-------|--------|------|---------|------|-------|----------|--------|---------|------|------|-----|------|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| MICHELLE CALAMINE | | Northing: 7207133 | | Easting: 368600 | | Elevation: 1664 m | | Depth | | 197.21 m | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | Drilling Dates: August 22-23, 2008 | | Logged By: S. Eaton | | | | Dip | | 58° | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | Length: 197.21 m | | Core Diameter: BTW | | Casing Depth: 3.66 m | | Casing: OUT | | Azimuth | | 288° | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| From | To | Interval | UNIT | ALTERATION AND MINERALIZATION | | | | | | | | | | | | | | | | GEOTECHNICAL | | | | | | SAMPLES | | | | ASSAYS | | | | | | | | | | | | | | | | | | | | | | | | |
| (m) | (m) | (m) | | HYDROZINCITE | | | | LIMONITE | | | CALCITE | | DOLOMITE | | FRACTURES | | | | BEDDING | | From | To | Rec. | Rec. | RQD | RQD | From | To | Interval | Sample | Zn | Pb | Ag | Ga | | | | | | | | | | | | | | | | | | | | |
| | | | LST | 0 | W | M | S | MODE | TYPE | INT. | MODE | INT. | MODE | INT. | TYPE | DENS. | INT. | ANGLE | ANGLE | TYPE | ANGLE | (m) | (m) | (m) | % | (m) | % | (m) | (m) | (m) | Number | % | % | g/t | ppm | | | | | | | | | | | | | | | | | | | |
| 0.00 | 23.75 | 23.75 | | 100 | 0 | 0 | 0 | - | - | - | cf < > | m | - | - | S | W | w | 28 | - | SB | 62 | 0 | 2.13 | 0.59 | 28 | 0.00 | 0 | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Light to medium grey, locally light brown, geographic limestone. Weak localized banding. Rare light brown stylolitic sutures and pyrobitumin. At 13.43 m and 20.80 m, wormy texture in calcite. | | | | | | | | | | | | | | | | | | | | | | 2.13 | 5.18 | 2.14 | 70 | 0.77 | 25 | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | 5.18 | 8.23 | 2.68 | 88 | 1.78 | 58 | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | 8.23 | 11.28 | 2.88 | 94 | 2.65 | 87 | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 23.75 | 36.34 | 12.59 | LST | 100 | 0 | 0 | 0 | - | - | - | cf < | f | - | - | S | F | tw | 45 | - | B | 50 | 11.28 | 14.33 | 3.10 | 102 | 2.18 | 71 | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Light and medium grey, medium to coarse grained, slightly mottled limestone. Weak light brown stylolitic sutures, often connected to and surrounding calcite blebs. Two phases of calcite- creamy white and translucent grey. Calcite blebs up to 8 cm long and irregular. Infrequent clacite microveins cut core at 45° to core axis. | | | | | | | | | | | | | | | | | | | | | | 14.33 | 17.37 | 2.99 | 98 | 2.02 | 66 | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | 17.37 | 20.42 | 2.81 | 92 | 2.25 | 74 | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | 20.42 | 23.47 | 2.97 | 97 | 2.66 | 87 | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 36.34 | 47.50 | 11.16 | LST | 99 | < 1 | 0 | 0 | - | - | - | cf < ? | ms | - | - | - | - | - | - | - | La | 42-60 | 26.52 | 29.57 | 1.87 | 61 | 0.88 | 29 | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Light grey, medium to coarse grained limestone with variable textures. Textures include: 1) tightly spaced, weakly stylolitic, medium grey laminations; 2) relatively homogenous limestone interspersed; and 3) mottled limestone (slightly darker grey patches and light brown stylolitic sutures surrounding and connecting calcite blebs). Rare cavities. Rare calcite macroveins (up to 40 cm thick at 37.62 m). Trace yellow-white fracture fill, which responds weakly to zinc zap. | | | | | | | | | | | | | | | | | | | | | | 29.57 | 32.62 | 3.00 | 98 | 2.49 | 82 | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | 32.62 | 35.67 | 2.96 | 97 | 2.79 | 92 | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | 35.67 | 38.71 | 2.73 | 90 | 2.24 | 73 | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 47.50 | 56.25 | 8.75 | LST | 95 | 5 | < 1 | 0 | - | - | - | cf < | f | - | - | S | F | w | 75 | 35 | La | 60 | 41.76 | 44.81 | 2.76 | 91 | 2.06 | 68 | 47.50 | 49.70 | 2.20 | G005481 | 0.01 | 0.00 | 1 | < 50 | | | | | | | | | | | | | | | | | | | |
| Very similar to previous interval, except that laminations are not as frequent and yellowish-white calcite-healed microfractures are more abundant. Core is generally competent, with some rubbly sections. | | | | | | | | | | | | | | | | | | | | | | 44.81 | 47.86 | 2.41 | 79 | 1.84 | 60 | 49.70 | 51.90 | 2.20 | G005482 | 0.01 | 0.00 | 2 | < 50 | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | 47.86 | 50.91 | 2.85 | 93 | 2.01 | 66 | 51.90 | 54.10 | 2.20 | G005483 | 0.01 | 0.00 | 2 | < 50 | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | 50.91 | 53.96 | 2.64 | 87 | 1.55 | 51 | 54.10 | 56.25 | 2.25 | G005484 | 0.00 | 0.00 | 2 | < 50 | | | | | | | | | | | | | | | | | | | |
| 56.25 | 67.73 | 11.48 | LST | 99 | < 1 | 0 | 0 | - | - | - | cf < | tw | - | - | S | W | tw | 28 | - | La | 40-65 | 53.96 | 57.00 | 2.68 | 88 | 1.92 | 63 | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Very similar to 36.34-46.95 m. Only rare reaction to zinc zap on calcite-healed fracture faces. Laminations vary from 40 to 65° to core axis, some undulate. Two generations of calcite. Appears to be small offset along some calcite microfractures- laminations do not align. Unable to determine sense of movement. | | | | | | | | | | | | | | | | | | | | | | 57.00 | 60.05 | 2.84 | 93 | 2.38 | 78 | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | 60.05 | 63.10 | 2.86 | 94 | 1.58 | 52 | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | 63.10 | 66.15 | 2.75 | 90 | 2.23 | 73 | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 67.73 | 68.99 | 1.26 | LST/Li | 85 | 13 | 2 | 0 | M | T? | 42 | cf < | tw | - | - | S | W | tw | 50 | - | - | - | 66.15 | 69.20 | 2.62 | 86 | 2.25 | 74 | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 67.73-68.46 m: very similar to previous interval, except microfractures react very weakly to zinc zap and there is a very weak pervasive reaction as well. 68.46-68.99 m: weakly to moderately reactive to zinc zap, strongly weathered (crumbly) light orange-brown limonite and limestone. Short breccia zone at start, contact with limestone is 55° to core axis. | | | | | | | | | | | | | | | | | | | | | | 69.20 | 72.25 | 2.96 | 97 | 2.11 | 69 | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | 72.25 | 75.30 | 2.69 | 88 | 2.36 | 77 | 67.73 | 69.75 | 2.02 | G005485 | 0.02 | 0.00 | < 1 | < 50 | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | 75.30 | 78.34 | 3.00 | 98 | 2.85 | 93 | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 68.99 | 69.75 | 0.76 | LST | 90 | 10 | 0 | 0 | - | - | - | - | - | - | - | K | M | w | - | - | - | - | 78.34 | 81.39 | 2.99 | 98 | 2.67 | 88 | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| White to medium grey limestone with calcite-healed microfractures that react weakly to zinc zap. Texture is indistinct- almost looks like intergrown white and grey limestones? | | | | | | | | | | | | | | | | | | | | | | 81.39 | 84.44 | 3.05 | 100 | 2.64 | 87 | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | 84.44 | 87.49 | 2.99 | 98 | 2.67 | 88 | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | 87.49 | 90.54 | 2.95 | 97 | 2.58 | 85 | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | S | W | tw | 82 | | | | 90.54 | 93.59 | 2.93 | 96 | 2.13 | 70 | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | 93.59 | 96.63 | 2.99 | 98 | 2.64 | 87 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | 96.63 | 99.68 | 2.96 | 97 | 2.81 | 92 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | 99.68 | 102.73 | 1.95 | 64 | 0.92 | 30 | | | | | | | | | | | | | | | | | | | | | | | | | | |

| PROPERTY | | | | | | | | | | Hole: | | MCH-08-24 | | Zone: | | Peak | | CLAIM: | | Michelle 67 | | | | | | Page 2 of 4 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|--|--|--------|--|--|----------|--|--|----------|-------------------------------|--------------|-----------|--------|--------------------|----------|------|--|---------|---------|----------------|----|-----------|--|----------|---|---------------|------|------|------|------------|------|--------|------|---------|------|----------|---------|---------|-------|-------|------|--------|-------|----------|-------|--------|------|---------|-------|------|-----|------|------|-----|-----|------|---------|--|------|--|------|--|---|--|------|--|
| MICHELLE CALAMINE | | | | | | | | | | Northing: | | | | 7207133 | | | | | | Easting: | | | | 368600 | | | | | | Elevation: | | 1664 m | | Depth: | | 197.21 m | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | Drilling Da | | | | August 22-23, 2008 | | | | | | Logged By: | | | | S. Eaton | | | | | | | | Dip | | 58° | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | Length: | | | | 197.21 m | | | | | | Core Diameter: | | | | BTW | | Casing Depth: | | | | | | 3.66 m | | Casing: | | OUT | | Azimuth | | 288° | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | ALTERATION AND MINERALIZATION | | | | | | | | | | GEOTECHNICAL | | | | | | SAMPLES | | | | ASSAYS | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| From | | | To | | | Interval | | | UNIT | | HYDROZINCITE | | | | LIMONITE | | | CALCITE | | DOLOMITE | | FRACTURES | | | | BEDDING | | From | | To | | Rec. | | Rec. | | RQD | | RQD | | From | | To | | Interval | | Sample | | Zn | | Pb | | Ag | | Ga | | | | | | | | | | | | |
| (m) | | | (m) | | | (m) | | | | | MODE | | | | TYPE | | | INT. | | MODE | | INT. | | MODE | | INT. | | TYPE | | DENS. | | INT. | | ANGLE | | ANGLE | | TYPE | | ANGLE | | (m) | | (m) | | (m) | | Number | | % | | % | | g/t | | ppm | | | | | | | | | | |
| 69.75 | | | 100.17 | | | 30.42 | | | LST | | 0 | | | | W | | | M | | S | | MODE | | TYPE | | | INT. | | MODE | | INT. | | MODE | | INT. | | TYPE | | DENS. | | INT. | | ANGLE | | ANGLE | | TYPE | | ANGLE | | (m) | | (m) | | (m) | | G005486 | | 0.00 | | 0.00 | | 2 | | < 50 | |
| Alternating sequence of 1) dominantly medium grey limestone "matrix" with cavity-filling calcite and light grey limestone "clasts" with weak calcite-healed microfractures and 2) dominantly light grey limestone with bands of medium grey limestone and rare stylolitic fractures with pyrobitumin. Varies from banded to weakly mottled to shattered appearance. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | 102.73 | | 105.78 | | 1.18 | | 39 | | 0.66 | | 22 | | 99.51 | | 100.51 | | 1.00 | | G005486 | | 0.00 | | 0.00 | | 2 | | < 50 | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | 105.78 | | 108.83 | | 2.01 | | 66 | | 0.00 | | 0 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | 108.83 | | 111.88 | | 2.56 | | 84 | | 0.99 | | 32 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | 111.88 | | 114.93 | | 2.44 | | 80 | | 0.75 | | 25 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 95.17 | | | 95.6 | | | 0.43 | | | LST/Ca | | - | | | | - | | | - | | - | | - | | - | | | - | | - | | - | | - | | - | | - | | - | | - | | - | | - | | - | | - | | - | | | | | | | | | | | | | | | |
| SUB-INTERVAL | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | 117.97 | | 121.02 | | 2.76 | | 91 | | 2.46 | | 81 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Abundant (35%) white, cavity-filling calcite. Often have air-filled cavities (up to 5 cm long). | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | 121.02 | | 124.07 | | 2.91 | | 95 | | 2.52 | | 83 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | 124.07 | | 127.12 | | 2.90 | | 95 | | 2.21 | | 72 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | 127.12 | | 130.17 | | 3.02 | | 99 | | 2.81 | | 92 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | 100.17 | | | 105.38 | | | 5.21 | | | LST>>Li | | 90 | | | | 8 | | | 2 | | 0 | | < cf | | T | | | w | | - | | - | | - | | - | | S | | F | | w | | flat | | - | | - | | - | | - | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | 130.17 | | 133.22 | | 3.01 | | 99 | | 2.62 | | 86 | | 100.51 | | 102.13 | | 1.62 | | G005487 | | 0.03 | | 0.01 | | 5 | | < 50 | | | | | | | | | | |
| Light brown to light grey, medium to coarse grained limestone with relatively little texture, except weak to moderate cavities (frequently weakly limonite-filled) and microfractures with iron staining. About 70% of the interval is sandy to rubbly. Cavities and microfractures react moderately to zinc zap. Fractures appear to be subparallel to core axis. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | 133.22 | | 136.27 | | 3.00 | | 98 | | 2.69 | | 88 | | 102.13 | | 103.75 | | 1.62 | | G005488 | | 0.02 | | 0.01 | | 3 | | < 50 | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | 136.27 | | 139.31 | | 2.95 | | 97 | | 2.90 | | 95 | | 103.75 | | 105.38 | | 1.63 | | G005489 | | 0.01 | | 0.00 | | 4 | | < 50 | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | 139.31 | | 142.36 | | 2.99 | | 98 | | 2.70 | | 89 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | 142.36 | | 145.41 | | 3.08 | | 101 | | 2.83 | | 93 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 105.38 | | | 108.01 | | | 2.63 | | | Li>LST | | 50 | | | | 45 | | | 5 | | 0 | | > P | | T | | | 30 | | - | | - | | - | | - | | shallow | | - | | - | | - | | - | | - | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | 145.41 | | 148.46 | | 2.95 | | 97 | | 2.72 | | 89 | | 105.38 | | 106.69 | | 1.31 | | G005490 | | 0.81 | | 0.10 | | 2 | | < 50 | | | | | | | | | | |
| Strongly weathered, largely broken and rubbly, light grey to brown limestone with orange to brown, sandy limonite. Contact between limonite and limestone is very shallow (varies, but nearly subparallel to core axis). Pervasive, generally weak reaction to zinc zap. Moderate reaction on fracture faces. Limonite sand contains small pebble sized pieces of goethite. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | 148.46 | | 151.51 | | 3.05 | | 100 | | 2.66 | | 87 | | 106.69 | | 108.01 | | 1.32 | | G005491 | | 0.09 | | 0.02 | | 1 | | < 50 | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | 151.51 | | 154.56 | | 2.97 | | 97 | | 2.92 | | 96 | | Blank | | | | | | G005492 | | 0.01 | | 0.00 | | < 1 | | < 50 | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | 154.56 | | 157.60 | | 2.95 | | 97 | | 2.77 | | 91 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | 157.60 | | 160.65 | | 2.32 | | 76 | | 1.58 | | 52 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 108.01 | | | 110 | | | 1.99 | | | LST | | 97 | | | | 3 | | | 0 | | 0 | | - | | - | | | - | | - | | - | | - | | S | | W | | tw | | 90 | | - | | B | | 70 | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | 160.65 | | 163.70 | | 3.06 | | 100 | | 2.71 | | 89 | | 108.01 | | 110.00 | | 1.99 | | G005493 | | 0.01 | | 0.00 | | 2 | | < 50 | | | | | | | | | | |
| Light to medium grey, relatively unaltered, medium to coarse grained, sucrosic, weakly and irregularly banded limestone. Weakly reactive to zinc zap along rare hairline fractures. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | 163.70 | | 166.75 | | 3.00 | | 98 | | 2.86 | | 94 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | 166.75 | | 169.80 | | 3.02 | | 99 | | 2.78 | | 91 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | 169.80 | | 172.85 | | 2.96 | | 97 | | 2.77 | | 91 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | 172.85 | | 175.90 | | 2.99 | | 98 | | 2.88 | | 94 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 110 | | | 111.56 | | | 1.56 | | | LST | | 96 | | | | 4 | | | 0 | | 0 | | - | | - | | | - | | < cf | | tw | | | B | | s | | S | | W | | t | | 55 | | - | | B | | 55 | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | 175.90 | | 178.94 | | 2.84 | | 93 | | 2.17 | | 71 | | 110.00 | | 111.56 | | 1.56 | | G005494 | | 0.02 | | 0.00 | | 1 | | < 50 | | | | | | | | | | |
| Light grey limestone, either mottled with or banded by taupe dolomite? Calcite-filled microveins and cavity-fillings are present. Rare stylolitic banding. Very weak pervasive reaction to zinc zap. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | 178.94 | | 181.99 | | 1.92 | | 63 | | 0.18 | | 6 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | 181.99 | | 185.04 | | 1.98 | | 65 | | 0.14 | | 5 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | 185.04 | | 188.09 | | 2.62 | | 86 | | 1.49 | | 49 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | 188.09 | | 191.14 | | 2.26 | | 74 | | 0.00 | | 0 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 111.56 | | | 114.81 | | | 3.25 | | | LST + Li | | 90 | | | | 7 | | | 3 | | 0 | | cf < # | | T | | | m | | - | | - | | | - | | - | | S | | F | | w | | 65 | | - | | La | | 65 | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | 191.14 | | 194.19 | | 1.74 | | 57 | | 0.64 | | 21 | | 111.56 | | 113.18 | | 1.62 | | G005495 | | 0.13 | | 0.00 | | 2 | | < 50 | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | 194.19 | | EOH | | 2.28 | | | | 0.65 | | | | 113.18 | | 114.81 | | 1.63 | | G005496 | | 0.17 | | 0.01 | | 1 | | < 50 | | | | | | | | | | |
| Localized, weak laminations in light brown to grey, medium to coarse grained limestone with hairline fracture-, cavity- and breccia-filling limonite. Rare limonite-filled stylolitic fractures. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

| PROPERTY | | | Hole: MCH-08-24 | | | | | | | | | | | | Zone: Peak | | | | CLAIM: Michelle 67 | | | | Page 3 of 4 | | | | | | | | | | | | | |
|---|--------|----------|--------------------------------|-------------------------------|----|---|----------------|----------|------|------|---------|------|----------|------|----------------------|-------|------|-------|--------------------|--------------|-----------------|-----|-------------|------|-----|---------|------|--------|----------|--------|---------|------|------|-----|------|--|
| MICHELLE CALAMINE | | | Northing: 7207133 | | | | | | | | | | | | Easting: 368600 | | | | Elevation: 1664 m | | Depth: 197.21 m | | | | | | | | | | | | | | | |
| | | | Drilling Da August 22-23, 2008 | | | | | | | | | | | | Logged By: M. NUNEZ | | | | | | Dip: 58° | | | | | | | | | | | | | | | |
| | | | Length: 197.21 m | | | | Core Diameter: | | | | BTW | | | | Casing Depth: 3.66 m | | | | Casing: OUT | | Azimuth: 288° | | | | | | | | | | | | | | | |
| From | To | Interval | UNIT | ALTERATION AND MINERALIZATION | | | | | | | | | | | | | | | | GEOTECHNICAL | | | | | | SAMPLES | | | | ASSAYS | | | | | | |
| (m) | (m) | (m) | | HYDROZINCITE | | | | LIMONITE | | | CALCITE | | DOLOMITE | | FRACTURES | | | | BEDDING | | From | To | Rec. | Rec. | RQD | RQD | From | To | Interval | Sample | Zn | Pb | Ag | Ga | | |
| 114.81 | 128.81 | 14 | LST | 0 | W | M | S | MODE | TYPE | INT. | MODE | INT. | MODE | INT. | TYPE | DENS. | INT. | ANGLE | ANGLE | TYPE | ANGLE | (m) | (m) | (m) | % | (m) | % | (m) | (m) | (m) | Number | % | % | g/t | ppm | |
| | | | | 100 | 0 | 0 | 0 | - | - | - | cf | tw | B | tw | S | W | t | 18 | - | B52 | | | | | | | | 114.81 | 115.81 | 1.00 | G005497 | 0.01 | 0.00 | 1 | < 50 | |
| Light grey limestone with variable textures, including: 1) rare, taupe, dolomitic? Banding; 2) mottled, very light to light grey with cavity-filling calcite blebs (often associated with weak, light brown, stylolitic sutures; and 3) medium to coarse grained, unaffected, massive limestone. Rare pyrobitumin associated with stylolitic sutures. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 128.81 | 130.69 | 1.88 | LST | 100 | 0 | 0 | 0 | - | - | - | cf | f | - | - | - | - | - | - | - | - | - | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Dominantly medium grey limestone with light grey limestone in places. Weak, cavity-filling calcite concentrated in darker limestone. General weak fabric oriented at 45° to core axis. Trace stylolitic sutures. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 130.69 | 177.61 | 46.92 | LST | 99 | <1 | 0 | 0 | <P | T | t | cf<> | w | - | - | S | W | t | 90 | 42 | La | 40-60 | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | 157.98 | 159.68 | 1.70 | G005498 | 0.02 | 0.00 | <1 | < 50 | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | 176.61 | 177.61 | 1.00 | G005499 | 0.00 | 0.00 | 1 | < 50 | |
| Light grey limestone with variable textures including: 1) laminations; 2) moderate, light brown, stylolitic fractures in very light grey limestone with trace pyrobitumin; and 3) relatively homogenous to weakly mottled limestone. Stylolitic fractures occur subparallel to bedding. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 157.98 | 159.68 | 1.7 | LST + Li | 95 | 5 | 0 | 0 | <P | T | w | <cf | f | - | - | S | W | tw | 85 | - | - | - | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| SUB-INTERVAL | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Strongly weathered, rubby, light grey limestone with white hairline fractures and light orange, limonitic sand that react weakly to zinc zap. Overall, the interval is only weakly mineralized. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 177.61 | 179.7 | 2.09 | LST | 95 | 5 | 0 | 0 | - | - | - | cf< | w | - | - | - | - | - | - | - | - | La 58 | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | 177.61 | 178.66 | 1.05 | G005500 | 0.01 | 0.00 | <1 | < 50 | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | 178.66 | 179.70 | 1.05 | G005501 | 0.01 | 0.00 | 1 | < 50 | |
| Light grey to buff limestone, same textures as in 130.69-177.61 m, but with a weak, pervasive reaction to zinc zap that is concentrated on calcite-healed hairline fractures. Between 177.85-177.99 m: 15 cm long, rubby-sandy section of pale yellowish orange material that reacts weakly to moderately to zinc zap. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 179.7 | 180.6 | 0.9 | Li? | 70 | 30 | 0 | 0 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | 179.70 | 180.60 | 0.90 | G005502 | 0.04 | 0.00 | <1 | < 50 | |
| Greyish-orange (buff) sand and rubble. Weak to moderate, pervasive reaction to zinc zap. Limonite is not well developed or is totally decomposed? Rare consolidated pieces are highly iron-altered limestone. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 180.6 | 181.82 | 1.2 | Li | 20 | 80 | 0 | 0 | M | I? | 80 | - | - | - | - | - | - | - | - | - | - | - | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | 180.60 | 181.82 | 1.20 | G005503 | 0.45 | 0.00 | 2 | < 50 | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | Blank | | | G005504 | 0.00 | 0.00 | <1 | < 50 | |
| Light to medium brown, loosely consolidated sand. Ends in about 15 cm of greyish-orange sand. Pervasive weak response to zinc zap (partially absorbed). Some sand fragments are obviously limestone. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

| | | | | | | | | | | | | | |
|--------------------------|-----------------------|--------------------|-----------------------|-------------------|----------------------|-------------|-------------------|--------|-----------------|-------------|--|--|--|
| PROPERTY | Hole: | MCH-08-24 | Zone: | Peak | CLAIM: | Michelle 67 | | | | Page 4 of 4 | | | |
| | Northing: | 7207133 | | Easting: | 368600 | | Elevation: | 1664 m | Depth: | 197.21 m | | | |
| | Drilling Date: | August 22-23, 2008 | | Logged By: | S. Eaton | | | | Dip: | 58° | | | |
| | Length: | 197.21 m | Core Diameter: | BTW | Casing Depth: | 3.66 m | Casing: | OUT | Azimuth: | 288° | | | |
| MICHELLE CALAMINE | | | | | | | | | | | | | |

| From | | | To | | | Interval | | | UNIT | ALTERATION AND MINERALIZATION | | | | | | | | | | | | | | | | GEOTECHNICAL | | | | | | SAMPLES | | | | ASSAYS | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|--|--|--------|--|--|----------|--|--|---------|-------------------------------|----|---|------|----------|------|------|---------|------|----------|------|-----------|-------|------|-------|-------|--------------|---------|-----|------|-----|------|---------|-----|--------|--------|--------|----------|---------|---------|------|------|------|------|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|----|
| (m) | | | (m) | | | (m) | | | | HYDROZINCITE | | | | LIMONITE | | | CALCITE | | DOLOMITE | | FRACTURES | | | | | | BEDDING | | From | To | Rec. | Rec. | RQD | RQD | From | To | Interval | Sample | Zn | Pb | Ag | Ga | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 181.82 | | | 184.41 | | | 2.59 | | | Li/LST | 0 | W | M | S | MODE | TYPE | INT. | MODE | INT. | MODE | INT. | TYPE | DENS. | INT. | ANGLE | ANGLE | TYPE | ANGLE | (m) | (m) | (m) | % | (m) | % | (m) | (m) | (m) | Number | % | % | g/t | ppm | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | 95 | 4 | 1 | 0 | P cf | T | w | cf | tw | - | - | - | - | - | - | - | - | - | - | | | | | | | 181.82 | 183.12 | 1.30 | G005505 | 0.05 | 0.00 | < 1 | < 50 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Buff (pale yellowish-orange to greyish-orange), weakly limonitic, limestone sand. Rare, medium brown cavity-filling limonite. Rare cavity-filling calcite. Generally weak response to zinc zap, except in cavities, where there is a moderate response. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 184.41186.642.23 | | | | | | | | | Li | 90 | 10 | 0 | 0 | P | T? | s | - | - | - | - | - | - | - | - | - | - | - | - | - | | | | | | | 184.41 | 185.52 | 1.11 | G005507 | 0.47 | 0.01 | 1 | < 50 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Light brown to medium brown, limonitic sand with limestone fragments. Loosely consolidated. Pervasive weak response to zinc zap (difficult to determine degree of reactivity due to absorption). | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 186.64188.642 | | | | | | | | | Li/LST | 95 | 5 | 0 | 0 | P | T | f | - | - | - | - | - | - | - | - | - | - | - | - | | | | | | | 186.64 | 188.64 | 2.00 | G005509 | 0.06 | 0.00 | < 1 | < 50 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Buff to dark yellowish-orange to rare light brown, limonitic, limestone sand and rubble. Difficult to estimate degree of reactivity to zinc zap due to absorption, though it is weak where visible. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 188.64190.21.56 | | | | | | | | | LST >Fe | 97 | 3 | 0 | 0 | P | T | w | - | - | - | - | - | - | - | - | - | - | - | - | | | | | | | 188.64 | 190.20 | 1.56 | G005510 | 0.05 | 0.00 | < 1 | < 50 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Dominantly buff to light grey, sandy to rubbly limestone with very weak iron alteration (orange stain). Weak to no reaction to zinc zap. From 189.04-189.38 m: consolidated, light to medium grey limestone with calcite microfractures that are weakly reactive to zinc zap. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 190.2195.55.3 | | | | | | | | | LST>>Fe | 98 | 2 | 0 | 0 | P | T | tw | - | - | - | - | - | - | - | - | - | - | - | | | | | | | 190.20 | 191.97 | 1.77 | G005511 | 0.01 | 0.00 | 1 | < 50 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Buff to light grey (rarely dark yellowish-orange) limestone with weak limonite in sandy, strongly weathered portions. Limestone is 60% consolidated with weak, irregular, calcite-healed microfractures that react weakly to zinc zap. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 195.5197.311.81 | | | | | | | | | LST>>Fe | 100 | <1 | 0 | 0 | P | T | f | - | - | - | - | - | - | - | - | - | - | - | - | | | | | | | 195.50 | 197.31 | 1.81 | G005514 | 0.05 | 0.01 | < 1 | < 50 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Buff to dark yellowish-orange, sandy to rubbly, weakly iron-altered limestone. No to very weak response to zinc zap. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | </ |