



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

o: ZINCCORP RESOURCES INC.
C/O ARCHER CATHRO & ASSOCIATES (1981)
LTD.
1016 - 510 W. HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 1
Finalized Date: 14-OCT-2008
Account: ZINRES

CERTIFICATE VA08141774

Project: Michelle

P.O. No.: MCH-08-27

This report is for 24 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 3-OCT-2008.

The following have access to data associated with this certificate:

JOAN MARIACHER

SAMPLE PREPARATION

| ALS CODE | DESCRIPTION |
|----------|--------------------------------|
| WEI-21 | Received Sample Weight |
| CRU-QC | Crushing QC Test |
| LOG-22 | Sample login - Rcd w/o BarCode |
| CRU-31 | Fine crushing - 70% <2mm |
| SPL-21 | Split sample - riffle splitter |
| PUL-31 | Pulverize split to 85% <75 um |


ANALYTICAL PROCEDURES

| ALS CODE | DESCRIPTION | INSTRUMENT |
|-----------|------------------------------|------------|
| ME-ICP61a | High Grade Four Acid ICP-AES | ICP-AES |

To: ZINCCORP RESOURCES INC.
ATTN: JOAN MARIACHER
C/O ARCHER CATHRO & ASSOCIATES (1981) LTD.
1016 - 510 W. HASTINGS STREET
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:


Colin Ramshaw, Vancouver Laboratory Manager



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

o: ZINCCORP RESOURCES INC.

C/O ARCHER CATHRO & ASSOCIATES (1981)

LTD.

1016 - 510 W. HASTINGS STREET

VANCOUVER BC V6B 1L8

Project: Michelle

Page: 2 - A

Total # Pages: 2 (A - C)

Finalized Date: 14-OCT-2008

Account: ZINRES

CERTIFICATE OF ANALYSIS VA08141774

| Sample Description | Method Analyte Units LOR | WEI-21 | ME-ICP61a | ME-ICP61a | ME-ICP61a | ME-ICP61a | ME-ICP61a | ME-ICP61a | ME-ICP61a | ME-ICP61a | ME-ICP61a | ME-ICP61a | ME-ICP61a | ME-ICP61a | ME-ICP61a | |
|--------------------|-----------------------------------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|------|
| | | Recvd Wt. | Ag | Al | As | Ba | Be | Bi | Ca | Cd | Co | Cr | Cu | Fe | Ga | K |
| | | kg | ppm | % | ppm | ppm | ppm | ppm | % | ppm | ppm | ppm | ppm | % | ppm | % |
| | | 0.02 | 1 | 0.05 | 50 | 50 | 10 | 20 | 0.05 | 10 | 10 | 10 | 10 | 0.05 | 50 | 0.1 |
| G005787 | | 2.72 | <1 | 0.21 | <50 | 100 | <10 | <20 | 21.8 | <10 | 10 | 10 | <10 | 1.14 | <50 | 0.2 |
| G005788 | | 1.60 | <1 | 0.14 | <50 | 260 | <10 | <20 | 21.3 | <10 | 10 | 10 | <10 | 3.57 | <50 | 0.1 |
| G005789 | | 2.14 | <1 | 0.11 | <50 | 140 | <10 | <20 | 22.0 | <10 | 10 | 10 | <10 | 1.35 | <50 | 0.1 |
| G005790 | | 1.68 | <1 | 0.14 | <50 | 120 | <10 | <20 | 21.0 | <10 | 10 | 10 | <10 | 1.37 | <50 | 0.1 |
| G005791 | | 4.58 | <1 | 0.09 | <50 | 70 | <10 | <20 | 23.1 | <10 | 10 | 10 | <10 | 0.41 | <50 | 0.1 |
| G005792 | | 3.84 | <1 | 0.09 | <50 | 110 | <10 | <20 | 22.4 | <10 | 10 | 10 | <10 | 0.68 | <50 | 0.1 |
| G005793 | | 3.74 | <1 | 0.40 | <50 | 490 | <10 | <20 | 21.6 | 10 | 10 | 10 | <10 | 1.47 | <50 | 0.2 |
| G005794 | | 1.78 | <1 | 0.87 | <50 | 340 | <10 | <20 | 19.15 | 20 | 10 | 20 | 10 | 4.05 | <50 | 0.5 |
| G005795 | | 0.82 | <1 | 0.07 | <50 | <50 | <10 | <20 | 21.0 | <10 | 10 | 10 | <10 | 0.35 | <50 | 0.1 |
| G005796 | | 1.42 | <1 | 0.27 | <50 | 250 | <10 | <20 | 18.20 | 40 | 10 | 10 | 30 | 6.71 | <50 | 0.2 |
| G005797 | | 3.44 | <1 | 0.15 | <50 | 110 | <10 | <20 | 19.55 | <10 | 10 | 10 | <10 | 1.62 | <50 | 0.1 |
| G005798 | | 3.18 | <1 | 0.21 | <50 | 170 | <10 | <20 | 14.95 | 10 | 10 | 10 | 10 | 1.26 | <50 | 0.1 |
| G005799 | | 2.32 | <1 | 0.11 | <50 | 110 | <10 | <20 | 16.95 | <10 | 10 | 10 | <10 | 1.21 | <50 | 0.1 |
| G005800 | | 2.38 | <1 | 0.10 | <50 | 130 | <10 | <20 | 19.55 | <10 | 10 | 10 | <10 | 1.17 | <50 | 0.1 |
| G005801 | | 1.80 | <1 | 0.16 | <50 | 150 | <10 | <20 | 19.50 | <10 | 10 | 10 | <10 | 1.42 | <50 | 0.1 |
| G005802 | | 0.46 | <1 | 0.08 | <50 | <50 | <10 | <20 | 21.1 | <10 | <10 | 10 | <10 | 0.42 | <50 | <0.1 |
| G005803 | | 2.32 | 1 | 0.16 | <50 | 200 | <10 | <20 | 22.4 | <10 | 10 | <10 | <10 | 0.85 | <50 | 0.1 |
| G005804 | | 3.62 | 1 | 0.08 | <50 | 80 | <10 | <20 | 20.6 | <10 | <10 | <10 | <10 | 0.81 | <50 | <0.1 |
| G005805 | | 1.68 | 1 | 0.07 | <50 | 170 | <10 | <20 | 21.2 | <10 | <10 | <10 | <10 | 1.12 | <50 | <0.1 |
| G005806 | | 1.20 | <1 | 0.07 | <50 | 290 | <10 | <20 | 19.90 | 10 | <10 | <10 | <10 | 2.48 | <50 | <0.1 |
| G005807 | | 1.96 | 1 | 0.05 | <50 | 130 | <10 | <20 | 19.70 | <10 | <10 | <10 | <10 | 1.45 | <50 | <0.1 |
| G005808 | | 2.22 | <1 | <0.05 | <50 | 120 | <10 | <20 | 16.65 | <10 | <10 | <10 | <10 | 1.50 | <50 | <0.1 |
| G005809 | | 1.52 | <1 | <0.05 | <50 | 170 | <10 | <20 | 18.55 | <10 | <10 | <10 | <10 | 2.19 | <50 | <0.1 |
| G005810 | | 2.34 | <1 | 0.12 | <50 | 150 | <10 | <20 | 21.3 | <10 | <10 | 10 | <10 | 1.27 | <50 | <0.1 |



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

o: ZINCCORP RESOURCES INC.

C/O ARCHER CATHRO & ASSOCIATES (1981)

LTD.

1016 - 510 W. HASTINGS STREET

VANCOUVER BC V6B 1L8

Project: Michelle

Page: 2 - B

Total # Pages: 2 (A - C)

Finalized Date: 14-OCT-2008

Account: ZINRES

CERTIFICATE OF ANALYSIS VA08141774

| Sample Description | Method Analyte Units LOR | ME-ICP61a | ME-ICP61a | ME-ICP61a | ME-ICP61a | ME-ICP61a | ME-ICP61a | ME-ICP61a | ME-ICP61a | ME-ICP61a | ME-ICP61a | ME-ICP61a | ME-ICP61a | ME-ICP61a | ME-ICP61a |
|--------------------|-----------------------------------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| | | La | Mg | Mn | Mo | Na | Ni | P | Pb | S | Sb | Sc | Sr | Th | Ti |
| | | ppm | % | ppm | ppm | % | ppm | ppm | ppm | % | ppm | ppm | ppm | ppm | ppm |
| | | 50 | 0.05 | 10 | 10 | 0.05 | 10 | 50 | 20 | 0.1 | 50 | 10 | 10 | 50 | 50 |
| G005787 | | <50 | 10.70 | 3320 | <10 | 0.07 | <10 | 50 | <20 | <0.1 | <50 | <10 | 120 | <50 | <0.05 |
| G005788 | | <50 | 8.96 | 6600 | <10 | 0.05 | <10 | 50 | 20 | <0.1 | <50 | <10 | 100 | <50 | <0.05 |
| G005789 | | <50 | 9.55 | 4150 | <10 | 0.06 | <10 | <50 | <20 | <0.1 | <50 | <10 | 140 | <50 | <0.05 |
| G005790 | | <50 | 10.70 | 1940 | <10 | 0.07 | <10 | <50 | 30 | <0.1 | <50 | <10 | 120 | <50 | <0.05 |
| G005791 | | <50 | 10.80 | 1300 | <10 | 0.07 | <10 | <50 | 20 | <0.1 | <50 | <10 | 130 | <50 | <0.05 |
| G005792 | | <50 | 9.03 | 1100 | <10 | 0.06 | <10 | <50 | 40 | <0.1 | <50 | <10 | 120 | <50 | <0.05 |
| G005793 | | <50 | 10.75 | 1880 | <10 | 0.07 | <10 | 50 | 60 | <0.1 | <50 | <10 | 130 | <50 | <0.05 |
| G005794 | | <50 | 10.25 | 2110 | <10 | 0.07 | <10 | 80 | 250 | <0.1 | <50 | <10 | 110 | <50 | 0.05 |
| G005795 | | <50 | 7.29 | 170 | <10 | 0.05 | <10 | 190 | <20 | <0.1 | <50 | <10 | 40 | <50 | <0.05 |
| G005796 | | <50 | 9.60 | 3240 | <10 | 0.06 | <10 | 60 | 560 | <0.1 | <50 | <10 | 100 | <50 | <0.05 |
| G005797 | | <50 | 9.84 | 5040 | <10 | <0.05 | <10 | <50 | 20 | <0.1 | <50 | <10 | 110 | <50 | <0.05 |
| G005798 | | <50 | 7.20 | 2210 | <10 | <0.05 | <10 | <50 | 80 | <0.1 | <50 | <10 | 70 | <50 | <0.05 |
| G005799 | | <50 | 8.39 | 2460 | <10 | <0.05 | <10 | <50 | 70 | <0.1 | <50 | <10 | 80 | <50 | <0.05 |
| G005800 | | <50 | 9.73 | 2730 | <10 | 0.05 | <10 | <50 | 30 | <0.1 | <50 | <10 | 100 | <50 | <0.05 |
| G005801 | | <50 | 9.99 | 2580 | <10 | 0.06 | <10 | <50 | 50 | <0.1 | <50 | <10 | 90 | <50 | <0.05 |
| G005802 | | <50 | 11.80 | 250 | <10 | <0.05 | <10 | 150 | 20 | <0.1 | <50 | <10 | 30 | <50 | <0.05 |
| G005803 | | <50 | 10.90 | 2770 | <10 | 0.06 | <10 | <50 | 80 | <0.1 | <50 | <10 | 130 | <50 | <0.05 |
| G005804 | | <50 | 10.45 | 3180 | <10 | 0.05 | <10 | <50 | 20 | <0.1 | <50 | <10 | 110 | <50 | <0.05 |
| G005805 | | <50 | 10.70 | 3090 | <10 | <0.05 | <10 | <50 | 60 | <0.1 | <50 | <10 | 120 | <50 | <0.05 |
| G005806 | | <50 | 10.55 | 3990 | <10 | <0.05 | <10 | <50 | 90 | <0.1 | <50 | <10 | 90 | <50 | <0.05 |
| G005807 | | <50 | 10.70 | 3680 | <10 | <0.05 | <10 | <50 | 20 | <0.1 | <50 | <10 | 90 | <50 | <0.05 |
| G005808 | | <50 | 8.83 | 3350 | <10 | <0.05 | <10 | <50 | <20 | <0.1 | <50 | <10 | 70 | <50 | <0.05 |
| G005809 | | <50 | 8.99 | 3860 | <10 | <0.05 | <10 | <50 | 20 | <0.1 | <50 | <10 | 70 | <50 | <0.05 |
| G005810 | | <50 | 9.65 | 4530 | <10 | <0.05 | <10 | <50 | <20 | <0.1 | <50 | <10 | 110 | <50 | <0.05 |



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

o: ZINCCORP RESOURCES INC.
C/O ARCHER CATHRO & ASSOCIATES (1981)
LTD.
1016 - 510 W. HASTINGS STREET
VANCOUVER BC V6B 1L8

Project: Michelle

Page: 2 - C
Total # Pages: 2 (A - C)
Finalized Date: 14-OCT-2008
Account: ZINRES

CERTIFICATE OF ANALYSIS VA08141774

| Sample Description | Method Analyte Units LOR | ME-ICP61a | ME-ICP61a | ME-ICP61a | ME-ICP61a |
|--------------------|-----------------------------------|-----------|-----------|-----------|-----------|
| | | U | V | W | Zn |
| | | ppm 50 | ppm 10 | ppm 50 | ppm 20 |
| G005787 | | <50 | 10 | <50 | 600 |
| G005788 | | <50 | 10 | <50 | 5530 |
| G005789 | | <50 | 10 | <50 | 1000 |
| G005790 | | <50 | 10 | <50 | 5770 |
| G005791 | | <50 | 10 | <50 | 430 |
| G005792 | | <50 | 10 | <50 | 3260 |
| G005793 | | <50 | 10 | <50 | 4340 |
| G005794 | | <50 | 20 | <50 | 14000 |
| G005795 | | <50 | <10 | <50 | 140 |
| G005796 | | <50 | 10 | 90 | 18500 |
| G005797 | | <50 | 10 | <50 | 850 |
| G005798 | | <50 | 10 | <50 | 2870 |
| G005799 | | <50 | <10 | <50 | 2910 |
| G005800 | | <50 | 10 | <50 | 2290 |
| G005801 | | <50 | 10 | <50 | 3810 |
| G005802 | | <50 | <10 | <50 | 160 |
| G005803 | | <50 | 10 | <50 | 590 |
| G005804 | | <50 | 10 | <50 | 130 |
| G005805 | | <50 | 10 | <50 | 3420 |
| G005806 | | <50 | <10 | <50 | 7420 |
| G005807 | | <50 | <10 | <50 | 2660 |
| G005808 | | <50 | <10 | <50 | 2480 |
| G005809 | | <50 | <10 | <50 | 3820 |
| G005810 | | <50 | 10 | <50 | 230 |