

**ALS Chemex****EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: DYNAMITE

C/O ARCHER, CATHRO &amp; ASSOCIATES (1981)

LIMITED

1016-510 W HASTINGS ST

VANCOUVER BC V6B 1L8

Page: 1

Finalized 14-JUL-2005

Account: DYNAMI

**CERTIFICATE VA05055373**

Project: Mike Lake SIC-05-01

P.O. No.:

This report is for 121 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 7-JUL-2005.

The following have access to data associated with this certificate:

VANCOUVER OFFICE  
JOAN MARIACHERAL ARCHER  
BILL WENGZYNOWSKI

DOUG EATON

**SAMPLE PREPARATION**

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

**ANALYTICAL PROCEDURES**

ALS CODE	DESCRIPTION	INSTRUMENT
ME-ICP41	34 Element Aqua Regia ICP-AES	ICP-AES
Au-AA23	Au 30g FA-AA finish	AAS

To: DYNAMITE  
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED  
1016-510 W HASTINGS ST  
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: DYNAMITE

C/O ARCHER, CATHRO & ASSOCIATES (1981)

LIMITED

1016-510 W HASTINGS ST

VANCOUVER BC V6B 1L8

Project: Mike Lake SIC-05-01

Page: 2 - A

Total Pages: 5 (A - C)

Finalized Date: 14-JUL-2005

Account: DYNAMI

## CERTIFICATE OF ANALYSIS VA05055373

Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-ICP41 Ag ppm	ME-ICP41 Al %	ME-ICP41 As ppm	ME-ICP41 B ppm	ME-ICP41 Ba ppm	ME-ICP41 Be ppm	ME-ICP41 Bi ppm	ME-ICP41 Ca %	ME-ICP41 Cd ppm	ME-ICP41 Co ppm	ME-ICP41 Cr ppm	ME-ICP41 Cu ppm	ME-ICP41 Fe %
Sample Description	0.02	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
M010981	6.38	<0.005	<0.2	1.36	19	10	160	0.9	<2	3.85	<0.5	13	128	58	3.05
M010982	5.04	<0.005	<0.2	2.16	16	<10	170	1.1	<2	4.76	<0.5	12	221	9	3.78
M010983	4.36	<0.005	<0.2	1.45	109	50	170	0.8	<2	2.95	<0.5	13	43	136	1.90
M010984	4.06	<0.005	0.4	4.33	149	10	60	0.6	<2	3.54	0.6	36	34	441	6.65
M010985	4.72	<0.005	0.5	4.02	1575	20	60	0.6	2	3.32	0.6	57	35	486	7.79
M010986	6.36	<0.005	0.2	0.43	47	60	130	0.8	<2	1.87	<0.5	4	24	91	1.44
M010987	7.38	<0.005	0.4	0.41	501	20	100	0.9	<2	1.91	0.6	7	24	113	1.60
M010988	7.30	<0.005	0.2	0.42	185	30	100	0.8	<2	1.71	0.5	5	26	90	1.32
M010989	7.40	<0.005	0.2	0.35	2620	60	70	0.6	2	1.50	<0.5	11	25	112	1.44
M010990	7.00	<0.005	0.5	0.37	196	50	80	0.6	<2	1.37	<0.5	3	25	204	1.79
M010991	7.12	0.019	0.4	0.35	2600	30	90	0.6	7	1.44	<0.5	12	24	232	2.04
M010992	5.54	0.008	<0.2	0.38	3190	60	80	0.6	3	1.60	<0.5	7	25	68	1.16
M010993	7.26	<0.005	0.3	0.38	289	<10	90	0.6	<2	1.70	<0.5	8	23	148	1.54
M010994	7.62	<0.005	0.5	0.40	789	40	100	0.7	<2	2.09	0.5	7	26	166	1.68
M010995	7.00	<0.005	0.3	0.39	1100	30	90	0.7	<2	1.68	<0.5	7	26	112	1.30
M010996	6.40	<0.005	0.4	0.38	1205	40	80	0.7	<2	1.82	0.5	9	27	104	1.09
M010997	5.62	<0.005	0.3	0.72	504	10	90	1.3	<2	2.57	<0.5	9	22	131	1.75
M010998	7.42	<0.005	0.2	0.42	1205	40	100	0.8	2	1.74	<0.5	7	25	81	1.17
M010999	4.46	<0.005	0.3	0.30	56	20	70	0.6	<2	2.29	<0.5	1	18	58	0.71
M011000	1.78	<0.005	<0.2	0.05	7	<10	10	<0.5	<2	19.5	<0.5	<1	2	4	0.08
M010909	5.06	0.029	0.3	1.01	5220	10	10	1.5	8	4.23	<0.5	25	22	228	3.23
M010910	5.72	0.023	0.6	0.91	>10000	10	10	1.4	4	3.79	<0.5	46	11	687	7.09
M010911	4.04	0.014	0.3	1.30	2960	20	30	0.9	4	3.98	<0.5	13	18	341	3.36
M010912	3.98	0.006	0.3	1.50	3810	10	10	1.2	6	4.22	<0.5	14	17	291	3.50
M010913	2.66	<0.005	0.3	1.21	1160	20	<10	1.4	3	4.41	<0.5	4	16	146	2.11
M010914	2.68	0.012	0.4	0.83	7540	120	<10	1.0	3	5.41	<0.5	32	14	139	2.77
M010915	2.90	0.028	0.5	0.95	>10000	10	<10	1.7	7	4.67	<0.5	49	18	481	6.00
M010916	2.58	0.014	0.2	0.88	4040	10	<10	1.7	3	7.25	<0.5	15	11	105	1.81
M010917	3.52	0.093	0.2	0.75	>10000	90	10	0.8	27	5.82	<0.5	73	20	176	3.61
M010918	4.16	<0.005	0.3	2.42	505	10	90	1.3	6	2.34	0.5	17	67	173	2.23
M010919	5.32	0.007	0.2	3.10	198	<10	80	1.5	2	2.20	<0.5	24	78	170	3.52
M010920	7.10	0.005	0.2	3.12	53	430	80	1.3	6	3.84	<0.5	20	48	129	3.90
M010921	7.40	<0.005	0.2	3.19	139	10	90	1.2	7	2.39	<0.5	16	64	102	4.64
M010922	6.86	0.005	0.2	3.09	95	10	90	1.2	6	2.21	<0.5	15	65	93	3.92
M010923	7.52	<0.005	<0.2	3.12	109	<10	80	1.2	6	2.25	<0.5	16	60	101	4.57
M010924	7.52	0.016	1.0	2.29	287	10	80	0.9	5	2.20	0.5	14	50	140	2.81
M010925	6.98	<0.005	0.2	2.19	901	20	60	1.0	3	2.70	<0.5	13	42	104	2.23
M010926	2.46	<0.005	0.6	2.21	1285	40	50	0.8	6	2.96	<0.5	16	30	78	2.37
M010927	2.80	0.009	0.2	1.65	>10000	10	30	0.8	8	4.52	<0.5	48	29	79	3.20
M010928	8.44	<0.005	0.6	2.10	185	10	70	0.8	5	2.08	<0.5	12	39	109	2.66





# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: DYNAMITE

C/O ARCHER, CATHRO & ASSOCIATES (1981)

LIMITED

1016-510 W HASTINGS ST

VANCOUVER BC V6B 1L8

Project: Mike Lake SIC-05-01

Page: 2 - B

Total Elements: 5 (A - C)

Finalized Date: 14-JUL-2005

Account: DYNAMI

## CERTIFICATE OF ANALYSIS VA05055373

Method Analyte Units LOR	ME-ICP41 Ga ppm 10	ME-ICP41 Hg ppm 1	ME-ICP41 K % 0.01	ME-ICP41 La ppm 10	ME-ICP41 Mg % 0.01	ME-ICP41 Mn ppm 5	ME-ICP41 Mo ppm 1	ME-ICP41 Na % 0.01	ME-ICP41 Ni ppm 1	ME-ICP41 P ppm 10	ME-ICP41 Pb ppm 2	ME-ICP41 S % 0.01	ME-ICP41 Sb ppm 2	ME-ICP41 Sc ppm 1	ME-ICP41 Sr ppm 1
Sample Description															
M010981	<10	<1	0.26	30	1.33	398	2	0.03	16	1750	14	0.61	6	7	79
M010982	10	1	0.34	20	2.46	568	2	0.01	25	1770	7	0.15	4	12	87
M010983	<10	<1	0.19	10	0.51	201	2	0.20	17	1740	22	0.81	11	4	103
M010984	10	<1	0.55	10	1.05	162	1	0.70	75	2460	21	2.92	11	4	365
M010985	10	<1	0.46	10	0.93	172	2	0.62	92	2310	26	3.35	14	3	342
M010986	<10	<1	0.26	40	0.26	194	3	0.05	11	1650	31	0.56	9	2	51
M010987	<10	<1	0.22	50	0.22	186	3	0.06	9	1470	43	0.64	9	3	54
M010988	<10	<1	0.25	40	0.19	180	3	0.07	9	1370	44	0.49	6	2	56
M010989	<10	<1	0.19	50	0.15	150	2	0.09	9	1260	45	0.66	19	2	54
M010990	<10	1	0.19	50	0.12	131	2	0.09	8	1280	38	0.94	6	1	56
M010991	<10	1	0.21	50	0.12	142	2	0.07	9	1330	25	1.06	11	1	54
M010992	<10	1	0.20	50	0.18	148	3	0.08	8	1400	26	0.38	14	2	55
M010993	<10	<1	0.22	50	0.16	134	3	0.07	10	1450	45	0.71	7	2	60
M010994	<10	<1	0.25	50	0.20	195	3	0.07	8	1370	50	0.79	11	2	59
M010995	<10	<1	0.23	50	0.18	174	3	0.08	8	1300	42	0.54	8	2	55
M010996	<10	<1	0.21	50	0.19	164	2	0.09	9	1260	52	0.40	8	2	58
M010997	<10	1	0.19	40	0.35	241	2	0.11	8	1330	31	0.65	7	3	100
M010998	<10	<1	0.26	50	0.28	197	2	0.05	8	1360	45	0.35	12	3	51
M010999	<10	<1	0.17	50	0.20	196	2	0.05	6	1390	37	0.15	9	2	46
M011000	<10	<1	0.01	10	10.45	112	<1	0.01	3	320	<2	<0.01	<2	<1	128
M010909	<10	1	0.06	10	0.20	261	<1	0.34	13	950	23	1.74	15	1	70
M010910	<10	<1	0.04	10	0.33	230	<1	0.33	20	1450	18	3.58	33	1	63
M010911	10	<1	0.10	30	0.17	249	1	0.34	9	2710	20	1.84	17	3	79
M010912	10	1	0.06	80	0.12	216	<1	0.45	10	2500	20	2.01	20	3	87
M010913	10	1	0.05	330	0.13	256	<1	0.33	5	2490	6	1.05	11	2	79
M010914	10	<1	0.03	460	0.20	325	<1	0.22	11	2300	7	1.31	21	2	72
M010915	<10	1	0.04	10	0.14	256	<1	0.32	20	1600	7	3.00	31	1	89
M010916	<10	<1	0.04	20	0.13	346	<1	0.33	8	990	22	0.88	14	1	100
M010917	<10	<1	0.03	10	0.17	327	<1	0.25	20	650	8	1.91	50	2	97
M010918	10	1	0.33	20	0.44	150	3	0.30	36	1480	47	1.24	12	7	107
M010919	10	<1	0.54	10	0.85	172	4	0.38	47	1480	35	2.06	5	8	110
M010920	10	<1	0.30	20	0.40	151	6	0.46	41	1430	35	2.47	8	5	164
M010921	10	1	0.44	20	0.67	115	5	0.47	46	1600	28	2.82	8	5	166
M010922	10	1	0.43	20	0.70	128	4	0.43	41	1380	40	2.35	13	6	153
M010923	10	<1	0.43	20	0.71	120	4	0.48	42	1700	29	2.83	6	5	160
M010924	10	<1	0.21	20	0.28	112	6	0.46	38	2180	35	1.70	9	3	120
M010925	10	<1	0.13	20	0.14	100	6	0.50	33	2250	36	1.34	8	2	138
M010926	10	1	0.10	20	0.12	118	5	0.42	33	1070	27	1.40	5	1	138
M010927	10	<1	0.07	20	0.24	250	9	0.34	52	2480	21	1.58	31	2	130
M010928	10	1	0.14	20	0.15	66	6	0.50	40	1840	21	1.61	7	2	129



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

to: DYNAMITE

C/O ARCHER, CATHRO & ASSOCIATES (1981)

LIMITED

1016-510 W HASTINGS ST

VANCOUVER BC V6B 1L8

Project: Mike Lake SIC-05-01

Page: 2 - C

Total Issues: 5 (A - C)

Finalized Date: 14-JUL-2005

Account: DYNAMI

## CERTIFICATE OF ANALYSIS VA05055373

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Ti	Ti	U	V	W	Zn
		%	ppm	ppm	ppm	ppm	ppm
		0.01	10	10	1	10	2
M010981		0.22	<10	<10	72	<10	27
M010982		0.20	<10	<10	110	<10	30
M010983		0.30	<10	<10	64	<10	25
M010984		0.57	<10	<10	100	<10	26
M010985		0.44	<10	<10	72	<10	29
M010986		0.20	<10	<10	31	<10	26
M010987		0.17	<10	<10	30	10	52
M010988		0.17	<10	<10	27	10	50
M010989		0.15	<10	<10	23	10	34
M010990		0.20	<10	<10	23	10	33
M010991		0.17	<10	<10	21	10	26
M010992		0.15	<10	<10	24	20	25
M010993		0.20	<10	<10	27	250	42
M010994		0.19	<10	<10	29	80	41
M010995		0.18	<10	<10	26	370	37
M010996		0.17	<10	<10	25	30	54
M010997		0.17	<10	<10	35	20	46
M010998		0.18	<10	<10	30	80	32
M010999		0.18	<10	<10	27	10	26
M011000		<0.01	<10	<10	1	<10	5
M010909		0.10	<10	<10	14	<10	22
M010910		0.14	<10	<10	18	<10	30
M010911		0.38	<10	<10	64	<10	32
M010912		0.40	<10	<10	52	<10	29
M010913		0.30	<10	<10	30	<10	17
M010914		0.20	<10	<10	34	50	18
M010915		0.14	<10	<10	18	<10	12
M010916		0.04	<10	<10	8	<10	19
M010917		0.04	<10	<10	17	<10	16
M010918		0.21	<10	<10	87	<10	41
M010919		0.16	<10	<10	126	<10	19
M010920		0.26	<10	<10	66	<10	24
M010921		0.24	<10	<10	95	<10	33
M010922		0.24	<10	<10	97	<10	43
M010923		0.23	<10	<10	95	<10	32
M010924		0.22	<10	<10	51	<10	34
M010925		0.20	<10	<10	29	<10	23
M010926		0.16	<10	<10	19	<10	15
M010927		0.10	<10	<10	21	<10	22
M010928		0.24	<10	<10	33	<10	15





# ALS Chemex

## EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

to: DYNAMITE

C/O ARCHER, CATHRO & ASSOCIATES (1981)

LIMITED

1016-510 W HASTINGS ST

VANCOUVER BC V6B 1L8

Project: Mike Lake SIC-05-01

Page: 3 - A

Total Pages: 5 (A - C)

Finalized Date: 14-JUL-2005

Account: DYNAMI

### CERTIFICATE OF ANALYSIS VA05055373

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01
M010929		3.72	0.038	0.5	1.14	400	10	20	0.5	52	4.25	<0.5	7	18	327	3.66
M010930		1.16	<0.005	0.2	0.06	<2	<10	10	<0.5	<2	19.2	<0.5	<1	3	3	0.14
M010931		3.62	0.018	0.4	1.40	1165	90	30	0.6	9	2.87	<0.5	14	27	419	3.86
M010932		7.14	0.011	0.6	1.72	533	20	40	0.8	5	3.62	<0.5	11	27	394	4.10
M010933		3.24	<0.005	0.2	1.42	474	10	50	0.6	2	1.86	<0.5	13	23	219	2.61
M010934		3.54	0.036	1.3	1.37	628	40	50	0.8	579	2.85	<0.5	11	30	520	6.10
M010935		3.46	<0.005	<0.2	2.02	260	10	70	0.9	3	2.06	<0.5	13	46	105	2.72
M010936		3.16	0.007	<0.2	1.54	194	30	80	0.8	2	1.87	<0.5	8	41	91	1.96
M010937		4.92	<0.005	<0.2	2.24	144	10	70	0.9	<2	1.96	<0.5	13	49	78	2.65
M010938		4.28	<0.005	0.2	0.77	2180	10	50	0.9	<2	3.64	<0.5	19	21	39	1.24
M010939		4.02	<0.005	0.6	1.28	190	20	20	1.0	<2	4.07	<0.5	5	22	335	3.58
M010940		3.14	<0.005	<0.2	1.54	154	10	100	0.8	2	2.35	<0.5	11	47	98	2.89
M010941		3.06	<0.005	<0.2	0.95	194	20	100	1.3	9	2.60	<0.5	5	36	95	2.10
M010942		4.90	<0.005	0.3	1.89	180	10	70	0.9	<2	1.90	<0.5	9	45	108	2.03
M010943		3.04	<0.005	<0.2	0.70	69	170	60	<0.5	<2	2.29	<0.5	3	32	54	1.30
M010944		4.06	<0.005	0.6	0.92	1020	120	20	0.6	<2	5.87	<0.5	3	17	225	4.17
M010945		2.30	<0.005	<0.2	0.80	54	10	60	0.8	<2	2.48	<0.5	2	16	37	0.97
M010946		2.36	<0.005	0.5	0.98	73	20	50	<0.5	<2	3.10	<0.5	2	15	78	1.64
M010947		3.50	<0.005	0.2	0.70	1655	40	10	<0.5	22	5.20	<0.5	4	15	146	4.17
M010948		2.76	0.007	0.3	1.52	247	10	40	0.6	3	8.74	<0.5	4	24	48	2.17
M010949		6.60	<0.005	0.3	1.18	2300	650	30	0.5	37	4.60	<0.5	15	47	110	3.32
M010950		1.12	<0.005	<0.2	0.04	2	<10	10	<0.5	<2	18.6	<0.5	<1	3	8	0.08
M012101		7.36	<0.005	<0.2	2.03	94	380	60	0.7	<2	4.43	<0.5	12	45	70	2.49
M012102		5.00	<0.005	<0.2	3.54	20	10	200	0.9	<2	4.03	<0.5	20	51	69	4.56
M012103		7.78	<0.005	<0.2	2.78	38	10	80	0.9	<2	3.29	<0.5	15	48	117	4.12
M012104		6.32	0.010	0.3	2.91	17	10	100	0.9	<2	3.01	<0.5	11	65	63	3.12
M012105		7.30	<0.005	<0.2	3.18	36	<10	190	1.0	<2	2.70	<0.5	15	73	67	3.98
M012106		3.04	0.012	<0.2	2.47	6	10	130	0.7	<2	1.76	<0.5	13	76	56	2.59
M012107		7.58	<0.005	<0.2	2.71	11	10	200	0.7	<2	2.02	<0.5	11	80	52	3.34
M012108		7.20	<0.005	<0.2	3.33	68	<10	250	0.9	<2	1.56	<0.5	16	94	53	3.85
M012109		7.58	<0.005	<0.2	3.49	56	<10	220	1.0	<2	1.58	<0.5	15	76	60	4.17
M012110		6.74	0.005	<0.2	2.86	17	10	240	0.9	<2	1.66	<0.5	12	83	61	3.29
M012111		6.64	<0.005	<0.2	2.40	80	10	210	0.9	<2	2.41	<0.5	9	91	41	2.66
M012112		5.72	<0.005	0.5	0.62	94	<10	100	0.5	<2	2.11	<0.5	7	26	54	1.65
M012113		7.08	<0.005	<0.2	2.01	13	30	110	1.0	<2	2.33	<0.5	7	66	30	2.27
M012114		7.78	0.010	0.4	2.04	11	30	80	0.6	<2	4.37	<0.5	7	58	57	1.68
M012115		8.10	0.005	<0.2	2.71	14	30	130	0.8	<2	3.30	<0.5	12	75	91	2.80
M012116		6.78	0.009	0.2	3.46	17	<10	210	1.3	<2	2.15	<0.5	14	82	89	3.58
M012117		7.14	<0.005	<0.2	4.15	15	<10	240	1.0	<2	3.17	<0.5	21	51	46	4.58
M012118		7.70	0.008	0.2	3.65	34	<10	110	0.8	<2	1.79	<0.5	20	65	56	4.87



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: DYNAMITE

C/O ARCHER, CATHRO & ASSOCIATES (1981)

LIMITED

1016-510 W HASTINGS ST

VANCOUVER BC V6B 1L8

Project: Mike Lake SIC-05-01

Page: 3 - B

Total Pages: 5 (A - C)

Finalized Date: 14-JUL-2005

Account: DYNAMI

## CERTIFICATE OF ANALYSIS VA05055373

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc
		ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm
		10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1
M010929		<10	<1	0.08	10	0.20	300	3	0.32	23	1560	7	1.98	12	1
M010930		<10	<1	0.01	10	10.20	122	<1	0.02	3	340	2	<0.01	<2	<1
M010931		10	<1	0.07	20	0.23	243	6	0.45	31	1710	13	2.08	7	2
M010932		10	<1	0.09	20	0.36	261	5	0.35	29	1700	22	2.13	9	2
M010933		10	<1	0.10	20	0.11	104	5	0.39	34	910	14	1.42	7	1
M010934		10	<1	0.14	10	0.24	183	4	0.27	31	1360	14	3.11	23	2
M010935		10	<1	0.15	20	0.25	77	6	0.32	41	1720	23	1.54	13	2
M010936		10	<1	0.14	20	0.20	97	7	0.28	34	1850	16	1.06	10	2
M010937		10	<1	0.15	20	0.22	59	8	0.37	40	1260	19	1.50	7	2
M010938		<10	<1	0.13	50	0.29	232	3	0.11	13	1870	11	0.32	15	3
M010939		<10	<1	0.09	20	0.29	247	1	0.29	26	1000	15	1.82	8	1
M010940		10	<1	0.69	30	0.92	205	2	0.14	25	1260	21	1.22	13	7
M010941		10	<1	0.31	40	0.56	210	2	0.09	12	1850	21	0.64	11	5
M010942		10	<1	0.14	20	0.33	92	4	0.27	32	1470	19	1.10	11	2
M010943		<10	<1	0.10	10	0.14	184	3	0.16	14	910	12	0.58	8	1
M010944		<10	<1	0.04	60	0.29	650	1	0.18	17	830	6	1.76	15	2
M010945		<10	<1	0.14	40	0.20	196	1	0.14	7	1060	14	0.28	11	2
M010946		<10	<1	0.07	10	0.19	222	1	0.22	15	840	9	0.77	12	1
M010947		<10	<1	0.04	<10	0.26	361	<1	0.19	13	780	16	1.98	12	1
M010948		10	<1	0.06	10	0.27	554	1	0.19	24	920	11	0.59	23	2
M010949		<10	<1	0.07	10	0.31	334	4	0.18	25	1100	12	1.47	21	2
M010950		<10	<1	0.01	<10	9.92	120	<1	0.01	<1	330	5	<0.01	5	<1
M012101		10	<1	0.18	10	0.38	131	5	0.28	41	1960	16	1.40	12	2
M012102		20	<1	1.06	10	1.58	177	1	0.30	36	1820	10	1.95	11	12
M012103		10	<1	0.39	10	0.64	124	2	0.36	40	1340	12	2.20	11	4
M012104		10	<1	0.46	10	0.62	230	3	0.30	32	1150	10	1.57	7	5
M012105		10	<1	0.88	10	1.18	303	1	0.24	32	1140	7	1.67	5	9
M012106		10	<1	0.39	10	0.54	132	1	0.31	29	910	14	1.16	3	5
M012107		10	<1	0.79	10	1.02	277	1	0.24	29	1070	15	1.18	6	8
M012108		10	1	1.13	10	1.36	214	1	0.25	38	1240	5	1.24	5	11
M012109		10	1	1.14	10	1.34	246	<1	0.22	31	1280	6	1.36	6	10
M012110		10	<1	0.88	10	1.03	275	<1	0.18	28	1220	16	1.02	6	8
M012111		10	<1	0.79	10	0.97	266	1	0.16	26	900	7	0.48	7	6
M012112		<10	<1	0.24	40	0.21	152	2	0.09	9	1100	34	0.67	9	1
M012113		10	<1	0.44	30	0.67	226	1	0.16	19	1100	17	0.73	6	4
M012114		10	<1	0.35	10	0.46	362	<1	0.18	22	1180	22	0.66	6	3
M012115		10	<1	0.58	10	0.78	236	2	0.23	34	1520	13	1.17	8	5
M012116		10	<1	0.93	10	1.23	173	2	0.28	37	1460	5	1.26	9	9
M012117		20	<1	1.26	10	1.50	198	1	0.36	38	1700	5	1.67	8	12
M012118		10	1	1.34	10	1.61	167	1	0.27	32	1670	9	1.42	6	10





# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

TO: DYNAMITE

C/O ARCHER, CATHRO & ASSOCIATES (1981)

LIMITED

1016-510 W HASTINGS ST

VANCOUVER BC V6B 1L8

Project: Mike Lake SIC-05-01

Page: 3 - C

Total Pages: 5 (A - C)

Finalized Date: 14-JUL-2005

Account: DYNAMI

## CERTIFICATE OF ANALYSIS VA05055373

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Ti	Ti	U	V	W	Zn
		% 0.01	ppm 10	ppm 10	ppm 1	ppm 10	ppm 2
M010929		0.18	<10	<10	18	<10	28
M010930		<0.01	<10	<10	2	<10	5
M010931		0.18	<10	<10	27	<10	19
M010932		0.20	<10	<10	29	<10	32
M010933		0.19	<10	<10	19	<10	31
M010934		0.23	<10	<10	30	10	23
M010935		0.22	<10	<10	40	<10	19
M010936		0.19	<10	<10	27	<10	20
M010937		0.21	<10	<10	30	<10	15
M010938		0.19	<10	<10	38	20	17
M010939		0.20	<10	<10	16	10	30
M010940		0.20	<10	<10	55	<10	18
M010941		0.17	<10	<10	42	<10	21
M010942		0.18	<10	<10	33	<10	22
M010943		0.18	<10	<10	22	<10	16
M010944		0.15	<10	<10	16	100	16
M010945		0.17	<10	<10	20	<10	16
M010946		0.21	<10	<10	14	<10	16
M010947		0.13	<10	<10	12	<10	16
M010948		0.14	<10	<10	23	<10	27
M010949		0.14	<10	<10	29	<10	36
M010950		<0.01	<10	<10	2	<10	15
M012101		0.22	<10	<10	58	<10	32
M012102		0.34	<10	<10	129	<10	25
M012103		0.38	<10	<10	73	<10	14
M012104		0.28	<10	<10	74	<10	31
M012105		0.25	<10	<10	118	<10	42
M012106		0.25	<10	<10	44	<10	25
M012107		0.26	<10	<10	73	<10	40
M012108		0.30	<10	<10	98	<10	34
M012109		0.24	<10	<10	87	10	37
M012110		0.23	<10	<10	77	<10	50
M012111		0.22	<10	<10	71	<10	32
M012112		0.19	<10	<10	21	<10	37
M012113		0.19	<10	<10	53	<10	29
M012114		0.18	<10	<10	33	<10	43
M012115		0.22	<10	<10	66	<10	31
M012116		0.26	<10	<10	160	<10	64
M012117		0.35	<10	<10	119	<10	29
M012118		0.36	<10	<10	106	<10	46



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

Client: DYNAMITE

C/O ARCHER, CATHRO & ASSOCIATES (1981)  
LIMITED

1016-510 W HASTINGS ST  
VANCOUVER BC V6B 1L8

Project: Mike Lake SIC-05-01

Page: 4 - A

Total Tests: 5 (A - C)

Finalized Date: 14-JUL-2005

Account: DYNAMITE

## CERTIFICATE OF ANALYSIS VA05055373

Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-ICP41 Ag ppm	ME-ICP41 Al %	ME-ICP41 As ppm	ME-ICP41 B ppm	ME-ICP41 Ba ppm	ME-ICP41 Be ppm	ME-ICP41 Bi ppm	ME-ICP41 Ca %	ME-ICP41 Cd ppm	ME-ICP41 Co ppm	ME-ICP41 Cr ppm	ME-ICP41 Cu ppm	ME-ICP41 Fe %
Sample Description	0.02	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
M012119	7.14	0.005	<0.2	3.36	28	<10	440	1.2	2	1.29	<0.5	16	71	89	3.31
M012120	4.94	<0.005	<0.2	0.07	9	<10	10	<0.5	<2	20.0	<0.5	<1	3	1	0.09
M012121	6.74	<0.005	<0.2	2.85	37	220	190	1.0	2	1.98	<0.5	14	64	172	3.93
M012122	7.88	0.005	0.3	1.67	118	30	90	0.5	67	3.37	<0.5	9	46	59	1.71
M012123	7.40	<0.005	<0.2	2.47	30	150	190	0.7	6	2.81	<0.5	10	79	39	1.92
M012124	7.72	<0.005	0.2	1.58	28	40	70	0.5	<2	3.30	<0.5	7	67	11	0.95
M012125	7.16	<0.005	<0.2	1.57	62	10	70	0.6	<2	2.07	<0.5	10	60	24	1.48
M012126	7.06	<0.005	0.3	0.47	16	30	60	0.5	<2	1.80	<0.5	4	24	34	1.01
M012127	6.56	<0.005	0.2	0.42	78	50	60	0.5	<2	1.34	<0.5	6	27	39	0.78
M012128	6.90	<0.005	0.2	0.46	150	30	60	0.6	<2	1.92	<0.5	7	31	11	0.64
M012129	7.18	<0.005	<0.2	0.44	254	10	50	0.5	<2	1.86	<0.5	7	25	35	1.24
M012130	7.90	<0.005	<0.2	0.42	135	<10	60	<0.5	<2	1.63	<0.5	7	26	26	1.09
M012131	4.82	<0.005	0.4	2.45	108	10	180	0.9	5	2.29	<0.5	13	55	55	3.28
M012132	7.36	<0.005	<0.2	1.46	182	50	40	0.6	6	5.17	0.6	10	26	53	1.91
M012133	4.36	<0.005	0.3	1.90	254	40	60	0.9	3	2.86	<0.5	14	44	76	3.35
M012134	5.98	0.010	0.6	1.89	360	10	130	0.8	4	2.31	<0.5	17	47	49	3.01
M012135	7.96	<0.005	0.2	1.41	1120	20	50	0.8	4	2.88	<0.5	19	37	63	2.87
M012136	7.36	<0.005	0.3	1.15	371	10	40	0.7	2	3.67	<0.5	13	42	126	3.04
M012137	7.10	<0.005	<0.2	0.72	118	100	60	0.8	<2	2.67	<0.5	7	26	24	1.32
M012138	7.54	<0.005	<0.2	0.31	69	10	50	<0.5	<2	1.22	<0.5	5	21	29	0.85
M012139	7.34	<0.005	<0.2	0.35	25	<10	50	<0.5	2	1.40	<0.5	4	24	21	0.66
M012140	2.90	<0.005	0.2	0.04	8	<10	20	<0.5	<2	18.4	<0.5	<1	6	1	0.07
M012141	7.54	<0.005	<0.2	0.43	18	10	60	<0.5	<2	1.51	<0.5	3	27	17	0.72
M012142	6.62	<0.005	0.2	0.48	25	20	70	0.5	2	1.58	<0.5	5	14	19	0.98
M012143	8.06	<0.005	<0.2	1.24	18	<10	280	<0.5	2	0.76	<0.5	9	42	14	1.97
M012144	7.88	<0.005	<0.2	1.28	10	<10	250	0.5	<2	0.90	<0.5	9	42	18	1.84
M012145	7.50	<0.005	<0.2	1.41	11	<10	300	0.5	<2	0.85	<0.5	10	42	17	2.10
M012146	6.68	<0.005	<0.2	1.39	11	<10	290	0.5	<2	0.87	<0.5	9	40	23	2.04
M012147	8.18	0.005	<0.2	0.87	32	280	40	<0.5	2	5.34	<0.5	4	17	23	0.76
M012148	7.52	<0.005	0.4	1.99	35	10	70	0.8	2	2.07	<0.5	12	47	74	2.83
M012149	7.44	<0.005	<0.2	3.55	33	10	210	1.1	<2	2.32	<0.5	14	55	91	3.91
M012150	6.64	<0.005	0.2	4.94	25	<10	190	1.3	2	1.90	<0.5	14	67	86	4.43
B373701	6.78	<0.005	<0.2	4.21	27	<10	140	1.2	3	1.52	<0.5	16	71	85	4.52
B373702	7.06	0.006	0.4	5.05	18	<10	130	1.5	3	2.29	0.5	14	70	91	4.58
B373703	7.22	<0.005	0.2	4.11	13	<10	200	1.2	<2	1.48	0.7	14	64	51	4.21
B373704	7.00	0.008	<0.2	4.35	17	<10	240	1.3	<2	1.40	0.6	14	66	64	4.61
B373705	7.30	<0.005	<0.2	4.40	5	<10	200	1.2	<2	2.05	<0.5	12	70	74	3.96
B373706	8.00	0.005	<0.2	3.33	32	<10	250	1.0	<2	2.67	<0.5	13	58	66	3.49
B373707	8.04	0.006	<0.2	3.84	27	<10	530	1.0	<2	1.71	<0.5	16	61	76	3.72
B373708	7.34	0.005	0.2	1.67	25	10	100	0.6	<2	2.27	<0.5	10	71	35	1.65





# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

TO: DYNAMITE  
C/O ARCHER, CATHRO & ASSOCIATES (1981)  
LIMITED  
1016-510 W HASTINGS ST  
VANCOUVER BC V6B 1L8

Project: Mike Lake SIC-05-01

Page: 4 - B  
Total Pages: 5 (A - C)  
Finalized Date: 14-JUL-2005  
Account: DYNAMI

## CERTIFICATE OF ANALYSIS VA05055373

Method Analyte Units LOR	ME-ICP41 Ga ppm 10	ME-ICP41 Hg ppm 1	ME-ICP41 K % 0.01	ME-ICP41 La ppm 10	ME-ICP41 Mg % 0.01	ME-ICP41 Mn ppm 5	ME-ICP41 Mo ppm 1	ME-ICP41 Na % 0.01	ME-ICP41 Ni ppm 1	ME-ICP41 P ppm 10	ME-ICP41 Pb ppm 2	ME-ICP41 S % 0.01	ME-ICP41 Sb ppm 2	ME-ICP41 Sc ppm 1	ME-ICP41 Sr ppm 1
Sample Description															
M012119	10	2	1.10	10	1.43	240	1	0.15	31	1240	7	0.68	3	7	113
M012120	<10	1	0.02	<10	11.30	99	<1	<0.01	5	430	2	<0.01	<2	<1	122
M012121	10	1	0.96	10	1.43	239	1	0.14	36	1050	8	1.17	5	6	107
M012122	<10	<1	0.30	10	0.59	199	1	0.27	26	960	8	0.56	6	2	135
M012123	10	1	0.59	10	0.85	150	1	0.32	30	1050	12	0.45	5	4	143
M012124	<10	<1	0.22	10	0.36	181	<1	0.23	20	840	16	0.24	4	1	124
M012125	10	1	0.22	20	0.36	128	2	0.20	26	880	22	0.56	12	2	140
M012126	<10	<1	0.14	40	0.16	170	2	0.07	6	930	44	0.32	6	1	75
M012127	<10	2	0.16	50	0.10	108	2	0.08	7	910	36	0.26	6	1	77
M012128	<10	1	0.16	50	0.16	168	2	0.08	5	900	31	0.09	5	1	93
M012129	<10	<1	0.13	50	0.15	142	2	0.06	8	880	28	0.49	5	1	73
M012130	<10	<1	0.14	50	0.12	114	2	0.07	6	920	21	0.44	3	1	81
M012131	10	1	0.73	20	0.94	192	2	0.26	29	1170	14	1.30	8	5	126
M012132	<10	2	0.09	10	0.18	164	5	0.26	31	1390	27	1.05	15	1	165
M012133	10	1	0.29	20	0.52	166	4	0.28	35	1640	18	1.76	13	2	132
M012134	10	1	0.62	20	0.78	208	3	0.18	28	1190	9	1.18	10	5	104
M012135	<10	1	0.23	10	0.43	150	5	0.24	30	1320	12	1.50	12	2	105
M012136	<10	<1	0.09	10	0.27	174	7	0.21	43	1680	12	1.60	10	1	108
M012137	<10	<1	0.13	30	0.26	336	3	0.09	15	1020	10	0.42	9	2	77
M012138	<10	<1	0.12	50	0.08	82	2	0.06	6	910	16	0.37	3	<1	59
M012139	<10	<1	0.13	50	0.07	84	2	0.07	6	900	18	0.25	3	<1	75
M012140	<10	1	0.01	<10	10.15	102	<1	<0.01	3	400	<2	<0.01	<2	<1	117
M012141	<10	<1	0.15	50	0.14	111	2	0.09	5	960	31	0.18	4	1	86
M012142	<10	<1	0.17	40	0.47	144	1	0.07	5	940	33	0.17	4	1	62
M012143	<10	<1	0.66	20	0.63	241	2	0.13	10	940	23	0.07	3	2	88
M012144	10	1	0.59	20	0.60	263	2	0.16	9	930	27	0.08	3	2	115
M012145	10	2	0.71	30	0.67	292	2	0.15	10	940	25	0.08	3	2	105
M012146	<10	<1	0.66	30	0.64	249	2	0.16	12	900	21	0.14	2	2	121
M012147	<10	<1	0.11	10	0.17	201	2	0.15	11	710	10	0.21	10	<1	139
M012148	<10	<1	0.23	10	0.41	82	5	0.31	42	2110	14	1.54	10	2	166
M012149	10	1	1.14	10	1.38	218	5	0.38	40	1320	9	1.22	9	5	191
M012150	10	1	1.80	10	2.29	316	3	0.39	33	1300	7	1.33	5	11	163
B373701	10	1	1.54	10	2.00	327	5	0.34	37	1190	8	1.64	11	11	135
B373702	10	<1	1.76	10	2.35	433	4	0.40	37	2050	9	1.41	6	10	215
B373703	10	<1	1.44	10	1.94	392	2	0.27	29	1040	12	1.26	2	10	119
B373704	10	<1	1.62	10	1.96	360	2	0.31	35	1080	13	1.47	<2	11	120
B373705	10	<1	1.54	10	1.88	499	3	0.39	30	2470	13	1.26	2	9	221
B373706	10	<1	0.93	10	1.10	247	5	0.30	36	2210	9	1.36	4	7	158
B373707	10	<1	1.44	10	1.76	302	<1	0.27	36	1180	9	0.61	4	9	122
B373708	<10	<1	0.27	10	0.50	228	<1	0.27	27	920	18	0.45	4	3	121



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: DYNAMITE

C/O ARCHER, CATHRO & ASSOCIATES (1981)

LIMITED

1016-510 W HASTINGS ST

VANCOUVER BC V6B 1L8

Project: Mike Lake SIC-05-01

Page: 4 - C

Total Pages: 5 (A - C)

Finalized Date: 14-JUL-2005

Account: DYNAMI

## CERTIFICATE OF ANALYSIS VA05055373

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Ti	Ti	U	V	W	Zn
		% 0.01	ppm 10	ppm 10	ppm 1	ppm 10	ppm 2
M012119		0.20	<10	<10	78	<10	52
M012120		<0.01	<10	<10	2	<10	7
M012121		0.20	10	<10	63	<10	31
M012122		0.28	<10	<10	43	<10	15
M012123		0.31	<10	<10	56	<10	27
M012124		0.23	<10	<10	28	<10	20
M012125		0.25	<10	<10	38	<10	24
M012126		0.13	<10	<10	17	<10	50
M012127		0.14	<10	<10	15	<10	28
M012128		0.14	<10	<10	18	10	28
M012129		0.12	<10	<10	16	10	25
M012130		0.13	<10	<10	16	<10	19
M012131		0.24	<10	<10	75	<10	25
M012132		0.16	<10	<10	25	<10	91
M012133		0.18	<10	<10	57	<10	18
M012134		0.19	<10	<10	54	<10	26
M012135		0.16	<10	<10	46	<10	11
M012136		0.17	<10	<10	36	<10	12
M012137		0.12	<10	<10	24	20	16
M012138		0.12	<10	<10	12	<10	13
M012139		0.13	<10	<10	13	<10	17
M012140		<0.01	<10	<10	1	<10	5
M012141		0.13	<10	<10	15	<10	25
M012142		0.12	<10	<10	19	<10	36
M012143		0.21	<10	<10	50	<10	43
M012144		0.20	<10	<10	48	<10	47
M012145		0.22	<10	<10	54	<10	50
M012146		0.21	<10	<10	51	<10	44
M012147		0.16	<10	<10	13	<10	28
M012148		0.20	<10	<10	46	<10	12
M012149		0.26	<10	<10	64	<10	21
M012150		0.25	<10	<10	130	<10	43
B373701		0.22	10	<10	147	<10	45
B373702		0.30	<10	<10	133	<10	75
B373703		0.26	<10	<10	124	<10	106
B373704		0.27	<10	<10	129	<10	89
B373705		0.23	<10	<10	119	<10	86
B373706		0.24	<10	<10	113	<10	34
B373707		0.24	<10	<10	86	<10	60
B373708		0.19	<10	<10	47	<10	21





# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: DYNAMITE

C/O ARCHER, CATHRO & ASSOCIATES (1981)

LIMITED

1016-510 W HASTINGS ST

VANCOUVER BC V6B 1L8

Project: Mike Lake SIC-05-01

Page: 5 - A

Total Pages: 5 (A - C)

Finalized Date: 14-JUL-2005

Account: DYNAMI

## CERTIFICATE OF ANALYSIS VA05055373

Sample Description	Method	WEI-21	Au-AA23	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
B373709		8.18	<0.005	<0.2	2.27	10	20	190	0.9	<2	2.03	<0.5	9	57	43	1.85

**ALS Chemex**

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 [www.alschemex.com](http://www.alschemex.com)

To: DYNAMITE

**C/O ARCHER, CATHRO & ASSOCIATES (1981)**

**LIMITED**

1016-510 W HASTINGS ST

VANCOUVER BC V6B 1L8

Project: Mike Lake SIC-05-01

Page: 5 - B

Total items: 5 (A - C)

Finalized Date: 14-JUL-2005

Account: DYNAMI

**CERTIFICATE OF ANALYSIS    VA05055373**

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	
		Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
		ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
		10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
B373709		10	<1	0.61	20	0.68	200	1	0.25	24	1320	22	0.42	<2	4	134





# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: DYNAMITE

C/O ARCHER, CATHRO & ASSOCIATES (1981)

LIMITED

1016-510 W HASTINGS ST

VANCOUVER BC V6B 1L8

Project: Mike Lake SIC-05-01

Page: 5 - C

Total Pages: 5 (A - C)

Finalized Date: 14-JUL-2005

Account: DYNAMI

## CERTIFICATE OF ANALYSIS VA05055373

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Ti	Ti	U	V	W	Zn
		%	ppm	ppm	ppm	ppm	ppm
		0.01	10	10	1	10	2
B373709		0.22	<10	<10	49	<10	34



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: DYNAMITE  
C/O ARCHER, CATHRO & ASSOCIATES (1981)  
LIMITED  
1016-510 W HASTINGS ST  
VANCOUVER BC V6B 1L8

Page: 1  
Finalized: 8-JUL-2005  
Account: DYNAMI

## CERTIFICATE VA05051462

Project: MIKE LK SK-05-01

P.O. No.:

This report is for 52 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 27-JUN-2005.

The following have access to data associated with this certificate:

VANCOUVER OFFICE  
JOAN MARIACHER

AL ARCHER  
BILL WENGZYNOWSKI

DOUG EATON

## SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
PUL-31	Pulverize split to 85% <75 um
SPL-21	Split sample - riffle splitter
CRU-31	Fine crushing - 70% <2mm
LOG-22	Sample login - Rcd w/o BarCode

## ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-ICP41	34 Element Aqua Regia ICP-AES	ICP-AES
Au-AA23	Au 30g FA-AA finish	AAS

To: DYNAMITE  
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED  
1016-510 W HASTINGS ST  
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:





# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

TO: DYNAMITE  
C/O ARCHER, CATHRO & ASSOCIATES (1981)  
LIMITED  
1016-510 W HASTINGS ST  
VANCOUVER BC V6B 1L8

Project: MIKE LK SK-05-01

Page: 2 - A  
Total Pages: 3 (A - C)  
Finalized Date: 8-JUL-2005  
Account: DYNAMI

## CERTIFICATE OF ANALYSIS VA05051462

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	Au-AA23 Au Check ppm	ME-ICP41 Ag ppm	ME-ICP41 Al %	ME-ICP41 As ppm	ME-ICP41 B ppm	ME-ICP41 Ba ppm	ME-ICP41 Be ppm	ME-ICP41 Bi ppm	ME-ICP41 Ca %	ME-ICP41 Cd ppm	ME-ICP41 Co ppm	ME-ICP41 Cr ppm	ME-ICP41 Cu ppm
		0.02	0.005	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1
M011929		7.28	0.013		<0.2	2.22	120	10	30	0.9	<2	3.67	<0.5	3	8	35
M011930		7.24	0.014		0.2	2.69	147	10	40	1.2	<2	3.07	<0.5	4	13	117
M011931		7.02	<0.005		0.4	2.37	440	<10	90	1.2	<2	2.52	<0.5	17	27	272
M011932		6.78	<0.005		0.5	3.52	191	10	60	0.7	<2	3.13	<0.5	14	23	255
M011933		7.20	<0.005		0.7	2.81	252	20	50	0.5	<2	3.19	<0.5	11	10	293
M011934		7.42	<0.005		0.3	2.75	142	30	50	0.5	<2	3.32	<0.5	8	12	113
M011935		6.62	<0.005		0.8	2.10	224	10	70	1.1	<2	2.92	0.5	13	22	405
M011936		8.12	<0.005		0.6	1.08	582	<10	30	0.7	<2	2.93	<0.5	10	17	237
M011937		7.32	0.006		0.3	1.17	1410	10	30	0.7	<2	3.77	<0.5	18	26	102
M011938		6.96	0.012		1.0	1.73	195	10	50	0.9	<2	3.97	<0.5	13	37	467
M011939		7.56	0.028		1.0	1.53	157	10	60	0.8	11	4.12	<0.5	13	23	473
M011940		1.68	<0.005		<0.2	0.09	9	<10	20	<0.5	<2	21.8	<0.5	<1	2	6
M011941		5.68	<0.005		0.4	1.72	296	<10	60	0.9	<2	4.40	<0.5	14	21	123
M011942		6.68	0.007		0.4	2.35	1150	<10	220	0.9	<2	6.01	<0.5	14	27	30
M011943		6.92	0.006		0.2	5.32	78	<10	390	1.3	<2	3.28	<0.5	29	41	50
M011944		7.22	<0.005		0.2	2.91	61	10	90	1.5	<2	2.91	<0.5	27	25	113
M011945		8.58	<0.005		<0.2	1.10	263	<10	70	0.6	<2	2.77	<0.5	13	20	69
M011946		6.00	<0.005		0.5	1.93	93	<10	80	0.8	<2	1.92	<0.5	16	26	221
M011947		8.50	<0.005		0.3	1.15	179	<10	60	0.6	<2	2.44	<0.5	8	17	191
M011948		8.32	0.009		0.4	1.26	345	<10	40	0.6	<2	2.93	0.5	9	14	482
M011949		8.04	<0.005		0.2	1.54	499	10	40	0.6	<2	3.23	<0.5	9	9	108
M011950		8.60	0.007		<0.2	1.26	31	40	10	<0.5	14	2.80	<0.5	4	3	23
M010951		8.46	0.005		<0.2	2.33	34	10	10	0.5	5	3.67	<0.5	<1	4	15
M010952		7.26	<0.005		0.3	1.05	190	10	40	<0.5	2	2.82	<0.5	1	6	57
M010953		7.88	<0.005		0.6	1.15	618	10	60	0.6	<2	3.50	<0.5	7	9	315
M010954		7.98	0.005		1.0	1.09	440	10	50	0.5	<2	2.94	<0.5	9	18	494
M010955		7.92	0.005		0.4	1.03	379	10	40	0.5	9	3.23	<0.5	6	8	211
M010956		8.52	0.008	0.008	<0.2	1.78	243	20	10	0.8	9	3.77	<0.5	2	14	84
M010957		8.46	0.204	0.178	1.2	1.00	1725	60	10	0.5	50	4.71	0.5	10	7	327
M010958		8.50	0.034	0.029	1.3	1.05	1205	210	10	0.9	9	4.27	0.5	5	15	568
M010959		7.54	0.006		0.5	0.73	1305	410	10	0.7	4	3.12	0.5	5	5	292
M010960		1.16	<0.005		<0.2	0.05	8	<10	10	<0.5	<2	20.8	<0.5	<1	5	6
M010961		7.66	<0.005		0.3	0.35	855	620	30	<0.5	4	3.90	<0.5	7	5	141
M010962		7.84	0.035		0.2	0.81	1620	210	40	0.8	1185	3.12	<0.5	12	13	72
M010963		7.72	0.005		1.0	1.82	1500	280	60	1.0	8	3.27	1.1	16	40	345
M010964		7.24	<0.005		1.2	1.95	1590	110	60	0.8	6	3.17	0.7	24	49	679
M010965		8.14	<0.005		0.2	1.38	469	610	20	1.4	6	5.45	<0.5	5	19	150
M010966		7.28	<0.005		<0.2	1.58	388	10	60	0.9	3	3.85	<0.5	10	51	175
M010967		6.76	<0.005		0.4	1.38	720	300	60	0.6	3	3.70	<0.5	11	37	356
M010968		7.32	<0.005		0.2	1.86	679	10	90	0.8	4	2.14	<0.5	20	72	267



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

Client: DYNAMITE  
C/O ARCHER, CATHRO & ASSOCIATES (1981)  
LIMITED  
1016-510 W HASTINGS ST  
VANCOUVER BC V6B 1L8  
Project: MIKE LK SK-05-01

Page: 2 - B  
Total Pages: 3 (A - C)  
Finalized Date: 8-JUL-2005  
Account: DYNAMITE

## CERTIFICATE OF ANALYSIS VA05051462

Method Analyte Units LOR	ME-ICP41 Fe %	ME-ICP41 Ga ppm	ME-ICP41 Hg ppm	ME-ICP41 K %	ME-ICP41 La ppm	ME-ICP41 Mg %	ME-ICP41 Mn ppm	ME-ICP41 Mo ppm	ME-ICP41 Na %	ME-ICP41 Ni ppm	ME-ICP41 P ppm	ME-ICP41 Pb ppm	ME-ICP41 S %	ME-ICP41 Sb ppm	ME-ICP41 Sc ppm
Sample Description	0.01	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1
M011929	0.60	<10	<1	0.07	20	0.06	137	<1	0.35	9	1060	10	0.14	8	1
M011930	0.87	10	<1	0.14	20	0.15	116	<1	0.42	12	940	14	0.29	7	1
M011931	1.58	10	<1	0.21	10	0.23	99	3	0.29	31	1370	27	0.76	7	2
M011932	1.72	10	1	0.22	10	0.29	108	1	0.35	22	1940	24	0.84	4	2
M011933	0.83	10	<1	0.10	10	0.10	101	2	0.24	14	1830	20	0.39	5	<1
M011934	0.63	<10	1	0.09	10	0.09	116	1	0.28	12	1780	18	0.23	3	1
M011935	0.98	<10	<1	0.13	10	0.21	166	1	0.31	19	1430	12	0.32	8	2
M011936	1.06	<10	<1	0.08	10	0.18	201	1	0.16	18	940	12	0.35	7	1
M011937	1.80	<10	1	0.10	<10	0.27	348	1	0.16	25	710	23	0.58	7	2
M011938	2.00	10	<1	0.23	10	0.43	239	2	0.19	28	1040	22	0.73	4	2
M011939	2.23	<10	<1	0.10	10	0.44	415	1	0.16	24	1310	18	0.72	5	2
M011940	0.13	<10	1	0.01	<10	11.15	146	<1	0.01	5	450	<2	<0.01	<2	<1
M011941	2.06	<10	1	0.13	10	0.55	472	<1	0.13	20	1090	18	0.52	4	3
M011942	2.62	10	<1	0.63	10	0.96	1360	<1	0.20	19	1200	36	0.44	9	6
M011943	4.69	20	<1	1.31	20	1.63	644	1	0.51	37	2070	9	0.86	<2	9
M011944	3.02	10	<1	0.24	10	0.57	211	4	0.29	37	1630	27	1.64	6	4
M011945	1.17	<10	<1	0.14	10	0.34	262	2	0.12	14	1040	17	0.33	4	2
M011946	1.58	10	<1	0.21	10	0.21	152	1	0.23	20	1170	14	0.78	2	3
M011947	1.27	<10	<1	0.11	10	0.18	192	1	0.18	15	1160	13	0.49	3	2
M011948	1.52	<10	<1	0.09	120	0.14	214	1	0.19	17	1260	16	0.65	3	1
M011949	1.14	<10	<1	0.08	20	0.13	192	2	0.23	20	1130	11	0.50	8	<1
M011950	0.49	<10	<1	0.02	70	0.11	191	1	0.12	2	1610	8	0.06	4	<1
M010951	0.50	<10	<1	0.03	10	0.13	174	<1	0.28	1	1430	13	0.03	6	<1
M010952	0.72	<10	<1	0.07	10	0.16	211	1	0.26	6	1060	19	0.13	7	1
M010953	1.69	<10	<1	0.10	30	0.19	308	4	0.24	23	1240	25	0.72	4	1
M010954	1.70	<10	<1	0.09	10	0.15	230	3	0.25	21	1110	28	0.75	7	1
M010955	1.61	<10	<1	0.07	80	0.13	209	2	0.23	23	1850	29	0.71	7	1
M010956	1.23	<10	<1	0.04	30	0.13	244	1	0.33	12	1530	19	0.41	10	1
M010957	1.79	<10	<1	0.03	40	0.16	323	2	0.24	34	1250	37	0.71	21	1
M010958	1.72	<10	<1	0.05	30	0.12	304	<1	0.26	11	1880	21	0.71	5	1
M010959	1.42	<10	<1	0.03	10	0.13	268	<1	0.18	9	990	19	0.47	10	1
M010960	0.11	<10	<1	0.01	<10	11.70	93	<1	<0.01	<1	440	2	<0.01	<2	<1
M010961	1.71	<10	<1	0.06	30	0.12	282	1	0.05	10	1270	35	0.74	9	1
M010962	1.19	<10	<1	0.10	40	0.15	235	1	0.23	8	1440	34	0.39	39	1
M010963	2.53	<10	<1	0.33	10	0.48	214	1	0.35	37	1400	47	1.02	19	3
M010964	4.12	<10	<1	0.28	10	0.48	192	1	0.29	46	1310	40	1.88	19	3
M010965	2.74	<10	<1	0.14	10	0.22	316	1	0.36	17	900	17	1.24	10	2
M010966	2.84	<10	<1	0.31	10	0.47	283	1	0.23	28	850	15	1.22	12	3
M010967	4.65	<10	<1	0.20	10	0.39	260	1	0.19	36	740	23	2.07	13	3
M010968	3.66	10	<1	0.41	10	0.62	148	2	0.21	42	1080	22	1.67	12	5





# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

Client: DYNAMITE

C/O ARCHER, CATHRO & ASSOCIATES (1981)

LIMITED

1016-510 W HASTINGS ST

VANCOUVER BC V6B 1L8

Project: MIKE LK SK-05-01

Page: 2 - C

Total # of Tests: 3 (A - C)

Finalized Date: 8-JUL-2005

Account: DYNAMITE

## CERTIFICATE OF ANALYSIS VA05051462

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Sr	Ti	Ti	U	V	W	Zn
		ppm 1	% 0.01	ppm 10	ppm 10	ppm 1	ppm 10	ppm 2
M011929		124	0.09	<10	<10	6	<10	15
M011930		133	0.13	<10	<10	13	<10	29
M011931		133	0.19	<10	<10	41	10	47
M011932		210	0.28	<10	<10	46	<10	34
M011933		198	0.30	10	<10	28	<10	40
M011934		190	0.30	<10	<10	30	<10	18
M011935		135	0.29	<10	<10	34	<10	36
M011936		78	0.17	<10	<10	26	<10	24
M011937		65	0.18	<10	<10	30	<10	26
M011938		104	0.24	<10	<10	52	40	33
M011939		100	0.27	<10	<10	48	10	32
M011940		132	<0.01	<10	<10	3	<10	7
M011941		113	0.17	<10	<10	44	<10	33
M011942		185	0.17	<10	<10	66	<10	40
M011943		241	0.49	<10	<10	116	<10	28
M011944		166	0.28	<10	<10	63	<10	43
M011945		79	0.28	<10	<10	38	<10	20
M011946		108	0.29	<10	<10	48	<10	26
M011947		69	0.25	<10	<10	34	<10	20
M011948		83	0.22	<10	<10	29	<10	33
M011949		119	0.21	<10	<10	18	<10	16
M011950		112	0.25	<10	<10	12	<10	14
M010951		158	0.25	<10	<10	16	<10	16
M010952		74	0.19	<10	<10	13	<10	20
M010953		123	0.23	<10	<10	25	<10	34
M010954		70	0.21	<10	<10	19	10	44
M010955		68	0.19	<10	<10	18	<10	42
M010956		111	0.19	<10	<10	17	<10	34
M010957		73	0.14	<10	<10	18	<10	55
M010958		75	0.17	<10	<10	16	80	62
M010959		45	0.08	<10	<10	9	10	49
M010960		97	<0.01	<10	<10	1	<10	6
M010961		46	0.12	<10	<10	12	10	35
M010962		56	0.22	<10	<10	18	10	29
M010963		92	0.35	<10	<10	59	10	118
M010964		109	0.36	<10	<10	58	<10	85
M010965		100	0.28	<10	<10	24	40	26
M010966		88	0.29	<10	<10	48	50	23
M010967		91	0.32	<10	<10	46	30	27
M010968		206	0.27	<10	<10	68	10	23



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

Client: DYNAMITE  
C/O ARCHER, CATHRO & ASSOCIATES (1981)  
LIMITED  
1016-510 W HASTINGS ST  
VANCOUVER BC V6B 1L8

Project: MIKE LK SK-05-01

Page: 3 - A  
Total Pages: 3 (A - C)  
Finalized Date: 8-JUL-2005  
Account: DYNAMITE

## CERTIFICATE OF ANALYSIS VA05051462

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	Au-AA23	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Recvd Wt.	Au	Au Check	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr
		kg	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		0.02	0.005	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1
M010969		7.24	<0.005		0.3	1.65	727	<10	70	0.8	9	2.69	<0.5	15	30
M010970		8.00	<0.005		<0.2	1.31	2930	20	30	1.2	2	4.25	<0.5	17	34
M010971		6.82	<0.005		0.2	1.77	3230	30	60	0.6	3	2.73	<0.5	23	42
M010972		7.08	<0.005		<0.2	1.42	48	420	40	0.6	<2	3.20	<0.5	8	41
M010973		7.34	0.016		<0.2	2.10	1635	240	70	0.8	9	3.34	<0.5	40	30
M010974		7.82	0.029		0.3	1.78	51	30	100	1.0	12	6.54	<0.5	11	81
M010975		4.42	<0.005		0.2	1.56	184	10	230	<0.5	<2	2.02	<0.5	12	57
M010976		6.50	<0.005		0.2	1.70	62	20	160	0.7	<2	2.82	<0.5	12	101
M010977		6.12	<0.005		<0.2	1.81	38	20	130	1.0	<2	3.95	<0.5	12	134
M010978		4.54	<0.005		0.3	1.00	76	30	90	1.1	2	3.51	<0.5	29	35
M010979		5.90	<0.005		0.5	0.54	9	50	30	0.7	2	3.15	0.9	78	8
M010980		1.30	<0.005		<0.2	0.05	4	10	10	<0.5	<2	22.2	<0.5	<1	3





# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: DYNAMITE

C/O ARCHER, CATHRO & ASSOCIATES (1981)

LIMITED

1016-510 W HASTINGS ST

VANCOUVER BC V6B 1L8

Project: MIKE LK SK-05-01

Page: 3 - B

Total Issues: 3 (A - C)

Finalized Date: 8-JUL-2005

Account: DYNAMI

## CERTIFICATE OF ANALYSIS VA05051462

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Fe	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb
		%	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm
		0.01	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2
M010969		3.07	<10	<1	0.18	10	0.30	161	1	0.28	30	1030	33	1.52	13
M010970		2.64	<10	<1	0.11	<10	0.19	227	2	0.35	17	870	10	1.23	12
M010971		3.48	<10	<1	0.24	10	0.39	188	3	0.36	42	960	16	1.62	13
M010972		3.02	<10	<1	0.16	10	0.27	218	1	0.31	24	840	11	1.41	6
M010973		2.96	10	<1	0.13	10	0.17	176	4	0.30	33	1850	17	1.50	13
M010974		3.75	10	<1	0.22	20	1.23	563	1	0.09	22	1880	21	0.86	9
M010975		3.35	10	<1	0.57	10	1.18	263	1	0.17	32	1200	22	1.00	8
M010976		3.21	10	<1	0.30	20	1.32	350	2	0.11	22	1480	27	0.51	10
M010977		3.55	10	<1	0.22	30	1.94	529	2	0.02	22	1830	24	0.05	9
M010978		4.64	<10	<1	0.19	30	0.45	221	1	0.17	18	1090	28	2.08	6
M010979		10.25	<10	<1	0.06	40	0.19	198	1	0.13	16	1700	21	4.66	9
M010980		0.12	<10	<1	0.01	<10	12.15	96	<1	<0.01	<1	480	2	<0.01	3



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: DYNAMITE

C/O ARCHER, CATHRO & ASSOCIATES (1981)

LIMITED

1016-510 W HASTINGS ST

VANCOUVER BC V6B 1L8

Project: MIKE LK SK-05-01

Page: 3 - C

Total Pages: 3 (A - C)

Finalized Date: 8-JUL-2005

Account: DYNAMI

## CERTIFICATE OF ANALYSIS VA05051462

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Sr	Ti	Ti	U	V	W	Zn
		ppm	%	ppm	ppm	ppm	ppm	ppm
		1	0.01	10	10	1	10	2
M010969		98	0.27	<10	<10	38	60	38
M010970		99	0.19	<10	<10	22	10	18
M010971		108	0.27	<10	<10	53	<10	28
M010972		83	0.21	<10	<10	37	<10	20
M010973		122	0.21	<10	<10	53	<10	23
M010974		112	0.17	<10	<10	94	<10	31
M010975		70	0.23	<10	<10	71	<10	24
M010976		84	0.22	<10	<10	75	<10	37
M010977		89	0.19	<10	<10	104	10	51
M010978		61	0.22	<10	<10	32	<10	29
M010979		42	0.09	<10	<10	15	<10	49
M010980		106	<0.01	<10	<10	1	<10	6