



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: DYNAMITE

C/O ARCHER, CATHRO & ASSOCIATES (1981)

LIMITED

1016-510 W HASTINGS ST

VANCOUVER BC V6B 1L8

Page: 1

Finalized 18-JUL-2005

Account: DYNAMI

CERTIFICATE VA05056356

Project: Mike Lake SK-05-02

P.O. No.:

This report is for 56 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 11-JUL-2005.

The following have access to data associated with this certificate:

VANCOUVER OFFICE
JOAN MARIACHER

AL ARCHER
BILL WENGZYNOWSKI

DOUG EATON

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-ICP41	34 Element Aqua Regia ICP-AES	ICP-AES
Au-AA23	Au 30g FA-AA finish	AAS

To: DYNAMITE

C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

1016-510 W HASTINGS ST

VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: DYNAMITE

C/O ARCHER, CATHRO & ASSOCIATES (1981)

LIMITED

1016-510 W HASTINGS ST

VANCOUVER BC V6B 1L8

Project: Mike Lake SK-05-02

Page: 2 - A

Total Pages: 3 (A - C)

Finalized Date: 18-JUL-2005

Account: DYNAMI

CERTIFICATE OF ANALYSIS VA05056356

Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-ICP41 Ag ppm	ME-ICP41 Al %	ME-ICP41 As ppm	ME-ICP41 B ppm	ME-ICP41 Ba ppm	ME-ICP41 Be ppm	ME-ICP41 Bi ppm	ME-ICP41 Ca %	ME-ICP41 Cd ppm	ME-ICP41 Co ppm	ME-ICP41 Cr ppm	ME-ICP41 Cu ppm	ME-ICP41 Fe %
Sample Description	0.02	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
B373710	1.22	<0.005	<0.2	0.04	3	<10	10	<0.5	<2	21.0	<0.5	<1	14	2	0.14
B373711	2.14	<0.005	0.3	1.56	71	10	100	0.8	<2	1.82	<0.5	14	33	62	1.46
B373712	7.04	0.010	0.2	3.07	19	<10	120	1.4	<2	2.11	<0.5	16	152	77	2.66
B373713	8.00	0.007	<0.2	3.08	28	10	40	1.1	<2	2.97	<0.5	6	15	31	0.92
B373714	8.00	<0.005	<0.2	2.85	57	120	10	0.9	<2	3.63	<0.5	2	37	20	0.69
B373715	8.02	0.050	0.2	2.79	1060	10	<10	<0.5	13	4.27	<0.5	3	9	233	2.30
B373716	8.44	0.019	0.4	3.14	1500	10	<10	0.5	5	4.51	<0.5	3	22	408	3.59
B373717	7.80	0.013	0.8	1.87	713	10	10	<0.5	27	4.72	<0.5	5	11	554	4.66
B373718	8.98	0.005	0.4	3.08	1070	60	<10	0.5	29	4.21	<0.5	4	29	451	3.47
B373719	8.12	0.008	0.4	2.44	123	10	<10	<0.5	4	3.71	<0.5	3	12	507	4.02
B373720	7.64	0.027	<0.2	4.78	364	20	80	0.5	<2	3.88	<0.5	26	22	200	3.77
B373721	8.40	<0.005	<0.2	3.48	156	10	80	0.5	<2	3.46	<0.5	22	15	204	4.35
B373722	8.78	0.013	0.2	2.79	304	10	10	0.5	7	5.37	<0.5	5	17	275	2.37
B373723	8.40	0.079	<0.2	4.20	64	20	10	0.7	63	4.73	<0.5	2	7	27	0.72
B373724	8.54	<0.005	<0.2	5.01	41	20	10	0.7	<2	4.66	<0.5	2	13	14	0.44
B373725	8.66	0.082	<0.2	3.50	61	10	<10	0.5	69	4.99	<0.5	1	6	34	0.75
B373726	8.06	0.027	<0.2	2.62	13	10	<10	0.5	176	4.48	<0.5	2	23	52	0.93
B373727	8.32	0.191	0.6	2.82	64	10	<10	0.6	110	5.15	<0.5	2	7	328	0.95
B373728	7.84	0.059	<0.2	2.69	58	20	<10	0.5	28	5.41	<0.5	3	26	78	1.05
B373729	7.66	0.028	0.2	1.97	14	40	<10	<0.5	22	5.05	<0.5	3	7	208	1.96
B373730	1.64	<0.005	<0.2	0.11	3	<10	10	<0.5	<2	20.2	<0.5	<1	13	2	0.16
B373731	8.06	0.115	0.6	1.85	1080	60	10	<0.5	113	7.21	<0.5	8	6	478	2.13
B373732	8.18	0.020	1.1	6.06	351	20	10	0.8	<2	6.05	0.5	11	15	667	1.47
B373733	7.64	0.010	1.2	7.13	23	30	20	0.7	<2	6.47	<0.5	8	4	944	1.42
B373734	2.60	0.038	0.4	0.80	10	70	10	<0.5	15	4.44	<0.5	7	13	284	2.44
B373735	2.66	0.038	0.8	0.96	10	<10	<10	<0.5	13	5.38	<0.5	4	22	376	4.45
B373736	3.60	0.056	2.0	1.13	234	50	10	0.6	50	5.84	0.9	9	22	1125	12.70
B373737	8.24	0.010	<0.2	1.90	21	10	10	0.5	7	4.80	<0.5	2	16	244	2.64
B373738	8.36	0.061	1.4	2.47	124	20	10	0.5	31	4.06	<0.5	3	27	863	3.08
B373739	8.46	0.253	2.0	2.41	2820	10	<10	0.5	49	3.10	0.8	9	24	1310	2.88
B373740	8.42	0.464	1.2	2.78	2100	20	10	0.5	72	2.94	<0.5	8	25	803	2.87
B373741	8.46	0.125	0.6	3.13	64	10	10	0.7	26	4.30	<0.5	2	21	399	2.09
B373742	8.18	0.027	0.4	1.71	135	10	40	0.7	<2	4.02	<0.5	3	23	337	3.57
B373743	7.60	0.005	<0.2	2.34	9	40	20	0.8	<2	2.89	<0.5	2	25	62	1.00
B373744	8.32	0.021	0.2	3.25	73	100	20	0.9	2	3.26	<0.5	4	29	156	1.57
B373745	4.86	0.016	<0.2	3.30	135	20	20	1.0	<2	3.21	<0.5	5	22	179	1.83
B373746	2.40	0.042	0.6	1.69	4380	40	10	1.0	9	2.76	<0.5	31	30	784	6.24
B373747	7.34	<0.005	<0.2	1.60	56	40	30	0.7	<2	2.87	<0.5	4	29	106	1.30
B373748	4.46	<0.005	<0.2	2.11	17	20	20	0.7	<2	3.06	<0.5	2	23	68	1.09
B373749	2.82	0.015	1.7	1.10	194	30	10	0.5	2	3.99	0.5	4	15	1185	4.08



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: DYNAMITE

C/O ARCHER, CATHRO & ASSOCIATES (1981)

LIMITED

1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: Mike Lake SK-05-02

Page: 2 - B

Total Pages: 3 (A - C)

Finalized Date: 18-JUL-2005

Account: DYNAMI

CERTIFICATE OF ANALYSIS VA05056356

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
		ppm 10	ppm 1	% 0.01	ppm 10	% 0.01	ppm 5	ppm 1	% 0.01	ppm 1	ppm 10	ppm 2	% 0.01	ppm 2	ppm 1	ppm 1
B373710		<10	<1	0.01	<10	10.75	125	<1	<0.01	<1	310	2	<0.01	<2	<1	129
B373711		10	<1	0.29	10	0.48	163	1	0.17	35	1080	19	0.30	6	4	107
B373712		10	<1	0.63	10	0.83	191	1	0.26	32	1180	13	0.75	3	6	182
B373713		10	<1	0.12	20	0.14	116	1	0.44	13	940	13	0.27	7	2	184
B373714		10	<1	0.05	20	0.07	253	<1	0.47	6	1060	17	0.12	7	1	149
B373715		10	<1	0.03	20	0.04	223	<1	0.31	5	840	15	1.12	8	1	125
B373716		10	<1	0.02	20	0.06	209	<1	0.29	7	1000	22	1.84	10	1	171
B373717		<10	<1	0.04	20	0.12	392	<1	0.20	6	720	31	2.20	12	1	114
B373718		10	<1	0.03	30	0.07	263	<1	0.30	5	640	24	1.68	9	1	142
B373719		10	<1	0.03	30	0.06	207	<1	0.29	8	860	12	2.15	6	1	123
B373720		20	1	0.95	10	1.57	182	<1	0.33	24	2150	16	1.46	7	4	240
B373721		10	<1	0.96	20	1.54	202	1	0.25	25	1680	11	1.80	6	4	153
B373722		10	<1	0.03	40	0.07	232	<1	0.27	13	970	20	1.22	9	<1	141
B373723		10	<1	0.03	30	0.06	165	<1	0.35	4	1000	13	0.15	10	1	234
B373724		10	<1	0.01	30	0.05	125	<1	0.32	3	1050	7	0.05	6	<1	284
B373725		10	<1	0.01	40	0.07	166	<1	0.35	8	1030	15	0.17	16	1	200
B373726		10	<1	0.02	30	0.07	202	<1	0.32	8	970	8	0.23	12	1	141
B373727		10	<1	0.02	30	0.07	200	<1	0.27	10	1060	15	0.27	12	1	152
B373728		10	<1	0.02	30	0.07	209	<1	0.28	11	1100	16	0.35	8	<1	151
B373729		<10	<1	0.02	50	0.12	262	<1	0.16	12	1030	24	0.87	9	1	121
B373730		<10	<1	0.01	<10	11.00	80	<1	<0.01	1	450	2	<0.01	<2	<1	122
B373731		<10	<1	0.02	20	0.36	465	<1	0.12	11	860	11	0.58	18	1	122
B373732		10	<1	0.03	30	0.15	145	<1	0.45	13	3170	29	0.69	14	1	304
B373733		20	<1	0.04	20	0.14	131	<1	0.44	14	2770	24	0.67	9	2	396
B373734		<10	<1	0.02	70	0.20	281	<1	0.13	12	2540	30	1.16	7	1	69
B373735		<10	<1	0.04	<10	0.25	351	<1	0.26	19	660	21	2.18	7	1	90
B373736		<10	<1	0.09	<10	0.34	531	<1	0.18	23	1140	62	5.47	30	1	67
B373737		<10	<1	0.03	80	0.17	270	<1	0.22	9	910	23	1.25	7	1	135
B373738		10	<1	0.03	40	0.13	212	<1	0.25	12	920	14	1.48	13	1	139
B373739		10	<1	0.02	40	0.16	223	<1	0.25	13	890	27	1.24	15	1	146
B373740		10	<1	0.02	50	0.10	182	<1	0.24	14	990	12	1.38	12	1	161
B373741		10	<1	0.02	30	0.18	259	<1	0.27	8	820	14	0.82	10	1	233
B373742		<10	<1	0.05	30	0.20	296	<1	0.28	8	870	23	1.58	8	1	392
B373743		10	<1	0.07	30	0.09	182	<1	0.48	7	1030	17	0.26	11	1	117
B373744		10	<1	0.04	30	0.09	190	<1	0.45	9	1120	22	0.60	10	1	156
B373745		10	<1	0.04	30	0.08	143	<1	0.45	9	840	18	0.88	9	1	160
B373746		<10	<1	0.05	30	0.12	150	<1	0.29	31	600	30	2.99	18	1	80
B373747		<10	<1	0.08	30	0.13	186	1	0.38	7	1080	19	0.41	10	2	104
B373748		10	<1	0.05	30	0.10	199	<1	0.41	10	810	21	0.27	15	1	102
B373749		<10	<1	0.03	60	0.16	270	<1	0.19	8	970	35	2.05	10	1	60



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: DYNAMITE

C/O ARCHER, CATHRO & ASSOCIATES (1981)

LIMITED

1016-510 W HASTINGS ST

VANCOUVER BC V6B 1L8

Project: Mike Lake SK-05-02

Page: 2 - C
Total Pages: 3 (A - C)
Finalized Date: 18-JUL-2005
Account: DYNAMITE

CERTIFICATE OF ANALYSIS VA05056356

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Ti	Ti	U	V	W	Zn
		%	ppm	ppm	ppm	ppm	ppm
B373710		0.01	10	10	1	10	2
B373711		<0.01	<10	<10	2	<10	6
B373712		0.19	<10	<10	51	<10	39
B373713		0.22	<10	<10	65	<10	26
B373714		0.16	<10	<10	18	<10	20
B373715		0.14	<10	<10	8	<10	26
B373716		0.09	<10	<10	12	<10	23
B373717		0.08	<10	<10	10	<10	39
B373718		0.07	<10	<10	12	<10	35
B373719		0.09	<10	<10	13	<10	67
B373720		0.09	<10	<10	12	<10	30
B373721		0.52	<10	<10	108	<10	34
B373722		0.44	<10	<10	105	<10	34
B373723		0.10	<10	<10	8	<10	44
B373724		0.11	<10	<10	8	<10	16
B373725		0.12	<10	<10	6	<10	12
B373726		0.09	<10	<10	6	<10	19
B373727		0.10	<10	<10	9	<10	16
B373728		0.10	<10	<10	7	<10	31
B373729		0.10	<10	<10	7	<10	35
B373730		0.09	<10	<10	6	<10	38
B373731		<0.01	<10	<10	2	<10	6
B373732		0.11	<10	<10	11	<10	43
B373733		0.43	<10	<10	32	<10	93
B373734		0.48	<10	<10	44	<10	61
B373735		0.30	<10	<10	19	<10	12
B373736		0.07	<10	<10	9	<10	31
B373737		0.05	<10	<10	10	30	66
B373738		0.08	<10	<10	7	20	24
B373739		0.10	<10	<10	9	<10	40
B373740		0.08	<10	<10	9	<10	112
B373741		0.08	<10	<10	12	<10	56
B373742		0.11	<10	<10	10	<10	34
B373743		0.10	<10	<10	10	<10	40
B373744		0.13	<10	<10	7	10	24
B373745		0.13	<10	<10	7	<10	40
B373746		0.11	<10	<10	7	<10	49
B373747		0.07	<10	<10	8	<10	38
B373748		0.16	<10	<10	17	<10	29
B373749		0.12	<10	<10	8	<10	33
B373750		0.11	<10	<10	10	<10	59



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: DYNAMITE

C/O ARCHER, CATHRO & ASSOCIATES (1981)

LIMITED

1016-510 W HASTINGS ST

VANCOUVER BC V6B 1L8

Project: Mike Lake SK-05-02

Page: 3 - A

Total: 3 (A - C)

Finalized Date: 18-JUL-2005

Account: DYNAMI

CERTIFICATE OF ANALYSIS VA05056356

Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-ICP41 Ag ppm	ME-ICP41 Al %	ME-ICP41 As ppm	ME-ICP41 B ppm	ME-ICP41 Ba ppm	ME-ICP41 Be ppm	ME-ICP41 Bi ppm	ME-ICP41 Ca %	ME-ICP41 Cd ppm	ME-ICP41 Co ppm	ME-ICP41 Cr ppm	ME-ICP41 Cu ppm	ME-ICP41 Fe %
Sample Description	0.02	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
B373750	1.74	<0.005	<0.2	0.06	2	<10	10	<0.5	<2	21.0	<0.5	<1	2	6	0.09
B373751	4.96	0.032	9.6	0.78	5580	10	20	0.5	6	2.52	1.3	21	15	3840	13.45
B373752	3.22	0.005	0.4	1.25	910	20	60	0.7	<2	2.43	<0.5	16	23	298	2.25
B373753	3.10	<0.005	0.4	1.37	162	20	40	0.8	<2	3.65	0.6	11	17	363	3.75
B373754	3.06	0.015	0.8	0.98	989	10	20	0.7	<2	4.19	0.9	11	17	849	5.09
B373755	3.98	<0.005	0.3	1.26	688	20	40	0.8	<2	3.49	0.5	12	16	250	2.28
B373756	7.88	0.010	0.2	0.99	1175	90	60	0.8	<2	3.20	0.7	16	18	134	1.76
B373757	7.28	<0.005	<0.2	2.73	69	20	180	1.5	<2	1.89	<0.5	13	46	100	2.52
B373758	8.44	0.005	<0.2	3.62	28	60	40	1.3	<2	3.21	<0.5	5	20	31	0.91
B373759	7.72	0.015	<0.2	2.74	36	30	10	1.0	2	3.26	<0.5	2	10	34	0.90
B373760	7.74	0.022	<0.2	3.97	20	40	10	1.0	13	4.28	<0.5	2	12	25	0.89
B373761	7.40	<0.005	<0.2	2.60	25	20	20	0.9	<2	3.75	<0.5	2	13	42	1.03
B373762	7.26	<0.005	<0.2	1.89	44	20	50	0.7	<2	3.02	0.5	2	15	66	1.00
B373763	2.64	<0.005	1.1	1.86	507	30	50	0.8	<2	3.14	0.5	4	14	775	1.41
B373764	2.50	<0.005	4.5	1.24	1570	40	50	0.5	<2	3.27	1.1	9	13	2870	3.18
B373765	3.58	0.076	13.2	1.17	>10000	90	20	0.5	33	3.41	2.3	82	12	7950	6.46



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: DYNAMITE

C/O ARCHER, CATHRO & ASSOCIATES (1981)

LIMITED

1016-510 W HASTINGS ST

VANCOUVER BC V6B 1L8

Project: Mike Lake SK-05-02

Page: 3 - B

Total Pages: 3 (A - C)

Finalized Date: 18-JUL-2005

Account: DYNAMI

CERTIFICATE OF ANALYSIS VA05056356

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc
		ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm
		10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1
B373750		<10	<1	0.01	<10	11.20	84	<1	0.01	<1	390	3	<0.01	<2	<1
B373751		<10	<1	0.05	60	0.12	177	1	0.18	32	1360	27	5.82	16	1
B373752		<10	<1	0.21	10	0.33	200	2	0.26	31	980	40	1.00	17	2
B373753		<10	<1	0.13	20	0.19	231	1	0.33	32	1020	31	2.04	9	2
B373754		<10	<1	0.07	20	0.15	282	1	0.25	34	1150	38	2.64	11	2
B373755		<10	<1	0.11	10	0.14	190	2	0.31	26	1100	29	1.18	10	2
B373756		<10	<1	0.16	20	0.19	268	2	0.25	20	1230	37	0.75	8	2
B373757		10	<1	0.94	20	1.10	150	1	0.30	27	1180	20	0.49	8	6
B373758		10	<1	0.16	30	0.20	152	<1	0.59	11	1140	13	0.16	8	2
B373759		10	<1	0.07	30	0.09	172	<1	0.60	7	1100	11	0.18	11	1
B373760		10	<1	0.05	30	0.12	211	<1	0.67	8	1100	26	0.12	16	1
B373761		10	<1	0.10	30	0.13	189	<1	0.64	7	990	18	0.29	9	1
B373762		<10	<1	0.12	30	0.17	180	<1	0.45	13	1000	24	0.18	13	2
B373763		<10	<1	0.10	20	0.14	147	1	0.40	20	890	22	0.64	17	1
B373764		<10	<1	0.11	30	0.17	206	1	0.29	33	1070	29	1.78	19	2
B373765		<10	<1	0.06	30	0.21	260	7	0.35	104	860	21	3.59	56	1



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: DYNAMITE

C/O ARCHER, CATHRO & ASSOCIATES (1981)

LIMITED

1016-510 W HASTINGS ST

VANCOUVER BC V6B 1L8

Project: Mike Lake SK-05-02

Page: 3 - C

Total Pages: 3 (A - C)

Finalized Date: 18-JUL-2005

Account: DYNAMI

CERTIFICATE OF ANALYSIS VA05056356

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Ti	Ti	U	V	W	Zn
		% 0.01	ppm 10	ppm 10	ppm 1	ppm 10	ppm 2
B373750		<0.01	<10	<10	2	<10	8
B373751		0.08	<10	<10	11	<10	131
B373752		0.30	<10	<10	32	<10	38
B373753		0.31	<10	<10	33	<10	38
B373754		0.27	<10	<10	23	<10	117
B373755		0.32	<10	<10	31	<10	41
B373756		0.27	<10	<10	27	<10	80
B373757		0.29	<10	<10	76	<10	33
B373758		0.16	<10	<10	28	<10	26
B373759		0.13	<10	<10	8	<10	20
B373760		0.14	<10	<10	8	<10	34
B373761		0.14	<10	<10	8	<10	37
B373762		0.16	<10	<10	11	<10	65
B373763		0.13	<10	<10	9	<10	62
B373764		0.12	<10	<10	10	<10	138
B373765		0.07	<10	<10	10	300	269



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

O: DYNAMITE

C/O ARCHER, CATHRO & ASSOCIATES (1981)

LIMITED

1016-510 W HASTINGS ST

VANCOUVER BC V6B 1L8

Page: 1
Finalized D 31-JUL-2005
Account: DYNAMI

CERTIFICATE VA05060212

Project: Mike Lake SK-05-02

P.O. No.:

This report is for 62 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 21-JUL-2005.

The following have access to data associated with this certificate:

VANCOUVER OFFICE
JOAN MARIACHER

AL ARCHER
BILL WENGZYNOWSKI

DOUG EATON

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
PUL-31	Pulverize split to 85% <75 um
SPL-21	Split sample - riffle splitter
CRU-31	Fine crushing - 70% <2mm
LOG-22	Sample login - Rcd w/o BarCode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-ICP41	34 Element Aqua Regia ICP-AES	ICP-AES
Au-AA23	Au 30g FA-AA finish	AAS

To: DYNAMITE
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

O: DYNAMITE

C/O ARCHER, CATHRO & ASSOCIATES (1981)

LIMITED

1016-510 W HASTINGS ST

VANCOUVER BC V6B 1L8

Project: Mike Lake SK-05-02

Page: 2 - A

Total Pages: 3 (A - C)

Finalized Date: 31-JUL-2005

Account: DYNAMI

CERTIFICATE OF ANALYSIS VA05060212

Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-ICP41 Ag ppm	ME-ICP41 Al %	ME-ICP41 As ppm	ME-ICP41 B ppm	ME-ICP41 Ba ppm	ME-ICP41 Be ppm	ME-ICP41 Bi ppm	ME-ICP41 Ca %	ME-ICP41 Cd ppm	ME-ICP41 Co ppm	ME-ICP41 Cr ppm	ME-ICP41 Cu ppm	ME-ICP41 Fe %
Sample Description	0.02	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
B373766	2.26	<0.005	0.5	1.96	999	10	70	0.8	<2	2.23	<0.5	11	18	566	4.19
B373767	3.92	<0.005	0.5	1.59	327	10	30	0.6	2	3.03	<0.5	7	22	471	3.97
B373768	2.88	0.856	2.2	1.91	>10000	<10	100	0.8	423	4.16	<0.5	92	28	702	9.28
B373769	6.14	0.006	0.4	1.53	268	20	90	0.5	<2	2.38	<0.5	13	30	280	3.03
B373770	8.16	0.009	0.3	1.81	663	50	110	0.6	3	2.13	<0.5	11	30	299	3.13
B373771	7.52	<0.005	<0.2	3.13	53	<10	340	0.8	<2	1.20	<0.5	15	52	124	3.78
B373772	7.84	<0.005	0.2	2.04	72	<10	150	0.8	<2	1.64	<0.5	12	29	114	2.40
B373773	7.94	<0.005	0.4	2.02	253	10	170	0.7	<2	1.91	<0.5	15	47	424	3.60
B373774	8.28	<0.005	<0.2	3.11	51	10	160	1.1	<2	2.39	<0.5	17	42	150	3.86
B373775	7.72	0.005	0.3	1.42	120	460	60	0.6	2	3.51	<0.5	10	28	276	3.41
B373776	6.52	0.006	0.4	1.81	439	10	100	0.8	3	2.39	<0.5	10	35	430	4.23
B373777	3.76	0.442	1.8	0.64	>10000	20	20	<0.5	79	2.35	<0.5	381	17	2320	18.0
B373778	2.80	0.161	0.5	1.08	7440	20	60	0.6	138	3.12	<0.5	83	22	394	4.45
B373779	2.64	0.060	0.4	1.57	>10000	30	90	0.7	20	3.37	<0.5	177	34	329	4.41
B373780	1.48	<0.005	<0.2	0.05	51	<10	10	<0.5	<2	21.4	<0.5	1	2	5	0.11
B373781	8.70	0.007	<0.2	4.62	252	<10	60	1.1	<2	1.74	<0.5	28	52	227	6.65
B373782	4.08	<0.005	0.3	3.49	45	10	170	1.0	<2	2.40	<0.5	20	41	104	4.60
B373783	3.38	0.007	0.6	2.55	681	40	30	0.5	15	4.73	<0.5	35	9	364	4.90
B373784	2.50	0.005	0.5	2.42	152	<10	80	0.8	4	1.81	<0.5	44	34	444	10.45
B373785	4.72	<0.005	0.3	3.86	76	<10	210	1.1	2	2.48	<0.5	19	36	79	3.76
B373786	8.00	<0.005	<0.2	3.98	20	<10	100	1.0	<2	2.08	<0.5	23	49	72	5.06
B373787	7.80	<0.005	0.3	3.34	23	<10	340	0.8	<2	1.53	<0.5	15	43	64	3.66
B373788	6.70	0.005	<0.2	4.05	7	<10	950	1.2	<2	1.21	<0.5	13	57	93	3.38
B373789	8.22	0.008	0.2	3.04	7	10	540	0.9	<2	1.57	<0.5	14	41	98	3.20
B373790	7.80	0.026	0.2	0.87	726	10	30	<0.5	18	3.73	<0.5	7	41	242	2.84
B373791	7.82	0.020	<0.2	2.53	154	20	120	0.8	<2	2.28	<0.5	17	46	209	3.90
B373792	7.78	0.014	0.5	1.87	23	10	100	0.8	<2	1.86	<0.5	15	33	54	2.74
B373793	8.02	0.008	0.2	1.92	356	<10	110	0.7	2	2.29	<0.5	15	61	144	2.75
B373794	8.38	0.005	0.7	1.26	68	140	60	<0.5	<2	1.98	<0.5	7	24	530	3.35
B373795	8.22	<0.005	0.4	1.52	109	30	90	<0.5	<2	1.47	<0.5	12	73	279	2.67
B373796	8.64	<0.005	0.5	3.90	116	20	80	<0.5	<2	3.40	<0.5	16	17	356	3.43
B373797	8.54	0.014	0.4	6.27	86	10	120	0.6	<2	4.07	<0.5	24	30	182	4.44
B373798	9.02	0.005	0.2	4.67	27	10	1100	0.5	<2	2.27	<0.5	26	39	26	5.73
B373799	7.56	<0.005	0.5	5.36	10	10	150	0.5	3	2.90	<0.5	30	9	80	5.76
B373800	1.30	<0.005	0.4	0.19	<2	<10	50	<0.5	<2	22.0	<0.5	1	5	6	0.25
B373801	7.86	<0.005	0.6	3.28	186	50	50	<0.5	2	4.38	<0.5	29	7	205	3.56
B373802	8.28	<0.005	0.4	0.66	2	20	50	<0.5	<2	3.88	<0.5	9	24	73	1.91
B373803	7.74	<0.005	0.3	1.91	14	10	180	0.5	2	4.65	<0.5	13	42	48	2.91
B373804	7.48	<0.005	0.2	2.45	32	30	310	0.6	2	1.88	0.5	13	58	120	2.55
B373805	7.58	<0.005	<0.2	3.32	6	20	600	0.8	<2	2.41	<0.5	12	42	49	3.13



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

O: DYNAMITE

C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED

1016-510 W HASTINGS ST

VANCOUVER BC V6B 1L8

Project: Mike Lake SK-05-02

Page: 2 - B

Total Pages: 3 (A - C)

Finalized Date: 31-JUL-2005

Account: DYNAMI

CERTIFICATE OF ANALYSIS VA05060212

Method Analyte Units LOR	ME-ICP41 Ga ppm 10	ME-ICP41 Hg ppm 1	ME-ICP41 K % 0.01	ME-ICP41 La ppm 10	ME-ICP41 Mg % 0.01	ME-ICP41 Mn ppm 5	ME-ICP41 Mo ppm 1	ME-ICP41 Na % 0.01	ME-ICP41 Ni ppm 1	ME-ICP41 P ppm 10	ME-ICP41 Pb ppm 2	ME-ICP41 S % 0.01	ME-ICP41 Sb ppm 2	ME-ICP41 Sc ppm 1	ME-ICP41 Sr ppm 1
Sample Description															
B373766	10	<1	0.18	20	0.21	121	1	0.31	22	880	21	2.14	12	2	116
B373767	<10	<1	0.10	20	0.17	174	<1	0.39	22	1000	23	2.11	8	2	101
B373768	<10	<1	0.33	20	0.89	348	1	0.17	21	1230	582	3.84	1005	5	99
B373769	<10	<1	0.10	10	0.28	126	1	0.27	29	1270	21	1.66	6	2	126
B373770	10	1	0.25	10	0.42	166	1	0.32	29	1140	19	1.54	9	3	126
B373771	10	<1	1.44	10	1.57	273	<1	0.22	28	1060	7	0.74	6	8	106
B373772	10	<1	0.55	10	0.77	150	1	0.15	27	1070	19	0.99	10	4	102
B373773	10	<1	0.56	10	0.80	126	1	0.18	22	1480	16	1.76	9	6	111
B373774	10	<1	0.61	10	0.92	111	2	0.21	35	1720	17	1.94	6	6	146
B373775	<10	<1	0.19	10	0.37	313	3	0.17	29	1770	12	1.65	7	3	76
B373776	<10	<1	0.46	10	0.71	194	3	0.29	35	2240	16	2.09	10	5	77
B373777	<10	<1	0.04	<10	0.17	172	5	0.14	99	1720	11	4.94	52	1	48
B373778	<10	<1	0.16	10	0.39	205	6	0.19	20	3950	11	2.05	24	2	71
B373779	<10	<1	0.23	10	0.43	206	10	0.22	34	1980	11	2.16	23	3	104
B373780	<10	<1	0.01	<10	11.70	158	<1	<0.01	<1	430	2	<0.01	2	<1	118
B373781	20	<1	2.15	10	2.31	225	2	0.40	40	1920	4	1.96	5	17	128
B373782	10	<1	0.87	10	1.21	150	2	0.48	36	1800	15	2.13	11	9	171
B373783	10	1	0.06	10	0.21	221	1	0.31	29	1470	34	2.60	9	2	136
B373784	10	<1	0.54	10	0.75	94	1	0.37	62	1570	13	4.84	9	6	136
B373785	10	<1	0.82	10	1.05	130	1	0.53	36	1880	12	1.71	9	7	205
B373786	10	<1	1.33	10	1.35	152	1	0.40	36	2000	9	1.85	2	11	177
B373787	10	<1	1.21	10	1.37	221	1	0.31	31	1510	15	1.02	4	9	129
B373788	10	<1	1.47	10	1.90	394	1	0.21	28	860	5	0.27	<2	7	103
B373789	10	<1	1.10	10	1.39	271	<1	0.18	33	1250	11	0.51	<2	7	65
B373790	<10	<1	0.19	10	0.38	339	<1	0.17	19	790	15	1.09	6	2	58
B373791	10	<1	0.45	10	0.58	161	1	0.34	41	1340	15	1.87	8	4	140
B373792	10	<1	0.27	10	0.56	153	1	0.28	30	880	29	1.22	6	3	113
B373793	10	<1	0.39	10	0.61	167	1	0.26	33	800	14	1.24	5	4	168
B373794	<10	<1	0.05	10	0.16	174	1	0.26	34	590	27	1.76	4	1	113
B373795	10	<1	0.31	10	0.45	145	1	0.32	38	760	19	1.18	5	3	91
B373796	10	<1	0.16	10	0.29	180	1	0.37	34	1600	39	1.82	5	1	365
B373797	20	<1	1.23	10	1.66	222	1	0.62	48	2640	20	1.44	6	4	611
B373798	10	<1	2.24	10	2.45	394	1	0.45	40	2480	10	0.31	5	6	393
B373799	20	<1	2.23	10	2.42	304	2	0.34	27	2900	18	0.95	3	4	363
B373800	<10	<1	0.06	<10	11.00	116	<1	0.02	2	430	<2	<0.01	3	<1	132
B373801	10	<1	0.06	10	0.14	194	1	0.32	39	1740	37	1.93	11	1	329
B373802	<10	<1	0.05	10	0.12	212	1	0.19	29	770	5	0.91	15	1	81
B373803	10	<1	0.58	10	0.78	320	1	0.27	28	1000	9	1.02	5	5	165
B373804	10	<1	0.71	10	0.90	133	2	0.41	31	1380	21	0.79	6	6	118
B373805	10	<1	1.21	10	1.38	193	<1	0.36	30	1310	7	0.50	4	6	119



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

o: DYNAMITE

C/O ARCHER, CATHRO & ASSOCIATES (1981)

LIMITED

1016-510 W HASTINGS ST

VANCOUVER BC V6B 1L8

Project: Mike Lake SK-05-02

Page: 2 - C
Total Pages: 3 (A - C)
Finalized Date: 31-JUL-2005
Account: DYNAMI

CERTIFICATE OF ANALYSIS VA05060212

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Ti	Ti	U	V	W	Zn
		% 0.01	ppm 10	ppm 10	ppm 1	ppm 10	ppm 2
B373766		0.12	<10	<10	17	<10	32
B373767		0.12	<10	<10	12	<10	65
B373768		0.05	<10	<10	36	130	35
B373769		0.26	<10	<10	24	<10	32
B373770		0.21	<10	<10	35	<10	29
B373771		0.22	<10	<10	68	<10	32
B373772		0.18	<10	<10	47	<10	36
B373773		0.22	<10	<10	62	<10	35
B373774		0.29	<10	<10	107	<10	25
B373775		0.25	<10	<10	64	<10	28
B373776		0.23	<10	<10	111	<10	27
B373777		0.07	<10	<10	13	<10	46
B373778		0.17	<10	<10	45	<10	31
B373779		0.18	<10	<10	43	<10	22
B373780		<0.01	<10	<10	2	<10	6
B373781		0.43	<10	<10	161	<10	46
B373782		0.44	10	<10	106	<10	24
B373783		0.30	<10	<10	24	<10	42
B373784		0.37	<10	<10	83	<10	22
B373785		0.47	<10	<10	97	<10	25
B373786		0.41	<10	<10	106	<10	45
B373787		0.36	10	<10	89	<10	48
B373788		0.20	<10	<10	70	<10	57
B373789		0.22	<10	<10	71	<10	63
B373790		0.12	<10	<10	31	<10	24
B373791		0.28	<10	<10	49	<10	49
B373792		0.34	<10	<10	46	<10	22
B373793		0.31	<10	<10	57	<10	24
B373794		0.32	<10	<10	22	<10	41
B373795		0.39	<10	<10	50	<10	28
B373796		0.47	<10	10	45	<10	56
B373797		0.64	10	<10	134	<10	51
B373798		0.64	10	<10	194	<10	66
B373799		0.64	<10	<10	190	<10	68
B373800		0.03	<10	<10	5	<10	9
B373801		0.40	<10	<10	30	<10	51
B373802		0.36	<10	<10	17	<10	11
B373803		0.31	<10	<10	67	<10	23
B373804		0.38	<10	<10	76	<10	77
B373805		0.35	<10	<10	77	<10	57



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

to: DYNAMITE

C/O ARCHER, CATHRO & ASSOCIATES (1981)

LIMITED

1016-510 W HASTINGS ST

VANCOUVER BC V6B 1L8

Project: Mike Lake SK-05-02

Page: 3 - A

Total Pages: 3 (A - C)

Finalized Date: 31-JUL-2005

Account: DYNAMITE

CERTIFICATE OF ANALYSIS VA05060212

Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-ICP41 Ag ppm	ME-ICP41 Al %	ME-ICP41 As ppm	ME-ICP41 B ppm	ME-ICP41 Ba ppm	ME-ICP41 Be ppm	ME-ICP41 Bi ppm	ME-ICP41 Ca %	ME-ICP41 Cd ppm	ME-ICP41 Co ppm	ME-ICP41 Cr ppm	ME-ICP41 Cu ppm	ME-ICP41 Fe %
Sample Description	0.02	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
B373806	7.92	0.007	<0.2	3.58	439	10	270	0.9	<2	2.55	<0.5	38	57	53	2.96
B373807	7.84	0.010	0.3	2.44	32	10	80	0.7	3	3.18	<0.5	12	24	27	1.71
B373808	7.28	0.010	<0.2	4.64	19	<10	230	1.1	<2	2.72	<0.5	21	74	46	3.56
B373809	8.78	0.005	0.2	2.52	14	20	150	0.7	<2	2.27	<0.5	11	44	31	1.94
B373810	8.10	0.056	0.5	1.40	12	20	40	<0.5	9	3.32	<0.5	5	28	14	0.90
B373811	7.36	<0.005	0.2	3.57	12	20	290	1.0	<2	2.10	<0.5	17	45	52	2.94
B373812	7.34	<0.005	0.2	3.03	15	30	140	0.7	<2	2.60	<0.5	10	46	28	1.49
B373813	7.40	<0.005	0.3	5.20	4	10	380	1.3	<2	2.27	<0.5	18	70	44	4.22
B373814	7.72	<0.005	0.3	3.37	14	10	230	1.0	<2	3.29	<0.5	12	51	46	2.39
B373815	6.98	0.005	0.3	1.98	14	10	60	0.7	3	2.77	<0.5	10	22	53	1.49
B373816	7.04	<0.005	0.4	2.38	37	30	120	0.8	8	2.21	<0.5	9	48	112	1.94
B373817	7.54	0.006	0.3	2.51	868	10	50	0.9	3	2.99	<0.5	10	15	73	1.29
B373818	8.14	0.008	0.4	2.63	744	30	30	0.9	6	4.26	<0.5	8	19	61	1.09
B373819	7.76	0.005	0.2	2.96	358	20	110	1.0	2	3.62	0.5	10	26	77	2.06
B373820	1.64	<0.005	<0.2	0.06	9	<10	10	<0.5	<2	19.4	<0.5	<1	3	6	0.11
B373821	6.94	0.048	0.3	2.49	683	30	80	1.0	11	3.04	<0.5	6	17	94	0.95
B373822	7.46	0.020	0.4	2.31	844	30	10	1.0	4	3.24	<0.5	3	6	27	0.59
B373823	8.08	0.006	<0.2	2.74	45	10	50	0.9	2	4.42	<0.5	3	17	19	0.47
B373824	7.74	0.005	<0.2	2.31	297	10	20	0.9	<2	4.46	<0.5	2	10	15	0.71
B373825	8.08	0.005	<0.2	2.79	5	20	50	0.8	<2	5.28	<0.5	3	18	17	0.51
B373826	8.12	0.006	2.1	1.34	1930	10	10	0.6	2	5.66	<0.5	7	10	792	1.31
B373827	7.20	0.010	3.1	1.22	2500	10	<10	0.6	2	7.38	<0.5	7	16	1010	2.11



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

to: DYNAMITE

C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED

1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: Mike Lake SK-05-02

Page: 3 - B

Total Pages: 3 (A - C)

Finalized Date: 31-JUL-2005

Account: DYNAMI

CERTIFICATE OF ANALYSIS VA05060212

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc
		ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm
		10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1
B373806		10	<1	0.87	10	1.04	166	1	0.54	40	1440	11	1.02	4	7
B373807		10	<1	0.20	10	0.28	147	<1	0.47	30	1310	28	0.64	10	2
B373808		10	<1	1.04	10	1.28	122	<1	0.56	49	1740	5	1.16	2	7
B373809		10	<1	0.59	10	0.74	121	<1	0.40	31	1320	10	0.54	6	5
B373810		<10	<1	0.11	10	0.17	182	<1	0.38	17	1190	35	0.25	9	1
B373811		10	<1	0.90	10	1.08	109	<1	0.38	42	1290	26	0.79	3	5
B373812		10	<1	0.50	10	0.62	92	<1	0.46	32	1470	16	0.38	7	4
B373813		10	<1	1.70	10	1.99	159	<1	0.43	42	1410	8	0.79	3	10
B373814		10	<1	0.68	10	0.86	144	1	0.39	30	1250	9	0.79	3	4
B373815		<10	<1	0.13	10	0.17	81	1	0.36	29	1080	16	0.71	5	2
B373816		10	<1	0.46	10	0.60	135	<1	0.34	30	1210	21	0.68	4	4
B373817		10	<1	0.17	20	0.22	108	<1	0.58	26	1000	26	0.54	11	1
B373818		<10	<1	0.11	20	0.12	115	<1	0.69	19	1090	26	0.53	7	1
B373819		10	<1	0.41	20	0.60	142	1	0.55	32	1120	20	0.86	12	2
B373820		<10	<1	0.01	<10	10.95	119	<1	<0.01	2	430	2	<0.01	<2	<1
B373821		10	<1	0.21	30	0.27	127	<1	0.55	16	960	24	0.31	9	1
B373822		<10	<1	0.08	20	0.06	126	<1	0.73	4	1110	19	0.18	13	<1
B373823		10	<1	0.11	30	0.05	70	<1	0.59	16	1100	15	0.16	7	1
B373824		<10	<1	0.08	10	0.18	226	<1	0.63	8	1020	22	0.11	11	1
B373825		<10	<1	0.10	30	0.04	60	<1	0.52	19	1090	9	0.20	7	1
B373826		<10	<1	0.05	<10	0.34	345	1	0.36	4	490	20	0.25	15	1
B373827		<10	<1	0.04	10	0.50	561	<1	0.23	5	920	11	0.32	18	2



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

D: DYNAMITE

C/O ARCHER, CATHRO & ASSOCIATES (1981)

LIMITED

1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: Mike Lake SK-05-02

Page: 3 - C

Total Pages: 3 (A - C)

Finalized Date: 31-JUL-2005

Account: DYNAMI

CERTIFICATE OF ANALYSIS VA05060212

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Ti	Ti	U	V	W	Zn
		%	ppm	ppm	ppm	ppm	ppm
		0.01	10	10	1	10	2
B373806		0.39	<10	<10	90	<10	41
B373807		0.35	<10	<10	37	<10	21
B373808		0.50	<10	<10	120	<10	29
B373809		0.39	<10	<10	69	<10	24
B373810		0.28	<10	<10	20	<10	18
B373811		0.39	<10	<10	65	<10	37
B373812		0.41	<10	<10	61	<10	32
B373813		0.39	<10	<10	104	<10	50
B373814		0.30	<10	10	50	<10	23
B373815		0.29	<10	<10	22	<10	16
B373816		0.28	<10	<10	50	<10	32
B373817		0.16	<10	<10	17	<10	40
B373818		0.16	<10	<10	10	<10	37
B373819		0.27	<10	<10	32	<10	77
B373820		<0.01	<10	<10	2	<10	7
B373821		0.15	<10	<10	14	<10	25
B373822		0.11	<10	<10	5	<10	31
B373823		0.13	<10	<10	6	<10	18
B373824		0.11	<10	<10	8	20	37
B373825		0.13	<10	<10	6	<10	13
B373826		0.09	<10	<10	11	<10	45
B373827		0.07	<10	<10	17	<10	40