


Minto deposit (Yukon MINFILE 115I 021, 022)


Drill Hole: 94-06, Ridgetop deposit

Area	Hole No.	Azimuth	Dip	Length (m)	Collar coordinates (NAD83, Zn 8)
Ridgetop	94-06	249	-45	152.40	384517mE, 6943968mN



Above: Orthophoto of Minto area. Collar location of 94-06 shown by yellow star, yellow circles show collar locations of other drill holes in YGS collection.

Right: Simplified strip log with selected assays.



Hole	From (m)	To (m)	Interval (m)	Sample	Cu (%)	Cu-Sol (%)	Au (ppm)	Ag (ppm)
94-06	12.04	13.87	1.83	4712	1.6	0.0	0.3	1.2
94-06	32.16	32.61	0.45	4713	2.6	0.0	0.7	0.3
94-06	55.84	57.3	1.46	4714	2.0	0.0	0.7	0.3
94-06	57.3	58.83	1.53	4715	0.9	0.0	0.3	0.3
94-06	58.83	60.56	1.73	4716	0.6	0.0	0.3	0.3
94-06	137.77	138.68	0.91	4717	3.5	0.0	1.4	2.7
94-06	138.68	140.21	1.53	4718	3.8	0.0	1.4	3.1
94-06	140.21	141.73	1.52	4719	3.7	0.0	1.0	2.8
94-06	141.73	143.26	1.53	4720	2.3	0.0	1.0	2.3
94-06	143.26	144.02	0.76	4721	1.1	0.0	0.7	0.3

Above: Selected assays from 94-06. Cu - Tot = sulphide and non-sulphide copper, Cu-Sol = non-sulphide copper

Note: a section isn't provided because this is an exploration hole and there is not enough geologic information nearby to create a meaningful section.