

GEOTECHNICAL LOG

HOLE: MOR-10-01

From (m)	To (m)	Interval (m)	Recovery (m)	Recovery (%)	RQD (m)	RQD (%)	Hardness	Weathering		Comments
0.90	3.96	3.06	0.54	18	0	0	S	FR		
3.96	7.01	3.05	0.65	21	0.42	14	W	FR		
7.01	10.10	3.09	2.80	91	2.10	68	MS	SW		
10.10	13.10	3.00	2.99	100	2.41	80	MS	MW		
13.10	16.20	3.10	2.80	90	1.60	52	MS	SW		
16.20	19.20	3.00	3.03	101	1.87	62	S	FR		
19.20	22.30	3.10	3.02	97	2.01	65	MS	FR		
22.30	25.30	3.00	2.80	93	1.22	41	S	MW		
25.30	28.30	3.00	3.10	103	2.51	84	MS	FR		
28.30	31.40	3.10	3.08	99	2.81	91	S	FR		
31.40	34.40	3.00	2.88	96	1.33	44	MS	SW		
34.40	37.50	3.10	3.25	105	1.21	39	S	MW		
37.50	40.50	3.00	2.34	78	0.47	16	S	MW		
40.50	43.60	3.10	2.57	83	0.29	9	S	MW		
43.60	46.60	3.00	2.50	83	0.73	24	S	SW		
46.60	49.70	3.10	3.09	100	1.63	53	S	FR		
49.70	52.70	3.00	3.07	102	2.88	96	MS	FR		
52.70	55.80	3.10	3.05	98	2.80	90	MS	SW		
55.80	58.80	3.00	3.04	101	2.69	90	MS	SW		
58.80	61.90	3.10	3.10	100	3.01	97	MS	FR		
61.90	64.90	3.00	3.08	103	2.47	82	MS	FR		
64.90	68.00	3.10	2.98	96	2.59	84	MS	FR		
68.00	71.00	3.00	2.98	99	2.42	81	MS	SW		
71.00	74.10	3.10	3.13	101	3.04	98	MS	FR		
74.10	77.10	3.00	3.06	102	2.92	97	VS	FR		
77.10	80.20	3.10	3.07	99	2.88	93	S	FR		
80.20	83.20	3.00	2.99	100	2.82	94	S	SW		
83.20	86.30	3.10	3.00	97	2.61	84	MS	SW		
86.30	89.30	3.00	3.13	104	3.06	102	MS	SW		
89.30	92.40	3.10	3.07	99	2.60	84	MS	SW		
92.40	95.40	3.00	3.06	102	2.82	94	MS	FR		
95.40	98.50	3.10	3.30	106	2.48	80	MS	FR		
98.50	101.50	3.00	2.85	95	2.33	78	S	SW		
101.50	104.50	3.00	3.04	101	2.43	81	S	SW		
104.50	107.60	3.10	3.00	97	2.18	70	MS	FR		
107.60	110.60	3.00	3.14	105	2.72	91	S	SW		
110.60	113.70	3.10	2.93	95	2.19	71	MS	SW		
113.70	116.70	3.00	3.01	100	2.73	91	S	FR		
116.70	119.80	3.10	3.12	101	2.60	84	MS	SW		
119.80	122.80	3.00	2.96	99	2.06	69	MS	FR		
122.80	125.90	3.10	3.08	99	2.05	66	MS	SW		
125.90	128.90	3.00	3.07	102	1.59	53	W	SW		
128.90	132.00	3.10	3.09	100	2.13	69	S	SW		
132.00	135.00	3.00	2.66	89	2.43	81	S	FR		
135.00	138.10	3.10	3.02	97	1.88	61	MS	FR		
138.10	140.85	2.75	2.78	101	2.26	82	MS	FR		
140.85	141.10	0.25	0.33	132	0.33	132	MS	FR		
141.10	144.20	3.10	2.97	96	2.97	96	S	FR		
144.20	147.20	3.00	3.09	103	2.17	72	MS	FR		
147.20	150.30	3.10	3.04	98	2.79	90	S	FR		
150.30	153.30	3.00	3.03	101	2.33	78	MS	SW		

GEOTECHNICAL LOG

From (m)	To (m)	Interval (m)	Recovery (m)	Recovery (%)	RQD (m)	RQD (%)	Hardness	Weathering		Comments
153.30	156.40	3.10	3.01	97	2.55	82	MS	FR		
156.40	159.40	3.00	3.15	105	1.32	44	MS	SW		
159.40	162.50	3.10	3.00	97	2.63	85	S	FR		
162.50	165.50	3.00	3.06	102	2.46	82	S	FR		
165.50	168.60	3.10	2.54	82	2.30	74	MS	FR		
EOH										