

MAGNETIC SUSCEPTIBILITY LOG

HOLE: MOR-10-01

Depth (m)	Unit	Modifier	Magnetic Susceptibility	Comments
1.00	TMS		0.30	
2.00	TMS		N/A	
3.00	TMS		N/A	
4.00	TMS		3.75	
5.00	TMS		N/A	
6.00	TMS		N/A	
7.00	TMS		4.42	
8.00	TMS		5.76	
9.00	TMS		3.77	
10.00	TMS		3.32	
11.00	TMS		1.66	
12.00	TMS		5.18	
13.00	TMS		1.20	
14.00	TMS		5.26	
15.00	TMS		0.38	
16.00	TMS		0.04	
17.00	TMS		0.16	
18.00	OGN		0.32	
19.00	OGN		10.40	
20.00	OGN		8.46	
21.00	OGN		10.30	
22.00	OGN		0.41	
23.00	OGN		0.30	
24.00	TMS		0.84	
25.00	TMS		4.57	
26.00	TMS		42.90	
27.00	TMS		0.86	
28.00	TMS		0.20	
29.00	TMS		0.55	
30.00	TMS		0.53	
31.00	TMS		0.71	
32.00	TMS		1.72	
33.00	TMS		0.67	
34.00	TMS		6.51	
35.00	TMS		0.51	
36.00	OGN		11.30	
37.00	OGN		14.60	
38.00	OGN		2.50	
39.00	OGN		1.14	
40.00	OGN		0.53	
41.00	OGN		0.30	
42.00	OGN		3.95	
43.00	OGN		0.28	
44.00	OGN		0.49	
45.00	OGN		0.36	

MAGNETIC SUSCEPTIBILITY LOG

Depth (m)	Unit	Modifier	Magnetic Susceptibility	Comments
46.00	OGN		0.47	
47.00	AND		20.70	
48.00	AND		21.60	
49.00	AND		13.00	
50.00	AND		25.10	
51.00	AND		27.30	
52.00	AND		28.60	
53.00	AND		0.51	
54.00	AND		24.10	
55.00	AND		0.43	
56.00	AND		0.16	
57.00	AND		0.18	
58.00	AND		0.18	
59.00	AND		11.10	
60.00	AND		17.70	
61.00	AND		26.00	
62.00	AND		0.65	
63.00	AND		22.70	
64.00	PCS		30.70	
65.00	PCS		6.62	
66.00	PCS		35.90	
67.00	PCS		11.20	
68.00	PCS		11.00	
69.00	PCS		13.60	
70.00	PCS		19.70	
71.00	PCS		0.16	
72.00	PCS		31.90	
73.00	PCS		0.49	
74.00	OGN		0.08	
75.00	OGN		0.12	
76.00	OGN		0.12	
77.00	OGN		0.84	
78.00	TMS		0.22	
79.00	TMS		6.23	
80.00	TMS		0.53	
81.00	TMS		0.57	
82.00	TMS		3.25	
83.00	OGN		3.77	
84.00	OGN		0.47	
85.00	OGN		9.47	
86.00	VCL		34.60	
87.00	VCL		10.50	
88.00	VCL		1.76	
89.00	VCL		1.04	
90.00	VCL		20.20	
91.00	VCL		11.40	

MAGNETIC SUSCEPTIBILITY LOG

Depth (m)	Unit	Modifier	Magnetic Susceptibility	Comments
92.00	VCL		2.05	
93.00	VCL		13.00	
94.00	OGN		14.40	
95.00	OGN		37.90	
96.00	OGN		3.21	
97.00	OGN		5.90	
98.00	OGN		13.00	
99.00	PCS		6.29	
100.00	PCS		3.95	
101.00	PCS		12.90	
102.00	PCS		0.77	
103.00	PCS		2.05	
104.00	PCS		11.70	
105.00	PCS		12.60	
106.00	AND		15.50	
107.00	AND		45.30	
108.00	AND		34.10	
109.00	TMS		1.98	
110.00	TMS		9.43	
111.00	TMS		0.96	
112.00	TMS		0.20	
113.00	TMS		0.63	
114.00	TMS		0.38	
115.00	TMS		2.17	
116.00	TMS		0.61	
117.00	TMS		0.16	
118.00	TMS		0.12	
119.00	TMS		0.26	
120.00	TMS		3.19	
121.00	TMS		1.29	
122.00	TMS		0.02	
123.00	TMS		0.32	
124.00	TMS		1.20	
125.00	TMS		0.02	
126.00	TMS		0.04	
127.00	TMS		0.47	
128.00	TMS		0.59	
129.00	TMS		0.67	
130.00	TMS		2.62	
131.00	MRB		0.04	
132.00	MRB		0.01	
133.00	MRB		39.80	
134.00	MRB		16.80	
135.00	MRB		0.59	
136.00	MRB		0.48	
137.00	MRB		0.59	

MAGNETIC SUSCEPTIBILITY LOG

Depth (m)	Unit	Modifier	Magnetic Susceptibility	Comments
138.00	MRB		0.02	
139.00	MRB		0.02	
140.00	MRB		0.08	
141.00	MRB		0.04	
142.00	MRB		0.16	
143.00	MRB		0.06	
144.00	MRB		0.04	
145.00	MRB		0.04	
146.00	MRB		0.12	
147.00	MRB		0.06	
148.00	MRB		0.02	
149.00	MRB		0.02	
150.00	MRB		0.08	
151.00	MRB		0.06	
152.00	MRB		0.00	
153.00	MRB		0.08	
154.00	MRB		0.18	
155.00	MRB		0.28	
156.00	MRB		0.02	
157.00	MRB		0.12	
158.00	MRB		0.00	
159.00	MRB		0.02	
160.00	VCL		0.43	
161.00	VCL		0.24	
162.00	VCL		1.61	
163.00	VCL		2.70	
164.00	VCL		0.57	
165.00	VCL		0.36	
166.00	VCL		0.24	
167.00	VCL		0.41	
168.00	VCL		1.25	
EOH				